



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 20-JUL-2012
This copy reported on
8-AUG-2012
Account: STRGOL

CERTIFICATE WH12150332

Project: Eagle Gold

P.O. No.: EGP12-125

This report is for 67 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150332

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393434		6.36	0.027	<0.5	7.45	128	1310	3.8	2	2.89	<0.5	8	46	33	2.78	20
M393435		5.92	0.099	<0.5	7.13	174	1200	3.4	<2	2.58	<0.5	9	46	18	2.63	20
M393436		6.52	0.507	<0.5	7.65	101	1380	3.5	11	2.79	<0.5	9	45	22	2.83	20
M393437		5.42	0.098	<0.5	7.79	202	1470	3.3	3	2.87	<0.5	8	44	35	2.89	20
M393438		4.06	0.123	<0.5	6.99	197	1230	2.8	3	2.39	<0.5	8	41	45	2.60	20
M393439		3.86	0.158	<0.5	7.61	257	1500	3.3	6	2.56	<0.5	11	42	51	2.66	20
M393440		4.62	0.235	<0.5	7.41	416	1450	2.9	5	2.35	<0.5	9	41	69	2.47	20
M393441		4.32	0.272	<0.5	7.61	135	1470	3.1	<2	2.49	<0.5	9	43	34	2.53	20
M393442		4.20	1.655	<0.5	6.94	310	1310	3.0	103	2.03	<0.5	10	41	72	2.69	20
M393443		3.80	2.02	<0.5	6.83	193	1310	3.0	42	1.88	<0.5	9	40	74	2.35	20
M393444		4.52	0.270	<0.5	7.82	133	1450	3.6	7	2.10	<0.5	10	45	57	2.65	20
M393445		3.86	1.025	<0.5	7.43	239	1430	3.2	28	2.25	<0.5	9	41	77	2.68	20
M393446		4.26	0.277	<0.5	7.52	1080	1440	3.4	4	2.10	<0.5	22	41	37	2.58	20
M393447		5.84	0.290	<0.5	7.58	147	1360	3.2	4	2.36	<0.5	10	50	33	2.65	20
M393448		5.08	0.112	<0.5	7.58	31	1400	3.3	<2	2.20	<0.5	9	45	24	2.66	20
M393449		6.74	0.174	<0.5	7.68	37	1460	3.3	2	2.13	<0.5	8	42	38	2.58	20
M393450		0.14	1.055	<0.5	7.55	1595	270	1.0	<2	5.47	<0.5	41	190	66	7.71	20
M393451		5.24	0.181	<0.5	7.28	106	1500	3.0	5	2.05	<0.5	9	39	59	2.49	20
M393452		6.76	0.461	<0.5	7.63	109	1350	2.8	<2	1.96	<0.5	7	34	37	2.05	20
M393453		4.52	0.261	<0.5	7.87	128	1680	3.2	7	2.54	<0.5	9	41	28	2.81	20
M393454		5.06	0.570	<0.5	7.83	76	1460	2.9	11	2.47	<0.5	9	41	51	2.46	20
M393455		6.78	1.875	0.7	7.41	272	1650	2.9	44	2.15	<0.5	12	40	79	2.95	20
M393456		1.64	<0.005	<0.5	0.12	<5	20	<0.5	<2	18.8	<0.5	1	3	4	0.42	<10
M393457		6.88	1.555	<0.5	6.97	369	1640	2.6	33	1.94	<0.5	10	39	76	2.63	20
M393458		6.06	0.441	0.9	6.75	992	1230	2.6	58	2.51	1.1	10	31	85	2.52	20
M393459		5.58	0.408	<0.5	7.34	502	1070	2.8	20	3.13	1.3	9	42	59	2.42	20
M393460		4.70	2.71	<0.5	7.44	136	1350	2.7	99	2.59	0.7	10	45	53	2.77	20
M393461		6.18	0.905	<0.5	7.63	59	1460	3.1	23	2.51	<0.5	10	53	41	2.90	20
M393462		5.12	0.842	<0.5	7.04	74	1290	2.9	35	2.61	<0.5	10	48	46	2.79	20
M393463		8.20	0.547	<0.5	7.37	462	1270	2.9	11	3.26	<0.5	13	53	79	2.70	20
M393464		4.64	0.097	<0.5	7.68	270	1310	3.2	2	2.77	<0.5	10	49	62	2.96	20
M393465		9.18	0.313	<0.5	7.74	199	1460	3.0	4	2.39	<0.5	12	51	84	3.15	20
M393466		4.16	0.263	0.8	7.51	497	1210	2.9	5	3.39	1.6	9	46	73	3.25	20
M393467		7.32	0.072	<0.5	7.25	43	1210	3.0	<2	2.45	<0.5	8	48	41	2.83	20
M393468		7.02	0.725	<0.5	6.78	85	1190	3.0	19	2.54	<0.5	9	50	36	2.66	20
M393469		<0.02	0.494	<0.5	6.94	75	1160	2.9	19	2.44	<0.5	8	49	35	2.62	20
M393470		3.12	0.280	<0.5	7.41	315	1270	3.0	5	2.77	0.6	9	52	57	2.61	20
M393471		5.12	0.138	<0.5	7.24	172	1230	3.2	6	1.99	<0.5	11	54	49	2.73	20
M393472		3.34	0.498	<0.5	7.18	156	1260	3.0	9	1.96	<0.5	11	53	70	2.78	20
M393473		3.40	0.245	<0.5	6.93	569	1120	2.7	4	1.80	<0.5	11	50	77	2.73	20

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150332

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393434		3.43	30	0.92	405	1	1.81	16	620	33	0.14	<5	8	521	20	0.30
M393435		3.60	30	1.01	420	1	1.76	13	580	34	0.08	5	8	472	20	0.28
M393436		3.62	30	0.95	427	2	1.82	15	630	32	0.10	<5	8	527	20	0.31
M393437		3.55	30	1.02	397	1	1.83	16	680	29	0.15	<5	8	558	20	0.33
M393438		3.58	30	0.87	325	7	1.60	13	560	28	0.19	<5	7	448	20	0.27
M393439		3.66	30	0.88	322	1	1.68	19	670	27	0.40	5	8	520	20	0.31
M393440		3.81	40	0.85	268	1	1.51	18	650	19	0.29	<5	7	497	20	0.30
M393441		3.59	40	0.88	344	1	1.67	19	650	25	0.18	<5	8	513	20	0.31
M393442		3.55	30	0.78	261	2	1.49	19	590	25	0.47	<5	7	434	20	0.27
M393443		3.77	30	0.76	211	1	1.37	16	570	19	0.33	<5	7	415	20	0.26
M393444		3.83	40	0.91	284	<1	1.73	15	640	26	0.21	<5	8	484	20	0.30
M393445		3.89	40	0.90	285	1	1.57	17	630	25	0.32	<5	7	475	20	0.29
M393446		3.67	30	0.85	313	1	1.69	17	630	29	0.20	<5	7	485	20	0.30
M393447		3.62	40	0.99	391	1	1.73	13	650	35	0.13	<5	8	527	20	0.30
M393448		3.48	30	1.02	375	<1	1.71	15	660	31	0.09	<5	8	528	20	0.30
M393449		3.69	40	0.90	308	6	1.64	17	650	28	0.21	<5	7	514	20	0.31
M393450		0.61	10	3.80	1315	1	2.07	142	1450	8	0.55	<5	19	393	<20	1.01
M393451		3.62	30	0.86	244	1	1.43	20	650	20	0.27	<5	7	509	20	0.30
M393452		4.42	30	0.72	242	2	1.44	15	630	28	0.18	5	7	472	20	0.26
M393453		3.55	30	0.96	337	<1	1.66	20	730	23	0.16	<5	8	576	20	0.34
M393454		4.01	40	0.62	342	2	1.12	17	670	40	0.31	26	8	336	20	0.30
M393455		3.85	40	0.69	309	3	1.08	18	690	54	0.66	28	7	312	20	0.30
M393456		0.05	<10	11.00	194	<1	0.02	3	220	<2	<0.01	<5	<1	48	<20	<0.01
M393457		3.70	30	0.73	262	2	1.13	16	660	38	0.43	26	7	367	20	0.29
M393458		3.50	40	0.60	361	2	0.61	16	600	118	0.74	33	6	281	20	0.27
M393459		3.57	40	0.71	512	1	0.50	15	670	85	0.38	18	8	277	20	0.28
M393460		3.85	30	1.00	471	3	0.97	16	680	48	0.17	20	8	377	20	0.31
M393461		4.01	30	1.15	430	6	1.53	20	770	29	0.18	16	8	501	20	0.35
M393462		3.77	30	1.08	437	3	1.34	19	690	25	0.22	17	8	458	20	0.32
M393463		4.15	40	0.89	434	2	1.28	18	730	19	0.31	8	8	429	20	0.33
M393464		3.90	40	1.10	406	8	1.41	17	770	20	0.25	11	9	508	20	0.35
M393465		4.28	40	0.83	388	5	1.12	18	750	36	0.33	29	8	370	20	0.33
M393466		3.94	40	0.71	712	2	0.53	16	690	208	0.50	67	8	259	20	0.29
M393467		3.67	30	0.79	432	<1	1.05	15	730	30	0.16	15	8	329	20	0.33
M393468		3.55	30	0.97	373	1	1.35	17	710	26	0.14	14	8	411	20	0.32
M393469		3.53	30	0.97	365	1	1.31	16	680	25	0.15	15	8	401	20	0.31
M393470		4.04	40	0.97	440	1	1.12	16	710	56	0.26	25	8	376	20	0.32
M393471		3.70	30	1.23	359	2	1.46	19	740	20	0.15	8	8	437	20	0.34
M393472		3.83	30	1.19	326	2	1.43	20	710	17	0.22	<5	8	432	20	0.32
M393473		3.90	30	1.11	280	4	1.19	16	680	17	0.33	9	8	372	20	0.30

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150332

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M393434		<10	<10	44	10	56
M393435		<10	<10	48	20	63
M393436		<10	<10	47	10	68
M393437		<10	<10	50	10	65
M393438		<10	<10	40	10	52
M393439		<10	<10	45	10	45
M393440		<10	<10	42	10	33
M393441		<10	<10	43	<10	50
M393442		10	<10	40	20	35
M393443		<10	<10	39	10	29
M393444		<10	<10	44	10	39
M393445		<10	<10	42	20	37
M393446		<10	<10	42	10	53
M393447		<10	<10	48	10	58
M393448		<10	<10	48	10	58
M393449		<10	<10	42	10	46
M393450		<10	<10	155	<10	121
M393451		<10	<10	40	10	28
M393452		<10	<10	33	10	30
M393453		<10	<10	45	10	42
M393454		10	<10	44	10	85
M393455		<10	<10	44	20	72
M393456		<10	10	2	<10	13
M393457		10	<10	42	40	43
M393458		<10	<10	36	30	223
M393459		<10	<10	46	30	274
M393460		<10	<10	49	30	157
M393461		<10	<10	54	30	58
M393462		<10	<10	50	30	52
M393463		<10	<10	53	50	40
M393464		<10	<10	53	60	43
M393465		<10	<10	52	40	52
M393466		<10	<10	48	50	307
M393467		<10	<10	52	20	86
M393468		<10	<10	51	20	42
M393469		<10	<10	50	20	42
M393470		<10	<10	51	30	142
M393471		<10	<10	58	40	44
M393472		<10	<10	51	30	39
M393473		<10	<10	49	30	31

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150332

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393474		6.34	0.249	<0.5	7.39	371	1230	2.9	10	1.88	<0.5	11	53	68	2.71	20
M393475		3.84	0.007	<0.5	7.52	89	1310	3.2	<2	2.84	<0.5	7	53	18	2.96	20
M393476		3.96	0.083	<0.5	7.55	177	1420	2.7	<2	2.27	<0.5	7	58	63	3.12	20
M393477		3.30	0.177	<0.5	7.27	240	1310	2.6	4	2.59	<0.5	7	50	52	2.95	20
M393478		5.80	0.099	<0.5	7.34	182	1040	2.7	5	4.40	0.8	7	50	39	3.48	20
M393479		5.00	0.265	<0.5	7.37	203	1560	2.8	6	2.71	<0.5	7	43	58	2.84	20
M393480		4.22	0.338	<0.5	7.64	419	1600	2.9	18	2.28	0.7	9	44	108	2.87	20
M393481		6.30	0.108	<0.5	7.95	366	1630	3.1	6	2.59	<0.5	8	43	87	2.91	20
M393482		3.48	2.54	<0.5	7.18	344	1050	2.8	110	1.47	<0.5	9	50	86	3.20	20
M393483		4.62	0.949	0.9	6.97	797	1120	2.5	23	4.15	0.7	9	37	80	3.43	20
M393484		4.48	0.434	<0.5	7.49	817	1600	2.8	19	2.77	<0.5	12	51	139	3.05	20
M393485		3.56	0.432	<0.5	7.50	626	1650	2.9	24	2.34	<0.5	13	47	102	2.99	20
M393486		5.00	0.491	<0.5	7.60	1230	1730	2.7	69	2.35	<0.5	22	46	45	2.89	20
M393487		6.56	0.653	<0.5	7.35	430	1530	2.7	57	2.13	<0.5	12	44	78	2.81	20
M393488		7.58	0.631	<0.5	7.58	597	1590	2.8	52	2.37	<0.5	13	44	81	2.70	20
M393489		5.02	0.410	<0.5	7.36	267	1520	2.6	11	2.36	<0.5	8	41	98	2.91	20
M393490		0.14	0.987	<0.5	7.57	1665	270	1.0	<2	5.61	<0.5	35	176	65	8.11	20
M393491		4.34	0.150	0.6	7.67	346	1260	2.9	11	2.34	0.6	8	43	73	2.76	20
M393492		6.50	0.284	<0.5	7.35	412	1530	2.8	22	1.87	<0.5	12	43	115	2.91	20
M393493		7.06	0.341	<0.5	6.74	484	1430	2.6	47	2.03	<0.5	9	46	83	2.53	20
M393494		6.50	0.251	<0.5	6.97	243	1370	2.7	15	2.54	<0.5	7	41	100	2.64	20
M393495		5.76	0.076	1.3	7.05	371	880	2.5	8	2.78	1.8	6	43	75	2.24	20
M393496		1.90	<0.005	<0.5	0.10	<5	20	<0.5	<2	20.8	<0.5	<1	3	1	0.47	<10
M393497		4.42	0.155	<0.5	7.18	181	1540	2.5	15	2.15	<0.5	7	39	58	2.57	20
M393498		3.78	0.135	<0.5	7.68	550	1530	2.7	4	2.63	<0.5	8	41	54	2.81	20
M393499		3.80	0.023	0.5	6.72	156	1070	2.8	<2	3.25	1.4	7	40	75	2.11	20
M393500		6.24	0.047	<0.5	7.51	363	1020	2.9	14	3.08	1.1	8	48	40	2.95	20

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150332

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393474		3.89	40	1.18	311	1	1.40	16	730	19	0.29	9	8	424	20	0.32
M393475		3.76	30	1.29	460	6	1.80	21	760	26	0.08	<5	8	546	20	0.35
M393476		4.21	30	1.23	348	4	1.36	19	730	36	0.31	10	9	422	20	0.33
M393477		3.98	40	0.99	400	8	1.22	14	700	56	0.28	18	8	379	20	0.31
M393478		3.63	30	0.86	730	4	0.91	17	700	51	0.74	18	9	314	20	0.31
M393479		3.77	30	0.88	375	4	1.29	15	700	38	0.28	11	8	428	20	0.33
M393480		4.02	40	0.84	330	4	1.15	19	700	64	0.60	11	8	384	20	0.32
M393481		3.86	40	0.96	351	19	1.41	19	760	31	0.40	10	8	461	20	0.34
M393482		3.51	40	1.32	319	9	0.83	9	660	45	0.38	14	8	271	20	0.30
M393483		3.62	40	0.83	878	3	0.67	15	650	285	1.10	56	8	288	20	0.28
M393484		4.00	40	0.92	327	3	1.28	19	750	54	0.65	13	8	437	20	0.34
M393485		3.87	30	1.01	259	3	1.57	17	700	27	0.40	<5	8	514	20	0.33
M393486		3.87	40	1.06	276	4	1.61	16	730	25	0.28	<5	8	550	20	0.33
M393487		3.61	40	0.98	263	4	1.55	15	680	29	0.29	9	8	470	20	0.30
M393488		3.97	40	0.96	272	5	1.63	14	680	26	0.34	8	8	501	20	0.30
M393489		4.05	40	0.95	282	11	1.45	15	670	31	0.44	8	8	483	20	0.30
M393490		0.62	20	3.98	1285	4	2.14	134	1410	16	0.54	<5	19	400	<20	0.97
M393491		3.69	40	0.89	377	3	1.16	15	690	103	0.42	13	8	330	20	0.32
M393492		4.05	40	0.95	237	5	1.43	15	630	28	0.45	6	8	466	20	0.29
M393493		3.63	30	0.89	225	8	1.41	17	590	18	0.38	<5	7	448	20	0.28
M393494		3.57	30	0.91	271	5	1.42	14	620	20	0.36	12	7	442	20	0.29
M393495		3.61	30	0.53	497	6	0.44	14	600	181	0.63	25	7	211	20	0.28
M393496		0.04	<10	12.65	208	<1	0.01	<1	160	4	0.01	<5	<1	47	<20	<0.01
M393497		3.69	40	0.95	283	8	1.41	15	630	26	0.21	10	7	449	20	0.29
M393498		3.73	40	0.92	372	3	1.32	19	760	33	0.38	14	8	396	20	0.35
M393499		3.95	30	0.43	491	3	0.32	19	720	123	0.42	21	7	194	20	0.34
M393500		3.57	40	0.65	542	5	0.50	15	700	96	0.46	11	9	236	20	0.31

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150332

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M393474		<10	<10	52	40	38
M393475		<10	<10	56	10	52
M393476		<10	<10	55	30	62
M393477		<10	<10	52	20	75
M393478		<10	<10	52	30	190
M393479		<10	<10	46	20	50
M393480		<10	<10	44	20	145
M393481		<10	<10	48	10	66
M393482		<10	<10	50	30	75
M393483		<10	<10	42	30	155
M393484		<10	<10	49	30	50
M393485		<10	<10	48	30	33
M393486		<10	<10	46	30	38
M393487		<10	<10	45	30	39
M393488		<10	<10	43	40	32
M393489		<10	<10	43	220	32
M393490		<10	<10	150	<10	118
M393491		<10	<10	46	50	146
M393492		<10	<10	41	60	41
M393493		<10	<10	40	220	25
M393494		<10	<10	41	80	26
M393495		<10	<10	39	150	304
M393496		<10	<10	1	<10	14
M393497		<10	<10	40	70	40
M393498		<10	<10	48	40	93
M393499		<10	<10	47	30	281
M393500		<10	<10	51	20	247

Comments: **Corrected Copy for Au-AA24 on Samples M3939434 - M393470.**