



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 19-JUL-2012
Account: STRGOL

CERTIFICATE WH12150333

Project: Eagle Gold

P.O. No.: EGP12-128

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 19-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150333

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394101		3.64	0.017	<0.5	7.71	234	960	2.2	<2	0.37	<0.5	10	61	19	3.17	20
M394102		3.30	<0.005	<0.5	9.92	237	880	2.5	<2	0.77	<0.5	14	82	31	4.52	30
M394103		2.66	0.009	<0.5	11.25	331	1220	3.1	<2	0.26	<0.5	16	95	19	4.87	30
M394104		5.88	0.007	<0.5	9.56	239	1150	2.3	<2	0.59	<0.5	12	79	22	4.03	30
M394105		7.18	0.019	<0.5	3.92	459	270	1.0	2	0.35	<0.5	5	37	10	1.82	10
M394106		3.58	0.007	1.3	5.01	266	270	1.3	<2	0.92	<0.5	5	41	7	1.47	10
M394107		5.42	0.005	<0.5	5.28	98	500	1.0	<2	0.76	<0.5	6	51	10	2.06	10
M394108		3.36	0.005	<0.5	5.65	105	510	1.4	<2	0.74	<0.5	5	46	18	1.65	10
M394109		3.82	0.013	<0.5	5.45	181	550	1.2	<2	0.49	<0.5	4	47	9	1.75	10
M394110		0.14	0.112	0.7	7.93	35	80	<0.5	<2	1.52	<0.5	10	16	3590	3.61	20
M394111		4.52	0.034	<0.5	8.49	326	950	2.4	<2	1.03	<0.5	11	66	18	2.65	20
M394112		7.80	0.016	<0.5	8.90	318	1040	2.4	<2	0.88	<0.5	13	74	15	3.01	20
M394113		4.16	<0.005	<0.5	11.45	83	1080	2.6	<2	0.41	<0.5	15	95	22	5.44	30
M394114		5.80	0.011	<0.5	6.69	234	650	1.6	<2	0.96	<0.5	9	54	15	2.81	20
M394115		2.78	0.005	<0.5	8.24	196	830	1.8	<2	0.88	<0.5	9	59	17	3.57	20
M394116		0.86	<0.005	<0.5	0.09	<5	20	<0.5	<2	19.6	<0.5	<1	<1	1	0.45	<10
M394117		5.82	<0.005	<0.5	9.90	131	960	2.2	<2	0.67	<0.5	12	79	28	4.02	30
M394118		4.22	<0.005	<0.5	9.63	97	1180	2.1	<2	0.45	<0.5	11	76	18	4.18	30
M394119		4.74	<0.005	<0.5	9.54	77	1280	2.3	<2	0.69	<0.5	13	68	13	4.04	30
M394120		6.14	0.008	<0.5	9.20	99	800	2.3	<2	0.77	<0.5	13	77	25	4.28	20
M394121		5.34	0.056	<0.5	3.66	1295	410	1.0	2	1.72	<0.5	7	31	9	1.86	10
M394122		5.36	0.097	<0.5	4.07	1515	470	1.0	6	1.42	<0.5	5	30	6	2.14	10
M394123		5.92	0.070	<0.5	3.16	982	260	0.9	2	1.47	<0.5	5	29	12	1.52	10
M394124		7.86	0.030	<0.5	6.93	358	650	1.7	<2	1.24	<0.5	14	63	29	3.50	20
M394125		7.56	0.056	<0.5	4.44	693	380	0.9	3	1.12	<0.5	6	44	15	1.96	10
M394126		6.08	0.032	<0.5	4.80	259	450	1.2	2	1.46	<0.5	7	45	12	2.22	10
M394127		7.94	0.028	<0.5	6.41	212	550	1.6	<2	1.19	<0.5	8	49	12	2.76	20
M394128		4.08	0.009	<0.5	10.85	115	870	3.2	<2	0.91	<0.5	15	83	31	3.98	30
M394129		<0.02	0.008	<0.5	10.80	123	880	3.2	<2	0.92	<0.5	15	84	32	3.95	30
M394130		3.16	0.021	<0.5	5.34	341	340	1.4	<2	0.54	1.2	10	43	15	2.74	10
M394131		2.08	0.014	<0.5	4.58	111	310	1.2	2	0.26	10.6	6	42	10	1.87	10
M394132		6.22	0.006	<0.5	4.69	171	410	1.1	<2	0.57	3.1	7	41	17	2.06	10
M394133		6.32	0.010	<0.5	4.86	225	460	1.1	3	0.64	<0.5	7	42	18	1.56	10
M394134		3.88	<0.005	<0.5	10.10	68	1130	2.4	<2	0.26	<0.5	17	85	19	4.42	30
M394135		3.74	<0.005	<0.5	8.05	81	1060	1.8	<2	0.58	<0.5	13	70	18	3.70	20
M394136		4.74	<0.005	<0.5	9.26	41	1240	2.0	<2	0.74	<0.5	14	67	31	4.51	20
M394137		4.92	<0.005	<0.5	8.95	27	1380	2.1	<2	0.59	<0.5	14	68	20	4.14	20
M394138		4.72	<0.005	<0.5	8.42	16	1160	2.3	<2	0.55	<0.5	14	67	23	3.87	20
M394139		5.88	0.006	<0.5	9.48	48	1530	2.2	<2	0.71	<0.5	13	71	19	4.16	20
M394140		6.28	<0.005	<0.5	9.83	37	970	2.7	<2	0.70	<0.5	16	83	37	4.16	30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 19-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150333

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394101		3.24	50	0.46	207	<1	0.53	26	320	3	<0.01	5	11	61	20	0.28
M394102		3.63	40	1.01	467	<1	1.04	36	470	10	<0.01	<5	14	142	20	0.45
M394103		4.25	40	0.64	325	<1	0.54	39	460	8	<0.01	12	17	97	20	0.48
M394104		4.08	50	0.48	376	<1	0.43	32	730	8	0.01	18	14	71	20	0.42
M394105		1.54	20	0.11	264	<1	0.04	10	150	4	0.01	5	5	18	<20	0.16
M394106		1.99	30	0.14	262	<1	0.04	12	160	3	<0.01	6	6	14	<20	0.17
M394107		2.00	20	0.31	184	<1	0.82	15	170	5	<0.01	10	6	57	<20	0.21
M394108		2.23	30	0.37	157	<1	0.89	18	190	10	0.01	6	7	71	<20	0.21
M394109		2.07	30	0.30	177	<1	0.68	9	180	4	0.01	<5	7	61	<20	0.23
M394110		1.36	<10	2.04	271	72	2.18	7	600	4	0.87	<5	20	113	<20	0.32
M394111		3.51	50	0.74	293	<1	0.97	26	280	8	0.01	<5	12	148	20	0.37
M394112		3.76	50	0.74	369	<1	1.19	24	310	8	0.01	<5	14	146	20	0.39
M394113		5.10	40	1.26	491	<1	0.84	39	520	8	<0.01	<5	17	134	20	0.55
M394114		2.64	40	0.65	450	<1	0.69	18	380	6	0.04	<5	9	124	20	0.29
M394115		3.62	40	0.83	362	<1	0.63	23	900	8	<0.01	8	11	101	20	0.32
M394116		0.04	<10	12.20	184	<1	0.01	<1	200	<2	<0.01	<5	<1	42	<20	<0.01
M394117		4.19	50	1.04	353	<1	1.25	29	440	13	<0.01	<5	14	135	20	0.45
M394118		4.05	50	0.87	270	<1	0.67	29	520	8	<0.01	5	14	91	20	0.41
M394119		4.03	50	0.76	230	<1	0.74	33	910	7	0.01	6	14	106	20	0.37
M394120		3.22	50	0.91	414	<1	0.91	28	360	7	0.01	<5	13	122	20	0.43
M394121		1.48	20	0.40	270	2	0.27	12	100	3	0.05	<5	4	66	<20	0.13
M394122		1.80	20	0.40	262	2	0.33	14	110	4	0.06	<5	4	64	<20	0.13
M394123		1.12	20	0.33	225	<1	0.24	11	100	3	0.05	<5	3	54	<20	0.11
M394124		2.47	30	0.84	356	<1	0.75	26	240	9	0.07	<5	10	95	<20	0.32
M394125		1.36	20	0.40	202	<1	1.12	12	120	7	0.08	<5	5	95	<20	0.20
M394126		1.58	20	0.47	276	<1	0.86	15	220	5	0.04	<5	6	105	<20	0.22
M394127		2.30	40	0.55	355	<1	0.34	21	420	10	0.05	9	8	91	<20	0.23
M394128		3.63	50	0.77	401	<1	0.29	44	650	19	0.06	30	16	89	20	0.40
M394129		3.68	40	0.75	404	<1	0.29	44	690	19	0.06	27	15	89	20	0.40
M394130		1.68	30	0.34	696	<1	0.04	24	160	25	0.04	13	7	38	<20	0.23
M394131		1.63	20	0.19	819	<1	0.04	15	130	50	0.07	46	6	18	<20	0.19
M394132		1.56	20	0.30	637	<1	0.04	12	160	15	0.08	20	6	39	<20	0.19
M394133		1.49	30	0.26	244	<1	0.06	13	1010	8	0.08	13	6	50	<20	0.21
M394134		4.31	40	1.01	366	<1	0.43	37	310	20	0.11	9	14	108	20	0.48
M394135		3.27	40	0.81	364	<1	0.40	32	290	9	0.11	7	11	75	20	0.35
M394136		3.94	40	0.99	528	<1	0.59	31	440	9	0.19	<5	13	114	20	0.36
M394137		4.04	40	0.94	340	<1	0.56	32	680	10	0.09	6	13	92	20	0.36
M394138		3.75	50	0.90	448	3	0.67	35	270	7	0.14	9	12	96	20	0.35
M394139		4.40	50	0.95	372	<1	0.86	36	440	7	0.09	7	14	121	20	0.40
M394140		3.41	50	0.98	321	<1	0.52	34	780	10	0.21	6	15	122	20	0.46



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 19-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150333

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M394101		<10	<10	66	10	41
M394102		<10	<10	92	<10	102
M394103		<10	<10	110	10	95
M394104		<10	<10	96	10	134
M394105		<10	<10	31	10	56
M394106		<10	<10	39	10	35
M394107		<10	<10	40	<10	21
M394108		<10	<10	42	<10	24
M394109		<10	<10	45	10	28
M394110		<10	<10	280	<10	80
M394111		<10	<10	78	50	40
M394112		<10	<10	91	100	52
M394113		<10	<10	113	<10	106
M394114		<10	<10	56	50	43
M394115		<10	<10	70	10	60
M394116		<10	10	2	<10	13
M394117		<10	<10	91	<10	70
M394118		<10	<10	84	10	64
M394119		<10	<10	83	<10	62
M394120		<10	<10	85	10	80
M394121		<10	<10	29	30	22
M394122		<10	<10	32	30	23
M394123		<10	<10	22	30	19
M394124		<10	<10	64	20	68
M394125		<10	<10	36	50	35
M394126		<10	<10	41	20	33
M394127		<10	<10	49	10	41
M394128		<10	<10	96	10	86
M394129		<10	<10	98	10	89
M394130		<10	<10	46	30	648
M394131		<10	<10	39	10	1150
M394132		<10	<10	38	10	672
M394133		<10	<10	39	10	49
M394134		<10	<10	94	<10	77
M394135		<10	<10	82	<10	61
M394136		<10	<10	79	<10	78
M394137		<10	<10	78	10	76
M394138		<10	<10	75	<10	70
M394139		<10	<10	83	<10	64
M394140		<10	<10	90	<10	70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 19-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150333

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394141		6.42	<0.005	<0.5	9.26	45	1370	2.3	<2	0.70	<0.5	13	69	17	4.07	20
M394142		7.28	0.007	<0.5	9.13	173	1290	2.4	<2	0.89	<0.5	14	72	19	4.23	30
M394143		6.12	<0.005	<0.5	7.54	40	960	1.9	<2	1.00	<0.5	13	65	13	3.59	20
M394144		6.86	0.006	<0.5	10.70	180	1890	2.6	<2	1.76	<0.5	23	129	25	5.43	30
M394145		2.74	0.005	<0.5	6.52	20	770	1.7	<2	0.68	<0.5	11	49	33	2.91	20
M394146		3.80	<0.005	<0.5	3.70	61	270	0.9	<2	0.93	<0.5	5	36	6	1.84	10
M394147		2.76	0.038	<0.5	2.76	253	230	0.8	<2	1.17	<0.5	3	26	14	1.29	10
M394148		3.70	<0.005	<0.5	9.33	38	1860	2.2	<2	0.56	<0.5	13	64	14	3.97	20
M394149		5.88	0.006	<0.5	8.10	505	1040	2.7	<2	1.99	<0.5	15	67	24	3.21	20
M394150		0.14	0.360	1.1	7.57	37	780	1.9	<2	2.30	<0.5	15	48	3370	4.84	20
M394151		6.00	0.016	<0.5	7.84	417	1000	1.9	<2	0.99	<0.5	13	76	25	3.46	20
M394152		6.62	<0.005	<0.5	9.16	76	1320	2.1	<2	0.94	<0.5	17	67	18	4.10	20
M394153		7.20	<0.005	<0.5	9.71	43	1070	2.3	<2	0.63	<0.5	15	74	28	3.92	30
M394154		6.38	<0.005	<0.5	7.30	33	630	1.7	<2	0.71	<0.5	10	55	12	2.72	20
M394155		4.64	0.034	<0.5	8.54	1590	440	2.2	<2	4.70	<0.5	22	26	40	5.85	20
M394156		1.44	<0.005	<0.5	0.13	37	20	<0.5	<2	18.9	<0.5	<1	1	<1	0.46	<10
M394157		5.36	<0.005	<0.5	7.61	123	700	2.0	<2	2.13	<0.5	12	57	15	2.93	20
M394158		5.06	<0.005	<0.5	8.63	45	680	2.2	<2	0.58	<0.5	11	64	18	3.36	20
M394159		5.90	<0.005	<0.5	11.20	45	920	2.7	<2	0.44	<0.5	16	87	35	4.86	30
M394160		4.14	<0.005	<0.5	9.13	33	750	2.3	<2	0.39	<0.5	13	74	21	4.08	20
M394161		6.54	<0.005	<0.5	7.84	41	640	1.9	<2	0.63	<0.5	11	65	27	3.69	20
M394162		6.18	<0.005	<0.5	7.81	22	610	1.9	<2	0.70	<0.5	12	62	24	3.75	20
M394163		5.14	<0.005	<0.5	8.25	21	700	1.9	<2	0.35	<0.5	13	67	25	3.78	20
M394164		4.72	<0.005	<0.5	7.68	34	680	1.6	<2	0.74	<0.5	11	60	16	3.50	20
M394165		5.14	<0.005	<0.5	9.55	31	830	2.2	<2	0.66	<0.5	13	74	22	4.17	30
M394166		3.44	<0.005	<0.5	4.44	122	320	1.0	<2	0.67	<0.5	6	37	24	2.70	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 19-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150333

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394141		3.96	40	1.01	310	<1	1.05	35	430	9	0.06	<5	14	126	20	0.40
M394142		3.45	40	1.07	374	<1	1.04	34	470	9	0.08	<5	14	150	20	0.38
M394143		3.09	40	1.10	316	<1	1.19	29	370	11	0.06	<5	11	141	<20	0.34
M394144		4.33	40	1.74	535	<1	1.15	91	940	12	0.11	<5	18	192	<20	0.53
M394145		2.06	30	0.69	293	<1	0.73	27	180	12	0.15	<5	9	93	20	0.25
M394146		0.97	20	0.34	428	<1	0.49	11	90	15	0.03	<5	4	77	<20	0.16
M394147		1.03	20	0.22	335	<1	0.31	10	80	10	0.42	8	3	71	<20	0.11
M394148		3.88	40	1.02	364	2	0.86	37	290	15	0.07	<5	14	136	20	0.34
M394149		2.42	40	0.96	367	2	1.06	33	440	11	0.15	<5	11	231	20	0.37
M394150		2.98	10	1.40	502	248	2.41	23	1070	17	0.49	<5	12	462	<20	0.37
M394151		2.84	40	0.83	336	<1	0.89	32	350	7	0.14	<5	11	145	20	0.37
M394152		3.60	40	0.98	409	<1	0.88	42	620	10	0.09	<5	14	152	20	0.38
M394153		3.73	40	0.93	359	<1	1.05	37	500	17	0.12	<5	14	176	20	0.43
M394154		2.47	40	0.76	342	<1	0.84	25	170	11	0.04	<5	9	140	20	0.30
M394155		1.82	50	2.35	1110	2	1.47	18	5050	18	0.49	<5	26	336	<20	1.81
M394156		0.03	<10	12.00	197	<1	0.01	7	160	<2	<0.01	<5	<1	46	<20	0.01
M394157		2.48	40	0.69	526	<1	0.43	25	1900	12	0.12	<5	10	178	20	0.34
M394158		3.05	40	0.82	364	<1	0.77	30	270	15	0.14	<5	12	155	20	0.35
M394159		4.15	40	1.14	523	<1	1.12	42	360	18	0.20	<5	16	172	20	0.50
M394160		3.25	50	0.93	399	<1	0.87	33	220	16	0.12	<5	12	130	20	0.40
M394161		2.64	40	0.80	574	1	0.75	29	300	15	0.22	<5	11	128	20	0.34
M394162		2.56	40	0.78	600	2	0.66	29	270	11	0.26	<5	11	130	20	0.33
M394163		3.14	40	0.88	418	<1	0.91	35	260	15	0.16	<5	11	123	20	0.36
M394164		3.01	40	0.85	513	2	0.89	30	250	20	0.10	<5	10	135	20	0.32
M394165		4.09	40	1.03	367	<1	1.09	38	1510	20	0.13	<5	13	173	20	0.41
M394166		1.34	20	0.59	450	1	0.23	17	430	8	0.21	<5	6	77	<20	0.17



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 19-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12150333

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M394141		<10	<10	83	10	75
M394142		<10	<10	84	10	71
M394143		<10	<10	68	<10	58
M394144		<10	<10	140	<10	78
M394145		<10	<10	51	10	46
M394146		<10	<10	26	10	29
M394147		<10	<10	18	20	14
M394148		<10	<10	84	10	64
M394149		<10	<10	78	80	53
M394150		<10	<10	135	10	74
M394151		10	<10	74	30	56
M394152		<10	<10	86	<10	62
M394153		<10	<10	87	<10	60
M394154		<10	<10	58	<10	36
M394155		<10	<10	277	40	87
M394156		<10	<10	1	<10	14
M394157		<10	<10	71	10	55
M394158		<10	<10	77	10	58
M394159		10	<10	100	<10	102
M394160		<10	<10	78	<10	83
M394161		<10	<10	67	10	73
M394162		<10	<10	66	10	75
M394163		<10	<10	73	<10	78
M394164		<10	<10	65	10	65
M394165		<10	<10	85	<10	86
M394166		10	<10	36	<10	42