



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 21-JUL-2012
Account: STRGOL

CERTIFICATE WH12155693

Project: Eagle Gold

P.O. No.: EGP12-137

This report is for 69 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 21-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12155693

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394501		5.10	0.093	<0.5	7.25	174	1390	2.8	3	2.38	<0.5	8	33	29	2.54	20
M394502		3.80	0.036	<0.5	7.56	301	1520	3.0	<2	2.22	<0.5	7	27	42	2.18	20
M394503		3.44	0.117	<0.5	7.24	328	1480	2.8	40	2.36	<0.5	6	26	38	2.18	20
M394504		3.46	0.168	<0.5	7.75	260	1620	3.2	5	1.84	<0.5	6	32	38	2.30	20
M394505		2.78	0.257	<0.5	7.46	303	1510	3.0	12	2.61	<0.5	6	27	23	2.32	20
M394506		3.10	0.025	<0.5	7.87	120	1580	3.1	<2	2.23	<0.5	6	30	16	2.47	20
M394507		2.22	0.025	<0.5	7.79	132	1600	3.2	<2	2.35	<0.5	6	31	18	2.56	20
M394508		2.64	0.012	<0.5	7.49	130	1500	3.1	<2	2.20	<0.5	6	29	16	2.33	20
M394509		3.80	0.045	<0.5	7.80	146	1630	3.1	<2	2.42	<0.5	7	32	25	2.58	20
M394510		0.14	0.341	0.8	7.92	18	780	1.9	<2	2.44	<0.5	14	49	3470	5.12	20
M394511		3.28	0.011	<0.5	7.54	126	1510	3.2	<2	2.26	<0.5	6	29	17	2.34	20
M394512		3.08	0.043	<0.5	7.82	471	1660	2.8	<2	1.94	<0.5	6	28	85	2.26	20
M394513		3.32	0.037	<0.5	7.72	499	1570	3.2	<2	2.52	<0.5	7	29	25	2.46	20
M394514		1.96	0.010	<0.5	7.53	174	1470	3.2	<2	2.25	<0.5	6	30	11	2.47	20
M394515		2.52	0.024	<0.5	7.59	250	1500	3.3	4	1.89	<0.5	6	29	41	2.51	20
M394516		1.72	<0.005	<0.5	0.11	7	20	<0.5	<2	21.6	<0.5	<1	<1	<1	0.47	<10
M394517		3.44	0.064	<0.5	7.27	106	1570	3.2	2	2.17	<0.5	7	33	41	2.47	20
M394518		5.02	0.089	<0.5	7.55	826	1590	3.2	8	1.95	<0.5	10	33	57	2.64	20
M394519		4.66	0.053	<0.5	7.58	346	1530	3.1	<2	1.92	<0.5	9	38	62	2.39	20
M394520		7.30	0.048	<0.5	7.60	299	1560	3.2	8	2.23	<0.5	9	33	60	2.55	20
M394521		4.86	0.042	<0.5	7.43	305	1520	3.1	3	1.89	<0.5	7	30	62	2.40	20
M394522		4.46	0.036	<0.5	7.53	361	1590	3.2	4	1.87	<0.5	7	31	76	2.56	20
M394523		2.02	0.042	<0.5	7.72	561	1620	3.4	2	1.94	<0.5	7	31	43	2.53	20
M394524		6.20	0.030	<0.5	7.79	342	1640	3.4	6	2.05	<0.5	7	35	62	2.67	20
M394525		5.44	0.527	<0.5	7.12	929	1500	3.1	16	1.98	<0.5	10	30	68	2.30	20
M394526		5.50	0.031	<0.5	7.37	731	1570	3.1	4	2.38	<0.5	8	35	42	2.69	20
M394527		5.58	0.390	<0.5	7.50	149	1630	3.1	13	2.32	<0.5	8	31	41	2.53	20
M394528		3.72	0.029	<0.5	7.60	152	1610	3.3	<2	2.43	<0.5	7	36	27	2.69	20
M394529		<0.02	0.019	<0.5	7.89	142	1620	3.4	3	2.49	<0.5	8	36	26	2.64	20
M394530		2.98	0.092	<0.5	7.61	495	1580	3.1	10	2.15	<0.5	8	33	50	2.47	20
M394531		4.90	0.036	<0.5	7.49	459	1590	3.2	7	2.21	<0.5	8	32	51	2.47	20
M394532		3.56	0.412	<0.5	7.69	591	1570	3.2	15	1.86	<0.5	16	32	52	2.51	20
M394533		2.94	0.900	0.9	7.53	9320	1580	3.0	67	1.62	<0.5	48	34	76	3.78	20
M394534		3.60	0.160	<0.5	7.47	672	1580	3.1	19	1.80	<0.5	9	35	80	2.51	20
M394535		5.68	0.097	<0.5	7.37	619	1590	3.1	10	1.93	<0.5	9	33	85	2.49	20
M394536		3.18	0.042	<0.5	7.19	256	1540	3.1	5	2.41	<0.5	7	37	79	2.53	20
M394537		4.56	0.052	<0.5	7.20	289	1480	3.0	10	2.64	<0.5	7	32	85	2.43	20
M394538		2.72	0.051	<0.5	7.31	374	1530	3.1	7	1.75	<0.5	9	33	124	2.62	20
M394539		7.28	0.064	<0.5	7.41	330	1560	3.1	8	2.31	<0.5	8	34	72	2.56	20
M394540		5.14	0.028	<0.5	7.35	180	1470	3.1	3	2.54	<0.5	7	34	47	2.32	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 21-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12155693

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394501		3.43	30	0.71	259	<1	1.54	20	590	20	0.03	<5	7	405	20	0.30
M394502		3.55	40	0.58	178	<1	1.30	18	640	18	0.01	<5	7	334	20	0.30
M394503		3.79	30	0.50	175	1	1.28	17	610	18	0.01	<5	6	346	20	0.28
M394504		4.01	30	0.60	156	<1	1.59	16	660	16	0.01	<5	6	434	20	0.31
M394505		3.73	30	0.56	213	<1	1.54	16	610	19	0.01	<5	6	415	20	0.29
M394506		3.54	30	0.74	230	<1	1.77	20	630	20	0.01	<5	7	488	20	0.31
M394507		3.66	40	0.79	269	<1	1.81	20	650	24	0.01	<5	7	492	20	0.31
M394508		3.63	30	0.72	241	<1	1.80	18	630	21	0.01	<5	6	477	20	0.29
M394509		3.70	30	0.80	247	1	1.83	21	670	23	0.04	<5	7	506	20	0.31
M394510		3.16	20	1.51	503	256	2.57	21	1090	13	0.48	<5	13	467	<20	0.37
M394511		3.64	30	0.74	244	<1	1.81	19	650	24	0.01	<5	6	479	20	0.29
M394512		4.76	40	0.54	230	1	1.33	16	660	19	0.01	6	7	362	20	0.29
M394513		3.75	30	0.68	282	<1	1.81	20	670	20	0.02	<5	7	497	20	0.31
M394514		3.65	30	0.64	283	<1	1.75	19	610	24	0.01	<5	6	473	20	0.29
M394515		3.86	30	0.67	215	<1	1.70	21	650	24	0.01	<5	6	444	20	0.30
M394516		0.05	<10	13.30	199	<1	0.01	7	190	4	0.01	<5	<1	47	<20	<0.01
M394517		3.57	40	0.72	227	1	1.72	20	640	16	0.09	<5	7	459	20	0.31
M394518		3.93	40	0.70	190	1	1.68	22	650	15	0.08	<5	7	454	20	0.31
M394519		4.04	40	0.69	187	1	1.66	19	630	16	0.05	<5	7	450	20	0.30
M394520		3.81	40	0.73	212	1	1.73	21	640	11	0.12	<5	7	470	20	0.31
M394521		3.72	30	0.64	201	<1	1.68	19	620	17	0.02	<5	6	439	20	0.30
M394522		3.88	30	0.66	201	<1	1.69	19	630	15	0.02	<5	6	447	20	0.31
M394523		3.78	40	0.64	197	<1	1.82	20	690	13	0.02	<5	7	461	20	0.32
M394524		3.93	40	0.72	209	1	1.75	22	660	14	0.09	<5	7	470	20	0.33
M394525		3.84	30	0.66	174	1	1.63	20	630	11	0.10	<5	6	440	20	0.30
M394526		3.77	40	0.70	259	1	1.70	20	670	16	0.04	<5	7	463	20	0.32
M394527		3.68	30	0.59	263	1	1.76	22	640	16	0.03	<5	7	483	20	0.32
M394528		3.59	30	0.75	285	1	1.81	22	670	15	0.06	<5	7	497	20	0.32
M394529		3.71	40	0.77	285	2	1.85	22	680	17	0.06	<5	8	509	20	0.33
M394530		4.07	30	0.66	222	2	1.74	20	650	19	0.06	<5	7	482	20	0.31
M394531		3.85	30	0.69	224	1	1.72	20	650	14	0.06	<5	7	464	20	0.31
M394532		3.98	40	0.56	278	1	1.38	18	640	25	0.04	13	7	366	20	0.31
M394533		3.52	40	0.62	230	1	1.28	26	670	17	0.36	11	7	333	20	0.32
M394534		4.26	40	0.64	192	1	1.56	20	630	11	0.05	<5	7	425	20	0.30
M394535		3.97	30	0.63	206	2	1.61	19	630	13	0.04	<5	6	435	20	0.30
M394536		3.66	40	0.71	272	3	1.56	20	640	16	0.02	<5	6	445	20	0.32
M394537		3.81	40	0.70	266	2	1.54	20	610	13	0.03	<5	6	455	20	0.30
M394538		3.86	40	0.59	179	6	1.55	21	640	12	0.31	<5	6	431	20	0.30
M394539		3.76	40	0.58	238	4	1.60	21	640	15	0.07	<5	7	436	20	0.31
M394540		3.70	30	0.56	256	3	1.59	20	620	20	0.04	<5	7	434	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 21-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12155693

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M394501		<10	<10	44	10	40
M394502		10	<10	35	30	33
M394503		10	<10	33	20	28
M394504		<10	<10	37	10	31
M394505		<10	<10	34	10	35
M394506		10	<10	37	10	41
M394507		<10	<10	36	10	48
M394508		<10	<10	35	10	45
M394509		<10	<10	37	<10	43
M394510		<10	<10	136	10	74
M394511		<10	<10	34	10	42
M394512		10	<10	36	40	36
M394513		<10	<10	36	20	46
M394514		<10	<10	34	20	51
M394515		<10	<10	35	10	52
M394516		<10	<10	1	<10	15
M394517		<10	<10	36	10	42
M394518		<10	<10	38	10	33
M394519		<10	<10	37	10	32
M394520		<10	<10	37	10	32
M394521		<10	<10	35	<10	39
M394522		<10	<10	36	10	37
M394523		<10	<10	37	20	34
M394524		<10	<10	41	20	35
M394525		<10	<10	36	20	30
M394526		<10	<10	39	10	41
M394527		<10	<10	38	10	40
M394528		<10	<10	41	30	49
M394529		<10	<10	43	50	50
M394530		<10	<10	37	20	44
M394531		<10	<10	37	20	36
M394532		<10	<10	38	20	116
M394533		<10	<10	38	30	37
M394534		<10	<10	37	20	31
M394535		<10	<10	37	20	29
M394536		<10	<10	37	30	35
M394537		<10	<10	36	40	31
M394538		<10	<10	35	30	30
M394539		<10	<10	38	30	39
M394540		<10	<10	35	20	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 21-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12155693

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394541		7.50	0.314	<0.5	7.46	818	1530	3.0	27	2.74	<0.5	9	42	47	2.44	20
M394542		5.62	0.062	<0.5	7.73	491	1700	3.1	13	2.32	<0.5	8	38	71	2.81	20
M394543		4.68	0.035	<0.5	7.17	173	1530	3.1	5	3.01	<0.5	7	33	59	2.39	20
M394544		5.66	0.059	<0.5	7.40	2100	1520	3.0	8	2.31	<0.5	9	41	60	2.77	20
M394545		5.16	0.054	<0.5	6.55	220	1390	2.6	6	2.99	<0.5	7	31	83	2.25	20
M394546		3.38	0.074	<0.5	7.63	247	1560	3.0	14	2.67	<0.5	8	36	82	2.59	20
M394547		4.98	0.037	<0.5	7.45	330	1500	3.1	6	2.21	<0.5	10	37	60	2.74	20
M394548		6.52	0.142	<0.5	7.44	142	1550	3.0	18	2.39	<0.5	9	46	72	2.79	20
M394549		6.34	0.094	1.7	7.58	583	1350	2.8	13	2.26	1.8	10	34	86	2.81	20
M394550		0.20	0.357	0.9	7.35	14	800	1.9	<2	2.43	<0.5	14	51	3360	5.07	20
M394551		5.02	0.028	<0.5	7.52	259	1580	3.0	3	1.89	1.8	11	35	73	2.49	20
M394552		6.62	0.051	<0.5	7.58	520	1600	3.1	7	2.30	0.5	12	39	58	2.69	20
M394553		8.24	0.089	<0.5	7.60	227	1610	2.9	11	2.19	1.2	12	37	80	2.59	20
M394554		7.30	0.110	<0.5	7.72	277	1650	2.9	20	2.51	0.7	11	37	80	2.81	20
M394555		5.46	0.047	<0.5	7.61	999	1630	3.0	6	2.25	<0.5	8	36	38	2.61	20
M394556		2.66	<0.005	<0.5	0.13	<5	30	<0.5	<2	21.5	<0.5	<1	2	<1	0.48	<10
M394557		4.62	0.186	0.9	7.30	430	1460	2.8	13	2.34	<0.5	9	35	123	2.72	20
M394558		5.66	0.113	<0.5	7.73	410	1700	2.9	13	2.21	<0.5	12	37	88	2.58	20
M394559		5.90	0.289	2.4	7.51	876	880	2.8	12	1.91	6.2	9	36	113	3.31	20
M394560		5.56	0.165	1.7	7.14	418	590	2.7	9	2.68	10.7	3	28	74	3.81	20
M394561		4.76	0.186	3.4	7.22	3090	620	2.7	11	2.71	5.3	12	32	121	3.26	20
M394562		5.22	0.233	3.6	7.53	3230	650	2.9	11	2.51	6.2	13	33	137	3.47	20
M394563		3.16	2.07	5.1	6.66	5900	540	2.7	39	1.99	11.2	9	31	150	4.20	20
M394564		6.66	0.313	3.2	7.64	2750	820	3.0	13	2.24	3.6	8	32	136	3.87	20
M394565		3.38	0.062	<0.5	7.90	987	1520	2.9	5	1.69	<0.5	9	36	56	3.30	20
M394566		9.68	0.219	<0.5	7.87	1090	1490	3.2	5	2.62	<0.5	8	36	59	2.61	20
M394567		2.92	0.053	<0.5	8.11	293	1610	3.3	8	2.83	<0.5	9	39	48	2.73	20
M394568		6.28	0.378	<0.5	7.50	627	1560	2.9	122	2.21	<0.5	26	39	73	2.53	20
M394569		<0.02	0.535	<0.5	7.74	649	1620	2.9	68	2.30	<0.5	31	39	76	2.63	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 21-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12155693

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394541		3.75	40	0.67	268	2	1.66	21	650	18	0.07	<5	7	477	20	0.31
M394542		4.07	40	0.72	228	3	1.69	25	710	14	0.15	<5	7	473	20	0.34
M394543		3.84	30	0.61	302	2	1.65	21	630	16	0.07	<5	6	448	20	0.31
M394544		3.74	40	0.72	252	3	1.57	22	650	13	0.14	<5	7	433	20	0.32
M394545		3.70	30	0.65	269	4	1.32	19	570	13	0.13	<5	6	394	20	0.28
M394546		3.93	40	0.75	258	2	1.54	24	660	16	0.09	5	7	440	20	0.31
M394547		3.89	30	0.75	236	11	1.54	21	620	18	0.55	<5	7	442	20	0.30
M394548		3.77	40	0.93	292	1	1.54	21	670	13	0.09	15	8	496	20	0.32
M394549		3.87	40	0.69	380	1	0.96	18	620	307	0.52	90	7	351	20	0.28
M394550		3.05	10	1.46	506	262	2.51	21	1070	13	0.47	<5	12	447	<20	0.36
M394551		4.09	40	0.87	275	3	1.42	22	620	29	0.15	23	7	430	20	0.30
M394552		4.04	40	0.86	339	17	1.37	23	640	58	0.22	12	7	412	20	0.30
M394553		3.98	40	0.82	306	6	1.28	29	650	66	0.27	16	7	432	20	0.29
M394554		4.01	40	0.88	348	9	1.38	21	660	74	0.23	20	7	532	20	0.30
M394555		3.77	30	0.91	278	4	1.57	23	680	20	0.21	7	7	476	20	0.31
M394556		0.05	<10	13.00	206	<1	0.01	9	200	<2	0.01	<5	<1	48	<20	<0.01
M394557		3.91	30	0.75	270	4	1.30	21	620	110	0.56	11	6	436	20	0.28
M394558		4.25	40	0.81	272	4	1.39	23	670	20	0.39	9	7	466	20	0.30
M394559		3.60	40	0.66	990	4	0.30	19	630	788	1.21	302	7	192	20	0.28
M394560		3.35	40	0.72	2570	6	0.03	15	600	1440	0.37	637	7	103	20	0.24
M394561		3.46	40	0.72	1305	6	0.03	20	630	534	0.65	184	6	135	20	0.26
M394562		3.65	40	0.71	1175	5	0.04	22	630	512	0.93	197	7	145	20	0.27
M394563		3.11	40	0.70	1310	3	0.04	17	560	1020	1.48	257	6	88	20	0.22
M394564		3.93	40	0.72	1045	3	0.09	20	610	340	1.24	114	7	170	20	0.25
M394565		4.17	40	0.56	359	2	1.02	22	660	54	0.36	27	7	299	20	0.30
M394566		4.03	30	0.74	328	2	1.35	19	670	47	0.30	15	7	421	20	0.30
M394567		4.08	40	0.85	300	2	1.74	22	680	27	0.21	6	7	539	20	0.31
M394568		4.36	30	0.79	228	14	1.60	21	640	19	0.30	5	6	505	20	0.29
M394569		4.36	30	0.83	236	18	1.59	23	680	22	0.32	<5	7	511	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 21-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12155693

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M394541		<10	<10	38	30	37
M394542		<10	<10	41	30	34
M394543		<10	<10	37	20	35
M394544		<10	<10	38	30	34
M394545		<10	<10	33	40	34
M394546		<10	<10	38	20	36
M394547		<10	<10	37	10	39
M394548		<10	<10	44	20	74
M394549		<10	<10	35	10	310
M394550		<10	<10	138	<10	73
M394551		<10	<10	37	20	279
M394552		<10	<10	37	20	134
M394553		<10	<10	36	30	211
M394554		<10	<10	37	30	169
M394555		<10	<10	37	20	41
M394556		<10	<10	1	<10	15
M394557		<10	<10	34	60	68
M394558		<10	<10	36	50	29
M394559		<10	<10	35	30	1075
M394560		<10	<10	32	30	1890
M394561		<10	<10	33	30	897
M394562		<10	<10	35	30	1060
M394563		<10	<10	30	40	1895
M394564		<10	<10	34	40	656
M394565		<10	<10	37	20	92
M394566		<10	<10	36	40	106
M394567		<10	<10	37	80	40
M394568		<10	<10	34	50	34
M394569		<10	<10	35	40	34