



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 1  
Finalized Date: 18-JUL-2012  
Account: STRGOL

**CERTIFICATE WH12155698**

Project: Eagle Gold

P.O. No.: EGP12-142

This report is for 47 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN  
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: HELENA KUIKKA  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 18-JUL-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12155698**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393748		3.58	0.405	<0.5	7.47	250	1350	2.8	19	2.60	<0.5	11	62	65	3.13	20
M393749		3.48	0.145	<0.5	7.62	412	1430	3.1	7	2.20	0.5	9	74	37	3.05	20
M393750		0.10	1.065	<0.5	7.25	1610	260	1.0	<2	5.41	<0.5	35	175	62	7.81	20
M393751		3.66	0.466	<0.5	7.09	205	1360	2.7	6	2.82	1.4	9	70	42	2.91	20
M393752		2.04	0.169	<0.5	7.62	77	1420	3.1	5	2.50	<0.5	9	62	37	3.12	20
M393753		2.80	0.033	<0.5	7.64	170	1610	3.3	<2	2.31	<0.5	8	57	42	2.90	20
M393754		2.74	0.185	1.8	7.09	376	800	2.8	3	2.64	2.5	9	54	83	3.40	20
M393755		2.40	0.174	4.2	7.17	241	810	3.0	<2	2.68	14.3	5	45	49	2.66	20
M393756		1.82	<0.005	<0.5	0.29	<5	30	<0.5	<2	19.5	<0.5	<1	3	1	0.52	<10
M393757		4.74	0.193	<0.5	7.62	1355	1510	3.2	14	2.55	<0.5	10	60	61	2.91	20
M393758		4.92	0.199	<0.5	7.40	355	1550	2.8	11	2.19	<0.5	12	62	99	2.99	20
M393759		1.84	0.122	1.6	7.42	286	900	2.8	7	2.54	0.8	9	57	69	2.62	20
M393760		2.76	0.162	1.5	6.96	144	1120	2.8	10	2.88	0.6	8	58	63	3.07	20
M393761		4.02	0.505	0.6	7.50	107	1480	3.0	14	2.78	<0.5	9	56	72	2.92	20
M393762		4.50	0.100	<0.5	7.50	96	1490	3.0	8	2.50	<0.5	8	59	60	2.96	20
M393763		3.76	0.134	<0.5	7.69	236	1590	3.0	14	2.35	<0.5	10	49	87	2.94	20
M393764		3.02	0.114	<0.5	7.51	90	1590	2.9	9	2.24	<0.5	11	57	94	3.06	20
M393765		2.92	0.201	<0.5	7.77	406	1620	3.0	10	2.24	<0.5	11	54	81	2.90	20
M393766		3.30	0.218	<0.5	7.34	99	1500	2.7	12	2.27	<0.5	11	50	116	3.00	20
M393767		3.32	0.113	<0.5	7.04	307	1410	2.7	6	2.54	<0.5	13	51	187	3.00	20
M393768		3.94	0.079	<0.5	6.79	410	1360	2.6	5	2.74	<0.5	9	48	83	2.56	20
M393769		<0.02	0.105	<0.5	7.08	440	1430	2.7	6	2.86	<0.5	10	51	88	2.62	20
M393770		4.42	0.040	<0.5	7.60	413	1460	3.0	<2	2.54	<0.5	8	40	54	2.65	20
M393771		2.96	0.051	<0.5	7.59	166	1520	3.2	2	2.51	<0.5	7	38	68	2.63	20
M393772		2.26	0.129	<0.5	7.54	156	1510	2.8	12	2.07	<0.5	10	37	126	2.81	20
M393773		3.04	0.044	<0.5	7.70	858	1490	3.4	<2	2.45	<0.5	9	38	39	2.62	20
M393774		2.04	0.032	<0.5	7.35	123	1430	3.2	<2	2.19	<0.5	8	38	76	2.73	20
M393775		1.36	0.114	<0.5	7.50	34	1550	3.2	2	2.49	<0.5	7	36	39	2.61	20
M393776		2.32	0.789	<0.5	7.30	90	1530	3.0	46	2.31	<0.5	10	38	91	2.78	20
M393777		3.60	0.052	<0.5	7.45	335	1510	3.0	<2	2.20	<0.5	7	38	85	2.60	20
M393778		2.56	0.113	<0.5	7.30	334	1530	2.8	6	2.59	<0.5	9	39	82	2.80	20
M393779		3.30	0.060	<0.5	7.57	574	1640	3.2	3	2.38	<0.5	9	40	50	2.80	20
M393780		1.86	0.180	<0.5	7.62	268	1620	3.2	5	2.65	<0.5	10	37	65	2.82	20
M393781		3.40	0.015	<0.5	7.53	58	1630	3.1	<2	2.41	<0.5	8	40	40	2.71	20
M393782		4.02	0.157	<0.5	7.05	114	1540	2.9	15	2.81	<0.5	9	42	64	2.82	20
M393783		3.46	0.081	<0.5	6.89	88	1500	2.9	5	2.58	<0.5	9	35	73	2.52	20
M393784		2.74	0.061	<0.5	6.90	47	1450	2.9	5	2.77	<0.5	8	39	49	2.68	20
M393785		3.18	0.044	<0.5	7.17	172	1430	3.1	<2	2.89	<0.5	8	48	53	2.83	20
M393786		3.26	0.118	<0.5	7.33	120	1360	3.0	15	2.58	<0.5	12	55	101	2.98	20
M393787		2.98	0.048	<0.5	7.34	79	1320	3.1	3	2.75	<0.5	10	53	42	2.89	20

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 18-JUL-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12155698**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393748		3.61	30	1.10	446	9	1.67	25	700	24	0.28	10	9	494	20	0.34
M393749		4.32	40	1.10	434	6	1.27	25	770	132	0.25	9	9	519	20	0.34
M393750		0.61	10	3.82	1240	4	2.06	128	1330	13	0.52	<5	18	386	<20	0.93
M393751		4.09	30	1.06	566	6	1.20	23	750	101	0.19	14	8	478	20	0.32
M393752		4.01	40	1.14	386	40	1.55	21	770	25	0.15	7	9	555	20	0.33
M393753		3.84	30	0.89	362	5	1.65	21	700	26	0.17	9	8	566	20	0.33
M393754		3.42	40	1.06	1120	5	0.41	16	630	335	1.15	26	7	255	20	0.28
M393755		3.40	40	0.91	1285	11	0.23	11	630	1930	0.71	23	7	179	20	0.26
M393756		0.08	<10	12.05	209	<1	0.07	<1	230	2	0.01	<5	1	53	<20	0.02
M393757		4.11	40	0.98	339	3	1.63	16	700	25	0.31	8	8	543	20	0.31
M393758		4.29	30	0.93	323	5	1.49	16	690	23	0.29	14	8	509	20	0.30
M393759		3.41	40	0.83	681	3	0.63	18	710	140	0.43	35	8	272	20	0.30
M393760		3.59	30	0.91	812	3	1.01	16	630	200	0.49	36	7	373	20	0.28
M393761		3.72	30	0.79	359	7	1.60	18	690	48	0.38	5	8	510	20	0.30
M393762		3.71	30	0.81	324	2	1.64	16	670	35	0.31	9	7	512	20	0.30
M393763		3.97	40	0.89	247	4	1.70	19	690	22	0.37	<5	7	535	20	0.30
M393764		4.18	30	0.90	253	2	1.57	18	690	20	0.36	<5	8	518	20	0.31
M393765		4.14	40	0.92	256	2	1.69	20	700	20	0.34	<5	8	527	20	0.32
M393766		4.19	40	0.90	244	6	1.54	18	650	17	0.41	<5	7	531	20	0.29
M393767		4.84	30	0.71	258	2	1.34	17	640	21	0.68	<5	7	472	20	0.28
M393768		3.94	30	0.89	281	3	1.38	15	590	19	0.26	5	6	474	20	0.26
M393769		4.11	30	0.94	285	4	1.46	15	620	20	0.29	10	7	494	20	0.28
M393770		4.05	30	0.84	275	1	1.69	17	620	21	0.24	<5	7	524	20	0.29
M393771		4.21	30	0.76	277	1	1.74	18	650	23	0.32	<5	7	544	20	0.30
M393772		4.78	30	0.72	242	<1	1.44	15	620	31	0.41	<5	7	484	20	0.29
M393773		4.08	30	0.75	275	3	1.78	19	630	25	0.22	<5	7	521	20	0.28
M393774		3.91	30	0.73	246	1	1.66	19	620	23	0.30	<5	7	510	20	0.29
M393775		3.84	30	0.78	275	<1	1.74	18	640	21	0.18	5	6	533	20	0.29
M393776		4.33	30	0.85	227	1	1.53	17	640	32	0.36	<5	7	511	20	0.28
M393777		4.10	30	0.78	272	2	1.44	19	650	69	0.36	9	7	449	20	0.29
M393778		3.82	30	0.86	284	2	1.61	19	710	21	0.27	9	7	493	20	0.31
M393779		3.71	30	0.99	278	2	1.64	21	700	21	0.22	<5	8	560	20	0.32
M393780		3.84	30	0.91	253	2	1.73	20	700	22	0.28	<5	7	566	20	0.32
M393781		3.76	30	0.96	275	1	1.72	21	700	23	0.16	<5	7	554	20	0.31
M393782		3.84	30	1.00	298	4	1.49	17	700	19	0.26	7	7	520	20	0.32
M393783		3.77	30	0.94	242	2	1.45	18	640	18	0.25	5	7	520	20	0.29
M393784		3.40	30	0.92	313	1	1.55	17	650	27	0.22	<5	7	488	20	0.29
M393785		3.62	30	1.08	327	2	1.70	16	720	16	0.22	<5	8	571	20	0.31
M393786		3.94	30	1.14	300	3	1.65	16	710	16	0.31	<5	8	543	20	0.32
M393787		3.70	30	1.15	357	1	1.83	14	720	19	0.19	<5	8	582	20	0.30

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 18-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12155698**

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M393748		<10	<10	62	30	45
M393749		<10	<10	55	30	129
M393750		<10	<10	146	<10	116
M393751		<10	<10	52	30	261
M393752		<10	<10	52	20	47
M393753		<10	<10	44	20	40
M393754		<10	<10	40	20	452
M393755		<10	<10	37	30	2130
M393756		<10	<10	3	<10	17
M393757		<10	<10	47	30	35
M393758		<10	<10	45	40	26
M393759		<10	<10	44	30	162
M393760		<10	<10	41	30	101
M393761		<10	<10	43	20	57
M393762		<10	<10	44	10	42
M393763		<10	<10	41	20	31
M393764		<10	<10	42	50	26
M393765		<10	<10	43	30	28
M393766		<10	<10	41	70	23
M393767		<10	<10	39	170	23
M393768		<10	<10	37	30	24
M393769		<10	<10	39	40	25
M393770		<10	<10	40	10	27
M393771		<10	<10	40	20	27
M393772		10	<10	37	30	27
M393773		<10	<10	38	20	35
M393774		<10	<10	39	20	24
M393775		<10	<10	39	30	28
M393776		<10	<10	39	30	22
M393777		<10	<10	40	30	77
M393778		<10	<10	45	30	32
M393779		<10	<10	44	20	33
M393780		<10	<10	43	20	27
M393781		<10	<10	43	20	32
M393782		<10	<10	45	30	28
M393783		<10	<10	39	30	23
M393784		<10	<10	42	20	35
M393785		<10	<10	49	10	33
M393786		<10	<10	52	20	31
M393787		<10	<10	50	20	34

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 18-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12155698**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393788		2.22	0.194	<0.5	6.98	102	1330	3.1	14	2.56	<0.5	8	52	55	2.88	20
M393789		3.04	0.030	<0.5	6.87	97	880	2.9	<2	3.80	<0.5	8	53	39	2.58	20
M393790		0.14	1.025	<0.5	7.17	1560	250	1.0	<2	5.44	<0.5	36	174	61	7.61	20
M393791		3.20	0.164	<0.5	7.38	108	1360	3.1	12	2.64	<0.5	11	55	83	2.94	20
M393792		2.84	0.212	<0.5	7.10	68	1280	3.0	11	2.58	<0.5	11	55	76	2.97	20
M393793		2.22	0.046	0.8	7.59	28	1370	3.1	3	2.84	<0.5	9	58	41	2.80	20
M393794		2.06	0.084	2.3	7.58	2170	1260	3.2	<2	2.92	1.7	15	59	95	2.85	20

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 18-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12155698**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393788		3.83	30	1.05	323	3	1.60	16	710	17	0.25	5	8	522	20	0.30
M393789		3.32	30	0.75	512	3	0.97	14	700	45	0.35	9	8	338	20	0.29
M393790		0.61	10	3.78	1225	1	2.08	131	1360	6	0.50	<5	18	374	<20	0.90
M393791		3.87	40	1.15	345	6	1.65	15	710	21	0.25	<5	8	546	20	0.31
M393792		3.88	30	1.12	336	3	1.68	16	700	19	0.32	<5	8	578	20	0.30
M393793		4.21	30	1.13	357	1	1.62	16	720	19	0.13	5	8	604	30	0.32
M393794		3.65	30	0.98	478	2	1.21	14	730	219	0.29	10	8	459	30	0.32

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 18-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12155698**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
M393788		<10	<10	50	10	31
M393789		<10	<10	48	20	111
M393790		<10	<10	140	<10	110
M393791		<10	<10	51	70	42
M393792		<10	<10	52	10	36
M393793		<10	<10	52	10	43
M393794		<10	<10	53	20	323

Comments: Additional Au-AA24 check assay on sample M393786 reports 0.268ppm and 0.450ppm