



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 28-JUL-2012
Account: STRGOL

CERTIFICATE WH12161690

Project: Eagle Gold

P.O. No.: EGP12-163

This report is for 65 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 28-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12161690

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M392301		2.12	0.623	<0.5	6.73	122	1420	2.7	3	1.89	<0.5	9	33	22	2.51	20
M392302		3.10	0.785	<0.5	7.24	187	1550	2.9	14	2.02	<0.5	8	32	24	2.52	20
M392303		2.36	0.026	<0.5	7.07	100	1530	2.9	2	2.01	<0.5	7	29	15	2.48	20
M392304		4.12	0.270	<0.5	6.88	429	1440	2.9	4	2.30	<0.5	6	30	19	2.45	20
M392305		3.52	0.102	<0.5	7.46	465	1490	2.9	3	2.27	<0.5	8	33	20	2.49	20
M392306		1.72	0.085	<0.5	7.24	360	1520	2.9	2	2.03	<0.5	8	29	26	2.40	20
M392307		4.60	0.152	<0.5	7.08	309	1500	2.7	4	2.25	<0.5	8	31	31	2.44	20
M392308		2.86	0.362	<0.5	7.21	405	1560	2.7	5	1.60	<0.5	7	31	28	2.32	20
M392309		6.86	4.09	<0.5	7.22	373	1650	3.0	88	2.05	<0.5	9	34	40	2.53	20
M392310		0.14	0.856	2.2	7.18	10	640	0.9	5	3.21	<0.5	21	40	7340	7.26	10
M392311		4.90	0.378	<0.5	6.32	611	1530	2.7	7	2.60	<0.5	8	34	38	2.50	20
M392312		5.42	0.182	<0.5	6.97	397	1240	2.8	6	1.86	<0.5	6	31	35	2.17	20
M392313		6.66	5.09	<0.5	6.76	368	1460	2.7	65	1.97	<0.5	6	31	32	2.20	20
M392314		2.86	2.80	<0.5	7.05	652	1610	2.8	48	1.89	<0.5	9	33	40	2.48	20
M392315		3.84	3.36	<0.5	6.88	656	1490	2.8	45	1.71	<0.5	9	32	57	2.35	20
M392316		1.42	<0.005	<0.5	0.06	<5	20	<0.5	5	20.5	<0.5	1	1	3	0.42	<10
M392317		2.46	0.816	<0.5	7.14	502	1620	2.8	29	1.81	<0.5	8	35	47	2.43	20
M392318		4.02	0.560	<0.5	7.30	413	1690	2.9	27	1.96	<0.5	9	36	54	2.56	20
M392319		3.16	0.252	<0.5	7.30	524	1450	3.1	8	1.76	<0.5	8	32	64	2.33	20
M392320		7.90	0.225	<0.5	7.24	364	1580	3.0	11	2.20	<0.5	7	32	45	2.51	20
M392321		4.48	0.976	<0.5	7.41	334	1610	3.0	13	2.08	<0.5	7	32	42	2.46	20
M392322		4.66	1.100	<0.5	7.33	485	1590	2.9	30	2.05	<0.5	9	31	41	2.47	20
M392323		3.98	0.420	<0.5	7.40	221	1480	3.6	8	2.10	<0.5	7	33	38	2.50	20
M392324		6.84	0.400	<0.5	7.43	198	1560	3.1	16	2.26	<0.5	7	34	27	2.57	20
M392325		7.50	0.635	<0.5	7.24	479	1580	2.9	31	2.31	<0.5	10	38	63	2.66	20
M392326		5.36	0.268	<0.5	7.34	438	1590	3.0	24	2.15	<0.5	8	34	52	2.63	20
M392327		4.46	0.907	<0.5	7.32	170	1580	3.1	24	2.17	<0.5	7	33	40	2.59	20
M392328		4.30	0.436	<0.5	7.49	425	1650	2.9	25	1.90	<0.5	8	36	52	2.69	20
M392329		<0.02	0.224	<0.5	7.52	441	1630	3.1	10	2.07	<0.5	7	33	53	2.60	20
M392330		5.08	0.059	<0.5	7.48	285	1630	3.1	9	2.19	<0.5	8	35	42	2.61	20
M392331		4.18	0.234	<0.5	7.43	772	1600	3.1	12	2.22	<0.5	7	33	34	2.54	20
M392332		4.10	0.657	<0.5	7.24	306	1530	3.1	11	2.01	<0.5	8	32	54	2.49	20
M392333		3.84	0.011	<0.5	7.71	197	1600	3.3	<2	2.21	<0.5	7	34	39	2.54	20
M392334		5.64	1.710	<0.5	7.51	292	1610	3.2	18	2.15	<0.5	8	33	34	2.63	20
M392335		4.48	0.228	<0.5	7.16	368	1580	2.8	9	1.90	<0.5	7	34	39	2.49	20
M392336		5.40	3.87	<0.5	7.24	378	1530	3.1	154	2.08	<0.5	7	33	33	2.52	20
M392337		5.50	0.638	<0.5	7.09	363	1540	2.8	33	1.92	<0.5	7	30	58	2.53	20
M392338		3.36	0.019	<0.5	7.78	282	1750	3.1	2	2.03	<0.5	8	33	45	2.71	20
M392339		4.04	0.228	<0.5	7.05	384	1550	2.7	10	1.79	<0.5	7	34	52	2.46	20
M392340		8.66	0.090	1.2	6.88	949	1060	3.6	9	2.11	3.7	6	30	78	2.22	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 28-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12161690

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M392301		3.00	40	0.74	215	1	1.64	21	560	11	0.01	<5	6	402	20	0.29
M392302		3.50	40	0.70	200	1	1.59	21	630	25	0.01	7	6	414	20	0.30
M392303		3.34	30	0.69	199	1	1.54	20	590	18	<0.01	<5	6	404	20	0.29
M392304		3.41	30	0.68	219	1	1.53	19	590	19	0.04	<5	6	399	20	0.29
M392305		3.58	40	0.55	269	1	1.40	20	640	50	0.02	18	7	336	20	0.30
M392306		3.31	40	0.75	170	1	1.67	20	630	15	0.01	<5	6	438	20	0.30
M392307		3.31	30	0.72	216	1	1.63	20	630	18	0.01	<5	7	410	20	0.30
M392308		3.66	40	0.61	197	1	1.50	19	610	18	<0.01	<5	6	368	20	0.28
M392309		3.79	30	0.59	220	2	1.56	21	640	25	0.07	9	6	396	20	0.29
M392310		2.87	10	2.08	617	586	2.41	17	1150	17	0.93	<5	16	572	<20	0.35
M392311		3.80	20	0.25	290	3	1.33	21	620	22	0.04	17	5	268	<20	0.29
M392312		3.59	30	0.31	205	3	1.42	18	630	20	0.01	11	6	255	20	0.28
M392313		3.85	30	0.56	202	3	1.42	17	570	21	0.03	<5	6	364	20	0.25
M392314		3.85	30	0.70	223	2	1.51	20	620	21	0.02	<5	6	416	20	0.28
M392315		3.86	30	0.66	187	4	1.46	21	590	15	0.03	<5	6	398	20	0.27
M392316		0.03	<10	12.50	186	<1	0.01	<1	150	<2	<0.01	<5	<1	46	<20	<0.01
M392317		4.00	30	0.71	201	3	1.46	20	620	17	0.01	<5	6	403	20	0.28
M392318		3.90	40	0.75	223	2	1.58	21	690	20	0.01	<5	7	440	20	0.31
M392319		3.80	40	0.65	183	2	1.56	20	630	20	0.01	<5	6	391	20	0.29
M392320		3.76	30	0.74	229	1	1.65	20	640	21	0.13	<5	6	464	20	0.29
M392321		3.71	30	0.77	226	2	1.61	20	630	21	0.02	<5	6	462	20	0.30
M392322		3.78	40	0.76	218	1	1.54	19	630	21	0.02	<5	6	450	20	0.30
M392323		3.65	30	0.75	272	1	1.70	18	610	24	0.06	<5	6	436	20	0.29
M392324		3.63	30	0.76	274	1	1.66	18	640	25	0.02	<5	7	454	20	0.29
M392325		3.66	30	0.83	222	2	1.60	20	650	18	0.25	<5	7	466	20	0.29
M392326		3.62	40	0.80	214	1	1.62	19	650	19	0.16	<5	7	449	20	0.30
M392327		3.50	40	0.80	233	1	1.67	21	650	20	0.07	<5	7	459	20	0.30
M392328		3.90	40	0.84	217	3	1.59	19	660	20	0.03	<5	7	460	20	0.30
M392329		3.83	40	0.83	223	2	1.69	20	660	21	0.04	<5	7	477	20	0.31
M392330		3.67	40	0.80	247	2	1.71	20	670	17	0.05	<5	7	481	20	0.30
M392331		3.62	40	0.80	242	2	1.70	19	650	20	0.07	<5	7	468	20	0.31
M392332		3.69	30	0.72	226	1	1.63	19	630	18	0.06	<5	6	434	20	0.29
M392333		3.81	30	0.74	259	1	1.78	19	640	24	0.01	<5	6	468	20	0.30
M392334		3.83	30	0.79	268	1	1.77	21	660	21	0.02	<5	7	474	20	0.31
M392335		3.69	30	0.72	227	2	1.56	17	630	22	0.01	<5	7	432	20	0.29
M392336		3.68	30	0.71	246	1	1.64	19	620	24	0.02	6	6	440	20	0.30
M392337		3.98	30	0.68	219	2	1.53	17	610	23	0.05	6	6	416	20	0.29
M392338		4.00	30	0.75	228	1	1.78	21	690	26	0.01	6	7	485	20	0.31
M392339		3.62	40	0.68	198	2	1.49	19	610	26	0.03	6	6	417	20	0.28
M392340		3.61	30	0.38	571	3	0.75	12	540	108	0.12	63	5	186	20	0.21



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 28-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12161690

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M392301		<10	<10	35	<10	33
M392302		<10	<10	36	10	36
M392303		<10	<10	35	10	36
M392304		<10	<10	35	10	40
M392305		<10	<10	35	10	65
M392306		<10	<10	35	10	28
M392307		<10	<10	36	10	35
M392308		<10	<10	34	50	40
M392309		<10	<10	37	50	41
M392310		<10	<10	189	<10	86
M392311		<10	<10	37	30	42
M392312		<10	<10	35	30	39
M392313		<10	<10	33	110	33
M392314		<10	<10	36	110	40
M392315		<10	<10	33	420	32
M392316		<10	10	1	<10	16
M392317		<10	<10	36	100	33
M392318		<10	<10	40	30	36
M392319		<10	<10	37	40	30
M392320		<10	<10	36	30	37
M392321		10	<10	37	20	39
M392322		<10	<10	36	20	34
M392323		<10	<10	37	10	47
M392324		<10	<10	36	10	87
M392325		<10	<10	39	20	32
M392326		<10	<10	38	10	32
M392327		<10	<10	38	20	37
M392328		<10	<10	39	220	35
M392329		<10	<10	39	80	37
M392330		<10	<10	37	20	39
M392331		<10	<10	38	30	39
M392332		<10	<10	36	10	41
M392333		<10	<10	38	30	45
M392334		<10	<10	38	10	50
M392335		<10	<10	36	10	43
M392336		<10	<10	38	10	48
M392337		<10	<10	36	10	43
M392338		<10	<10	39	10	105
M392339		<10	<10	34	20	109
M392340		<10	<10	35	40	948



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 28-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12161690

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M392341		3.42	0.019	<0.5	7.42	1695	1370	5.2	3	1.32	<0.5	4	28	80	1.63	20
M392342		4.34	0.049	<0.5	7.71	4900	1400	5.0	5	1.58	0.7	6	30	55	1.82	20
M392343		6.74	0.039	<0.5	7.27	1695	1560	4.7	4	1.47	<0.5	5	37	71	1.92	20
M392344		3.98	0.048	<0.5	7.49	1785	1600	4.7	5	1.77	<0.5	7	37	103	2.08	20
M392345		4.84	0.071	<0.5	7.45	1525	1480	4.9	8	1.57	<0.5	5	35	126	2.07	20
M392346		6.78	0.132	<0.5	7.12	1190	1420	4.1	6	1.59	<0.5	6	30	57	1.96	20
M392347		2.92	0.032	<0.5	7.43	405	1530	3.2	3	2.25	<0.5	6	31	25	2.48	20
M392348		3.48	0.058	<0.5	7.06	429	1500	2.9	6	2.40	<0.5	8	35	27	2.59	20
M392349		5.74	0.053	<0.5	7.34	552	1560	3.0	8	2.23	<0.5	8	32	28	2.53	20
M392350		0.14	0.344	0.8	7.23	13	770	1.9	4	2.38	<0.5	13	51	3410	4.95	20
M392351		5.04	0.081	<0.5	7.34	703	1530	3.0	10	2.19	<0.5	7	32	47	2.54	20
M392352		5.54	0.062	<0.5	7.40	388	1570	3.0	8	2.18	<0.5	9	29	35	2.61	20
M392353		5.16	0.055	<0.5	7.33	188	1530	3.1	7	2.20	<0.5	8	31	54	2.68	20
M392354		5.68	0.051	<0.5	7.71	172	1640	3.1	7	2.29	<0.5	9	33	56	2.69	20
M392355		5.42	0.064	<0.5	7.69	234	1630	3.2	11	2.20	<0.5	10	32	62	2.77	20
M392356		1.96	<0.005	<0.5	0.08	<5	20	<0.5	4	21.7	<0.5	1	2	<1	0.50	<10
M392357		5.32	0.081	<0.5	7.29	434	1570	3.0	7	2.12	<0.5	9	31	69	2.66	20
M392358		5.88	0.208	<0.5	7.51	281	1580	3.1	43	2.12	<0.5	10	35	82	2.64	20
M392359		5.84	0.113	<0.5	7.05	706	1460	3.1	10	2.08	<0.5	10	32	70	2.58	20
M392360		5.26	0.127	<0.5	7.34	270	1510	3.1	11	1.89	1.1	10	31	118	2.65	20
M392361		5.86	0.098	<0.5	7.19	337	1520	3.1	8	2.09	0.8	9	30	77	2.62	20
M392362		6.88	0.110	<0.5	6.99	334	1490	3.0	20	2.00	0.8	11	31	85	2.53	20
M392363		4.92	0.037	<0.5	6.90	220	1440	2.9	8	2.04	0.5	8	34	65	2.47	20
M392364		3.08	0.038	<0.5	7.24	700	1640	2.9	4	2.07	0.8	11	31	94	2.89	20
M392365		4.12	0.108	<0.5	7.49	1175	1400	3.0	7	1.77	1.1	12	32	95	3.27	20



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

VANCOUVER BC V7X 1K8

Total # Pages: 3 (A - C)
Finalized Date: 28-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12161690

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Total # Pages: 3 (A - C)
Finalized Date: 28-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12161690

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M392341		<10	10	36	10	47
M392342		<10	10	38	10	80
M392343		<10	10	46	10	35
M392344		<10	10	46	10	29
M392345		<10	10	43	10	36
M392346		<10	10	36	10	35
M392347		<10	<10	36	10	40
M392348		<10	<10	37	10	39
M392349		<10	<10	37	10	46
M392350		<10	10	134	<10	72
M392351		<10	<10	37	20	66
M392352		<10	<10	38	10	105
M392353		<10	<10	38	10	52
M392354		<10	<10	40	20	41
M392355		<10	<10	39	10	38
M392356		<10	<10	2	<10	14
M392357		<10	<10	37	10	27
M392358		<10	<10	37	30	26
M392359		<10	<10	35	20	80
M392360		<10	<10	35	30	191
M392361		<10	<10	35	30	213
M392362		<10	10	35	40	194
M392363		<10	<10	33	20	172
M392364		<10	<10	38	20	348
M392365		<10	<10	38	30	305