



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 31-JUL-2012
Account: STRGOL

CERTIFICATE WH12163573

Project: Eagle Gold

P.O. No.: EGP12-151

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 31-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163573

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M392801		2.52	0.006	<0.5	4.69	134	460	1.2	<2	0.76	<0.5	8	47	14	2.07	10
M392802		2.62	0.008	<0.5	7.22	171	890	1.8	<2	0.51	<0.5	13	74	17	2.10	20
M392803		5.08	0.020	<0.5	6.93	222	850	1.9	3	0.62	<0.5	9	73	9	1.07	20
M392804		5.42	0.016	<0.5	4.65	464	530	1.2	<2	0.69	<0.5	9	68	10	1.15	10
M392805		4.42	0.016	<0.5	2.44	270	280	0.7	<2	0.29	<0.5	6	58	11	0.90	<10
M392806		5.28	<0.005	<0.5	2.72	46	310	0.5	<2	0.15	<0.5	3	55	6	0.68	10
M392807		5.40	0.009	<0.5	5.74	276	630	1.7	<2	0.71	<0.5	8	73	18	1.90	10
M392808		5.52	<0.005	<0.5	4.83	103	530	1.1	<2	0.43	<0.5	6	59	9	1.07	10
M392809		4.72	0.017	<0.5	6.03	387	610	1.7	<2	0.80	<0.5	11	66	19	2.59	10
M392810		0.14	0.354	1.1	7.79	14	830	2.0	<2	2.55	<0.5	17	52	3470	5.34	20
M392811		6.76	<0.005	<0.5	6.53	133	670	1.6	<2	0.90	<0.5	9	58	21	2.87	20
M392812		5.04	0.014	<0.5	7.12	182	730	1.7	<2	0.44	<0.5	11	61	17	2.97	20
M392813		5.46	<0.005	<0.5	4.71	161	510	1.2	<2	0.27	0.9	8	44	15	1.83	10
M392814		3.92	0.005	<0.5	3.54	277	320	1.1	<2	0.57	3.6	6	40	16	1.66	10
M392815		5.80	0.034	0.8	8.03	586	780	2.1	<2	0.50	1.2	10	71	34	3.68	20
M392816		3.34	<0.005	<0.5	0.11	<5	20	<0.5	<2	22.2	<0.5	1	1	3	0.50	<10
M392817		4.86	0.015	<0.5	11.75	273	1110	3.3	<2	0.75	<0.5	16	102	42	4.27	30
M392818		6.98	0.028	<0.5	11.35	395	1080	3.3	<2	1.81	<0.5	17	100	65	5.18	30
M392819		3.98	<0.005	<0.5	11.40	204	1120	3.1	<2	1.50	<0.5	19	100	47	5.05	30
M392820		5.10	<0.005	<0.5	7.50	109	680	1.7	<2	0.74	<0.5	11	67	18	3.31	20
M392821		4.80	0.036	<0.5	3.61	413	320	0.8	<2	2.31	<0.5	7	40	18	1.62	10
M392822		4.26	0.022	<0.5	3.76	358	310	0.9	<2	1.13	<0.5	6	48	14	1.73	10
M392823		4.14	0.009	<0.5	5.37	56	530	1.3	<2	0.89	<0.5	8	55	11	2.08	10
M392824		5.26	0.061	<0.5	7.62	165	660	2.2	<2	1.54	<0.5	11	70	23	3.29	20
M392825		4.40	0.539	<0.5	10.15	189	940	3.2	16	3.60	<0.5	20	91	79	5.36	30
M392826		3.50	0.090	<0.5	6.72	411	610	3.2	7	2.48	<0.5	10	65	45	2.59	20
M392827		4.72	<0.005	<0.5	3.04	30	280	0.7	2	1.15	1.1	3	41	4	0.73	10
M392828		5.86	0.029	1.1	7.86	196	1490	3.2	2	2.24	<0.5	8	41	24	2.74	20
M392829		<0.02	0.031	1.4	7.88	191	1510	3.2	3	2.19	<0.5	9	40	24	2.74	20
M392830		3.76	0.116	<0.5	7.29	490	1610	3.0	4	2.04	<0.5	8	33	28	2.45	20
M392831		2.68	0.324	<0.5	7.03	337	1380	2.9	10	2.03	<0.5	7	30	17	2.15	20
M392832		5.12	0.113	<0.5	7.55	242	1620	3.2	2	2.26	<0.5	9	35	16	2.55	20
M392833		3.94	0.118	<0.5	7.33	1185	1660	3.0	4	2.40	<0.5	9	39	31	2.68	20
M392834		4.90	0.380	<0.5	7.61	69	1570	2.9	4	2.16	<0.5	9	34	25	2.46	20
M392835		4.46	0.146	<0.5	7.49	124	1620	3.3	11	2.37	<0.5	11	35	69	2.83	20
M392836		4.80	0.174	<0.5	7.58	132	1560	3.2	14	2.13	<0.5	11	36	50	2.77	20
M392837		4.52	0.055	<0.5	7.50	171	1630	3.0	2	2.24	<0.5	9	37	41	2.75	20
M392838		3.78	0.030	<0.5	7.47	144	1440	3.3	<2	2.07	<0.5	7	34	31	2.54	20
M392839		7.18	0.318	<0.5	7.38	228	1610	3.0	3	2.22	<0.5	8	33	44	2.54	20
M392840		5.46	0.035	<0.5	7.44	92	1590	3.1	<2	2.26	<0.5	9	35	38	2.72	20

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 31-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163573

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M392801		1.75	30	0.28	291	1	0.50	14	150	9	<0.01	10	6	60	<20	0.21
M392802		3.47	40	0.40	167	1	0.89	20	250	12	0.02	<5	10	92	20	0.30
M392803		3.42	60	0.19	100	2	0.50	14	370	12	0.01	5	10	97	20	0.19
M392804		2.35	30	0.13	178	2	0.12	12	290	26	0.02	10	6	46	<20	0.20
M392805		1.11	20	0.07	196	2	0.07	8	90	10	0.01	9	3	23	<20	0.16
M392806		1.32	20	0.07	82	2	0.36	3	110	24	<0.01	<5	3	23	<20	0.09
M392807		2.85	40	0.27	192	2	0.53	17	630	12	0.01	9	8	69	20	0.27
M392808		2.50	30	0.20	129	1	0.81	9	210	10	<0.01	<5	6	67	<20	0.21
M392809		2.81	30	0.66	248	1	0.82	22	190	9	0.04	5	9	107	<20	0.30
M392810		3.27	20	1.53	530	271	2.62	21	1160	18	0.52	<5	13	479	<20	0.39
M392811		2.99	30	0.60	308	1	0.87	21	210	11	0.01	8	8	106	<20	0.30
M392812		3.25	40	0.61	245	<1	0.73	20	260	94	0.01	7	10	100	20	0.32
M392813		1.97	30	0.24	217	<1	0.38	17	160	25	0.01	23	6	47	<20	0.23
M392814		1.46	20	0.15	727	3	0.05	7	340	704	0.04	194	4	24	<20	0.13
M392815		3.58	40	0.31	410	20	0.21	20	250	422	0.13	110	11	45	20	0.34
M392816		0.07	<10	13.45	212	<1	0.01	<1	210	5	0.02	<5	<1	47	<20	<0.01
M392817		4.74	40	0.93	294	<1	0.53	35	720	19	0.03	9	16	144	20	0.54
M392818		4.30	40	1.19	469	<1	1.00	46	770	13	0.03	9	17	259	20	0.54
M392819		4.06	50	1.18	489	<1	1.44	49	600	23	0.07	<5	16	276	20	0.54
M392820		2.64	40	0.72	232	<1	0.86	24	310	11	0.01	<5	10	132	20	0.34
M392821		1.15	20	0.31	363	<1	0.62	10	160	10	0.04	<5	4	137	<20	0.16
M392822		1.21	20	0.32	229	<1	0.79	11	160	8	0.03	<5	4	107	<20	0.18
M392823		1.85	30	0.42	198	<1	1.03	14	200	7	0.02	<5	6	129	20	0.25
M392824		2.64	50	0.77	279	<1	0.94	29	490	12	0.04	<5	11	225	20	0.33
M392825		3.43	50	1.22	595	<1	1.31	47	820	15	0.46	5	15	366	20	0.48
M392826		2.34	40	0.57	310	3	0.76	26	410	17	0.02	5	9	199	20	0.28
M392827		1.36	20	0.09	218	2	0.08	5	100	37	0.01	5	3	51	<20	0.08
M392828		3.73	30	0.81	290	<1	1.29	25	660	22	0.01	7	8	381	20	0.33
M392829		3.72	30	0.83	281	<1	1.30	25	650	20	0.01	6	8	384	20	0.34
M392830		3.63	30	0.83	209	<1	1.68	19	650	19	0.03	<5	7	441	20	0.31
M392831		3.80	30	0.74	228	1	1.48	16	550	21	0.03	5	6	373	20	0.26
M392832		3.73	30	0.87	306	1	1.66	20	650	22	0.05	<5	7	444	20	0.31
M392833		3.64	30	0.88	301	<1	1.71	21	670	18	0.18	<5	7	466	20	0.32
M392834		3.84	30	0.82	273	3	1.68	19	640	26	0.08	6	7	445	20	0.30
M392835		3.75	30	0.88	278	3	1.75	22	670	21	0.27	<5	7	469	20	0.32
M392836		4.02	30	0.82	264	1	1.70	20	630	25	0.20	<5	7	441	20	0.30
M392837		3.80	30	0.84	286	1	1.61	21	670	24	0.19	9	7	435	20	0.32
M392838		3.73	30	0.76	287	1	1.67	22	610	29	0.12	5	7	390	20	0.28
M392839		3.89	40	0.86	230	<1	1.67	21	660	21	0.20	<5	7	451	20	0.31
M392840		3.63	30	0.87	263	1	1.71	21	660	23	0.18	6	7	448	20	0.32

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 31-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163573

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M392801		<10	<10	39	10	55
M392802		<10	<10	66	10	33
M392803		<10	<10	59	350	16
M392804		<10	<10	42	110	71
M392805		<10	<10	24	30	29
M392806		<10	<10	17	10	15
M392807		<10	<10	54	100	58
M392808		<10	<10	40	40	23
M392809		<10	<10	56	140	29
M392810		<10	<10	144	10	74
M392811		<10	<10	57	20	45
M392812		<10	<10	63	10	163
M392813		<10	<10	40	20	293
M392814		<10	<10	25	10	498
M392815		<10	<10	75	10	417
M392816		<10	<10	2	<10	11
M392817		<10	<10	124	90	151
M392818		<10	<10	122	70	144
M392819		<10	<10	118	<10	150
M392820		<10	<10	66	<10	85
M392821		<10	<10	27	30	54
M392822		<10	<10	30	20	47
M392823		<10	<10	46	10	49
M392824		<10	<10	72	60	73
M392825		<10	<10	111	40	103
M392826		<10	<10	59	1390	102
M392827		<10	<10	17	10	109
M392828		<10	<10	44	40	92
M392829		<10	<10	45	40	93
M392830		<10	<10	38	10	45
M392831		<10	<10	31	20	41
M392832		<10	<10	37	10	58
M392833		<10	<10	38	10	52
M392834		<10	<10	35	20	54
M392835		<10	<10	38	40	51
M392836		<10	<10	36	20	48
M392837		<10	<10	38	20	56
M392838		<10	<10	33	20	49
M392839		<10	<10	37	20	40
M392840		<10	<10	37	20	45

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 31-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163573

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M392841		4.78	0.072	<0.5	6.83	335	1410	2.6	6	2.05	<0.5	9	31	51	2.25	20
M392842		4.74	0.084	<0.5	7.01	159	1520	3.1	11	2.02	<0.5	8	31	28	2.49	20
M392843		5.08	3.61	<0.5	7.29	138	1490	3.3	20	2.16	<0.5	8	30	23	2.38	20
M392844		5.52	0.310	<0.5	7.58	272	1720	2.9	37	2.33	<0.5	10	36	79	2.89	20
M392845		5.76	0.052	<0.5	7.32	300	1580	2.8	<2	2.35	<0.5	9	33	30	2.55	20
M392846		6.74	0.186	<0.5	7.52	318	1700	2.9	4	2.59	<0.5	9	34	37	2.63	20
M392847		4.34	0.120	<0.5	7.53	349	1600	3.0	5	2.29	<0.5	11	36	41	2.74	20
M392848		4.08	0.414	<0.5	7.22	69	1640	2.9	3	2.28	<0.5	8	35	24	2.53	20
M392849		6.20	0.021	<0.5	7.78	176	1730	3.2	<2	2.64	<0.5	9	39	12	2.91	20
M392850		0.14	0.877	2.0	7.72	<5	670	0.9	2	3.47	<0.5	23	42	7840	7.90	10
M392851		5.54	4.00	3.3	7.29	484	1600	2.9	147	2.64	<0.5	9	38	37	2.64	20
M392852		6.32	0.102	<0.5	7.23	1065	1490	2.9	8	2.25	<0.5	8	37	26	2.54	20
M392853		3.62	0.098	<0.5	6.93	356	1540	2.8	4	2.69	<0.5	8	34	24	2.41	20
M392854		5.52	1.255	0.6	7.26	125	1520	3.0	17	2.22	<0.5	8	34	43	2.45	20
M392855		6.16	0.299	<0.5	7.12	274	1530	2.8	13	2.18	<0.5	11	35	38	2.67	20
M392856		2.00	0.007	<0.5	0.16	<5	30	<0.5	<2	21.6	<0.5	3	2	1	0.48	<10
M392857		6.02	0.187	<0.5	7.35	496	1580	2.9	8	2.54	0.5	10	40	37	2.63	20
M392858		6.92	0.174	<0.5	6.96	158	1390	3.1	8	2.21	<0.5	7	31	20	2.24	20
M392859		5.92	0.043	<0.5	7.51	74	1550	3.1	<2	2.34	<0.5	9	37	22	2.72	20
M392860		4.74	0.138	<0.5	7.36	180	1570	3.4	8	2.38	<0.5	10	35	40	2.63	20
M392861		7.64	0.025	<0.5	7.62	24	1630	3.1	<2	2.54	<0.5	9	35	16	2.78	20
M392862		7.78	0.063	<0.5	7.43	49	1650	3.0	<2	2.49	<0.5	9	37	34	2.68	20
M392863		6.86	0.681	<0.5	7.29	41	1620	2.9	13	2.51	<0.5	8	39	15	2.79	20
M392864		5.18	0.144	<0.5	7.37	91	1630	2.9	<2	2.48	<0.5	9	35	35	2.65	20
M392865		9.24	0.149	<0.5	7.24	24	1610	3.0	48	2.57	<0.5	7	40	32	2.87	20
M392866		2.06	0.180	<0.5	7.63	47	1640	3.2	12	2.62	<0.5	9	40	28	2.77	20

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 31-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163573

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M392841		3.73	30	0.76	208	13	1.40	20	570	18	0.21	<5	6	368	20	0.27
M392842		3.64	30	0.83	289	3	1.47	18	590	25	0.09	<5	6	396	20	0.29
M392843		3.87	40	0.82	309	3	1.55	19	620	27	0.08	6	6	378	20	0.29
M392844		4.04	30	0.92	281	86	1.56	23	700	20	0.31	6	7	441	20	0.33
M392845		3.68	30	0.89	307	2	1.54	21	650	28	0.08	5	7	424	20	0.32
M392846		3.84	30	0.88	319	2	1.66	21	700	33	0.10	12	7	428	20	0.33
M392847		3.91	40	0.87	294	5	1.58	23	660	22	0.13	<5	7	434	20	0.32
M392848		3.50	30	0.83	286	3	1.57	21	700	19	0.14	<5	7	453	20	0.32
M392849		3.57	40	0.88	374	3	1.83	23	710	26	0.06	7	7	532	20	0.34
M392850		3.04	10	2.23	662	614	2.62	21	1220	16	1.00	7	18	619	<20	0.38
M392851		3.45	30	0.83	327	4	1.62	22	660	269	0.21	131	7	470	20	0.32
M392852		3.63	40	0.70	291	2	1.53	19	600	35	0.18	10	6	404	20	0.29
M392853		3.56	30	0.58	323	2	1.13	19	630	27	0.09	20	6	310	20	0.30
M392854		4.15	30	0.69	266	2	1.60	20	600	55	0.21	22	6	425	20	0.29
M392855		3.89	30	0.72	272	2	1.52	19	600	22	0.22	10	7	422	20	0.29
M392856		0.07	<10	13.15	212	<1	0.02	1	180	<2	0.01	<5	<1	41	<20	<0.01
M392857		3.68	40	0.75	348	4	1.24	23	640	85	0.18	37	7	377	20	0.31
M392858		3.77	30	0.66	320	2	1.42	17	540	32	0.12	19	6	367	20	0.27
M392859		3.85	40	0.80	319	2	1.75	19	620	27	0.12	<5	7	475	20	0.30
M392860		3.69	30	0.83	305	3	1.75	22	650	25	0.19	5	7	473	20	0.32
M392861		3.67	40	0.85	356	1	1.83	21	680	24	0.07	5	7	510	20	0.33
M392862		3.61	40	0.87	328	2	1.81	34	680	36	0.10	<5	7	494	20	0.33
M392863		3.55	30	0.84	341	1	1.84	24	690	24	0.08	<5	7	490	20	0.33
M392864		3.66	30	0.84	307	<1	1.79	21	680	23	0.14	<5	7	485	20	0.33
M392865		3.56	30	0.83	352	6	1.82	23	680	30	0.14	<5	7	477	20	0.32
M392866		3.67	30	0.88	335	<1	1.90	24	690	27	0.12	<5	7	503	20	0.34

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 31-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163573

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M392841		<10	<10	32	40	38
M392842		<10	<10	34	20	57
M392843		<10	<10	34	30	67
M392844		<10	<10	39	50	55
M392845		<10	<10	37	30	66
M392846		<10	<10	40	30	77
M392847		<10	<10	37	40	62
M392848		10	<10	37	40	62
M392849		<10	<10	40	30	79
M392850		<10	<10	195	<10	89
M392851		<10	<10	37	30	69
M392852		<10	<10	34	110	74
M392853		<10	<10	37	20	145
M392854		<10	<10	34	180	60
M392855		<10	<10	34	50	61
M392856		<10	30	2	<10	13
M392857		<10	<10	37	20	158
M392858		<10	<10	31	80	99
M392859		<10	<10	35	40	67
M392860		<10	<10	37	20	61
M392861		<10	<10	38	10	73
M392862		<10	<10	38	10	80
M392863		<10	<10	38	<10	70
M392864		<10	<10	37	10	63
M392865		<10	<10	38	10	75
M392866		10	<10	47	10	74

Comments: Additional Au-AA24 check assay for sample M392854 reports 1.720 ppm.