



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 17-AUG-2012
Account: STRGOL

CERTIFICATE WH12163574

Project: Eagle Gold

P.O. No.: EGP12-165

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163574

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M390651		4.54	0.239		<0.5	7.14	207	1560	3.0	5	1.88	<0.5	8	31	47	2.39
M390652		8.58	0.130		<0.5	7.70	648	1650	3.1	14	2.17	<0.5	13	37	62	2.72
M390653		7.14	0.250		<0.5	7.32	450	1530	3.1	7	2.01	<0.5	10	37	58	2.52
M390654		2.78	0.020		<0.5	6.60	238	1540	3.0	2	1.97	<0.5	8	36	37	2.41
M390655		4.64	0.068		<0.5	7.34	203	1510	3.2	3	2.02	<0.5	8	35	50	2.45
M390656		1.26	<0.005		<0.5	0.07	<5	20	<0.5	<2	19.9	<0.5	1	1	24	0.43
M390657		6.80	0.140		0.6	7.49	339	1540	2.9	13	2.13	<0.5	8	51	73	2.52
M390658		5.10	0.159		0.9	7.28	221	1550	2.9	6	2.14	<0.5	9	36	128	2.49
M390659		5.22	0.062		<0.5	7.42	347	1600	2.9	4	2.11	<0.5	9	34	63	2.45
M390660		4.00	0.401		<0.5	7.31	458	1540	2.8	11	2.06	<0.5	10	33	68	2.50
M390661		4.98	0.225		<0.5	6.89	486	1570	3.1	20	1.76	<0.5	9	32	120	2.42
M390662		5.26	0.068		<0.5	7.36	410	1600	3.1	9	1.82	<0.5	8	32	125	2.52
M390663		3.08	0.770		<0.5	7.40	339	1470	2.9	28	2.21	<0.5	9	32	65	2.40
M390664		5.62	0.263		<0.5	7.73	361	1590	3.1	11	2.08	<0.5	10	35	66	2.56
M390665		5.30	0.123		0.6	7.03	504	1200	2.9	17	2.23	<0.5	12	36	70	2.32
M390666		5.42	0.355		0.5	7.03	237	1430	2.8	29	2.00	<0.5	10	34	65	2.24
M390667		5.46	0.454		<0.5	7.47	259	1530	3.0	13	2.02	<0.5	10	31	85	2.55
M390668		5.50	0.163		<0.5	7.33	922	1520	3.1	12	2.03	<0.5	10	32	65	2.43
M390669		<0.02	0.092		<0.5	7.78	843	1590	3.2	12	2.12	<0.5	10	31	61	2.51
M390670		4.88	0.070		<0.5	7.47	411	1610	3.0	10	1.93	<0.5	8	37	76	2.44
M390671		4.28	0.061		<0.5	7.62	750	1660	3.1	6	1.78	<0.5	8	33	86	2.50
M390672		5.44	0.109		0.8	7.84	419	1540	3.0	13	1.96	<0.5	9	33	78	2.40
M390673		4.02	0.057		<0.5	7.40	321	1670	3.1	8	1.72	<0.5	9	32	88	2.52
M390674		5.96	0.043		<0.5	7.57	235	1630	3.0	6	1.87	<0.5	10	32	50	2.50
M390675		7.80	0.136		<0.5	7.59	221	1560	3.0	9	2.05	<0.5	9	34	55	2.49
M390676		3.00	0.022		<0.5	7.65	220	1570	3.1	2	1.72	<0.5	8	34	58	2.39
M390677		8.34	0.072		<0.5	7.57	345	1550	3.0	2	1.83	<0.5	8	32	51	2.36
M390678		5.12	0.182		<0.5	7.68	211	1600	3.0	13	2.08	<0.5	10	33	81	2.47
M390679		5.18	0.101		<0.5	7.55	517	1580	3.1	9	2.02	<0.5	11	32	79	2.45
M390680		3.50	0.093		<0.5	7.29	262	1570	2.9	7	1.60	<0.5	7	30	66	2.36
M390681		2.28	0.107		<0.5	7.23	312	1600	2.8	15	2.13	<0.5	10	25	77	2.44
M390682		7.78	0.058		<0.5	7.34	326	1510	3.1	7	2.07	<0.5	9	34	87	2.64
M390683		5.18	2.30		3.3	6.49	3390	1310	2.1	170	0.90	0.9	7	24	111	3.01
M390684		5.38	0.882		<0.5	7.59	330	1650	2.9	54	1.43	<0.5	9	30	65	2.60
M390685		7.86	0.189		<0.5	7.14	740	1600	2.6	14	1.55	<0.5	13	25	69	2.50
M390686		3.98	0.293		<0.5	7.25	1580	1570	3.1	21	1.86	<0.5	14	31	66	2.66
M390687		3.12	0.090		<0.5	7.48	458	1720	3.1	9	1.89	<0.5	8	32	46	2.41
M390688		4.76	0.253		<0.5	7.54	553	1650	3.0	22	2.12	<0.5	7	30	69	2.35
M390689		6.54	0.145		<0.5	7.21	401	1620	2.9	20	1.60	<0.5	11	29	72	2.31
M390690		0.14	0.882		2.2	7.28	<5	620	0.8	2	3.18	<0.5	20	39	7190	7.15

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163574

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M390651		20	3.60	40	0.73	212	1	1.57	19	610	19	0.06	<5	6	434	20
M390652		20	3.73	40	0.81	214	3	1.65	20	680	17	0.17	<5	7	478	20
M390653		20	3.61	40	0.77	188	1	1.59	17	630	17	0.07	<5	6	452	20
M390654		20	3.34	30	0.72	207	<1	1.62	20	640	16	0.02	<5	6	434	20
M390655		20	3.60	40	0.74	189	1	1.62	16	620	21	0.04	<5	6	451	20
M390656		<10	0.03	<10	12.10	187	1	0.01	<1	180	<2	0.01	<5	<1	44	<20
M390657		20	3.80	40	0.78	376	2	1.25	19	670	19	0.04	11	7	367	20
M390658		20	3.47	40	0.77	178	4	1.58	18	640	16	0.18	<5	6	451	20
M390659		20	3.94	40	0.80	167	7	1.58	24	640	17	0.19	<5	7	457	20
M390660		20	3.75	40	0.75	169	4	1.55	18	630	15	0.23	<5	7	451	20
M390661		20	3.93	30	0.73	188	3	1.54	20	630	16	0.04	6	6	426	20
M390662		20	3.93	40	0.76	212	3	1.54	20	650	17	0.04	<5	7	436	20
M390663		20	3.57	40	0.68	308	2	1.33	18	640	32	0.01	10	7	396	20
M390664		20	4.13	40	0.69	240	2	1.40	21	660	18	0.10	8	7	422	20
M390665		20	3.87	40	0.48	682	4	0.70	17	640	38	0.03	23	7	228	20
M390666		20	3.96	40	0.58	319	3	1.07	18	610	32	0.14	11	6	332	20
M390667		20	3.93	40	0.75	229	2	1.48	19	630	15	0.13	<5	7	440	20
M390668		20	3.99	40	0.74	223	2	1.49	21	630	17	0.11	5	7	434	20
M390669		20	4.11	40	0.76	228	3	1.60	19	640	16	0.10	<5	7	463	20
M390670		20	4.02	40	0.77	216	3	1.53	19	640	18	0.04	<5	7	449	20
M390671		20	4.23	40	0.74	193	3	1.47	17	670	13	0.02	<5	7	411	20
M390672		20	4.48	40	0.51	337	3	0.92	18	650	50	0.02	21	7	292	20
M390673		20	4.03	40	0.76	220	4	1.54	19	640	15	0.02	<5	7	439	20
M390674		20	3.90	40	0.79	242	2	1.60	18	650	16	0.03	<5	7	461	20
M390675		20	3.90	40	0.76	228	3	1.62	18	650	16	0.02	<5	7	455	20
M390676		20	3.90	40	0.76	226	3	1.49	16	640	21	0.01	<5	7	419	20
M390677		20	3.89	40	0.69	230	2	1.56	18	610	17	0.01	<5	7	436	20
M390678		20	3.99	40	0.76	198	3	1.64	19	650	14	0.12	<5	7	485	20
M390679		20	3.99	40	0.75	189	5	1.61	18	650	14	0.17	<5	7	472	20
M390680		20	3.87	40	0.69	198	5	1.42	17	600	13	0.03	<5	7	400	20
M390681		20	3.77	40	0.79	283	5	1.24	18	600	15	<0.01	<5	6	375	20
M390682		20	3.68	40	0.88	229	3	1.56	17	650	12	0.01	<5	7	450	20
M390683		20	3.45	30	0.56	109	8	0.91	8	560	675	0.23	254	6	334	20
M390684		20	4.06	40	0.48	206	3	1.28	19	630	19	0.02	11	7	321	20
M390685		20	3.87	40	0.30	176	4	1.09	18	620	17	0.01	11	6	255	20
M390686		20	3.63	30	0.68	234	2	1.48	19	660	17	0.02	5	7	397	20
M390687		20	4.04	40	0.81	183	2	1.60	17	650	14	0.03	<5	7	466	20
M390688		20	3.92	40	0.76	209	2	1.64	18	650	14	0.04	<5	7	473	20
M390689		20	3.89	40	0.77	158	3	1.37	17	620	11	0.05	<5	7	412	20
M390690		20	2.84	10	2.02	616	570	2.39	16	1120	15	0.94	<5	17	581	<20

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163574

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M390651		0.29	<10	<10	36	30	34
M390652		0.32	<10	<10	38	30	36
M390653		0.30	<10	<10	37	50	29
M390654		0.30	<10	<10	36	20	33
M390655		0.30	<10	<10	35	10	32
M390656		<0.01	<10	10	2	<10	12
M390657		0.30	<10	<10	40	40	45
M390658		0.30	<10	<10	35	40	27
M390659		0.30	<10	<10	36	30	23
M390660		0.29	<10	<10	34	40	20
M390661		0.30	<10	<10	36	20	32
M390662		0.31	<10	<10	36	30	37
M390663		0.29	<10	<10	34	10	36
M390664		0.30	<10	<10	36	30	32
M390665		0.28	<10	<10	38	40	75
M390666		0.27	<10	<10	34	170	32
M390667		0.29	<10	<10	35	60	28
M390668		0.29	<10	<10	35	40	27
M390669		0.30	<10	<10	36	40	25
M390670		0.29	<10	<10	36	40	28
M390671		0.31	<10	<10	37	40	21
M390672		0.28	<10	<10	35	50	82
M390673		0.31	<10	<10	37	10	34
M390674		0.30	<10	<10	37	20	67
M390675		0.30	<10	<10	38	30	38
M390676		0.30	<10	<10	37	10	59
M390677		0.29	<10	<10	35	10	34
M390678		0.30	<10	<10	36	90	24
M390679		0.30	<10	<10	35	30	23
M390680		0.28	<10	<10	34	60	25
M390681		0.28	<10	<10	34	40	32
M390682		0.30	<10	<10	42	40	70
M390683		0.22	<10	<10	29	20	119
M390684		0.29	<10	<10	37	30	31
M390685		0.26	<10	<10	33	30	30
M390686		0.31	<10	<10	38	30	29
M390687		0.31	<10	<10	38	20	27
M390688		0.29	<10	<10	36	10	29
M390689		0.29	<10	<10	35	20	19
M390690		0.35	<10	<10	184	<10	83

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163574

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M390691		2.46	0.066		<0.5	7.24	132	1580	2.7	6	1.87	<0.5	7	29	37	2.26
M390692		8.10	0.883		<0.5	7.44	169	1600	2.9	45	1.88	<0.5	10	30	52	2.49
M390693		4.44	0.024		<0.5	7.68	70	1570	3.1	7	2.05	<0.5	7	31	40	2.51
M390694		5.22	0.576		<0.5	7.54	274	1590	3.1	32	1.60	<0.5	11	29	67	2.47
M390695		4.94	1.530		<0.5	7.69	148	1610	3.2	91	1.83	<0.5	9	34	62	2.57
M390696		1.36	<0.005		<0.5	0.10	<5	20	<0.5	<2	21.4	<0.5	1	1	3	0.48
M390697		8.14	0.192		<0.5	7.14	322	1460	2.9	27	1.96	<0.5	10	38	53	2.47
M390698		5.90	0.112		<0.5	7.30	133	1500	3.0	19	2.06	<0.5	9	36	45	2.50
M390699		3.22	0.299		<0.5	6.83	200	1480	2.8	34	1.81	<0.5	9	36	44	2.25
M390700		3.76	0.907		<0.5	6.98	257	1500	2.7	102	1.94	<0.5	10	39	53	2.22
M390701		6.00	0.410		<0.5	7.00	128	1560	2.9	61	1.86	<0.5	9	39	41	2.40
M390702		2.96	0.241		<0.5	7.18	124	1550	3.1	23	1.75	<0.5	9	35	36	2.38
M390703		5.36	>10.0	12.20	<0.5	5.38	525	1290	1.7	437	1.28	<0.5	14	34	48	1.90
M390704		3.76	0.356		<0.5	6.88	175	1420	2.7	34	2.07	<0.5	8	35	51	2.16
M390705		7.24	0.816		<0.5	7.13	350	1570	2.6	63	2.02	<0.5	14	58	81	2.71
M390706		5.94	0.236		<0.5	7.28	108	1540	2.9	18	2.20	<0.5	8	38	30	2.44
M390707		5.50	0.037		<0.5	7.21	94	1450	3.1	4	2.07	<0.5	8	35	33	2.43
M390708		5.64	0.611		<0.5	7.00	174	1530	2.9	34	1.49	<0.5	10	34	42	2.23
M390709		6.52	0.193		<0.5	7.37	102	1530	3.1	12	2.01	<0.5	9	35	43	2.44
M390710		0.14	0.872		2.4	7.39	5	620	0.9	3	3.18	<0.5	22	41	7420	7.39
M390711		5.88	0.184		0.5	7.45	115	1560	2.9	13	2.12	<0.5	9	36	36	2.38
M390712		7.00	0.686		<0.5	7.08	59	1430	2.9	22	2.10	<0.5	8	39	28	2.34
M390713		7.70	0.329		<0.5	7.35	45	1710	2.9	21	2.47	<0.5	9	40	25	2.70
M390714		5.20	0.163		<0.5	7.43	55	1450	2.9	18	3.25	<0.5	13	100	49	3.70
M390715		4.90	0.367		<0.5	7.03	177	1690	2.6	24	2.16	<0.5	10	36	33	2.12
M390716		0.94	<0.005		<0.5	0.08	<5	30	<0.5	<2	21.2	<0.5	1	2	2	0.46

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163574

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M390691		20	3.88	40	0.73	187	3	1.52	16	610	15	0.01	<5	7	450	20
M390692		20	3.71	40	0.73	208	3	1.59	19	630	18	0.01	<5	7	450	20
M390693		20	3.64	40	0.75	234	1	1.69	17	630	22	0.01	<5	7	478	20
M390694		20	3.86	40	0.73	154	2	1.51	19	640	13	0.02	<5	7	418	20
M390695		20	3.81	40	0.69	231	3	1.55	19	660	13	0.01	5	7	418	20
M390696		<10	0.04	<10	12.70	213	1	0.01	<1	170	<2	0.02	<5	<1	46	<20
M390697		20	3.55	30	0.73	208	3	1.53	18	620	12	0.08	<5	7	433	20
M390698		20	3.64	30	0.72	212	4	1.56	18	620	18	0.03	<5	7	441	20
M390699		20	3.94	40	0.63	189	4	1.40	16	590	13	0.07	<5	6	393	20
M390700		20	3.96	40	0.57	155	4	1.31	19	580	12	0.03	<5	6	375	20
M390701		20	3.78	40	0.72	177	4	1.44	19	620	11	0.02	6	7	408	20
M390702		20	3.65	30	0.70	186	2	1.37	19	600	13	0.01	5	7	371	20
M390703		10	3.66	30	0.36	120	10	0.72	20	430	11	0.03	15	5	208	20
M390704		20	3.82	30	0.64	186	3	1.36	16	560	11	0.01	<5	6	366	20
M390705		20	4.63	30	0.80	246	4	1.28	23	650	9	0.01	6	8	404	20
M390706		20	3.74	30	0.71	230	3	1.57	17	630	14	0.01	<5	7	448	20
M390707		20	3.58	30	0.69	213	2	1.58	18	600	15	0.01	<5	6	414	20
M390708		20	4.14	40	0.65	151	3	1.41	17	580	14	0.01	<5	6	417	20
M390709		20	3.74	40	0.69	230	2	1.67	19	630	16	0.01	<5	7	460	20
M390710		20	2.90	10	2.03	619	565	2.40	17	1150	10	0.96	<5	18	584	<20
M390711		20	4.01	30	0.71	217	3	1.63	18	620	18	0.01	<5	7	485	20
M390712		20	3.75	30	0.68	258	2	1.61	18	580	24	0.03	<5	6	534	20
M390713		20	3.50	30	0.84	226	3	1.66	21	720	11	0.06	<5	7	598	20
M390714		20	3.43	30	1.51	418	3	1.61	35	750	10	0.05	<5	11	590	20
M390715		20	3.83	30	0.68	133	3	1.48	18	580	10	0.11	5	6	510	20
M390716		<10	0.05	<10	12.70	203	1	0.01	<1	160	<2	0.01	<5	<1	47	<20

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 17-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163574

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
M390691		0.29	<10	<10	35	10	27
M390692		0.30	<10	<10	35	10	31
M390693		0.30	<10	<10	36	10	41
M390694		0.30	<10	<10	35	20	19
M390695		0.32	<10	<10	38	20	30
M390696		<0.01	<10	10	2	<10	14
M390697		0.29	<10	<10	35	20	28
M390698		0.30	<10	<10	35	10	37
M390699		0.28	<10	<10	35	20	32
M390700		0.28	<10	<10	34	10	22
M390701		0.30	<10	<10	36	10	24
M390702		0.30	<10	<10	36	10	29
M390703		0.21	<10	<10	28	20	11
M390704		0.27	<10	<10	33	10	22
M390705		0.31	<10	<10	44	20	22
M390706		0.30	<10	<10	36	10	35
M390707		0.29	<10	<10	35	20	31
M390708		0.28	<10	<10	34	20	22
M390709		0.31	<10	<10	36	10	39
M390710		0.37	<10	<10	191	<10	82
M390711		0.30	<10	<10	36	10	35
M390712		0.29	<10	<10	34	10	54
M390713		0.34	<10	<10	42	<10	30
M390714		0.39	<10	<10	66	10	51
M390715		0.28	<10	<10	33	10	16
M390716		<0.01	<10	<10	2	<10	13

Comments: **Corrected Copy for Au-AA24 on Samples M390701-M390716.**