



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 1-AUG-2012
This copy reported on
17-AUG-2012
Account: STRGOL

CERTIFICATE WH12163575

Project: Eagle Gold

P.O. No.: EGP12-166

This report is for 38 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **Corrected Copy for Au-AA24 on Samples M390717-M391954.**

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 1-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163575

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M390717		6.00	1.490	<0.5	6.89	161	1430	2.9	154	2.75	<0.5	10	42	29	2.50	20
M390718		3.94	0.053	<0.5	7.49	47	1560	3.1	3	2.59	<0.5	7	32	19	2.50	20
M390719		7.00	0.156	<0.5	7.46	105	1580	3.2	7	2.01	<0.5	9	38	42	2.51	20
M390720		5.28	0.053	<0.5	7.67	75	1620	3.3	10	2.34	<0.5	7	33	29	2.53	20
M390721		5.64	0.651	<0.5	7.73	502	1810	2.9	29	2.49	<0.5	11	43	43	2.55	20
M390722		5.58	0.264	<0.5	7.45	617	1700	2.9	32	2.39	<0.5	12	35	49	2.32	20
M390723		5.12	0.237	<0.5	7.56	817	1750	2.9	19	2.46	<0.5	13	41	63	2.68	20
M390724		7.26	0.460	<0.5	7.73	569	1860	2.9	43	2.55	<0.5	11	38	54	2.48	20
M390725		5.24	0.143	<0.5	7.36	402	1640	3.0	3	2.42	<0.5	12	41	53	2.56	20
M390726		4.48	0.234	<0.5	7.46	314	1630	3.0	2	2.47	<0.5	9	34	33	2.30	20
M390727		4.74	0.166	<0.5	7.55	203	1660	2.9	17	2.72	<0.5	8	40	32	2.60	20
M390728		6.16	0.070	<0.5	7.54	158	1670	3.0	<2	2.47	<0.5	8	33	52	2.24	20
M390729		<0.02	0.117	<0.5	7.39	172	1640	3.0	<2	2.43	<0.5	10	36	51	2.41	20
M390730		4.32	0.030	<0.5	7.63	474	1840	2.8	<2	2.37	<0.5	7	40	27	2.30	20
M390731		4.32	0.016	<0.5	7.79	199	1520	3.0	<2	2.59	<0.5	8	38	21	2.79	20
M390732		5.62	0.016	<0.5	6.31	80	650	1.8	<2	0.88	<0.5	8	58	15	2.05	20
M390733		4.60	0.251	<0.5	7.62	48	840	2.0	2	0.97	<0.5	11	66	22	2.45	20
M390734		7.20	<0.005	<0.5	3.46	46	230	0.7	<2	0.88	<0.5	4	49	11	1.50	10
M390735		5.26	0.006	<0.5	4.09	31	380	1.0	<2	0.86	<0.5	5	39	9	1.87	10
M390736		5.02	<0.005	<0.5	8.91	55	1170	2.9	<2	1.37	<0.5	13	72	13	3.45	20
M390737		11.10	0.058	<0.5	7.61	33	870	1.9	2	0.40	<0.5	11	65	13	3.26	20
M390738		5.36	0.078	<0.5	5.62	22	600	1.2	<2	0.44	<0.5	8	54	12	2.30	10
M390739		5.36	<0.005	<0.5	3.40	12	360	0.6	<2	0.59	<0.5	4	40	6	1.52	10
M390740		7.30	5.18	<0.5	7.01	56	820	1.7	51	0.44	<0.5	8	68	23	2.44	20
M390741		10.62	<0.005	<0.5	9.51	33	1030	2.4	<2	0.58	<0.5	15	79	23	4.39	30
M390742		8.74	0.006	<0.5	9.42	27	1060	2.1	<2	0.57	<0.5	16	92	16	4.43	20
M390743		5.98	<0.005	<0.5	10.55	54	1230	3.0	<2	0.58	<0.5	20	107	41	4.46	30
M390744		4.62	<0.005	<0.5	7.84	13	840	1.9	<2	0.49	<0.5	15	71	32	3.37	20
M390745		4.94	0.039	<0.5	5.58	19	450	1.1	<2	0.78	<0.5	7	57	17	3.05	10
M390746		4.16	<0.005	<0.5	4.46	14	290	0.8	<2	1.06	<0.5	7	46	12	2.51	10
M390747		5.34	<0.005	<0.5	5.15	9	410	1.1	<2	0.89	<0.5	7	53	11	2.68	10
M390748		7.94	0.008	<0.5	4.76	14	400	0.9	<2	0.81	<0.5	7	51	8	2.41	10
M390749		7.66	1.480	<0.5	8.28	77	860	2.3	40	0.92	<0.5	14	67	25	2.81	20
M390750		0.18	0.887	2.1	7.38	8	620	0.9	<2	3.21	<0.5	21	41	7250	7.46	20
M391951		5.74	0.033	<0.5	6.91	27	660	2.0	3	0.98	<0.5	10	60	19	2.42	20
M391952		3.10	4.47	<0.5	4.60	29	490	1.1	101	1.27	<0.5	6	44	10	1.58	10
M391953		8.22	0.049	<0.5	5.25	21	490	1.1	3	1.08	<0.5	7	50	10	2.25	10
M391954		5.48	3.00	<0.5	6.39	89	630	1.7	167	1.11	<0.5	10	55	18	2.34	20

Comments: **Corrected Copy for Au-AA24 on Samples M390717-M391954.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 1-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163575

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M390717		3.19	30	0.77	235	3	1.55	23	610	16	0.15	<5	7	554	20	0.29
M390718		3.55	30	0.76	313	1	1.67	21	640	29	0.03	<5	7	535	20	0.31
M390719		3.68	40	0.74	162	2	1.65	23	640	16	0.09	<5	7	553	20	0.31
M390720		3.58	30	0.80	217	<1	1.74	22	690	19	0.04	<5	7	538	20	0.33
M390721		3.73	40	0.84	140	1	1.63	26	710	14	0.16	<5	8	533	20	0.34
M390722		3.55	40	0.79	129	2	1.64	27	690	15	0.20	<5	7	515	20	0.32
M390723		3.50	40	0.86	149	1	1.64	25	730	15	0.26	<5	7	592	20	0.34
M390724		3.81	40	0.86	131	1	1.69	26	750	17	0.26	<5	8	535	20	0.35
M390725		3.44	30	0.82	163	3	1.65	24	680	15	0.20	<5	7	539	20	0.32
M390726		3.54	40	0.82	151	1	1.69	20	680	16	0.15	<5	7	480	20	0.32
M390727		3.17	40	0.84	179	<1	1.70	25	700	13	0.26	<5	7	509	20	0.33
M390728		3.27	40	0.82	111	1	1.71	20	680	14	0.19	<5	7	511	20	0.32
M390729		3.32	30	0.82	123	1	1.67	22	670	13	0.19	<5	7	502	20	0.33
M390730		3.94	40	0.80	128	1	1.59	23	750	14	0.10	<5	7	481	20	0.33
M390731		3.21	20	0.90	232	1	1.77	24	750	19	0.07	<5	7	517	20	0.38
M390732		2.86	30	0.47	162	<1	1.00	20	160	10	0.02	<5	8	138	20	0.27
M390733		3.58	40	0.57	195	<1	1.07	26	260	6	0.07	<5	11	143	20	0.34
M390734		1.05	20	0.30	216	2	0.86	12	90	2	0.02	<5	4	96	<20	0.15
M390735		1.47	20	0.38	223	2	0.96	14	150	5	0.01	<5	5	101	<20	0.18
M390736		3.89	50	1.04	233	2	1.52	39	770	12	<0.01	<5	13	283	20	0.45
M390737		3.24	40	0.75	217	3	0.95	28	300	7	0.02	<5	11	121	20	0.35
M390738		2.06	30	0.53	178	2	0.87	18	190	7	0.01	<5	7	98	20	0.26
M390739		1.13	20	0.28	234	2	1.04	10	100	5	<0.01	<5	3	91	<20	0.16
M390740		2.89	40	0.56	149	2	0.85	18	560	8	0.01	<5	9	108	20	0.30
M390741		3.81	40	1.00	298	2	0.80	34	500	7	0.01	<5	14	141	20	0.47
M390742		3.86	50	0.99	368	2	0.88	39	1280	11	0.01	<5	16	150	20	0.49
M390743		4.84	50	1.06	329	2	0.78	49	1560	13	0.17	<5	17	155	20	0.47
M390744		3.09	40	0.75	314	2	0.71	33	340	10	0.08	<5	12	110	20	0.35
M390745		2.02	30	0.55	347	2	1.02	18	130	4	0.06	<5	7	99	<20	0.29
M390746		1.12	20	0.48	647	2	0.95	14	100	5	0.03	<5	6	91	<20	0.21
M390747		1.48	30	0.52	532	2	1.03	16	170	6	0.01	<5	7	85	<20	0.25
M390748		1.73	20	0.50	351	3	1.18	15	130	6	0.02	<5	6	87	<20	0.23
M390749		3.50	50	0.70	250	2	1.03	30	280	8	0.03	<5	12	125	20	0.36
M390750		2.72	10	2.05	615	573	2.40	15	1140	12	0.94	<5	18	582	<20	0.37
M391951		2.67	40	0.62	223	4	1.20	20	260	10	0.03	<5	9	125	20	0.31
M391952		1.88	30	0.34	210	3	0.97	14	130	5	0.02	<5	5	133	<20	0.20
M391953		2.00	30	0.51	304	2	1.04	15	1080	10	0.02	<5	7	109	<20	0.24
M391954		2.58	40	0.55	277	2	1.08	20	280	7	0.07	<5	9	126	20	0.28

Comments: **Corrected Copy for Au-AA24 on Samples M390717-M391954.**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 1-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12163575

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M390717		<10	<10	37	<10	25
M390718		10	<10	36	<10	67
M390719		<10	<10	37	10	19
M390720		<10	<10	39	10	32
M390721		<10	<10	44	20	14
M390722		<10	<10	41	10	15
M390723		<10	<10	42	30	14
M390724		<10	<10	45	20	15
M390725		<10	<10	39	10	16
M390726		<10	<10	39	10	17
M390727		<10	<10	41	<10	15
M390728		<10	<10	39	<10	11
M390729		<10	<10	40	<10	11
M390730		<10	<10	43	<10	13
M390731		<10	<10	46	<10	37
M390732		<10	<10	53	<10	19
M390733		<10	<10	69	10	21
M390734		<10	10	26	<10	17
M390735		<10	<10	32	<10	16
M390736		<10	<10	81	10	48
M390737		<10	<10	67	<10	39
M390738		<10	<10	47	10	31
M390739		<10	<10	25	<10	16
M390740		<10	<10	58	10	26
M390741		<10	<10	86	10	60
M390742		<10	<10	100	<10	72
M390743		<10	<10	116	<10	64
M390744		<10	<10	80	<10	55
M390745		<10	<10	51	<10	42
M390746		<10	10	38	<10	38
M390747		<10	<10	46	<10	41
M390748		<10	<10	41	<10	35
M390749		<10	<10	79	10	38
M390750		<10	10	187	<10	80
M391951		<10	<10	61	10	39
M391952		<10	<10	35	10	15
M391953		<10	<10	43	10	37
M391954		<10	<10	57	10	25

Comments: **Corrected Copy for Au-AA24 on Samples M390717-M391954.**