



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 3-AUG-2012
Account: STRGOL

CERTIFICATE WH12167667

Project: Eagle Gold

P.O. No.: EGP12-179

This report is for 63 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUL-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 3-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12167667

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M392567		5.04	0.494		1.7	7.21	3040	600	2.9	11	2.52	5.4	9	36	37	2.46
M392568		4.82	0.251		0.9	6.78	1115	680	2.7	<2	2.67	0.8	6	37	26	2.42
M392569		<0.02	0.274		2.1	6.52	1015	650	2.6	3	2.57	0.8	6	34	23	2.31
M392570		4.58	0.172		<0.5	7.86	96	1760	3.4	<2	1.42	<0.5	10	35	16	2.69
M392571		5.56	0.079		<0.5	6.48	274	1280	2.8	4	2.30	<0.5	8	36	22	2.32
M392572		5.62	0.310		<0.5	6.65	407	1280	2.7	2	2.38	<0.5	8	36	30	2.26
M392573		2.88	0.160		<0.5	6.87	122	1480	2.8	<2	2.13	<0.5	7	33	27	2.22
M392574		5.28	0.775		1.2	7.12	270	1050	2.8	13	2.36	0.7	6	36	40	2.49
M392575		5.84	0.036		<0.5	7.07	118	1470	2.9	<2	2.29	<0.5	7	39	30	2.47
M392576		4.60	0.108		<0.5	6.99	144	1100	2.8	<2	2.47	<0.5	9	39	31	2.33
M392577		4.86	0.302		0.5	6.86	248	960	2.7	5	2.27	<0.5	7	38	45	2.61
M392578		1.58	1.110		2.0	7.20	8510	950	2.9	7	2.16	5.2	11	28	136	3.37
M392579		5.58	0.051		0.6	6.98	189	880	2.9	<2	2.53	<0.5	5	32	39	2.22
M392580		6.26	0.449		5.6	6.95	9620	530	2.8	18	2.05	1.3	6	28	152	3.92
M392581		6.10	0.345		0.6	7.00	549	1190	2.6	5	2.28	<0.5	5	33	55	2.26
M392582		5.76	0.321		<0.5	7.14	186	1560	2.9	3	1.89	<0.5	6	34	28	2.32
M392583		7.52	1.820		3.9	6.28	6840	660	2.5	8	2.81	9.5	7	31	45	3.33
M392584		5.04	0.530		<0.5	7.08	216	1470	3.0	8	2.21	<0.5	8	37	23	2.29
M392585		6.02	0.130		<0.5	7.00	163	1530	3.0	4	2.07	<0.5	8	37	21	2.36
M392586		4.46	1.325		<0.5	7.28	346	1470	4.4	15	0.93	<0.5	7	36	58	1.73
M392587		4.68	2.49		<0.5	6.97	1310	1340	4.4	26	1.25	<0.5	5	32	76	1.69
M392588		5.94	0.100		<0.5	7.80	1565	1370	5.0	<2	1.91	<0.5	5	37	78	1.82
M392589		6.36	0.140		<0.5	7.29	2410	1200	4.7	4	2.03	<0.5	6	32	54	1.73
M392590		0.14	1.015		<0.5	7.05	1385	240	0.9	<2	5.29	<0.5	35	177	56	7.64
M392591		4.24	0.106		0.5	7.40	1575	910	4.1	2	1.90	0.6	5	30	73	1.64
M392592		5.22	0.061		<0.5	7.44	1970	1330	4.9	3	1.94	<0.5	5	34	68	1.81
M392593		5.24	0.256		0.7	6.74	658	680	3.3	<2	2.89	0.8	6	28	48	1.98
M392594		5.48	0.456		<0.5	7.25	210	1340	3.0	14	2.30	0.7	6	37	30	2.33
M392595		3.60	0.172		<0.5	7.36	83	1380	3.0	<2	2.37	0.9	6	40	24	2.50
M392596		1.58	<0.005		<0.5	0.08	<5	20	<0.5	<2	20.6	<0.5	1	2	1	0.45
M392597		5.44	2.07		<0.5	7.36	177	1490	3.1	78	2.46	<0.5	8	38	32	2.53
M392598		6.04	0.205		<0.5	7.38	82	1420	3.1	2	2.45	<0.5	7	36	19	2.47
M392599		7.40	0.056		<0.5	6.67	94	990	2.8	<2	2.84	<0.5	6	36	18	2.11
M392600		4.56	0.045		<0.5	7.34	53	1470	3.1	<2	2.34	<0.5	6	38	15	2.44
M392651		6.60	0.029		<0.5	7.44	42	1420	3.1	<2	2.37	<0.5	7	37	12	2.43
M392652		5.56	0.047		<0.5	7.61	159	1520	3.0	2	2.45	<0.5	7	36	17	2.54
M392653		4.80	0.027		<0.5	7.43	183	1410	3.2	<2	2.30	<0.5	6	36	25	2.38
M392654		6.78	1.980		<0.5	7.45	103	1490	3.0	27	2.40	<0.5	7	39	23	2.47
M392655		6.32	0.050		<0.5	7.72	70	1580	3.1	<2	2.37	<0.5	8	38	19	2.54
M392656		1.10	<0.005		<0.5	0.08	<5	20	<0.5	<2	20.0	<0.5	<1	2	2	0.46

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 3-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12167667

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M392567		20	3.46	30	0.67	850	3	0.04	20	630	159	0.47	94	6	165	20
M392568		20	3.40	30	0.69	761	2	0.12	18	600	88	0.33	62	6	210	20
M392569		20	3.29	30	0.67	727	2	0.12	17	560	79	0.31	56	6	203	20
M392570		20	3.86	30	0.62	273	1	0.55	24	700	22	0.12	23	7	310	20
M392571		20	3.65	30	0.55	325	7	0.72	19	600	29	0.21	24	6	324	20
M392572		20	3.80	30	0.60	283	2	0.78	18	630	54	0.22	38	6	342	20
M392573		20	3.90	30	0.62	204	2	1.22	16	560	21	0.17	18	6	390	20
M392574		20	3.88	30	0.66	389	2	0.33	21	580	117	0.58	72	6	241	20
M392575		20	3.78	40	0.68	235	1	1.26	21	610	19	0.26	15	6	412	20
M392576		20	3.95	30	0.65	283	2	0.68	22	600	30	0.20	27	6	327	20
M392577		20	3.69	30	0.64	366	2	0.27	19	580	55	0.71	44	6	257	20
M392578		20	3.81	40	0.62	352	2	0.06	20	570	264	1.52	175	6	200	20
M392579		20	3.77	30	0.64	424	1	0.05	15	590	41	0.31	35	6	220	20
M392580		20	3.12	40	0.62	401	1	0.03	15	550	251	2.29	180	6	167	20
M392581		20	3.94	30	0.62	244	3	0.82	25	540	29	0.36	22	6	368	20
M392582		20	3.85	30	0.66	193	2	1.05	19	600	24	0.19	18	6	385	20
M392583		10	2.92	40	0.61	1205	5	0.13	19	490	2550	1.37	1595	6	195	20
M392584		20	3.66	30	0.67	212	2	1.36	18	570	26	0.17	15	6	429	20
M392585		20	3.54	30	0.72	171	2	1.41	19	590	17	0.15	11	6	422	20
M392586		20	3.60	30	0.56	101	5	1.44	12	450	14	0.24	21	5	321	20
M392587		20	3.62	20	0.55	94	2	1.39	11	420	32	0.35	22	4	332	<20
M392588		20	4.02	30	0.58	100	2	1.80	10	460	17	0.40	9	5	437	<20
M392589		20	3.86	20	0.55	118	2	1.38	9	430	19	0.37	18	5	390	<20
M392590		20	0.58	10	3.68	1215	2	2.01	130	1300	12	0.52	<5	17	369	<20
M392591		20	3.67	20	0.48	308	1	0.52	9	460	52	0.49	41	5	226	<20
M392592		20	3.84	20	0.61	126	2	1.64	10	460	15	0.38	5	5	409	<20
M392593		20	3.17	20	0.61	1405	1	0.07	10	400	255	0.34	142	4	160	<20
M392594		20	3.96	30	0.66	554	2	0.74	18	580	70	0.18	33	6	323	20
M392595		20	3.53	40	0.71	548	2	1.15	20	620	108	0.18	39	7	399	20
M392596		<10	0.04	<10	12.60	204	<1	0.01	2	150	2	<0.01	<5	<1	44	<20
M392597		20	3.62	30	0.78	199	2	1.60	21	630	22	0.20	6	7	467	20
M392598		20	3.61	40	0.81	266	1	1.62	19	600	20	0.13	<5	7	457	20
M392599		20	3.47	30	0.57	338	2	0.94	18	580	23	0.15	14	6	318	20
M392600		20	3.53	30	0.74	199	1	1.57	21	630	23	0.12	<5	7	462	20
M392651		20	3.32	40	0.77	228	2	1.69	20	620	22	0.09	<5	7	469	20
M392652		20	3.34	40	0.82	244	2	1.72	21	640	18	0.13	<5	7	498	20
M392653		20	3.47	40	0.76	244	3	1.70	18	590	25	0.16	<5	7	466	20
M392654		20	3.49	40	0.76	217	2	1.61	20	620	21	0.18	<5	7	470	20
M392655		20	3.56	40	0.85	198	2	1.71	22	660	17	0.14	<5	7	501	20
M392656		<10	0.03	<10	12.20	202	<1	0.01	3	150	4	<0.01	<5	<1	44	<20

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 3-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12167667

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M392567		0.27	<10	<10	32	40	957
M392568		0.27	<10	<10	31	30	191
M392569		0.25	<10	<10	29	30	180
M392570		0.33	<10	<10	37	20	47
M392571		0.29	<10	<10	31	30	63
M392572		0.30	<10	<10	33	20	46
M392573		0.27	<10	<10	29	80	26
M392574		0.27	<10	<10	31	20	172
M392575		0.29	<10	<10	32	20	37
M392576		0.29	<10	<10	33	20	42
M392577		0.27	<10	<10	31	20	86
M392578		0.25	<10	<10	30	30	1040
M392579		0.27	<10	<10	31	20	71
M392580		0.25	<10	<10	30	40	279
M392581		0.26	<10	<10	31	20	35
M392582		0.28	<10	<10	33	40	29
M392583		0.21	<10	<10	27	30	1785
M392584		0.28	<10	<10	33	20	35
M392585		0.28	<10	<10	33	20	33
M392586		0.17	<10	10	33	10	26
M392587		0.15	<10	10	33	10	21
M392588		0.17	<10	10	37	20	19
M392589		0.15	<10	10	34	10	29
M392590		0.91	<10	<10	141	<10	113
M392591		0.16	<10	10	35	20	125
M392592		0.16	<10	10	36	10	18
M392593		0.13	<10	10	31	30	210
M392594		0.27	<10	<10	32	30	205
M392595		0.30	<10	<10	35	20	221
M392596		<0.01	<10	<10	2	<10	16
M392597		0.31	<10	<10	37	40	32
M392598		0.30	<10	<10	34	40	40
M392599		0.27	<10	<10	32	20	43
M392600		0.30	<10	<10	34	20	33
M392651		0.30	<10	<10	35	10	39
M392652		0.31	<10	<10	35	20	35
M392653		0.29	<10	<10	33	20	41
M392654		0.31	<10	<10	35	40	32
M392655		0.32	<10	<10	37	10	27
M392656		<0.01	<10	<10	2	<10	16

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 3-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12167667

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M392657		4.90	0.168		<0.5	7.13	102	1370	2.9	<2	2.06	<0.5	7	32	19	2.28
M392658		4.52	0.115		<0.5	7.10	64	1410	2.9	<2	2.09	<0.5	6	33	17	2.33
M392659		4.94	0.034		<0.5	7.16	127	1450	3.0	<2	2.10	<0.5	7	39	16	2.39
M392660		3.02	0.579		<0.5	5.97	1295	1070	2.2	10	2.70	<0.5	14	36	34	2.18
M392661		1.86	0.134		<0.5	7.13	258	870	3.1	<2	2.74	0.9	7	30	33	2.12
M392662		1.80	0.112		1.0	7.27	219	1090	3.4	<2	2.00	1.2	6	31	35	2.63
M392663		5.92	0.117		<0.5	7.01	43	1400	3.0	<2	2.15	<0.5	7	37	11	2.37
M392664		4.36	0.062		<0.5	7.21	164	1430	3.0	<2	2.44	<0.5	9	36	15	2.45
M392665		4.96	0.063		<0.5	7.26	209	1500	3.0	<2	2.22	<0.5	7	34	15	2.48
M392666		5.14	0.040		<0.5	7.27	165	1290	3.0	<2	2.94	<0.5	7	36	13	2.41
M392667		4.92	0.073		<0.5	7.30	142	1580	3.1	<2	2.04	<0.5	9	35	24	2.52
M392668		2.16	>10.0	32.1	1.7	1.05	8430	170	<0.5	307	0.54	<0.5	61	49	25	1.34
M392669		<0.02	>10.0	26.9	1.6	1.00	7640	160	<0.5	292	0.50	<0.5	56	51	28	1.27
M392670		3.86	0.441		<0.5	6.85	398	1100	2.8	13	2.23	<0.5	10	38	19	2.18
M392671		4.96	0.488		1.8	6.66	2850	880	2.7	2	2.68	<0.5	9	35	47	2.49
M392672		3.62	0.228		<0.5	7.04	962	1370	3.2	2	3.09	0.5	8	32	42	2.55
M392673		3.90	0.147		<0.5	6.44	181	1120	2.6	3	2.42	<0.5	9	39	28	2.12
M392674		2.28	0.105		<0.5	7.53	114	1820	3.2	<2	2.55	<0.5	10	44	20	2.78
M392675		4.86	0.042		<0.5	7.21	174	1630	3.0	<2	2.36	<0.5	10	42	15	2.53
M392676		5.00	0.151		<0.5	7.08	1385	1560	2.8	2	2.55	<0.5	10	41	17	2.54
M392677		5.70	0.045		<0.5	7.31	55	1630	3.2	<2	2.34	<0.5	9	41	11	2.60
M392678		5.48	0.080		<0.5	7.21	95	1570	3.1	2	2.30	<0.5	10	43	21	2.52
M392679		3.54	0.086		<0.5	7.27	87	1600	3.0	<2	2.37	<0.5	9	39	20	2.51

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 3-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12167667

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M392657		20	3.51	30	0.78	206	2	1.50	19	570	20	0.14	<5	6	441	20
M392658		20	3.31	30	0.84	210	10	1.51	19	600	19	0.12	<5	6	447	20
M392659		20	3.35	30	0.82	233	2	1.44	18	590	20	0.10	<5	6	440	20
M392660		10	3.09	40	0.47	325	2	0.71	19	440	16	0.32	9	5	305	20
M392661		20	3.42	40	0.45	490	3	0.32	17	600	50	0.46	37	6	203	20
M392662		20	3.57	40	0.57	365	3	0.41	20	620	93	0.57	43	6	219	20
M392663		20	3.23	30	0.76	254	2	1.59	18	580	20	0.08	<5	6	442	20
M392664		20	3.43	30	0.75	277	2	1.47	23	600	22	0.19	7	7	438	20
M392665		20	3.45	30	0.76	256	2	1.53	20	630	17	0.13	6	6	448	20
M392666		20	3.24	30	0.73	294	2	1.31	21	630	16	0.11	6	7	423	20
M392667		20	3.77	30	0.75	206	3	1.45	21	620	22	0.16	<5	7	415	20
M392668		<10	0.59	10	0.05	86	5	0.02	8	90	54	0.51	37	1	27	<20
M392669		<10	0.57	10	0.04	81	4	0.02	7	90	50	0.48	33	1	27	<20
M392670		20	3.54	40	0.54	361	4	0.34	23	630	23	0.23	11	6	278	20
M392671		20	3.32	30	0.64	593	5	0.15	14	560	88	0.34	53	6	257	20
M392672		20	3.73	40	0.73	608	3	0.12	19	600	77	0.31	39	7	283	20
M392673		20	3.56	30	0.62	338	11	0.61	19	560	21	0.24	11	6	298	20
M392674		20	3.51	40	0.87	250	5	1.72	25	700	19	0.14	<5	7	494	20
M392675		20	3.44	40	0.80	214	4	1.59	21	660	13	0.12	<5	7	455	20
M392676		20	3.51	40	0.76	230	16	1.36	23	610	17	0.18	<5	7	434	20
M392677		20	3.49	30	0.83	247	4	1.70	24	670	17	0.09	<5	7	481	20
M392678		20	3.41	40	0.82	190	3	1.61	20	620	14	0.16	<5	7	464	20
M392679		20	3.60	40	0.80	175	5	1.58	20	630	16	0.15	<5	7	458	20

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 3-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12167667

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
M392657		0.28	<10	<10	33	10	35
M392658		0.29	<10	<10	33	10	31
M392659		0.30	<10	<10	34	20	33
M392660		0.22	<10	<10	25	10	18
M392661		0.28	<10	<10	33	20	189
M392662		0.28	<10	<10	35	20	266
M392663		0.29	<10	<10	33	10	45
M392664		0.30	<10	<10	35	50	44
M392665		0.30	<10	<10	35	<10	44
M392666		0.30	<10	<10	35	20	42
M392667		0.30	<10	<10	34	10	31
M392668		0.04	<10	<10	6	20	5
M392669		0.04	<10	<10	5	10	5
M392670		0.30	10	<10	35	30	55
M392671		0.26	10	10	30	30	78
M392672		0.29	<10	<10	34	20	130
M392673		0.26	<10	<10	31	70	49
M392674		0.34	<10	<10	39	10	31
M392675		0.32	<10	<10	36	20	28
M392676		0.30	10	10	34	30	29
M392677		0.32	<10	<10	37	10	37
M392678		0.30	<10	10	35	20	20
M392679		0.31	<10	10	35	10	17

Comments: Additional Au-AA24 check assay on sample M392597 reports 5.59ppm.