



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 16-AUG-2012
Account: STRGOL

CERTIFICATE WH12179440

Project: Eagle Gold

P.O. No.: EGP12-197

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-AUG-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 16-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12179440

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M395401		4.74	0.013	<0.5	10.05	49	1510	2.4	<2	0.41	<0.5	15	94	26	4.38	30
M395402		4.16	<0.005	<0.5	11.70	52	1820	2.6	<2	0.55	<0.5	21	84	29	5.95	30
M395403		5.96	0.012	<0.5	9.21	135	1200	2.2	<2	0.58	<0.5	13	74	21	4.41	20
M395404		4.46	2.00	<0.5	6.75	191	620	1.9	14	0.26	<0.5	7	55	19	2.74	20
M395405		3.42	0.341	<0.5	2.40	82	240	0.6	4	0.12	<0.5	1	28	11	1.29	<10
M395406		5.76	0.009	<0.5	7.04	81	610	1.6	<2	0.38	<0.5	7	59	18	3.09	20
M395407		3.84	0.012	<0.5	7.85	82	690	2.0	<2	0.45	<0.5	8	69	18	2.94	20
M395408		6.24	1.015	<0.5	9.81	111	900	2.3	12	0.31	<0.5	12	84	28	4.20	20
M395409		6.12	0.082	<0.5	8.07	159	790	2.2	<2	0.40	<0.5	8	69	30	3.03	20
M395410		0.16	0.827	2.1	8.14	6	690	1.0	<2	3.54	<0.5	22	42	8100	8.20	20
M395411		4.76	0.246	<0.5	5.79	62	580	1.4	8	0.93	<0.5	7	54	39	2.79	10
M395412		6.38	0.047	<0.5	6.89	57	900	1.8	<2	1.07	<0.5	8	61	22	3.06	20
M395413		5.00	0.005	<0.5	3.73	52	460	0.8	<2	1.31	<0.5	2	37	16	1.70	10
M395414		3.28	0.034	<0.5	4.61	49	450	1.3	<2	0.87	<0.5	4	52	13	2.10	10
M395415		5.36	0.056	<0.5	4.90	87	530	1.1	<2	1.31	<0.5	5	48	12	2.26	10
M395416		0.94	<0.005	<0.5	0.17	10	10	<0.5	<2	36.7	<0.5	<1	2	<1	0.09	<10
M395417		4.66	0.084	<0.5	11.15	55	1210	2.8	<2	0.56	<0.5	13	84	36	4.88	30
M395418		6.10	<0.005	<0.5	10.55	68	900	2.4	<2	0.82	<0.5	14	89	31	5.00	30
M395419		4.04	<0.005	<0.5	9.74	58	730	2.4	<2	1.13	<0.5	13	83	24	4.83	20
M395420		4.64	<0.005	<0.5	4.43	49	460	1.0	<2	0.70	<0.5	3	44	6	1.86	10
M395421		6.10	<0.005	<0.5	7.30	29	680	1.8	<2	0.98	<0.5	9	62	18	3.25	20
M395422		6.34	<0.005	<0.5	7.06	31	640	1.7	<2	1.06	<0.5	10	63	16	3.27	20
M395423		4.04	<0.005	<0.5	9.45	27	740	2.7	<2	1.27	<0.5	15	81	39	5.24	30
M395424		3.58	0.766	1.2	7.07	389	730	2.4	15	3.65	<0.5	18	62	157	4.62	20
M395425		4.48	0.086	<0.5	6.65	167	490	1.8	<2	1.42	<0.5	5	54	18	2.68	20
M395426		6.58	0.005	<0.5	6.08	125	590	1.7	<2	1.09	<0.5	7	52	19	2.81	10
M395427		7.26	0.172	<0.5	3.74	145	400	1.0	<2	0.95	<0.5	3	34	10	1.71	10
M395428		7.04	0.064	<0.5	4.43	84	600	1.2	<2	1.29	<0.5	3	32	15	1.83	10
M395429		<0.02	0.057	<0.5	4.32	82	590	1.2	<2	1.26	<0.5	3	32	14	1.76	10
M395430		5.62	0.401	<0.5	4.50	194	510	1.2	6	0.60	<0.5	6	42	15	2.37	10
M395431		3.00	1.815	0.5	3.52	86	260	0.9	27	0.60	0.6	4	34	10	1.74	10
M395432		4.06	2.39	<0.5	12.10	250	1100	3.1	32	0.54	<0.5	16	98	27	4.89	30
M395433		5.14	0.027	<0.5	10.40	112	940	2.7	<2	0.70	<0.5	14	88	27	4.61	30
M395434		4.96	0.007	<0.5	9.08	132	810	2.3	<2	1.40	<0.5	13	80	23	3.92	20
M395435		2.60	<0.005	<0.5	9.39	154	790	2.4	<2	1.11	<0.5	13	83	29	4.24	30
M395436		6.06	<0.005	<0.5	10.05	58	1180	2.8	<2	1.66	<0.5	14	73	11	4.00	30
M395437		4.66	0.006	<0.5	5.38	39	830	1.3	<2	0.89	<0.5	6	54	8	2.39	10
M395438		4.72	0.096	<0.5	4.12	93	390	0.9	6	0.95	<0.5	6	48	11	1.78	10
M395439		5.44	1.000	<0.5	4.23	140	420	0.9	68	1.33	<0.5	7	64	16	1.94	10
M395440		5.14	1.080	<0.5	7.68	306	690	2.5	32	2.27	<0.5	14	75	41	3.10	20

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 16-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12179440

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M395401		4.36	50	0.96	340	1	1.05	49	390	7	0.01	<5	16	145	20	0.47
M395402		5.04	50	1.20	368	<1	1.05	59	660	5	0.09	<5	22	111	20	0.54
M395403		4.01	50	0.87	353	<1	0.86	43	630	5	0.05	6	15	101	20	0.41
M395404		2.81	30	0.46	253	2	0.54	25	340	7	<0.01	6	10	75	20	0.27
M395405		1.15	20	0.14	255	1	0.45	8	80	2	0.01	<5	2	41	<20	0.10
M395406		2.84	40	0.64	357	<1	0.87	25	260	6	0.04	<5	9	105	20	0.31
M395407		2.92	50	0.59	351	<1	0.95	25	330	7	0.02	<5	11	136	20	0.36
M395408		4.30	50	0.86	377	1	0.85	33	600	19	0.01	6	15	156	20	0.49
M395409		3.75	40	0.58	277	1	0.94	23	380	13	0.01	<5	11	124	20	0.37
M395410		3.10	10	2.21	690	637	2.67	20	1280	16	1.08	5	20	623	<20	0.41
M395411		2.22	30	0.61	288	1	0.75	22	250	5	0.14	<5	8	107	20	0.28
M395412		2.87	40	0.68	312	1	0.79	26	1200	5	0.07	<5	10	146	20	0.32
M395413		1.12	20	0.38	479	<1	0.62	11	120	6	0.05	<5	4	110	<20	0.17
M395414		1.94	30	0.47	300	<1	0.64	16	270	6	0.02	<5	7	102	<20	0.24
M395415		1.89	30	0.51	382	<1	0.73	16	160	6	0.03	<5	7	120	20	0.25
M395416		0.02	<10	1.96	25	<1	0.01	2	50	<2	0.12	<5	<1	4950	20	0.01
M395417		4.63	50	1.13	338	<1	1.18	43	400	14	0.03	<5	17	188	20	0.47
M395418		4.15	50	1.16	522	<1	1.44	43	1110	14	0.06	<5	16	153	20	0.54
M395419		3.76	50	1.18	718	<1	1.20	39	830	9	0.02	<5	15	161	20	0.52
M395420		1.70	30	0.43	262	<1	0.83	12	200	7	0.01	<5	5	97	<20	0.20
M395421		2.35	50	0.81	449	<1	1.07	25	290	9	0.02	<5	10	152	20	0.33
M395422		2.21	40	0.79	463	<1	0.97	25	260	10	0.02	<5	10	146	20	0.32
M395423		3.11	50	1.11	910	<1	1.27	45	530	16	0.11	<5	15	197	20	0.45
M395424		2.85	40	0.32	956	13	0.36	29	610	83	0.03	7	10	118	<20	0.31
M395425		2.18	40	0.29	315	2	0.71	23	290	4	<0.01	6	9	112	20	0.27
M395426		2.44	30	0.28	334	1	0.69	22	1060	8	<0.01	<5	8	93	20	0.26
M395427		1.60	20	0.15	306	1	0.43	11	240	18	<0.01	<5	5	50	<20	0.16
M395428		1.77	20	0.18	290	1	0.83	13	250	11	<0.01	8	5	120	<20	0.19
M395429		1.73	20	0.17	278	1	0.82	14	250	11	0.01	9	4	117	<20	0.18
M395430		1.99	20	0.19	273	3	0.54	16	150	13	<0.01	11	6	56	<20	0.20
M395431		1.31	20	0.12	330	1	0.42	9	120	28	<0.01	11	4	30	<20	0.14
M395432		4.95	50	0.68	391	2	1.03	45	840	23	<0.01	8	17	141	20	0.47
M395433		4.18	50	0.85	431	1	0.85	39	390	16	0.01	<5	15	160	20	0.44
M395434		3.40	50	0.56	399	2	0.96	34	360	16	0.01	<5	13	132	20	0.41
M395435		3.65	60	0.68	300	2	0.98	36	590	17	0.02	5	14	169	20	0.41
M395436		4.29	50	0.56	302	3	1.19	35	370	18	0.02	<5	13	200	20	0.39
M395437		2.07	30	0.30	239	1	0.97	17	160	10	<0.01	<5	7	78	20	0.22
M395438		1.37	20	0.18	201	1	1.09	13	150	6	<0.01	<5	5	62	<20	0.19
M395439		1.32	20	0.30	258	2	1.02	15	110	8	0.02	<5	5	95	<20	0.19
M395440		2.83	40	0.78	365	2	1.04	28	390	11	0.09	<5	11	228	20	0.35

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 16-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12179440

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M395401		<10	<10	104	10	82
M395402		<10	<10	122	10	96
M395403		<10	<10	91	10	65
M395404		<10	<10	59	20	47
M395405		<10	<10	16	10	13
M395406		10	<10	58	10	41
M395407		<10	<10	71	10	51
M395408		<10	<10	100	10	81
M395409		<10	<10	74	20	49
M395410		<10	<10	203	10	94
M395411		<10	<10	53	60	43
M395412		<10	<10	61	30	53
M395413		10	<10	29	10	25
M395414		<10	<10	41	10	35
M395415		<10	<10	45	10	39
M395416		10	<10	1	<10	<2
M395417		<10	<10	103	10	90
M395418		10	<10	105	10	112
M395419		<10	<10	96	10	109
M395420		10	<10	35	10	29
M395421		<10	<10	67	<10	63
M395422		<10	<10	63	<10	60
M395423		<10	<10	95	<10	118
M395424		<10	<10	68	1540	147
M395425		<10	<10	57	150	48
M395426		<10	<10	54	10	53
M395427		<10	<10	31	10	35
M395428		10	<10	30	20	33
M395429		<10	<10	29	20	32
M395430		10	<10	39	20	45
M395431		<10	<10	26	10	88
M395432		<10	<10	105	10	95
M395433		<10	<10	95	<10	87
M395434		<10	<10	81	10	77
M395435		<10	<10	85	10	84
M395436		<10	<10	81	10	79
M395437		<10	<10	45	<10	36
M395438		<10	<10	33	20	27
M395439		<10	<10	34	40	32
M395440		<10	<10	70	150	53

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 16-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12179440

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M395441		5.52	0.411	<0.5	3.98	109	390	1.0	15	1.08	<0.5	6	61	16	1.36	10
M395442		3.98	0.437	<0.5	3.56	283	360	0.9	15	0.99	<0.5	6	55	20	1.29	10
M395443		6.36	0.291	<0.5	3.97	49	400	0.8	6	1.11	<0.5	4	57	9	1.15	10
M395444		4.50	0.654	<0.5	2.92	223	280	0.7	22	1.18	<0.5	5	61	25	1.16	10
M395445		3.16	0.081	<0.5	7.76	91	920	1.9	4	1.34	<0.5	12	79	26	3.39	20
M395446		5.26	0.005	<0.5	9.04	80	1130	2.1	<2	0.51	<0.5	15	84	31	4.37	20
M395447		5.38	0.146	<0.5	8.22	493	960	2.2	3	1.39	<0.5	17	89	20	4.09	20
M395448		5.20	0.793	<0.5	7.69	909	1570	3.1	49	2.31	<0.5	10	42	47	2.43	20
M395449		7.72	2.07	<0.5	7.69	830	1580	2.8	48	1.93	<0.5	10	33	47	2.43	20
M395450		0.16	0.870	2.4	8.02	7	670	0.9	3	3.39	<0.5	21	40	7810	7.68	20
M395451		3.88	1.845	<0.5	7.72	1635	1650	2.6	23	2.05	<0.5	12	36	44	2.48	20
M395452		4.36	0.696	<0.5	7.60	2280	1700	2.7	41	1.92	<0.5	28	33	41	2.36	20
M395453		5.00	3.26	<0.5	7.39	1225	1560	2.7	62	2.08	<0.5	12	38	43	2.34	20
M395454		4.44	1.995	<0.5	7.90	928	1690	2.9	40	2.11	<0.5	11	36	36	2.45	20
M395455		5.80	0.761	<0.5	8.10	2340	1780	2.9	18	2.26	<0.5	14	39	46	2.50	20
M395456		1.24	<0.005	1.0	0.06	<5	10	<0.5	<2	36.1	<0.5	2	1	<1	0.04	<10
M395457		6.66	1.300	<0.5	7.70	2260	1650	2.8	27	2.11	<0.5	15	42	20	2.45	20
M395458		4.20	2.35	<0.5	7.80	1270	1730	2.9	43	2.23	<0.5	14	35	23	2.55	20
M395459		4.00	1.070	<0.5	8.01	695	1640	3.0	17	2.24	<0.5	8	35	21	2.45	20
M395460		4.60	0.593	<0.5	7.87	526	1750	2.9	20	2.21	<0.5	8	36	32	2.50	20
M395461		4.80	0.564	<0.5	7.51	1055	1670	2.5	21	2.02	0.5	12	25	27	2.36	20
M395462		4.70	1.655	<0.5	7.76	1310	1670	2.8	27	2.01	<0.5	15	28	27	2.28	20
M395463		7.22	0.924	<0.5	7.88	426	1680	2.9	14	1.84	<0.5	9	28	24	2.40	20
M395464		3.86	0.480	<0.5	8.02	473	1690	3.1	8	1.82	<0.5	8	27	29	2.42	20
M395465		2.70	1.905	1.2	7.78	1030	1820	2.6	44	1.56	<0.5	8	25	28	2.43	20
M395466		3.76	1.025	0.7	7.40	1415	1450	2.6	29	1.42	<0.5	10	26	30	2.30	20

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 16-AUG-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12179440

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M395441		1.58	30	0.29	162	3	0.76	11	150	7	0.03	<5	4	103	<20	0.18
M395442		1.22	20	0.29	182	2	0.67	10	190	7	0.04	<5	4	87	<20	0.16
M395443		1.53	20	0.25	150	2	0.95	9	160	8	0.02	<5	4	98	<20	0.18
M395444		1.05	20	0.18	165	3	0.75	9	90	6	0.11	<5	3	109	<20	0.13
M395445		3.50	40	0.72	365	4	1.01	26	340	13	0.05	<5	11	131	20	0.35
M395446		4.37	50	0.91	311	2	1.18	38	260	16	0.03	<5	13	104	20	0.38
M395447		3.87	40	0.63	306	3	1.06	36	230	13	0.01	9	13	105	20	0.41
M395448		3.96	40	0.60	216	2	1.49	22	650	15	0.09	<5	7	403	20	0.29
M395449		4.15	40	0.54	208	2	1.30	19	650	26	0.06	8	7	350	20	0.28
M395450		2.95	10	2.18	651	621	2.55	17	1250	17	0.99	<5	19	626	<20	0.37
M395451		4.22	40	0.79	202	4	1.43	17	630	18	0.24	<5	7	443	20	0.29
M395452		4.30	40	0.75	196	4	1.31	18	610	15	0.13	5	6	405	20	0.28
M395453		3.89	40	0.73	200	3	1.39	19	610	16	0.22	<5	7	426	20	0.28
M395454		4.10	40	0.81	227	3	1.51	21	680	21	0.08	<5	7	454	20	0.30
M395455		4.16	40	0.84	201	3	1.57	19	680	16	0.29	<5	7	482	20	0.31
M395456		0.02	<10	1.84	31	<1	0.01	<1	60	<2	0.06	<5	<1	5670	30	<0.01
M395457		3.99	40	0.78	209	2	1.50	22	650	18	0.14	<5	7	464	20	0.29
M395458		3.89	40	0.82	233	3	1.59	22	680	18	0.10	5	7	477	20	0.31
M395459		3.95	40	0.78	220	2	1.62	18	670	18	0.10	<5	7	471	20	0.30
M395460		4.06	40	0.75	239	4	1.52	21	690	28	0.13	8	7	461	20	0.30
M395461		3.84	40	0.46	364	2	1.12	18	640	35	0.02	16	7	316	20	0.27
M395462		4.18	40	0.48	317	2	1.14	20	650	37	0.03	17	7	324	20	0.29
M395463		4.17	40	0.64	223	1	1.43	20	640	19	0.02	7	7	416	20	0.29
M395464		4.10	40	0.61	197	1	1.45	19	650	23	0.01	14	7	412	20	0.28
M395465		4.06	40	0.38	342	2	0.87	18	660	144	0.02	76	7	241	20	0.26
M395466		3.64	40	0.39	248	2	0.94	19	630	46	0.03	29	6	221	20	0.27

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 16-AUG-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12179440

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M395441		<10	<10	29	60	17
M395442		<10	<10	28	40	23
M395443		<10	<10	31	20	14
M395444		<10	<10	19	110	12
M395445		<10	<10	69	<10	59
M395446		<10	<10	81	<10	76
M395447		<10	<10	80	10	72
M395448		<10	<10	35	70	31
M395449		<10	<10	34	170	41
M395450		<10	10	194	<10	90
M395451		<10	<10	34	100	33
M395452		<10	<10	33	150	31
M395453		<10	<10	33	80	32
M395454		<10	<10	36	50	37
M395455		<10	<10	36	20	29
M395456		<10	10	2	<10	2
M395457		<10	<10	36	40	34
M395458		<10	<10	36	100	38
M395459		<10	<10	35	10	34
M395460		<10	<10	36	70	48
M395461		<10	<10	32	30	110
M395462		<10	<10	36	30	86
M395463		<10	<10	33	60	37
M395464		<10	<10	33	10	35
M395465		<10	<10	32	20	81
M395466		<10	<10	33	30	98

Comments: Additional Au-AA24 check assay on sample M395432 reports 0.642ppm and 1.075ppm, and sample M375452 reports 1.140ppm and 2.84ppm.