



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 5-SEP-2012
Account: STRGOL

CERTIFICATE WH12181752

Project: Eagle Gold

P.O. No.: EGP12-200

This report is for 64 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3-AUG-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 5-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12181752

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M394949		6.06	0.016		<0.5	7.39	28	1600	3.1	3	2.28	<0.5	8	44	48	2.33
M394950		0.16	0.854		2.1	7.09	5	650	0.9	4	3.17	<0.5	22	38	7560	7.23
M393851		6.22	0.061		<0.5	7.24	34	1550	3.1	10	2.23	<0.5	7	45	61	2.31
M393852		6.14	0.035		<0.5	6.78	51	1270	3.0	4	1.93	<0.5	6	42	51	1.86
M393853		6.20	0.055		<0.5	6.97	41	1570	2.9	8	2.18	<0.5	8	41	57	2.23
M393854		5.50	0.259		<0.5	7.20	40	1540	2.9	6	2.20	<0.5	7	45	40	2.33
M393855		4.84	0.025		<0.5	7.44	69	1580	3.3	6	2.56	<0.5	8	51	60	2.67
M393856		1.08	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.0	<0.5	<1	<1	2	0.04
M393857		5.74	0.203		<0.5	7.13	32	1600	3.0	13	2.36	<0.5	8	46	67	2.39
M393858		5.04	0.157		<0.5	7.69	26	1680	3.1	11	2.34	<0.5	7	47	27	2.44
M393859		6.06	0.186		<0.5	7.26	56	1690	2.9	24	2.24	<0.5	10	49	49	2.47
M393860		5.80	0.363		<0.5	6.88	64	1540	2.8	21	1.96	<0.5	9	48	68	2.43
M393861		4.34	0.159		<0.5	7.46	78	1650	3.2	3	2.58	<0.5	9	45	57	2.49
M393862		4.74	0.065		<0.5	7.20	59	1610	3.1	9	2.47	<0.5	8	43	57	2.42
M393863		4.50	0.110		<0.5	7.28	71	1650	3.0	7	2.40	<0.5	10	38	78	2.55
M393864		4.68	0.029		<0.5	7.33	28	1590	3.2	6	2.52	<0.5	8	43	43	2.42
M393865		3.40	0.021		<0.5	7.13	17	1500	3.1	3	2.51	<0.5	7	41	23	2.37
M393866		4.16	0.413		<0.5	7.37	85	1640	3.1	24	2.40	<0.5	11	45	58	2.55
M393867		4.36	0.129		<0.5	7.39	23	1660	3.1	9	2.54	<0.5	9	46	52	2.60
M393868		5.30	0.032		<0.5	7.12	17	1570	3.2	5	2.39	<0.5	8	43	24	2.35
M393869		<0.02	0.034		<0.5	7.20	19	1570	3.1	5	2.41	<0.5	8	42	24	2.43
M393870		4.14	0.018		<0.5	7.17	20	1540	3.0	3	2.42	<0.5	9	49	32	2.43
M393871		5.14	0.050		<0.5	7.25	21	1530	3.0	7	2.59	<0.5	9	41	47	2.34
M393872		4.70	0.024		<0.5	7.27	80	1680	3.1	3	2.37	<0.5	8	45	46	2.39
M393873		5.52	0.030		<0.5	7.45	90	1710	3.1	3	2.52	<0.5	9	41	55	2.47
M393874		4.46	0.134		<0.5	7.10	37	1610	2.9	7	2.25	<0.5	8	39	43	2.30
M393875		4.86	0.066		<0.5	7.20	103	1550	3.0	15	2.30	<0.5	8	40	37	2.31
M393876		4.32	0.045		<0.5	7.35	41	1620	3.1	4	2.36	<0.5	8	40	34	2.33
M393877		6.30	0.684		<0.5	7.26	135	1750	2.6	97	2.28	<0.5	12	39	34	2.07
M393878		4.04	0.045		<0.5	7.49	26	1550	2.9	3	2.13	<0.5	7	33	21	2.36
M393879		3.94	0.238		<0.5	6.89	65	1660	2.6	19	2.31	<0.5	8	40	60	2.34
M393880		5.02	0.064		<0.5	7.06	54	1050	2.7	2	2.60	<0.5	8	33	26	2.20
M393881		4.50	0.724		<0.5	7.09	40	1630	2.9	49	2.62	<0.5	8	47	46	2.49
M393882		5.80	0.037		<0.5	7.45	33	1680	3.2	7	2.25	<0.5	8	42	32	2.38
M393883		5.18	0.128		<0.5	7.39	29	1700	3.1	15	2.39	<0.5	9	42	58	2.57
M393884		4.74	0.146		<0.5	7.70	35	1800	3.4	19	2.40	<0.5	11	43	65	2.74
M393885		5.66	0.193		<0.5	7.68	63	1760	2.9	27	2.24	<0.5	11	37	49	2.52
M393886		4.52	0.314		<0.5	7.23	105	1680	3.2	210	2.66	<0.5	13	41	49	2.48
M393887		5.12	0.013		<0.5	7.62	29	1720	3.4	<2	2.55	<0.5	7	41	28	2.52
M393888		4.90	0.045		<0.5	7.62	779	1770	3.3	8	2.40	<0.5	11	41	59	2.67

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 5-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12181752

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M394949		20	3.70	40	0.78	198	2	1.72	20	670	13	0.24	7	7	487	20
M394950		20	2.84	10	2.03	618	571	2.40	17	1180	14	0.93	<5	18	587	<20
M393851		20	3.80	120	0.77	182	4	1.66	18	620	13	0.29	<5	7	481	50
M393852		20	3.87	30	0.55	188	12	1.44	17	520	38	0.29	6	6	383	30
M393853		20	3.87	30	0.76	175	2	1.55	20	640	11	0.26	<5	7	490	20
M393854		20	3.72	40	0.73	205	5	1.66	20	630	13	0.23	<5	7	510	20
M393855		20	3.81	40	0.91	273	2	1.78	24	670	13	0.30	<5	8	545	20
M393856		<10	0.01	<10	1.70	24	<1	0.01	<1	50	2	0.04	5	<1	4980	<20
M393857		20	3.91	40	0.76	183	3	1.62	21	640	12	0.32	<5	7	557	20
M393858		20	4.29	40	0.80	227	1	1.78	19	690	14	0.18	<5	7	530	20
M393859		20	4.28	40	0.80	195	32	1.58	21	670	13	0.28	<5	7	487	20
M393860		20	4.19	40	0.72	164	10	1.43	21	630	15	0.39	<5	7	438	20
M393861		20	3.85	40	0.79	213	1	1.77	22	680	12	0.30	<5	7	516	20
M393862		20	3.84	40	0.77	205	1	1.73	20	650	11	0.29	<5	7	502	20
M393863		20	4.11	40	0.75	189	3	1.67	18	650	14	0.35	<5	7	493	20
M393864		20	3.78	40	0.75	236	3	1.76	22	650	16	0.24	<5	7	506	20
M393865		20	3.58	40	0.76	253	3	1.75	20	640	16	0.12	8	7	493	20
M393866		20	4.14	40	0.77	212	2	1.69	21	680	14	0.31	6	7	506	20
M393867		20	3.78	40	0.82	203	6	1.71	21	690	17	0.27	6	7	495	20
M393868		20	3.62	30	0.75	243	2	1.77	21	650	18	0.14	<5	7	504	20
M393869		20	3.67	40	0.77	251	2	1.75	20	660	16	0.14	<5	7	502	20
M393870		20	3.80	30	0.77	242	2	1.67	21	640	16	0.20	<5	7	495	20
M393871		20	3.88	40	0.75	220	2	1.65	20	630	25	0.21	7	6	491	20
M393872		20	3.86	40	0.74	223	13	1.72	21	680	15	0.29	<5	7	482	20
M393873		20	3.89	40	0.78	232	4	1.77	25	680	19	0.25	<5	7	522	20
M393874		20	3.83	30	0.72	204	16	1.68	21	640	16	0.22	<5	7	487	20
M393875		20	3.74	30	0.72	226	10	1.68	20	620	18	0.21	<5	7	477	20
M393876		20	3.74	30	0.77	223	9	1.72	20	660	17	0.20	<5	7	496	20
M393877		20	4.19	30	0.64	170	41	1.27	16	670	14	0.27	7	7	382	20
M393878		20	3.94	30	0.84	242	5	1.23	20	660	17	0.12	11	7	412	20
M393879		20	3.65	30	0.73	192	7	1.48	21	650	12	0.32	<5	7	453	20
M393880		20	3.50	40	0.68	336	1	0.74	20	610	58	0.22	20	6	337	20
M393881		20	3.66	30	0.77	285	5	1.68	22	640	17	0.17	6	7	485	20
M393882		20	3.90	30	0.72	230	2	1.81	21	660	17	0.18	<5	7	500	20
M393883		20	4.06	30	0.82	245	<1	1.72	21	680	15	0.23	5	7	479	20
M393884		20	4.08	30	0.87	237	<1	1.84	24	750	16	0.25	7	7	514	20
M393885		20	3.91	30	0.79	196	<1	1.78	21	690	14	0.22	5	7	534	20
M393886		20	3.85	30	0.75	210	7	1.69	18	670	17	0.30	<5	7	497	20
M393887		20	3.69	30	0.77	257	<1	1.93	21	700	13	0.16	<5	7	528	20
M393888		20	3.83	40	0.77	193	<1	1.88	23	700	15	0.35	<5	7	549	20

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 5-SEP-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12181752

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M394949		0.31	<10	<10	38	10	21
M394950		0.37	<10	<10	189	<10	86
M393851		0.30	<10	<10	38	10	19
M393852		0.25	<10	10	30	20	47
M393853		0.31	<10	<10	37	<10	18
M393854		0.30	<10	<10	36	<10	23
M393855		0.32	<10	<10	43	<10	27
M393856		<0.01	<10	<10	1	<10	<2
M393857		0.31	<10	<10	37	10	17
M393858		0.31	<10	<10	39	10	23
M393859		0.31	<10	<10	39	290	21
M393860		0.29	<10	<10	35	150	18
M393861		0.32	<10	<10	39	60	21
M393862		0.32	<10	<10	38	80	20
M393863		0.31	<10	10	38	80	18
M393864		0.31	<10	<10	37	10	25
M393865		0.30	<10	<10	37	10	31
M393866		0.32	<10	<10	38	10	25
M393867		0.32	<10	<10	40	10	21
M393868		0.31	<10	<10	38	<10	31
M393869		0.31	<10	<10	38	<10	32
M393870		0.30	<10	<10	38	<10	28
M393871		0.29	<10	<10	36	20	30
M393872		0.31	<10	10	37	20	24
M393873		0.32	<10	<10	40	10	31
M393874		0.30	<10	<10	37	<10	27
M393875		0.29	<10	<10	36	<10	32
M393876		0.31	<10	<10	37	10	31
M393877		0.29	<10	<10	38	20	19
M393878		0.31	<10	10	38	10	32
M393879		0.28	<10	<10	34	10	16
M393880		0.28	<10	<10	35	10	64
M393881		0.31	<10	<10	41	10	34
M393882		0.31	<10	10	39	<10	30
M393883		0.32	<10	<10	42	<10	27
M393884		0.35	<10	<10	44	<10	26
M393885		0.30	<10	<10	38	<10	21
M393886		0.31	<10	10	38	<10	18
M393887		0.32	<10	<10	40	<10	27
M393888		0.32	<10	<10	39	<10	20

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 5-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12181752

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M393889		6.64	0.014		<0.5	7.36	62	1650	3.4	<2	2.47	<0.5	8	38	39	2.45
M393890		0.16	0.996		<0.5	6.94	1595	280	1.0	<2	5.58	<0.5	42	179	65	7.78
M393891		4.80	0.077		<0.5	7.25	74	1710	3.3	19	2.75	<0.5	9	38	60	2.38
M393892		6.56	0.270		<0.5	7.32	40	1700	3.1	13	2.33	<0.5	9	38	50	2.38
M393893		6.90	0.059	0.085	<0.5	7.22	66	1630	2.9	17	2.49	<0.5	8	38	33	2.30
M393894		4.46	0.035	0.024	<0.5	7.32	72	1650	3.2	5	2.26	<0.5	10	38	53	2.34
M393895		3.90	0.329	0.054	<0.5	7.40	74	1690	3.3	11	2.45	<0.5	8	39	46	2.48
M393896		1.80	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.6	<0.5	<1	<1	1	0.04
M393897		3.26	0.031		<0.5	6.76	106	1540	3.1	5	3.28	<0.5	9	35	42	2.36
M393898		5.74	0.026		<0.5	7.23	196	1690	3.2	<2	2.35	<0.5	9	36	39	2.35
M393899		6.12	0.012		<0.5	7.14	35	1580	3.1	<2	2.54	<0.5	8	40	22	2.30
M393900		6.36	0.017		<0.5	6.87	21	1530	3.1	7	2.38	<0.5	7	36	15	2.26
K724851		6.12	0.161		<0.5	7.19	36	1570	3.1	29	2.47	<0.5	8	38	34	2.30
K724852		5.30	0.016		<0.5	7.45	23	1590	3.2	<2	2.58	<0.5	9	41	27	2.56
K724853		6.80	3.65		0.6	7.26	51	1590	3.0	338	2.39	<0.5	9	39	31	2.45
K724854		4.60	0.062		<0.5	7.29	294	1580	2.8	13	2.14	<0.5	7	37	47	2.42
K724855		4.76	0.122		<0.5	7.17	98	1640	3.0	7	2.29	<0.5	10	37	36	2.38
K724856		2.30	<0.005		<0.5	0.08	<5	10	<0.5	<2	35.0	<0.5	<1	<1	<1	0.05
K724857		6.26	0.049		<0.5	7.02	38	1610	2.9	6	2.49	<0.5	8	34	36	2.38
K724858		6.44	0.134		4.3	7.14	2040	900	3.0	8	2.34	12.5	10	33	84	3.50
K724859		6.94	0.022		<0.5	7.00	45	1540	2.8	4	2.26	<0.5	9	34	37	2.29
K724860		6.96	0.030		<0.5	7.12	15	1510	2.9	<2	2.50	<0.5	8	36	18	2.32
K724861		5.72	0.080		<0.5	7.25	30	1600	3.0	8	2.24	<0.5	8	34	22	2.23
K724862		5.58	0.017		<0.5	7.17	19	1560	3.0	<2	2.30	<0.5	8	34	17	2.23

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 5-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12181752

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M393889		20	3.95	30	0.74	233	<1	1.84	21	650	16	0.19	<5	7	526	20
M393890		20	0.61	20	3.87	1260	<1	2.05	142	1420	7	0.52	<5	19	392	<20
M393891		20	3.76	30	0.75	204	<1	1.85	22	660	15	0.25	7	7	539	20
M393892		20	4.04	30	0.77	202	<1	1.77	19	670	16	0.16	7	7	502	20
M393893		20	4.17	30	0.73	222	<1	1.64	17	650	16	0.21	7	7	476	20
M393894		20	4.08	30	0.77	187	<1	1.71	18	670	13	0.20	10	7	464	20
M393895		20	3.78	40	0.81	239	<1	1.81	20	680	17	0.19	<5	7	505	20
M393896		<10	0.01	<10	2.09	25	<1	0.01	<1	70	2	0.06	<5	<1	5190	<20
M393897		20	3.47	30	0.73	275	<1	1.60	18	630	16	0.20	<5	7	474	20
M393898		20	3.68	30	0.75	244	<1	1.70	19	650	16	0.18	9	7	475	20
M393899		20	3.58	30	0.73	265	<1	1.73	19	640	15	0.15	<5	7	490	20
M393900		20	3.33	30	0.72	255	<1	1.72	20	620	14	0.13	<5	7	477	20
K724851		20	3.62	30	0.73	215	<1	1.79	19	650	15	0.18	<5	7	493	20
K724852		20	3.68	30	0.79	259	2	1.83	21	640	14	0.17	5	7	493	20
K724853		20	3.71	30	0.76	246	4	1.75	20	620	62	0.17	27	7	485	20
K724854		20	3.87	30	0.75	207	4	1.62	17	620	18	0.21	10	7	452	20
K724855		20	3.57	30	0.81	248	<1	1.69	20	670	13	0.15	8	7	456	20
K724856		<10	0.02	<10	1.80	24	<1	0.01	<1	60	2	0.09	<5	<1	5290	<20
K724857		20	3.69	30	0.80	310	<1	1.55	19	650	14	0.13	18	7	456	20
K724858		20	3.35	40	0.57	834	<1	0.43	18	610	1170	1.37	72	7	185	20
K724859		20	3.51	30	0.75	294	1	1.66	19	590	14	0.16	11	6	445	20
K724860		20	3.32	30	0.77	352	1	1.70	22	580	20	0.06	<5	6	467	<20
K724861		20	3.43	30	0.77	253	<1	1.71	20	580	15	0.08	<5	6	467	20
K724862		20	3.41	30	0.76	266	1	1.68	20	580	17	0.06	<5	6	461	20

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 5-SEP-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12181752

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
M393889		0.31	<10	<10	38	<10	25
M393890		0.97	<10	<10	154	<10	117
M393891		0.31	<10	<10	38	<10	19
M393892		0.31	<10	<10	38	<10	22
M393893		0.29	<10	<10	37	<10	28
M393894		0.31	<10	<10	39	<10	22
M393895		0.32	<10	<10	41	<10	34
M393896		<0.01	<10	<10	1	<10	<2
M393897		0.30	<10	<10	37	<10	36
M393898		0.31	<10	<10	37	<10	31
M393899		0.30	<10	<10	37	<10	31
M393900		0.30	<10	<10	37	<10	30
K724851		0.30	<10	10	37	<10	23
K724852		0.31	<10	<10	39	10	31
K724853		0.30	<10	<10	37	10	31
K724854		0.28	<10	<10	34	10	22
K724855		0.31	<10	<10	38	<10	27
K724856		<0.01	<10	<10	1	<10	<2
K724857		0.29	<10	<10	37	<10	27
K724858		0.27	<10	10	35	20	2240
K724859		0.29	<10	<10	34	10	28
K724860		0.30	<10	<10	33	20	53
K724861		0.30	<10	10	34	20	31
K724862		0.29	10	<10	33	20	34

Comments: An additional Au-AA24 assay check for sample M393895 reports 0.109ppm.