



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 1  
Finalized Date: 21-AUG-2012  
Account: STRGOL

**CERTIFICATE WH12181753**

Project: Eagle Gold

P.O. No.: EGP12-202

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3-AUG-2012.

The following have access to data associated with this certificate:

AUDREY CHEN  
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: HELENA KUIKKA  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 21-AUG-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12181753**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
N821101		5.44	0.340		<0.5	7.57	546	1660	3.2	7	1.79	<0.5	7	27	29	2.40
N821102		5.60	0.598		<0.5	7.79	929	1640	2.9	10	1.91	0.5	9	28	56	2.56
N821103		4.24	0.696		<0.5	6.83	1140	1220	2.1	18	1.31	2.0	15	23	21	1.94
N821104		4.18	0.028		<0.5	7.56	646	820	2.0	<2	0.23	0.5	6	56	24	2.48
N821105		5.96	0.049		<0.5	2.37	184	270	0.5	<2	0.27	<0.5	3	26	9	0.82
N821106		4.68	0.050		<0.5	5.36	258	560	1.2	<2	0.58	<0.5	6	51	12	2.04
N821107		4.04	0.012		<0.5	3.50	243	320	0.7	<2	0.28	<0.5	3	40	8	1.31
N821108		4.30	0.009		<0.5	9.81	526	1110	2.2	<2	0.39	<0.5	13	82	25	4.00
N821109		3.32	0.028		<0.5	10.40	281	1110	2.4	<2	0.40	<0.5	13	86	26	4.58
N821110		0.16	0.350		0.9	7.70	9	820	1.9	4	2.48	<0.5	15	51	3540	5.07
N821111		6.40	2.74		<0.5	7.56	642	1610	3.0	61	1.90	<0.5	9	32	45	2.36
N821112		5.48	0.906	0.433	<0.5	7.85	858	1740	3.0	11	1.65	0.5	8	33	78	2.60
N821113		5.00	0.517		<0.5	7.46	719	1340	3.0	6	1.88	<0.5	6	29	47	2.48
N821114		6.52	3.61	0.482	<0.5	7.46	574	1630	3.0	20	1.83	<0.5	9	33	52	2.27
N821115		4.14	0.997		<0.5	7.56	363	1720	2.9	31	1.94	<0.5	7	32	92	2.52
N821116		1.78	<0.005		<0.5	0.06	<5	20	<0.5	2	34.0	<0.5	<1	<1	3	0.04
N821117		6.06	1.935		<0.5	6.83	498	1480	2.6	47	1.89	<0.5	7	31	54	2.05
N821118		3.72	3.94		1.9	7.71	1340	1490	2.8	49	1.09	1.3	8	30	75	2.34
N821119		4.82	0.829		1.0	8.11	735	1680	2.9	45	1.61	<0.5	6	34	49	2.64
N821120		6.80	1.115		<0.5	7.04	327	1440	2.9	22	1.83	<0.5	6	30	43	1.99
N821121		5.08	0.889		<0.5	6.16	1090	1000	2.4	15	3.15	0.9	6	36	38	2.88
N821122		4.90	2.44		0.5	7.35	957	1190	2.7	55	1.67	0.9	7	35	40	2.44
N821123		4.44	2.03		<0.5	7.07	613	1520	2.8	36	1.73	<0.5	7	41	69	2.36
N821124		3.76	0.259		<0.5	7.51	810	1620	3.1	9	2.34	<0.5	8	40	50	2.59
N821125		4.40	0.074		<0.5	7.47	554	1440	3.1	<2	1.74	<0.5	5	31	29	2.31
N821126		3.90	5.51		<0.5	7.32	567	1640	2.8	39	1.64	<0.5	7	34	45	2.29
N821127		5.50	0.383		0.9	7.59	1110	1410	2.8	40	1.16	0.9	8	32	136	2.47
N821128		7.32	1.840		<0.5	7.33	475	1530	2.9	24	1.92	<0.5	7	32	46	2.29
N821129		<0.02	1.290		<0.5	7.22	504	1500	2.8	25	1.93	<0.5	8	33	49	2.31
N821130		5.96	0.696		<0.5	7.51	353	1540	3.2	24	1.80	<0.5	6	31	64	2.23
N821131		5.26	0.109		<0.5	7.36	391	1530	3.2	9	2.08	<0.5	6	29	27	2.29
N821132		3.32	0.053		<0.5	7.24	241	1540	3.3	<2	2.26	<0.5	8	36	27	2.27
N821133		4.22	0.225		<0.5	6.97	366	1560	2.9	6	1.93	<0.5	9	34	45	2.27
N821134		4.40	0.136		<0.5	6.73	195	1190	3.4	9	1.59	<0.5	6	30	23	1.78
N821135		5.86	0.316		<0.5	7.02	375	1650	3.0	10	2.14	<0.5	9	35	54	2.26
N821136		4.56	0.049		3.5	7.25	1270	1440	3.1	4	1.52	1.5	8	31	268	3.10
N821137		5.70	0.164		<0.5	7.03	351	1540	2.9	11	1.92	<0.5	8	33	69	2.28
N821138		3.46	2.26		<0.5	7.19	516	1580	3.0	97	1.91	<0.5	7	31	19	2.21
N821139		6.56	0.026		<0.5	6.92	396	1650	3.1	2	2.03	<0.5	7	32	21	2.25
N821140		3.98	0.116		<0.5	7.73	619	1740	3.2	10	1.86	<0.5	9	34	71	2.51

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 21-AUG-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12181753**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
N821101		20	3.85	40	0.72	209	<1	1.40	20	610	19	<0.01	7	7	386	20
N821102		20	4.07	40	0.63	236	<1	1.16	21	620	43	<0.01	27	7	343	20
N821103		20	3.40	40	0.41	284	1	0.45	15	490	59	0.01	39	6	166	20
N821104		20	3.60	40	0.22	248	3	0.22	18	670	28	0.01	15	9	55	20
N821105		10	1.06	10	0.06	131	<1	0.26	4	100	5	<0.01	5	2	28	<20
N821106		10	2.49	30	0.32	241	1	0.52	13	240	6	<0.01	7	6	69	<20
N821107		10	1.54	20	0.20	207	1	0.69	9	100	12	<0.01	5	4	56	<20
N821108		20	4.79	40	0.73	282	2	0.94	32	260	15	<0.01	7	13	109	20
N821109		30	5.11	40	1.03	401	1	0.96	33	840	13	0.01	9	14	136	20
N821110		20	3.24	20	1.51	522	262	2.45	20	1070	17	0.46	5	13	467	<20
N821111		20	4.03	40	0.66	209	1	1.45	17	630	41	0.01	14	7	410	20
N821112		20	4.25	40	0.58	275	2	1.13	20	680	43	0.01	32	7	317	20
N821113		20	4.09	40	0.50	401	2	1.01	18	610	50	0.02	34	6	277	20
N821114		20	4.09	40	0.63	211	1	1.40	17	620	25	0.01	13	7	391	20
N821115		20	4.01	30	0.75	183	1	1.52	19	650	16	0.02	6	7	451	<20
N821116		<10	0.02	<10	1.82	24	<1	0.01	<1	60	<2	0.04	<5	<1	5210	<20
N821117		20	4.12	30	0.51	203	3	1.23	16	540	30	0.06	14	6	347	20
N821118		20	3.98	50	0.36	459	4	0.71	17	670	204	0.02	79	7	186	20
N821119		20	4.07	40	0.56	270	2	1.22	19	680	60	0.01	36	7	345	20
N821120		20	4.07	30	0.50	189	2	1.29	17	560	38	0.04	19	6	348	<20
N821121		20	3.51	30	0.25	777	6	0.48	20	520	30	0.02	32	5	164	<20
N821122		20	4.00	40	0.32	464	4	0.68	20	580	34	0.02	34	7	162	20
N821123		20	4.16	40	0.73	187	1	1.27	14	630	26	0.02	15	7	382	20
N821124		20	3.69	30	0.82	288	<1	1.60	17	660	20	0.03	11	7	484	20
N821125		20	3.95	40	0.52	243	2	1.09	17	610	24	0.01	19	6	301	20
N821126		20	3.87	30	0.51	167	1	1.48	17	630	18	0.01	18	6	372	20
N821127		20	3.99	40	0.42	204	3	0.99	19	590	89	0.03	58	7	257	20
N821128		20	3.90	40	0.70	184	1	1.54	16	590	18	0.07	8	7	441	20
N821129		20	3.84	40	0.68	188	1	1.49	17	580	16	0.07	<5	6	435	20
N821130		20	4.17	40	0.68	161	1	1.62	17	600	18	0.02	6	6	443	20
N821131		20	3.82	30	0.67	230	1	1.53	17	590	20	<0.01	20	6	404	20
N821132		20	3.53	30	0.73	229	1	1.67	19	630	19	0.05	<5	7	442	20
N821133		20	3.86	30	0.71	216	<1	1.45	18	630	18	0.01	6	7	392	20
N821134		20	3.92	30	0.55	220	<1	1.55	12	460	27	0.01	<5	6	337	20
N821135		20	3.90	30	0.66	219	1	1.50	19	670	17	0.01	9	7	433	20
N821136		20	3.42	30	0.55	298	1	1.22	21	630	41	0.06	68	7	371	20
N821137		20	3.50	30	0.47	241	2	1.34	19	660	18	0.02	8	7	347	20
N821138		20	3.55	40	0.40	318	5	1.36	20	630	57	0.01	23	7	319	20
N821139		20	3.45	30	0.55	261	1	1.49	18	630	20	0.02	<5	7	386	20
N821140		20	4.02	40	0.73	219	1	1.64	21	680	21	0.03	6	7	449	20

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 21-AUG-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12181753**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
N821101		0.29	<10	<10	34	20	40
N821102		0.30	<10	<10	36	40	185
N821103		0.24	<10	<10	30	40	486
N821104		0.28	<10	<10	58	20	118
N821105		0.08	<10	<10	13	10	14
N821106		0.22	<10	<10	40	10	30
N821107		0.14	<10	<10	23	<10	23
N821108		0.43	<10	<10	84	10	109
N821109		0.46	<10	<10	90	<10	104
N821110		0.38	<10	<10	134	<10	77
N821111		0.30	<10	<10	36	50	74
N821112		0.31	<10	<10	38	20	125
N821113		0.29	<10	<10	35	20	110
N821114		0.30	<10	<10	37	60	63
N821115		0.32	<10	<10	37	40	35
N821116		<0.01	<10	10	<1	<10	2
N821117		0.25	10	<10	30	140	52
N821118		0.29	<10	<10	37	50	231
N821119		0.31	<10	<10	38	20	122
N821120		0.26	<10	10	32	60	56
N821121		0.24	<10	10	32	190	145
N821122		0.28	<10	<10	37	60	159
N821123		0.29	<10	<10	41	30	60
N821124		0.32	<10	<10	42	20	70
N821125		0.28	<10	<10	34	10	98
N821126		0.31	<10	<10	38	20	83
N821127		0.28	<10	<10	37	30	175
N821128		0.29	<10	10	34	40	38
N821129		0.29	<10	10	34	40	39
N821130		0.29	<10	<10	34	20	31
N821131		0.29	<10	<10	34	20	64
N821132		0.30	<10	<10	40	<10	38
N821133		0.29	<10	<10	40	20	46
N821134		0.22	<10	<10	28	30	54
N821135		0.31	<10	<10	41	50	84
N821136		0.30	<10	10	39	10	515
N821137		0.31	<10	<10	39	50	55
N821138		0.30	<10	<10	39	10	59
N821139		0.30	<10	<10	38	10	49
N821140		0.31	<10	<10	39	80	36

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 21-AUG-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12181753**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
N821141		2.78	1.965		<0.5	7.62	576	1730	2.6	56	1.44	<0.5	14	32	111	2.58
N821142		4.82	0.092		<0.5	7.23	346	1390	2.8	9	1.92	<0.5	6	30	39	2.06
N821143		3.34	0.133		<0.5	7.09	1175	1550	2.8	12	2.05	<0.5	10	31	55	2.40
N821144		5.08	0.056		<0.5	7.40	824	1650	3.2	2	2.23	<0.5	8	36	50	2.46
N821145		3.58	0.099		<0.5	7.28	530	1650	3.0	7	2.04	<0.5	10	37	64	2.60
N821146		6.10	0.135		<0.5	7.41	974	1600	3.1	12	1.98	<0.5	9	33	77	2.48
N821147		3.90	0.108		<0.5	7.09	814	1630	3.0	6	2.24	<0.5	8	35	43	2.39
N821148		7.28	0.068		<0.5	7.20	751	1600	3.2	<2	2.24	<0.5	8	33	31	2.40
N821149		4.00	0.090		<0.5	7.45	197	1710	3.1	<2	2.13	<0.5	9	36	40	2.57
N821150		0.18	0.816		1.6	7.42	7	690	0.9	7	3.36	<0.5	22	41	7720	7.47
N821151		4.42	0.288		<0.5	7.38	374	1660	3.1	6	2.10	<0.5	10	35	61	2.43
N821152		3.28	0.220		<0.5	7.30	822	1570	3.3	13	1.90	<0.5	9	33	59	2.31
N821153		6.36	0.167		<0.5	7.51	574	1630	3.2	16	1.97	<0.5	9	36	64	2.39
N821154		2.86	0.087		<0.5	7.43	314	1720	3.0	5	2.23	<0.5	11	36	59	2.52
N821155		4.66	0.197		<0.5	7.48	423	1670	3.2	30	1.92	<0.5	9	36	70	2.50
N821156		1.08	<0.005		<0.5	0.08	5	20	<0.5	<2	33.2	<0.5	<1	<1	2	0.04
N821157		5.66	0.077		<0.5	7.28	417	1620	3.3	7	2.28	<0.5	8	35	47	2.35
N821158		4.92	0.054		<0.5	7.11	813	1580	3.2	3	2.30	<0.5	8	33	39	2.19
N821159		3.90	0.069		<0.5	7.57	261	1740	3.1	3	2.29	<0.5	8	36	40	2.55
N821160		4.30	0.037		<0.5	7.21	462	1620	3.1	7	2.16	<0.5	7	35	42	2.33
N821161		8.34	0.056		<0.5	7.42	346	1690	3.2	13	2.24	<0.5	8	35	47	2.45
N821162		8.76	0.108		<0.5	7.18	405	1650	3.1	3	2.19	<0.5	7	36	48	2.39
N821163		3.76	0.053		<0.5	7.22	355	1670	3.1	3	2.19	<0.5	7	37	67	2.47
N821164		3.50	0.099		<0.5	7.18	493	1580	3.0	17	1.99	<0.5	7	32	53	2.22
N821165		5.14	0.092		<0.5	7.10	618	1580	2.9	6	2.00	<0.5	11	34	71	2.43
N821166		6.32	0.044		<0.5	7.18	250	1640	2.9	3	2.11	<0.5	9	33	45	2.33

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 21-AUG-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12181753**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
N821141		20	4.15	40	0.72	178	1	1.38	20	650	29	0.07	10	7	411	20
N821142		20	3.97	30	0.62	211	<1	1.60	16	610	19	0.05	<5	7	394	20
N821143		20	4.13	30	0.69	217	1	1.46	18	600	22	0.12	<5	6	417	20
N821144		20	3.73	30	0.77	243	3	1.65	21	660	19	0.09	<5	7	454	20
N821145		20	3.38	30	0.77	221	2	1.63	22	670	20	0.12	<5	7	460	20
N821146		20	3.73	40	0.68	208	2	1.57	20	640	19	0.06	<5	7	424	20
N821147		20	3.55	40	0.78	232	4	1.57	20	650	20	0.13	<5	7	452	20
N821148		20	3.45	30	0.76	264	1	1.65	20	640	22	0.07	<5	7	451	20
N821149		20	3.36	40	0.81	256	<1	1.70	21	680	19	0.03	<5	7	478	20
N821150		20	2.92	10	2.11	667	589	2.39	17	1190	13	0.94	<5	19	584	<20
N821151		20	3.74	40	0.78	232	2	1.61	20	670	19	0.06	<5	7	458	20
N821152		20	3.92	40	0.72	206	<1	1.58	19	620	21	0.08	6	7	424	20
N821153		20	3.94	40	0.75	198	1	1.64	19	640	19	0.06	7	7	446	20
N821154		20	3.68	40	0.81	223	2	1.65	21	690	18	0.11	<5	7	476	20
N821155		20	3.75	40	0.75	221	1	1.63	19	650	20	0.03	5	7	433	20
N821156		<10	0.03	<10	1.46	25	<1	0.01	1	50	2	0.04	<5	<1	4680	<20
N821157		20	3.71	30	0.75	232	1	1.66	19	640	20	0.13	<5	7	457	20
N821158		20	3.68	30	0.71	206	1	1.60	17	610	17	0.04	<5	7	462	20
N821159		20	3.60	40	0.83	246	9	1.68	21	680	20	0.05	6	8	473	20
N821160		20	3.58	30	0.72	217	3	1.64	21	650	18	0.06	<5	7	450	20
N821161		20	3.62	40	0.79	249	1	1.67	19	670	18	0.04	6	7	470	20
N821162		20	3.52	30	0.76	239	1	1.61	20	660	21	0.05	<5	7	458	20
N821163		20	3.73	40	0.75	224	<1	1.62	20	670	18	0.18	<5	7	448	20
N821164		20	3.88	40	0.67	206	1	1.60	18	620	23	0.10	5	7	414	20
N821165		20	3.77	40	0.70	216	1	1.49	18	630	27	0.24	8	7	396	20
N821166		20	3.73	30	0.70	243	2	1.59	19	640	26	0.08	5	7	440	20

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 21-AUG-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12181753**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
N821141		0.28	<10	<10	38	70	38
N821142		0.25	<10	<10	32	20	33
N821143		0.28	<10	<10	35	20	35
N821144		0.32	<10	<10	40	10	38
N821145		0.30	<10	<10	38	<10	36
N821146		0.30	<10	<10	37	30	34
N821147		0.31	<10	<10	38	60	39
N821148		0.30	<10	<10	38	30	48
N821149		0.31	<10	<10	39	<10	44
N821150		0.37	<10	<10	200	<10	93
N821151		0.31	<10	<10	39	10	39
N821152		0.29	<10	<10	36	20	43
N821153		0.30	<10	<10	38	20	40
N821154		0.32	<10	<10	41	50	34
N821155		0.31	<10	<10	43	40	60
N821156		<0.01	<10	<10	1	<10	<2
N821157		0.30	<10	<10	38	10	40
N821158		0.30	<10	<10	37	10	40
N821159		0.33	<10	<10	42	10	47
N821160		0.31	<10	<10	39	10	45
N821161		0.32	<10	<10	40	<10	50
N821162		0.31	<10	<10	39	<10	48
N821163		0.31	<10	<10	39	10	38
N821164		0.29	<10	<10	37	10	36
N821165		0.29	<10	10	37	30	42
N821166		0.29	<10	<10	37	60	68

Comments: Additional Au-AA24 check assays for sample N821113 report 0.697ppm and 0.330ppm.