



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 13-SEP-2012
Account: STRGOL

CERTIFICATE WH12190677

Project: Eagle Gold

P.O. No.: EGP12-208

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-AUG-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 13-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12190677

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
N821517		6.14	0.260		<0.5	7.39	1145	1400	4.9	6	1.90	<0.5	4	43	59	1.56
N821518		5.16	0.150		<0.5	7.15	276	1250	4.5	4	1.91	0.5	5	37	36	1.62
N821519		4.98	0.434		1.1	6.94	354	1100	3.1	8	2.39	1.0	5	27	43	1.95
N821520		4.36	0.611		1.3	7.10	407	1220	3.1	21	1.68	1.3	8	26	28	2.37
N821521		5.80	0.128		<0.5	7.05	180	1450	2.9	<2	2.35	<0.5	6	33	21	2.22
N821522		5.98	0.030		<0.5	6.83	139	1470	2.8	<2	2.29	<0.5	6	33	21	2.15
N821523		6.06	0.014		<0.5	7.03	111	1580	3.1	<2	2.40	<0.5	8	34	12	2.27
N821524		5.96	0.088		<0.5	7.05	1065	1510	2.9	4	2.29	<0.5	7	33	24	2.33
N821525		5.30	0.095		<0.5	7.19	671	1480	2.9	<2	2.23	<0.5	6	32	29	2.15
N821526		5.60	0.054		<0.5	7.28	318	1520	3.1	<2	2.39	<0.5	7	33	30	2.25
N821527		3.42	0.045		<0.5	7.10	199	1530	2.9	<2	2.16	<0.5	6	32	44	1.97
N821528		5.08	0.516		<0.5	7.08	99	1650	2.8	10	2.35	<0.5	7	34	26	2.26
N821529		<0.02	0.624		<0.5	7.23	96	1620	2.8	9	2.33	<0.5	6	32	24	2.18
N821530		6.40	0.075		<0.5	7.35	268	1640	3.1	3	2.30	<0.5	8	34	22	2.36
N821531		7.70	0.017		<0.5	7.48	68	1570	3.2	<2	2.21	<0.5	6	33	17	2.28
N821532		4.64	0.263		<0.5	7.21	127	1600	3.0	8	1.99	<0.5	8	41	38	2.44
N821533		4.70	0.133		<0.5	7.34	300	1560	3.1	4	2.09	<0.5	8	34	27	2.20
N821534		7.22	0.052		<0.5	7.05	348	1580	2.9	2	2.27	<0.5	7	36	19	2.27
N821535		4.50	0.085		<0.5	7.16	255	1650	2.9	4	2.18	<0.5	6	35	24	2.29
N821536		6.52	0.215		<0.5	7.32	68	1610	3.0	4	2.33	<0.5	7	37	17	2.34
N821537		4.10	0.080		<0.5	7.48	77	1730	3.1	4	2.46	<0.5	8	37	24	2.46
N821538		4.28	0.865		<0.5	7.83	398	1720	3.1	10	2.47	<0.5	9	40	26	2.47
N821539		5.52	0.198		<0.5	7.16	144	1500	3.0	3	3.02	<0.5	7	36	24	2.23
N821540		6.46	0.038		<0.5	7.37	94	1590	3.1	<2	2.40	<0.5	7	35	22	2.34
N821541		5.66	0.028		<0.5	7.12	140	1640	3.0	2	2.11	<0.5	7	30	28	2.25
N821542		7.76	0.117		<0.5	7.23	112	1660	2.9	4	2.60	<0.5	7	33	26	2.34
N821543		6.68	0.042		<0.5	7.01	202	1580	2.9	2	2.07	<0.5	6	32	27	2.19
N821544		5.98	0.027		<0.5	7.11	92	1650	3.0	<2	2.16	<0.5	7	38	21	2.41
N821545		6.04	0.168		<0.5	6.70	267	1470	2.7	9	2.17	<0.5	7	41	43	2.20
N821546		6.42	1.755		<0.5	7.10	197	1530	2.9	13	2.01	<0.5	15	35	33	2.19
N821547		3.82	>10.0	39.8	<0.5	0.70	241	120	<0.5	234	0.04	<0.5	3	58	4	0.41
N821548		2.82	0.865		<0.5	7.67	115	1770	3.0	9	1.59	<0.5	11	36	24	2.48
N821549		4.34	0.109		<0.5	7.28	52	1600	3.0	6	2.27	<0.5	9	38	23	2.29
N821550		0.14	0.810		2.0	7.03	<5	630	0.8	<2	3.19	<0.5	21	39	7060	7.08
N821551		4.62	0.370		<0.5	6.68	1655	1590	2.6	3	2.07	<0.5	6	32	37	2.39
N821552		4.90	0.283		0.5	7.33	789	1250	3.3	8	2.93	0.7	10	26	61	2.73
N821553		5.70	0.081		<0.5	7.49	136	1750	3.3	3	2.39	<0.5	10	34	46	2.64
N821554		5.02	0.107		<0.5	7.63	274	1800	3.4	<2	2.43	<0.5	9	40	54	2.41
N821555		5.26	0.096		<0.5	7.94	141	1840	3.5	<2	2.43	<0.5	10	41	54	2.63
N821556		0.96	<0.005		<0.5	0.07	<5	10	<0.5	2	36.5	<0.5	1	<1	<1	0.05

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 13-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12190677

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
N821517		20	3.88	20	0.59	118	<1	1.89	9	450	19	0.36	<5	5	410	<20
N821518		20	3.64	20	0.57	209	<1	1.38	11	460	49	0.28	35	5	320	<20
N821519		20	3.78	30	0.63	725	2	0.06	10	600	191	0.31	111	6	147	20
N821520		20	3.58	30	0.59	496	1	0.12	21	590	162	0.33	86	6	206	20
N821521		20	3.65	30	0.72	315	1	1.38	17	580	21	0.16	5	6	411	20
N821522		20	3.56	30	0.69	282	4	1.37	19	580	16	0.14	<5	6	412	20
N821523		20	3.48	30	0.76	275	<1	1.67	18	610	17	0.09	<5	6	458	20
N821524		20	3.80	30	0.74	250	<1	1.55	18	590	17	0.17	<5	6	437	20
N821525		20	3.86	30	0.69	225	<1	1.39	16	550	17	0.20	9	6	400	20
N821526		20	3.77	40	0.75	176	<1	1.54	17	600	18	0.18	5	6	436	20
N821527		20	4.09	30	0.77	138	<1	1.38	15	600	12	0.20	<5	6	431	20
N821528		20	4.09	30	0.81	206	<1	1.31	18	630	15	0.17	<5	7	432	20
N821529		20	4.02	40	0.81	200	<1	1.28	17	630	16	0.17	8	7	424	20
N821530		20	4.08	30	0.83	254	<1	1.47	16	640	19	0.14	<5	7	439	20
N821531		20	3.83	30	0.83	228	4	1.55	18	610	18	0.10	<5	6	449	20
N821532		20	3.72	30	0.89	217	1	1.39	20	630	21	0.20	6	7	428	20
N821533		20	4.03	40	0.83	218	1	1.50	18	590	19	0.16	5	6	427	20
N821534		20	3.65	30	0.80	206	2	1.50	18	600	16	0.15	6	6	438	20
N821535		20	3.69	30	0.87	215	2	1.41	19	620	18	0.12	5	6	435	20
N821536		20	3.67	30	0.85	215	1	1.58	17	610	18	0.10	5	7	462	20
N821537		20	3.80	30	0.89	235	1	1.56	19	650	16	0.13	7	7	480	20
N821538		20	4.11	40	0.81	211	1	1.58	19	660	15	0.18	5	7	467	20
N821539		20	3.97	30	0.59	231	<1	1.02	20	640	18	0.30	8	6	382	20
N821540		20	3.76	30	0.83	227	<1	1.49	18	620	18	0.15	6	6	459	20
N821541		20	3.53	30	1.04	223	<1	1.23	18	600	18	0.15	<5	6	469	20
N821542		20	3.52	40	1.11	267	<1	1.21	17	600	15	0.15	<5	6	474	20
N821543		20	3.71	30	0.82	197	1	1.45	19	580	15	0.15	6	6	442	20
N821544		20	3.46	30	0.89	204	1	1.36	19	630	16	0.13	<5	7	435	20
N821545		20	3.50	30	0.71	165	3	1.41	17	560	15	0.27	<5	6	421	20
N821546		20	3.67	30	0.71	165	1	1.37	21	580	17	0.18	7	6	407	20
N821547		<10	0.33	<10	0.04	34	4	0.02	2	50	22	0.02	14	1	20	<20
N821548		20	3.81	40	0.74	202	1	1.15	22	650	20	0.12	24	7	380	20
N821549		20	3.54	40	0.76	211	1	1.57	18	600	19	0.14	9	6	443	20
N821550		20	2.80	10	2.01	598	553	2.32	15	1090	13	0.89	<5	17	561	<20
N821551		20	3.59	30	0.64	245	3	0.76	18	590	26	0.27	19	6	320	20
N821552		20	3.63	40	0.63	431	2	0.12	24	640	108	0.94	51	7	238	20
N821553		20	4.25	40	0.74	228	3	0.62	21	660	21	0.34	14	7	320	20
N821554		20	4.06	40	0.74	201	3	1.21	23	690	19	0.32	6	7	405	20
N821555		20	4.09	40	0.87	152	2	1.73	22	720	11	0.31	<5	8	496	20
N821556		<10	0.02	<10	1.96	24	<1	0.01	<1	70	<2	0.07	<5	<1	4690	<20

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 13-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12190677

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
N821517		0.16	<10	10	37	10	28
N821518		0.18	<10	10	35	10	135
N821519		0.26	<10	<10	33	30	243
N821520		0.28	<10	<10	33	30	465
N821521		0.29	<10	<10	35	40	53
N821522		0.28	<10	<10	34	40	47
N821523		0.30	<10	10	35	10	45
N821524		0.29	<10	<10	34	20	35
N821525		0.27	<10	10	31	30	40
N821526		0.29	<10	10	35	20	22
N821527		0.29	<10	<10	34	70	17
N821528		0.30	<10	<10	37	130	24
N821529		0.30	<10	<10	35	130	23
N821530		0.30	<10	<10	37	30	41
N821531		0.30	<10	<10	35	10	34
N821532		0.31	<10	<10	36	30	32
N821533		0.29	<10	<10	34	30	33
N821534		0.29	<10	<10	35	70	28
N821535		0.31	<10	10	36	10	29
N821536		0.30	<10	<10	36	50	32
N821537		0.32	<10	<10	39	10	34
N821538		0.32	<10	<10	39	160	29
N821539		0.30	<10	<10	37	20	29
N821540		0.30	<10	<10	34	20	31
N821541		0.29	<10	<10	34	10	35
N821542		0.30	10	10	35	10	32
N821543		0.29	<10	<10	33	10	28
N821544		0.31	<10	<10	37	10	26
N821545		0.28	<10	<10	32	30	19
N821546		0.28	<10	<10	32	20	26
N821547		0.03	<10	<10	3	<10	5
N821548		0.31	<10	<10	37	10	73
N821549		0.30	<10	<10	36	10	35
N821550		0.35	<10	<10	183	<10	84
N821551		0.27	<10	<10	32	30	59
N821552		0.28	<10	<10	34	20	231
N821553		0.30	<10	<10	36	20	22
N821554		0.32	<10	<10	39	20	31
N821555		0.33	<10	<10	39	10	13
N821556		<0.01	<10	10	1	<10	<2

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 13-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12190677

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
N821557		5.86	0.184		<0.5	7.34	77	1660	3.2	6	2.38	<0.5	8	37	46	2.34
N821558		6.28	0.039		<0.5	7.02	109	1550	3.3	3	2.87	<0.5	9	35	34	2.31
N821559		7.24	0.055		<0.5	7.37	77	1600	3.4	<2	2.15	<0.5	8	34	34	2.05
N821560		5.74	0.043		<0.5	7.13	81	1570	3.6	3	2.06	<0.5	9	34	39	2.16
N821561		4.34	0.089		<0.5	7.27	227	1560	3.4	2	2.48	<0.5	9	36	43	2.37
N821562		4.50	0.143		<0.5	6.97	108	1490	3.2	2	2.33	<0.5	9	35	43	2.18
N821563		6.04	0.048		<0.5	7.07	73	1500	3.5	<2	2.22	<0.5	7	37	44	2.14
N821564		5.82	0.104		<0.5	7.13	183	1530	3.4	3	2.31	<0.5	8	37	47	2.12
N821565		4.10	0.013		<0.5	7.48	70	1630	3.7	<2	2.53	<0.5	8	37	19	2.48
N821566		6.30	0.023		<0.5	7.39	61	1580	3.7	<2	2.20	<0.5	8	40	29	2.33
N821567		5.10	0.018		<0.5	7.50	60	1640	3.5	<2	2.50	<0.5	8	40	29	2.42
N821568		6.20	0.058		<0.5	7.66	134	1680	3.4	4	2.46	<0.5	9	40	41	2.44
N821569		<0.02	0.068		<0.5	7.66	147	1680	3.4	<2	2.39	<0.5	8	34	41	2.44
N821570		5.04	0.043		<0.5	7.20	118	1460	3.3	<2	2.34	<0.5	7	35	34	2.32
N821571		5.84	0.043		<0.5	7.58	58	1580	3.3	4	2.47	<0.5	9	34	34	2.44
N821572		5.48	1.865		<0.5	7.69	65	1800	2.8	29	2.01	<0.5	8	34	60	2.73
N821573		6.40	5.83		<0.5	7.18	59	1660	2.9	39	2.39	<0.5	6	41	52	2.41
N821574		5.64	3.66		<0.5	6.90	64	1540	3.1	45	3.12	<0.5	6	35	36	2.02
N821575		5.60	0.078		<0.5	7.81	302	1670	3.5	4	2.56	<0.5	8	38	40	2.45
N821576		6.42	0.046		<0.5	7.73	332	1760	3.6	2	2.26	<0.5	9	41	40	2.64
N821577		7.94	0.124		<0.5	7.06	553	1460	3.0	<2	2.27	<0.5	8	34	42	2.13
N821578		6.24	0.127		<0.5	7.11	210	1470	3.2	<2	2.73	<0.5	8	37	51	2.19
N821579		7.30	0.026		<0.5	7.19	160	1520	2.9	<2	2.80	<0.5	6	34	29	1.99
N821580		8.18	0.073		<0.5	7.26	188	1620	3.0	<2	1.66	<0.5	5	31	37	2.04
N821581		5.68	0.394		<0.5	6.88	324	1530	3.0	9	2.15	<0.5	13	29	43	2.25
N821582		6.50	0.287		<0.5	7.60	75	1720	3.6	6	2.34	<0.5	8	37	37	2.36

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 13-SEP-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12190677

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
N821557		20	3.98	40	0.74	134	3	1.55	20	630	14	0.29	<5	6	458	20
N821558		20	3.30	30	0.75	132	2	1.55	20	620	10	0.20	<5	7	501	20
N821559		20	3.94	40	0.57	118	3	1.43	20	600	10	0.23	<5	6	393	20
N821560		20	3.69	40	0.66	126	8	1.35	20	620	10	0.22	<5	7	393	20
N821561		20	3.73	40	0.65	143	13	1.39	21	650	15	0.28	<5	7	396	20
N821562		20	3.85	40	0.58	134	18	1.31	19	630	9	0.26	<5	7	365	20
N821563		20	3.45	30	0.65	134	5	1.46	19	630	8	0.22	<5	6	373	20
N821564		20	3.75	30	0.66	151	3	1.56	16	600	12	0.27	<5	6	426	20
N821565		20	3.48	30	0.83	226	3	1.70	21	660	13	0.16	<5	7	492	20
N821566		20	3.63	30	0.74	159	3	1.74	20	630	14	0.19	<5	6	446	20
N821567		20	3.44	40	0.81	181	3	1.81	20	650	14	0.18	<5	7	499	20
N821568		20	3.93	40	0.88	175	3	1.67	23	670	10	0.26	<5	7	501	20
N821569		20	3.87	40	0.87	172	2	1.68	21	670	14	0.25	<5	7	505	20
N821570		20	3.45	40	0.84	213	2	1.66	19	600	12	0.22	<5	7	469	20
N821571		20	3.59	40	0.84	195	2	1.78	20	650	14	0.21	<5	7	503	20
N821572		20	4.89	40	0.90	133	8	1.45	24	670	12	0.49	<5	7	468	20
N821573		20	4.26	40	0.75	142	2	1.44	24	620	14	0.38	<5	7	436	20
N821574		20	3.95	40	0.59	186	3	1.34	21	600	25	0.26	5	6	415	20
N821575		20	3.78	40	0.84	213	3	1.73	21	670	17	0.25	<5	7	507	30
N821576		20	3.64	40	0.97	227	2	1.60	21	730	12	0.22	<5	7	510	20
N821577		20	3.67	40	0.66	213	7	1.38	18	610	19	0.28	<5	6	397	20
N821578		20	3.78	30	0.74	232	2	1.38	19	630	32	0.26	<5	6	422	20
N821579		20	3.82	40	0.57	291	2	1.35	17	600	27	0.32	10	6	365	20
N821580		20	3.60	40	0.53	213	2	1.22	19	630	21	0.39	<5	7	289	20
N821581		20	3.71	40	0.67	166	3	1.19	17	600	38	0.38	<5	6	391	20
N821582		20	3.81	40	0.82	143	2	1.73	22	680	21	0.23	5	7	489	20

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 13-SEP-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12190677

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
N821557		0.30	<10	<10	34	50	12
N821558		0.30	<10	<10	34	10	11
N821559		0.28	<10	<10	33	60	10
N821560		0.30	<10	<10	34	60	12
N821561		0.31	<10	<10	36	10	12
N821562		0.29	<10	<10	35	20	12
N821563		0.30	<10	10	34	20	12
N821564		0.29	<10	<10	33	10	13
N821565		0.32	<10	<10	36	<10	22
N821566		0.30	<10	<10	34	<10	14
N821567		0.31	<10	<10	36	40	17
N821568		0.32	<10	<10	37	40	14
N821569		0.32	<10	<10	37	40	14
N821570		0.29	<10	10	36	80	19
N821571		0.31	<10	10	36	30	18
N821572		0.30	<10	<10	39	270	12
N821573		0.29	<10	10	35	80	13
N821574		0.29	<10	<10	34	50	16
N821575		0.32	<10	10	37	10	19
N821576		0.34	<10	<10	39	10	27
N821577		0.28	<10	<10	32	90	27
N821578		0.29	<10	<10	34	20	27
N821579		0.27	<10	<10	31	10	38
N821580		0.27	<10	<10	34	30	33
N821581		0.26	<10	<10	32	180	85
N821582		0.32	<10	<10	38	50	17

Comments: Additional Au-AA24 check assay on sample N821546 reports 0.591ppm.