



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 14-JUN-2012
Account: STRGOL

CERTIFICATE WH12109342

Project: EGP12-107

P.O. No.: VAN-2012-058

This report is for 92 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
OA-GRA09A	Bulk Density - Paraffin Coat

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

A handwritten signature in black ink, appearing to read 'Colin Ramshaw', written over a horizontal line.

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - A
 Total # Pages: 4 (A)
 Finalized Date: 14-JUN-2012
 Account: STRGOL

Project: EGP12-107

CERTIFICATE OF ANALYSIS WH12109342

Sample Description	Method Analyte Units LOR	WEI-21	OA-GRA09A
		Recvd Wt. kg 0.02	B.D. g/cm3 0.01
M394087		1.10	2.57
M394088		1.42	2.49
M394089		1.02	2.52
M394090		1.36	2.56
M394091		1.24	2.65
M394092		1.28	2.52
M394093		0.86	2.48
M394094		1.36	2.77
M394095		1.14	2.58
M394096		1.14	2.59
M394097		1.38	2.60
M394098		1.78	2.64
M394099		0.84	2.50
M394100		1.82	2.49
M393293		1.40	2.42
M395136		0.98	2.48
M395137		1.08	2.47
M395138		1.60	2.57
M395139		1.36	2.68
M395140		0.98	2.73
M395141		1.24	2.52
M395142		1.12	2.56
M395143		1.18	2.57
M395144		0.86	2.48
M395145		0.98	2.57
M395146		1.06	2.50
M395147		1.62	2.67
M395148		1.44	2.52
M395149		1.34	2.59
M395150		1.76	2.74
M390221		1.20	2.60
M390222		1.28	2.61
M390223		1.22	2.65
M390224		1.30	2.57
M390225		1.52	2.49
M390226		1.26	2.29
M390227		1.64	2.40
M390228		1.46	2.59
M390229		1.50	2.60
M390230		1.34	2.44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 4 (A)
 Finalized Date: 14-JUN-2012
 Account: STRGOL

Project: EGP12-107

CERTIFICATE OF ANALYSIS WH12109342

Sample Description	Method Analyte Units LOR	WEI-21	OA-GRA09A
		Recvd Wt. kg 0.02	B.D. g/cm3 0.01
M390231		1.24	2.56
M390232		1.72	2.51
M390233		1.58	2.52
M390234		0.98	2.51
M390235		1.14	2.48
M390236		1.64	2.62
M390237		1.54	2.58
M390238		2.34	2.56
M390239		1.48	2.51
M390240		1.92	2.52
M390241		1.38	2.49
M390242		1.66	2.63
M390243		1.06	2.56
M390244		1.30	2.52
M390245		1.02	2.58
M390246		1.22	2.53
M390247		2.16	2.59
M390248		2.00	2.56
M390249		1.04	2.56
M390250		1.16	2.46
M392288		1.62	2.69
M392289		0.80	2.47
M392290		0.90	2.49
M392291		1.10	2.47
M392292		1.20	2.42
M392293		1.08	2.47
M392294		1.20	2.67
M392295		Not Recvd	
M385474		1.38	2.48
M385475		1.60	2.55
M385476		1.26	2.65
M385477		1.28	2.49
M385478		0.92	2.36
M385479		1.78	2.61
M385480		1.64	2.49
M385481		1.26	2.56
M385482		1.20	2.54
M385483		0.92	2.47
M385484		1.16	2.47
M385485		1.86	2.71



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - A
 Total # Pages: 4 (A)
 Finalized Date: 14-JUN-2012
 Account: STRGOL

Project: EGP12-107

CERTIFICATE OF ANALYSIS WH12109342

Sample Description	Method Analyte Units LOR	WEI-21	OA-GRA09A
		Recvd Wt. kg 0.02	B.D. g/cm3 0.01
M385486		1.10	2.47
M385487		1.48	2.51
M385488		0.88	2.54
M385489		1.08	2.49
M385490		1.64	2.57
M385491		1.16	2.52
M385492		0.88	2.55
M385493		1.50	2.56
M385494		2.14	2.56
M385495		1.38	2.53
M385496		1.48	2.57
M385497		1.16	2.59