



Date Submitted: 20-Nov-13
Invoice No.: A13-13989
Invoice Date: 10-Jan-14
Your Reference: NA56-37C

Cantex Mine Development Corp
203-1634 Harvey Ave
Kelowna BC V1Y 6G2

ATTN: Shadi Morton

CERTIFICATE OF ANALYSIS

5 Pulp samples were submitted for analysis.

The following analytical packages were requested: Code 1D Enh INAA(INAAGEO)
Code UT-7 Sodium Peroxide Fusion (ICP & ICPMS)

REPORT **A13-13989**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

CERTIFIED BY :

A handwritten signature in black ink, appearing to be "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Activation Laboratories Ltd.

Report: A13-13989

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
KAR00010	< 2	< 5	294	< 50	< 0.5	6	12	44	< 1	13.6	< 1	< 1	< 5	< 1	0.04	< 20	34	259	3.7	< 3	< 0.02	< 0.05	< 0.5	8.8
KAR00330	263	38	49.0	< 50	< 0.5	2	10	< 5	< 1	20.1	< 1	< 1	< 5	< 1	0.01	< 20	< 15	6.4	1.4	61	< 0.02	< 0.05	< 0.5	< 0.2
KAR391	< 2	38	991	< 50	< 0.5	< 1	271	< 5	< 1	4.86	< 1	< 1	< 5	< 1	0.03	1160	< 15	1020	2.1	< 3	< 0.02	< 0.05	< 0.5	< 0.2
KAR00292	< 2	< 5	3.8	< 50	1.6	7	4	15	< 1	1.22	2	< 1	< 5	< 1	0.04	< 20	< 15	1.3	3.0	< 3	< 0.02	< 0.05	< 0.5	3.8
KAR00299	< 2	< 5	1.2	< 50	< 0.5	10	2	< 5	< 1	1.92	< 1	< 1	< 5	< 1	0.02	< 20	< 15	3.4	1.4	10	< 0.02	< 0.05	< 0.5	0.7

Activation Laboratories Ltd.

Report: A13-13989

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	As	B	Ba	Be	Bi	Cd	Ce	Co	Cr	Cs	Cu	Dy
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		5	10	3	3	2	2	0.8	0.2	30	0.1	2	0.3
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	
KAR00010	9.8	< 1	960	18.0	37	< 5	2.8	0.7	< 0.5	0.8	< 0.05	24.1	306	360	461	< 3	96	< 2	38.0	11.5	< 30	0.8	644	1.4
KAR00330	< 0.5	< 1	160	1.5	< 3	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	25.8	44	30	10	< 3	< 2	< 2	3.8	8.8	< 30	< 0.1	217000	0.6
KAR391	9.5	< 1	840	2.6	< 3	< 5	2.8	< 0.2	< 0.5	2.2	< 0.05	15.2	870	130	113	< 3	27	4	5.0	210	< 30	0.9	29700	2.4
KAR00292	< 0.5	< 1	< 50	7.9	14	< 5	1.5	< 0.2	< 0.5	0.7	< 0.05	27.0	< 5	70	103	< 3	< 2	< 2	16.4	3.0	< 30	1.1	5	1.2
KAR00299	< 0.5	< 1	530	5.3	13	< 5	1.5	0.4	< 0.5	0.7	< 0.05	28.8	10	20	18	< 3	6	3	13.2	2.0	< 30	0.3	< 2	1.1

Activation Laboratories Ltd.

Report: A13-13989

Analyte Symbol	Er	Eu	Fe	Ga	Gd	Ge	Hf	Ho	In	La	Li	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sb	Se	Sm	Sn	Sr
Unit Symbol	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.1	0.1	0.05	0.2	0.1	0.7	10	0.2	0.2	0.4	3	3	1	2.4	0.4	10	0.8	0.1	0.4	2	0.8	0.1	0.5	3
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	
KAR00010	0.9	0.7	15.9	6.6	1.9	12.8	< 10	0.3	0.2	20.1	15	17700	< 1	3.1	17.1	90	182	4.6	43.3	263	8.9	2.8	5.6	39
KAR00330	0.5	0.1	21.0	0.8	0.6	4.6	< 10	< 0.2	21.0	1.7	< 3	484	< 1	< 2.4	2.5	30	< 0.8	0.6	0.6	< 2	42.8	0.5	55.1	6
KAR391	1.2	0.7	4.59	5.1	2.8	5.1	< 10	0.5	0.5	2.1	10	183	< 1	< 2.4	4.4	420	1010	0.8	32.6	862	2.5	2.1	< 0.5	< 3
KAR00292	0.7	0.3	1.32	5.4	1.5	1.0	< 10	0.3	< 0.2	8.6	25	1070	< 1	3.0	7.6	< 10	< 0.8	2.0	53.5	< 2	31.8	1.5	< 0.5	25
KAR00299	0.7	0.5	2.04	1.4	1.4	< 0.7	< 10	0.2	0.3	5.5	6	1420	< 1	< 2.4	6.9	< 10	6190	1.7	7.3	< 2	29.5	1.5	< 0.5	41

Analyte Symbol	Ta	Tb	Te	Th	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.2	0.1	6	0.1	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2
KAR00010	< 0.2	0.3	< 6	8.9	0.5	0.1	13.3	27	1.0	9.3	1.0	1300
KAR00330	< 0.2	0.1	< 6	< 0.1	< 0.1	< 0.1	1.0	< 5	< 0.7	7.3	0.4	270
KAR391	< 0.2	0.5	< 6	2.7	0.1	0.2	10.4	< 5	< 0.7	9.9	1.2	790
KAR00292	< 0.2	0.2	< 6	3.5	0.3	0.1	0.1	24	1.3	7.9	0.7	< 30
KAR00299	< 0.2	0.2	< 6	0.8	< 0.1	< 0.1	< 0.1	13	< 0.7	7.4	0.6	700

Quality Control																								
Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
GXR-1 Meas																								
GXR-1 Cert																								
GXR-1 Meas																								
GXR-1 Cert																								
GXR-1 Meas																								
GXR-1 Cert																								
GXR-4 Meas																								
GXR-4 Cert																								
GXR-4 Meas																								
GXR-4 Cert																								
GXR-4 Meas																								
GXR-4 Cert																								
GXR-4 Meas																								
GXR-4 Cert																								
NIST 696 Meas																								
NIST 696 Cert																								
NIST 696 Meas																								
NIST 696 Cert																								
NIST 696 Meas																								
NIST 696 Cert																								
MP-1b Meas																								
MP-1b Cert																								
MP-1b Meas																								
MP-1b Cert																								
MP-1b Meas																								
MP-1b Cert																								
MP-1b Meas																								
MP-1b Cert																								
MP-1b Meas																								
MP-1b Cert																								
OREAS 101a (Fusion)																								
Meas																								
OREAS 101a (Fusion)																								
Cert																								
OREAS 101a (Fusion)																								
Meas																								
OREAS 101a (Fusion)																								
Cert																								
DMMAS 116 Meas	1690		1600	1100			39	84		3.18					1.98			6.6	6.2					
DMMAS 116 Cert	1610		1560	1190			41.0	77.0		3.12					1.98			6.80	6.30					
KAR00299 Orig																								
KAR00299 Dup																								
Method Blank	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	< 1	< 0.01	< 1	< 1	< 5	< 1	< 0.01	< 20	< 15	< 0.1	< 0.1	< 3	< 0.02	< 0.05	< 0.5	< 0.2
Method Blank																								
Method Blank																								
Method Blank																								
Method Blank																								
Method Blank																								
Method Blank																								

Quality Control																								
Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	As	B	Ba	Be	Bi	Cd	Ce	Co	Cr	Cs	Cu	Dy
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		5	10	3	3	2	2	0.8	0.2	30	0.1	2	0.3
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	
GXR-1 Meas													469	< 10	689	< 3		< 2	14.9	8.2	< 30	3.2	1220	4.7
GXR-1 Cert													427	15.0	750	1.22		3.30	17.0	8.20	12.0	3.00	1110	4.30
GXR-1 Meas													448	< 10	677	< 3		2		8.1	< 30	3.2	1200	4.9
GXR-1 Cert													427	15.0	750	1.22		3.30		8.20	12.0	3.00	1110	4.30
GXR-1 Meas													458	< 10	672	< 3		< 2		8.1	< 30	3.5	1150	4.6
GXR-1 Cert													427	15.0	750	1.22		3.30		8.20	12.0	3.00	1110	4.30
GXR-4 Meas													107	< 10	1630	< 3	21	< 2	105	14.4	40	2.6	6680	3.0
GXR-4 Cert													98.0	4.50	1640	1.90	19.0	0.860	102	14.6	64.0	2.80	6520	2.60
GXR-4 Meas													104	< 10	1670	< 3	19	< 2	107	14.4	50	2.7	6760	2.8
GXR-4 Cert													98.0	4.50	1640	1.90	19.0	0.860	102	14.6	64.0	2.80	6520	2.60
GXR-4 Meas													88	< 10	1710	< 3	20	< 2	109	14.7	50	2.6	6830	2.7
GXR-4 Cert													98.0	4.50	1640	1.90	19.0	0.860	102	14.6	64.0	2.80	6520	2.60
GXR-4 Meas														< 10	1640	< 3	17	< 2		14.3	60		6550	2.8
GXR-4 Cert														4.50	1640	1.90	19.0	0.860		14.6	64.0		6520	2.60
NIST 696 Meas																					290			
NIST 696 Cert																					321.0			
NIST 696 Meas																					300			
NIST 696 Cert																					321.0			
NIST 696 Meas																					290			
NIST 696 Cert																					321.0			
MP-1b Meas													23600				1040	564					30600	
MP-1b Cert													23000.00				954.0000	527.0000					30690.000	
MP-1b Meas													23900				925	566					31100	
MP-1b Cert													23000.00				954.0000	527.0000					30690.000	
MP-1b Meas													23800				1020	561					30900	
MP-1b Cert													23000.00				954.0000	527.0000					30690.000	
MP-1b Meas													24600				992	564					32400	
MP-1b Cert													23000.00				954.0000	527.0000					30690.000	
MP-1b Meas													23500				1020	557					29500	
MP-1b Cert													23000.00				954.0000	527.0000					30690.000	
OREAS 101a (Fusion) Meas																			1300	46.1			413	31.4
OREAS 101a (Fusion) Cert																			1396	48.8			434	33.3
OREAS 101a (Fusion) Meas																								
OREAS 101a (Fusion) Cert																								
DMMAS 116 Meas	11.9			16.2	28		2.4																	
DMMAS 116 Cert	11.2			15.9	30.0		2.40																	
KAR00299 Orig													11	20	18	< 3	6	3	13.2	2.0	< 30	0.3	< 2	1.1
KAR00299 Dup													9	20	18	< 3	6	3	13.3	2.0	< 30	0.3	< 2	1.2
Method Blank	< 0.5	< 1	< 50	< 0.5	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	30.0												
Method Blank													< 5	< 10	< 3	< 3	< 2	< 2	< 0.8	< 0.2	< 30	< 0.1	< 2	< 0.3
Method Blank													< 5	< 10	< 3	< 3	< 2	< 2	< 0.8	< 0.2	< 30	< 0.1	< 2	< 0.3
Method Blank													< 5	< 10	< 3	< 3	< 2	< 2	< 0.8	< 0.2	< 30	< 0.1	< 2	< 0.3
Method Blank																								
Method Blank																								

Quality Control																										
Analyte Symbol	Er	Eu	Fe	Ga	Gd	Ge	Hf	Ho	In	La	Li	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sb	Se	Sm	Sn	Sr		
Unit Symbol	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
Detection Limit	0.1	0.1	0.05	0.2	0.1	0.7	10	0.2	0.2	0.4	3	3	1	2.4	0.4	10	0.8	0.1	0.4	2	0.8	0.1	0.5	3		
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2		
GXR-1 Meas		0.7	26.0	14.4	4.4		< 10		1.0	7.7	9	917	16	< 2.4		40	768		3.0	133	17.7	3.0	52.9	293		
GXR-1 Cert		0.690	23.6	13.8	4.20		0.960		0.770	7.50	8.20	852	18.0	0.800		41.0	730		14.0	122	16.6	2.70	54.0	275		
GXR-1 Meas		0.6	25.1	14.0	4.3		< 10		0.9	7.6	8		17	< 2.4		40	791		3.1	113	18.1	2.7	49.3	294		
GXR-1 Cert		0.690	23.6	13.8	4.20		0.960		0.770	7.50	8.20		18.0	0.800		41.0	730		14.0	122	16.6	2.70	54.0	275		
GXR-1 Meas		0.6	25.4	13.3	4.1		< 10		0.9	7.3	9			< 2.4		40	793				18.1			295		
GXR-1 Cert		0.690	23.6	13.8	4.20		0.960		0.770	7.50	8.20			0.800		41.0	730				16.6			275		
GXR-4 Meas		1.5	2.93	20.2	5.3		< 10		0.2	65.1	12	162	321	10.4	44.1	30	56.5		147	4	5.9	6.6	5.8	232		
GXR-4 Cert		1.63	3.09	20.0	5.25		6.30		0.270	64.5	11.1	155	310	10.0	45.0	42.0	52.0		160	4.80	5.60	6.60	5.60	221		
GXR-4 Meas		1.5	3.17	20.7	5.3		< 10		0.2	65.6	12	153	326	9.2	45.0	40	48.4		148	5	5.7	6.6	5.9	223		
GXR-4 Cert		1.63	3.09	20.0	5.25		6.30		0.270	64.5	11.1	155	310	10.0	45.0	42.0	52.0		160	4.80	5.60	6.60	5.60	221		
GXR-4 Meas		1.6		21.0	5.2		< 10		0.2	67.3	12	155	336		44.3	30	54.1		154	< 2		6.7	5.9	240		
GXR-4 Cert		1.63		20.0	5.25		6.30		0.270	64.5	11.1	155	310		45.0	42.0	52.0		160	4.80		6.60	5.60	221		
GXR-4 Meas		1.5		19.3	5.1		< 10		0.2	64.9	12		321		43.5				145			6.5	5.1	227		
GXR-4 Cert		1.63		20.0	5.25		6.30		0.270	64.5	11.1		310		45.0				160			6.60	5.60	221		
NIST 696 Meas															45.0				160			6.60	5.60	221		
NIST 696 Cert																										
NIST 696 Meas																										
NIST 696 Cert																										
NIST 696 Meas																										
NIST 696 Cert																										
MP-1b Meas			7.64						592				288				21700			54			14200			
MP-1b Cert			8.19						565				285				20910.000			54.0			16100.000			
MP-1b Meas			7.67						588				289				19300			54						
MP-1b Cert			8.19						565				285				20910.000			54.0						
MP-1b Meas			7.98						595				293				21000			54						
MP-1b Cert			8.19						565				285				20910.000			54.0						
MP-1b Meas			7.83						603				306				21700			54						
MP-1b Cert			8.19						565				285				20910.000			54.0						
MP-1b Meas			8.32						573				285				20900									
MP-1b Cert			8.19						565				285				20910.000									
OREAS 101a (Fusion) Meas	19.7	8.1	10.8		40.4			6.7		764					379			128				48.6				
OREAS 101a (Fusion) Cert	19.5	8.06	11.06		43.4			6.46		816					403			134				48.8				
OREAS 101a (Fusion) Meas			10.3																							
OREAS 101a (Fusion) Cert			11.06																							
DMMAS 116 Meas																										
DMMAS 116 Cert																										
KAR00299 Orig	0.7	0.5	2.01	1.3	1.4	< 0.7	< 10	0.2	0.3	5.4	6	1430	< 1	< 2.4	6.8	< 10	6200	1.7	7.4	< 2	27.4	1.5	< 0.5	41		
KAR00299 Dup	0.7	0.5	2.08	1.4	1.4	< 0.7	< 10	0.2	0.3	5.6	6	1410	< 1	< 2.4	6.9	< 10	6180	1.7	7.2	< 2	31.5	1.5	< 0.5	40		
Method Blank																										
Method Blank	< 0.1	< 0.1		< 0.2	< 0.1	< 0.7	< 10	< 0.2	< 0.2	< 0.4	< 3	< 3	< 1	< 2.4	< 0.4	< 10	< 0.8	< 0.1	< 0.4	< 2	< 0.8	< 0.1	< 0.5	< 3		
Method Blank	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 10	< 0.2	< 0.2	< 0.4	< 3	< 3	< 1	< 2.4	< 0.4	< 10	< 0.8	< 0.1	< 0.4	< 2	< 0.8	< 0.1	< 0.5	< 3		
Method Blank	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 10	< 0.2	< 0.2	< 0.4	< 3	< 3	< 1	< 2.4	< 0.4	< 10	< 0.8	< 0.1	< 0.4	< 2	< 0.8	< 0.1	< 0.5	< 3		
Method Blank			< 0.05																							
Method Blank			< 0.05																							

Quality Control

Analyte Symbol	Ta	Tb	Te	Th	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.2	0.1	6	0.1	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2
GXR-1 Meas	< 0.2	0.8	14	2.5	0.4	0.4	36.4	76		29.5	2.5	820
GXR-1 Cert	0.175	0.830	13.0	2.44	0.390	0.430	34.9	80.0		32.0	1.90	760
GXR-1 Meas	< 0.2	0.8	14	2.7	0.4	0.4	34.2	76		28.8	2.3	830
GXR-1 Cert	0.175	0.830	13.0	2.44	0.390	0.430	34.9	80.0		32.0	1.90	760
GXR-1 Meas	< 0.2	0.8	13	2.6	0.4	0.4	34.6			30.7		
GXR-1 Cert	0.175	0.830	13.0	2.44	0.390	0.430	34.9			32.0		
GXR-4 Meas	< 0.2	0.5	< 6	24.7	3.3	0.2	6.3	81	31.3	13.8	1.3	90
GXR-4 Cert	0.790	0.360	0.970	22.5	3.20	0.210	6.20	87.0	30.8	14.0	1.60	73.0
GXR-4 Meas	< 0.2	0.6	< 6	22.9	3.3	0.2	6.5	78	33.1	13.9	1.3	70
GXR-4 Cert	0.790	0.360	0.970	22.5	3.20	0.210	6.20	87.0	30.8	14.0	1.60	73.0
GXR-4 Meas	0.7	0.6	< 6	24.1	3.5	0.2	6.5		32.9	14.3	1.4	70
GXR-4 Cert	0.790	0.360	0.970	22.5	3.20	0.210	6.20		30.8	14.0	1.60	73.0
GXR-4 Meas	0.3	0.6	< 6		3.3	0.2	5.8			14.1	1.2	
GXR-4 Cert	0.790	0.360	0.970		3.20	0.210	6.20			14.0	1.60	
NIST 696 Meas								374				
NIST 696 Cert								403.0000				
NIST 696 Meas								381				
NIST 696 Cert								403.0000				
NIST 696 Meas								372				
NIST 696 Cert								403.0000				
MP-1b Meas									1110			172000
MP-1b Cert									1100.000			166700.00
MP-1b Meas									1080			157000
MP-1b Cert									1100.000			166700.00
MP-1b Meas									1220			165000
MP-1b Cert									1100.000			166700.00
MP-1b Meas									1210			175000
MP-1b Cert									1100.000			166700.00
MP-1b Meas									1020			164000
MP-1b Cert									1100.000			166700.00
OREAS 101a (Fusion) Meas		5.7		36.9		2.9	435	52		177	18.0	
OREAS 101a (Fusion) Cert		5.92		36.6		2.90	422	83		183	17.5	
OREAS 101a (Fusion) Meas												
OREAS 101a (Fusion) Cert												
DMMAS 116 Meas												
DMMAS 116 Cert												
KAR00299 Orig	< 0.2	0.2	< 6	0.6	< 0.1	< 0.1	< 0.1	13	< 0.7	7.4	0.6	690
KAR00299 Dup	< 0.2	0.2	< 6	1.0	< 0.1	< 0.1	< 0.1	14	0.8	7.4	0.6	700
Method Blank												
Method Blank	< 0.2	< 0.1	< 6	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank	< 0.2	< 0.1	< 6	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank	< 0.2	< 0.1	< 6	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank												
Method Blank												