



Date Submitted: 17-Dec-13
Invoice No.: A13-14848
Invoice Date: 10-Jan-14
Your Reference: NA60-45

Cantex Mine Development Corp
203-1634 Harvey Ave
Kelowna BC V1Y 6G2

ATTN: Shadi Morton

CERTIFICATE OF ANALYSIS

12 Pulp samples were submitted for analysis.

The following analytical package was requested: Code UT-7 Sodium Peroxide Fusion (ICP & ICPMS)

REPORT **A13-14848**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY :

A handwritten signature in black ink, appearing to be "Emmanuel Esemé", written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Activation Laboratories Ltd.

Report: A13-14848

Analyte Symbol	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Ho	In	K
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	10	0.2	0.2	0.1
Analysis Method	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2
KAR00048	0.75	5920	< 10	35	< 3	12	0.18	2	7.9	9.2	< 30	0.2	91	1.6	1.0	0.2	51.1	3.0	1.3	11.2	< 10	0.3	0.3	0.4
KAR063	1.14	184	< 10	109	< 3	9	11.4	< 2	16.9	102	30	1.7	131	0.9	0.5	0.3	12.3	2.9	1.2	3.3	< 10	< 0.2	0.3	1.3
KAR00079	4.65	52	270	297	< 3	< 2	5.31	< 2	20.2	35.3	240	2.8	102	2.7	1.3	1.4	4.16	13.3	3.1	2.9	< 10	0.5	< 0.2	2.9
KAR194	3.67	29	< 10	103	< 3	< 2	0.36	< 2	15.5	13.4	370	1.3	13	1.4	0.8	0.5	0.82	11.6	2.1	3.1	< 10	0.3	< 0.2	2.1
KAR46	0.89	3730	< 10	49	< 3	5	0.10	3	12.0	15.4	< 30	0.2	164	1.6	1.0	0.3	50.9	2.7	1.4	14.0	< 10	0.3	< 0.2	0.4
KAR00051	1.29	3480	30	31	< 3	17	0.17	< 2	8.5	9.3	< 30	0.4	129	4.5	2.5	0.5	49.5	4.3	3.8	11.6	< 10	0.9	0.3	0.7
KAR00137	0.57	140	< 10	100	< 3	241	1.05	< 2	62.9	20.6	260	< 0.1	1950	3.5	1.5	1.8	22.8	2.5	6.2	3.9	< 10	0.6	0.4	< 0.1
KAR00175	0.48	731	100	36	< 3	35	3.02	< 2	5.6	70.7	< 30	< 0.1	157	0.9	0.5	0.2	47.0	3.7	1.0	9.5	< 10	< 0.2	< 0.2	0.2
KAR00006	7.42	11	< 10	568	< 3	< 2	4.17	< 2	96.7	47.2	40	1.1	33	6.8	3.2	3.0	9.94	22.3	9.9	2.9	< 10	1.2	< 0.2	1.0
KAR8491	4.59	13	70	289	< 3	< 2	8.28	< 2	39.9	8.0	40	3.1	19	2.3	1.4	0.5	1.94	13.0	2.8	5.3	< 10	0.5	< 0.2	3.9
KAR00373	8.00	13	< 10	259	< 3	3	5.01	< 2	19.5	57.2	240	0.5	151	3.9	2.3	2.5	11.2	30.5	4.1	5.2	< 10	0.8	0.4	1.4
CH005B	1.97	15	30	303	< 3	< 2	0.55	< 2	22.8	46.4	330	1.1	94	2.2	1.0	0.5	3.02	4.6	2.4	2.4	< 10	0.4	< 0.2	1.8

Activation Laboratories Ltd.

Report: A13-14848

Analyte Symbol	La	Li	Mg	Mn	Mo	Nb	Nd	Ni	P	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti
Unit Symbol	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	0.4	3	0.01	3	1	2.4	0.4	10	0.005	0.8	0.1	0.4	0.01	2	0.8	0.01	0.1	0.5	3	0.2	0.1	6	0.1	0.01
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	
KAR00048	4.3	5	0.21	4280	13	< 2.4	3.6	20	0.014	1670	1.0	15.7	0.04	50	< 0.8	2.24	0.9	0.6	7	< 0.2	0.2	< 6	1.6	0.04
KAR063	9.1	23	6.94	918	< 1	< 2.4	8.0	70	0.007	781	2.1	37.3	12.5	57	3.6	6.24	1.4	0.5	24	< 0.2	0.1	< 6	2.1	0.05
KAR00079	9.9	39	2.00	1430	< 1	< 2.4	10.7	80	0.019	42.7	2.7	134	0.79	3	< 0.8	11.2	2.7	0.9	55	< 0.2	0.5	< 6	7.1	0.15
KAR194	8.8	15	0.33	82	6	< 2.4	9.0	20	0.053	19.3	2.3	85.2	0.13	< 2	< 0.8	5.16	2.1	1.0	5	< 0.2	0.2	< 6	6.7	0.16
KAR46	6.4	5	0.20	7030	14	< 2.4	5.7	30	0.016	785	1.6	16.9	0.09	31	4.4	2.31	1.2	1.0	11	< 0.2	0.2	< 6	2.2	0.04
KAR00051	4.6	10	0.28	4690	7	< 2.4	4.8	20	0.031	1970	1.1	26.9	0.04	37	< 0.8	3.37	2.0	1.0	5	< 0.2	0.7	< 6	2.7	0.07
KAR00137	48.0	8	0.01	862	< 1	< 2.4	37.9	40	0.083	299	9.9	0.4	13.8	103	40.3	16.6	6.8	5.9	30	< 0.2	0.7	< 6	1.7	0.02
KAR00175	3.3	< 3	0.42	560	< 1	< 2.4	3.8	210	0.028	800	0.9	6.9	0.10	139	< 0.8	2.20	0.9	< 0.5	< 3	< 0.2	0.1	< 6	0.9	0.03
KAR00006	50.2	23	3.49	1640	< 1	38.0	56.6	30	0.078	9.7	13.6	21.5	0.03	< 2	< 0.8	6.17	10.5	0.7	392	0.5	1.2	< 6	5.6	2.08
KAR8491	22.3	61	5.44	1060	< 1	6.6	18.2	10	0.030	61.8	4.9	104	0.07	< 2	< 0.8	19.1	3.2	1.2	29	< 0.2	0.4	< 6	9.4	0.21
KAR00373	11.2	34	3.50	986	< 1	3.9	12.4	240	0.009	15.7	2.8	24.8	0.49	7	3.4	16.7	3.2	0.9	191	< 0.2	0.6	< 6	0.4	0.46
CH005B	11.0	12	0.41	240	< 1	< 2.4	11.7	40	0.009	38.8	3.0	51.4	1.63	< 2	< 0.8	0.89	2.3	< 0.5	17	< 0.2	0.4	< 6	3.6	0.06

Analyte Symbol	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2
KAR00048	< 0.1	0.1	21.5	< 5	< 0.7	8.7	0.9	890
KAR063	8.8	< 0.1	1.5	< 5	< 0.7	4.9	0.5	700
KAR00079	0.4	0.2	1.1	33	1.1	13.6	1.2	280
KAR194	0.5	0.1	3.2	207	1.7	7.3	0.9	30
KAR46	< 0.1	0.1	26.4	< 5	< 0.7	8.8	1.0	970
KAR00051	< 0.1	0.3	23.1	6	< 0.7	26.0	1.9	1230
KAR00137	2.9	0.2	6.3	78	< 0.7	17.4	1.0	110
KAR00175	7.0	< 0.1	5.4	< 5	< 0.7	7.6	0.4	210
KAR00006	0.2	0.4	1.2	361	< 0.7	28.6	2.4	200
KAR8491	0.6	0.2	1.8	35	1.2	12.0	1.3	230
KAR00373	0.2	0.3	0.2	330	< 0.7	21.5	2.1	150
CH005B	0.2	0.1	0.7	< 5	< 0.7	10.1	0.9	30

Quality Control																										
Analyte Symbol	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Ho	In	K		
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
Detection Limit	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	10	0.2	0.2	0.1		
Analysis Method	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2		
GXR-1 Meas	3.27	469	< 10	689	< 3		0.90	< 2	14.9	8.2	< 30	3.2	1220	4.7		0.7	25.1	14.4	4.4		< 10			1.0		
GXR-1 Cert	3.52	427	15.0	750	1.22		0.960	3.30	17.0	8.20	12.0	3.00	1110	4.30		0.690	23.6	13.8	4.20		0.960			0.770		
GXR-1 Meas	3.35	448	< 10	677	< 3		0.89	2		8.1	< 30	3.2	1200	4.9		0.6	25.4	14.0	4.3		< 10			0.9		
GXR-1 Cert	3.52	427	15.0	750	1.22		0.960	3.30		8.20	12.0	3.00	1110	4.30		0.690	23.6	13.8	4.20		0.960			0.770		
GXR-4 Meas	7.64	107	< 10	1630	< 3	21	1.03	< 2	105	14.4	40	2.6	6680	3.0		1.5	3.17	20.2	5.3		< 10			0.2	4.3	
GXR-4 Cert	7.20	98.0	4.50	1640	1.90	19.0	1.01	0.860	102	14.6	64.0	2.80	6520	2.60		1.63	3.09	20.0	5.25		6.30			0.270	4.01	
GXR-4 Meas		104	< 10	1670	< 3	19		< 2	107	14.4	50	2.7	6760	2.8		1.5		20.7	5.3		< 10			0.2		
GXR-4 Cert		98.0	4.50	1640	1.90	19.0		0.860	102	14.6	64.0	2.80	6520	2.60		1.63		20.0	5.25		6.30			0.270		
GXR-4 Meas			< 10	1710	< 3	20		< 2	109	14.7	50		6830	2.7		1.6		21.0	5.2		< 10			0.2		
GXR-4 Cert			4.50	1640	1.90	19.0		0.860	102	14.6	64.0		6520	2.60		1.63		20.0	5.25		6.30			0.270		
NIST 696 Meas	27.5										290															
NIST 696 Cert	28.9										321.0															
NIST 696 Meas	27.3										300															
NIST 696 Cert	28.9										321.0															
NIST 696 Meas	29.2										290															
NIST 696 Cert	28.9										321.0															
MP-1b Meas		23600				1040	2.35	564					30600				7.67							592		
MP-1b Cert		23000.00				954.0000	2.47	527.0000					30690.000				8.19							565		
MP-1b Meas		23900				925	2.43	566					31100				7.98							588		
MP-1b Cert		23000.00				954.0000	2.47	527.0000					30690.000				8.19							565		
MP-1b Meas		23800				1020	2.38	561					30900				7.83							595		
MP-1b Cert		23000.00				954.0000	2.47	527.0000					30690.000				8.19							565		
MP-1b Meas		24600				992	2.52	564					32400				8.32							603		
MP-1b Cert		23000.00				954.0000	2.47	527.0000					30690.000				8.19							565		
OREAS 101a (Fusion) Meas																	10.3								2.1	
OREAS 101a (Fusion) Cert																	11.06								2.34	
KAR8491 Orig	4.61	14	70	287	< 3	< 2	8.25	< 2	39.0	7.9	50	3.0	19	2.2	1.3	0.5	1.93	12.8	2.7	5.2	< 10	0.5	< 0.2	3.9		
KAR8491 Dup	4.57	12	70	291	< 3	< 2	8.30	< 2	40.8	8.0	40	3.1	20	2.3	1.4	0.6	1.95	13.1	2.9	5.4	< 10	0.5	< 0.2	3.9		
Method Blank		< 5	< 10	< 3	< 3	< 2		< 2	< 0.8	< 0.2	< 30	< 0.1	< 2	< 0.3	< 0.1	< 0.1		< 0.2	< 0.1	< 0.7	< 10	< 0.2	< 0.2			
Method Blank	0.02	< 5	< 10	< 3	< 3	< 2	0.01	< 2	< 0.8	< 0.2	< 30	< 0.1	< 2	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 10	< 0.2	< 0.2	< 0.1		
Method Blank	< 0.01	< 5	< 10	< 3	< 3	< 2	< 0.01	< 2	< 0.8	< 0.2	< 30	< 0.1	< 2	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 10	< 0.2	< 0.2	0.1		
Method Blank	< 0.01						0.02										< 0.05							< 0.1		
Method Blank	< 0.01						< 0.01										< 0.05							< 0.1		

Quality Control

Analyte Symbol	La	Li	Mg	Mn	Mo	Nb	Nd	Ni	P	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti
Unit Symbol	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	0.4	3	0.01	3	1	2.4	0.4	10	0.005	0.8	0.1	0.4	0.01	2	0.8	0.01	0.1	0.5	3	0.2	0.1	6	0.1	0.01
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS- Na2O2
GXR-1 Meas	7.7	9	0.21		16	< 2.4		40	0.066	768		3.0	0.26	133	17.7		3.0	52.9	293	< 0.2	0.8	14	2.5	
GXR-1 Cert	7.50	8.20	0.217		18.0	0.800		41.0	0.0650	730		14.0	0.257	122	16.6		2.70	54.0	275	0.175	0.830	13.0	2.44	
GXR-1 Meas	7.6	8	0.21		17	< 2.4		40	0.060	791		3.1	0.26		18.1			49.3	294	< 0.2	0.8	14	2.7	
GXR-1 Cert	7.50	8.20	0.217		18.0	0.800		41.0	0.0650	730		14.0	0.257		16.6			54.0	275	0.175	0.830	13.0	2.44	
GXR-4 Meas	65.1	12	1.78	162	321	10.4	44.1	30		56.5		147	1.84	4	5.9		6.6	5.8	232	< 0.2	0.5	< 6	24.7	0.29
GXR-4 Cert	64.5	11.1	1.66	155	310	10.0	45.0	42.0		52.0		160	1.77	4.80	5.60		6.60	5.60	221	0.790	0.360	0.970	22.5	0.29
GXR-4 Meas	65.6	12		153	326		45.0	40		48.4		148		5			6.6	5.9	223	< 0.2	0.6	< 6	22.9	
GXR-4 Cert	64.5	11.1		155	310		45.0	42.0		52.0		160		4.80			6.60	5.60	221	0.790	0.360	0.970	22.5	
GXR-4 Meas	67.3	12		155	336		44.3	30		54.1		154					6.7	5.9	240	0.7	0.6	< 6	24.1	
GXR-4 Cert	64.5	11.1		155	310		45.0	42.0		52.0		160					6.60	5.60	221	0.790	0.360	0.970	22.5	
NIST 696 Meas																								
NIST 696 Cert																								
NIST 696 Meas																								
NIST 696 Cert																								
NIST 696 Meas																								
NIST 696 Cert																								
MP-1b Meas					288					21700			13.0	54		16.5		14200						
MP-1b Cert					285					20910.000			13.79	54.0		16.79		16100.000						
MP-1b Meas					289					19300			13.3	54		17.2								
MP-1b Cert					285					20910.000			13.79	54.0		16.79								
MP-1b Meas					293					21000			12.9	54		15.7								
MP-1b Cert					285					20910.000			13.79	54.0		16.79								
MP-1b Meas					306					21700			13.7	54		17.1								
MP-1b Cert					285					20910.000			13.79	54.0		16.79								
OREAS 101a (Fusion) Meas			1.10						0.047															0.36
OREAS 101a (Fusion) Cert			1.23						0															0.395
KAR8491 Orig	21.6	61	5.43	1060	< 1	6.6	17.4	10	0.030	60.2	4.8	104	0.07	< 2	< 0.8	19.1	3.2	1.2	28	< 0.2	0.4	< 6	8.3	0.21
KAR8491 Dup	22.9	62	5.45	1050	< 1	6.7	18.9	10	0.029	63.4	5.0	105	0.07	< 2	< 0.8	19.0	3.2	1.3	29	< 0.2	0.4	< 6	10.5	0.21
Method Blank	< 0.4	< 3		< 3	< 1	< 2.4	< 0.4	< 10		< 0.8	< 0.1	< 0.4		< 2	< 0.8		< 0.1	< 0.5	< 3	< 0.2	< 0.1	< 6	< 0.1	
Method Blank	< 0.4	< 3	< 0.01	< 3	< 1	< 2.4	< 0.4	< 10	< 0.005	< 0.8	< 0.1	< 0.4	0.01	< 2	< 0.8	< 0.01	< 0.1	< 0.5	< 3	< 0.2	< 0.1	< 6	< 0.1	< 0.01
Method Blank	< 0.4	< 3	< 0.01	< 3	< 1	< 2.4	< 0.4	< 10	< 0.005	< 0.8	< 0.1	< 0.4	< 0.01	< 2	< 0.8	< 0.01	< 0.1	< 0.5	< 3	< 0.2	< 0.1	< 6	< 0.1	< 0.01
Method Blank			< 0.01						< 0.005				< 0.01			< 0.01								< 0.01
Method Blank			< 0.01						< 0.005				< 0.01			< 0.01								< 0.01

Quality Control

Analyte Symbol	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Analysis Method	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2	FUS-MS- Na2O2
GXR-1 Meas	0.4	0.4	36.4	76		29.5	2.5	820
GXR-1 Cert	0.390	0.430	34.9	80.0		32.0	1.90	760
GXR-1 Meas	0.4	0.4	34.2			28.8		
GXR-1 Cert	0.390	0.430	34.9			32.0		
GXR-4 Meas	3.3	0.2	6.3	81	31.3	13.8	1.3	90
GXR-4 Cert	3.20	0.210	6.20	87.0	30.8	14.0	1.60	73.0
GXR-4 Meas	3.3	0.2	6.5		33.1	13.9	1.3	70
GXR-4 Cert	3.20	0.210	6.20		30.8	14.0	1.60	73.0
GXR-4 Meas	3.5	0.2	6.5			14.3	1.4	
GXR-4 Cert	3.20	0.210	6.20			14.0	1.60	
NIST 696 Meas				374				
NIST 696 Cert				403.0000				
NIST 696 Meas				381				
NIST 696 Cert				403.0000				
NIST 696 Meas				372				
NIST 696 Cert				403.0000				
MP-1b Meas					1110			172000
MP-1b Cert					1100.000			166700.00
MP-1b Meas					1080			157000
MP-1b Cert					1100.000			166700.00
MP-1b Meas					1220			165000
MP-1b Cert					1100.000			166700.00
MP-1b Meas					1210			175000
MP-1b Cert					1100.000			166700.00
OREAS 101a (Fusion) Meas								
OREAS 101a (Fusion) Cert								
KAR8491 Orig	0.6	0.2	1.8	33	1.2	12.0	1.3	220
KAR8491 Dup	0.6	0.2	1.9	38	1.2	12.1	1.4	230
Method Blank	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank								
Method Blank								