

Acme Analytical Laboratories (Vancouver) Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Goldstrike Resources Ltd.**  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 25, 2013  
Report Date: August 23, 2013  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI13000191.1

### CLIENT JOB INFORMATION

Project: Plateau South  
Shipment ID: PLAS\_CHANNEL\_2013\_4  
P.O. Number  
Number of Samples: 18

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3  
CANADA

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	18	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	18	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

# CERTIFICATE OF ANALYSIS

WHI13000191.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1243764	Rock	2.86	6	0.3	3.9	9.5	12	<0.1	6.0	2.3	132	0.69	44.7	<0.5	6.4	8	<0.1	<0.1	<0.1	2
1243765	Rock	5.35	324	0.2	3.8	9.4	45	<0.1	3.3	1.5	118	0.64	664.9	128.9	4.0	4	0.2	0.2	<0.1	<2
1243766	Rock	2.75	55	0.2	5.1	11.0	13	<0.1	4.9	3.2	107	0.71	502.3	32.2	5.8	9	<0.1	0.2	<0.1	<2
1243767	Rock	1.47	49	0.2	2.2	2.5	2	<0.1	1.3	0.8	32	0.61	3821	29.5	1.0	<1	<0.1	1.3	<0.1	<2
1243768	Rock	1.20	6	0.1	3.5	14.0	11	<0.1	3.3	1.6	129	0.59	54.3	<0.5	5.8	3	<0.1	<0.1	<0.1	<2
1243769	Rock	1.26	112	<0.1	1.6	386.4	2	0.8	1.3	0.5	36	0.60	3462	511.5	0.4	<1	<0.1	1.6	0.5	<2
1243770	Rock	2.18	7	0.2	3.9	36.5	48	<0.1	5.2	2.1	91	0.64	86.7	1.8	6.0	3	0.1	0.1	0.1	<2
1243771	Rock	3.60	335	0.1	1.6	60.7	11	0.2	8.3	3.7	115	1.10	6690	463.8	3.8	4	<0.1	2.4	0.2	<2
1243772	Rock	4.88	12	0.1	3.3	16.6	16	<0.1	4.7	1.7	193	0.57	149.1	2.3	6.3	4	<0.1	0.1	<0.1	<2
1243773	Rock	1.67	231	0.2	3.6	26.0	74	0.1	5.5	3.0	206	0.78	1094	210.5	6.3	4	0.4	0.4	<0.1	<2
1243774	Rock	4.74	9409	0.6	6.4	8684	389	15.6	5.8	6.6	41	12.10	>10000	9243	4.4	4	6.6	58.6	7.9	<2
1243775	Rock	2.45	1699	0.2	4.8	171.9	258	0.8	4.5	2.8	108	2.61	>10000	1595	5.3	4	1.4	7.2	0.3	<2
1243776	Rock	4.42	24	0.2	4.3	85.8	15	0.3	4.2	2.0	110	0.59	502.6	17.9	5.0	3	<0.1	0.2	0.5	<2
1243777	Rock	2.12	3206	0.4	3.0	1612	66	3.4	5.8	4.9	70	6.89	>10000	4136	3.8	3	0.5	28.0	1.6	<2
1243778	Rock	1.32	260	0.2	3.4	73.3	21	0.2	5.2	3.3	160	1.48	8997	306.3	7.2	4	0.1	2.1	0.1	<2
1243779	Rock	6.12	132	0.1	4.8	168.5	220	0.3	5.9	3.4	265	0.76	438.2	65.5	7.2	4	1.4	0.3	0.5	<2
1243780	Rock	1.33	13	0.1	4.0	12.5	13	<0.1	5.0	2.4	166	0.63	42.1	7.6	5.1	3	<0.1	<0.1	<0.1	<2
1243781	Rock	1.57	6	<0.1	1.1	2.8	3	<0.1	0.8	0.1	29	0.27	45.5	1.9	<0.1	<1	<0.1	<0.1	<0.1	<2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 2

## CERTIFICATE OF ANALYSIS

WHI13000191.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1243764	Rock	0.014	10	11	0.11	21	<0.001	<20	0.26	0.026	0.06	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1
1243765	Rock	0.009	6	9	0.02	23	<0.001	<20	0.10	0.023	0.05	<0.1	<0.01	<0.1	0.06	0.4	<0.5	<1
1243766	Rock	0.013	9	8	0.10	21	<0.001	<20	0.23	0.025	0.06	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1
1243767	Rock	0.002	1	10	<0.01	11	<0.001	<20	0.04	0.005	0.02	<0.1	<0.01	<0.1	0.19	<0.1	<0.5	<1
1243768	Rock	0.013	10	8	0.06	22	<0.001	<20	0.18	0.020	0.05	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1
1243769	Rock	0.001	<1	7	<0.01	3	<0.001	<20	0.02	0.003	0.01	<0.1	<0.01	<0.1	0.18	<0.1	<0.5	<1
1243770	Rock	0.012	11	7	0.04	11	<0.001	<20	0.16	0.020	0.07	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
1243771	Rock	0.009	5	8	0.02	17	<0.001	<20	0.10	0.017	0.04	<0.1	<0.01	<0.1	0.33	0.4	<0.5	<1
1243772	Rock	0.014	10	8	0.02	17	<0.001	<20	0.13	0.024	0.08	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1
1243773	Rock	0.011	10	5	0.03	16	<0.001	<20	0.15	0.019	0.07	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1
1243774	Rock	0.008	3	4	<0.01	16	<0.001	<20	0.10	0.008	0.06	<0.1	0.02	<0.1	4.90	0.3	4.7	<1
1243775	Rock	0.011	6	4	0.03	23	<0.001	<20	0.15	0.016	0.07	<0.1	<0.01	<0.1	0.82	0.4	<0.5	<1
1243776	Rock	0.011	8	8	0.04	13	<0.001	<20	0.14	0.015	0.06	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
1243777	Rock	0.008	3	5	<0.01	25	<0.001	<20	0.08	0.010	0.05	<0.1	<0.01	<0.1	2.67	0.3	1.3	<1
1243778	Rock	0.017	9	6	0.05	27	<0.001	<20	0.18	0.021	0.08	<0.1	<0.01	<0.1	0.43	0.4	<0.5	<1
1243779	Rock	0.018	12	6	0.04	18	<0.001	<20	0.16	0.023	0.07	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1
1243780	Rock	0.010	10	6	0.06	14	<0.001	<20	0.20	0.011	0.08	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
1243781	Rock	<0.001	<1	7	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1

## QUALITY CONTROL REPORT

WHI13000191.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243781	Rock	1.57	6	<0.1	1.1	2.8	3	<0.1	0.8	0.1	29	0.27	45.5	1.9	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
REP 1243781	QC		15																		
Reference Materials																					
STD DS9	Standard			12.9	116.4	132.4	318	1.9	42.3	8.1	590	2.38	25.5	111.2	6.4	68	2.2	4.0	6.6	40	0.71
STD OREAS45EA	Standard			1.4	690.5	15.6	30	0.2	383.3	54.2	405	24.08	8.0	53.3	11.5	4	<0.1	0.1	0.3	306	0.04
STD SH55	Standard		1353																		
STD SH55	Standard		1362																		
STD SH55 Expected			1375																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
BLK	Blank		4																		
BLK	Blank		4																		
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		6	0.1	3.3	4.6	47	<0.1	3.5	4.3	554	1.91	20.5	<0.5	7.0	47	<0.1	<0.1	<0.1	36	0.57
G1-WHI	Prep Blank		5	<0.1	3.5	3.8	46	<0.1	2.4	3.9	550	1.89	16.1	<0.5	5.4	48	<0.1	<0.1	<0.1	34	0.45

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 1

Part: 2 of 2

## QUALITY CONTROL REPORT

WHI13000191.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1243781	Rock	<0.001	<1	7	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
REP 1243781	QC																		
Reference Materials																			
STD DS9	Standard	0.085	13	125	0.62	315	0.117	<20	0.96	0.083	0.41	2.9	0.20	5.2	0.17	2.2	5.3	5	5.2
STD OREAS45EA	Standard	0.030	7	856	0.11	149	0.101	<20	3.15	0.015	0.06	<0.1	<0.01	<0.1	<0.05	70.9	<0.5	13	<0.2
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55 Expected																			
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.080	12	8	0.60	175	0.129	<20	0.89	0.071	0.51	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2
G1-WHI	Prep Blank	0.074	10	7	0.50	160	0.119	<20	0.91	0.078	0.50	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2