

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 03, 2013
Report Date: August 23, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000089.1

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PLAS_CHANNEL_2013_2
P.O. Number
Number of Samples: 17

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	17	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	17	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	17	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000089.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1243730	Rock	1.94	140	0.1	4.8	7.0	12	<0.1	6.6	4.9	112	1.36	7230	154.7	7.8	6	<0.1	2.1	0.3	2
1243731	Rock	0.87	2464	0.4	4.6	25.8	5	0.7	8.8	18.4	40	9.77	>10000	3463	5.6	7	<0.1	41.8	5.5	<2
1243732	Rock	2.06	8	0.2	6.6	6.2	11	<0.1	8.1	3.5	125	0.77	169.1	7.9	9.3	9	<0.1	0.1	<0.1	2
1243733	Rock	1.56	10	0.2	4.7	5.8	13	<0.1	6.5	3.4	122	0.81	263.0	6.9	8.0	4	<0.1	0.1	<0.1	2
1243734	Rock	1.35	4	0.1	3.8	9.6	15	<0.1	6.5	4.0	86	0.83	86.5	1.3	8.0	5	<0.1	<0.1	<0.1	3
1243735	Rock	1.48	2	0.2	3.3	9.0	21	<0.1	6.4	3.3	89	1.21	14.6	<0.5	9.9	5	<0.1	<0.1	<0.1	5
1243736	Rock	2.15	17	0.1	4.6	5.7	10	<0.1	5.5	3.5	78	0.85	617.9	11.9	6.1	5	<0.1	0.2	<0.1	2
1243737	Rock	2.09	1547	0.3	4.1	11.8	5	0.3	16.5	10.0	67	3.78	>10000	1543	5.8	6	<0.1	12.4	0.9	<2
1243738	Rock	2.72	650	0.1	1.9	4.7	6	<0.1	4.9	3.0	113	0.73	2758	354.8	9.1	5	<0.1	0.8	0.2	<2
1243739	Rock	1.44	>10000	0.4	5.7	38.2	3	1.5	13.8	9.8	83	4.11	>10000	11128	9.1	15	<0.1	13.8	2.9	<2
1243740	Rock	1.58	813	0.2	4.6	7.9	5	0.1	8.7	3.9	113	1.21	8326	726.5	9.5	7	<0.1	2.9	0.4	<2
1243741	Rock	3.03	246	0.2	3.7	3.2	4	<0.1	5.3	3.6	146	0.81	2524	75.3	8.3	8	<0.1	1.0	0.1	<2
1243742	Rock	1.42	115	<0.1	2.9	13.3	11	<0.1	3.7	2.3	176	0.61	1214	151.0	7.1	11	0.2	0.5	0.3	<2
1243743	Rock	0.97	14	<0.1	0.9	2.1	2	<0.1	1.9	0.6	79	0.38	628.9	9.7	2.8	4	<0.1	0.2	<0.1	<2
1243744	Rock	2.72	>10000	1.1	6.9	104.1	3	3.1	32.2	71.2	30	26.52	>10000	18353	2.9	4	<0.1	137.0	17.3	<2
1243745	Rock	1.71	1527	0.2	14.6	5.2	3	0.2	9.6	7.8	31	2.22	9166	1333	7.0	6	<0.1	3.2	0.4	<2
1243746	Rock	2.05	642	0.2	5.5	4.7	3	<0.1	6.1	5.4	53	2.06	>10000	539.3	6.7	6	<0.1	4.4	0.5	<2

CERTIFICATE OF ANALYSIS

WHI13000089.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1243730	Rock	0.015	10	8	0.09	100	<0.001	<20	0.28	0.034	0.07	<0.1	<0.01	<0.1	0.38	0.5	<0.5	<1
1243731	Rock	0.011	4	4	0.04	45	<0.001	<20	0.14	0.018	0.04	<0.1	<0.01	<0.1	4.77	0.2	2.5	<1
1243732	Rock	0.017	12	8	0.09	141	<0.001	<20	0.27	0.030	0.07	<0.1	<0.01	<0.1	0.09	0.6	<0.5	<1
1243733	Rock	0.013	11	7	0.08	38	<0.001	<20	0.24	0.024	0.05	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1
1243734	Rock	0.018	12	9	0.15	121	0.001	<20	0.37	0.021	0.05	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	1
1243735	Rock	0.017	17	9	0.23	48	0.001	<20	0.58	0.022	0.11	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	2
1243736	Rock	0.011	9	7	0.11	315	<0.001	<20	0.29	0.017	0.07	<0.1	<0.01	<0.1	0.06	0.5	<0.5	<1
1243737	Rock	0.013	7	9	0.05	206	<0.001	<20	0.20	0.025	0.06	<0.1	<0.01	<0.1	1.50	0.4	1.5	<1
1243738	Rock	0.015	10	6	0.05	77	<0.001	<20	0.18	0.019	0.07	<0.1	<0.01	<0.1	0.14	0.4	<0.5	<1
1243739	Rock	0.012	8	7	0.03	129	<0.001	<20	0.12	0.026	0.06	<0.1	<0.01	<0.1	2.12	0.5	1.4	<1
1243740	Rock	0.014	10	6	0.04	146	<0.001	<20	0.15	0.021	0.05	<0.1	<0.01	<0.1	0.41	0.5	<0.5	<1
1243741	Rock	0.012	9	7	0.03	120	<0.001	<20	0.13	0.034	0.03	<0.1	<0.01	<0.1	0.20	0.5	<0.5	<1
1243742	Rock	0.014	8	5	0.04	161	<0.001	<20	0.09	0.025	0.03	<0.1	<0.01	<0.1	0.13	0.5	<0.5	<1
1243743	Rock	0.006	4	5	0.01	70	<0.001	<20	0.05	0.017	0.02	<0.1	<0.01	<0.1	0.07	0.2	<0.5	<1
1243744	Rock	0.003	1	1	<0.01	13	<0.001	<20	0.07	0.012	0.02	<0.1	<0.01	<0.1	9.79	0.2	10.3	<1
1243745	Rock	0.010	8	6	0.02	153	<0.001	<20	0.14	0.028	0.05	<0.1	<0.01	<0.1	0.92	0.3	<0.5	<1
1243746	Rock	0.012	7	7	0.02	109	<0.001	<20	0.12	0.039	0.04	<0.1	<0.01	<0.1	0.63	0.3	<0.5	<1

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000089.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243735	Rock	1.48	2	0.2	3.3	9.0	21	<0.1	6.4	3.3	89	1.21	14.6	<0.5	9.9	5	<0.1	<0.1	<0.1	5	0.04
REP 1243735	QC			0.2	3.5	9.0	21	<0.1	6.1	3.5	91	1.25	14.0	<0.5	9.7	5	<0.1	<0.1	<0.1	5	0.04
1243746	Rock	2.05	642	0.2	5.5	4.7	3	<0.1	6.1	5.4	53	2.06	>10000	539.3	6.7	6	<0.1	4.4	0.5	<2	0.02
REP 1243746	QC		661																		
Reference Materials																					
STD DS9	Standard			11.8	109.1	132.4	324	1.9	40.5	7.9	592	2.42	27.5	107.4	6.9	75	2.6	4.9	6.6	40	0.72
STD OREAS45EA	Standard			1.3	676.5	14.9	31	0.3	376.6	51.2	392	23.46	10.3	65.2	10.6	4	<0.1	0.1	0.3	295	0.03
STD OXK94	Standard		3598																		
STD SH55	Standard		1399																		
STD SH55	Standard		1368																		
STD SH55	Standard		1448																		
STD OXK94 Expected			3562																		
STD SH55 Expected			1375																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.4	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	2.8	3.4	42	<0.1	2.5	3.9	553	1.89	8.4	<0.5	5.3	57	<0.1	<0.1	<0.1	35	0.48
G1-WHI	Prep Blank		<2	<0.1	3.8	3.4	43	<0.1	2.9	3.9	532	1.87	9.1	<0.5	5.2	53	<0.1	<0.1	<0.1	34	0.48

QUALITY CONTROL REPORT

WHI13000089.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1243735	Rock	0.017	17	9	0.23	48	0.001	<20	0.58	0.022	0.11	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	2	<0.2
REP 1243735	QC	0.017	17	10	0.23	48	0.002	<20	0.58	0.023	0.11	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	2	<0.2
1243746	Rock	0.012	7	7	0.02	109	<0.001	<20	0.12	0.039	0.04	<0.1	<0.01	<0.1	0.63	0.3	<0.5	<1	<0.2
REP 1243746	QC																		
Reference Materials																			
STD DS9	Standard	0.084	13	119	0.64	340	0.109	<20	0.97	0.084	0.42	3.0	0.22	5.4	0.17	2.4	5.4	4	5.4
STD OREAS45EA	Standard	0.029	7	847	0.10	149	0.089	<20	3.13	0.015	0.05	<0.1	0.01	<0.1	<0.05	76.4	<0.5	12	<0.2
STD OXK94	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD OXK94 Expected																			
STD SH55 Expected																			
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.076	12	6	0.49	183	0.122	<20	0.96	0.099	0.50	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.070	10	6	0.49	148	0.117	<20	0.95	0.084	0.47	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2