

Acme Analytical Laboratories (Vancouver) Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Goldstrike Resources Ltd.**  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 27, 2013  
Report Date: August 23, 2013  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI13000065.1

### CLIENT JOB INFORMATION

Project: Plateau South  
Shipment ID: PLAS\_ROCK\_2013\_1  
P.O. Number  
Number of Samples: 18

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3  
CANADA

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	18	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	18	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

# CERTIFICATE OF ANALYSIS

WHI13000065.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1237451	Rock	0.66	312	0.4	3.8	6.4	30	<0.1	28.3	12.1	74	2.25	>10000	338.6	9.0	7	0.3	2.0	0.2	4
1237460	Rock	0.72	975	0.1	12.6	28.6	71	0.1	35.3	22.1	658	1.78	6938	1467	6.0	8	0.3	1.2	0.2	5
1237468	Rock	0.89	<2	0.1	5.3	5.8	12	<0.1	4.2	2.6	99	0.75	22.9	0.7	5.3	3	<0.1	<0.1	<0.1	<2
1237470	Rock	0.39	<2	0.1	147.1	1.3	6	<0.1	207.3	24.2	70	2.91	19.0	4.8	0.3	<1	<0.1	0.2	<0.1	<2
1243919	Rock	1.74	160	0.1	3.7	7.5	7	<0.1	2.7	1.7	73	1.06	6022	117.0	1.8	3	<0.1	1.4	0.2	<2
1243920	Rock	2.20	16	<0.1	11.1	16.0	51	<0.1	14.1	4.6	672	1.56	1754	12.2	6.8	11	0.2	0.6	<0.1	6
1243921	Rock	2.27	1050	0.2	2.7	549.3	35	2.0	4.1	2.2	68	1.37	9762	805.9	3.5	19	0.5	1.9	4.0	<2
1243922	Rock	1.37	163	0.1	4.1	97.7	46	0.2	9.1	3.2	104	1.37	4764	170.8	7.6	17	0.2	0.7	0.5	6
1243923	Rock	2.16	720	0.1	7.2	13.9	6	0.2	4.7	3.4	43	1.62	>10000	859.7	2.5	9	0.4	3.7	1.2	<2
1243924	Rock	2.06	55	0.1	3.9	185.8	39	0.5	4.7	1.8	174	1.07	2338	36.5	3.3	16	0.3	0.6	1.1	<2
1243925	Rock	2.22	546	0.2	2.1	233.6	31	0.9	13.3	5.1	67	2.08	>10000	521.4	2.1	6	0.2	4.0	1.9	<2
1243926	Rock	1.43	4	<0.1	15.3	26.8	18	<0.1	10.2	1.6	77	1.00	693.1	10.4	6.0	4	<0.1	0.3	0.3	2
1243927	Rock	2.17	359	0.1	14.7	19.5	28	<0.1	5.2	1.6	125	1.58	1279	246.0	6.4	4	<0.1	0.5	<0.1	6
1243929	Rock	2.07	257	<0.1	5.2	112.9	23	0.4	4.7	0.9	365	0.74	549.1	9.1	2.5	5	0.2	0.3	0.9	2
1243930	Rock	1.69	17	<0.1	2.1	215.0	35	0.7	5.7	2.0	261	0.86	1168	12.8	3.7	4	0.3	0.3	1.3	<2
1243931	Rock	0.56	564	<0.1	11.0	18.2	9	0.2	3.4	0.8	117	0.80	816.7	1370	3.2	7	<0.1	0.2	0.5	<2
1247953	Rock	1.05	85	0.2	81.2	37.4	4	0.2	4.4	11.1	36	1.57	7739	76.5	6.0	6	0.2	2.0	0.4	<2
1247959	Rock	1.43	3093	0.5	20.8	52.5	2	0.7	2.1	1.2	28	0.90	6402	3068	0.6	3	<0.1	1.4	5.7	<2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 2

## CERTIFICATE OF ANALYSIS

WHI13000065.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1237451	Rock	0.003	10	6	0.15	369	<0.001	<20	0.39	0.036	0.10	0.4	<0.01	<0.1	0.51	1.4	0.7	1
1237460	Rock	0.009	7	13	0.21	458	0.002	<20	0.40	0.010	0.08	0.1	<0.01	<0.1	0.31	1.2	0.9	2
1237468	Rock	0.014	9	8	0.09	24	0.009	<20	0.26	0.006	0.10	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1
1237470	Rock	0.002	<1	5	0.01	7	<0.001	<20	0.02	0.001	<0.01	<0.1	<0.01	<0.1	1.87	<0.1	0.8	<1
1243919	Rock	0.003	4	4	0.02	110	<0.001	<20	0.13	0.003	0.07	<0.1	<0.01	<0.1	0.22	0.5	0.6	<1
1243920	Rock	0.009	10	12	0.32	140	0.010	<20	0.67	0.031	0.13	0.3	<0.01	<0.1	0.06	1.4	<0.5	2
1243921	Rock	0.014	7	6	0.04	281	<0.001	<20	0.24	0.029	0.06	0.2	<0.01	<0.1	0.30	0.7	<0.5	<1
1243922	Rock	0.044	12	12	0.14	159	0.002	<20	0.44	0.035	0.11	0.2	<0.01	<0.1	0.16	1.3	<0.5	2
1243923	Rock	0.003	4	4	<0.01	139	<0.001	<20	0.14	0.003	0.06	0.2	<0.01	<0.1	0.43	0.5	<0.5	<1
1243924	Rock	0.043	7	6	0.03	63	<0.001	<20	0.22	0.022	0.06	0.1	<0.01	<0.1	0.06	1.0	<0.5	<1
1243925	Rock	0.002	4	5	0.05	352	<0.001	<20	0.18	0.012	0.05	<0.1	<0.01	<0.1	0.78	0.6	0.5	<1
1243926	Rock	0.009	12	8	0.09	73	0.002	<20	0.27	0.040	0.04	0.6	<0.01	<0.1	<0.05	0.7	<0.5	<1
1243927	Rock	0.009	11	14	0.21	86	0.006	<20	0.53	0.029	0.09	0.2	<0.01	<0.1	<0.05	1.1	<0.5	2
1243929	Rock	0.002	5	8	0.09	33	0.002	<20	0.18	0.035	0.03	0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1
1243930	Rock	0.012	8	4	0.08	158	<0.001	<20	0.31	0.028	0.03	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	<1
1243931	Rock	0.036	11	8	0.06	24	0.002	<20	0.12	0.002	0.02	0.4	<0.01	<0.1	<0.05	0.5	<0.5	<1
1247953	Rock	0.004	8	5	0.02	98	<0.001	<20	0.17	0.043	0.02	<0.1	<0.01	<0.1	0.61	0.4	<0.5	<1
1247959	Rock	<0.001	1	6	<0.01	19	<0.001	<20	0.05	0.016	0.02	<0.1	<0.01	<0.1	0.25	0.1	<0.5	<1

## QUALITY CONTROL REPORT

WHI13000065.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243922	Rock	1.37	163	0.1	4.1	97.7	46	0.2	9.1	3.2	104	1.37	4764	170.8	7.6	17	0.2	0.7	0.5	6	0.09
REP 1243922	QC		162																		
1243927	Rock	2.17	359	0.1	14.7	19.5	28	<0.1	5.2	1.6	125	1.58	1279	246.0	6.4	4	<0.1	0.5	<0.1	6	0.01
REP 1243927	QC			0.2	14.4	19.3	27	<0.1	5.5	1.6	127	1.56	1273	109.0	6.4	4	<0.1	0.4	0.1	6	0.01
1243931	Rock	0.56	564	<0.1	11.0	18.2	9	0.2	3.4	0.8	117	0.80	816.7	1370	3.2	7	<0.1	0.2	0.5	<2	0.07
REP 1243931	QC		518																		
Core Reject Duplicates																					
1237460	Rock	0.72	975	0.1	12.6	28.6	71	0.1	35.3	22.1	658	1.78	6938	1467	6.0	8	0.3	1.2	0.2	5	0.02
DUP 1237460	QC		999	0.1	12.6	28.0	70	<0.1	35.7	23.0	661	1.74	6648	956.3	5.6	8	0.2	1.0	0.2	5	0.02
Reference Materials																					
STD DS9	Standard			14.2	111.6	133.7	315	2.3	40.2	7.4	597	2.40	25.8	141.8	6.1	73	2.5	5.1	5.9	39	0.73
STD OREAS45EA	Standard			1.4	697.3	15.0	31	0.3	372.2	51.0	427	23.21	9.9	60.9	10.9	4	<0.1	0.2	0.2	299	0.04
STD OXK94	Standard		3719																		
STD OXK94	Standard		3675																		
STD SH55	Standard		1394																		
STD SH55	Standard		1406																		
STD SH55 Expected			1375																		
STD OXK94 Expected			3562																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.9	3.6	48	<0.1	2.3	3.9	596	1.94	0.5	1.2	5.6	66	<0.1	<0.1	<0.1	37	0.55
G1-WHI	Prep Blank		<2	<0.1	18.3	3.4	47	<0.1	20.4	4.7	581	1.93	<0.5	<0.5	5.6	70	<0.1	<0.1	<0.1	37	0.47

## QUALITY CONTROL REPORT

WHI13000065.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1243922	Rock		0.044	12	12	0.14	159	0.002	<20	0.44	0.035	0.11	0.2	<0.01	<0.1	0.16	1.3	<0.5	2	1.6
REP 1243922	QC																			
1243927	Rock		0.009	11	14	0.21	86	0.006	<20	0.53	0.029	0.09	0.2	<0.01	<0.1	<0.05	1.1	<0.5	2	0.3
REP 1243927	QC		0.009	12	14	0.22	85	0.006	<20	0.54	0.028	0.09	0.2	<0.01	<0.1	<0.05	1.0	<0.5	2	0.3
1243931	Rock		0.036	11	8	0.06	24	0.002	<20	0.12	0.002	0.02	0.4	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
REP 1243931	QC																			
Core Reject Duplicates																				
1237460	Rock		0.009	7	13	0.21	458	0.002	<20	0.40	0.010	0.08	0.1	<0.01	<0.1	0.31	1.2	0.9	2	1.4
DUP 1237460	QC		0.008	7	13	0.20	446	0.002	<20	0.39	0.009	0.07	<0.1	0.01	<0.1	0.30	1.2	0.6	1	1.3
Reference Materials																				
STD DS9	Standard		0.081	13	117	0.64	331	0.106	<20	0.99	0.085	0.42	3.3	0.19	5.3	0.17	2.1	3.9	5	5.1
STD OREAS45EA	Standard		0.029	7	808	0.10	147	0.083	<20	3.10	0.018	0.05	<0.1	0.02	<0.1	<0.05	79.2	0.9	13	<0.2
STD OXK94	Standard																			
STD OXK94	Standard																			
STD SH55	Standard																			
STD SH55	Standard																			
STD SH55 Expected																				
STD OXK94 Expected																				
STD DS9 Expected			0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected			0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank		0.073	11	5	0.54	170	0.122	<20	1.05	0.111	0.55	<0.1	0.01	0.4	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank		0.070	13	10	0.65	167	0.118	<20	1.01	0.102	0.51	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2