

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 03, 2013
Report Date: August 23, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000086.1

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PLAS_ROCK_2013_4
P.O. Number
Number of Samples: 6

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
M150	6	Crush, Pulverize and Sieve 500g, save +150 and -150 mes			VAN
M150	6	Weight Total fraction by metallics screen 150# ty			VAN
G602-G612	6	Metallic Au by Grav Finish	30	Completed	VAN
1DX1	6	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000086.1

	Method	WGHT	M150	G6.ME	G6.ME	G6.ME	G6.ME	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	TotWt	- Au	+ Wt	+ Au	Tot Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd
	Unit	kg	g	gm/t	g	mg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm
	MDL	0.01	1	0.01	0.01	0.005	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1
1243948	Rock	0.54	400	21.72	24.76	5.707	34.65	0.2	1.6	43.6	12	3.5	3.0	1.1	39	0.69	2197	82906	2.0	2	0.2
1243949	Rock	3.02	520	25.43	26.81	10.62	44.54	0.2	8.1	253.8	52	1.6	5.0	1.4	123	1.06	405.3	21258	2.1	2	0.2
1243950	Rock	0.41	335	141.3	24.43	73.86	351.5	0.2	31.4	90.9	63	22.5	5.1	1.5	73	1.27	285.5	>100000	4.1	2	0.2
1243943	Rock	2.96	545	50.79	25.03	45.45	131.8	0.3	6.1	253.5	111	4.3	4.8	1.0	114	1.18	591.0	53999	2.7	2	0.3
1243944	Rock	0.55	435	6.43	25.93	3.165	13.32	0.2	4.0	66.3	10	4.9	6.6	1.9	64	0.68	596.8	55523	2.6	2	0.1
1237481	Rock	0.84	535	185.8	26.61	75.45	317.6	0.2	16.7	64.7	23	23.6	5.0	1.5	94	1.18	595.7	>100000	3.8	3	0.2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI13000086.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
	Unit	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
	MDL	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1243948	Rock	0.6	0.4	<2	<0.01	0.002	4	3	<0.01	106	<0.001	<20	0.07	0.013	0.02	<0.1	<0.01	0.4	<0.1	0.08
1243949	Rock	0.2	2.1	<2	<0.01	0.003	4	4	0.02	20	<0.001	<20	0.12	0.025	0.03	<0.1	<0.01	0.7	<0.1	<0.05
1243950	Rock	0.2	5.9	<2	<0.01	0.004	7	4	0.02	58	<0.001	<20	0.18	0.015	0.06	<0.1	0.04	0.6	<0.1	<0.05
1243943	Rock	0.2	4.9	<2	<0.01	0.003	5	4	<0.01	27	<0.001	<20	0.14	0.026	0.04	<0.1	0.01	0.7	<0.1	<0.05
1243944	Rock	0.2	1.0	<2	<0.01	0.002	4	3	0.01	35	<0.001	<20	0.11	0.032	0.03	<0.1	<0.01	0.4	<0.1	<0.05
1237481	Rock	0.9	56.9	<2	<0.01	0.004	7	5	<0.01	39	<0.001	<20	0.12	0.025	0.04	<0.1	0.04	0.5	<0.1	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI13000086.1

	Method Analyte Unit MDL	1DX	1DX
		Se	Te
		ppm	ppm
		0.5	0.2
1243948	Rock	<0.5	<0.2
1243949	Rock	<0.5	<0.2
1243950	Rock	0.7	0.4
1243943	Rock	<0.5	<0.2
1243944	Rock	<0.5	<0.2
1237481	Rock	<0.5	3.6

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI13000086.1

	Method Analyte Unit MDL	WGHT	M150	G6.ME	G6.ME	G6.ME	G6.ME	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	TotWt	- Au	+ Wt	+ Au	Tot Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd
		kg	g	gm/t	g	mg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm
		0.01	1	0.01	0.01	0.005	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1
Pulp Duplicates																					
1237481	Rock	0.84	535	185.8	26.61	75.45	317.6	0.2	16.7	64.7	23	23.6	5.0	1.5	94	1.18	595.7	>100000	3.8	3	0.2
REP 1237481	QC							0.2	16.3	64.1	21	27.3	5.1	1.6	88	1.16	592.3	>100000	3.7	2	0.1
Reference Materials																					
STD AGPROOF	Standard					<0.005															
STD CDN-ME-6	Standard				29.57	0.008															
STD DS9	Standard							11.9	107.5	128.3	311	1.8	40.6	7.7	577	2.32	25.4	157.8	6.0	66	2.4
STD OREAS45EA	Standard							1.2	667.6	14.3	29	0.3	365.7	51.9	414	22.38	6.8	51.8	10.2	3	<0.1
STD SP49	Standard				30.40	0.555															
STD DS9 Expected								12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4
STD OREAS45EA Expected								1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03
BLK	Blank				30.00	<0.005															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	3.3	<0.1	<1	<0.1
Prep Wash																					
G1-WHI	Prep Blank		545	<0.01	23.00	<0.005	<0.01	0.1	2.9	3.7	46	<0.1	3.0	4.3	585	2.14	1.5	<0.5	5.7	69	<0.1

QUALITY CONTROL REPORT

WHI13000086.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga
		ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm
		0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1
Pulp Duplicates																					
1237481	Rock	0.9	56.9	<2	<0.01	0.004	7	5	<0.01	39	<0.001	<20	0.12	0.025	0.04	<0.1	0.04	0.5	<0.1	<0.05	<1
REP 1237481	QC	0.8	56.8	<2	<0.01	0.003	7	4	<0.01	40	<0.001	<20	0.12	0.025	0.04	<0.1	0.08	0.4	<0.1	<0.05	<1
Reference Materials																					
STD AGPROOF	Standard																				
STD CDN-ME-6	Standard																				
STD DS9	Standard	4.1	6.1	38	0.69	0.081	12	118	0.62	323	0.104	<20	0.95	0.078	0.40	2.6	0.19	2.3	5.1	0.16	4
STD OREAS45EA	Standard	0.1	0.3	289	0.04	0.026	6	797	0.09	146	0.084	<20	2.96	0.018	0.05	<0.1	<0.01	73.1	<0.1	<0.05	12
STD SP49	Standard																				
STD DS9 Expected		4.94	6.32	40	0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59
STD OREAS45EA Expected		0.64	0.26	295	0.032	0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	78	0.072	0.044	11.7
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1
Prep Wash																					
G1-WHI	Prep Blank	<0.1	<0.1	39	0.56	0.080	14	6	0.55	171	0.137	<20	1.10	0.113	0.55	<0.1	<0.01	2.5	0.3	<0.05	5

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South
Report Date: August 23, 2013

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI13000086.1

Method		1DX	1DX
Analyte		Se	Te
Unit		ppm	ppm
MDL		0.5	0.2
Pulp Duplicates			
1237481	Rock	<0.5	3.6
REP 1237481	QC	<0.5	3.3
Reference Materials			
STD AGPROOF	Standard		
STD CDN-ME-6	Standard		
STD DS9	Standard	4.1	5.2
STD OREAS45EA	Standard	<0.5	<0.2
STD SP49	Standard		
STD DS9 Expected		5.2	5.02
STD OREAS45EA Expected		2.09	0.11
BLK	Blank		
BLK	Blank	<0.5	<0.2
Prep Wash			
G1-WHI	Prep Blank	<0.5	<0.2