

Acme Analytical Laboratories (Vancouver) Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Goldstrike Resources Ltd.**  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 03, 2013  
Report Date: August 23, 2013  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI13000087.1

### CLIENT JOB INFORMATION

Project: Plateau South  
Shipment ID: PLAS\_ROCK\_2013\_5  
P.O. Number  
Number of Samples: 53

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3  
CANADA

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	53	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	53	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	53	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

# CERTIFICATE OF ANALYSIS

WHI13000087.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1243945	Rock	0.45	<2	0.1	53.8	107.7	30	0.4	22.0	8.9	348	1.68	10.7	<0.5	3.0	35	<0.1	1.3	1.4	<2
1243946	Rock	0.81	<2	0.1	8.4	2.7	18	<0.1	14.0	4.4	329	1.03	5.1	<0.5	2.8	5	<0.1	0.5	<0.1	<2
1243947	Rock	2.09	1232	0.1	5.2	10.4	4	<0.1	3.3	1.5	29	1.33	9550	700.6	3.1	7	<0.1	1.7	1.1	<2
1241801	Rock	1.18	522	0.2	7.9	32.6	22	0.2	7.2	3.7	120	1.76	6657	902.9	4.6	4	0.2	1.0	1.5	2
1241802	Rock	2.38	92	0.2	6.0	11.0	20	<0.1	7.3	2.5	71	1.21	2139	46.6	4.2	3	0.2	0.5	0.2	<2
1241803	Rock	2.47	62	<0.1	4.8	5.2	10	<0.1	5.6	2.2	98	0.82	2236	39.8	4.5	2	0.1	0.4	0.2	<2
1241804	Rock	1.98	3	0.1	5.7	11.8	12	<0.1	4.6	1.7	102	0.95	38.9	0.9	2.3	3	<0.1	0.2	0.1	2
1241805	Rock	1.99	>10000	0.1	8.8	44.6	24	1.4	5.3	1.9	124	0.83	905.8	40282	3.5	2	0.2	0.2	0.3	<2
1241806	Rock	2.77	5316	0.1	39.7	1436	177	10.3	2.9	2.3	43	1.73	>10000	2891	3.2	7	2.1	2.4	23.7	<2
1241807	Rock	2.67	64	0.1	21.2	9.8	15	<0.1	5.6	1.6	98	1.75	2601	55.6	5.7	4	<0.1	0.8	0.2	<2
1241808	Rock	4.44	161	<0.1	18.6	22.6	48	0.2	9.2	4.4	315	1.88	4549	184.3	5.7	15	0.1	1.9	1.2	3
1242952	Rock	1.34	47	0.1	3.5	38.1	19	<0.1	4.9	1.9	174	1.04	1908	40.8	4.7	4	<0.1	0.7	0.1	2
1237479	Rock	0.64	278	0.2	4.8	69.8	36	0.4	6.7	3.3	221	1.09	2314	48.8	5.5	4	0.3	0.5	1.1	<2
1237480	Rock	2.29	9834	0.1	14.6	52.8	37	0.8	4.1	1.6	91	1.03	787.7	17403	5.0	3	0.4	0.2	0.4	<2
1237482	Rock	1.52	31	0.2	15.4	9.6	27	<0.1	9.2	4.7	190	1.48	1614	25.9	6.5	4	0.3	0.3	<0.1	4
1237483	Rock	2.26	11	<0.1	26.0	6.5	19	<0.1	7.7	3.9	302	1.20	11.1	7.1	3.1	10	<0.1	<0.1	<0.1	6
1237484	Rock	0.99	4335	0.2	10.4	75.4	54	0.6	7.4	2.2	77	1.30	2183	4709	4.9	3	0.5	0.4	0.9	2
1247977	Rock	1.19	657	0.1	11.1	3.4	108	<0.1	11.9	3.7	95	0.84	914.1	827.8	4.1	4	0.5	0.2	<0.1	<2
1247978	Rock	1.32	26	0.2	2.1	2.9	5	0.2	1.5	0.5	35	0.47	31.9	25.1	0.6	2	<0.1	0.5	<0.1	<2
1247979	Rock	0.92	3493	0.3	13.8	824.2	321	3.0	6.7	6.2	209	7.12	>10000	3300	5.9	12	1.9	25.6	2.3	2
1247980	Rock	1.26	310	0.1	7.2	12.1	14	0.1	5.9	3.9	85	1.29	4843	404.0	6.3	5	<0.1	1.6	0.1	<2
1247981	Rock	1.42	1339	0.1	10.5	2101	668	4.3	2.6	1.4	58	1.73	7066	3283	5.9	10	5.9	4.0	2.7	<2
1247982	Rock	0.92	464	<0.1	3.5	1350	604	2.9	3.8	3.0	219	1.21	1939	191.9	5.9	6	3.2	2.0	1.9	<2
1247983	Rock	1.10	20	0.1	21.4	15.5	91	<0.1	8.7	5.1	422	7.10	50.1	17.4	6.1	6	<0.1	0.3	0.2	13
1247984	Rock	1.10	2	0.6	38.1	32.3	67	<0.1	10.1	5.5	167	3.41	8.8	7.3	14.1	28	<0.1	<0.1	0.4	11
1247985	Rock	1.10	71	0.3	44.7	8.8	70	<0.1	14.5	10.2	490	3.80	90.9	20.8	12.8	6	0.1	0.2	0.1	9
1247986	Rock	0.92	6	0.1	6.5	16.0	42	<0.1	19.9	10.2	457	2.06	46.9	7.5	6.2	14	0.1	<0.1	0.1	6
1247987	Rock	1.15	29	<0.1	15.3	10.5	18	<0.1	5.9	2.8	275	1.70	126.5	27.8	4.9	5	<0.1	0.1	<0.1	3
1233075	Rock	0.73	3739	0.4	6.2	8.9	2	0.6	32.9	29.0	49	6.19	>10000	4684	2.0	5	<0.1	31.2	1.1	<2
1233076	Rock	1.06	17	<0.1	2.0	3.0	15	<0.1	5.5	2.3	341	1.01	126.8	17.4	6.9	7	<0.1	<0.1	<0.1	3

# CERTIFICATE OF ANALYSIS

WHI13000087.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1243945	Rock	0.006	1	3	0.19	6	0.001	<20	0.23	0.009	0.02	<0.1	<0.01	<0.1	0.43	0.5	<1	<0.2
1243946	Rock	0.015	3	2	0.02	35	<0.001	<20	0.11	0.019	0.01	<0.1	<0.01	<0.1	0.06	0.7	<0.5	<1
1243947	Rock	0.004	6	2	<0.01	247	<0.001	<20	0.10	0.013	0.06	<0.1	<0.01	<0.1	0.28	0.3	<1	3.2
1241801	Rock	0.004	6	1	0.04	159	<0.001	<20	0.18	0.025	0.06	0.1	<0.01	<0.1	0.25	1.1	<0.5	<1
1241802	Rock	0.009	8	3	0.02	53	<0.001	<20	0.17	0.030	0.05	<0.1	<0.01	<0.1	0.07	0.9	<0.5	<1
1241803	Rock	0.004	8	2	0.01	107	<0.001	<20	0.16	0.025	0.06	<0.1	<0.01	<0.1	0.06	0.5	<0.5	<1
1241804	Rock	0.009	5	3	0.05	17	0.002	<20	0.18	0.004	0.07	0.1	<0.01	<0.1	<0.05	0.5	<0.5	1
1241805	Rock	0.004	6	3	0.04	48	<0.001	<20	0.17	0.026	0.05	0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1
1241806	Rock	0.003	6	3	0.04	222	<0.001	<20	0.22	0.015	0.07	<0.1	0.08	<0.1	0.31	0.7	0.9	<1
1241807	Rock	0.012	10	4	0.07	179	<0.001	<20	0.36	0.042	0.07	0.1	<0.01	<0.1	0.07	1.3	<0.5	<1
1241808	Rock	0.005	7	6	0.19	44	0.004	<20	0.34	0.056	0.09	2.6	<0.01	<0.1	0.28	1.4	<0.5	<1
1242952	Rock	0.017	8	6	0.09	15	<0.001	<20	0.21	0.037	0.01	<0.1	<0.01	<0.1	0.13	1.1	<0.5	<1
1237479	Rock	0.005	9	3	0.02	164	<0.001	<20	0.18	0.036	0.09	0.1	<0.01	<0.1	0.09	0.6	<0.5	<1
1237480	Rock	0.003	10	3	0.02	53	<0.001	<20	0.20	0.030	0.05	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1
1237482	Rock	0.010	13	7	0.13	129	0.002	<20	0.34	0.030	0.09	0.3	<0.01	<0.1	0.06	0.8	<0.5	1
1237483	Rock	0.008	6	7	0.20	74	0.010	<20	0.50	0.021	0.13	<0.1	<0.01	<0.1	<0.05	1.1	<0.5	2
1237484	Rock	0.006	10	4	0.02	114	<0.001	<20	0.20	0.029	0.05	0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1
1247977	Rock	0.002	7	3	0.02	27	<0.001	<20	0.10	0.013	0.04	0.4	<0.01	<0.1	0.17	0.4	<0.5	<1
1247978	Rock	0.002	3	2	<0.01	15	<0.001	<20	0.09	0.002	0.06	0.2	<0.01	<0.1	<0.05	0.3	<0.5	<1
1247979	Rock	0.011	5	4	0.08	18	<0.001	<20	0.20	0.020	0.03	3.6	<0.01	<0.1	3.16	0.5	1.5	<1
1247980	Rock	0.012	8	3	0.05	28	<0.001	<20	0.17	0.034	0.04	<0.1	<0.01	<0.1	0.25	0.6	<0.5	<1
1247981	Rock	0.008	4	2	0.02	124	<0.001	<20	0.12	0.036	0.04	<0.1	0.04	<0.1	0.40	0.5	<0.5	<1
1247982	Rock	0.008	4	3	0.02	105	<0.001	<20	0.12	0.045	0.03	<0.1	<0.01	<0.1	0.15	0.9	<0.5	<1
1247983	Rock	0.014	7	19	1.48	44	0.005	<20	2.47	0.064	0.02	<0.1	<0.01	<0.1	0.70	3.6	<0.5	5
1247984	Rock	0.157	16	35	0.71	24	0.004	<20	1.36	0.003	0.04	<0.1	<0.01	<0.1	0.09	1.2	<0.5	4
1247985	Rock	0.007	11	20	0.68	25	0.003	<20	1.16	0.089	<0.01	<0.1	<0.01	<0.1	0.11	3.9	<0.5	3
1247986	Rock	0.019	11	11	0.33	29	0.001	<20	0.66	0.066	0.02	<0.1	<0.01	<0.1	0.10	1.9	<0.5	2
1247987	Rock	0.013	6	5	0.15	53	<0.001	<20	0.33	0.038	0.01	<0.1	<0.01	<0.1	0.49	1.4	<0.5	<1
1233075	Rock	0.004	2	1	<0.01	50	<0.001	<20	0.04	0.015	0.01	<0.1	<0.01	<0.1	3.06	<0.1	1.5	<1
1233076	Rock	0.017	9	6	0.10	57	<0.001	<20	0.24	0.053	0.03	<0.1	<0.01	<0.1	0.17	1.3	<0.5	<1

# CERTIFICATE OF ANALYSIS

WHI13000087.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1233077	Rock	1.13	163	0.2	10.6	62.4	17	0.1	5.6	2.5	55	1.68	4882	183.5	5.6	8	<0.1	2.6	0.2	<2
1233078	Rock	1.26	24	0.1	15.8	8.0	29	<0.1	16.0	5.6	239	2.03	305.5	19.5	7.7	9	<0.1	0.5	<0.1	2
1233079	Rock	1.25	3	0.1	45.0	7.3	6	<0.1	16.3	6.7	57	1.12	30.2	1.1	2.8	2	<0.1	0.1	<0.1	<2
1233080	Rock	1.31	>10000	1.1	2.7	54.3	5	3.3	42.2	57.2	27	33.51	>10000	22774	0.3	8	0.2	122.5	1.9	5
1233081	Rock	0.88	9563	0.3	7.7	263.2	32	4.4	18.6	54.2	32	8.83	>10000	12652	4.8	10	0.5	47.3	7.0	<2
1233082	Rock	0.45	>10000	0.7	7.1	93.3	4	3.1	1.0	1.2	17	21.71	>10000	13853	2.7	3	<0.1	108.7	1.7	3
1233083	Rock	1.10	>10000	0.9	4.6	435.0	4	6.3	0.6	2.0	13	20.34	>10000	11972	2.9	1	<0.1	121.4	2.2	3
1233084	Rock	1.85	7630	1.0	5.1	1597	16	8.3	3.3	8.0	11	29.92	>10000	8391	2.4	2	0.3	149.2	9.3	6
1233062	Rock	0.89	328	0.4	17.5	44.1	50	0.2	13.6	8.0	256	3.76	>10000	295.9	7.2	10	<0.1	2.3	0.6	14
1233063	Rock	0.63	131	<0.1	1.0	6.2	6	<0.1	4.0	2.3	146	0.66	2107	154.1	7.2	4	<0.1	0.8	0.2	<2
1233064	Rock	0.80	50	0.1	2.9	4.7	8	<0.1	5.8	3.1	99	0.92	1384	30.5	8.2	5	<0.1	0.5	<0.1	3
1233065	Rock	0.36	3	<0.1	1.8	1.4	2	<0.1	1.3	0.8	55	0.31	70.4	<0.5	0.4	<1	<0.1	<0.1	<0.1	<2
1233066	Rock	0.40	4	<0.1	1.4	0.4	<1	<0.1	0.7	0.3	29	0.39	168.2	2.2	<0.1	<1	<0.1	<0.1	<0.1	<2
1233067	Rock	0.65	4	0.2	4.1	7.5	9	<0.1	5.2	2.4	77	0.91	106.8	2.4	7.2	4	<0.1	<0.1	<0.1	3
1233068	Rock	1.97	182	0.1	4.3	5.0	4	<0.1	4.4	2.2	56	0.99	192.5	216.7	5.7	8	<0.1	<0.1	<0.1	<2
1233069	Rock	1.32	296	0.2	15.1	6.3	5	0.1	11.2	5.9	160	1.76	6718	408.4	7.9	12	<0.1	2.6	0.4	<2
1233070	Rock	0.91	930	0.2	38.7	21.0	6	0.3	15.9	20.2	123	3.55	>10000	1077	6.0	8	<0.1	10.1	1.2	<2
1233071	Rock	1.07	36	<0.1	9.0	9.8	51	<0.1	4.5	2.2	209	0.78	138.6	64.0	8.0	13	1.2	<0.1	<0.1	<2
1233072	Rock	0.60	1498	0.2	2.1	8.8	6	0.3	3.3	3.5	46	4.08	>10000	2146	6.7	4	<0.1	13.8	1.9	<2
1233073	Rock	0.71	1361	0.3	2.0	7.7	7	0.2	5.6	3.6	112	1.81	>10000	1165	6.4	4	<0.1	4.7	0.8	<2
1233074	Rock	0.97	304	0.2	1.7	15.0	6	<0.1	4.1	5.4	145	1.25	8415	265.0	5.8	14	<0.1	3.7	0.6	<2
1232305	Rock	4.40	237	0.3	17.3	7.8	26	<0.1	3.9	3.1	622	2.47	444.9	273.3	5.4	23	<0.1	0.2	<0.1	3
1232306	Rock	1.38	301	0.1	7.0	5.3	9	0.1	8.1	3.7	222	1.25	3083	689.5	8.7	6	<0.1	1.2	0.1	<2

# CERTIFICATE OF ANALYSIS

WHI13000087.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Ti	S	Sc	Se	Ga
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1233077	Rock		0.010	7	5	0.08	10	<0.001	<20	0.21	0.037	0.02	<0.1	<0.01	<0.1	0.25	0.8	<0.5	<1
1233078	Rock		0.017	10	6	0.17	50	<0.001	<20	0.45	0.060	0.03	<0.1	<0.01	<0.1	0.23	2.0	<0.5	<1
1233079	Rock		0.004	6	2	0.02	23	<0.001	<20	0.08	0.003	0.03	<0.1	<0.01	<0.1	0.23	0.2	<0.5	<1
1233080	Rock		0.017	<1	2	<0.01	6	<0.001	<20	0.04	0.006	0.01	<0.1	<0.01	<0.1	>10	0.2	10.5	<1
1233081	Rock		0.017	3	2	0.03	76	<0.001	<20	0.17	0.013	0.08	0.2	<0.01	<0.1	3.11	0.3	4.2	<1
1233082	Rock		0.008	<1	1	<0.01	27	<0.001	<20	0.21	0.007	0.04	<0.1	<0.01	<0.1	6.29	0.2	5.9	<1
1233083	Rock		0.010	<1	1	<0.01	24	<0.001	<20	0.15	0.004	0.02	<0.1	<0.01	<0.1	4.67	0.1	8.2	<1
1233084	Rock		0.005	<1	1	<0.01	15	<0.001	<20	0.12	0.007	0.02	<0.1	<0.01	<0.1	9.43	0.2	7.2	<1
1233062	Rock		0.007	8	13	0.53	46	0.002	<20	1.00	0.038	0.03	<0.1	<0.01	<0.1	0.48	2.1	1.1	4
1233063	Rock		0.012	9	3	0.04	57	<0.001	<20	0.13	0.024	0.03	<0.1	<0.01	<0.1	0.10	0.6	0.5	<1
1233064	Rock		0.014	12	6	0.10	366	<0.001	<20	0.28	0.034	0.05	<0.1	<0.01	<0.1	0.07	0.9	<0.5	<1
1233065	Rock		<0.001	<1	1	<0.01	9	<0.001	<20	0.02	0.003	<0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1
1233066	Rock		<0.001	<1	2	<0.01	21	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1
1233067	Rock		0.012	12	7	0.10	72	0.001	<20	0.27	0.023	0.05	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1
1233068	Rock		0.015	8	2	0.02	261	<0.001	<20	0.11	0.027	0.04	<0.1	<0.01	<0.1	0.16	0.4	<0.5	<1
1233069	Rock		0.010	9	3	0.07	83	<0.001	<20	0.20	0.029	0.06	<0.1	<0.01	<0.1	0.70	0.7	<0.5	<1
1233070	Rock		0.014	5	2	0.04	81	<0.001	<20	0.16	0.020	0.03	<0.1	<0.01	<0.1	1.41	0.5	1.1	<1
1233071	Rock		0.013	7	2	0.06	59	<0.001	<20	0.10	0.036	0.03	<0.1	<0.01	<0.1	0.34	0.6	<0.5	<1
1233072	Rock		0.015	6	3	0.05	85	<0.001	<20	0.19	0.016	0.05	<0.1	<0.01	<0.1	1.77	0.4	1.3	<1
1233073	Rock		0.012	7	4	0.04	65	<0.001	<20	0.18	0.025	0.05	<0.1	<0.01	<0.1	0.60	0.2	0.5	<1
1233074	Rock		0.015	6	1	0.03	311	<0.001	<20	0.12	0.028	0.04	<0.1	<0.01	<0.1	0.35	0.5	<0.5	<1
1232305	Rock		0.002	7	5	0.27	31	<0.001	<20	0.52	0.066	0.03	<0.1	<0.01	<0.1	0.16	2.6	<0.5	1
1232306	Rock		0.005	11	3	0.07	51	<0.001	<20	0.24	0.043	0.05	<0.1	<0.01	<0.1	0.16	1.1	<0.5	<1

## QUALITY CONTROL REPORT

WHI13000087.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1247981	Rock	1.42	1339	0.1	10.5	2101	668	4.3	2.6	1.4	58	1.73	7066	3283	5.9	10	5.9	4.0	2.7	<2	0.03
REP 1247981	QC			0.1	10.4	2051	659	4.2	2.6	1.2	61	1.71	6989	701.7	5.8	10	5.5	3.8	2.7	<2	0.03
1232306	Rock	1.38	301	0.1	7.0	5.3	9	0.1	8.1	3.7	222	1.25	3083	689.5	8.7	6	<0.1	1.2	0.1	<2	0.19
REP 1232306	QC			0.1	6.4	5.1	9	<0.1	7.4	3.6	217	1.22	3041	214.8	8.5	6	<0.1	1.1	0.1	<2	0.18
Core Reject Duplicates																					
1241803	Rock	2.47	62	<0.1	4.8	5.2	10	<0.1	5.6	2.2	98	0.82	2236	39.8	4.5	2	0.1	0.4	0.2	<2	<0.01
DUP 1241803	QC		66	0.1	4.7	5.2	9	<0.1	5.7	2.1	94	0.81	2193	44.8	4.7	3	0.1	0.5	0.2	<2	<0.01
Reference Materials																					
STD DS9	Standard			12.0	113.3	132.1	329	1.9	41.6	7.9	601	2.44	28.2	128.6	6.8	75	2.5	4.6	6.8	42	0.73
STD DS9	Standard			11.4	106.7	123.5	296	1.8	39.6	7.6	558	2.22	27.5	106.8	5.9	70	2.4	4.4	6.2	37	0.67
STD OREAS45EA	Standard			1.2	698.9	15.3	31	0.3	375.6	51.7	394	24.20	15.6	71.6	10.7	4	<0.1	0.1	0.2	299	0.04
STD OREAS45EA	Standard			1.4	641.5	14.3	29	0.3	353.0	51.3	370	22.78	10.2	57.7	10.3	4	<0.1	0.2	0.2	282	0.03
STD OXK94	Standard		3567																		
STD OXK94	Standard		3507																		
STD SH55	Standard		1397																		
STD SH55	Standard		1360																		
STD SH55	Standard		1448																		
STD OXK94 Expected			3562																		
STD SH55 Expected			1375																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.4	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 2

Part: 2 of 2

## QUALITY CONTROL REPORT

WHI13000087.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1247981 Rock	0.008	4	2	0.02	124	<0.001	<20	0.12	0.036	0.04	<0.1	0.04	<0.1	0.40	0.5	<0.5	<1	<0.2
REP 1247981 QC	0.008	4	2	0.02	121	<0.001	<20	0.12	0.037	0.04	<0.1	0.04	<0.1	0.40	0.5	<0.5	<1	<0.2
1232306 Rock	0.005	11	3	0.07	51	<0.001	<20	0.24	0.043	0.05	<0.1	<0.01	<0.1	0.16	1.1	<0.5	<1	<0.2
REP 1232306 QC	0.004	11	3	0.07	49	<0.001	<20	0.24	0.043	0.04	<0.1	<0.01	<0.1	0.16	1.0	<0.5	<1	<0.2
Core Reject Duplicates																		
1241803 Rock	0.004	8	2	0.01	107	<0.001	<20	0.16	0.025	0.06	<0.1	<0.01	<0.1	0.06	0.5	<0.5	<1	0.4
DUP 1241803 QC	0.004	8	2	0.02	112	<0.001	<20	0.16	0.024	0.06	0.1	<0.01	<0.1	0.06	0.6	<0.5	<1	0.4
Reference Materials																		
STD DS9 Standard	0.083	13	119	0.64	335	0.111	<20	0.97	0.086	0.41	2.7	0.23	5.6	0.18	2.3	5.6	5	5.0
STD DS9 Standard	0.082	12	112	0.60	318	0.110	<20	0.91	0.084	0.40	2.6	0.22	5.2	0.16	2.2	4.9	4	4.8
STD OREAS45EA Standard	0.028	7	832	0.10	145	0.090	<20	3.07	0.023	0.06	<0.1	<0.01	<0.1	<0.05	77.3	<0.5	12	<0.2
STD OREAS45EA Standard	0.026	7	797	0.10	150	0.095	<20	2.88	0.018	0.05	<0.1	<0.01	<0.1	<0.05	72.0	<0.5	12	<0.2
STD OXK94 Standard																		
STD OXK94 Standard																		
STD SH55 Standard																		
STD SH55 Standard																		
STD SH55 Standard																		
STD OXK94 Expected																		
STD SH55 Expected																		
STD DS9 Expected	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected	0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK Blank																		
BLK Blank																		
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																		

## QUALITY CONTROL REPORT

WHI13000087.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G1-WHI	Prep Blank		<2	<0.1	4.2	3.3	50	<0.1	3.3	4.8	559	1.92	2.5	0.9	5.3	55	<0.1	<0.1	0.1	36	0.49
G1-WHI	Prep Blank		<2	0.1	4.1	3.8	49	<0.1	2.8	4.3	548	1.95	0.9	<0.5	5.8	54	<0.1	<0.1	0.2	36	0.48



## QUALITY CONTROL REPORT

WHI13000087.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
G1-WHI	Prep Blank	0.085	11	5	0.54	177	0.137	<20	0.94	0.074	0.51	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2
G1-WHI	Prep Blank	0.080	12	5	0.51	169	0.141	<20	0.93	0.086	0.51	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2