

Acme Analytical Laboratories (Vancouver) Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Goldstrike Resources Ltd.**  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 12, 2013  
Report Date: August 23, 2013  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI13000120.1

### CLIENT JOB INFORMATION

Project: Plateau South  
Shipment ID: PLAS\_ROCK\_2013\_7  
P.O. Number  
Number of Samples: 86

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3  
CANADA

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	86	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	86	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	86	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

# CERTIFICATE OF ANALYSIS

WHI13000120.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1241809	Rock	3.29	1191	0.3	18.6	6.4	16	0.2	5.6	2.6	74	1.68	5255	2152	8.7	12	<0.1	0.8	0.2	3
1241810	Rock	3.11	81	0.1	6.1	5.0	7	<0.1	1.0	0.3	35	0.59	111.3	59.1	3.1	7	<0.1	<0.1	0.6	<2
1241811	Rock	2.83	33	0.1	5.1	7.8	17	<0.1	7.6	3.4	198	0.86	1069	46.4	5.8	5	<0.1	0.2	<0.1	<2
1241812	Rock	2.55	140	0.1	9.3	8.3	14	<0.1	8.8	3.8	76	1.20	3138	191.7	8.8	4	<0.1	0.5	<0.1	<2
1241813	Rock	1.74	5398	0.2	2.8	8.7	13	0.5	11.5	3.7	58	1.30	7663	7001	6.2	4	0.2	1.4	0.4	<2
1241814	Rock	1.73	33	0.1	2.8	7.6	13	<0.1	5.2	2.4	52	0.81	916.7	52.3	3.7	2	<0.1	0.3	<0.1	<2
1241816	Rock	2.06	160	0.1	2.5	5.9	9	<0.1	13.8	6.0	41	1.01	6672	145.4	4.9	3	<0.1	1.1	<0.1	<2
1241818	Rock	1.20	54	0.1	9.3	2.9	6	<0.1	9.4	7.7	52	0.85	4507	58.0	8.3	3	0.2	0.8	0.1	<2
1241819	Rock	2.42	516	0.2	18.5	10.6	15	<0.1	6.2	3.2	56	1.13	2555	621.5	6.5	5	<0.1	0.5	0.3	2
1241820	Rock	1.35	220	0.1	15.7	28.3	12	0.2	5.5	2.1	82	1.04	608.0	56.4	4.1	2	0.1	0.2	0.7	<2
1241821	Rock	2.33	42	0.1	6.9	6.8	10	<0.1	3.9	2.1	115	0.80	1892	33.2	3.2	2	<0.1	0.4	<0.1	<2
1241822	Rock	1.57	883	0.1	6.1	1424	14	9.8	9.2	4.8	219	1.32	7024	621.9	5.0	3	<0.1	1.4	19.4	<2
1241823	Rock	1.25	187	0.1	8.5	12.6	18	0.2	6.1	2.9	140	0.89	1090	2146	3.3	2	<0.1	0.3	0.2	<2
1241824	Rock	1.47	4861	0.2	8.5	12.2	1	0.4	2.1	1.7	30	0.77	3173	3866	2.5	6	<0.1	0.7	0.4	<2
1241825	Rock	2.52	>10000	0.2	1.2	17.0	7	2.0	6.7	4.0	74	1.84	>10000	32544	4.3	5	<0.1	3.1	1.7	<2
1241826	Rock	0.86	179	0.1	19.7	8.3	33	<0.1	14.3	5.6	224	1.78	589.7	144.1	6.4	4	0.2	0.3	0.2	10
1241827	Rock	1.70	424	0.6	79.5	30.3	37	0.2	31.9	16.5	359	2.75	2044	330.5	23.6	14	<0.1	0.3	0.9	15
1241828	Rock	1.69	689	0.1	12.3	129.6	21	0.8	7.3	3.4	297	1.17	2477	371.1	5.7	4	0.1	0.4	1.6	3
1241829	Rock	3.44	2003	0.3	2.2	6.4	4	0.2	9.6	3.6	32	1.86	>10000	2244	10.2	10	<0.1	2.3	0.4	<2
1241830	Rock	1.22	195	0.1	3.1	2.1	7	<0.1	4.6	1.7	134	1.02	3108	163.7	4.2	3	<0.1	0.7	<0.1	<2
1241831	Rock	1.00	119	0.2	12.2	12.9	32	<0.1	10.2	3.2	340	1.69	1666	67.8	5.1	6	0.2	0.6	0.2	5
1241832	Rock	1.08	750	0.2	3.7	7.0	4	0.1	5.4	4.4	38	2.74	>10000	759.7	6.5	7	<0.1	8.1	0.6	<2
1241833	Rock	0.44	1125	0.2	2.1	108.2	3	0.3	3.2	2.8	163	2.12	>10000	789.0	6.8	7	0.1	5.2	0.2	<2
1247988	Rock	0.77	3591	0.3	6.7	70.8	11	1.2	3.2	5.2	69	11.24	>10000	4649	3.8	28	0.2	43.8	6.3	2
1247989	Rock	1.31	1884	0.3	4.9	8.8	6	0.4	5.1	8.6	57	5.98	>10000	2021	3.8	9	<0.1	17.9	0.4	<2
1247990	Rock	0.87	4454	0.4	4.0	39.6	2	1.9	3.5	1.8	37	6.52	>10000	5346	6.5	3	<0.1	30.7	0.4	<2
1247991	Rock	1.07	154	0.2	2.0	5.1	3	<0.1	10.5	4.1	95	0.58	1442	97.9	5.2	5	<0.1	0.5	<0.1	<2
1247992	Rock	1.12	16	0.1	14.3	16.1	20	0.1	12.2	6.0	296	1.22	197.4	15.9	5.8	24	<0.1	0.3	0.2	2
1247993	Rock	1.03	3	0.3	229.7	1.2	6	<0.1	4.2	30.1	59	1.50	22.3	12.2	0.2	10	<0.1	0.1	0.2	<2
1247994	Rock	0.70	104	0.4	81.8	8.2	1448	0.1	18.8	10.6	237	1.20	41.1	86.7	9.3	15	49.8	<0.1	12.8	6

# CERTIFICATE OF ANALYSIS

WHI13000120.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1241809	Rock	0.045	9	16	0.13	209	0.002	<20	0.37	0.027	0.06	1.0	<0.01	<0.1	0.19	1.0	<0.5	<1
1241810	Rock	0.005	10	5	0.02	8	<0.001	<20	0.16	0.030	0.03	0.2	<0.01	<0.1	<0.05	0.6	<0.5	<1
1241811	Rock	0.004	9	7	0.03	60	<0.001	<20	0.16	0.034	0.04	0.2	<0.01	<0.1	<0.05	0.8	<0.5	<1
1241812	Rock	0.005	12	5	0.01	133	<0.001	<20	0.15	0.028	0.07	0.2	<0.01	<0.1	0.12	0.7	<0.5	<1
1241813	Rock	0.005	6	4	0.01	124	<0.001	<20	0.15	0.035	0.04	0.1	<0.01	<0.1	0.29	0.7	<0.5	<1
1241814	Rock	0.005	5	2	0.01	27	<0.001	<20	0.13	0.030	0.05	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	<1
1241816	Rock	0.002	6	5	0.01	81	<0.001	<20	0.15	0.032	0.07	0.1	<0.01	<0.1	0.28	0.6	<0.5	<1
1241818	Rock	0.003	8	4	0.02	196	<0.001	<20	0.22	0.024	0.05	0.1	<0.01	<0.1	0.15	0.5	<0.5	<1
1241819	Rock	0.003	9	8	0.02	148	<0.001	<20	0.13	0.018	0.05	0.3	<0.01	<0.1	0.13	0.7	<0.5	<1
1241820	Rock	0.005	7	5	<0.01	65	<0.001	<20	0.12	0.024	0.05	0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1
1241821	Rock	0.006	4	8	0.01	76	<0.001	<20	0.10	0.019	0.03	0.1	<0.01	<0.1	0.09	0.7	<0.5	<1
1241822	Rock	0.008	5	5	0.03	119	<0.001	<20	0.22	0.027	0.07	<0.1	<0.01	<0.1	0.24	0.9	0.9	<1
1241823	Rock	0.004	6	5	0.02	61	<0.001	<20	0.15	0.022	0.03	0.2	<0.01	<0.1	<0.05	0.9	<0.5	<1
1241824	Rock	<0.001	5	9	<0.01	152	<0.001	<20	0.05	0.003	0.02	<0.1	<0.01	0.1	0.11	0.2	<0.5	<1
1241825	Rock	0.003	4	5	0.01	38	<0.001	<20	0.13	0.043	0.02	0.3	<0.01	<0.1	0.72	0.4	1.2	<1
1241826	Rock	0.009	14	16	0.36	60	0.003	<20	0.72	0.017	0.09	0.1	<0.01	<0.1	<0.05	1.5	<0.5	2
1241827	Rock	0.034	17	23	0.39	44	0.010	<20	0.76	0.046	0.15	0.1	<0.01	<0.1	0.50	3.0	<0.5	2
1241828	Rock	0.006	9	8	0.07	101	0.001	<20	0.22	0.021	0.06	0.2	<0.01	<0.1	0.11	0.9	<0.5	<1
1241829	Rock	0.005	9	7	0.01	73	<0.001	<20	0.14	0.040	0.04	0.2	<0.01	<0.1	0.66	0.5	1.1	<1
1241830	Rock	0.003	6	4	0.01	61	<0.001	<20	0.16	0.048	0.05	<0.1	<0.01	<0.1	0.10	0.8	<0.5	<1
1241831	Rock	0.005	9	13	0.38	157	0.002	<20	0.62	0.022	0.06	0.7	<0.01	<0.1	<0.05	2.9	<0.5	2
1241832	Rock	0.012	5	5	0.02	172	<0.001	<20	0.14	0.012	0.06	<0.1	<0.01	<0.1	0.95	0.4	<0.5	<1
1241833	Rock	0.008	6	4	<0.01	121	<0.001	<20	0.09	0.011	0.06	<0.1	<0.01	<0.1	0.80	0.5	0.6	<1
1247988	Rock	0.019	2	5	0.03	14	<0.001	<20	0.13	0.006	0.06	<0.1	<0.01	<0.1	4.18	0.4	3.9	<1
1247989	Rock	0.011	3	5	0.02	31	<0.001	<20	0.11	0.010	0.05	<0.1	<0.01	<0.1	2.65	0.3	1.4	<1
1247990	Rock	0.012	6	4	<0.01	36	<0.001	<20	0.09	0.024	0.04	<0.1	<0.01	<0.1	2.73	0.6	2.9	<1
1247991	Rock	0.017	8	5	<0.01	12	<0.001	<20	0.08	0.027	0.03	<0.1	<0.01	<0.1	0.08	0.4	<0.5	<1
1247992	Rock	0.017	9	7	0.18	35	<0.001	<20	0.30	0.020	0.06	<0.1	<0.01	<0.1	0.17	1.0	<0.5	<1
1247993	Rock	0.043	<1	4	0.02	3	<0.001	<20	0.05	0.002	0.02	0.3	<0.01	<0.1	0.69	1.0	<0.5	<1
1247994	Rock	0.008	6	14	0.24	18	0.032	<20	0.48	0.005	0.03	16.3	<0.01	<0.1	0.44	0.9	<0.5	1

# CERTIFICATE OF ANALYSIS

WHI13000120.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1247995	Rock	0.88	21	0.1	13.1	2.7	15	<0.1	0.9	0.4	46	0.76	12.8	16.1	0.1	1	0.1	<0.1	2.9	2
1247996	Rock	0.96	23	0.4	80.5	15.4	76	0.5	6.6	10.3	458	2.70	11.2	15.3	12.6	19	1.3	<0.1	8.7	4
1247997	Rock	0.74	16	<0.1	3.9	1.4	8	<0.1	1.0	0.5	65	0.65	7.2	1.7	0.3	4	<0.1	<0.1	0.3	2
1247998	Rock	0.71	<2	0.1	23.8	33.7	31	0.1	5.1	1.8	157	1.96	14.7	1.8	4.8	8	<0.1	<0.1	0.7	8
1247999	Rock	0.89	16	0.2	11.7	6.8	30	<0.1	10.2	3.7	308	1.82	1415	8.3	6.9	18	<0.1	0.4	<0.1	7
1248000	Rock	1.13	5	0.3	293.4	5.3	16	<0.1	70.0	32.7	191	5.28	5.1	7.8	3.9	8	<0.1	<0.1	0.3	3
1243951	Rock	1.13	157	0.2	26.4	21.0	11	0.2	2.4	3.5	53	2.15	7263	124.1	5.8	6	<0.1	2.8	9.9	3
1243952	Rock	0.90	102	0.2	37.1	35.8	9	0.3	2.1	1.7	49	2.34	7222	66.8	5.1	5	<0.1	2.7	2.5	2
1243953	Rock	1.10	105	0.7	1.8	11.3	4	0.5	0.9	1.5	73	3.88	122.7	100.3	0.7	4	<0.1	1.8	0.2	<2
1243954	Rock	0.71	5	0.2	36.3	644.5	85	4.2	11.6	5.7	796	3.44	22.1	1.5	5.8	31	0.7	<0.1	17.3	12
1243955	Rock	0.77	151	0.2	1.7	57.2	22	0.2	5.2	3.0	247	1.23	4758	140.6	9.2	7	0.1	7.4	1.2	<2
1243956	Rock	1.00	7	0.2	13.0	17.6	22	<0.1	3.5	1.6	134	1.13	666.7	5.6	5.7	7	<0.1	0.5	0.3	<2
1237485	Rock	1.00	8	0.5	14.6	6.4	14	<0.1	2.1	1.3	85	1.38	58.0	5.1	7.8	11	<0.1	0.2	<0.1	3
1237486	Rock	0.73	<2	0.2	8.6	15.1	12	<0.1	6.0	2.1	124	1.41	11.8	4.6	5.4	3	<0.1	<0.1	0.3	7
1237487	Rock	0.57	<2	0.3	14.1	33.5	31	0.2	3.2	1.4	181	1.88	83.7	1.3	11.3	6	<0.1	<0.1	0.8	10
1237488	Rock	0.79	8	0.1	21.6	7.5	18	<0.1	5.9	2.6	145	1.61	148.8	6.6	4.3	4	<0.1	<0.1	0.2	5
1237489	Rock	0.69	220	<0.1	3.4	21.3	27	<0.1	3.8	2.1	60	0.97	4709	100.5	2.7	3	0.2	1.3	0.1	<2
1237490	Rock	0.95	409	0.2	5.0	10.2	40	0.2	4.7	2.9	95	1.04	3700	583.7	3.6	4	0.3	1.2	<0.1	<2
1237491	Rock	0.91	412	0.1	10.6	10.5	6	1.6	10.1	4.9	136	1.35	3078	6415	2.6	4	<0.1	1.5	<0.1	<2
1237492	Rock	0.37	136	<0.1	0.9	7.1	<1	<0.1	4.1	5.4	55	0.84	5189	86.3	3.3	4	<0.1	1.9	<0.1	<2
1237493	Rock	0.61	214	0.1	20.4	1.8	8	<0.1	15.7	4.7	86	0.97	128.2	104.5	4.5	7	<0.1	0.3	<0.1	<2
1235851	Rock	1.85	1992	0.2	1.3	779.6	177	1.8	4.8	3.4	56	2.42	>10000	1217	3.9	5	1.0	7.1	1.4	<2
1235852	Rock	1.79	3813	0.3	1.4	966.1	21	2.1	2.7	2.3	34	6.19	>10000	2692	3.7	9	0.2	25.7	1.6	<2
1235853	Rock	0.52	>10000	1.3	10.8	70.8	6	3.2	87.9	94.2	55	28.72	>10000	16211	2.2	25	0.2	138.3	2.7	<2
1235854	Rock	0.53	>10000	0.5	3.0	53.5	2	3.6	3.1	1.8	29	10.12	>10000	17125	1.1	6	<0.1	51.1	0.2	<2
1235855	Rock	2.65	5853	0.7	3.4	6936	9	14.0	0.2	0.4	13	27.47	>10000	6288	0.3	9	0.3	168.5	1.8	<2
1235856	Rock	1.27	>10000	0.7	11.1	>10000	4424	>100	3.0	7.6	27	18.98	>10000	8722	3.9	18	79.2	165.6	31.1	<2
1235857	Rock	1.44	1376	0.2	2.0	2267	5	5.1	14.8	9.7	73	1.89	>10000	648.1	5.1	6	0.3	6.9	4.0	<2
1235858	Rock	1.35	719	0.1	2.5	85.8	5	0.2	0.8	0.3	27	1.46	>10000	500.0	0.1	<1	0.2	5.4	<0.1	<2
1235859	Rock	1.06	>10000	0.4	7.5	45.5	5	1.8	11.6	9.4	125	8.26	>10000	7556	6.6	11	<0.1	32.7	0.3	<2

# CERTIFICATE OF ANALYSIS

WHI13000120.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1247995	Rock	0.002	<1	5	0.04	7	0.001	<20	0.10	0.003	0.02	5.7	<0.01	<0.1	<0.05	0.3	<0.5	<1
1247996	Rock	0.108	7	10	0.42	12	0.046	<20	0.79	0.065	<0.01	7.3	<0.01	<0.1	0.90	0.7	<0.5	1
1247997	Rock	0.032	<1	5	0.08	7	0.006	<20	0.16	0.003	0.05	0.6	<0.01	<0.1	<0.05	0.4	<0.5	<1
1247998	Rock	0.021	9	13	0.35	15	0.002	<20	0.69	0.025	0.05	<0.1	<0.01	<0.1	0.13	1.2	<0.5	2
1247999	Rock	0.011	9	14	0.27	8	0.001	<20	0.53	0.042	0.05	<0.1	<0.01	<0.1	0.12	1.9	<0.5	2
1248000	Rock	0.008	14	2	0.15	16	0.001	<20	0.20	0.003	0.01	0.1	<0.01	<0.1	3.33	0.6	1.1	<1
1243951	Rock	0.014	11	3	0.16	46	0.001	<20	0.25	0.017	0.04	<0.1	<0.01	<0.1	0.91	0.9	<0.5	1
1243952	Rock	0.010	9	2	0.10	33	<0.001	<20	0.18	0.011	0.05	0.1	<0.01	<0.1	1.34	0.6	0.9	<1
1243953	Rock	0.003	3	1	0.04	13	<0.001	<20	0.18	0.002	0.05	<0.1	<0.01	<0.1	3.01	0.7	4.2	2
1243954	Rock	0.014	6	15	1.04	89	0.005	<20	1.42	0.012	0.03	<0.1	<0.01	<0.1	0.57	1.6	1.2	4
1243955	Rock	0.014	9	3	0.06	111	<0.001	<20	0.19	0.019	0.08	<0.1	<0.01	<0.1	0.19	0.7	<0.5	<1
1243956	Rock	0.012	6	2	0.04	21	<0.001	<20	0.14	0.015	0.05	<0.1	<0.01	<0.1	0.13	0.4	<0.5	<1
1237485	Rock	0.053	14	8	0.17	5	0.002	<20	0.34	0.012	0.03	0.1	<0.01	<0.1	<0.05	0.6	<0.5	1
1237486	Rock	0.017	8	11	0.17	21	0.017	<20	0.35	0.020	0.07	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	1
1237487	Rock	0.020	13	13	0.34	44	0.014	<20	0.60	0.019	0.18	<0.1	<0.01	<0.1	0.07	1.7	<0.5	2
1237488	Rock	0.010	7	5	0.21	12	0.005	<20	0.34	0.013	0.06	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	1
1237489	Rock	0.005	4	2	<0.01	17	<0.001	<20	0.08	0.017	0.04	<0.1	<0.01	<0.1	0.21	0.5	<0.5	<1
1237490	Rock	0.007	4	2	<0.01	45	<0.001	<20	0.09	0.022	0.04	<0.1	<0.01	<0.1	0.21	0.6	<0.5	<1
1237491	Rock	0.005	3	2	<0.01	78	<0.001	<20	0.05	0.017	0.03	<0.1	<0.01	<0.1	0.34	0.4	<0.5	<1
1237492	Rock	0.017	5	2	<0.01	104	<0.001	<20	0.04	0.014	0.01	<0.1	<0.01	<0.1	0.21	0.3	<0.5	<1
1237493	Rock	0.006	8	4	0.04	34	<0.001	<20	0.09	0.002	0.03	<0.1	<0.01	<0.1	0.25	0.2	<0.5	<1
1235851	Rock	0.012	4	2	<0.01	49	<0.001	<20	0.09	0.023	0.06	<0.1	<0.01	<0.1	1.10	0.4	0.5	<1
1235852	Rock	0.012	3	2	<0.01	91	<0.001	<20	0.08	0.016	0.06	<0.1	<0.01	<0.1	1.23	0.3	1.2	<1
1235853	Rock	0.010	<1	<1	0.01	16	<0.001	<20	0.07	0.005	0.06	<0.1	<0.01	<0.1	9.29	0.4	6.8	<1
1235854	Rock	0.003	<1	2	<0.01	57	<0.001	<20	0.02	0.008	0.02	<0.1	<0.01	<0.1	4.41	<0.1	1.5	<1
1235855	Rock	0.008	<1	<1	<0.01	33	<0.001	<20	0.03	0.002	0.02	<0.1	<0.01	<0.1	4.35	<0.1	6.2	<1
1235856	Rock	0.013	2	2	<0.01	14	<0.001	<20	0.09	0.007	0.08	2.1	0.26	0.1	8.45	0.3	12.3	<1
1235857	Rock	0.014	5	3	0.02	99	<0.001	<20	0.09	0.020	0.04	<0.1	<0.01	<0.1	0.71	0.3	0.7	<1
1235858	Rock	<0.001	<1	2	<0.01	39	<0.001	<20	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	0.66	<0.1	<0.5	<1
1235859	Rock	0.011	4	2	<0.01	76	<0.001	<20	0.08	0.041	0.04	<0.1	<0.01	<0.1	3.66	1.2	1.4	<1

# CERTIFICATE OF ANALYSIS

WHI13000120.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1235860	Rock	1.87	3025	0.2	2.0	863.4	3	4.5	20.5	13.8	50	2.66	>10000	2658	5.0	8	0.1	8.4	1.9	<2
1235861	Rock	1.12	7022	0.5	2.3	153.9	3	2.6	1.1	2.5	31	10.12	>10000	5294	3.3	2	<0.1	47.8	1.3	<2
1235862	Rock	1.34	44	<0.1	0.8	10.6	<1	<0.1	1.1	0.4	27	0.47	1823	17.2	0.4	<1	<0.1	0.6	<0.1	<2
1235863	Rock	0.86	9471	0.4	5.0	38.6	14	2.2	5.7	7.2	94	8.20	>10000	9036	9.5	7	<0.1	29.6	0.3	3
1235864	Rock	1.52	>10000	0.9	8.1	>10000	34	82.6	17.4	58.6	12	30.50	>10000	14899	1.7	6	1.7	159.8	49.4	<2
1233085	Rock	0.56	2584	0.4	5.1	75.9	8	0.8	7.6	6.9	37	7.99	>10000	2159	4.2	2	<0.1	37.7	0.8	<2
1233086	Rock	1.56	25	0.1	1.8	11.4	9	<0.1	4.2	1.7	128	0.56	683.1	16.3	5.2	5	<0.1	0.3	<0.1	<2
1233087	Rock	1.64	>10000	0.8	7.2	238.1	2	6.5	1.8	13.1	13	22.26	>10000	29892	1.8	<1	<0.1	127.8	1.7	<2
1233088	Rock	0.68	2748	0.2	7.1	29.8	10	0.6	5.7	3.7	94	4.81	>10000	2301	4.6	11	0.2	16.8	0.2	<2
1233089	Rock	2.76	8726	0.7	4.0	725.5	6	6.8	0.8	2.5	15	15.35	>10000	12201	5.4	1	0.1	88.7	1.9	<2
1233090	Rock	1.16	15	<0.1	0.9	6.3	3	<0.1	1.2	0.6	55	0.31	459.9	17.9	1.7	3	<0.1	0.2	<0.1	<2
1233091	Rock	2.55	5802	0.1	2.4	13.3	7	0.8	25.8	10.2	81	2.31	>10000	5643	5.2	5	<0.1	7.6	0.1	<2
1233092	Rock	1.80	12	<0.1	3.0	14.8	11	<0.1	3.8	1.6	164	0.60	269.4	11.5	4.6	12	<0.1	0.2	<0.1	<2
1233093	Rock	1.37	6	<0.1	2.9	7.4	21	<0.1	4.7	2.5	197	0.84	32.1	3.4	6.2	5	<0.1	<0.1	<0.1	3
1233094	Rock	1.18	1052	0.2	5.8	17.2	16	<0.1	9.7	4.2	324	1.60	6538	879.5	5.6	10	<0.1	2.0	0.5	<2
1233095	Rock	1.82	105	0.2	7.0	6.8	11	<0.1	4.1	2.3	637	1.60	577.1	50.9	8.3	65	<0.1	0.3	<0.1	<2
1233096	Rock	1.03	546	<0.1	4.9	25.7	16	0.1	4.1	3.8	146	1.13	4623	442.3	7.4	8	<0.1	1.7	0.2	<2
1233097	Rock	2.12	4417	<0.1	10.1	21.3	25	0.9	8.2	3.3	341	2.02	3293	15954	7.1	34	<0.1	1.4	0.1	5
1233098	Rock	0.78	7	0.2	14.6	11.2	34	<0.1	9.1	3.4	179	1.85	56.3	6.3	4.8	4	<0.1	0.2	0.1	6
1233099	Rock	1.59	1119	0.1	2.3	13.9	12	0.2	5.3	2.4	61	1.83	>10000	716.9	6.5	5	0.1	4.7	<0.1	<2
1233100	Rock	1.73	1544	0.1	2.1	35.1	8	0.6	4.0	2.3	76	2.04	>10000	2352	5.6	6	<0.1	5.9	<0.1	<2
1241353	Rock	1.58	5133	0.2	3.1	19.4	2	0.7	3.7	2.3	51	3.38	>10000	4404	4.3	6	<0.1	14.4	0.4	<2
1241354	Rock	1.23	10	<0.1	14.6	9.8	54	<0.1	13.5	3.9	234	2.43	96.4	11.9	7.1	9	<0.1	<0.1	<0.1	14
1241355	Rock	1.42	17	<0.1	0.8	0.4	<1	<0.1	0.8	0.2	39	0.37	793.8	15.6	0.2	<1	<0.1	0.3	<0.1	<2
1241356	Rock	1.38	6	0.2	11.3	5.0	11	<0.1	7.5	3.1	224	0.97	31.4	5.9	5.5	5	<0.1	0.2	<0.1	<2
1241357	Rock	2.38	5	<0.1	9.2	3.5	10	<0.1	8.0	2.5	102	0.81	70.0	3.4	5.3	5	<0.1	<0.1	<0.1	3

# CERTIFICATE OF ANALYSIS

WHI13000120.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1235860	Rock	0.013	5	2	0.01	64	<0.001	<20	0.09	0.019	0.04	<0.1	<0.01	<0.1	1.17	0.4	0.7	<1	0.4
1235861	Rock	0.009	2	1	<0.01	45	<0.001	<20	0.06	0.011	0.02	<0.1	<0.01	<0.1	3.99	0.3	2.3	<1	0.3
1235862	Rock	<0.001	<1	2	<0.01	13	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.01	<0.1	0.10	<0.1	<0.5	<1	<0.2
1235863	Rock	0.020	5	6	0.09	50	0.001	<20	0.25	0.018	0.06	<0.1	<0.01	<0.1	3.48	0.6	1.3	<1	0.4
1235864	Rock	0.006	<1	<1	<0.01	16	<0.001	<20	0.03	0.006	0.02	<0.1	<0.01	<0.1	>10	<0.1	9.1	<1	6.9
1233085	Rock	0.010	2	2	0.02	16	<0.001	<20	0.12	0.012	0.02	<0.1	<0.01	<0.1	2.85	0.4	2.1	<1	1.2
1233086	Rock	0.013	7	3	0.04	27	<0.001	<20	0.13	0.027	0.04	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1233087	Rock	0.006	<1	<1	<0.01	22	<0.001	<20	0.09	0.004	0.02	0.1	<0.01	<0.1	7.27	0.1	8.0	<1	2.8
1233088	Rock	0.008	4	4	0.04	32	<0.001	<20	0.17	0.020	0.05	<0.1	<0.01	<0.1	2.18	0.6	0.7	<1	0.5
1233089	Rock	0.009	2	3	<0.01	22	<0.001	<20	0.20	0.007	0.02	<0.1	<0.01	<0.1	5.10	0.1	5.9	<1	3.2
1233090	Rock	0.009	3	7	<0.01	11	<0.001	<20	0.05	0.013	0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
1233091	Rock	0.006	5	6	0.03	45	<0.001	<20	0.10	0.016	0.02	<0.1	<0.01	<0.1	1.03	0.2	0.7	<1	0.7
1233092	Rock	0.008	7	7	0.07	19	<0.001	<20	0.18	0.027	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1233093	Rock	0.013	9	7	0.12	34	<0.001	<20	0.27	0.039	0.06	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1233094	Rock	0.002	11	10	0.22	95	<0.001	<20	0.38	0.081	0.01	<0.1	<0.01	<0.1	0.28	1.3	<0.5	1	0.7
1233095	Rock	0.012	7	10	0.23	7	<0.001	<20	0.18	0.098	<0.01	<0.1	<0.01	<0.1	0.17	1.2	<0.5	<1	<0.2
1233096	Rock	0.014	9	7	0.05	17	<0.001	<20	0.17	0.033	0.02	0.1	<0.01	<0.1	0.21	0.5	<0.5	<1	<0.2
1233097	Rock	0.007	7	15	0.24	66	<0.001	<20	0.30	0.124	0.01	<0.1	<0.01	<0.1	0.21	1.8	<0.5	<1	0.2
1233098	Rock	0.005	5	11	0.26	49	<0.001	<20	0.66	0.017	0.11	<0.1	<0.01	<0.1	0.12	0.9	<0.5	2	<0.2
1233099	Rock	0.013	7	6	0.03	30	<0.001	<20	0.18	0.029	0.06	<0.1	<0.01	<0.1	0.68	0.5	<0.5	<1	0.2
1233100	Rock	0.014	6	6	<0.01	50	<0.001	<20	0.14	0.016	0.08	<0.1	<0.01	<0.1	0.77	0.3	0.6	<1	<0.2
1241353	Rock	0.011	4	6	<0.01	112	<0.001	<20	0.09	0.020	0.03	<0.1	<0.01	<0.1	1.44	0.2	0.6	<1	0.4
1241354	Rock	0.018	10	23	0.61	5	0.003	<20	1.08	0.082	0.02	<0.1	<0.01	<0.1	0.20	1.8	<0.5	4	<0.2
1241355	Rock	<0.001	<1	6	<0.01	5	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1241356	Rock	0.009	5	5	0.03	80	<0.001	<20	0.17	0.010	0.08	<0.1	<0.01	<0.1	0.15	0.3	<0.5	<1	<0.2
1241357	Rock	0.009	7	8	0.13	40	<0.001	<20	0.23	0.040	0.04	<0.1	<0.01	<0.1	0.09	0.7	<0.5	<1	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

## QUALITY CONTROL REPORT

WHI13000120.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1241809	Rock	3.29	1191	0.3	18.6	6.4	16	0.2	5.6	2.6	74	1.68	5255	2152	8.7	12	<0.1	0.8	0.2	3	0.10
REP 1241809	QC			0.3	19.3	7.0	17	0.2	5.9	2.9	79	1.69	5267	1500	9.2	13	0.1	0.8	0.2	3	0.10
1248000	Rock	1.13	5	0.3	293.4	5.3	16	<0.1	70.0	32.7	191	5.28	5.1	7.8	3.9	8	<0.1	<0.1	0.3	3	0.19
REP 1248000	QC			0.2	301.6	5.4	17	0.1	71.5	33.5	196	5.29	5.0	9.2	4.2	8	<0.1	<0.1	0.3	2	0.18
REP 1237492	QC		196																		
1235852	Rock	1.79	3813	0.3	1.4	966.1	21	2.1	2.7	2.3	34	6.19	>10000	2692	3.7	9	0.2	25.7	1.6	<2	0.01
REP 1235852	QC		3571																		
1241357	Rock	2.38	5	<0.1	9.2	3.5	10	<0.1	8.0	2.5	102	0.81	70.0	3.4	5.3	5	<0.1	<0.1	<0.1	3	0.03
REP 1241357	QC		8																		
REP 1241829	QC		1755																		
Core Reject Duplicates																					
1241826	Rock	0.86	179	0.1	19.7	8.3	33	<0.1	14.3	5.6	224	1.78	589.7	144.1	6.4	4	0.2	0.3	0.2	10	0.02
DUP 1241826	QC		204	0.2	19.4	8.3	31	<0.1	13.8	5.4	207	1.69	568.8	157.2	6.1	4	0.1	0.3	0.2	9	0.02
1237492	Rock	0.37	136	<0.1	0.9	7.1	<1	<0.1	4.1	5.4	55	0.84	5189	86.3	3.3	4	<0.1	1.9	<0.1	<2	0.03
DUP 1237492	QC		180	0.2	1.0	7.3	1	<0.1	4.4	5.7	62	0.98	5641	100.8	2.8	4	<0.1	2.1	0.1	<2	0.03
1241355	Rock	1.42	17	<0.1	0.8	0.4	<1	<0.1	0.8	0.2	39	0.37	793.8	15.6	0.2	<1	<0.1	0.3	<0.1	<2	<0.01
DUP 1241355	QC		15	<0.1	0.7	2.2	<1	<0.1	0.9	0.2	36	0.32	597.2	11.9	0.2	<1	<0.1	0.2	<0.1	<2	<0.01
Reference Materials																					
STD DS9	Standard			12.9	115.7	133.6	308	1.5	40.5	7.5	591	2.42	23.7	117.2	6.6	66	2.2	4.2	6.1	40	0.66
STD DS9	Standard			12.6	114.3	113.9	308	1.8	37.4	7.5	591	2.36	26.2	114.7	5.6	57	2.4	4.2	6.2	38	0.65
STD DS9	Standard			13.0	111.4	115.8	323	2.2	38.3	7.5	595	2.41	32.7	105.9	6.1	62	2.4	4.2	6.2	40	0.67
STD OREAS45EA	Standard			1.4	603.1	15.1	26	0.2	335.9	50.4	376	22.43	6.9	44.1	11.4	4	<0.1	0.2	0.2	271	0.03
STD OREAS45EA	Standard			1.4	609.9	12.9	27	0.3	326.4	49.5	386	20.82	10.5	52.2	9.1	3	<0.1	0.3	0.2	268	0.04
STD OREAS45EA	Standard			1.3	623.9	14.0	27	0.3	337.4	48.7	361	22.30	12.5	55.6	9.1	3	<0.1	0.2	0.2	271	0.03
STD OXK94	Standard		3663																		
STD OXK94	Standard		3578																		
STD OXK94	Standard		3609																		
STD OXK94	Standard		3418																		



## QUALITY CONTROL REPORT

WHI13000120.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																		
1241809	Rock	0.045	9	16	0.13	209	0.002	<20	0.37	0.027	0.06	1.0	<0.01	<0.1	0.19	1.0	<0.5	<1
REP 1241809	QC	0.047	9	11	0.14	225	0.002	<20	0.39	0.027	0.06	1.1	<0.01	<0.1	0.19	1.1	<0.5	<1
1248000	Rock	0.008	14	2	0.15	16	0.001	<20	0.20	0.003	0.01	0.1	<0.01	<0.1	3.33	0.6	1.1	<1
REP 1248000	QC	0.010	14	2	0.15	17	0.001	<20	0.20	0.003	0.01	0.1	<0.01	<0.1	3.29	0.7	1.2	<1
REP 1237492	QC																	
1235852	Rock	0.012	3	2	<0.01	91	<0.001	<20	0.08	0.016	0.06	<0.1	<0.01	<0.1	1.23	0.3	1.2	<1
REP 1235852	QC																	
1241357	Rock	0.009	7	8	0.13	40	<0.001	<20	0.23	0.040	0.04	<0.1	<0.01	<0.1	0.09	0.7	<0.5	<1
REP 1241357	QC																	
REP 1241829	QC																	
Core Reject Duplicates																		
1241826	Rock	0.009	14	16	0.36	60	0.003	<20	0.72	0.017	0.09	0.1	<0.01	<0.1	<0.05	1.5	<0.5	2
DUP 1241826	QC	0.010	14	15	0.35	56	0.004	<20	0.70	0.017	0.09	<0.1	<0.01	<0.1	<0.05	1.4	<0.5	2
1237492	Rock	0.017	5	2	<0.01	104	<0.001	<20	0.04	0.014	0.01	<0.1	<0.01	<0.1	0.21	0.3	<0.5	<1
DUP 1237492	QC	0.013	4	3	<0.01	104	<0.001	<20	0.04	0.013	0.01	<0.1	<0.01	<0.1	0.24	0.3	<0.5	<1
1241355	Rock	<0.001	<1	6	<0.01	5	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1
DUP 1241355	QC	<0.001	<1	6	<0.01	4	<0.001	<20	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1
Reference Materials																		
STD DS9	Standard	0.075	13	119	0.60	275	0.110	<20	0.89	0.091	0.42	2.7	0.20	5.2	0.16	1.8	4.5	4
STD DS9	Standard	0.081	11	114	0.59	280	0.099	<20	0.85	0.076	0.39	2.6	0.20	5.2	0.16	2.2	4.9	5
STD DS9	Standard	0.086	13	114	0.60	306	0.104	<20	0.86	0.085	0.42	2.7	0.18	5.7	0.17	2.4	4.9	4
STD OREAS45EA	Standard	0.024	7	739	0.10	147	0.086	<20	2.74	0.023	0.05	<0.1	0.02	<0.1	<0.05	66.8	<0.5	12
STD OREAS45EA	Standard	0.026	6	838	0.08	148	0.081	<20	2.79	0.018	0.05	<0.1	<0.01	<0.1	<0.05	68.9	0.5	11
STD OREAS45EA	Standard	0.027	6	835	0.08	147	0.080	<20	2.82	0.018	0.05	<0.1	<0.01	<0.1	<0.05	69.1	<0.5	11
STD OXK94	Standard																	
STD OXK94	Standard																	
STD OXK94	Standard																	
STD OXK94	Standard																	

## QUALITY CONTROL REPORT

WHI13000120.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD SH55	Standard	1449																			
STD SH55	Standard	1385																			
STD SH55	Standard	1333																			
STD SH55	Standard	1353																			
STD SH55	Standard	1484																			
STD OXK94 Expected		3562																			
STD SH55 Expected		1375																			
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	
STD OREAS45EA Expected			1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032	
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	3																			
BLK	Blank	3																			
BLK	Blank	<2																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	5.2	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank	<2																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	0.8	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	3.2	3.0	43	<0.1	2.2	3.8	511	1.66	9.8	2.2	5.2	44	<0.1	<0.1	<0.1	30	0.41
G1-WHI	Prep Blank		<2	<0.1	2.9	2.8	45	<0.1	2.7	4.0	545	1.75	6.3	1.2	4.5	44	<0.1	<0.1	<0.1	31	0.42

## QUALITY CONTROL REPORT

WHI13000120.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD OXK94 Expected																			
STD SH55 Expected																			
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.074	9	6	0.46	156	0.107	<20	0.81	0.060	0.42	<0.1	<0.01	0.3	<0.05	2.0	<0.5	4	<0.2
G1-WHI	Prep Blank	0.070	9	6	0.50	160	0.108	<20	0.85	0.063	0.44	<0.1	<0.01	0.3	<0.05	2.0	<0.5	4	<0.2