

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 17, 2013
Report Date: August 23, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000150.1

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PLAS_ROCK_2013_8
P.O. Number
Number of Samples: 24

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	24	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	24	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	24	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000150.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1241834	Rock	1.98	6185	0.5	5.6	1304	31	4.8	36.8	55.2	30	6.40	>10000	6940	5.1	10	1.0	31.6	1.9	<2
1241835	Rock	2.13	>10000	0.7	8.8	8484	24	15.7	6.0	6.5	29	21.59	>10000	12679	2.0	12	0.5	120.6	10.2	5
1235865	Rock	0.69	4716	0.2	2.1	114.2	3	1.5	2.1	1.6	32	5.55	>10000	4443	0.9	4	<0.1	24.2	0.8	<2
1235866	Rock	0.73	443	0.1	1.8	51.3	2	0.3	10.9	6.0	86	1.76	>10000	283.7	7.4	4	0.1	3.5	0.4	<2
1235867	Rock	1.34	42	<0.1	4.0	12.5	3	<0.1	5.2	2.6	133	0.75	1380	39.5	3.9	9	<0.1	0.6	<0.1	<2
1235868	Rock	1.32	3351	0.6	3.6	40.8	8	2.6	4.6	20.2	46	15.13	>10000	4263	5.1	9	0.2	66.3	0.1	4
1235869	Rock	1.44	>10000	0.1	4.5	1048	511	45.2	6.7	2.9	139	1.17	985.6	>100000	3.6	3	0.8	0.5	5.9	<2
1235870	Rock	0.91	>10000	0.3	5.2	119.0	7	3.8	23.2	15.1	57	5.14	>10000	2685	6.4	10	0.1	19.3	0.8	<2
1235871	Rock	1.02	>10000	0.1	6.2	76.6	21	0.6	5.6	3.5	52	3.17	>10000	1890	5.5	6	0.2	9.1	0.5	2
1237494	Rock	0.25	6932	<0.1	2.8	6.5	9	0.4	5.3	3.7	40	0.69	2431	3475	0.2	2	<0.1	1.0	<0.1	<2
1237495	Rock	1.22	77	<0.1	10.3	4.2	7	<0.1	9.8	3.7	254	0.98	260.9	35.3	5.7	8	<0.1	0.2	<0.1	<2
1241358	Rock	0.94	23	0.2	3.6	73.0	8	0.3	2.3	0.9	98	0.62	50.6	10.7	4.1	5	<0.1	0.2	0.4	<2
1241359	Rock	1.27	9357	0.3	8.3	>10000	2249	47.0	2.1	5.4	30	8.35	>10000	13619	3.3	6	23.9	50.5	50.9	<2
1241360	Rock	0.98	53	<0.1	4.4	19.5	11	<0.1	2.3	1.5	134	0.87	1122	28.2	5.5	6	<0.1	0.7	<0.1	<2
1241361	Rock	1.18	3857	0.1	13.6	49.9	18	0.8	7.9	7.4	57	3.31	>10000	4167	9.5	6	<0.1	5.8	0.6	2
1241362	Rock	0.91	5537	0.2	16.6	24.2	21	0.9	10.9	8.9	228	4.85	>10000	6550	9.1	14	<0.1	10.9	0.9	<2
1241363	Rock	1.01	267	0.2	5.2	18.0	3	<0.1	2.1	1.0	77	0.79	1330	204.0	2.2	6	<0.1	0.7	<0.1	<2
1241364	Rock	0.90	184	<0.1	23.3	6.5	11	<0.1	18.8	7.5	119	1.59	673.7	100.1	6.4	7	<0.1	0.3	<0.1	<2
1241365	Rock	1.19	18	<0.1	2.5	5.7	1	<0.1	1.4	0.7	37	0.47	717.9	30.9	<0.1	2	<0.1	0.4	<0.1	<2
1243957	Rock	1.30	1377	0.2	3.1	40.9	9	0.3	8.8	29.0	137	2.99	>10000	1358	6.9	9	<0.1	7.7	0.6	<2
1243958	Rock	1.31	2398	0.1	2.5	23.4	5	0.3	4.0	2.4	60	2.37	>10000	2273	5.6	15	<0.1	5.2	<0.1	<2
1243959	Rock	0.91	3303	<0.1	2.4	15.4	7	1.1	5.8	3.2	84	1.44	9531	8656	3.4	5	<0.1	2.5	<0.1	<2
1243960	Rock	1.03	1057	<0.1	0.8	18.3	3	0.3	1.0	0.5	35	0.61	4151	1235	0.6	2	<0.1	1.7	<0.1	<2
1243961	Rock	1.08	90	0.1	5.8	12.3	18	<0.1	26.6	10.4	741	1.29	400.8	122.8	7.5	8	<0.1	1.1	<0.1	<2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000150.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1241834	Rock	0.014	3	4	<0.01	50	<0.001	<20	0.08	0.013	0.03	<0.1	<0.01	<0.1	3.17	0.4	2.4	<1
1241835	Rock	0.011	<1	1	<0.01	38	<0.001	<20	0.09	0.006	0.08	<0.1	<0.01	<0.1	7.04	0.2	6.2	<1
1235865	Rock	0.004	<1	2	<0.01	62	<0.001	<20	0.04	0.005	0.02	<0.1	<0.01	<0.1	2.87	0.1	1.2	<1
1235866	Rock	0.009	7	3	<0.01	71	<0.001	<20	0.14	0.024	0.07	<0.1	<0.01	<0.1	0.50	0.5	<0.5	<1
1235867	Rock	0.003	4	2	0.03	47	<0.001	<20	0.04	0.012	0.01	<0.1	<0.01	<0.1	0.09	0.5	<0.5	<1
1235868	Rock	0.014	2	2	0.01	45	<0.001	<20	0.13	0.009	0.06	<0.1	<0.01	<0.1	5.56	0.3	4.7	<1
1235869	Rock	0.002	4	2	<0.01	55	<0.001	<20	0.07	0.012	0.01	<0.1	0.03	<0.1	0.35	0.5	0.9	<1
1235870	Rock	0.011	5	2	<0.01	36	<0.001	<20	0.10	0.054	0.03	<0.1	<0.01	<0.1	2.56	0.5	1.0	<1
1235871	Rock	0.012	5	3	0.07	90	<0.001	<20	0.22	0.012	0.09	0.2	<0.01	<0.1	1.34	0.4	<0.5	<1
1237494	Rock	0.001	<1	2	<0.01	31	<0.001	<20	0.02	0.004	<0.01	<0.1	<0.01	<0.1	0.11	<0.1	<0.5	<1
1237495	Rock	0.010	8	2	0.03	27	<0.001	<20	0.11	0.014	0.04	<0.1	<0.01	<0.1	0.07	0.6	<0.5	<1
1241358	Rock	0.009	7	3	0.04	24	<0.001	<20	0.13	0.009	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
1241359	Rock	0.013	2	2	<0.01	44	<0.001	<20	0.10	0.016	0.03	0.1	0.07	<0.1	4.52	0.3	3.5	<1
1241360	Rock	0.020	9	3	0.02	38	<0.001	<20	0.11	0.023	0.03	<0.1	<0.01	<0.1	0.06	0.4	<0.5	<1
1241361	Rock	0.002	10	4	0.10	9	<0.001	<20	0.26	0.026	0.02	<0.1	<0.01	<0.1	0.58	1.3	<0.5	<1
1241362	Rock	0.002	7	4	0.16	15	<0.001	<20	0.39	0.053	0.03	<0.1	<0.01	<0.1	1.97	1.8	1.0	<1
1241363	Rock	0.015	3	2	0.01	5	<0.001	<20	0.07	0.015	0.01	<0.1	<0.01	<0.1	0.10	0.4	<0.5	<1
1241364	Rock	0.007	10	4	0.09	26	<0.001	<20	0.23	0.010	0.06	<0.1	<0.01	<0.1	0.40	0.6	<0.5	<1
1241365	Rock	0.005	<1	2	<0.01	3	<0.001	<20	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1
1243957	Rock	0.018	6	2	0.04	76	<0.001	<20	0.20	0.028	0.09	<0.1	<0.01	<0.1	0.91	0.5	<0.5	<1
1243958	Rock	0.014	7	3	0.03	317	<0.001	<20	0.20	0.006	0.13	<0.1	<0.01	<0.1	0.77	0.4	<0.5	<1
1243959	Rock	0.007	5	3	0.02	207	<0.001	<20	0.11	0.010	0.05	<0.1	<0.01	<0.1	0.41	0.2	<0.5	<1
1243960	Rock	0.002	<1	1	<0.01	52	<0.001	<20	0.02	0.004	0.01	<0.1	<0.01	<0.1	0.18	<0.1	<0.5	<1
1243961	Rock	0.016	9	4	0.06	27	<0.001	<20	0.24	0.038	0.08	<0.1	<0.01	<0.1	0.13	0.9	<0.5	<1

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000150.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1235869	Rock	1.44	>10000	0.1	4.5	1048	511	45.2	6.7	2.9	139	1.17	985.6	>100000	3.6	3	0.8	0.5	5.9	<2	0.02
REP 1235869	QC	>10000																			
1241358	Rock	0.94	23	0.2	3.6	73.0	8	0.3	2.3	0.9	98	0.62	50.6	10.7	4.1	5	<0.1	0.2	0.4	<2	0.12
REP 1241358	QC			0.2	3.4	69.1	8	0.3	2.0	1.0	95	0.63	51.1	4.0	3.9	5	<0.1	0.2	0.4	<2	0.12
Reference Materials																					
STD DS9	Standard			13.1	113.8	126.1	315	1.7	40.4	7.4	590	2.38	26.5	112.3	6.4	74	2.9	5.4	5.9	39	0.72
STD OREAS45EA	Standard			1.5	686.0	16.4	32	0.3	395.6	53.5	410	24.22	13.3	76.4	11.9	4	<0.1	0.2	0.2	326	0.03
STD OXK94	Standard	3516																			
STD SH55	Standard	1378																			
STD SH55	Standard	1355																			
STD SH55	Standard	1267																			
STD OXK94 Expected		3562																			
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
STD SH55 Expected		1375																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	5																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	0.6	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank	<2		0.1	7.5	3.7	43	<0.1	2.5	3.7	513	1.71	0.7	<0.5	5.4	51	<0.1	<0.1	<0.1	30	0.43
G1-WHI	Prep Blank	<2		<0.1	3.6	3.6	44	<0.1	2.5	3.9	554	1.85	0.7	<0.5	5.5	58	<0.1	<0.1	<0.1	33	0.47

QUALITY CONTROL REPORT

WHI13000150.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																			
1235869	Rock		0.002	4	2	<0.01	55	<0.001	<20	0.07	0.012	0.01	<0.1	0.03	<0.1	0.35	0.5	0.9	<1
REP 1235869	QC																		
1241358	Rock		0.009	7	3	0.04	24	<0.001	<20	0.13	0.009	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
REP 1241358	QC		0.008	7	3	0.04	22	<0.001	<20	0.12	0.008	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
Reference Materials																			
STD DS9	Standard		0.089	13	119	0.62	311	0.117	<20	0.97	0.084	0.40	3.1	0.20	5.1	0.16	2.2	5.9	5
STD OREAS45EA	Standard		0.031	7	856	0.11	149	0.100	<20	3.44	0.018	0.06	<0.1	0.01	<0.1	<0.05	81.0	0.8	13
STD OXK94	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD OXK94 Expected																			
STD DS9 Expected			0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59
STD OREAS45EA Expected			0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7
STD SH55 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1
Prep Wash																			
G1-WHI	Prep Blank		0.079	9	5	0.48	149	0.114	<20	0.89	0.070	0.45	<0.1	<0.01	0.3	<0.05	1.9	<0.5	4
G1-WHI	Prep Blank		0.077	11	6	0.50	167	0.121	<20	0.90	0.086	0.48	<0.1	<0.01	0.3	<0.05	2.1	<0.5	4