

Acme Analytical Laboratories (Vancouver) Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Goldstrike Resources Ltd.**  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 25, 2013  
Report Date: August 23, 2013  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI13000189.1

### CLIENT JOB INFORMATION

Project: Plateau South  
Shipment ID: PLAS\_ROCK\_2013\_9  
P.O. Number  
Number of Samples: 20

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.  
1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3  
CANADA

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	20	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	20	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	20	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

# CERTIFICATE OF ANALYSIS

WHI13000189.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1241836	Rock	3.47	5397	0.5	2.7	27.9	3	0.9	0.6	2.3	17	15.32	>10000	6553	2.9	4	<0.1	85.9	5.7	2
1241837	Rock	1.07	582	0.2	1.4	5.4	2	<0.1	10.4	11.9	39	2.21	>10000	550.8	5.4	5	<0.1	7.7	0.5	<2
1241838	Rock	0.53	293	0.2	1.7	37.8	6	0.3	6.5	4.5	95	1.59	>10000	382.3	9.6	17	<0.1	4.5	2.1	<2
1241366	Rock	0.86	455	0.2	2.1	117.5	5	0.5	8.5	19.1	304	2.59	>10000	490.1	6.3	43	<0.1	10.2	2.6	<2
1241367	Rock	1.67	79	<0.1	4.1	22.0	6	<0.1	6.2	4.5	378	1.09	3053	94.4	6.2	43	<0.1	1.4	0.4	<2
1243962	Rock	1.26	>10000	0.2	4.0	579.2	52	2.7	1.6	2.1	27	1.94	>10000	7880	1.3	11	0.5	4.2	2.6	<2
1243963	Rock	1.12	9992	0.5	14.5	633.7	5	4.0	4.5	12.1	29	12.61	>10000	13663	3.7	14	<0.1	51.0	6.3	2
1243964	Rock	1.09	95	0.1	3.1	8.3	7	<0.1	2.4	1.4	64	0.57	947.2	111.4	3.5	2	<0.1	0.4	<0.1	<2
1243965	Rock	1.00	3855	0.1	3.6	16.4	9	1.5	4.1	2.4	96	0.80	542.0	9696	3.6	2	<0.1	0.3	<0.1	<2
1243966	Rock	1.07	6196	0.8	8.5	281.5	26	2.9	7.3	7.5	56	18.29	>10000	6646	3.9	6	0.2	81.7	1.6	<2
1243967	Rock	0.97	2686	0.1	2.1	1015	6	2.2	1.7	1.8	26	2.74	>10000	3784	0.4	2	<0.1	12.1	2.5	<2
1243968	Rock	1.23	>10000	0.9	4.2	>10000	18	22.9	6.0	6.3	12	29.50	>10000	11239	1.9	10	0.3	140.2	10.9	2
1243969	Rock	1.14	345	<0.1	0.8	60.6	<1	<0.1	0.8	0.3	25	1.25	>10000	261.6	<0.1	<1	<0.1	4.1	<0.1	<2
1243970	Rock	1.02	>10000	0.6	11.4	652.1	3	6.6	6.2	6.9	28	19.06	>10000	27788	2.7	8	0.1	86.4	1.8	<2
1243971	Rock	1.22	1072	0.2	3.5	131.6	10	0.4	6.3	3.6	39	4.68	>10000	957.0	5.1	7	0.1	13.2	0.5	<2
1243972	Rock	1.35	323	0.3	2.0	19.4	5	<0.1	2.7	3.0	42	1.86	>10000	223.1	5.2	7	<0.1	3.8	<0.1	<2
1243973	Rock	0.74	11	0.5	35.3	10.2	62	0.2	28.1	14.4	728	2.42	136.5	6.2	10.7	61	<0.1	<0.1	1.9	17
1243974	Rock	0.82	9	0.5	112.5	6.5	13	0.1	7.1	5.3	227	1.90	93.8	4.8	1.0	28	<0.1	<0.1	0.1	5
1243975	Rock	1.41	578	7.8	249.6	15.0	17	4.1	1.1	6.7	33	2.71	1067	628.0	8.8	22	0.5	36.5	0.8	<2
1243976	Rock	0.89	54	0.9	3.7	10.3	64	<0.1	2.3	7.0	761	1.92	462.7	51.4	11.5	7	0.5	0.4	0.1	<2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street  
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 2

## CERTIFICATE OF ANALYSIS

WHI13000189.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1241836	Rock	0.013	2	3	<0.01	87	<0.001	<20	0.08	0.004	0.04	<0.1	<0.01	<0.1	1.71	0.2	8.3	<1
1241837	Rock	0.011	5	3	<0.01	186	<0.001	<20	0.10	0.022	0.05	<0.1	<0.01	<0.1	0.77	0.3	1.9	<1
1241838	Rock	0.018	9	5	0.03	300	<0.001	<20	0.12	0.023	0.07	<0.1	<0.01	<0.1	0.55	0.5	<0.5	<1
1241366	Rock	0.015	4	5	0.15	20	<0.001	<20	0.09	0.025	0.05	<0.1	<0.01	<0.1	1.09	0.7	1.8	<1
1241367	Rock	0.013	6	5	0.21	23	<0.001	<20	0.09	0.027	0.04	<0.1	<0.01	<0.1	0.36	0.7	<0.5	<1
1243962	Rock	0.003	2	5	<0.01	85	<0.001	<20	0.04	0.008	0.03	<0.1	<0.01	<0.1	0.94	0.2	1.6	<1
1243963	Rock	0.004	2	2	<0.01	23	<0.001	<20	0.08	0.007	0.04	<0.1	<0.01	0.1	3.61	0.2	3.4	<1
1243964	Rock	0.004	5	4	0.01	16	<0.001	<20	0.07	0.009	0.03	<0.1	<0.01	<0.1	0.06	0.3	<0.5	<1
1243965	Rock	0.005	6	7	0.05	19	<0.001	<20	0.14	0.009	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
1243966	Rock	0.008	2	3	<0.01	21	<0.001	<20	0.10	0.004	0.07	<0.1	<0.01	<0.1	4.19	0.4	4.7	<1
1243967	Rock	0.002	<1	4	<0.01	23	<0.001	<20	0.02	0.001	0.01	<0.1	<0.01	<0.1	1.26	<0.1	0.6	<1
1243968	Rock	0.003	<1	1	<0.01	8	<0.001	<20	0.05	0.005	0.06	<0.1	<0.01	<0.1	9.34	<0.1	7.3	<1
1243969	Rock	<0.001	<1	4	<0.01	11	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	0.56	0.1	<0.5	<1
1243970	Rock	0.007	<1	3	<0.01	27	<0.001	<20	0.07	0.008	0.06	<0.1	<0.01	<0.1	6.68	0.2	4.1	<1
1243971	Rock	0.010	4	4	0.06	37	<0.001	<20	0.20	0.013	0.08	<0.1	<0.01	<0.1	2.20	0.4	0.9	<1
1243972	Rock	0.008	5	9	0.01	62	<0.001	<20	0.08	0.022	0.04	<0.1	<0.01	<0.1	0.68	0.5	<0.5	<1
1243973	Rock	0.025	12	22	0.65	80	0.082	<20	3.06	0.125	0.50	0.1	<0.01	0.3	0.79	3.5	<0.5	8
1243974	Rock	0.023	2	7	0.33	14	0.010	<20	0.74	0.023	0.06	2.9	<0.01	<0.1	0.35	0.6	0.7	2
1243975	Rock	0.014	5	2	0.01	59	<0.001	<20	0.32	0.013	0.26	0.5	<0.01	0.1	1.84	0.9	0.7	<1
1243976	Rock	0.042	23	2	0.02	67	<0.001	<20	0.28	0.002	0.25	3.9	<0.01	<0.1	<0.05	5.9	<0.5	<1

## QUALITY CONTROL REPORT

WHI13000189.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
REP 1243966	QC			0.7	9.6	298.4	28	3.1	7.6	7.8	53	19.31	>10000	7482	3.9	6	0.3	81.6	1.7	2	0.01
Core Reject Duplicates																					
1243966	Rock	1.07	6196	0.8	8.5	281.5	26	2.9	7.3	7.5	56	18.29	>10000	6646	3.9	6	0.2	81.7	1.6	<2	0.01
DUP 1243966	QC		6677	0.7	9.6	318.9	28	3.6	8.2	7.9	54	19.12	>10000	8977	4.1	7	0.1	87.5	1.8	2	0.01
Reference Materials																					
STD DS9	Standard			14.2	113.7	135.9	331	1.8	43.5	8.0	597	2.38	39.0	114.9	7.1	73	2.5	4.2	6.7	42	0.74
STD OREAS45EA	Standard			1.4	711.3	16.9	33	0.2	404.9	55.0	405	24.37	10.9	72.6	11.7	4	<0.1	0.1	0.3	315	0.05
STD SH55	Standard		1443																		
STD SH55	Standard		1412																		
STD SH55 Expected			1375																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
BLK	Blank		7																		
BLK	Blank		5																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		5	<0.1	3.2	3.4	44	<0.1	3.1	4.0	562	1.93	1.0	1.0	5.5	59	<0.1	<0.1	<0.1	36	0.49
G1-WHI	Prep Blank		5	<0.1	3.5	3.9	47	<0.1	3.0	3.9	555	1.95	0.9	0.7	6.1	59	<0.1	<0.1	<0.1	37	0.50

## QUALITY CONTROL REPORT

WHI13000189.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
REP 1243966	QC	0.008	1	3	<0.01	21	<0.001	<20	0.10	0.004	0.07	0.1	<0.01	<0.1	4.46	0.4	4.7	<1	1.1
Core Reject Duplicates																			
1243966	Rock	0.008	2	3	<0.01	21	<0.001	<20	0.10	0.004	0.07	<0.1	<0.01	<0.1	4.19	0.4	4.7	<1	1.1
DUP 1243966	QC	0.007	1	2	<0.01	23	<0.001	<20	0.10	0.003	0.07	<0.1	<0.01	<0.1	4.46	0.5	5.2	<1	1.3
Reference Materials																			
STD DS9	Standard	0.080	14	127	0.65	304	0.114	<20	0.98	0.086	0.41	2.7	0.21	5.7	0.17	2.7	5.2	5	5.3
STD OREAS45EA	Standard	0.028	7	890	0.10	149	0.093	<20	3.27	0.020	0.06	<0.1	<0.01	<0.1	<0.05	82.6	0.9	12	<0.2
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55 Expected																			
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.075	11	6	0.52	158	0.121	<20	0.94	0.076	0.50	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.075	13	7	0.52	165	0.129	<20	0.97	0.082	0.51	<0.1	<0.01	0.3	<0.05	2.4	<0.5	4	<0.2