

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 25, 2013
Report Date: September 30, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000189.2

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PLAS_ROCK_2013_9
P.O. Number
Number of Samples: 20

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA


CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	20	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	20	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	20	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
8TD	1	4 Acid Digest AAS Finish Vancouver	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 8TD-Pb included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000189.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1241836	Rock	3.47	5397	0.5	2.7	27.9	3	0.9	0.6	2.3	17	15.32	>10000	6553	2.9	4	<0.1	85.9	5.7	2
1241837	Rock	1.07	582	0.2	1.4	5.4	2	<0.1	10.4	11.9	39	2.21	>10000	550.8	5.4	5	<0.1	7.7	0.5	<2
1241838	Rock	0.53	293	0.2	1.7	37.8	6	0.3	6.5	4.5	95	1.59	>10000	382.3	9.6	17	<0.1	4.5	2.1	<2
1241366	Rock	0.86	455	0.2	2.1	117.5	5	0.5	8.5	19.1	304	2.59	>10000	490.1	6.3	43	<0.1	10.2	2.6	<2
1241367	Rock	1.67	79	<0.1	4.1	22.0	6	<0.1	6.2	4.5	378	1.09	3053	94.4	6.2	43	<0.1	1.4	0.4	<2
1243962	Rock	1.26	>10000	0.2	4.0	579.2	52	2.7	1.6	2.1	27	1.94	>10000	7880	1.3	11	0.5	4.2	2.6	<2
1243963	Rock	1.12	9992	0.5	14.5	633.7	5	4.0	4.5	12.1	29	12.61	>10000	13663	3.7	14	<0.1	51.0	6.3	2
1243964	Rock	1.09	95	0.1	3.1	8.3	7	<0.1	2.4	1.4	64	0.57	947.2	111.4	3.5	2	<0.1	0.4	<0.1	<2
1243965	Rock	1.00	3855	0.1	3.6	16.4	9	1.5	4.1	2.4	96	0.80	542.0	9696	3.6	2	<0.1	0.3	<0.1	<2
1243966	Rock	1.07	6196	0.8	8.5	281.5	26	2.9	7.3	7.5	56	18.29	>10000	6646	3.9	6	0.2	81.7	1.6	<2
1243967	Rock	0.97	2686	0.1	2.1	1015	6	2.2	1.7	1.8	26	2.74	>10000	3784	0.4	2	<0.1	12.1	2.5	<2
1243968	Rock	1.23	>10000	0.9	4.2	>10000	18	22.9	6.0	6.3	12	29.50	>10000	11239	1.9	10	0.3	140.2	10.9	2
1243969	Rock	1.14	345	<0.1	0.8	60.6	<1	<0.1	0.8	0.3	25	1.25	>10000	261.6	<0.1	<1	<0.1	4.1	<0.1	<2
1243970	Rock	1.02	>10000	0.6	11.4	652.1	3	6.6	6.2	6.9	28	19.06	>10000	27788	2.7	8	0.1	86.4	1.8	<2
1243971	Rock	1.22	1072	0.2	3.5	131.6	10	0.4	6.3	3.6	39	4.68	>10000	957.0	5.1	7	0.1	13.2	0.5	<2
1243972	Rock	1.35	323	0.3	2.0	19.4	5	<0.1	2.7	3.0	42	1.86	>10000	223.1	5.2	7	<0.1	3.8	<0.1	<2
1243973	Rock	0.74	11	0.5	35.3	10.2	62	0.2	28.1	14.4	728	2.42	136.5	6.2	10.7	61	<0.1	<0.1	1.9	17
1243974	Rock	0.82	9	0.5	112.5	6.5	13	0.1	7.1	5.3	227	1.90	93.8	4.8	1.0	28	<0.1	<0.1	0.1	5
1243975	Rock	1.41	578	7.8	249.6	15.0	17	4.1	1.1	6.7	33	2.71	1067	628.0	8.8	22	0.5	36.5	0.8	<2
1243976	Rock	0.89	54	0.9	3.7	10.3	64	<0.1	2.3	7.0	761	1.92	462.7	51.4	11.5	7	0.5	0.4	0.1	<2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: September 30, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000189.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	8TD
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Pb
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.01
1241836	Rock	0.013	2	3	<0.01	87	<0.001	<20	0.08	0.004	0.04	<0.1	<0.01	<0.1	1.71	0.2	8.3	<1	1.5
1241837	Rock	0.011	5	3	<0.01	186	<0.001	<20	0.10	0.022	0.05	<0.1	<0.01	<0.1	0.77	0.3	1.9	<1	0.9
1241838	Rock	0.018	9	5	0.03	300	<0.001	<20	0.12	0.023	0.07	<0.1	<0.01	<0.1	0.55	0.5	<0.5	<1	0.4
1241366	Rock	0.015	4	5	0.15	20	<0.001	<20	0.09	0.025	0.05	<0.1	<0.01	<0.1	1.09	0.7	1.8	<1	1.1
1241367	Rock	0.013	6	5	0.21	23	<0.001	<20	0.09	0.027	0.04	<0.1	<0.01	<0.1	0.36	0.7	<0.5	<1	<0.2
1243962	Rock	0.003	2	5	<0.01	85	<0.001	<20	0.04	0.008	0.03	<0.1	<0.01	<0.1	0.94	0.2	1.6	<1	1.0
1243963	Rock	0.004	2	2	<0.01	23	<0.001	<20	0.08	0.007	0.04	<0.1	<0.01	0.1	3.61	0.2	3.4	<1	3.3
1243964	Rock	0.004	5	4	0.01	16	<0.001	<20	0.07	0.009	0.03	<0.1	<0.01	<0.1	0.06	0.3	<0.5	<1	<0.2
1243965	Rock	0.005	6	7	0.05	19	<0.001	<20	0.14	0.009	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1243966	Rock	0.008	2	3	<0.01	21	<0.001	<20	0.10	0.004	0.07	<0.1	<0.01	<0.1	4.19	0.4	4.7	<1	1.1
1243967	Rock	0.002	<1	4	<0.01	23	<0.001	<20	0.02	0.001	0.01	<0.1	<0.01	<0.1	1.26	<0.1	0.6	<1	<0.2
1243968	Rock	0.003	<1	1	<0.01	8	<0.001	<20	0.05	0.005	0.06	<0.1	<0.01	<0.1	9.34	<0.1	7.3	<1	1.2
1243969	Rock	<0.001	<1	4	<0.01	11	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	0.56	0.1	<0.5	<1	<0.2
1243970	Rock	0.007	<1	3	<0.01	27	<0.001	<20	0.07	0.008	0.06	<0.1	<0.01	<0.1	6.68	0.2	4.1	<1	1.5
1243971	Rock	0.010	4	4	0.06	37	<0.001	<20	0.20	0.013	0.08	<0.1	<0.01	<0.1	2.20	0.4	0.9	<1	<0.2
1243972	Rock	0.008	5	9	0.01	62	<0.001	<20	0.08	0.022	0.04	<0.1	<0.01	<0.1	0.68	0.5	<0.5	<1	0.6
1243973	Rock	0.025	12	22	0.65	80	0.082	<20	3.06	0.125	0.50	0.1	<0.01	0.3	0.79	3.5	<0.5	8	<0.2
1243974	Rock	0.023	2	7	0.33	14	0.010	<20	0.74	0.023	0.06	2.9	<0.01	<0.1	0.35	0.6	0.7	2	<0.2
1243975	Rock	0.014	5	2	0.01	59	<0.001	<20	0.32	0.013	0.26	0.5	<0.01	0.1	1.84	0.9	0.7	<1	<0.2
1243976	Rock	0.042	23	2	0.02	67	<0.001	<20	0.28	0.002	0.25	3.9	<0.01	<0.1	<0.05	5.9	<0.5	<1	<0.2

QUALITY CONTROL REPORT

WHI13000189.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
REP 1243966	QC			0.7	9.6	298.4	28	3.1	7.6	7.8	53	19.31	>10000	7482	3.9	6	0.3	81.6	1.7	2	0.01
1243968	Rock	1.23	>10000	0.9	4.2	>10000	18	22.9	6.0	6.3	12	29.50	>10000	11239	1.9	10	0.3	140.2	10.9	2	<0.01
REP 1243968	QC																				
Core Reject Duplicates																					
1243966	Rock	1.07	6196	0.8	8.5	281.5	26	2.9	7.3	7.5	56	18.29	>10000	6646	3.9	6	0.2	81.7	1.6	<2	0.01
DUP 1243966	QC		6677	0.7	9.6	318.9	28	3.6	8.2	7.9	54	19.12	>10000	8977	4.1	7	0.1	87.5	1.8	2	0.01
Reference Materials																					
STD DS9	Standard			14.2	113.7	135.9	331	1.8	43.5	8.0	597	2.38	39.0	114.9	7.1	73	2.5	4.2	6.7	42	0.74
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OREAS45EA	Standard			1.4	711.3	16.9	33	0.2	404.9	55.0	405	24.37	10.9	72.6	11.7	4	<0.1	0.1	0.3	315	0.05
STD SH55	Standard		1443																		
STD SH55	Standard		1412																		
STD SH55 Expected			1375																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OREAS132A Expected																					
STD OREAS134B Expected																					
BLK	Blank		7																		
BLK	Blank		5																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		5	<0.1	3.2	3.4	44	<0.1	3.1	4.0	562	1.93	1.0	1.0	5.5	59	<0.1	<0.1	<0.1	36	0.49
G1-WHI	Prep Blank		5	<0.1	3.5	3.9	47	<0.1	3.0	3.9	555	1.95	0.9	0.7	6.1	59	<0.1	<0.1	<0.1	37	0.50

QUALITY CONTROL REPORT

WHI13000189.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	8TD
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Pb
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.01
Pulp Duplicates																			
REP 1243966	QC	0.008	1	3	<0.01	21	<0.001	<20	0.10	0.004	0.07	0.1	<0.01	<0.1	4.46	0.4	4.7	<1	1.1
1243968	Rock	0.003	<1	1	<0.01	8	<0.001	<20	0.05	0.005	0.06	<0.1	<0.01	<0.1	9.34	<0.1	7.3	<1	1.2
REP 1243968	QC																		1.18
Core Reject Duplicates																			
1243966	Rock	0.008	2	3	<0.01	21	<0.001	<20	0.10	0.004	0.07	<0.1	<0.01	<0.1	4.19	0.4	4.7	<1	1.1
DUP 1243966	QC	0.007	1	2	<0.01	23	<0.001	<20	0.10	0.003	0.07	<0.1	<0.01	<0.1	4.46	0.5	5.2	<1	1.3
Reference Materials																			
STD DS9	Standard	0.080	14	127	0.65	304	0.114	<20	0.98	0.086	0.41	2.7	0.21	5.7	0.17	2.7	5.2	5	5.3
STD OREAS132A	Standard																		3.65
STD OREAS134B	Standard																		13.31
STD OREAS45EA	Standard	0.028	7	890	0.10	149	0.093	<20	3.27	0.020	0.06	<0.1	<0.01	<0.1	<0.05	82.6	0.9	12	<0.2
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55 Expected																			
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			0.072	0.036	78	0.6	11.7	0.07
STD OREAS132A Expected																			3.66
STD OREAS134B Expected																			13.36
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
BLK	Blank																		<0.01
Prep Wash																			
G1-WHI	Prep Blank	0.075	11	6	0.52	158	0.121	<20	0.94	0.076	0.50	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.075	13	7	0.52	165	0.129	<20	0.97	0.082	0.51	<0.1	<0.01	0.3	<0.05	2.4	<0.5	4	<0.2