

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 25, 2013
Report Date: August 23, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000190.1

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PLAS_ROCK_2013_10
P.O. Number
Number of Samples: 12

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	12	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	12	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000190.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1241839	Rock	3.31	30	0.1	9.8	12.4	22	<0.1	6.1	1.9	93	1.25	2461	18.5	7.8	5	0.2	0.6	<0.1	5	0.02
1241840	Rock	1.48	20	0.1	18.3	17.9	38	<0.1	7.2	2.1	146	2.07	1783	19.7	7.9	15	0.1	0.5	<0.1	10	0.01
1241841	Rock	1.55	10	<0.1	8.0	7.7	21	<0.1	8.8	3.0	166	1.15	666.4	3.4	6.7	3	0.1	0.3	<0.1	5	<0.01
1241842	Rock	2.27	8	0.1	27.3	199.2	86	0.2	5.6	2.8	440	1.79	1025	<0.5	9.1	14	0.4	0.5	0.3	5	0.03
1241843	Rock	2.27	43	0.2	5.6	9.6	14	<0.1	4.3	1.3	55	1.02	3630	37.1	4.9	3	0.2	0.9	<0.1	<2	<0.01
1241844	Rock	2.09	29	0.1	14.3	17.6	27	<0.1	7.8	1.9	128	1.30	2430	12.7	9.5	5	0.2	0.7	<0.1	6	0.02
1243977	Rock	0.70	5	0.2	16.7	12.7	55	<0.1	11.3	3.8	703	2.92	18.1	<0.5	6.8	5	0.1	<0.1	0.1	12	0.04
1243978	Rock	0.96	140	0.1	3.0	4.6	6	<0.1	6.5	3.2	150	0.91	3954	151.7	4.5	7	<0.1	1.0	<0.1	<2	0.10
1243979	Rock	1.13	2117	0.9	<0.1	7.9	4	0.2	7.9	30.2	64	3.71	>10000	3067	4.0	4	<0.1	8.7	0.2	<2	0.02
1243980	Rock	0.87	2742	1.4	1.7	19.7	4	0.2	27.5	27.1	71	23.72	>10000	3344	2.4	7	<0.1	67.0	1.1	2	0.02
1243981	Rock	1.01	365	0.1	16.4	90.2	39	0.2	9.2	2.4	27	1.41	315.0	641.1	9.8	5	0.1	0.2	0.4	3	<0.01
1243982	Rock	0.83	322	<0.1	24.2	41.8	32	0.2	14.1	5.2	93	2.03	213.2	716.7	5.1	2	<0.1	0.2	0.2	6	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000190.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1241839	Rock	0.010	11	17	0.14	188	0.005	<20	0.37	0.041	0.08	0.7	<0.01	<0.1	0.06	1.1	<0.5	1
1241840	Rock	0.009	13	23	0.32	156	0.024	<20	0.77	0.033	0.25	1.0	<0.01	<0.1	0.07	2.3	<0.5	2
1241841	Rock	0.009	11	12	0.11	36	0.002	<20	0.32	0.024	0.07	0.2	<0.01	<0.1	<0.05	1.4	<0.5	1
1241842	Rock	0.017	11	18	0.50	86	0.008	<20	0.78	0.078	0.09	0.1	<0.01	<0.1	<0.05	2.6	<0.5	2
1241843	Rock	0.006	7	19	0.03	208	0.001	<20	0.14	0.015	0.06	0.4	<0.01	<0.1	0.12	0.6	<0.5	<1
1241844	Rock	0.008	12	16	0.17	174	0.002	<20	0.39	0.025	0.09	0.1	<0.01	<0.1	0.06	1.2	<0.5	1
1243977	Rock	0.018	10	22	0.66	17	0.003	<20	1.10	0.030	0.03	<0.1	0.01	<0.1	0.13	1.9	<0.5	4
1243978	Rock	0.016	5	17	0.02	24	<0.001	<20	0.09	0.002	0.06	<0.1	<0.01	<0.1	0.19	0.6	<0.5	<1
1243979	Rock	0.007	4	10	0.05	113	<0.001	<20	0.13	0.019	0.05	<0.1	<0.01	<0.1	1.74	<0.1	1.8	<1
1243980	Rock	0.010	<1	5	0.05	5	0.001	<20	0.19	0.011	0.05	<0.1	<0.01	<0.1	8.61	0.5	14.9	<1
1243981	Rock	0.007	13	13	0.04	61	<0.001	<20	0.21	0.040	0.02	<0.1	<0.01	<0.1	0.33	0.8	<0.5	<1
1243982	Rock	0.003	6	22	0.30	15	0.002	<20	0.59	0.024	<0.01	<0.1	<0.01	<0.1	0.59	1.5	<0.5	1

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000190.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243981	Rock	1.01	365	0.1	16.4	90.2	39	0.2	9.2	2.4	27	1.41	315.0	641.1	9.8	5	0.1	0.2	0.4	3	<0.01
REP 1243981	QC			<0.1	18.0	95.9	43	0.2	9.6	2.6	31	1.46	323.6	319.4	10.8	5	0.2	0.2	0.5	3	<0.01
REP 1243980	QC		2835																		
Reference Materials																					
STD DS9	Standard			13.4	119.4	146.0	329	1.7	43.5	8.0	619	2.45	28.0	102.9	6.8	74	2.6	5.5	6.8	42	0.73
STD OREAS45EA	Standard			1.5	717.6	16.0	31	0.3	402.8	55.6	418	24.41	9.0	47.3	11.6	4	<0.1	0.3	0.3	316	0.04
STD OXC109	Standard		206																		
STD SH55	Standard		1353																		
STD SH55	Standard		1362																		
STD SH55	Standard		1443																		
STD SH55	Standard		1412																		
STD SH55 Expected			1375																		
STD OXC109 Expected			201																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45EA Expected				1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032
BLK	Blank		4																		
BLK	Blank		4																		
BLK	Blank		7																		
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		5	0.1	2.6	3.7	44	<0.1	3.0	4.0	582	1.94	1.5	<0.5	5.6	58	<0.1	<0.1	0.1	37	0.49
G1-WHI	Prep Blank		5	<0.1	3.0	3.9	46	<0.1	2.6	4.2	593	1.99	1.0	<0.5	5.9	63	<0.1	<0.1	0.1	40	0.52

QUALITY CONTROL REPORT

WHI13000190.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1243981 Rock	0.007	13	13	0.04	61	<0.001	<20	0.21	0.040	0.02	<0.1	<0.01	<0.1	0.33	0.8	<0.5	<1	<0.2
REP 1243981 QC	0.007	14	13	0.05	65	<0.001	<20	0.22	0.042	0.03	<0.1	<0.01	<0.1	0.35	0.9	<0.5	<1	<0.2
REP 1243980 QC																		
Reference Materials																		
STD DS9 Standard	0.087	13	124	0.64	334	0.117	<20	0.96	0.086	0.42	2.7	0.25	5.1	0.18	2.4	5.7	5	5.5
STD OREAS45EA Standard	0.031	7	853	0.10	154	0.097	<20	3.20	0.020	0.06	<0.1	0.01	<0.1	<0.05	81.4	0.6	12	<0.2
STD OXC109 Standard																		
STD SH55 Standard																		
STD SH55 Standard																		
STD SH55 Standard																		
STD SH55 Standard																		
STD SH55 Expected																		
STD OXC109 Expected																		
STD DS9 Expected	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected	0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK Blank																		
BLK Blank																		
BLK Blank																		
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																		
G1-WHI Prep Blank	0.075	11	10	0.51	173	0.124	<20	0.93	0.083	0.48	0.2	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2
G1-WHI Prep Blank	0.075	12	9	0.51	174	0.133	<20	0.98	0.095	0.51	<0.1	<0.01	0.4	<0.05	2.2	<0.5	5	<0.2