

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 06, 2013
Report Date: August 23, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000237.1

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PLAS_ROCK_2013_12
P.O. Number
Number of Samples: 20

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	20	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	20	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	20	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000237.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1201908	Rock	1.02	3	0.3	9.0	8.7	13	<0.1	2.4	0.9	149	1.67	0.6	1.3	4.7	35	<0.1	0.1	0.3	8
1201909	Rock	1.19	3	0.2	4.0	3.3	13	<0.1	3.3	1.1	339	0.58	1.8	<0.5	0.8	404	<0.1	0.3	<0.1	<2
1201910	Rock	0.91	3	<0.1	2.7	6.4	47	<0.1	7.6	3.3	563	1.08	8.3	<0.5	6.0	86	0.1	<0.1	<0.1	2
1243995	Rock	0.91	<2	0.8	47.6	17.4	51	0.4	35.1	15.7	242	3.92	1.2	<0.5	13.6	393	0.4	<0.1	2.0	30
1243996	Rock	0.81	<2	0.3	37.6	3.6	34	0.1	16.4	6.0	230	2.08	0.7	<0.5	4.6	123	<0.1	<0.1	0.8	15
1243997	Rock	1.00	11	0.1	2.3	4.4	9	<0.1	3.7	0.5	77	0.48	33.4	6.2	5.2	3	<0.1	0.4	<0.1	<2
1243998	Rock	1.13	565	0.1	3.4	6.8	8	0.1	2.1	0.4	32	0.80	3083	511.2	2.4	8	<0.1	13.0	0.1	<2
1243999	Rock	0.42	3	0.2	7.7	6.0	45	<0.1	9.4	3.8	512	2.45	11.3	3.9	6.4	43	<0.1	<0.1	<0.1	12
1244000	Rock	0.75	199	<0.1	4.7	3.4	9	<0.1	4.8	2.1	205	0.70	99.4	611.8	4.6	5	<0.1	0.2	<0.1	<2
1242751	Rock	0.92	98	0.1	19.6	5.4	15	<0.1	2.2	0.8	111	2.42	103.9	152.1	4.9	3	0.1	0.2	<0.1	3
1242752	Rock	1.25	28	1.9	15.3	9.4	26	<0.1	16.1	7.3	405	1.38	82.5	51.0	6.3	7	0.2	0.4	<0.1	<2
1242753	Rock	0.94	1329	0.3	27.3	36.5	33	0.2	30.1	9.0	280	2.93	2740	927.7	10.9	4	0.1	0.4	0.3	7
1242754	Rock	0.92	23	0.2	24.6	27.9	85	0.1	46.2	21.6	681	2.04	34.7	169.8	11.0	25	0.3	<0.1	0.2	3
1242755	Rock	0.98	417	1.1	46.3	17.8	66	0.5	20.3	9.3	291	3.73	1712	3722	8.2	4	0.3	0.4	0.1	7
1242756	Rock	0.52	322	0.2	13.8	251.6	787	0.8	5.2	2.5	113	1.68	3115	234.6	19.9	12	3.8	0.4	1.1	4
1242757	Rock	0.79	64	0.6	24.0	5.9	36	<0.1	6.1	5.6	122	2.69	3192	54.4	8.0	3	<0.1	0.6	<0.1	8
1242758	Rock	0.69	26	<0.1	1.7	5.3	12	<0.1	4.9	1.4	175	0.62	299.2	22.6	2.1	5	<0.1	0.1	<0.1	<2
1242759	Rock	0.65	53	0.1	19.7	4.7	15	<0.1	13.1	6.7	175	1.03	117.9	40.2	4.7	8	<0.1	0.1	0.1	2
1242760	Rock	0.81	7	0.2	24.4	393.1	4	1.9	16.9	5.8	36	0.82	111.8	1.7	2.3	2	0.1	0.1	4.5	<2
1242761	Rock	0.73	78	0.1	11.3	31.7	22	0.1	6.6	1.5	76	0.96	990.0	48.0	0.5	4	0.2	0.6	0.4	<2

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000237.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
1201908	Rock	0.030	11	10	0.35	43	0.022	<20	0.72	0.044	0.19	0.1	<0.01	<0.1	0.05	1.3	<0.5	3
1201909	Rock	0.005	4	6	0.17	6	0.001	<20	0.08	0.003	0.01	<0.1	<0.01	<0.1	0.07	0.8	<0.5	<1
1201910	Rock	0.014	11	8	0.11	57	0.002	<20	0.27	0.019	0.08	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	<1
1243995	Rock	0.038	5	33	0.55	22	0.089	<20	6.44	0.397	0.23	0.3	<0.01	0.1	2.25	2.7	<0.5	14
1243996	Rock	0.031	4	21	0.75	16	0.047	<20	1.94	0.100	0.19	0.2	<0.01	0.1	0.61	1.6	<0.5	5
1243997	Rock	0.003	11	18	0.02	12	<0.001	<20	0.10	0.007	0.05	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1
1243998	Rock	0.003	3	12	0.01	43	<0.001	<20	0.07	0.002	0.06	<0.1	<0.01	<0.1	0.27	0.2	1.5	<1
1243999	Rock	0.015	6	18	0.53	27	0.002	27	1.01	0.017	0.04	<0.1	<0.01	<0.1	<0.05	1.5	<0.5	4
1244000	Rock	0.013	7	11	0.06	42	<0.001	<20	0.15	0.040	0.01	<0.1	<0.01	<0.1	0.11	0.8	<0.5	<1
1242751	Rock	0.013	7	12	0.22	36	<0.001	<20	0.49	0.051	0.02	<0.1	<0.01	<0.1	0.07	1.6	<0.5	1
1242752	Rock	0.016	11	10	0.07	19	<0.001	<20	0.33	0.004	0.13	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1
1242753	Rock	0.004	11	12	0.24	22	<0.001	<20	0.65	0.044	0.05	<0.1	<0.01	<0.1	0.60	2.1	<0.5	2
1242754	Rock	0.014	13	12	0.21	27	<0.001	<20	0.40	0.017	0.08	<0.1	<0.01	<0.1	0.17	1.3	<0.5	1
1242755	Rock	0.002	10	19	0.36	29	0.001	<20	0.71	0.032	0.04	<0.1	<0.01	<0.1	0.31	1.9	<0.5	2
1242756	Rock	0.019	21	13	0.13	55	<0.001	<20	0.36	0.029	0.13	0.1	0.01	<0.1	0.25	0.8	<0.5	1
1242757	Rock	0.004	7	12	0.38	9	0.001	29	0.73	0.040	0.03	<0.1	<0.01	<0.1	0.32	1.5	<0.5	2
1242758	Rock	0.003	4	11	0.03	13	<0.001	29	0.07	0.021	0.01	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1
1242759	Rock	0.005	6	14	0.06	13	<0.001	32	0.15	0.042	0.01	<0.1	<0.01	0.1	0.27	0.8	<0.5	<1
1242760	Rock	0.006	11	16	<0.01	10	<0.001	25	0.03	0.002	0.01	<0.1	<0.01	<0.1	0.34	0.1	<0.5	<1
1242761	Rock	0.009	<1	16	<0.01	9	<0.001	34	0.02	0.004	<0.01	<0.1	<0.01	<0.1	0.09	0.2	<0.5	<1

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Plateau South

Report Date: August 23, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000237.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243998	Rock	1.13	565	0.1	3.4	6.8	8	0.1	2.1	0.4	32	0.80	3083	511.2	2.4	8	<0.1	13.0	0.1	<2	<0.01
REP 1243998	QC	579																			
1242752	Rock	1.25	28	1.9	15.3	9.4	26	<0.1	16.1	7.3	405	1.38	82.5	51.0	6.3	7	0.2	0.4	<0.1	<2	0.08
REP 1242752	QC	1.7 15.8 9.9 27 <0.1 16.0 7.5 409 1.40 84.8 49.2 6.9 7 <0.1 0.4 <0.1 <2 0.09																			
Reference Materials																					
STD DS9	Standard	12.9 108.2 120.6 320 1.7 40.5 7.7 609 2.41 26.6 107.0 6.1 73 2.5 3.2 6.3 40 0.71																			
STD OREAS45EA	Standard	1.2 683.4 13.7 32 0.2 367.2 52.8 406 23.93 7.4 53.1 10.2 4 <0.1 0.1 0.3 293 0.04																			
STD OXC109	Standard	202																			
STD OXI96	Standard	1881																			
STD OXC109 Expected		201																			
STD OXI96 Expected		1802																			
STD DS9 Expected		12.84 108 126 317 1.83 40.3 7.6 575 2.33 25.5 118 6.38 69.6 2.4 4.94 6.32 40 0.7201																			
STD OREAS45EA Expected		1.78 709 14.3 30.6 0.311 357 52 400 22.65 11.4 53 10.7 4.05 0.03 0.64 0.26 295 0.032																			
BLK	Blank	<2																			
BLK	Blank	3																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 2.1 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <2 <0.01																			
Prep Wash																					
G1-WHI	Prep Blank	2 0.1 2.1 3.2 46 <0.1 2.6 4.1 597 1.89 <0.5 2.3 6.3 60 0.1 <0.1 <0.1 37 0.48																			
G1-WHI	Prep Blank	<2 0.1 2.6 3.3 43 <0.1 2.4 3.8 581 1.88 <0.5 1.9 6.1 56 <0.1 <0.1 0.1 35 0.70																			

QUALITY CONTROL REPORT

WHI13000237.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																		
1243998 Rock	0.003	3	12	0.01	43	<0.001	<20	0.07	0.002	0.06	<0.1	<0.01	<0.1	0.27	0.2	1.5	<1	1.4
REP 1243998 QC																		
1242752 Rock	0.016	11	10	0.07	19	<0.001	<20	0.33	0.004	0.13	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1	<0.2
REP 1242752 QC	0.017	11	9	0.08	20	<0.001	<20	0.36	0.003	0.13	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1	<0.2
Reference Materials																		
STD DS9 Standard	0.081	12	122	0.63	322	0.109	<20	0.95	0.083	0.40	2.7	0.19	5.3	0.17	2.3	4.5	4	5.8
STD OREAS45EA Standard	0.027	7	846	0.10	143	0.092	<20	3.10	0.019	0.05	<0.1	0.01	<0.1	<0.05	76.8	<0.5	13	<0.2
STD OXC109 Standard																		
STD OXI96 Standard																		
STD OXC109 Expected																		
STD OXI96 Expected																		
STD DS9 Expected	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected	0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																		
G1-WHI Prep Blank	0.072	14	5	0.51	176	0.128	<20	0.94	0.084	0.49	<0.1	<0.01	0.3	<0.05	2.7	<0.5	5	<0.2
G1-WHI Prep Blank	0.069	12	7	0.59	156	0.120	<20	0.92	0.092	0.47	<0.1	<0.01	0.3	<0.05	2.3	<0.5	4	<0.2