



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 1
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
This copy reported on
14-MAY-2015
Account: CANMID

CERTIFICATE VA15062636

Project: PA95

This report is for 240 Pulp samples submitted to our lab in Vancouver, BC, Canada on 29-APR-2015.

The following have access to data associated with this certificate:

SHADI MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-QC	QC Test on Received Samples
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: CANTEX MINE DEVELOPMENT CORP.
ATTN: SHADI MORTON
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAS19178		0.28	<0.001	0.01	0.36	0.5	10	0.08	0.02	0.01	<0.02	12.55	0.8	358	0.25	4.2
KAST22353		0.26	0.001	0.61	3.69	12.7	260	1.17	0.28	10.15	1.17	43.0	6.9	77	2.62	11.9
KAST22354		0.26	<0.001	0.22	4.16	22.9	350	1.18	0.23	5.64	1.72	49.0	8.8	78	3.00	15.2
KAST22489		0.26	<0.001	0.04	7.67	3.3	430	2.39	0.48	0.44	0.09	94.0	16.8	56	4.58	15.2
KAST22499		0.26	<0.001	0.05	6.93	6.8	400	2.29	0.42	1.80	0.07	90.7	15.5	49	3.75	41.1
KAST22500		0.24	0.002	0.13	5.33	9.3	330	1.75	0.43	1.39	0.58	73.5	15.8	87	3.20	25.1
KAST23140		0.24	<0.001	0.16	6.31	13.3	490	1.89	0.41	0.75	0.66	72.4	13.5	145	3.05	19.6
KAST23142		0.24	0.001	0.14	6.73	16.7	710	1.95	0.47	0.63	0.88	79.4	18.3	113	4.50	16.2
KAST23318		0.22	0.002	0.53	5.50	18.7	480	1.66	0.48	1.14	0.51	54.9	13.3	102	4.61	31.1
KAST23319		0.22	0.003	0.59	5.75	19.1	510	1.90	0.52	1.26	0.48	62.9	14.6	116	4.60	36.6
KAST23320		0.24	0.001	0.06	6.29	13.2	540	1.83	0.33	0.36	0.30	73.8	10.8	95	4.14	15.1
KAST23321		0.24	0.002	0.36	5.80	17.2	510	1.93	0.43	0.88	0.33	67.3	13.7	111	4.49	28.6
KAST23322		0.26	0.009	0.27	6.53	17.2	580	2.17	0.36	0.47	0.37	73.4	14.0	113	4.75	29.1
KAST23323		0.24	0.001	0.10	6.15	11.7	400	2.00	0.27	0.46	0.52	74.3	10.2	86	3.51	19.1
KAST24295		0.26	0.009	0.19	5.04	26.0	420	1.50	1.03	6.11	0.44	53.1	18.7	76	2.60	20.1
KAST24296		0.28	0.001	0.10	8.12	14.6	470	2.38	0.48	2.84	0.56	51.5	11.7	88	3.99	10.2
KAST24297		0.26	0.003	0.15	7.88	24.1	490	2.33	0.78	4.29	0.36	40.0	25.0	85	3.57	16.8
KAST24445		0.26	<0.001	0.13	5.85	10.4	560	1.75	0.37	0.56	0.62	62.0	12.0	114	6.68	16.2
KAST24446		0.26	0.001	0.06	5.60	5.5	600	1.61	0.32	0.14	0.12	67.4	9.3	186	4.30	13.1
KAST24447		0.28	<0.001	0.07	5.77	11.1	550	1.62	0.30	0.28	0.32	66.4	10.1	184	4.32	16.1
KAST22491		0.24	0.001	0.11	0.64	5.9	50	0.25	0.28	18.35	0.66	11.25	2.4	12	0.33	6.2
KAST22492		0.26	0.001	0.12	0.80	7.0	70	0.36	0.30	18.05	0.68	14.80	3.2	16	0.45	8.5
KAST22494		0.22	0.001	0.11	1.93	8.4	130	0.67	0.32	14.45	0.44	26.3	3.9	49	1.10	13.1
KAST22495		0.22	0.001	0.18	1.89	11.1	160	0.63	0.44	14.05	0.68	30.1	5.2	53	1.17	16.1
KAST22496		0.22	0.001	0.10	1.62	7.8	110	0.63	0.38	15.30	0.71	22.8	3.4	35	0.93	9.6
KAST22497		0.24	0.001	0.07	1.83	10.5	120	0.62	0.60	14.45	0.31	25.4	3.2	36	1.00	10.7
KAST22498		0.24	0.001	0.22	2.29	18.7	200	0.83	0.65	11.95	0.80	33.6	8.3	54	1.48	21.8
KAST23120		0.26	0.002	0.25	3.29	24.9	280	0.98	0.79	8.48	0.95	40.0	9.9	60	2.02	25.2
KAST23121		0.24	0.001	0.16	2.75	16.6	220	0.82	0.58	11.15	0.60	37.6	7.1	66	1.67	18.7
KAST23122		0.24	0.001	0.14	3.56	13.8	280	1.07	0.83	8.50	0.50	49.3	6.7	103	2.09	17.7
KAST23123		0.20	0.008	0.30	2.73	15.8	300	0.90	0.49	8.62	1.15	40.9	8.0	65	1.68	27.4
KAST23124		0.24	0.003	0.39	2.36	14.9	240	0.77	0.49	12.45	0.83	31.6	7.1	46	1.67	27.3
KAST23125		0.22	0.004	0.43	3.84	20.8	410	1.18	0.58	8.29	1.38	47.8	11.6	64	2.33	37.9
KAST23126		0.24	0.002	0.30	4.17	14.4	280	1.24	0.40	7.14	0.88	55.4	9.0	67	3.04	25.0
KAST23127		0.22	0.001	0.14	3.33	9.8	210	1.02	0.22	9.84	0.24	41.6	4.7	43	2.22	12.0
KAST24448		0.22	0.001	0.09	5.86	8.1	490	1.76	0.31	0.77	0.29	70.8	11.0	160	5.23	22.7
KAST24449		0.22	0.001	0.09	6.00	9.3	570	1.80	0.32	0.47	0.40	68.7	12.1	170	5.49	16.2
KAST24450		0.22	0.001	0.10	5.87	10.9	640	1.62	0.36	0.97	0.62	66.3	13.1	122	4.78	15.6
KAST24451		0.22	0.001	0.11	5.20	11.2	630	1.62	0.35	1.35	0.58	61.6	11.9	102	3.75	15.5
KAST24452		0.20	0.001	0.08	5.63	11.3	530	1.51	0.33	0.78	0.40	64.1	9.7	200	3.30	11.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAS19178		0.41	0.99	0.08	0.3	<0.005	0.16	6.0	1.4	0.02	27	1.08	0.01	0.9	6.1	30
KAST22353		2.71	9.05	0.09	1.3	0.097	2.26	21.9	19.6	6.34	2270	1.01	0.05	4.7	16.2	310
KAST22354		2.97	9.77	0.10	1.4	0.066	2.21	23.7	17.3	3.68	2800	0.78	0.08	5.2	18.1	360
KAST22489		4.06	20.3	0.16	3.4	0.073	4.09	41.9	54.6	2.28	620	0.30	0.21	13.0	27.7	370
KAST22499		3.78	17.65	0.17	3.6	0.061	3.61	38.9	46.3	2.36	899	0.26	0.18	12.1	22.0	480
KAST22500		3.21	13.75	0.16	2.4	0.056	2.58	32.5	34.0	1.80	1780	0.87	0.12	9.7	23.2	930
KAST23140		4.32	17.05	0.15	2.2	0.067	3.65	35.7	62.9	1.16	2670	0.82	0.22	10.2	28.1	640
KAST23142		4.89	17.95	0.16	2.4	0.107	2.66	36.3	57.5	1.47	2410	1.15	0.54	12.8	34.3	770
KAST23318		3.57	13.65	0.14	2.0	0.067	2.57	28.1	45.3	1.40	1480	2.09	0.28	8.6	30.4	920
KAST23319		3.85	14.60	0.15	2.2	0.070	2.81	32.3	48.2	1.45	1820	2.14	0.28	9.3	37.3	990
KAST23320		3.17	17.65	0.15	2.7	0.073	3.22	37.7	49.3	1.45	862	3.77	0.30	11.8	33.2	680
KAST23321		3.76	15.10	0.16	2.3	0.070	2.88	34.2	49.8	1.31	1640	2.39	0.28	10.4	35.0	960
KAST23322		3.88	17.55	0.17	2.5	0.069	3.30	37.4	56.1	1.50	1670	3.04	0.29	10.7	40.6	900
KAST23323		3.16	16.40	0.18	2.5	0.065	3.64	36.5	53.2	1.73	1160	3.27	0.11	10.2	37.7	700
KAST24295		5.44	12.45	0.13	1.8	0.159	3.01	24.6	42.2	3.99	4660	1.03	0.19	7.5	37.8	660
KAST24296		5.03	20.9	0.13	2.5	0.151	4.72	25.0	70.9	3.10	3720	0.60	0.20	11.1	27.5	510
KAST24297		5.28	19.25	0.12	3.0	0.185	4.88	18.8	70.1	3.54	3600	1.58	0.18	13.8	37.3	640
KAST24445		3.91	15.70	0.14	1.9	0.060	2.65	31.3	43.7	1.54	1340	0.97	0.33	9.7	24.2	580
KAST24446		3.48	13.60	0.14	1.9	0.046	3.07	32.2	35.4	1.08	1200	0.78	0.14	6.9	16.0	210
KAST24447		3.27	14.45	0.14	1.9	0.061	3.30	32.0	29.4	0.92	1840	0.86	0.15	8.2	20.4	260
KAST22491		1.64	1.67	0.08	0.3	0.030	0.28	6.2	5.2	11.40	1560	0.64	0.03	1.1	9.2	170
KAST22492		2.00	2.16	0.07	0.3	0.045	0.38	8.3	6.5	11.30	1800	0.84	0.03	1.4	11.5	210
KAST22494		2.15	4.89	0.09	0.7	0.057	0.89	14.4	12.3	9.13	1700	1.15	0.06	3.0	13.2	300
KAST22495		2.80	4.74	0.07	0.8	0.062	0.82	15.1	12.3	8.95	2120	1.39	0.09	3.0	17.7	400
KAST22496		2.28	4.18	0.08	0.6	0.045	0.74	12.5	10.4	9.51	1920	0.95	0.06	2.6	12.5	360
KAST22497		2.15	4.49	0.08	0.7	0.051	1.01	13.6	10.6	9.10	1740	0.94	0.03	2.5	10.4	220
KAST22498		3.65	5.75	0.08	1.0	0.079	1.06	18.5	13.7	7.59	2770	1.66	0.09	3.7	21.5	510
KAST23120		4.38	7.70	0.07	1.1	0.089	1.50	21.0	17.5	5.42	3480	1.89	0.13	4.5	25.6	720
KAST23121		3.36	6.78	0.07	1.0	0.079	1.44	19.2	15.4	7.15	2450	1.20	0.07	3.9	17.1	360
KAST23122		2.92	8.93	0.08	1.4	0.075	1.93	25.2	19.1	5.53	2080	1.41	0.08	5.0	17.4	370
KAST23123		3.62	6.72	0.06	1.0	0.073	1.03	22.1	13.7	5.22	2490	1.29	0.19	4.7	27.5	900
KAST23124		3.04	5.86	0.07	0.9	0.062	0.96	17.5	13.0	7.82	2010	1.23	0.16	4.1	25.0	650
KAST23125		4.51	9.51	0.08	1.3	0.090	1.43	25.9	19.7	5.31	3310	1.55	0.26	6.0	37.4	1010
KAST23126		2.64	10.65	0.08	1.7	0.054	2.42	27.9	30.7	4.97	1380	2.11	0.11	6.5	26.0	530
KAST23127		1.82	8.27	0.09	1.3	0.041	1.95	21.0	23.0	5.83	1120	3.63	0.08	5.0	18.8	450
KAST24448		3.50	15.15	0.14	2.0	0.061	3.19	34.9	36.0	1.59	1620	0.79	0.13	8.1	24.5	320
KAST24449		3.79	14.80	0.17	1.9	0.065	3.16	33.6	40.5	1.49	1720	1.04	0.23	7.9	23.9	440
KAST24450		4.06	14.20	0.19	1.8	0.068	3.06	31.9	34.9	1.24	2110	1.00	0.34	8.0	21.1	730
KAST24451		3.76	12.85	0.17	1.7	0.070	2.49	30.9	31.9	1.04	2010	0.92	0.42	7.8	21.0	800
KAST24452		3.54	13.50	0.19	1.8	0.063	3.49	30.0	34.9	0.98	2100	1.32	0.16	7.4	17.8	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
KAS19178		1.2	4.4	<0.002	<0.01	0.22	0.5	<1	0.3	4.5	<0.05	<0.05	2.2	0.031	0.3
KAST22353		105.0	87.8	<0.002	0.04	1.74	5.9	<1	1.2	36.2	0.36	<0.05	7.0	0.153	1.5
KAST22354		58.2	101.5	<0.002	0.04	1.53	5.6	<1	1.1	31.5	0.38	0.05	8.1	0.165	1.3
KAST22489		8.6	175.5	<0.002	0.01	0.73	11.5	1	2.7	18.0	0.95	0.12	17.0	0.301	2.1
KAST22499		7.1	151.5	<0.002	<0.01	0.66	9.6	1	2.4	23.8	0.92	0.18	16.1	0.283	2.0
KAST22500		31.6	117.5	<0.002	0.07	0.63	8.0	1	1.9	26.9	0.66	0.14	11.8	0.224	1.9
KAST23140		82.5	134.0	<0.002	0.03	2.35	11.0	1	1.9	35.4	0.71	<0.05	12.3	0.296	2.8
KAST23142		52.1	116.5	<0.002	0.04	2.62	11.8	1	2.1	82.2	0.89	0.06	12.2	0.398	3.7
KAST23318		53.1	115.0	<0.002	0.08	1.93	9.6	1	1.6	51.3	0.61	0.06	10.5	0.265	4.2
KAST23319		59.6	121.0	<0.002	0.08	2.08	11.5	1	1.7	53.5	0.66	<0.05	11.2	0.270	3.9
KAST23320		27.8	140.0	<0.002	0.02	1.41	9.2	1	2.3	43.3	0.83	0.05	12.1	0.318	3.7
KAST23321		41.6	126.5	<0.002	0.07	1.85	12.0	1	1.8	49.8	0.69	0.06	11.6	0.273	5.3
KAST23322		45.9	139.5	<0.002	0.04	1.90	12.8	1	2.1	46.1	0.75	0.07	12.9	0.309	5.2
KAST23323		42.0	142.0	<0.002	0.02	1.56	9.9	1	2.1	16.9	0.74	0.06	12.5	0.261	3.4
KAST24295		43.5	106.5	<0.002	0.04	3.69	8.0	1	1.5	43.8	0.55	0.05	9.7	0.225	2.0
KAST24296		52.9	146.5	<0.002	0.03	2.19	11.6	2	2.6	31.5	0.79	0.05	9.6	0.352	2.0
KAST24297		46.1	124.0	<0.002	0.03	2.67	11.1	2	2.4	38.9	0.90	0.06	11.9	0.365	2.3
KAST24445		50.6	123.0	<0.002	0.02	1.68	10.3	1	1.8	45.4	0.65	0.05	10.1	0.315	1.8
KAST24446		27.4	108.0	<0.002	0.01	1.41	6.9	<1	1.6	20.0	0.50	<0.05	11.3	0.236	1.7
KAST24447		50.3	133.5	<0.002	0.01	1.67	8.8	1	1.7	20.4	0.58	<0.05	11.1	0.257	1.6
KAST22491		25.7	11.0	<0.002	0.01	0.94	2.0	<1	0.2	39.4	0.08	<0.05	1.4	0.031	1.4
KAST22492		27.8	14.5	<0.002	0.02	1.24	2.3	1	0.3	38.0	0.10	<0.05	1.9	0.039	1.6
KAST22494		22.8	38.5	<0.002	0.02	1.39	3.8	1	0.6	35.3	0.23	<0.05	4.0	0.087	1.8
KAST22495		35.6	34.6	<0.002	0.04	1.69	4.3	<1	0.6	38.0	0.22	<0.05	4.0	0.089	2.0
KAST22496		21.7	30.4	<0.002	0.02	1.15	3.8	1	0.6	34.7	0.19	<0.05	3.4	0.072	1.7
KAST22497		14.6	38.3	<0.002	0.02	1.34	3.2	<1	0.6	29.6	0.19	<0.05	3.7	0.075	1.6
KAST22498		41.2	43.6	<0.002	0.03	2.19	5.0	1	0.8	33.0	0.27	<0.05	5.1	0.109	2.3
KAST23120		48.6	59.3	<0.002	0.05	2.52	6.3	1	1.1	33.4	0.33	<0.05	6.3	0.143	2.6
KAST23121		30.0	57.3	<0.002	0.01	2.04	4.9	<1	0.9	29.9	0.30	<0.05	5.7	0.118	1.8
KAST23122		26.9	76.2	<0.002	0.02	2.58	5.9	1	1.2	29.3	0.37	<0.05	7.3	0.151	2.1
KAST23123		63.9	45.1	<0.002	0.07	4.20	6.7	1	0.8	46.3	0.31	<0.05	6.0	0.145	2.4
KAST23124		64.0	38.7	<0.002	0.03	4.31	5.7	1	0.7	48.2	0.30	0.05	5.2	0.124	2.7
KAST23125		89.2	58.8	<0.002	0.05	5.80	9.2	1	1.2	55.0	0.41	<0.05	7.5	0.193	3.0
KAST23126		78.5	95.2	<0.002	0.03	2.15	6.8	1	1.4	31.4	0.50	<0.05	9.1	0.188	2.7
KAST23127		24.2	76.3	0.004	0.03	1.28	5.3	1	1.1	31.5	0.37	<0.05	6.6	0.146	2.2
KAST24448		37.6	125.5	<0.002	0.02	1.81	9.3	1	1.8	19.6	0.59	<0.05	11.6	0.257	1.9
KAST24449		44.9	115.0	<0.002	0.03	1.61	10.5	<1	1.9	30.3	0.56	0.05	10.8	0.276	1.9
KAST24450		46.9	114.5	<0.002	0.05	1.54	10.7	1	1.8	52.5	0.55	0.05	10.0	0.285	2.0
KAST24451		39.3	99.7	<0.002	0.05	1.33	10.4	1	1.6	67.2	0.57	<0.05	9.1	0.266	2.1
KAST24452		43.7	107.0	<0.002	0.05	1.60	8.7	1	1.7	24.8	0.56	0.07	9.4	0.255	1.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
KAS19178		5	0.1	1.0	2	5.4	
KAST22353		41	0.6	10.4	348	47.6	
KAST22354		36	0.7	9.9	466	49.9	
KAST22489		53	1.4	16.4	85	115.5	
KAST22499		52	1.4	16.2	76	109.5	
KAST22500		42	1.0	16.9	196	82.2	
KAST23140		84	1.1	19.0	204	79.5	
KAST23142		118	1.4	18.0	300	81.5	
KAST23318		90	1.0	17.5	192	74.9	
KAST23319		90	1.1	22.5	163	72.3	
KAST23320		135	1.4	15.5	79	94.3	
KAST23321		98	1.1	22.3	137	75.4	
KAST23322		131	1.3	23.2	133	85.7	
KAST23323		106	1.2	19.9	85	85.0	
KAST24295		62	0.9	19.5	113	61.5	
KAST24296		100	1.3	18.9	126	98.9	
KAST24297		99	1.4	20.5	109	114.0	
KAST24445		80	1.1	13.7	180	67.4	
KAST24446		56	1.0	8.0	64	62.9	
KAST24447		61	1.0	10.2	134	65.2	
KAST22491		21	0.2	7.1	126	9.1	
KAST22492		23	0.3	8.4	135	11.3	
KAST22494		32	0.5	9.7	99	25.5	
KAST22495		37	0.5	12.2	152	27.2	
KAST22496		33	0.5	9.9	100	21.8	
KAST22497		28	1.2	8.2	71	22.7	
KAST22498		43	0.7	14.0	194	33.9	
KAST23120		54	0.9	15.8	241	41.3	
KAST23121		40	0.7	12.2	143	35.2	
KAST23122		46	0.9	11.7	116	44.8	
KAST23123		58	1.0	17.3	308	38.3	
KAST23124		49	1.0	15.0	298	33.4	
KAST23125		82	1.2	23.0	432	48.6	
KAST23126		67	1.0	16.9	245	60.6	
KAST23127		74	0.9	13.7	77	45.1	
KAST24448		62	1.0	12.2	114	68.6	
KAST24449		72	1.0	12.7	155	68.2	
KAST24450		79	1.0	16.1	196	63.6	
KAST24451		79	1.0	19.3	193	58.9	
KAST24452		68	1.1	11.2	118	62.9	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST22352		0.28	<0.001	0.06	3.81	12.5	290	1.28	0.18	9.82	2.03	41.0	7.7	59	2.77	12.9
KAST22355		0.28	<0.001	0.13	5.50	48.1	540	1.55	0.32	1.13	0.56	62.6	15.0	179	4.12	38.7
KAST22356		0.28	0.001	0.18	5.95	42.5	590	1.68	0.42	0.95	0.61	67.5	19.9	183	4.70	43.7
KAST22357		0.28	<0.001	0.15	6.02	46.6	600	1.78	0.34	0.26	0.61	69.1	14.4	205	5.05	28.0
KAST22358		0.28	<0.001	0.08	6.03	80.2	540	1.93	0.34	0.27	0.45	67.2	17.0	205	5.30	28.6
KAST22359		0.26	0.002	0.36	6.19	34.6	540	1.94	0.83	0.31	0.42	70.2	17.7	208	5.20	126.0
KAST22360		0.26	0.003	0.25	6.20	33.9	530	2.06	0.66	0.19	0.67	69.3	16.7	199	5.22	45.8
KAST22361		0.28	<0.001	0.04	6.27	8.4	520	2.23	0.16	0.43	0.50	68.6	16.3	148	5.94	18.9
KAST22362		0.28	<0.001	0.08	6.13	21.4	530	1.88	0.25	0.23	0.29	66.6	17.3	142	5.30	22.5
KAST22363		0.28	<0.001	0.05	6.52	13.6	550	1.98	0.25	0.24	0.30	67.3	11.9	138	5.10	15.8
KAST22364		0.24	0.001	0.15	5.98	21.8	500	2.02	0.43	1.38	0.35	63.3	24.8	165	5.38	38.2
KAST22365		0.28	0.003	0.23	3.21	19.9	230	1.02	0.91	12.05	0.69	34.5	8.4	62	2.63	28.5
KAST24418		0.30	0.001	0.18	2.58	16.8	200	0.88	0.18	13.95	0.20	28.5	13.1	48	1.37	12.0
KAST24419		0.30	0.001	0.17	1.90	15.4	140	0.79	0.18	16.20	0.19	24.2	11.2	32	0.97	11.7
KAST24434		0.26	<0.001	0.69	5.94	12.2	580	1.62	0.43	0.57	1.98	87.9	11.4	89	4.10	16.6
KAST24435		0.28	0.001	1.72	5.96	18.2	600	1.52	1.08	1.16	1.31	72.3	11.4	97	4.29	46.8
KAST24436		0.26	<0.001	0.49	6.22	15.0	610	1.55	0.38	0.81	1.98	65.2	11.8	104	4.60	19.7
KAST24437		0.28	<0.001	0.22	4.69	8.2	390	1.28	0.20	6.10	0.52	53.4	7.1	78	3.04	10.4
KAST24438		0.26	0.002	0.38	5.25	24.0	450	1.48	0.26	3.43	0.95	57.9	9.3	95	4.18	23.3
KAST24439		0.30	0.001	0.82	3.76	15.8	300	1.04	0.92	10.20	0.50	42.5	7.6	53	3.05	31.8
KAST22460		0.24	0.001	0.14	4.34	10.6	330	1.27	0.41	8.27	0.33	50.2	9.2	71	2.34	21.2
KAST22461		0.24	0.001	0.14	3.86	9.6	260	1.04	0.39	10.65	0.27	42.6	7.8	52	2.18	17.4
KAST22462		0.22	0.003	0.20	4.42	10.9	370	1.32	0.38	6.82	0.47	48.4	10.2	65	2.28	23.7
KAST22463		0.24	0.001	0.14	4.04	9.5	300	1.18	0.36	9.14	0.34	47.1	8.9	66	1.95	21.0
KAST22464		0.20	0.003	0.23	4.84	17.7	540	1.31	0.38	5.24	0.86	59.0	14.2	82	2.45	22.5
KAST22465		0.22	0.001	0.08	5.50	8.6	460	1.76	0.25	3.89	0.39	56.3	8.6	87	2.41	13.3
KAST22466		0.22	0.001	0.14	5.93	12.0	410	1.93	0.33	0.72	2.15	52.2	11.0	105	2.67	48.7
KAST22467		0.26	0.002	0.18	5.01	12.6	390	1.61	0.33	5.82	0.72	61.2	10.1	88	2.31	41.4
KAST22468		0.22	0.001	0.21	5.88	14.1	480	1.83	0.33	2.72	0.66	63.4	12.6	101	2.85	34.7
KAST22469		0.24	0.001	0.13	6.09	16.1	420	1.92	0.43	4.28	0.31	63.1	10.7	85	3.26	22.2
KAST24420		0.26	0.001	0.19	2.49	20.9	220	0.82	0.14	15.05	0.31	27.2	10.5	38	0.98	11.0
KAST24421		0.24	<0.001	0.13	2.47	18.8	260	0.75	0.20	12.90	0.22	34.6	13.4	81	1.09	14.3
KAST24422		0.24	0.001	0.39	1.08	84.7	70	0.50	0.14	16.80	0.14	16.60	20.0	9	0.68	15.0
KAST24423		0.22	0.001	0.13	4.17	14.6	280	1.24	0.21	9.44	0.08	47.6	14.3	54	2.66	18.6
KAST24424		0.24	0.001	0.15	4.51	18.8	320	1.21	0.25	8.53	0.13	47.5	14.9	76	3.11	15.8
KAST24463		0.22	0.004	0.23	6.21	22.5	350	1.99	0.35	0.82	0.79	70.8	9.2	69	4.56	41.6
KAST24464		0.22	0.003	0.19	6.31	24.1	360	1.93	0.36	0.25	0.82	70.3	9.2	68	4.42	36.9
KAST24465		0.20	0.003	0.20	6.32	26.2	360	2.04	0.38	0.34	1.16	71.8	11.1	71	4.66	40.4
KAST24466		0.22	0.003	0.18	6.31	20.5	360	1.95	0.35	0.26	1.08	70.1	8.9	68	4.78	35.0
KAST24467		0.20	0.001	0.11	6.51	11.4	410	1.92	0.33	0.09	0.18	75.0	10.3	75	4.06	17.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAST22352		2.26	9.18	0.16	1.3	0.058	2.37	20.2	20.5	6.40	1560	0.62	0.04	5.0	12.8	260
KAST22355		3.34	12.65	0.19	1.6	0.061	3.28	30.3	20.0	1.04	2940	1.29	0.11	6.3	27.5	440
KAST22356		3.86	13.60	0.17	1.8	0.071	3.33	32.3	24.9	1.17	3110	1.22	0.15	6.6	31.0	410
KAST22357		3.48	14.55	0.18	1.9	0.058	3.29	33.8	27.5	1.20	1670	1.28	0.17	7.7	27.3	350
KAST22358		3.39	15.35	0.18	2.1	0.048	3.12	32.9	32.1	1.51	1240	1.47	0.14	7.7	26.6	430
KAST22359		3.54	15.05	0.19	2.0	0.061	3.25	33.8	32.3	1.56	1540	1.74	0.12	7.8	29.5	390
KAST22360		3.76	15.20	0.18	2.1	0.068	3.29	34.3	32.7	1.43	1200	1.86	0.13	7.8	29.7	350
KAST22361		3.27	15.80	0.19	1.9	0.066	3.31	33.6	38.5	2.12	1230	0.88	0.13	8.2	25.9	500
KAST22362		3.59	15.15	0.19	1.9	0.049	3.10	31.9	32.7	1.63	1420	1.15	0.19	7.8	24.5	380
KAST22363		3.44	15.50	0.16	2.0	0.066	3.42	32.5	28.7	1.37	1430	0.92	0.17	7.8	20.8	380
KAST22364		4.14	14.60	0.17	1.9	0.063	2.98	30.8	31.7	2.17	1610	1.94	0.13	7.1	36.8	430
KAST22365		4.37	7.68	0.15	1.0	0.091	1.58	17.3	12.9	7.55	3180	1.43	0.08	3.9	21.2	330
KAST24418		1.87	6.14	0.13	1.2	0.035	2.01	13.7	14.7	8.87	1060	0.96	0.10	3.8	18.5	350
KAST24419		1.76	4.28	0.16	0.9	0.047	1.63	10.2	10.2	10.10	1230	0.85	0.06	2.7	15.7	220
KAST24434		4.27	15.20	0.20	2.2	0.067	4.04	42.1	55.0	0.88	2430	0.69	0.17	8.7	19.0	600
KAST24435		3.90	14.80	0.20	2.2	0.066	3.81	35.8	45.2	1.26	2020	0.86	0.28	8.8	22.5	620
KAST24436		4.22	15.40	0.19	2.0	0.069	3.57	32.3	51.3	1.10	1960	0.93	0.35	9.0	20.1	550
KAST24437		2.86	11.30	0.16	1.5	0.043	3.53	27.2	38.5	4.23	1800	0.53	0.08	6.5	16.3	400
KAST24438		3.03	13.05	0.18	1.7	0.048	3.59	28.8	42.8	2.62	1530	0.86	0.15	7.8	19.5	540
KAST24439		2.12	8.92	0.16	1.4	0.041	2.90	21.1	34.1	6.64	1020	0.58	0.09	5.3	14.5	330
KAST22460		3.24	10.80	0.15	1.5	0.059	2.85	24.8	37.2	5.00	1930	0.45	0.15	7.0	18.0	440
KAST22461		2.77	9.18	0.15	1.4	0.057	2.59	21.3	34.4	5.76	1800	0.29	0.09	5.6	14.6	400
KAST22462		4.08	11.15	0.16	1.4	0.107	2.88	24.0	36.1	4.24	2750	0.57	0.16	6.3	20.3	630
KAST22463		3.05	9.76	0.14	1.4	0.059	2.67	23.0	32.6	5.63	1910	0.50	0.17	6.9	16.8	460
KAST22464		4.25	11.60	0.16	1.7	0.094	2.76	28.7	41.6	3.39	3060	0.79	0.37	7.9	28.3	710
KAST22465		3.60	13.90	0.16	2.0	0.076	3.90	28.6	57.2	2.64	2790	0.49	0.11	8.8	17.4	560
KAST22466		5.93	15.10	0.18	2.0	0.177	3.64	26.3	66.7	0.95	4230	0.76	0.14	6.4	21.4	730
KAST22467		3.98	12.70	0.18	1.8	0.084	3.20	31.1	50.4	3.59	2670	0.62	0.18	7.8	23.0	610
KAST22468		4.07	14.40	0.16	1.9	0.075	3.56	32.3	56.6	2.12	2620	0.71	0.21	8.6	27.8	740
KAST22469		3.59	15.90	0.20	2.2	0.087	3.92	32.1	63.6	3.14	1670	0.59	0.19	9.5	22.9	420
KAST24420		2.05	6.75	0.13	1.1	0.031	2.06	13.0	14.7	9.48	994	0.68	0.12	3.7	19.5	330
KAST24421		2.98	6.04	0.13	1.0	0.071	1.84	16.5	13.3	7.75	2140	1.08	0.20	3.7	22.9	420
KAST24422		3.68	2.61	0.07	0.4	0.019	0.88	8.6	7.8	10.45	1000	2.47	0.02	1.6	50.6	110
KAST24423		2.10	11.15	0.10	1.8	0.031	3.21	24.8	30.9	6.13	981	1.14	0.07	7.0	27.4	410
KAST24424		2.60	11.50	0.09	1.8	0.042	3.25	24.7	31.0	5.42	1870	1.22	0.11	7.1	26.3	500
KAST24463		2.70	17.30	0.17	3.3	0.073	3.22	37.4	40.8	1.70	417	9.21	0.23	11.0	49.6	970
KAST24464		2.75	17.10	0.17	3.3	0.077	3.25	37.1	37.4	1.47	377	9.09	0.22	11.1	47.2	950
KAST24465		2.88	17.75	0.17	3.3	0.077	3.18	37.8	42.3	1.50	484	9.06	0.23	11.3	52.7	1030
KAST24466		2.64	18.00	0.18	3.5	0.075	3.32	37.0	38.5	1.36	458	11.65	0.22	11.3	48.7	1060
KAST24467		2.91	18.70	0.16	3.0	0.063	3.88	36.8	44.8	1.10	819	3.86	0.15	10.9	27.0	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
KAST22352		16.2	82.8	<0.002	0.08	1.36	6.1	<1	1.1	29.6	0.37	<0.05	6.3	0.156	1.4
KAST22355		45.6	131.5	<0.002	0.02	2.31	7.8	1	1.6	26.7	0.46	0.06	10.5	0.220	1.4
KAST22356		70.6	134.0	<0.002	0.04	2.48	8.6	1	1.7	29.9	0.47	<0.05	11.0	0.240	1.6
KAST22357		87.8	137.0	<0.002	0.02	2.27	9.8	1	1.8	26.2	0.56	<0.05	11.1	0.266	2.0
KAST22358		39.3	139.5	<0.002	0.03	2.39	9.7	1	1.8	22.2	0.54	<0.05	11.4	0.252	2.1
KAST22359		55.4	141.5	<0.002	0.05	2.61	9.9	1	1.8	19.1	0.56	0.06	11.2	0.264	2.1
KAST22360		89.0	141.0	<0.002	0.03	2.89	10.1	1	1.8	18.0	0.58	0.05	11.8	0.262	2.2
KAST22361		18.7	148.0	<0.002	0.06	2.23	10.0	1	1.8	16.6	0.60	<0.05	11.3	0.277	1.6
KAST22362		38.0	133.5	<0.002	0.04	2.23	9.5	1	1.8	20.9	0.55	<0.05	10.9	0.268	1.7
KAST22363		36.6	141.5	<0.002	0.02	1.91	10.3	1	1.9	20.0	0.57	<0.05	11.1	0.276	1.7
KAST22364		45.2	132.5	<0.002	0.05	3.04	9.6	1	1.7	22.6	0.53	<0.05	10.9	0.248	1.8
KAST22365		26.8	63.5	<0.002	0.03	2.52	5.2	1	0.9	35.1	0.29	<0.05	5.5	0.128	1.6
KAST24418		38.6	42.7	<0.002	0.02	2.56	3.6	1	0.8	34.5	0.30	<0.05	5.0	0.128	1.5
KAST24419		52.3	32.5	<0.002	<0.01	2.47	2.9	<1	0.5	31.9	0.20	<0.05	3.9	0.091	1.2
KAST24434		240	119.0	<0.002	0.04	2.17	9.5	1	1.9	37.8	0.68	<0.05	13.8	0.267	2.7
KAST24435		184.5	120.0	<0.002	0.04	4.35	10.0	1	1.9	49.0	0.67	<0.05	11.5	0.282	2.4
KAST24436		171.5	120.5	<0.002	0.03	2.37	9.9	1	2.0	54.1	0.67	0.05	10.4	0.294	2.4
KAST24437		53.8	102.5	<0.002	0.02	1.21	6.9	1	1.4	25.9	0.50	<0.05	7.7	0.200	1.8
KAST24438		90.5	114.0	<0.002	0.05	2.49	8.6	1	1.7	32.6	0.57	0.08	8.7	0.239	2.4
KAST24439		107.0	78.0	<0.002	0.01	4.51	5.4	1	1.2	32.1	0.41	<0.05	6.6	0.160	1.6
KAST22460		38.7	92.4	<0.002	0.01	2.12	7.0	1	1.4	35.6	0.52	<0.05	7.8	0.208	1.6
KAST22461		28.2	81.2	<0.002	0.01	1.74	6.0	1	1.3	32.6	0.43	<0.05	7.1	0.167	1.4
KAST22462		64.8	93.1	<0.002	0.04	2.14	7.6	1	1.4	36.4	0.47	<0.05	7.6	0.193	1.9
KAST22463		51.2	81.4	<0.002	0.01	2.20	6.4	1	1.2	35.3	0.48	<0.05	7.2	0.202	1.6
KAST22464		108.5	89.7	<0.002	0.03	2.87	8.2	1	1.5	59.9	0.57	0.05	8.8	0.247	2.2
KAST22465		32.1	123.0	<0.002	0.06	2.77	8.5	1	1.8	23.8	0.65	<0.05	9.8	0.241	2.4
KAST22466		68.4	128.0	<0.002	0.06	4.38	10.4	2	1.8	26.9	0.47	0.06	9.8	0.223	2.7
KAST22467		59.5	105.5	<0.002	0.04	2.99	8.3	1	1.6	40.3	0.58	<0.05	9.0	0.230	2.1
KAST22468		63.1	120.5	<0.002	0.04	3.26	9.9	1	1.8	37.0	0.63	0.05	10.5	0.270	2.4
KAST22469		37.9	139.5	<0.002	0.02	2.47	10.2	1	2.1	30.9	0.71	<0.05	11.2	0.269	2.2
KAST24420		194.5	42.4	<0.002	0.02	2.35	3.9	1	0.9	37.6	0.27	<0.05	4.3	0.129	1.3
KAST24421		25.9	38.6	<0.002	0.03	2.33	5.0	1	0.8	49.6	0.27	<0.05	4.5	0.128	1.4
KAST24422		36.5	20.8	<0.002	<0.01	4.17	2.1	1	0.3	26.7	0.11	<0.05	1.9	0.047	1.1
KAST24423		18.7	84.1	<0.002	<0.01	2.27	6.1	1	1.3	28.3	0.50	<0.05	7.8	0.193	2.0
KAST24424		16.9	87.0	<0.002	0.02	1.85	6.5	1	1.3	34.8	0.53	<0.05	8.1	0.215	2.0
KAST24463		35.3	138.5	0.005	0.12	2.96	9.6	2	2.4	19.1	0.79	0.07	12.6	0.266	5.8
KAST24464		35.4	135.5	0.004	0.04	3.09	9.3	2	2.4	17.1	0.80	0.10	12.3	0.274	5.7
KAST24465		40.7	138.5	0.002	0.04	3.01	10.7	2	2.4	18.7	0.80	0.08	12.2	0.276	6.1
KAST24466		31.7	143.5	0.005	0.04	2.81	10.6	2	2.5	19.1	0.82	0.10	12.9	0.269	6.2
KAST24467		20.0	146.5	<0.002	0.02	1.61	9.3	1	2.4	19.8	0.79	0.07	12.6	0.269	3.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
KAST22352		41	0.6	8.8	168	46.8	
KAST22355		47	0.9	10.8	258	59.2	
KAST22356		58	0.9	13.1	289	64.6	
KAST22357		67	1.0	10.4	267	70.6	
KAST22358		64	1.0	9.1	188	73.9	
KAST22359		66	0.9	10.1	273	73.9	
KAST22360		68	1.0	9.9	536	77.0	
KAST22361		67	1.0	7.8	200	69.9	
KAST22362		67	1.0	8.5	152	71.5	
KAST22363		73	1.0	8.5	143	69.4	
KAST22364		65	0.9	10.0	213	68.3	
KAST22365		49	0.6	10.9	205	38.2	
KAST24418		29	0.4	8.5	184	47.8	
KAST24419		23	0.3	9.2	186	33.0	
KAST24434		65	1.0	23.4	631	79.1	
KAST24435		76	1.1	21.2	482	72.6	
KAST24436		86	1.0	16.4	605	72.0	
KAST24437		51	0.8	14.3	178	53.4	
KAST24438		62	0.9	16.7	401	62.6	
KAST24439		38	0.6	11.3	281	47.4	
KAST22460		54	0.7	13.1	117	53.9	
KAST22461		41	0.6	11.1	97	46.3	
KAST22462		57	0.7	16.9	178	53.9	
KAST22463		50	0.7	11.6	133	50.2	
KAST22464		71	0.9	17.7	256	63.9	
KAST22465		62	0.9	15.8	123	70.1	
KAST22466		74	0.8	19.3	930	70.0	
KAST22467		63	0.9	17.0	261	64.5	
KAST22468		80	1.0	18.2	214	67.1	
KAST22469		69	1.1	16.5	107	75.1	
KAST24420		30	0.4	9.0	259	41.1	
KAST24421		36	0.4	16.5	218	39.2	
KAST24422		12	0.2	7.7	191	15.1	
KAST24423		44	0.8	13.4	57	57.4	
KAST24424		51	1.0	14.4	57	60.9	
KAST24463		186	1.5	22.8	165	106.0	
KAST24464		198	1.5	22.7	175	105.5	
KAST24465		208	1.5	24.0	202	106.5	
KAST24466		208	1.5	23.3	177	112.5	
KAST24467		115	1.4	14.8	84	97.0	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST22075		0.24	0.001	0.11	2.47	7.3	200	0.69	0.20	12.85	0.34	30.2	5.1	47	1.22	12.6
KAST22076		0.22	<0.001	0.09	2.10	5.4	160	0.66	0.17	13.70	0.30	25.5	4.3	46	0.97	10.5
KAST22077		0.24	0.001	0.12	2.08	7.9	180	0.60	0.24	13.10	0.40	26.7	4.9	61	1.08	13.6
KAST22078		0.26	0.001	0.08	1.59	6.6	130	0.54	0.19	15.40	0.23	21.0	3.9	32	0.87	11.8
KAST22079		0.24	0.001	0.05	1.58	4.2	110	0.44	0.13	15.25	0.12	20.6	2.8	20	0.68	6.3
KAST22080		0.22	0.001	0.09	1.80	7.6	150	0.59	0.23	14.60	0.28	26.1	4.7	51	1.02	13.7
KAST22082		0.24	0.001	0.09	3.65	7.2	310	0.98	0.32	7.60	0.27	43.0	7.0	140	2.20	12.4
KAST22083		0.22	0.001	0.10	4.41	9.1	330	1.17	0.46	6.38	0.40	53.3	8.6	116	2.52	16.1
KAST22084		0.22	0.003	0.12	4.01	9.4	300	0.99	0.47	7.21	0.35	48.2	8.6	81	2.38	17.6
KAST22085		0.22	<0.001	0.07	3.54	5.1	300	0.91	0.34	8.16	0.15	38.3	4.9	113	2.21	10.0
KAST22086		0.20	<0.001	0.06	3.86	4.2	350	1.00	0.18	7.31	0.13	43.6	5.1	130	2.53	10.2
KAST22087		0.22	<0.001	0.09	4.71	9.5	440	1.28	0.26	4.86	0.25	56.1	7.2	141	3.18	14.6
KAST24440		0.18	0.001	0.06	7.18	15.4	5220	2.42	0.50	0.11	0.12	78.8	14.4	83	3.96	20.2
KAST24441		0.22	0.001	0.14	7.05	30.6	580	2.36	0.66	0.36	0.28	86.4	23.8	101	3.86	21.8
KAST24442		0.22	0.001	0.30	6.31	24.3	530	2.05	0.56	1.60	0.45	104.5	17.9	166	3.05	20.6
KAST24471		0.20	0.001	0.20	6.27	5.8	490	2.13	0.36	0.25	0.47	65.1	29.3	143	6.44	53.5
KAST24472		0.22	0.002	0.22	6.34	3.1	570	2.08	0.33	0.10	1.06	71.2	26.1	139	5.44	52.4
KAST24473		0.20	0.005	0.39	6.67	1.9	560	2.05	0.28	0.09	1.63	71.2	15.1	115	5.74	42.7
KAST24474		0.22	0.002	0.49	6.02	31.2	640	1.71	0.52	0.31	2.21	69.8	26.9	171	5.20	42.6
KAST24475		0.22	0.003	1.07	6.41	126.0	500	1.60	1.29	0.28	4.15	62.1	46.0	251	5.95	201
KAST24220		0.24	<0.001	0.25	5.85	7.7	350	1.61	0.42	4.39	0.17	61.5	10.8	69	3.11	17.9
KAST24221		0.26	<0.001	0.21	5.49	9.1	310	1.45	0.33	5.04	0.22	57.8	9.8	77	2.84	21.5
KAST24222		0.24	0.001	0.47	6.18	17.4	430	1.84	0.36	0.86	0.38	67.9	13.7	121	3.44	22.6
KAST24223		0.26	<0.001	0.32	6.36	14.2	530	1.95	0.38	0.88	0.43	67.5	12.3	115	3.96	19.4
KAST24224		0.26	<0.001	0.31	4.60	11.6	490	1.43	0.32	1.92	0.65	58.2	11.3	113	2.39	15.7
KAST24225		0.26	0.003	0.19	5.79	8.9	320	1.67	0.29	3.93	0.23	60.0	7.8	86	3.32	20.6
KAST24226		0.28	<0.001	0.59	3.43	10.8	340	1.00	0.48	4.24	0.49	46.1	8.3	115	1.56	19.1
KAST24227		0.26	0.001	0.32	6.59	16.4	560	1.95	0.41	0.74	0.30	75.8	14.1	105	4.34	22.0
KAST24228		0.26	0.001	3.82	5.64	55.2	910	2.13	2.38	2.64	0.53	63.9	16.9	114	4.70	73.8
KAST24229		0.26	<0.001	4.05	4.63	62.3	1080	1.60	3.99	5.12	0.56	55.5	15.6	138	2.83	83.2
KAST24230		0.28	0.001	>100	4.34	1200	130	1.46	42.8	1.89	2.83	46.4	10.0	363	2.87	2190
KAST24231		0.22	<0.001	0.41	6.97	16.9	300	2.35	0.50	1.53	0.31	71.7	11.4	78	4.16	21.7
KAST24232		0.24	0.001	0.96	7.18	27.4	630	2.51	1.18	0.55	0.40	79.2	17.2	87	5.64	50.2
KAST24233		0.26	<0.001	0.20	6.94	15.6	680	2.27	0.68	0.43	0.47	77.2	13.4	89	5.39	23.5
KAST24235		0.26	0.001	0.11	6.24	8.6	500	2.16	0.53	2.43	0.23	74.3	10.7	71	4.65	14.7
KAST24236		0.28	<0.001	0.25	6.80	19.8	570	2.73	0.72	0.70	0.49	85.0	19.8	108	6.80	34.6
KAST24237		0.26	<0.001	0.05	6.86	9.9	530	2.34	0.62	0.41	0.27	87.2	15.8	91	5.23	31.4
KAST24238		0.26	<0.001	0.05	5.61	8.6	600	1.48	0.61	1.52	0.98	62.6	6.9	86	6.42	11.8
KAST24239		0.24	0.001	0.25	7.01	13.9	610	2.43	0.65	0.47	0.36	82.2	15.2	84	6.09	37.6
KAST24240		0.24	0.001	0.32	7.04	13.6	560	2.58	1.01	0.69	0.29	93.7	15.9	83	5.42	40.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAST22075		2.46	6.34	0.11	0.9	0.058	1.68	16.0	18.0	8.13	2180	0.62	0.06	3.7	12.8	370
KAST22076		2.29	5.55	0.09	0.8	0.052	1.50	13.4	17.1	8.58	2080	0.63	0.04	3.2	10.5	280
KAST22077		2.83	5.52	0.09	0.8	0.074	1.31	14.3	15.3	8.32	2720	0.85	0.06	3.2	13.7	360
KAST22078		2.57	4.08	0.09	0.7	0.068	1.03	11.3	11.7	9.66	2480	0.71	0.05	2.5	12.4	310
KAST22079		1.95	4.22	0.09	0.6	0.046	1.17	10.8	12.1	9.42	1860	0.48	0.03	2.4	7.9	250
KAST22080		2.83	4.67	0.09	0.7	0.070	1.11	14.0	13.6	9.17	2680	0.77	0.07	2.9	14.3	350
KAST22082		3.23	9.24	0.10	1.4	0.080	2.21	22.2	21.8	4.51	2450	0.64	0.12	5.5	15.1	400
KAST22083		4.65	10.95	0.10	1.5	0.134	2.70	27.5	24.5	4.00	4240	0.67	0.07	5.9	17.3	440
KAST22084		4.13	9.74	0.09	1.5	0.108	2.44	24.6	22.6	4.80	3280	0.49	0.08	5.5	17.0	520
KAST22085		2.46	8.63	0.08	1.2	0.051	2.27	19.0	20.0	5.06	1980	0.52	0.05	4.7	13.5	310
KAST22086		2.41	9.37	0.09	1.3	0.056	2.48	21.6	19.4	4.48	1930	0.43	0.06	5.0	12.0	300
KAST22087		3.13	11.80	0.11	1.7	0.064	2.95	27.6	24.8	3.19	2300	0.64	0.09	6.6	16.9	320
KAST24440		3.19	20.3	0.19	3.3	0.079	3.98	38.7	48.4	0.96	614	4.25	0.10	11.9	29.7	390
KAST24441		3.34	20.5	0.18	3.2	0.088	3.96	42.4	48.9	1.00	1060	3.06	0.14	11.2	31.8	450
KAST24442		3.89	17.65	0.20	2.7	0.093	3.88	53.2	45.4	1.32	2080	2.27	0.15	9.9	25.5	690
KAST24471		4.35	16.10	0.16	2.4	0.046	3.25	33.2	36.3	1.51	1100	2.25	0.10	8.4	40.8	340
KAST24472		4.24	16.60	0.15	2.3	0.050	3.46	35.6	36.6	0.96	1140	4.66	0.10	8.8	39.7	400
KAST24473		3.60	17.10	0.17	2.4	0.054	3.63	36.0	37.4	1.10	860	2.93	0.08	8.9	29.1	350
KAST24474		3.73	15.20	0.15	2.1	0.071	3.16	33.8	30.5	1.12	2740	1.64	0.17	8.0	40.9	410
KAST24475		6.49	17.55	0.14	1.9	0.190	2.90	29.2	28.9	1.11	4600	1.40	0.14	5.7	59.2	590
KAST24220		2.50	16.15	0.17	2.4	0.045	3.69	30.3	50.7	4.18	1060	0.41	0.06	10.0	25.1	370
KAST24221		2.47	15.10	0.16	2.1	0.049	3.35	29.1	47.7	4.21	1060	0.60	0.05	9.1	23.6	370
KAST24222		4.60	16.45	0.16	2.2	0.051	3.02	36.4	46.3	1.07	2610	0.92	0.20	10.2	28.7	660
KAST24223		3.70	17.40	0.18	2.3	0.056	3.49	33.2	50.7	1.15	2000	1.00	0.27	10.7	26.2	700
KAST24224		5.73	11.45	0.12	1.9	0.055	2.59	28.5	23.2	1.03	6000	1.21	0.24	6.6	22.4	1700
KAST24225		2.48	15.90	0.19	2.4	0.048	3.68	30.0	48.5	3.31	1230	0.62	0.06	9.8	18.1	530
KAST24226		3.97	7.30	0.11	1.5	0.044	2.06	22.2	14.6	2.66	3570	1.41	0.14	5.4	14.6	770
KAST24227		3.56	17.90	0.15	2.6	0.060	3.48	37.2	53.6	1.47	1780	0.92	0.27	11.6	28.9	610
KAST24228		4.26	13.90	0.16	1.8	0.092	2.42	32.5	36.6	1.81	2490	1.81	0.44	9.5	33.3	1060
KAST24229		3.62	11.85	0.17	1.6	0.068	2.64	28.7	30.0	3.27	2320	1.58	0.16	7.4	30.6	630
KAST24230		3.01	12.10	0.14	1.9	0.127	2.42	24.0	33.8	1.43	2120	1.16	0.05	7.6	20.2	250
KAST24231		3.52	18.55	0.17	2.7	0.057	3.09	35.8	58.7	1.32	2710	0.40	0.06	10.7	20.9	330
KAST24232		4.41	18.20	0.19	2.5	0.092	3.69	39.8	61.2	1.77	2560	1.04	0.29	11.1	32.7	600
KAST24233		3.55	18.00	0.17	2.9	0.077	3.39	36.4	65.4	1.94	1330	3.48	0.42	12.3	24.1	430
KAST24235		3.49	16.05	0.20	2.4	0.067	3.12	35.7	66.0	3.48	915	0.75	0.35	10.2	22.9	500
KAST24236		3.27	18.35	0.19	3.1	0.102	3.56	41.2	67.8	2.06	1590	1.64	0.29	12.2	29.7	650
KAST24237		4.00	18.00	0.17	3.4	0.083	3.20	39.5	64.0	1.95	961	1.21	0.39	12.3	24.0	620
KAST24238		2.47	16.85	0.16	2.4	0.060	2.68	31.4	41.7	1.90	501	1.54	0.50	11.7	14.1	470
KAST24239		3.66	18.20	0.20	3.0	0.091	3.51	40.3	66.9	2.41	1280	1.42	0.39	11.8	31.5	580
KAST24240		3.60	18.35	0.21	3.0	0.087	3.73	44.7	68.5	2.84	1720	0.94	0.27	11.7	28.5	470



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
KAST22075		24.7	44.1	<0.002	0.01	1.40	4.7	1	0.8	31.0	0.28	<0.05	4.4	0.109	0.20
KAST22076		39.7	40.0	<0.002	0.01	1.15	3.7	1	0.7	34.8	0.24	<0.05	3.8	0.092	0.18
KAST22077		26.8	37.2	<0.002	0.02	1.42	4.3	1	0.7	33.3	0.22	<0.05	3.9	0.092	0.20
KAST22078		17.9	28.3	<0.002	0.02	1.15	3.6	1	0.5	34.0	0.17	<0.05	3.0	0.073	0.15
KAST22079		12.4	29.2	<0.002	<0.01	0.84	3.0	<1	0.5	34.2	0.17	<0.05	2.8	0.067	0.13
KAST22080		23.0	31.1	<0.002	0.01	1.29	4.0	1	0.6	35.2	0.21	<0.05	3.7	0.084	0.17
KAST22082		22.6	68.1	<0.002	0.02	1.69	5.7	1	1.3	33.1	0.40	<0.05	6.8	0.163	0.32
KAST22083		33.7	80.5	<0.002	0.02	2.35	7.0	1	1.6	24.4	0.44	<0.05	8.2	0.185	0.35
KAST22084		35.4	72.0	<0.002	0.02	2.26	6.5	1	1.3	25.7	0.40	<0.05	7.6	0.173	0.32
KAST22085		41.7	76.0	<0.002	0.01	1.18	5.0	<1	1.1	27.5	0.33	<0.05	6.2	0.140	0.31
KAST22086		15.7	87.4	<0.002	0.01	1.05	5.1	1	1.2	32.0	0.36	<0.05	7.1	0.151	0.36
KAST22087		32.6	104.5	<0.002	0.01	1.58	6.7	1	1.5	26.6	0.48	<0.05	8.7	0.202	0.43
KAST24440		52.1	176.0	<0.002	0.13	2.40	11.3	1	2.9	126.5	0.87	0.10	13.7	0.293	1.09
KAST24441		62.2	170.0	<0.002	0.06	2.56	11.7	1	2.8	22.8	0.81	0.08	14.1	0.293	1.14
KAST24442		119.5	144.0	<0.002	0.05	3.50	11.2	1	2.4	30.0	0.71	0.08	13.8	0.284	1.06
KAST24471		27.2	153.0	<0.002	0.11	3.53	9.5	1	1.8	17.8	0.59	<0.05	11.6	0.265	0.73
KAST24472		110.5	151.5	<0.002	0.04	4.46	9.7	1	1.8	17.0	0.63	0.06	12.5	0.273	0.74
KAST24473		184.5	163.5	<0.002	0.04	3.84	10.1	1	1.8	13.8	0.64	<0.05	12.7	0.274	0.78
KAST24474		150.0	130.0	<0.002	0.03	3.65	8.8	1	1.7	30.0	0.56	0.06	11.5	0.254	0.63
KAST24475		452	130.0	<0.002	0.03	5.24	25.1	2	1.8	29.3	0.39	0.05	7.9	0.335	0.64
KAST24220		14.5	124.5	<0.002	0.01	1.29	8.4	1	2.0	22.8	0.72	<0.05	11.0	0.253	0.64
KAST24221		16.9	115.0	<0.002	0.01	4.21	7.7	1	2.0	21.9	0.64	<0.05	10.0	0.233	0.59
KAST24222		28.2	108.0	<0.002	0.04	1.82	10.0	1	1.8	49.7	0.67	<0.05	9.7	0.287	0.59
KAST24223		35.0	129.0	<0.002	0.05	1.54	10.9	1	2.0	52.3	0.77	0.05	11.1	0.306	0.64
KAST24224		28.1	77.0	<0.002	0.12	1.58	8.1	1	1.3	47.9	0.48	0.06	8.5	0.214	0.51
KAST24225		18.3	131.5	<0.002	0.03	1.24	8.6	1	2.1	22.5	0.70	<0.05	11.5	0.249	0.65
KAST24226		20.9	56.3	<0.002	0.06	1.14	5.2	1	0.9	33.5	0.39	0.06	6.7	0.158	0.37
KAST24227		29.6	132.5	<0.002	0.04	1.65	11.2	1	2.2	49.6	0.82	<0.05	12.4	0.319	0.75
KAST24228		195.5	95.1	<0.002	0.08	4.91	11.6	1	1.6	86.3	0.65	0.06	9.6	0.291	0.70
KAST24229		147.5	93.4	<0.002	0.06	7.01	8.0	1	1.5	43.3	0.53	<0.05	8.4	0.222	0.80
KAST24230		481	113.0	<0.002	0.05	64.7	6.9	3	2.2	13.8	0.55	<0.05	9.5	0.176	0.41
KAST24231		27.7	142.5	<0.002	0.01	1.24	11.9	2	2.4	57.5	0.80	<0.05	13.4	0.324	0.59
KAST24232		53.4	145.5	<0.002	0.03	2.46	12.8	2	2.3	50.2	0.81	0.05	13.8	0.331	0.78
KAST24233		37.3	138.0	<0.002	0.02	1.71	10.4	1	2.6	62.0	0.88	<0.05	13.2	0.326	0.76
KAST24235		30.7	124.5	<0.002	0.02	1.19	9.3	1	2.1	50.6	0.75	<0.05	12.9	0.288	0.72
KAST24236		136.5	162.0	<0.002	0.04	1.99	11.2	1	2.7	46.0	0.88	0.06	15.4	0.313	0.97
KAST24237		30.6	136.5	<0.002	0.05	1.28	10.0	1	2.5	55.6	0.89	0.12	14.1	0.317	0.87
KAST24238		25.2	124.5	<0.002	0.04	1.17	8.3	1	2.3	72.0	0.85	0.05	10.4	0.350	0.81
KAST24239		52.7	144.5	<0.002	0.03	1.95	12.1	1	2.6	48.6	0.83	<0.05	15.7	0.323	0.91
KAST24240		58.5	147.0	<0.002	0.02	1.90	11.4	1	3.0	42.5	0.85	0.10	15.9	0.308	0.83



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
KAST22075		32	0.4	13.5	97	32.8	
KAST22076		27	0.4	11.5	84	25.2	
KAST22077		30	0.4	13.3	115	28.6	
KAST22078		26	0.3	11.7	70	22.0	
KAST22079		23	0.3	10.0	38	19.3	
KAST22080		29	0.4	12.9	92	25.7	
KAST22082		41	0.7	13.4	83	44.9	
KAST22083		47	0.8	16.6	111	56.0	
KAST22084		43	0.7	15.7	138	48.2	
KAST22085		33	0.6	9.3	55	39.2	
KAST22086		32	0.7	9.0	57	43.5	
KAST22087		46	0.8	12.0	100	55.9	
KAST24440		118	1.4	14.6	82	105.0	
KAST24441		107	1.4	17.2	103	99.7	
KAST24442		80	1.3	24.6	152	89.0	
KAST24471		69	1.0	9.8	336	77.3	
KAST24472		77	1.0	9.6	796	78.6	
KAST24473		84	1.0	9.5	973	78.4	
KAST24474		58	1.1	12.9	834	74.1	
KAST24475		191	1.4	18.2	2080	67.1	
KAST24220		52	1.1	14.4	86	75.0	
KAST24221		50	1.0	13.4	115	92.0	
KAST24222		84	1.0	18.9	95	72.6	
KAST24223		88	1.2	18.1	97	76.5	
KAST24224		63	0.8	21.7	122	63.8	
KAST24225		54	1.1	14.0	98	75.2	
KAST24226		43	0.7	14.1	117	47.0	
KAST24227		85	1.3	19.3	99	81.3	
KAST24228		86	1.0	22.7	212	67.0	
KAST24229		56	0.8	17.3	171	58.2	
KAST24230		37	0.9	16.6	316	65.0	108
KAST24231		63	1.3	22.3	100	97.4	
KAST24232		86	1.3	26.9	160	85.6	
KAST24233		90	1.2	16.9	125	95.7	
KAST24235		65	1.0	17.0	112	84.2	
KAST24236		77	1.2	26.3	220	106.0	
KAST24237		78	1.2	19.4	112	118.0	
KAST24238		100	1.3	10.7	141	85.6	
KAST24239		88	1.3	26.7	167	101.0	
KAST24240		73	1.3	25.4	131	106.0	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAS14511		0.28	<0.001	<0.01	0.32	0.5	10	0.07	0.02	0.01	<0.02	11.60	0.8	365	0.21	4.4
KAST21996		0.22	<0.001	0.05	6.45	6.0	380	2.15	0.23	6.36	0.23	67.9	13.3	51	3.69	19.6
KAST22482		0.22	0.001	0.21	7.16	26.2	460	2.43	0.57	0.53	0.32	94.3	20.4	112	3.86	76.6
KAST22483		0.20	<0.001	0.37	7.68	27.3	560	2.48	1.03	0.47	0.56	98.7	27.6	124	4.03	55.3
KAST22484		0.20	<0.001	0.19	6.48	11.9	380	2.30	0.43	3.59	0.64	75.1	9.4	51	2.99	13.2
KAST22485		0.20	<0.001	0.12	6.38	10.2	330	2.08	0.30	2.36	0.29	76.2	13.5	107	2.65	25.0
KAST22486		0.24	<0.001	0.15	5.84	15.7	280	1.83	0.28	4.20	0.28	69.1	12.5	84	2.28	5.8
KAST22487		0.22	<0.001	0.20	5.99	12.4	300	1.88	0.36	4.21	0.31	73.4	12.9	82	2.33	11.8
KAST22488		0.22	0.001	4.52	6.73	26.0	320	2.19	0.52	2.99	4.69	74.4	15.0	69	2.86	40.8
KAST24411		0.24	0.001	0.33	5.26	23.3	250	1.47	0.42	7.08	1.17	60.9	19.3	89	2.95	25.4
KAST24412		0.24	0.001	0.23	4.60	22.3	290	1.29	0.32	8.86	0.99	53.9	14.8	94	2.42	19.7
KAST24413		0.22	0.001	0.26	3.73	24.7	240	1.19	0.36	11.65	1.81	41.8	13.1	76	1.97	20.9
KAST24414		0.20	0.001	0.09	6.96	16.1	510	2.52	0.39	1.88	0.36	85.9	28.5	113	5.62	32.9
KAST24453		0.26	0.001	0.09	3.18	6.7	190	0.97	0.30	13.75	0.17	33.6	7.1	31	1.42	15.4
KAST24454		0.24	0.001	0.08	3.19	6.1	200	1.07	0.19	12.95	0.25	34.9	8.3	29	1.42	15.3
KAST24455		0.24	0.001	0.11	3.34	7.8	180	1.05	0.34	12.65	0.32	35.3	8.8	35	1.55	21.8
KAST24456		0.22	0.002	0.16	4.49	38.1	160	1.54	1.79	11.40	0.33	25.1	10.3	51	1.37	58.3
KAST24457		0.20	0.003	0.08	4.09	9.0	200	1.39	0.42	10.90	0.08	37.3	8.8	43	1.49	28.1
KAST24458		0.24	0.003	0.09	3.35	12.1	190	1.11	0.41	12.40	0.12	34.9	10.5	37	1.30	23.0
KAST24459		0.20	0.001	0.06	4.00	5.6	280	1.36	0.24	11.30	0.09	39.3	7.4	39	2.01	16.0
KAST24241		0.24	0.001	0.15	7.35	9.7	490	2.41	0.80	0.59	0.26	89.9	20.8	71	5.14	455
KAST24242		0.28	0.001	0.28	7.18	20.0	690	2.34	0.80	0.55	0.79	82.4	18.1	118	5.48	19.1
KAST24443		0.26	0.002	0.45	5.65	33.7	440	1.98	0.77	3.27	0.52	72.5	25.7	111	2.70	21.3
KAST24444		0.28	0.002	0.71	5.83	24.8	360	2.07	0.63	3.38	1.20	57.0	17.4	94	2.79	33.0
KAST24460		0.24	0.001	0.26	5.66	28.7	360	2.05	0.46	0.65	0.77	68.2	12.4	92	4.68	47.9
KAST24461		0.24	0.003	0.19	6.58	23.2	380	2.29	0.36	0.53	0.84	76.2	10.7	75	4.90	39.2
KAST24462		0.26	0.004	0.20	5.99	23.3	350	2.14	0.35	0.69	0.86	69.6	9.9	78	4.30	44.5
KAST24468		0.24	0.006	0.07	6.27	11.0	370	2.34	1.06	2.64	0.20	75.5	22.1	101	3.48	156.0
KAST24469		0.24	0.003	0.51	5.25	25.3	340	1.99	1.03	7.25	0.45	48.3	11.1	91	2.52	18.5
KAST24470		0.26	0.004	0.40	3.78	57.5	140	1.40	1.81	12.15	0.84	34.8	11.5	58	1.67	32.9
KAST22490		0.24	0.001	0.87	6.43	16.3	370	2.14	0.41	2.17	2.02	73.9	12.6	99	3.25	46.6
KAS24810		0.24	<0.001	0.04	4.55	5.3	270	1.55	0.21	9.14	0.11	47.5	8.4	43	2.51	13.6
KAS24902		0.26	0.001	0.10	5.33	20.5	440	1.53	0.29	0.23	0.26	62.1	8.9	86	4.31	13.4
KAS24903		0.26	<0.001	0.21	4.53	14.4	320	1.39	0.25	5.90	0.35	57.9	8.0	67	3.07	25.8
KAS24904		0.24	<0.001	18.35	4.08	30.1	280	1.39	0.29	10.75	1.36	47.2	8.5	74	3.49	66.9
KAS24992		0.28	0.001	0.11	1.49	14.5	110	0.56	0.07	25.8	0.51	24.5	2.0	27	2.02	8.6
KAS24993		0.24	0.003	0.20	5.39	18.8	320	1.84	0.31	4.33	0.87	62.5	9.2	74	4.01	38.6
KAS24994		0.26	0.002	0.24	4.08	33.0	300	1.38	0.31	10.70	0.43	53.1	8.4	57	3.35	43.4
KAS24995		0.26	0.001	0.12	3.86	8.7	280	1.22	0.19	10.60	0.26	46.4	6.2	43	2.59	17.6
KAS24997		0.26	0.001	0.13	3.97	9.8	300	1.25	0.21	9.45	0.33	46.8	7.3	60	2.76	19.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAS14511		0.41	0.89	0.09	0.1	<0.005	0.15	5.2	1.7	0.02	33	1.08	0.01	0.9	8.8	20
KAST21996		3.15	16.85	0.17	2.2	0.062	4.52	34.3	46.4	4.22	777	0.34	0.18	11.4	26.0	520
KAST22482		3.65	18.85	0.19	3.5	0.090	3.95	42.6	51.4	0.94	1590	2.23	0.12	10.6	32.6	480
KAST22483		3.90	20.3	0.20	3.2	0.096	4.15	45.3	51.0	0.86	1380	2.26	0.20	11.7	37.5	550
KAST22484		2.58	17.15	0.19	2.7	0.070	3.59	35.4	60.5	2.21	1760	0.95	0.05	10.4	20.4	320
KAST22485		3.72	17.20	0.18	2.3	0.065	3.55	37.2	46.7	1.40	1500	0.83	0.04	9.4	28.1	370
KAST22486		3.82	16.30	0.19	2.7	0.054	3.31	34.6	40.1	2.04	1270	0.53	0.02	9.6	25.1	340
KAST22487		3.81	15.95	0.18	2.2	0.061	3.28	37.2	38.8	2.04	1680	0.70	0.04	9.4	26.3	370
KAST22488		3.37	17.55	0.20	2.7	0.147	3.70	37.6	45.7	1.98	1020	1.60	0.05	9.6	29.3	370
KAST24411		2.68	14.60	0.16	1.9	0.039	3.01	32.0	35.4	4.70	1770	1.13	0.09	7.8	47.8	530
KAST24412		2.72	11.85	0.14	1.7	0.041	2.96	28.3	28.9	5.77	1910	1.02	0.10	6.5	31.4	510
KAST24413		2.98	9.53	0.13	1.4	0.040	2.32	21.4	24.0	7.36	2360	0.98	0.10	5.1	25.6	470
KAST24414		4.35	18.20	0.20	2.3	0.071	4.82	41.6	48.8	2.37	1610	0.94	0.26	10.6	32.7	520
KAST24453		1.88	7.73	0.14	1.1	0.024	2.32	17.5	26.0	7.94	1070	0.22	0.04	4.7	12.9	350
KAST24454		1.88	7.87	0.13	1.0	0.042	2.45	17.7	28.4	7.91	1150	0.29	0.04	4.7	14.5	300
KAST24455		2.24	8.12	0.13	1.1	0.041	2.25	18.2	29.3	7.29	1370	0.36	0.12	5.8	14.8	430
KAST24456		2.68	12.40	0.12	1.5	0.083	2.99	13.0	52.9	6.48	2160	0.62	0.04	5.7	15.2	430
KAST24457		2.24	10.80	0.15	1.3	0.116	3.05	20.1	44.9	6.35	1730	0.50	0.04	5.5	13.9	350
KAST24458		2.08	8.65	0.13	1.2	0.059	2.71	18.2	35.6	7.49	1390	0.52	0.05	4.8	15.3	310
KAST24459		1.67	10.05	0.14	1.3	0.031	3.15	20.5	42.3	7.17	895	0.38	0.05	6.0	14.7	370
KAST24241		3.61	19.00	0.19	3.7	0.212	3.90	39.4	70.0	3.66	1160	0.46	0.36	12.0	25.9	390
KAST24242		3.85	19.25	0.17	2.8	0.068	3.45	38.8	60.2	1.95	1120	1.21	0.43	13.1	25.7	720
KAST24443		4.00	14.55	0.18	2.4	0.076	3.47	36.2	41.7	2.39	1690	3.37	0.12	8.3	33.2	510
KAST24444		3.05	16.40	0.19	2.7	0.082	3.57	28.1	46.1	2.52	883	3.39	0.09	9.2	34.2	470
KAST24460		3.27	13.85	0.14	2.6	0.089	2.89	34.3	38.6	1.24	605	7.75	0.18	8.7	59.7	900
KAST24461		2.98	17.30	0.17	3.3	0.081	3.52	39.0	50.9	1.81	433	8.87	0.24	10.9	53.3	930
KAST24462		2.69	15.50	0.15	3.0	0.070	3.20	35.8	44.6	1.72	404	8.75	0.23	9.7	52.2	840
KAST24468		2.91	15.70	0.19	2.4	0.081	3.93	37.2	48.0	2.64	918	3.09	0.04	9.0	61.7	950
KAST24469		2.42	13.60	0.15	1.8	0.064	3.48	25.7	65.3	4.48	1670	1.02	0.04	7.4	20.0	480
KAST24470		3.26	9.57	0.13	1.5	0.070	2.35	17.6	40.0	6.69	2460	0.71	0.05	5.0	25.1	360
KAST22490		3.28	16.75	0.18	2.8	0.094	3.55	36.6	42.2	1.78	1100	3.38	0.10	9.9	37.7	580
KAS24810		2.08	11.30	0.14	1.5	0.046	3.53	23.6	35.2	5.73	906	0.25	0.08	6.7	15.2	310
KAS24902		2.89	14.65	0.15	2.3	0.050	3.02	30.7	37.6	1.07	1020	4.76	0.16	9.8	27.6	610
KAS24903		2.66	11.00	0.16	1.9	0.066	2.73	28.7	32.6	3.68	999	3.25	0.11	7.2	32.2	560
KAS24904		3.09	9.99	0.15	2.0	0.075	2.27	24.7	30.1	2.79	967	6.62	0.10	6.4	53.6	640
KAS24992		0.81	3.67	0.10	0.6	0.014	0.71	15.4	19.1	0.98	291	6.42	0.08	2.5	43.6	300
KAS24993		2.55	13.90	0.19	2.6	0.066	2.99	32.5	41.9	3.47	591	6.96	0.19	9.0	50.4	800
KAS24994		2.96	10.15	0.15	1.9	0.047	2.64	27.7	33.8	3.62	684	5.99	0.09	6.3	64.6	650
KAS24995		2.06	9.36	0.14	1.5	0.044	2.70	23.3	35.3	6.25	852	1.85	0.11	5.7	21.0	440
KAS24997		2.18	9.54	0.15	1.5	0.041	2.74	23.6	38.9	5.91	934	1.73	0.12	6.0	23.0	480



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
KAS14511		0.6	3.6	<0.002	<0.01	0.25	0.5	<1	0.4	4.2	<0.05	<0.05	2.0	0.027	0.3
KAST21996		11.1	133.0	<0.002	0.02	1.80	11.4	<1	1.9	35.6	0.74	<0.05	10.7	0.348	2.0
KAST22482		45.0	183.5	<0.002	0.02	7.34	11.4	2	2.8	22.0	0.78	0.11	15.5	0.292	2.9
KAST22483		112.5	184.5	<0.002	0.03	3.31	12.9	1	2.9	33.2	0.87	0.16	17.8	0.313	3.1
KAST22484		112.0	167.5	<0.002	0.01	3.88	9.4	1	2.6	17.4	0.78	<0.05	14.6	0.253	2.5
KAST22485		47.6	152.0	<0.002	0.01	4.28	10.5	1	2.3	13.4	0.70	<0.05	12.6	0.267	1.9
KAST22486		30.6	143.5	<0.002	0.02	10.55	10.4	1	2.2	19.3	0.69	<0.05	11.7	0.272	2.1
KAST22487		41.9	139.0	<0.002	0.01	7.70	10.0	1	2.1	20.5	0.69	0.06	12.2	0.267	1.8
KAST22488		2860	163.0	<0.002	0.04	13.20	10.9	1	2.4	16.8	0.73	0.06	13.0	0.273	2.6
KAST24411		56.8	95.0	<0.002	0.02	2.78	8.0	1	1.7	30.6	0.57	<0.05	9.7	0.242	2.8
KAST24412		46.4	83.9	<0.002	0.02	2.33	7.1	1	1.5	31.3	0.49	<0.05	8.3	0.205	2.2
KAST24413		72.2	64.0	<0.002	0.02	2.55	5.8	1	1.1	35.8	0.38	<0.05	6.6	0.169	1.8
KAST24414		32.8	150.0	<0.002	0.03	1.77	12.1	2	2.0	52.5	0.77	<0.05	12.3	0.339	2.5
KAST24453		32.3	63.9	<0.002	<0.01	1.87	5.0	1	0.9	31.4	0.33	<0.05	5.6	0.147	1.4
KAST24454		20.3	69.8	<0.002	0.02	1.38	5.2	<1	0.9	29.3	0.32	<0.05	5.3	0.149	1.2
KAST24455		27.8	68.8	<0.002	0.03	2.48	5.6	<1	1.0	44.8	0.39	<0.05	5.4	0.180	1.6
KAST24456		17.2	102.0	<0.002	0.03	4.50	6.7	1	1.5	28.3	0.42	<0.05	7.7	0.178	2.0
KAST24457		15.8	91.9	<0.002	0.07	1.89	6.2	1	1.4	26.5	0.41	<0.05	7.1	0.166	1.6
KAST24458		24.7	73.2	<0.002	0.07	2.17	5.1	1	1.1	28.3	0.35	<0.05	6.1	0.146	1.5
KAST24459		13.4	93.9	<0.002	0.03	1.43	6.3	<1	1.3	28.2	0.44	<0.05	7.0	0.178	1.6
KAST24241		46.1	147.5	<0.002	0.02	1.34	11.1	1	2.8	29.5	0.94	<0.05	17.3	0.298	3.0
KAST24242		117.0	144.5	<0.002	0.06	1.92	12.1	1	2.7	68.1	0.92	0.10	14.3	0.357	3.0
KAST24443		223	132.5	<0.002	0.05	5.30	8.7	1	2.1	24.9	0.60	0.11	11.9	0.241	3.0
KAST24444		434	137.5	<0.002	0.05	5.75	8.9	1	2.5	19.9	0.67	0.06	12.9	0.253	3.2
KAST24460		49.6	126.5	0.005	0.06	2.36	9.5	2	2.0	29.3	0.66	0.09	11.3	0.250	9.1
KAST24461		41.5	153.5	0.005	0.04	2.94	11.2	2	2.4	20.2	0.80	0.07	12.9	0.289	5.9
KAST24462		37.2	137.5	0.004	0.05	2.82	10.1	2	2.2	19.0	0.71	0.11	11.9	0.260	5.4
KAST24468		14.6	141.0	<0.002	0.15	2.67	10.7	2	2.1	17.5	0.69	0.05	12.1	0.273	2.9
KAST24469		29.4	122.0	<0.002	0.03	2.36	8.1	1	1.7	26.3	0.54	0.06	8.9	0.225	2.1
KAST24470		70.9	84.6	<0.002	0.04	3.01	5.9	1	1.2	37.2	0.36	<0.05	6.5	0.150	1.7
KAST22490		592	157.5	<0.002	0.02	3.41	10.7	1	2.3	20.0	0.75	0.07	12.7	0.279	3.2
KAS24810		9.4	105.5	<0.002	0.02	1.33	7.4	1	1.4	29.0	0.47	<0.05	7.5	0.213	1.5
KAS24902		47.8	128.5	<0.002	0.02	2.01	8.5	1	2.0	26.3	0.73	0.08	10.4	0.286	4.0
KAS24903		43.4	110.0	<0.002	0.04	1.73	7.5	1	1.6	35.7	0.55	0.05	8.9	0.204	2.8
KAS24904		781	101.0	<0.002	0.11	4.43	6.2	1	1.5	92.3	0.51	<0.05	8.9	0.178	3.8
KAS24992		71.6	35.5	0.007	0.16	1.17	2.5	1	0.5	334	0.18	<0.05	3.2	0.062	2.7
KAS24993		35.3	125.0	0.006	0.06	2.39	9.1	2	2.0	29.5	0.68	<0.05	10.2	0.249	4.8
KAS24994		76.9	103.0	0.004	0.17	3.05	6.4	2	1.4	78.2	0.51	0.07	8.8	0.176	4.9
KAS24995		27.3	88.3	<0.002	0.03	1.12	6.3	1	1.2	42.3	0.42	<0.05	7.0	0.168	2.0
KAS24997		35.9	90.8	<0.002	0.02	1.40	6.6	1	1.3	41.5	0.44	<0.05	7.2	0.182	1.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
KAS14511		4	0.1	1.0	<2	4.6	
KAST21996		76	0.9	12.8	87	78.7	
KAST22482		77	1.3	20.8	126	113.0	
KAST22483		82	1.4	21.9	252	110.0	
KAST22484		49	1.1	17.1	254	93.4	
KAST22485		54	1.1	20.9	126	78.8	
KAST22486		51	1.1	20.5	117	82.7	
KAST22487		53	1.1	22.1	108	77.0	
KAST22488		66	1.2	25.1	2190	93.4	
KAST24411		61	1.1	15.7	475	69.8	
KAST24412		53	0.9	14.8	433	61.1	
KAST24413		44	0.8	14.3	852	50.5	
KAST24414		76	1.0	24.2	238	83.4	
KAST24453		36	0.5	8.5	63	38.6	
KAST24454		36	0.5	7.9	87	36.9	
KAST24455		45	0.5	9.4	82	39.4	
KAST24456		52	0.8	8.4	69	53.7	
KAST24457		42	0.6	9.2	32	48.2	
KAST24458		35	0.6	8.7	58	41.8	
KAST24459		46	0.7	9.0	32	47.9	
KAST24241		59	1.4	18.0	151	124.0	
KAST24242		99	1.3	19.7	391	113.0	
KAST24443		82	1.0	19.4	190	85.8	
KAST24444		83	1.2	17.5	589	93.3	
KAST24460		171	1.2	24.7	210	94.0	
KAST24461		198	1.5	26.1	177	114.5	
KAST24462		192	1.3	24.0	165	107.0	
KAST24468		110	1.1	14.7	82	80.1	
KAST24469		72	0.9	10.8	139	62.2	
KAST24470		45	0.7	9.5	249	47.1	
KAST22490		94	1.3	22.2	816	98.5	
KAS24810		46	0.7	9.4	41	53.3	
KAS24902		154	1.2	13.6	130	86.9	
KAS24903		91	1.0	18.4	112	67.6	
KAS24904		121	0.9	18.7	448	68.8	
KAS24992		97	0.4	17.6	110	24.3	
KAS24993		169	1.3	22.5	164	92.8	
KAS24994		101	0.8	18.6	152	65.8	
KAS24995		65	0.7	14.2	95	54.5	
KAS24997		65	0.7	15.0	115	56.4	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAS24795		0.22	0.004	0.05	4.53	102.5	210	1.50	2.41	5.04	0.11	53.1	17.5	80	2.15	37.4
KAS24796		0.22	0.001	0.07	5.96	39.1	370	1.88	4.24	1.08	0.22	70.3	19.7	156	2.90	28.6
KAS24797		0.26	0.002	0.07	5.15	31.3	260	1.64	3.00	3.77	0.15	61.2	17.6	107	2.50	28.9
KAS24798		0.22	0.003	0.07	5.89	27.5	300	1.88	3.58	2.16	0.16	74.7	18.7	139	2.71	46.0
KAS24799		0.24	0.002	0.05	4.92	12.1	130	1.32	3.07	6.70	0.06	59.4	15.6	69	2.12	39.9
KAS24800		0.24	0.035	0.11	4.22	576	200	1.23	7.12	5.60	0.17	63.4	48.3	108	2.18	93.0
KAS24876		0.22	0.010	0.11	5.28	59.7	190	0.99	7.53	2.18	0.11	53.0	63.7	212	1.84	390
KAS24877		0.22	0.003	0.19	4.66	27.6	190	1.39	9.73	7.19	0.05	48.1	22.7	94	1.40	54.5
KAS24878		0.24	0.009	0.36	4.56	39.3	230	1.41	13.05	6.12	0.10	65.2	33.1	132	1.96	194.0
KAS24879		0.24	0.006	0.17	5.27	47.2	190	1.44	13.15	5.27	0.13	62.1	39.1	149	1.71	91.5
KAS24880		0.24	0.006	0.17	5.92	27.3	310	1.97	9.09	1.86	0.25	73.8	20.0	149	2.30	39.3
KAS24881		0.24	0.001	0.14	5.71	23.1	290	1.94	5.21	3.59	0.18	68.7	18.4	123	2.22	32.9
KAS24882		0.22	0.003	0.81	5.59	27.3	820	1.84	10.35	2.23	0.25	67.8	21.4	138	2.13	44.6
KAS24883		0.22	0.002	0.54	5.40	31.1	340	1.82	8.34	2.79	0.22	66.2	21.0	142	2.11	34.8
KAS24884		0.22	0.009	0.12	6.06	47.1	290	2.30	7.85	1.17	0.10	76.4	21.1	130	3.06	46.6
KAS24885		0.20	0.004	0.16	4.49	26.0	160	1.50	6.92	7.85	0.08	56.9	12.7	74	2.26	7.4
KAS24886		0.22	0.004	0.13	4.87	23.7	200	1.43	5.52	7.21	0.11	64.8	13.0	88	2.25	12.6
KAS24887		0.24	0.004	0.14	4.68	24.9	210	1.44	5.65	6.73	0.10	61.2	13.0	77	2.21	11.3
KAS24888		0.22	0.003	0.10	4.16	19.5	170	1.37	5.64	9.34	0.09	52.8	10.5	62	2.02	8.1
KAS24890		0.22	0.003	0.23	4.86	26.9	170	1.53	4.49	4.95	0.11	46.3	13.0	156	2.05	101.0
KAS24693		0.26	0.003	0.09	3.98	16.0	120	1.13	7.66	9.12	0.10	47.7	15.9	107	1.49	23.2
KAS24785		0.26	0.004	0.06	5.17	22.1	130	1.87	5.17	8.00	0.04	66.1	18.1	68	2.23	22.1
KAS24786		0.28	0.003	0.05	5.08	20.0	140	1.53	4.11	8.42	0.06	60.3	18.7	66	2.14	25.7
KAS24787		0.28	0.002	0.13	4.88	17.4	120	1.32	2.62	8.96	0.06	48.9	18.6	54	1.74	32.1
KAS24788		0.26	0.004	0.05	5.13	23.6	160	1.25	6.63	8.91	0.04	52.7	15.7	75	2.02	11.7
KAS24789		0.24	0.005	0.05	4.35	79.9	150	1.10	5.60	9.23	0.04	45.3	20.3	62	1.73	76.1
KAS24790		0.26	0.002	0.04	4.27	17.5	140	1.38	5.18	9.13	0.06	48.8	10.2	60	1.54	13.7
KAS24791		0.28	0.002	0.12	4.17	14.2	130	1.25	1.83	8.99	0.07	47.0	17.3	57	1.77	21.5
KAS24792		0.28	0.003	0.09	5.17	21.3	190	1.42	3.47	6.98	0.11	57.0	20.9	74	2.29	29.4
KAS24793		0.26	0.002	0.06	4.14	16.8	160	1.15	2.58	8.69	0.13	46.9	14.7	90	1.76	17.8
KAS24794		0.26	0.003	0.09	4.80	97.2	240	1.62	2.95	4.83	0.16	54.5	20.0	90	2.37	48.4
KAS24891		0.28	0.001	0.72	4.75	32.9	250	1.38	6.62	4.72	0.29	54.6	21.0	167	1.87	70.1
KAS24892		0.28	0.004	0.53	4.51	39.1	190	1.39	10.30	8.83	0.16	51.8	25.1	107	1.64	27.3
KAS24998		0.28	0.001	0.09	3.99	6.8	280	1.11	0.21	9.40	0.17	45.0	5.6	40	2.81	13.2
KAS24999		0.26	0.001	0.12	4.50	9.2	350	1.17	0.22	7.27	0.23	52.9	7.1	61	3.10	17.0
KAS25697		0.28	0.002	0.07	5.20	31.5	250	1.62	2.81	4.98	0.14	62.8	21.2	98	2.39	51.5
KAS25698		0.26	0.003	0.05	4.64	33.0	210	1.50	2.40	5.98	0.11	54.6	18.7	76	2.20	39.1
KAS25699		0.26	0.002	0.04	4.58	16.3	150	1.40	2.22	7.90	0.08	58.1	11.0	82	1.75	52.7
KAS25701		0.26	<0.001	0.12	6.01	17.6	520	1.56	0.33	0.36	0.16	66.0	9.5	84	4.09	19.6
KAS25702		0.26	<0.001	0.10	6.15	18.9	500	1.60	0.37	0.39	0.34	66.8	9.2	87	4.64	15.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAS24795		5.21	11.25	0.13	1.7	0.052	2.42	25.2	21.7	2.43	4910	1.05	0.12	6.2	24.1	680
KAS24796		4.99	14.50	0.17	2.2	0.079	2.70	34.9	28.5	1.04	3030	1.97	0.29	8.0	34.0	630
KAS24797		4.91	12.80	0.15	1.9	0.066	2.60	29.8	24.7	2.47	3940	1.81	0.15	7.4	30.8	660
KAS24798		5.18	14.75	0.17	2.1	0.071	2.92	36.6	28.3	1.73	4030	1.78	0.14	7.5	33.1	620
KAS24799		3.52	12.05	0.16	1.8	0.077	2.44	30.3	22.3	4.03	1640	1.30	0.08	8.2	28.7	700
KAS24800		6.45	10.20	0.15	1.6	0.303	2.05	30.5	28.4	3.29	4500	0.94	0.13	5.1	41.1	700
KAS24876		13.15	13.20	0.15	1.2	0.136	1.30	27.2	41.3	3.03	2890	4.24	0.12	4.3	78.5	910
KAS24877		6.20	11.60	0.14	1.3	0.126	2.02	23.9	21.4	4.78	2380	2.27	0.07	6.1	45.0	680
KAS24878		6.75	11.55	0.16	1.5	0.123	2.01	34.6	18.1	3.82	2610	2.42	0.10	6.9	47.9	1010
KAS24879		7.84	13.00	0.15	1.6	0.213	2.17	31.0	27.4	3.78	2900	2.51	0.14	6.0	60.4	660
KAS24880		4.70	14.65	0.16	2.2	0.199	2.98	37.9	21.8	1.46	2780	0.85	0.30	7.4	26.2	640
KAS24881		4.14	14.15	0.16	2.1	0.216	2.96	34.9	23.3	2.41	2600	0.60	0.39	8.1	21.7	580
KAS24882		5.15	14.80	0.17	1.8	0.144	3.03	34.2	18.0	1.59	2560	2.25	0.08	6.2	31.9	640
KAS24883		4.46	13.55	0.15	1.9	0.120	2.90	34.8	15.4	1.75	2270	2.95	0.10	6.6	29.3	670
KAS24884		4.03	15.05	0.20	3.2	0.107	3.47	44.4	33.3	1.06	2230	4.82	0.11	8.8	68.5	1730
KAS24885		2.16	11.05	0.16	1.7	0.051	2.67	32.9	32.3	4.85	1140	5.17	0.04	6.0	30.5	1200
KAS24886		2.36	11.50	0.17	1.9	0.047	2.86	36.6	29.6	4.43	1100	4.70	0.04	8.2	32.3	1440
KAS24887		2.26	11.05	0.14	1.7	0.045	2.91	35.2	28.6	4.11	1100	5.09	0.04	7.4	32.5	1340
KAS24888		2.19	9.88	0.15	1.5	0.046	2.57	30.5	28.9	5.75	1240	4.20	0.04	5.7	26.4	1110
KAS24890		4.29	11.95	0.15	1.5	0.107	2.61	25.5	22.9	3.03	1990	2.54	0.06	6.2	41.4	950
KAS24693		4.04	9.81	0.10	1.6	0.072	2.10	25.2	17.8	5.12	2170	2.23	0.07	6.3	27.7	770
KAS24785		3.93	13.95	0.14	2.2	0.067	2.72	33.2	29.2	4.26	2610	2.58	0.06	6.6	26.3	1040
KAS24786		4.25	13.00	0.10	2.1	0.078	2.67	30.1	28.4	4.62	2920	1.99	0.07	6.1	24.9	930
KAS24787		5.79	12.30	0.09	2.6	0.092	2.25	23.1	31.3	5.50	3160	1.28	0.06	5.6	28.0	730
KAS24788		2.91	12.80	0.10	1.9	0.059	2.79	27.9	33.3	5.29	1350	1.50	0.06	5.0	19.9	610
KAS24789		3.88	10.75	0.10	1.6	0.070	2.28	22.9	23.1	4.98	2290	1.78	0.06	4.2	18.4	520
KAS24790		2.82	10.30	0.11	1.5	0.036	2.26	25.2	21.1	5.25	1630	0.79	0.06	4.5	14.5	450
KAS24791		5.27	10.20	0.08	1.6	0.081	1.93	22.5	25.8	5.23	3350	0.80	0.07	4.7	20.3	630
KAS24792		4.37	13.05	0.10	2.1	0.076	2.50	27.9	35.1	4.65	2600	1.37	0.10	6.7	27.2	800
KAS24793		3.77	10.30	0.09	1.6	0.072	1.99	23.2	26.2	5.13	2160	1.60	0.10	5.4	22.3	560
KAS24794		5.42	12.25	0.11	1.9	0.062	2.46	26.4	24.4	2.39	5170	1.30	0.13	6.8	26.7	780
KAS24891		6.38	12.10	0.11	1.7	0.191	2.42	27.8	19.1	2.74	3500	2.40	0.11	6.4	40.0	700
KAS24892		4.97	11.95	0.10	1.8	0.176	2.37	26.0	19.4	4.98	2550	1.86	0.10	5.9	29.0	650
KAS24998		2.16	9.65	0.10	1.6	0.038	2.77	22.6	40.5	5.68	814	1.04	0.12	5.8	16.9	360
KAS24999		2.53	11.05	0.13	1.8	0.045	2.96	26.3	44.1	4.86	998	1.27	0.17	6.9	21.5	440
KAS25697		5.22	13.05	0.11	2.1	0.059	2.67	30.0	25.9	2.66	4600	1.23	0.13	7.8	27.9	700
KAS25698		5.25	11.90	0.09	1.9	0.048	2.50	25.6	23.6	2.58	5430	0.92	0.09	6.4	23.4	660
KAS25699		4.28	11.35	0.09	1.9	0.046	2.41	28.2	22.8	3.33	3200	0.96	0.06	6.0	18.5	630
KAS25701		3.49	15.75	0.14	2.5	0.067	3.32	32.5	51.6	1.26	890	4.07	0.22	10.1	29.4	530
KAS25702		3.21	17.30	0.15	2.8	0.073	3.28	33.6	52.2	1.30	797	6.28	0.25	11.0	27.5	440



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
KAS24795		6.3	98.4	<0.002	0.05	1.50	8.0	1	2.2	34.0	0.45	0.06	8.1	0.202	0.29	1.5
KAS24796		12.8	113.5	<0.002	0.05	2.27	10.8	2	2.6	49.2	0.55	0.11	11.1	0.270	0.51	2.4
KAS24797		8.5	110.0	<0.002	0.03	1.96	9.1	1	2.6	35.7	0.49	0.09	9.3	0.229	0.39	2.0
KAS24798		8.7	122.5	<0.002	0.03	1.98	10.1	1	2.9	30.5	0.51	0.07	11.2	0.234	0.43	2.2
KAS24799		5.4	99.1	<0.002	0.02	1.51	8.6	1	2.1	43.0	0.58	0.06	9.2	0.245	0.41	2.3
KAS24800		17.7	86.7	<0.002	0.09	2.95	6.9	2	2.0	44.3	0.35	0.34	8.8	0.161	0.32	1.6
KAS24876		12.9	54.0	<0.002	0.24	2.40	21.9	2	1.3	25.5	0.30	0.06	6.0	0.195	0.42	2.0
KAS24877		10.2	80.0	<0.002	0.07	2.89	10.7	1	2.7	32.9	0.45	<0.05	7.0	0.251	0.32	1.9
KAS24878		18.1	82.8	<0.002	0.10	3.97	12.1	2	2.6	40.0	0.47	<0.05	7.8	0.262	0.67	2.1
KAS24879		10.2	83.2	<0.002	0.19	2.89	11.1	1	2.3	32.3	0.42	<0.05	8.5	0.231	0.38	2.3
KAS24880		15.9	118.0	<0.002	0.07	2.37	9.8	1	3.3	36.6	0.53	0.05	11.2	0.246	0.46	2.4
KAS24881		20.7	114.5	<0.002	0.09	2.15	9.5	2	2.9	35.1	0.57	<0.05	10.7	0.256	0.39	2.2
KAS24882		49.0	118.0	<0.002	0.07	11.40	9.9	1	2.9	26.8	0.44	0.05	10.1	0.205	0.43	2.6
KAS24883		41.9	114.0	<0.002	0.09	2.89	9.9	2	2.6	27.7	0.51	<0.05	9.8	0.215	0.45	2.4
KAS24884		11.8	128.5	<0.002	0.06	3.84	19.8	3	2.9	28.4	0.68	0.09	15.0	0.260	0.71	3.5
KAS24885		15.4	85.5	<0.002	0.03	2.72	7.1	1	1.5	31.8	0.49	<0.05	9.3	0.202	0.41	2.3
KAS24886		17.9	86.4	<0.002	0.03	2.50	7.8	1	1.6	33.9	0.59	<0.05	9.0	0.271	0.48	2.3
KAS24887		17.4	84.5	<0.002	0.03	2.44	7.4	1	1.5	29.6	0.55	0.05	8.8	0.253	0.43	2.1
KAS24888		14.6	78.0	<0.002	0.02	2.34	6.4	1	1.4	34.4	0.45	<0.05	8.1	0.190	0.40	2.0
KAS24890		22.6	102.5	0.003	0.05	1.82	15.3	2	2.6	29.4	0.42	0.06	7.0	0.283	0.40	2.2
KAS24693		6.3	83.1	<0.002	0.06	1.58	5.9	1	2.5	42.2	0.39	<0.05	6.9	0.177	0.34	1.9
KAS24785		7.6	115.5	<0.002	0.05	1.74	8.9	1	3.0	33.7	0.50	0.15	11.2	0.218	0.37	1.8
KAS24786		5.8	107.0	<0.002	0.06	1.68	7.5	1	2.8	33.9	0.47	0.14	10.5	0.216	0.34	1.7
KAS24787		4.8	91.6	<0.002	0.02	1.64	6.9	1	2.5	33.4	0.43	0.09	9.1	0.198	0.30	2.1
KAS24788		3.6	102.5	<0.002	0.04	1.39	7.0	<1	2.1	49.3	0.40	<0.05	9.1	0.193	0.36	2.2
KAS24789		3.1	88.4	<0.002	0.02	1.29	6.0	1	2.3	47.4	0.32	0.06	7.5	0.154	0.31	1.7
KAS24790		3.3	80.6	<0.002	0.02	1.34	5.9	1	1.8	48.5	0.35	<0.05	7.6	0.165	0.27	1.7
KAS24791		4.1	79.3	<0.002	0.03	1.27	6.2	1	2.3	35.0	0.35	0.13	7.6	0.160	0.26	1.7
KAS24792		7.5	96.5	<0.002	0.04	2.08	7.3	1	2.7	37.7	0.48	0.17	10.0	0.208	0.39	1.9
KAS24793		6.4	77.3	<0.002	0.03	1.55	6.1	1	2.0	42.5	0.41	0.08	7.4	0.167	0.33	1.7
KAS24794		6.1	99.1	<0.002	0.05	1.72	7.7	1	2.4	34.5	0.48	0.08	8.9	0.213	0.34	1.6
KAS24891		69.5	92.0	<0.002	0.08	3.21	11.1	1	2.5	34.0	0.47	<0.05	7.9	0.246	0.41	2.2
KAS24892		40.3	95.6	<0.002	0.06	3.92	6.5	1	3.0	44.1	0.38	<0.05	8.7	0.189	0.40	2.3
KAS24998		23.5	89.0	<0.002	0.01	0.95	5.7	1	1.3	36.6	0.45	<0.05	7.1	0.168	0.55	1.8
KAS24999		32.1	96.2	<0.002	0.01	1.19	6.8	1	1.5	38.3	0.53	<0.05	8.2	0.199	0.62	2.0
KAS25697		6.6	106.0	<0.002	0.04	1.94	8.1	1	2.5	35.8	0.56	0.09	9.8	0.245	0.37	1.9
KAS25698		4.6	100.0	<0.002	0.04	1.57	7.2	1	2.4	30.3	0.48	0.09	8.6	0.207	0.32	1.6
KAS25699		4.9	89.2	<0.002	0.02	1.22	6.7	1	2.4	29.6	0.44	0.09	9.3	0.196	0.27	1.5
KAS25701		38.4	130.5	<0.002	0.01	2.07	7.8	1	2.1	33.6	0.74	0.05	10.2	0.296	0.99	3.5
KAS25702		44.8	143.0	<0.002	0.02	1.72	8.3	1	2.4	33.1	0.81	0.07	10.5	0.312	1.16	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
KAS24795		60	2.8	17.6	28	58.7	
KAS24796		92	2.8	21.4	68	77.7	
KAS24797		79	2.7	20.4	34	68.4	
KAS24798		82	3.1	20.8	33	78.5	
KAS24799		67	3.4	15.7	21	66.8	
KAS24800		46	4.1	23.1	41	60.4	
KAS24876		198	4.1	13.9	35	50.1	
KAS24877		100	4.2	13.8	30	50.3	
KAS24878		113	4.8	18.0	36	59.4	
KAS24879		95	4.4	18.1	33	60.3	
KAS24880		71	4.7	22.7	46	80.4	
KAS24881		63	5.0	21.8	37	74.8	
KAS24882		80	2.8	18.3	66	73.8	
KAS24883		87	2.7	17.5	59	68.9	
KAS24884		70	3.0	30.9	30	112.0	
KAS24885		149	1.6	17.0	22	60.1	
KAS24886		171	1.8	17.3	42	62.0	
KAS24887		163	1.6	16.3	29	60.4	
KAS24888		133	1.4	18.0	22	56.2	
KAS24890		125	4.9	17.0	32	67.2	
KAS24693		78	5.1	17.2	24	53.9	
KAS24785		80	4.6	16.9	19	72.6	
KAS24786		73	4.2	16.8	19	71.9	
KAS24787		56	4.4	15.9	22	71.2	
KAS24788		70	2.7	14.2	14	64.4	
KAS24789		57	3.6	13.1	12	51.4	
KAS24790		49	1.9	13.4	13	51.3	
KAS24791		40	3.2	16.8	22	54.9	
KAS24792		61	3.7	17.1	30	69.1	
KAS24793		56	2.7	15.2	25	54.1	
KAS24794		62	3.1	17.4	30	62.4	
KAS24891		87	3.6	19.8	72	57.0	
KAS24892		71	5.9	18.2	64	63.1	
KAS24998		52	0.7	12.6	82	50.3	
KAS24999		64	0.9	16.1	103	59.8	
KAS25697		64	3.2	17.8	30	70.6	
KAS25698		56	2.9	15.8	23	63.0	
KAS25699		51	3.4	15.5	21	62.9	
KAS25701		129	1.3	13.4	87	84.2	
KAS25702		152	1.4	12.9	86	92.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAS24893		0.22	0.005	2.27	4.21	53.8	270	1.46	12.85	8.66	0.33	56.9	29.3	116	1.68	155.5
KAS24894		0.24	0.003	1.44	4.57	29.1	410	1.35	8.42	7.54	0.24	47.8	18.0	115	1.53	84.8
KAS24895		0.26	0.001	0.10	3.78	15.2	110	1.20	4.57	11.75	0.02	39.9	9.2	57	1.28	18.1
KAS24896		0.26	0.003	0.67	3.60	23.2	390	1.19	5.58	7.02	0.23	38.2	18.5	182	1.84	292
KAS25449		0.22	0.004	0.10	6.62	22.0	330	2.13	0.44	0.33	0.08	52.2	14.5	82	2.52	116.0
KAS25450		0.22	0.002	0.08	6.76	23.9	300	2.24	0.51	0.40	0.13	67.3	15.5	75	2.64	76.0
KAS25451		0.22	0.003	0.25	3.25	19.5	140	1.25	0.90	9.43	0.13	40.9	9.9	57	1.56	47.1
KAS25452		0.24	0.001	0.25	2.78	14.7	160	1.16	1.73	10.65	0.11	44.9	8.3	67	1.23	18.6
KAS25453		0.24	0.003	0.34	4.06	25.1	140	1.41	3.29	8.09	0.09	59.4	14.2	81	1.61	21.7
KAS25454		0.26	0.006	0.18	2.77	14.9	160	1.12	1.53	9.79	0.12	33.8	6.7	82	1.39	20.7
KAS25455		0.22	0.002	0.33	3.49	23.0	180	1.34	2.69	9.49	0.10	40.5	11.4	69	1.79	21.1
KAS25715		0.24	0.004	0.17	4.98	45.0	190	1.36	9.89	4.80	0.31	54.7	29.0	114	2.29	38.0
KAS25716		0.26	0.001	0.07	5.58	23.6	180	1.22	4.12	1.94	0.13	63.5	27.9	139	1.96	40.6
KAS25717		0.24	0.003	0.08	4.58	20.7	130	1.13	6.46	6.49	0.04	51.3	17.8	80	1.66	15.4
KAS25718		0.26	0.004	0.07	3.45	23.1	90	0.79	4.83	10.55	0.04	44.1	17.8	57	1.25	15.2
KAS25719		0.26	0.001	0.12	4.01	13.9	120	1.32	3.44	11.10	0.05	39.5	10.5	46	1.56	13.5
KAS25720		0.26	0.001	0.08	2.27	7.9	60	0.74	2.03	13.80	0.04	27.3	6.0	28	0.71	14.8
KAS25721		0.24	0.010	0.13	3.38	23.6	130	0.95	6.00	8.11	0.27	49.0	21.5	74	1.25	33.1
KAS25722		0.22	0.006	0.12	4.31	22.7	160	1.23	5.50	5.86	0.12	74.7	16.0	91	1.47	53.6
KAS25723		0.22	0.004	0.09	4.27	28.7	130	1.25	4.33	4.81	0.29	69.0	15.2	88	1.30	33.6
KAS14519		0.30	<0.001	<0.01	0.32	0.6	10	0.09	0.02	0.01	<0.02	10.85	0.8	340	0.19	3.1
KAS26022		0.24	0.001	0.08	7.38	8.0	360	2.32	0.68	4.04	0.03	62.1	13.6	100	3.31	29.1
KAS26023		0.24	0.002	0.06	4.95	129.5	100	1.00	2.19	7.33	0.03	33.5	99.1	82	1.39	62.5
KAS26024		0.26	0.002	0.09	4.73	12.9	130	1.22	4.06	5.30	0.08	48.4	12.6	81	1.53	62.9
KAS26025		0.28	0.003	0.07	4.65	9.9	110	1.31	3.95	5.59	0.05	46.8	10.7	64	1.46	39.2
KAS26026		0.30	0.003	0.10	4.84	10.9	120	1.22	4.22	5.82	0.05	55.2	12.5	99	1.58	49.9
KAS26027		0.26	0.002	0.08	6.57	16.2	350	1.95	2.40	2.39	0.09	68.0	15.0	104	2.48	154.5
KAS26028		0.26	0.003	0.08	6.80	27.2	150	1.16	2.45	4.88	0.06	33.9	15.5	140	1.97	420
KAS26029		0.24	0.003	0.09	7.12	26.4	170	1.32	2.99	4.11	0.04	41.1	17.1	146	2.29	214
KAS26030		0.26	0.002	0.07	7.20	27.6	160	1.15	2.35	5.16	0.04	36.0	16.0	146	2.14	149.0
KAS26031		0.24	0.002	0.06	6.96	13.2	320	1.97	1.18	7.27	0.06	71.9	15.2	87	2.94	62.4
KAS26032		0.26	0.001	0.31	8.19	23.5	590	1.98	1.89	2.89	0.11	58.6	24.0	126	3.64	165.5
KAS26033		0.26	0.004	1.06	7.38	29.2	560	2.07	0.98	0.22	0.08	78.8	12.4	128	4.26	30.1
KAS26034		0.24	0.007	0.60	8.22	31.5	350	3.21	0.73	0.04	0.14	87.0	30.8	108	4.77	93.4
KAS26275		0.28	0.001	0.12	6.61	14.2	330	2.05	0.78	2.63	0.36	71.6	9.3	95	2.26	17.8
KAS26276		0.24	0.002	0.28	6.60	28.5	410	2.08	1.15	1.15	0.79	74.6	15.4	114	2.65	35.1
KAS26277		0.26	0.002	0.24	3.89	19.6	170	1.17	1.22	8.28	0.50	48.4	10.2	119	1.19	40.3
KAS26278		0.28	0.001	0.25	3.21	12.7	90	0.93	0.92	10.80	0.90	38.2	5.4	62	0.72	12.6
KAS26279		0.28	0.001	0.39	2.32	14.5	120	0.69	1.43	9.18	1.67	26.7	8.6	245	0.75	16.5
KAS26280		0.26	0.003	0.26	5.37	32.2	340	1.61	1.99	2.01	0.27	69.7	12.2	114	2.07	53.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAS24893		5.82	11.30	0.11	1.7	0.215	2.17	29.3	16.3	4.90	2930	2.08	0.12	6.3	35.6	620
KAS24894		4.74	12.20	0.10	1.6	0.162	2.45	24.1	17.8	4.43	2380	1.74	0.09	5.3	25.4	570
KAS24895		3.58	9.35	0.09	1.4	0.237	2.02	20.5	12.7	6.55	2480	0.28	0.06	4.3	10.1	380
KAS24896		6.58	8.69	0.09	1.3	0.318	1.64	19.1	14.7	3.68	4620	1.43	0.20	4.6	24.8	580
KAS25449		3.67	17.95	0.14	3.5	0.107	3.68	28.0	31.5	1.39	251	12.80	0.06	9.1	72.4	1010
KAS25450		3.71	18.20	0.17	3.4	0.118	3.56	36.4	36.2	1.21	764	11.95	0.06	10.3	68.9	900
KAS25451		4.98	8.64	0.11	1.7	0.097	1.52	21.6	19.9	5.43	2790	10.50	0.07	5.5	38.8	570
KAS25452		4.63	7.27	0.08	1.2	0.066	1.39	22.6	13.7	6.21	3520	2.10	0.10	4.4	21.1	390
KAS25453		5.03	10.50	0.10	1.7	0.078	1.75	30.7	17.8	4.96	2420	1.54	0.24	6.3	28.0	360
KAS25454		4.11	6.87	0.07	1.1	0.048	1.50	17.4	17.1	6.08	2740	1.56	0.12	8.8	18.4	370
KAS25455		5.63	8.71	0.09	1.4	0.102	1.75	20.7	14.7	5.03	2960	1.67	0.14	5.3	24.9	410
KAS25715		3.91	12.30	0.12	2.2	0.104	2.53	28.4	15.2	1.73	1880	3.87	0.11	7.3	33.6	820
KAS25716		6.85	13.55	0.12	2.0	0.172	1.74	32.7	36.8	2.21	2940	2.61	0.15	11.1	60.0	1310
KAS25717		3.16	11.65	0.10	1.8	0.083	2.45	27.6	16.2	3.56	1560	2.70	0.06	6.9	28.9	1000
KAS25718		3.72	8.82	0.09	1.4	0.107	1.83	25.0	13.7	5.69	2050	3.30	0.04	5.0	27.8	940
KAS25719		2.94	10.15	0.09	1.5	0.046	2.37	20.7	24.3	6.62	1340	0.55	0.03	5.3	29.0	400
KAS25720		2.54	5.34	0.10	0.8	0.055	1.40	14.4	11.1	7.89	1590	0.70	0.03	2.6	14.0	410
KAS25721		4.26	7.76	0.09	1.3	0.157	1.71	29.1	9.7	4.19	2180	5.99	0.09	4.7	38.5	1130
KAS25722		3.19	10.30	0.13	1.7	0.104	2.27	43.9	17.0	3.34	1430	2.52	0.10	7.7	34.2	1420
KAS25723		2.33	10.05	0.13	1.6	0.061	2.34	41.0	18.3	2.79	977	2.95	0.05	6.3	40.0	1570
KAS14519		0.39	0.84	0.08	0.1	<0.005	0.15	5.2	1.4	0.02	28	0.79	0.01	0.7	4.9	20
KAS26022		4.49	19.70	0.11	3.3	0.112	4.01	28.5	17.5	1.12	3230	0.73	0.07	12.2	30.9	690
KAS26023		3.92	11.40	0.09	1.4	0.058	2.42	17.5	32.0	5.02	1780	0.82	0.04	3.7	45.1	390
KAS26024		3.92	11.30	0.10	1.7	0.057	2.76	25.6	26.5	3.25	2040	0.98	0.04	5.4	21.2	470
KAS26025		2.98	11.30	0.10	1.6	0.046	2.76	24.1	26.0	3.45	1540	0.75	0.03	5.0	17.6	440
KAS26026		3.48	11.55	0.10	1.7	0.053	2.78	28.5	24.8	3.60	1760	1.02	0.04	5.2	20.7	520
KAS26027		3.24	16.40	0.13	2.5	0.062	3.69	34.9	21.7	1.71	1540	1.38	0.06	7.4	29.8	990
KAS26028		4.79	15.35	0.09	1.9	0.083	2.86	17.3	31.2	3.56	1880	1.78	0.09	4.8	48.2	700
KAS26029		4.85	16.65	0.10	2.2	0.091	3.05	20.9	34.6	3.34	1860	2.11	0.09	5.5	44.9	780
KAS26030		4.94	16.25	0.12	2.3	0.086	3.00	18.6	32.3	3.64	2090	1.84	0.09	5.6	42.1	730
KAS26031		5.02	17.65	0.14	3.2	0.121	3.48	35.8	16.2	1.66	3960	0.84	0.08	10.5	32.0	800
KAS26032		6.39	19.50	0.12	2.9	0.138	3.69	28.9	30.5	1.86	4280	1.67	0.13	7.9	45.9	1190
KAS26033		5.34	20.3	0.13	3.0	0.095	2.72	39.4	34.2	0.95	740	6.73	0.43	14.5	37.2	450
KAS26034		7.15	21.9	0.14	3.8	0.194	3.44	42.9	31.5	0.88	2810	7.90	0.27	13.9	88.1	660
KAS26275		3.43	16.35	0.12	2.4	0.080	4.14	36.2	33.8	2.36	1190	1.35	0.06	8.2	25.5	420
KAS26276		4.64	15.65	0.15	2.6	0.131	3.84	38.8	27.6	1.29	1520	6.88	0.15	7.3	52.6	680
KAS26277		3.80	8.97	0.09	1.4	0.088	2.16	25.2	17.1	4.83	1880	2.85	0.06	4.4	27.4	380
KAS26278		2.75	7.93	0.09	1.1	0.057	1.73	19.9	14.6	6.25	1540	1.96	0.02	3.4	16.6	260
KAS26279		4.17	5.21	0.07	0.8	0.104	1.15	13.2	11.0	4.81	2800	2.19	0.07	2.5	23.0	430
KAS26280		3.67	13.35	0.14	2.2	0.122	2.96	35.9	21.0	1.50	1180	10.95	0.18	8.2	46.5	780



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
KAS24893		151.0	91.0	<0.002	0.08	15.35	7.5	2	2.7	50.4	0.36	<0.05	8.0	0.172	2.7
KAS24894		69.5	92.9	<0.002	0.05	12.65	6.7	1	3.1	31.5	0.39	<0.05	7.5	0.185	2.1
KAS24895		7.1	73.4	<0.002	0.02	1.54	5.6	1	2.7	42.7	0.32	<0.05	6.4	0.155	1.4
KAS24896		49.4	64.5	<0.002	0.07	3.71	8.6	2	2.0	49.2	0.31	<0.05	5.9	0.156	1.8
KAS25449		11.1	107.0	0.004	0.03	6.56	11.1	2	3.0	10.7	0.68	0.06	12.1	0.246	4.9
KAS25450		13.8	111.5	0.002	0.02	6.37	12.2	2	2.8	12.5	0.75	0.11	12.4	0.275	5.2
KAS25451		16.3	52.4	<0.002	0.03	4.41	5.7	2	1.4	29.2	0.39	0.06	6.4	0.134	3.3
KAS25452		15.4	51.6	<0.002	0.02	4.31	4.3	1	3.4	31.7	0.32	<0.05	5.5	0.122	2.6
KAS25453		25.2	69.2	<0.002	0.01	5.55	5.9	1	5.7	36.1	0.45	0.05	8.1	0.189	2.6
KAS25454		16.9	49.8	<0.002	0.02	3.65	4.3	1	1.5	30.4	0.32	<0.05	5.0	0.122	2.7
KAS25455		23.1	62.6	<0.002	0.02	4.31	5.6	1	5.9	35.3	0.38	<0.05	6.0	0.170	2.3
KAS25715		20.6	107.0	<0.002	0.05	2.16	8.0	1	3.0	33.6	0.55	0.06	9.8	0.220	2.9
KAS25716		6.6	74.0	<0.002	0.07	1.85	13.0	1	2.3	42.2	0.70	0.06	9.5	0.367	2.6
KAS25717		6.0	91.4	<0.002	0.02	1.53	7.9	1	2.6	57.9	0.52	<0.05	9.0	0.205	2.3
KAS25718		7.7	65.9	0.002	0.02	2.20	7.0	1	1.8	95.9	0.36	0.07	7.1	0.130	2.0
KAS25719		13.0	79.3	<0.002	0.01	2.99	5.8	1	1.6	31.2	0.41	<0.05	6.9	0.162	1.8
KAS25720		9.2	50.0	<0.002	0.04	1.18	4.0	1	1.0	35.4	0.21	<0.05	4.0	0.083	1.1
KAS25721		20.5	64.3	<0.002	0.04	2.29	6.1	2	1.7	47.5	0.37	0.08	7.2	0.151	2.6
KAS25722		12.6	80.7	<0.002	0.04	2.31	7.3	1	2.1	36.1	0.51	0.07	10.2	0.187	2.1
KAS25723		18.3	83.7	<0.002	0.02	1.81	8.5	2	2.3	24.8	0.47	0.07	10.0	0.185	2.0
KAS14519		0.5	3.6	<0.002	<0.01	0.20	0.4	<1	0.2	4.1	<0.05	<0.05	1.9	0.028	0.3
KAS26022		4.2	125.0	<0.002	0.01	3.29	13.8	1	3.1	31.2	0.82	<0.05	8.9	0.417	2.3
KAS26023		4.4	92.9	<0.002	0.01	3.27	10.5	1	1.8	25.9	0.27	<0.05	6.0	0.183	1.9
KAS26024		7.3	105.5	<0.002	0.02	2.21	6.9	1	1.9	19.5	0.41	<0.05	7.9	0.180	2.3
KAS26025		5.8	107.0	<0.002	0.02	2.08	6.3	1	2.2	19.7	0.38	0.06	7.5	0.167	2.3
KAS26026		7.1	109.5	<0.002	0.05	2.35	7.0	1	2.5	22.3	0.40	<0.05	8.4	0.171	2.4
KAS26027		5.9	151.5	<0.002	0.01	1.90	10.0	1	3.2	23.6	0.56	0.15	13.5	0.248	2.8
KAS26028		5.1	111.0	<0.002	0.02	3.81	13.9	1	2.2	25.5	0.35	0.06	8.2	0.245	2.5
KAS26029		7.4	121.5	<0.002	0.02	4.26	14.7	1	2.4	25.8	0.41	0.07	9.7	0.253	2.9
KAS26030		4.9	118.0	<0.002	0.02	3.74	16.1	1	2.2	28.3	0.43	0.06	8.9	0.280	2.8
KAS26031		5.4	153.0	<0.002	0.01	3.49	14.6	1	2.7	52.1	0.75	0.07	11.3	0.392	3.0
KAS26032		8.1	153.0	<0.002	0.06	4.16	19.3	2	2.6	45.0	0.57	0.05	11.6	0.332	3.1
KAS26033		30.8	137.0	<0.002	0.02	6.10	14.2	2	3.0	50.6	0.94	0.10	11.4	0.455	4.4
KAS26034		35.6	169.5	0.004	0.06	7.61	19.9	3	3.2	15.5	0.86	0.12	12.1	0.442	7.2
KAS26275		21.9	140.5	<0.002	0.02	4.07	9.8	1	2.4	17.8	0.62	0.05	12.2	0.259	2.5
KAS26276		40.0	134.5	<0.002	0.03	7.62	11.1	2	2.3	29.8	0.55	0.08	12.2	0.246	3.8
KAS26277		36.2	75.0	<0.002	0.03	5.24	5.9	1	1.4	30.2	0.33	0.05	6.7	0.143	2.0
KAS26278		50.9	59.5	<0.002	0.01	3.38	4.5	1	1.1	27.4	0.27	<0.05	5.4	0.116	1.4
KAS26279		58.8	42.5	<0.002	0.04	3.61	3.7	1	0.9	29.7	0.20	0.05	3.8	0.085	1.5
KAS26280		31.4	106.5	<0.002	0.02	7.67	9.0	2	1.9	33.8	0.56	0.11	10.3	0.244	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
KAS24893		65	4.7	20.5	102	61.8	
KAS24894		72	4.2	17.2	54	53.8	
KAS24895		38	3.1	14.4	12	43.8	
KAS24896		46	2.7	31.0	62	48.5	
KAS25449		301	2.0	16.8	40	112.5	
KAS25450		254	2.2	20.1	46	112.0	
KAS25451		109	1.0	18.5	44	54.4	
KAS25452		47	1.3	15.1	31	38.1	
KAS25453		51	2.0	13.4	33	61.9	
KAS25454		42	0.8	13.3	36	38.2	
KAS25455		50	2.0	15.7	34	48.6	
KAS25715		69	5.3	15.2	90	77.7	
KAS25716		87	6.1	19.9	40	77.3	
KAS25717		71	4.4	14.7	19	61.1	
KAS25718		61	3.0	15.3	18	51.0	
KAS25719		42	1.8	11.1	23	49.1	
KAS25720		25	1.1	8.8	20	28.2	
KAS25721		130	4.0	17.7	75	53.3	
KAS25722		64	3.9	19.0	36	65.3	
KAS25723		59	3.2	17.5	56	59.2	
KAS14519		4	<0.1	0.9	<2	4.5	
KAS26022		101	1.8	19.6	23	116.0	
KAS26023		96	2.1	10.5	18	49.2	
KAS26024		57	1.7	13.8	25	62.1	
KAS26025		54	1.8	11.5	16	58.6	
KAS26026		55	2.1	14.6	18	62.1	
KAS26027		70	3.2	18.1	23	93.9	
KAS26028		140	3.2	12.5	22	71.1	
KAS26029		145	3.4	14.2	23	79.6	
KAS26030		152	3.6	13.7	22	78.0	
KAS26031		94	2.2	25.7	24	117.5	
KAS26032		125	2.6	22.7	50	112.5	
KAS26033		201	1.9	15.1	57	113.0	
KAS26034		290	2.2	23.2	64	139.0	
KAS26275		69	1.1	23.1	102	93.4	
KAS26276		150	1.1	22.2	223	92.9	
KAS26277		60	0.9	14.8	170	50.5	
KAS26278		42	0.6	10.3	234	42.5	
KAS26279		29	0.6	12.6	335	39.2	
KAS26280		225	1.1	20.1	90	83.3	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062636

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Ag-OG62 Au-ICP22 LOG-24
ME-MS61 ME-OG62 WEI-21 LOG-QC