



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 1
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
This copy reported on
14-MAY-2015
Account: CANMID

CERTIFICATE VA15062647

Project: PA95

This report is for 240 Pulp samples submitted to our lab in Vancouver, BC, Canada on 29-APR-2015.

The following have access to data associated with this certificate:

SHADI MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-QC	QC Test on Received Samples

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: CANTEX MINE DEVELOPMENT CORP.
ATTN: SHADI MORTON
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
KAS25724		0.20	0.16	4.48	31.8	100	1.22	6.34	3.54	1.04	60.4	18.4	133	1.55	19.8	2.69
KAS25725		0.24	0.28	2.44	20.6	60	0.89	5.06	12.00	2.43	29.0	8.3	51	0.89	14.3	3.07
KAS25726		0.22	0.15	4.46	35.6	130	1.44	7.17	4.96	0.41	72.0	19.2	109	1.48	29.3	3.31
KAS25901		0.24	0.14	4.44	272	290	1.39	7.05	3.61	0.22	68.8	42.1	115	2.20	32.4	6.50
KAS25902		0.24	0.07	3.55	60.3	130	1.32	3.89	3.15	0.16	57.1	21.3	81	1.54	15.3	6.12
KAS25903		0.24	0.03	2.11	20.9	130	0.69	0.86	9.00	0.17	30.9	7.8	66	0.94	50.2	9.67
KAS25904		0.22	0.20	4.38	173.5	240	1.31	4.28	4.96	0.21	51.0	29.9	133	1.89	671	5.29
KAS25905		0.22	0.26	2.46	850	120	0.71	12.50	11.50	0.07	26.0	75.7	91	1.16	227	6.28
KAS25906		0.26	0.11	2.98	122.5	140	0.87	4.86	12.05	0.12	29.8	32.5	59	1.38	56.8	6.16
KAS25907		0.24	0.08	3.25	35.3	120	0.95	4.71	11.80	0.09	36.1	22.5	44	1.41	15.2	4.55
KAS25908		0.22	0.03	3.89	12.3	120	1.06	2.33	11.40	0.05	38.8	8.9	45	1.73	24.7	3.91
KAS25909		0.22	0.05	4.13	27.2	130	1.21	3.80	9.39	0.05	43.7	16.4	51	2.08	12.6	3.35
KAS25910		0.24	0.04	3.56	20.5	100	1.13	2.69	11.05	0.04	36.2	11.5	41	1.73	16.6	3.26
KAS25911		0.24	0.18	2.65	263	130	0.77	4.09	11.35	0.11	32.0	29.0	53	1.24	473	5.76
KAS25912		0.24	0.06	3.23	25.5	70	0.67	2.65	14.65	0.06	24.9	20.2	92	1.30	34.4	4.07
KAS25913		0.28	0.10	3.77	54.6	150	1.29	7.54	6.88	0.09	58.9	33.2	66	1.93	17.7	4.24
KAS25914		0.30	0.09	2.65	17.8	110	0.81	1.46	10.60	0.13	49.9	10.8	103	1.40	318	6.46
KAS25915		0.26	0.11	3.40	48.0	200	1.19	4.27	8.87	0.16	56.8	24.2	79	1.87	32.9	6.25
KAS25916		0.24	0.35	2.39	147.0	90	0.87	19.55	11.90	0.05	49.7	96.4	69	1.22	22.1	6.00
KAS25917		0.26	0.12	5.15	62.0	190	1.75	8.54	5.13	0.07	72.5	41.3	79	2.89	18.3	3.92
KAS25476		0.30	0.16	7.02	8.7	450	0.99	0.48	3.66	0.77	38.0	38.9	82	2.25	79.8	8.56
KAS25477		0.28	0.13	7.35	10.8	290	0.86	0.30	3.50	0.70	31.3	48.5	70	2.43	88.4	9.97
KAS25478		0.30	0.15	7.53	15.4	410	0.81	0.19	3.97	0.56	26.9	47.2	99	2.42	81.8	9.29
KAS25479		0.34	0.23	6.77	10.0	330	1.68	0.45	3.18	0.68	42.8	38.6	117	4.20	124.5	8.39
KAS25480		0.30	0.12	7.15	9.8	340	0.99	0.40	3.67	0.59	24.0	43.4	110	1.62	84.4	8.52
KAS25481		0.30	0.20	7.15	8.2	380	1.62	0.38	2.71	0.60	31.4	54.0	220	3.42	135.5	9.66
KAS25482		0.30	0.04	6.90	15.1	240	2.06	0.30	0.49	0.02	68.5	15.5	81	1.43	122.5	3.97
KAS25483		0.28	0.17	6.52	35.2	290	1.99	0.95	0.51	0.16	56.5	30.4	131	2.81	238	5.39
KAS25484		0.28	0.20	6.83	23.8	330	1.86	1.29	1.54	0.25	48.7	33.9	150	3.28	243	5.95
KAS25485		0.28	0.15	6.60	26.1	310	2.03	0.90	1.33	0.16	53.0	27.4	132	3.24	175.5	5.36
KAS25486		0.30	0.33	6.11	41.7	300	2.06	1.22	1.25	0.25	61.8	35.7	137	3.88	375	6.55
KAS25487		0.30	0.13	6.89	19.4	300	2.07	0.68	0.81	0.13	60.6	21.8	135	2.78	103.0	4.98
KAS25678		0.30	0.22	6.97	13.4	370	2.38	0.50	0.07	0.20	83.5	13.5	78	4.09	13.0	3.59
KAS25688		0.28	0.04	4.97	28.4	200	1.80	2.54	6.68	0.11	61.4	23.7	109	2.43	49.3	5.77
KAS25689		0.30	0.08	5.06	41.2	230	2.00	2.72	4.70	0.12	65.2	33.0	97	2.63	121.0	6.03
KAS25690		0.30	0.06	6.25	27.8	330	2.32	1.89	0.96	0.20	83.8	29.7	129	3.09	43.5	6.02
KAS25691		0.30	0.05	6.02	19.4	290	2.19	1.69	2.56	0.16	78.6	22.7	113	2.82	46.1	5.39
KAS25692		0.30	0.05	5.31	12.1	210	1.70	1.71	4.95	0.09	62.2	15.5	122	2.43	45.7	4.55
KAS25693		0.30	0.06	4.79	15.2	150	1.34	2.93	6.77	0.07	57.5	17.7	89	2.11	44.2	3.57
KAS25694		0.28	0.05	5.04	11.5	120	1.38	2.80	7.13	0.05	58.0	14.9	65	2.18	42.3	3.58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAS25724		11.25	0.14	1.9	0.073	2.40	35.2	15.0	1.98	1180	4.20	0.05	7.1	47.9	1280
KAS25725		6.01	0.10	1.0	0.041	1.31	15.9	12.2	6.72	1840	1.54	0.03	3.4	24.2	430
KAS25726		11.50	0.14	2.2	0.119	2.42	41.4	22.0	2.82	1400	3.12	0.06	7.8	46.1	1430
KAS25901		10.60	0.14	1.8	0.149	2.02	32.7	29.7	2.27	4400	1.02	0.18	5.2	43.3	810
KAS25902		8.56	0.12	1.5	0.089	1.83	25.9	21.6	1.68	4020	0.75	0.06	4.2	23.8	500
KAS25903		5.49	0.09	0.8	0.199	1.05	16.1	13.1	4.52	5070	0.50	0.05	2.1	13.8	270
KAS25904		10.75	0.12	1.5	0.086	1.66	25.6	25.3	3.21	2690	1.08	0.15	8.4	51.4	830
KAS25905		9.33	0.08	0.9	0.069	1.18	12.7	14.7	6.52	2900	1.12	0.07	2.6	62.5	320
KAS25906		8.96	0.09	1.1	0.091	1.16	14.0	22.0	7.31	3650	0.96	0.11	3.4	32.5	460
KAS25907		8.70	0.10	1.2	0.058	1.24	16.9	32.2	7.61	3270	0.49	0.09	3.9	27.2	420
KAS25908		10.65	0.11	1.4	0.072	1.70	19.4	38.3	7.27	2720	0.44	0.08	4.7	15.8	380
KAS25909		11.55	0.13	1.5	0.061	2.05	22.0	37.4	5.46	2240	0.50	0.08	5.5	19.1	380
KAS25910		9.49	0.12	1.2	0.059	1.79	18.0	33.0	6.38	2340	0.34	0.06	4.2	14.4	330
KAS25911		8.62	0.11	1.0	0.092	1.11	15.2	22.3	6.67	3490	0.51	0.09	2.9	26.9	390
KAS25912		8.03	0.10	1.0	0.069	1.21	11.2	24.6	8.95	2950	0.35	0.10	4.5	24.5	300
KAS25913		10.05	0.11	1.5	0.042	1.77	28.5	22.7	3.65	2450	0.39	0.10	4.7	31.6	590
KAS25914		7.54	0.10	1.2	0.139	1.29	26.3	16.3	5.04	3700	0.93	0.07	2.7	14.3	520
KAS25915		9.78	0.12	1.5	0.147	1.50	28.9	20.2	4.25	3950	1.31	0.14	4.6	25.9	660
KAS25916		6.53	0.09	1.2	0.086	1.15	24.5	13.8	5.25	3130	0.50	0.07	2.8	82.6	480
KAS25917		13.95	0.16	2.1	0.071	2.61	34.7	36.2	2.94	2020	0.45	0.13	7.3	49.3	860
KAS25476		17.15	0.13	1.2	0.132	1.65	18.9	36.3	3.52	1400	1.22	1.77	11.5	59.8	980
KAS25477		19.85	0.12	1.2	0.141	1.49	14.6	36.5	4.08	1300	0.83	2.00	9.7	70.9	1020
KAS25478		18.85	0.14	1.0	0.123	1.95	13.5	52.1	4.47	1400	0.70	1.36	8.6	91.5	670
KAS25479		17.40	0.13	1.6	0.143	1.75	21.0	38.7	3.81	1580	1.77	1.30	11.1	78.4	740
KAS25480		17.75	0.11	1.1	0.148	1.70	11.6	47.6	3.85	1580	1.29	1.45	6.5	77.8	510
KAS25481		16.75	0.12	1.4	0.174	1.57	15.2	50.8	4.76	1730	1.43	1.06	8.9	141.0	570
KAS25482		18.75	0.17	3.2	0.179	3.47	37.7	26.5	2.18	204	8.27	0.16	7.3	75.1	1240
KAS25483		17.80	0.16	2.9	0.154	3.08	30.8	27.1	1.98	607	11.45	0.20	8.7	97.9	1170
KAS25484		18.40	0.14	2.6	0.156	3.02	26.2	31.2	2.65	824	9.66	0.46	9.0	95.0	1130
KAS25485		17.65	0.14	2.7	0.141	2.97	28.1	29.4	2.49	754	11.40	0.39	9.3	88.6	900
KAS25486		16.05	0.16	2.5	0.182	2.44	34.0	30.7	2.15	950	13.60	0.37	8.4	115.0	1000
KAS25487		17.75	0.16	2.9	0.118	3.13	32.4	34.0	2.18	748	9.34	0.29	9.0	83.9	820
KAS25678		19.90	0.16	3.4	0.088	3.55	38.1	60.4	1.40	861	0.72	0.08	13.0	15.8	300
KAS25688		13.40	0.16	1.9	0.051	2.66	29.0	27.6	2.81	6720	0.94	0.07	7.4	25.2	640
KAS25689		13.80	0.15	2.0	0.051	2.66	30.7	29.8	2.35	6540	0.85	0.11	8.0	32.1	670
KAS25690		17.30	0.16	2.4	0.063	3.03	42.0	35.4	1.04	6010	1.07	0.19	8.1	33.0	720
KAS25691		16.30	0.18	2.3	0.067	3.07	39.6	37.6	1.86	4900	1.24	0.15	8.2	29.3	730
KAS25692		14.10	0.14	2.0	0.063	2.59	31.0	28.4	3.06	3180	1.22	0.12	8.9	26.6	740
KAS25693		12.40	0.14	1.9	0.071	2.33	29.4	23.3	3.88	1790	1.32	0.11	8.2	25.9	700
KAS25694		13.40	0.13	1.9	0.074	2.44	30.1	25.4	4.28	1550	1.43	0.08	8.6	27.3	710



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
KAS25724		95.1	<0.002	0.05	1.89	12.6	2	2.7	24.3	0.53	0.06	9.4	0.203	0.41	3.2	77
KAS25725		54.1	<0.002	0.02	2.72	6.2	1	1.3	29.4	0.25	<0.05	4.4	0.100	0.30	2.2	36
KAS25726		94.2	<0.002	0.04	3.14	10.4	1	2.9	34.1	0.57	0.08	11.2	0.200	0.35	2.7	57
KAS25901		87.6	<0.002	0.08	3.58	7.9	1	2.1	47.5	0.38	0.39	9.3	0.177	0.31	1.9	49
KAS25902		77.4	<0.002	0.03	2.25	5.3	1	1.8	18.6	0.31	0.29	7.0	0.139	0.22	1.5	29
KAS25903		44.9	<0.002	0.01	0.74	4.5	1	1.2	40.8	0.15	0.05	3.3	0.071	0.15	0.8	22
KAS25904		73.9	<0.002	0.09	2.22	11.4	1	1.9	41.1	0.54	0.14	6.2	0.279	0.32	1.5	78
KAS25905		50.1	<0.002	0.27	4.54	4.1	1	1.5	37.2	0.18	0.13	4.1	0.084	0.18	1.3	26
KAS25906		48.4	<0.002	0.22	3.12	4.8	1	1.5	48.2	0.24	0.08	5.2	0.112	0.21	1.4	33
KAS25907		53.8	<0.002	0.05	2.70	5.4	1	1.7	47.2	0.28	0.08	5.9	0.121	0.22	1.2	33
KAS25908		71.5	<0.002	0.03	1.12	6.1	1	2.0	43.8	0.35	0.08	6.6	0.141	0.25	1.4	40
KAS25909		87.2	<0.002	0.03	1.58	6.4	1	2.1	46.7	0.40	0.10	6.8	0.156	0.29	1.6	41
KAS25910		73.4	<0.002	0.02	1.11	5.7	1	1.7	47.1	0.32	0.08	5.7	0.126	0.23	1.3	35
KAS25911		48.9	<0.002	0.06	2.51	4.8	1	1.6	45.6	0.21	0.10	4.6	0.091	0.18	1.1	28
KAS25912		49.8	<0.002	0.07	1.40	8.6	1	1.3	54.9	0.29	0.07	3.9	0.144	0.21	0.8	57
KAS25913		77.6	<0.002	0.03	3.99	5.8	1	2.1	34.5	0.35	0.52	8.0	0.145	0.32	1.3	35
KAS25914		55.7	<0.002	0.04	1.08	6.0	1	1.8	45.8	0.19	<0.05	5.9	0.082	0.20	1.1	27
KAS25915		69.3	<0.002	0.05	2.09	7.2	1	2.0	52.9	0.34	0.22	7.8	0.141	0.30	1.5	51
KAS25916		50.3	<0.002	0.10	6.65	4.5	1	1.5	46.1	0.21	0.49	6.3	0.086	0.20	1.6	21
KAS25917		116.0	<0.002	0.05	4.11	8.7	1	3.0	34.5	0.55	0.34	10.6	0.215	0.44	1.9	48
KAS25476		47.4	<0.002	0.01	4.97	32.9	1	1.4	163.0	0.69	<0.05	3.1	0.601	0.46	1.0	270
KAS25477		42.3	<0.002	0.01	4.67	42.3	1	1.4	108.5	0.61	<0.05	2.0	0.735	0.41	0.8	346
KAS25478		36.7	<0.002	0.02	4.14	33.5	1	1.3	143.5	0.53	<0.05	1.3	0.547	0.45	0.6	269
KAS25479		64.8	<0.002	0.03	4.78	35.0	1	1.7	109.0	0.66	<0.05	4.0	0.648	0.72	1.3	323
KAS25480		36.1	<0.002	0.01	5.03	36.1	1	1.3	140.5	0.40	<0.05	2.2	0.486	0.40	0.9	256
KAS25481		41.2	<0.002	0.02	5.32	40.2	1	1.4	106.5	0.51	<0.05	2.3	0.510	0.48	0.9	258
KAS25482		88.2	0.002	0.01	2.82	13.7	1	4.3	17.8	0.57	<0.05	11.5	0.249	0.49	4.4	351
KAS25483		96.7	0.002	0.04	5.22	19.4	1	2.9	18.9	0.61	0.05	10.7	0.295	0.58	4.3	309
KAS25484		103.5	0.002	0.04	4.88	22.4	1	2.9	31.3	0.62	0.05	9.8	0.347	0.63	3.3	288
KAS25485		105.0	0.004	0.05	5.39	19.4	2	2.8	24.3	0.62	0.05	9.6	0.332	0.64	3.9	294
KAS25486		92.1	0.003	0.07	7.14	19.1	2	2.4	36.0	0.55	0.12	10.4	0.273	0.66	5.8	247
KAS25487		102.0	0.003	0.04	5.30	18.1	1	3.0	25.6	0.64	0.07	10.7	0.313	0.64	4.5	283
KAS25678		181.0	<0.002	0.01	1.67	10.2	1	3.1	15.1	0.98	0.06	14.5	0.274	0.88	3.1	54
KAS25688		118.5	<0.002	0.04	2.05	8.4	1	2.5	27.8	0.51	0.12	9.6	0.215	0.41	1.8	50
KAS25689		121.5	<0.002	0.07	2.06	9.2	<1	2.7	30.2	0.56	0.13	10.1	0.225	0.43	2.0	50
KAS25690		139.5	<0.002	0.06	2.27	11.1	1	3.0	27.4	0.56	0.10	12.3	0.251	0.48	2.4	68
KAS25691		135.0	<0.002	0.04	2.04	10.4	1	2.9	26.5	0.60	0.12	11.6	0.247	0.49	2.3	72
KAS25692		111.5	<0.002	0.04	1.50	9.3	1	2.4	34.0	0.63	0.08	9.8	0.242	0.41	2.1	62
KAS25693		96.3	<0.002	0.02	1.51	8.4	1	2.1	44.5	0.60	0.07	9.3	0.228	0.40	2.2	60
KAS25694		99.6	<0.002	0.01	1.55	8.9	<1	2.1	44.2	0.62	0.05	9.6	0.233	0.45	2.4	67



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP22 Au ppm 0.001
KAS25724		4.4	16.7	174	66.0	0.006
KAS25725		2.1	8.5	540	37.7	0.003
KAS25726		4.5	22.1	73	76.1	0.007
KAS25901		3.9	23.5	46	63.4	0.008
KAS25902		3.1	21.3	17	58.4	0.006
KAS25903		11.5	16.4	21	29.3	0.002
KAS25904		3.7	19.7	51	49.6	0.017
KAS25905		5.9	13.6	38	30.3	0.037
KAS25906		3.0	18.4	54	41.9	0.013
KAS25907		2.9	16.1	27	51.3	0.005
KAS25908		3.6	14.9	22	47.6	0.002
KAS25909		3.6	12.8	21	54.4	0.004
KAS25910		2.8	12.6	16	42.1	0.003
KAS25911		10.7	17.6	41	35.0	0.011
KAS25912		3.0	14.5	23	35.2	0.003
KAS25913		4.6	14.0	18	53.1	0.010
KAS25914		3.1	20.0	25	40.3	0.011
KAS25915		4.5	25.6	45	54.7	0.005
KAS25916		3.1	15.5	21	40.1	0.039
KAS25917		4.9	17.1	20	73.2	0.009
KAS25476		0.9	21.5	503	37.3	0.003
KAS25477		0.8	23.6	545	34.2	0.006
KAS25478		0.7	14.3	415	30.5	0.004
KAS25479		0.8	22.4	403	54.1	0.004
KAS25480		0.7	16.1	384	32.0	0.003
KAS25481		0.8	17.6	446	69.0	0.004
KAS25482		1.5	14.7	45	103.5	0.003
KAS25483		1.8	20.4	101	98.9	0.007
KAS25484		1.9	21.6	166	86.5	0.006
KAS25485		1.7	20.1	125	91.5	0.006
KAS25486		1.7	27.2	202	93.1	0.008
KAS25487		1.9	19.7	87	99.9	0.004
KAS25678		1.4	13.3	120	110.5	0.001
KAS25688		3.1	16.9	20	67.8	0.002
KAS25689		3.4	19.1	27	71.5	0.002
KAS25690		3.9	22.1	38	85.4	0.002
KAS25691		4.4	21.7	30	81.2	0.001
KAS25692		4.0	18.5	26	70.5	0.002
KAS25693		4.7	14.7	22	65.4	0.003
KAS25694		3.9	14.7	23	67.5	0.003



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
KAS25824		0.24	0.19	7.08	23.6	350	1.64	0.37	1.68	0.70	55.0	40.5	135	3.54	100.0	8.00
KAS25825		0.26	0.19	6.85	22.7	320	1.75	0.40	1.09	0.60	55.6	31.8	115	3.94	92.3	7.23
KAS25826		0.24	0.19	6.71	24.9	300	1.76	0.46	1.07	0.49	59.5	31.7	125	4.44	99.4	6.86
KAS25827		0.24	0.77	6.22	48.5	230	26.1	2.50	0.42	0.32	58.1	23.8	141	4.16	101.0	5.75
KAS25828		0.22	0.93	7.25	60.0	250	51.7	3.56	0.13	0.48	64.6	20.7	179	3.72	65.2	4.86
KAS25829		0.22	0.38	7.88	57.7	330	67.6	3.51	0.22	0.88	62.4	19.5	103	4.54	35.5	4.79
KAS25830		0.24	0.40	6.13	24.9	370	32.7	2.13	0.96	0.47	63.9	14.8	97	2.92	51.4	5.22
KAS25831		0.24	0.17	5.66	15.4	470	2.09	1.99	1.04	0.27	54.3	18.4	121	3.07	36.3	5.50
KAS25832		0.24	0.39	5.55	23.4	610	1.88	3.64	1.59	0.40	61.3	21.9	150	3.11	36.5	8.08
KAS25833		0.24	0.12	3.14	11.3	240	1.05	2.32	8.93	0.30	36.7	18.1	104	1.26	19.9	6.05
KAS25834		0.20	0.19	3.39	12.6	250	1.08	2.42	9.00	0.24	46.9	11.5	68	1.32	23.9	4.15
KAS25835		0.24	0.15	5.87	12.7	550	1.80	1.32	1.15	0.36	69.5	14.6	163	2.52	24.1	4.69
KAS25836		0.24	0.57	6.06	35.5	330	2.71	2.61	0.26	0.31	70.1	17.4	140	2.69	56.5	4.62
KAS25837		0.26	0.28	6.81	28.0	290	1.87	0.96	1.07	0.80	44.5	32.1	92	5.57	119.0	6.62
KAS25838		0.28	0.25	6.15	22.1	260	1.50	1.03	1.00	0.88	45.0	29.8	135	4.90	99.9	6.42
KAS25839		0.26	0.14	6.54	20.0	260	1.68	0.58	0.70	0.43	52.3	18.5	100	3.39	61.6	4.83
KAS25918		0.24	0.06	4.79	12.4	120	1.42	2.87	7.21	0.07	59.8	14.4	62	2.18	133.5	4.21
KAS25919		0.24	0.05	4.73	9.9	110	1.27	2.71	7.22	0.05	48.9	11.8	56	2.03	33.8	2.99
KAS26107		0.26	0.29	6.61	6.5	280	1.43	0.14	1.83	0.89	35.1	57.6	67	5.44	158.0	11.35
KAS26108		0.26	0.30	7.17	6.3	400	1.11	0.22	2.71	1.52	20.5	52.4	78	8.79	132.0	10.05
KAS26035		0.26	0.21	7.36	17.1	690	2.41	0.85	0.34	0.15	76.2	25.4	133	4.97	33.5	5.06
KAS26036		0.28	0.07	7.12	16.8	890	2.07	0.57	0.52	0.13	74.3	13.7	115	4.56	28.1	4.76
KAS26037		0.28	0.10	7.57	16.8	830	2.08	0.53	0.48	0.13	70.1	18.1	112	5.57	32.1	5.31
KAS26038		0.28	0.11	7.90	12.4	610	3.00	0.58	0.34	0.24	79.6	25.3	119	5.30	39.0	5.13
KAS26039		0.28	0.87	8.96	27.1	450	5.66	0.52	0.15	1.32	93.5	260	83	5.12	337	6.11
KAS26040		0.28	0.10	7.58	12.5	580	2.51	0.49	0.26	0.12	76.2	24.0	137	6.19	30.9	5.40
KAS26041		0.28	0.04	8.24	11.0	540	2.71	0.55	0.14	0.10	85.4	13.7	110	6.07	22.3	5.61
KAS26042		0.28	0.36	8.26	27.6	540	3.16	0.75	0.20	0.22	74.3	26.2	107	5.94	64.0	5.78
KAS26043		0.28	0.10	7.02	10.6	430	2.21	0.52	0.13	0.08	68.7	13.6	151	4.93	18.1	5.12
KAS26044		0.28	0.11	7.45	15.9	850	2.23	0.87	0.39	0.12	73.2	15.0	152	4.93	26.9	5.04
KAS26045		0.26	0.12	8.50	7.2	380	3.48	0.60	0.05	0.07	80.3	19.1	90	5.61	30.1	5.45
KAS26046		0.28	0.24	7.12	15.6	560	2.44	1.94	0.56	0.28	71.8	18.3	119	4.39	31.5	4.93
KAS26047		0.28	0.08	4.65	9.6	240	1.60	0.85	9.41	0.07	47.9	9.3	52	2.29	20.5	4.20
KAS26048		0.26	0.14	4.92	18.9	330	1.51	2.69	9.19	0.13	52.7	12.1	72	2.04	25.8	5.26
KAS26049		0.28	0.14	7.28	15.0	350	2.77	0.72	4.46	0.03	65.9	22.4	74	3.99	50.5	4.62
KAS26050		0.30	0.06	5.81	17.5	190	1.63	2.92	4.63	0.08	56.5	12.7	82	2.40	43.1	2.98
KAS26051		0.28	0.06	6.80	24.2	230	1.97	4.37	2.29	0.05	59.5	16.9	82	2.91	69.3	2.87
KAS26109		0.28	0.11	6.95	8.3	370	1.09	1.46	4.77	0.67	9.81	45.6	227	12.95	89.5	8.37
KAS26110		0.30	0.17	7.08	8.7	390	1.29	0.48	2.44	1.02	19.20	52.9	165	6.88	110.0	10.20
KAS26111		0.28	0.21	6.89	11.6	300	1.62	0.37	1.60	0.88	25.1	46.0	181	6.24	98.0	9.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
KAS25824		20.4	0.14	2.1	0.194	2.01	28.3	48.0	3.75	1040	8.50	0.81	12.1	85.3	1120
KAS25825		19.20	0.15	2.3	0.171	2.06	28.7	43.7	3.46	788	10.10	0.80	12.2	75.0	1250
KAS25826		19.80	0.14	2.5	0.166	1.99	30.3	43.7	3.30	754	10.35	0.71	12.1	71.3	1330
KAS25827		17.55	0.07	3.6	0.179	1.92	31.6	25.2	1.30	1260	15.40	0.68	36.6	76.2	1220
KAS25828		20.2	0.11	3.5	0.139	2.85	38.0	21.3	0.57	1740	19.00	0.83	68.2	96.5	660
KAS25829		21.5	0.07	4.5	0.146	2.01	38.2	18.7	0.48	2660	28.5	1.54	83.2	91.5	640
KAS25830		16.70	0.09	2.4	0.109	2.61	33.0	34.4	2.57	2220	5.24	0.34	15.9	43.2	580
KAS25831		15.55	0.15	2.2	0.070	1.78	27.2	36.8	4.90	1910	2.00	0.43	15.3	39.9	1050
KAS25832		14.85	0.15	2.0	0.126	2.23	29.6	26.5	1.46	4810	1.92	0.49	8.2	44.8	750
KAS25833		8.00	0.12	1.2	0.121	1.27	16.2	16.3	6.70	4870	1.10	0.21	4.4	25.3	570
KAS25834		9.10	0.10	1.3	0.056	1.19	22.6	20.8	7.57	2010	1.30	0.27	5.2	22.8	530
KAS25835		15.30	0.16	2.2	0.071	2.86	34.0	29.4	1.64	1960	1.39	0.48	9.8	31.4	1120
KAS25836		17.65	0.14	3.3	0.123	2.55	36.1	31.7	1.43	1740	10.60	0.21	13.4	67.2	830
KAS25837		19.70	0.13	3.0	0.183	2.12	22.5	38.1	2.69	706	8.40	0.81	11.2	69.4	1090
KAS25838		17.10	0.08	2.4	0.169	1.89	23.1	34.4	2.79	661	8.53	0.84	11.0	62.7	1050
KAS25839		17.75	0.08	3.2	0.114	2.48	27.2	36.5	2.44	411	10.70	0.80	11.0	63.0	900
KAS25918		13.50	0.12	2.1	0.124	2.38	29.8	24.6	4.56	1830	1.40	0.08	8.1	29.1	660
KAS25919		12.85	0.11	1.9	0.068	2.38	24.5	22.9	4.10	1390	1.49	0.07	7.5	25.1	660
KAS26107		22.3	0.12	1.4	0.193	1.28	14.2	44.5	3.77	1210	1.91	1.22	9.2	28.7	780
KAS26108		19.65	0.09	1.0	0.249	1.58	8.8	50.6	3.77	2070	0.67	1.47	4.6	64.2	450
KAS26035		21.5	0.16	3.1	0.084	2.29	36.7	36.4	0.88	1110	2.11	0.58	13.8	38.8	410
KAS26036		20.7	0.14	2.7	0.082	1.94	36.6	38.0	0.90	884	2.37	0.78	14.6	31.2	560
KAS26037		22.6	0.16	3.1	0.079	2.09	35.1	41.0	1.10	917	2.23	0.80	16.2	31.4	670
KAS26038		22.7	0.16	3.1	0.090	2.59	37.2	47.0	1.28	1510	1.50	0.66	13.6	50.1	610
KAS26039		21.2	0.17	3.6	0.114	2.45	39.6	70.4	1.06	8860	11.05	0.56	11.6	475	680
KAS26040		24.1	0.15	3.4	0.098	2.46	36.8	47.2	1.20	1240	2.40	0.47	14.4	38.2	460
KAS26041		25.7	0.15	4.0	0.110	3.04	41.4	45.2	1.12	1360	2.34	0.30	15.8	35.1	410
KAS26042		22.1	0.14	3.8	0.133	2.84	35.7	48.6	1.17	1590	6.39	0.46	12.9	63.9	470
KAS26043		21.9	0.13	3.4	0.087	2.45	33.3	39.1	1.16	1290	1.30	0.45	12.1	32.2	380
KAS26044		20.6	0.14	3.0	0.095	2.14	35.2	39.8	0.89	998	2.22	0.64	13.8	31.8	460
KAS26045		26.2	0.21	3.8	0.095	3.74	38.2	31.8	0.82	968	0.79	0.11	12.9	38.2	440
KAS26046		20.2	0.15	2.9	0.098	2.69	35.2	40.0	1.04	1860	1.55	0.37	11.0	35.4	750
KAS26047		13.40	0.15	2.2	0.090	2.26	22.8	17.5	5.42	2860	0.63	0.07	6.9	22.5	450
KAS26048		13.80	0.15	2.0	0.120	2.53	25.7	24.3	5.73	3460	1.62	0.08	6.1	29.0	470
KAS26049		23.2	0.18	3.5	0.111	3.73	29.8	17.6	1.09	3670	1.11	0.09	13.2	40.3	640
KAS26050		16.45	0.20	2.3	0.078	3.02	28.7	27.5	3.12	1350	2.20	0.04	7.2	26.4	710
KAS26051		19.30	0.18	2.8	0.062	3.67	30.8	33.5	2.01	1140	3.72	0.05	8.3	32.8	850
KAS26109		15.80	0.11	0.8	0.194	2.24	4.3	55.1	3.53	2500	0.34	0.53	2.3	116.5	220
KAS26110		18.90	0.11	1.0	0.225	1.75	8.3	57.0	4.04	2090	0.79	0.96	4.7	93.1	420
KAS26111		18.70	0.13	1.3	0.189	1.94	11.2	49.5	3.42	1910	2.48	0.77	6.0	82.5	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
KAS25824		71.9	0.002	0.05	9.39	31.7	2	1.7	64.0	0.69	0.06	6.0	0.675	0.75	2.9	327
KAS25825		76.4	0.003	0.06	9.69	27.3	1	1.6	37.0	0.71	0.07	7.0	0.644	0.88	3.3	339
KAS25826		77.8	0.003	0.07	8.85	26.8	2	1.7	38.4	0.72	0.07	7.5	0.611	0.92	3.6	328
KAS25827		95.6	0.004	0.06	10.70	18.3	2	2.0	26.4	0.60	0.12	7.7	0.287	0.69	4.5	226
KAS25828		136.0	0.004	0.02	14.40	13.0	2	2.3	15.1	0.83	0.19	6.5	0.359	0.71	5.1	176
KAS25829		114.5	0.004	0.03	17.20	9.5	2	2.0	35.9	0.76	0.23	5.5	0.289	0.62	8.9	116
KAS25830		102.0	0.003	0.04	5.76	13.0	1	2.4	26.5	0.68	0.07	11.0	0.287	0.66	3.0	106
KAS25831		66.6	<0.002	0.09	3.10	13.1	1	1.9	61.8	0.68	0.05	8.7	0.347	0.59	2.3	106
KAS25832		84.7	<0.002	0.09	4.40	12.2	1	2.1	78.1	0.59	0.05	9.4	0.281	1.23	2.2	90
KAS25833		41.5	<0.002	0.17	1.86	7.2	<1	1.1	43.7	0.31	<0.05	5.1	0.141	0.35	1.4	42
KAS25834		41.0	<0.002	0.07	2.52	7.2	<1	1.0	50.0	0.37	<0.05	5.6	0.181	0.43	1.5	60
KAS25835		91.2	<0.002	0.08	3.10	12.2	1	1.7	52.8	0.69	0.06	10.3	0.305	0.73	2.4	88
KAS25836		95.4	0.002	0.03	11.80	11.6	2	2.9	30.0	0.74	0.11	12.1	0.277	0.69	4.4	205
KAS25837		94.2	0.004	0.06	7.61	28.0	2	2.1	45.7	0.65	0.16	7.3	0.492	1.02	3.9	326
KAS25838		93.3	0.004	0.05	6.27	26.2	2	1.7	37.0	0.56	0.13	6.5	0.492	0.90	3.3	266
KAS25839		107.5	0.005	0.04	7.22	21.4	1	2.2	21.7	0.63	0.09	8.7	0.426	0.91	4.7	235
KAS25918		97.5	<0.002	0.01	1.74	9.0	1	2.2	48.4	0.56	<0.05	9.8	0.210	0.45	2.5	59
KAS25919		94.5	<0.002	0.01	1.28	8.5	1	2.1	43.0	0.54	0.05	9.1	0.208	0.41	2.2	58
KAS26107		46.2	<0.002	0.01	7.75	46.3	2	1.0	47.5	0.57	<0.05	2.1	1.035	0.40	1.9	413
KAS26108		66.3	<0.002	0.01	8.28	39.8	1	1.0	83.5	0.31	<0.05	1.4	0.553	0.43	1.1	363
KAS26035		119.0	0.002	0.02	3.80	15.9	1	2.9	79.5	0.96	0.08	12.1	0.418	0.86	3.3	154
KAS26036		101.0	<0.002	0.02	2.33	14.7	1	2.7	113.0	1.05	0.11	11.7	0.436	0.81	3.1	152
KAS26037		111.5	<0.002	0.03	2.87	16.3	1	3.0	108.5	1.10	0.07	11.8	0.472	0.92	3.4	166
KAS26038		127.0	<0.002	0.02	2.27	18.2	1	3.1	74.7	0.98	0.05	12.0	0.431	0.82	3.1	138
KAS26039		120.0	0.002	0.07	5.56	19.6	3	2.9	40.2	0.83	0.07	12.0	0.363	1.36	16.6	180
KAS26040		131.0	<0.002	0.01	2.67	18.4	1	3.3	59.1	1.02	0.05	12.0	0.453	0.85	3.4	163
KAS26041		155.5	<0.002	0.01	2.34	19.2	1	3.8	41.3	1.15	0.07	13.2	0.480	0.92	3.3	159
KAS26042		137.5	<0.002	0.02	5.38	17.9	2	3.2	55.0	0.93	0.08	12.4	0.402	0.98	4.9	198
KAS26043		127.5	<0.002	0.01	2.55	17.0	1	3.2	35.5	0.89	0.05	10.9	0.407	0.76	2.7	148
KAS26044		110.0	<0.002	0.02	2.40	15.0	2	2.9	91.0	0.96	0.06	12.2	0.419	0.84	3.3	149
KAS26045		182.5	<0.002	0.01	4.73	20.1	1	3.7	17.0	0.93	0.05	12.3	0.414	1.15	2.8	136
KAS26046		132.5	<0.002	0.05	2.37	15.2	1	3.3	52.6	0.76	0.06	11.8	0.357	0.90	3.1	115
KAS26047		101.5	<0.002	0.01	2.25	10.2	<1	2.3	39.1	0.50	<0.05	7.5	0.216	0.59	1.8	56
KAS26048		112.0	<0.002	0.04	2.86	9.1	1	3.1	43.4	0.39	<0.05	8.2	0.175	0.87	2.3	61
KAS26049		135.0	<0.002	0.02	4.11	17.5	1	3.7	58.9	0.94	<0.05	10.4	0.406	0.96	2.6	103
KAS26050		128.0	<0.002	0.01	2.40	12.1	1	3.1	29.0	0.54	0.05	10.3	0.225	0.52	2.9	99
KAS26051		151.5	<0.002	0.01	3.02	12.5	1	3.7	17.5	0.68	0.05	13.5	0.252	0.68	3.8	112
KAS26109		123.0	<0.002	<0.01	10.95	46.5	1	1.1	88.9	0.15	<0.05	0.5	0.335	0.40	1.0	240
KAS26110		71.6	<0.002	0.01	8.03	44.6	1	1.4	96.5	0.32	<0.05	1.2	0.544	0.42	1.1	282
KAS26111		76.0	<0.002	0.02	8.06	42.8	1	2.0	51.4	0.39	<0.05	2.3	0.605	0.41	1.4	297



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP22 Au ppm 0.001
KAS25824		1.3	28.8	601	68.6	0.006
KAS25825		1.3	26.7	528	77.9	0.005
KAS25826		1.3	26.3	532	78.4	0.005
KAS25827		2.7	24.0	250	124.5	0.003
KAS25828		4.0	19.9	88	>500	0.002
KAS25829		3.0	13.6	231	>500	0.002
KAS25830		2.3	21.1	132	94.9	0.002
KAS25831		2.3	18.5	92	74.5	0.001
KAS25832		1.2	23.8	109	66.8	0.006
KAS25833		0.7	21.8	75	38.6	0.002
KAS25834		1.0	12.9	70	45.1	0.002
KAS25835		1.2	19.6	74	73.4	<0.001
KAS25836		2.4	20.9	122	110.5	0.003
KAS25837		1.3	23.2	630	88.0	0.008
KAS25838		1.6	26.1	561	88.9	0.004
KAS25839		1.6	22.9	368	117.0	0.005
KAS25918		3.7	15.5	23	68.4	0.003
KAS25919		3.5	12.4	19	61.3	0.003
KAS26107		0.5	33.3	670	37.7	0.003
KAS26108		0.4	19.1	1180	25.6	0.006
KAS26035		2.3	15.3	62	104.5	0.003
KAS26036		1.9	15.1	76	96.9	0.002
KAS26037		2.1	14.8	82	104.5	0.003
KAS26038		2.1	18.2	112	105.5	0.003
KAS26039		2.0	38.5	245	118.5	0.005
KAS26040		2.1	16.6	67	115.5	0.003
KAS26041		2.5	17.8	74	145.0	0.002
KAS26042		2.2	19.2	101	121.5	0.006
KAS26043		2.0	15.2	62	110.0	0.002
KAS26044		2.0	15.2	71	96.6	0.002
KAS26045		1.9	17.4	40	133.0	0.002
KAS26046		2.4	17.8	99	99.1	0.002
KAS26047		1.7	16.5	21	72.3	0.001
KAS26048		3.2	17.3	30	67.0	0.002
KAS26049		2.3	22.0	23	116.0	<0.001
KAS26050		3.1	15.8	15	74.3	0.002
KAS26051		3.3	15.8	18	95.0	0.003
KAS26109		0.3	13.4	445	21.8	0.001
KAS26110		0.5	21.4	655	26.8	0.003
KAS26111		0.7	21.7	534	35.6	0.003



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
KAS14517		0.22	0.01	0.31	<0.2	10	0.10	0.02	0.01	<0.02	11.25	0.8	332	0.23	4.6	0.38
KAS25420		0.22	0.10	4.95	14.9	350	1.90	0.56	6.11	0.06	64.0	12.7	93	2.43	19.1	2.75
KAS25421		0.24	0.09	3.05	21.8	190	1.28	0.79	8.51	0.08	34.6	9.5	67	1.33	16.5	1.95
KAS25422		0.26	0.26	1.53	58.1	70	0.76	1.91	11.45	0.08	18.90	11.5	54	0.50	16.2	5.86
KAS25423		0.24	0.17	3.08	42.7	150	1.50	2.12	9.49	0.05	31.5	11.2	55	1.21	15.9	4.42
KAS25424		0.20	0.13	3.78	24.6	170	1.36	1.84	8.48	0.10	46.0	11.9	74	1.45	17.4	5.05
KAS25435		0.24	0.19	6.78	15.2	390	0.82	0.73	2.72	0.23	28.4	29.2	105	3.13	31.9	7.94
KAS25437		0.24	0.17	6.06	10.6	470	0.79	0.43	2.50	0.37	37.6	28.0	168	3.10	28.0	6.74
KAS25438		0.24	0.24	6.79	5.8	350	0.70	0.31	2.98	0.23	26.3	40.8	124	2.90	64.9	9.32
KAS25440		0.24	0.27	6.99	18.1	780	1.71	0.64	0.78	0.40	51.4	25.8	125	6.60	160.0	5.74
KAS25441		0.24	0.08	6.37	4.1	420	0.65	0.13	2.64	0.12	26.8	34.7	142	1.89	34.3	7.82
KAS25442		0.24	0.20	6.85	18.3	510	1.48	0.86	2.52	0.95	47.0	36.2	136	2.34	73.0	7.80
KAS25443		0.24	0.22	6.66	19.1	480	1.46	0.80	2.20	0.86	46.4	37.5	126	2.04	64.1	8.60
KAS25444		0.24	0.21	6.17	24.1	440	1.82	1.32	1.52	0.77	58.3	30.0	161	2.42	76.0	7.56
KAS25445		0.22	0.13	6.44	10.5	230	0.80	0.38	2.49	0.50	16.05	48.9	238	2.69	112.0	11.55
KAS25446		0.22	0.35	6.85	6.7	490	0.64	0.18	3.59	0.76	17.30	55.2	215	1.41	185.5	8.97
KAS25447		0.22	0.14	6.92	15.0	350	0.87	0.31	2.72	0.28	32.0	63.0	197	1.85	170.0	9.15
KAS25448		0.24	0.23	5.96	18.3	390	1.64	0.92	3.38	0.60	49.0	29.9	168	1.92	105.0	6.30
KAS25695		0.24	0.09	4.99	19.2	200	1.75	1.74	6.19	0.10	64.2	22.0	105	2.20	82.7	6.78
KAS25696		0.24	0.08	5.74	30.2	320	2.12	3.41	1.11	0.22	73.6	24.0	120	2.65	45.2	5.97
KAS24683		0.28	0.16	3.30	13.5	130	1.26	3.79	9.78	0.08	42.3	9.2	67	1.31	15.3	3.08
KAS24684		0.30	0.09	3.39	17.8	130	1.21	4.43	6.51	0.08	41.9	10.8	97	1.45	12.7	2.82
KAS24685		0.30	0.12	5.36	34.3	230	1.74	13.50	1.53	0.16	62.0	31.2	199	1.87	78.3	6.55
KAS24686		0.28	0.06	6.34	30.7	330	2.04	2.78	0.57	0.16	63.7	25.5	155	2.41	38.0	6.08
KAS24687		0.14	0.08	1.24	3.1	110	0.39	0.42	3.23	0.25	12.50	5.8	37	0.60	25.3	1.68
KAS24688		0.30	0.07	4.28	17.7	210	1.18	3.67	5.05	0.06	45.8	15.7	132	1.59	26.7	4.64
KAS24689		0.30	0.09	2.72	8.8	180	0.99	2.32	7.33	0.19	38.8	7.1	82	1.04	18.7	3.61
KAS24690		0.20	0.08	3.10	12.0	130	1.03	3.07	3.79	0.13	39.5	10.4	150	1.14	24.9	3.30
KAS24691		0.28	0.14	4.15	25.8	130	1.30	7.28	6.22	0.13	46.5	19.7	120	1.65	35.6	3.73
KAS24692		0.30	0.16	4.52	23.3	150	1.51	8.25	5.04	0.13	56.4	19.3	121	1.61	41.8	5.06
KAS24897		0.30	1.74	5.00	33.5	470	1.55	8.65	7.46	0.32	56.6	23.7	91	1.84	65.6	6.49
KAS24898		0.30	1.44	4.00	30.5	190	1.23	7.65	7.02	0.30	47.7	20.5	118	1.35	121.5	6.88
KAS25413		0.28	0.17	6.71	39.6	410	2.26	3.15	0.13	0.20	72.2	27.7	92	4.03	79.4	5.33
KAS25414		0.28	0.14	6.62	27.2	400	2.53	0.46	0.44	0.15	80.7	17.6	74	4.52	57.6	3.76
KAS25415		0.30	0.13	6.11	38.7	320	2.19	1.10	0.17	0.18	85.7	17.1	98	3.49	62.2	3.41
KAS25416		0.30	0.35	3.26	62.9	180	1.36	1.57	3.00	0.73	52.3	11.9	201	1.83	68.2	5.41
KAS25417		0.30	0.37	0.80	16.7	90	0.40	0.93	13.35	0.13	16.70	3.0	50	0.77	48.0	6.19
KAS25418		0.30	0.15	1.10	14.4	50	0.55	0.71	12.30	0.12	15.70	4.4	60	0.39	26.0	3.51
KAS25419		0.28	0.11	5.18	13.8	300	1.83	0.82	5.48	0.06	65.3	11.2	78	2.38	24.4	2.84
KAS26112		0.28	0.43	7.51	25.1	270	1.58	0.60	1.06	0.90	26.9	54.2	246	6.05	209	10.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAS14517		1.00	0.05	0.2	<0.005	0.14	5.5	1.6	0.02	29	1.03	0.01	0.9	8.4	20
KAS25420		14.20	0.19	2.0	0.037	3.90	32.3	28.1	4.50	695	0.88	0.34	8.8	23.2	520
KAS25421		8.46	0.11	1.2	0.026	2.30	17.9	22.1	5.49	822	0.83	0.21	5.1	15.4	370
KAS25422		3.85	0.08	0.6	0.053	0.65	9.2	8.2	6.96	1350	2.99	0.18	3.7	31.4	270
KAS25423		8.71	0.10	1.1	0.044	1.86	15.9	15.6	5.89	1050	2.04	0.18	5.5	28.4	250
KAS25424		10.35	0.13	1.4	0.104	1.71	22.9	14.6	4.29	2010	1.44	0.30	9.0	24.2	440
KAS25435		20.0	0.10	1.6	0.126	1.06	13.9	38.2	2.77	1580	1.30	1.52	8.3	39.6	400
KAS25437		20.4	0.12	1.7	0.127	1.09	19.2	33.6	2.60	1010	1.60	1.30	9.2	51.8	390
KAS25438		20.1	0.11	1.5	0.128	1.14	12.1	38.6	3.62	1360	1.22	1.74	8.2	53.5	490
KAS25440		18.25	0.13	2.0	0.105	1.25	26.3	44.5	1.40	498	2.19	0.97	13.9	47.6	550
KAS25441		17.35	0.12	1.6	0.112	1.34	12.2	41.4	3.81	980	1.10	1.62	7.9	52.8	440
KAS25442		17.50	0.14	1.9	0.130	1.76	24.2	39.0	2.46	2670	3.70	1.13	8.3	66.1	630
KAS25443		17.10	0.13	1.7	0.139	1.72	24.6	40.2	2.93	2320	3.68	1.20	7.8	68.5	560
KAS25444		16.30	0.13	2.2	0.134	1.92	30.9	40.6	2.34	2790	6.17	0.63	9.8	84.8	640
KAS25445		15.55	0.11	1.1	0.148	0.86	7.9	88.1	5.04	1590	1.57	0.57	4.0	123.0	320
KAS25446		15.95	0.10	1.1	0.105	1.51	7.9	52.5	5.18	1700	0.62	1.42	5.2	115.5	320
KAS25447		17.55	0.14	1.1	0.145	1.63	16.9	51.7	4.88	1270	3.30	1.03	7.1	116.5	560
KAS25448		15.65	0.13	1.9	0.114	1.96	25.7	36.0	3.33	1750	5.22	0.77	7.9	78.1	640
KAS25695		14.25	0.14	2.1	0.077	2.60	30.8	29.4	2.71	5430	0.91	0.07	8.2	27.5	780
KAS25696		16.35	0.17	2.2	0.069	2.75	35.5	29.1	0.95	4860	1.57	0.18	7.4	34.0	800
KAS24683		9.01	0.13	1.2	0.059	1.96	22.8	14.9	5.66	1990	2.10	0.02	4.8	19.8	540
KAS24684		9.17	0.11	1.2	0.048	1.85	23.1	14.7	3.49	2000	2.70	0.04	4.7	23.1	980
KAS24685		14.70	0.13	1.9	0.075	2.21	31.3	25.5	1.84	2450	4.08	0.09	6.7	43.1	660
KAS24686		18.10	0.14	2.1	0.092	2.49	31.9	25.6	1.26	2200	2.51	0.17	7.5	32.7	700
KAS24687		3.59	0.06	0.6	0.025	0.24	6.4	5.4	0.72	1470	0.88	0.14	1.7	9.8	1600
KAS24688		11.35	0.08	1.6	0.054	2.22	24.6	24.5	3.60	1640	2.24	0.08	7.1	25.5	1010
KAS24689		7.52	0.10	1.1	0.052	1.10	21.2	10.0	3.85	2480	1.47	0.27	4.4	15.5	1210
KAS24690		8.22	0.11	1.2	0.043	1.41	22.3	19.1	1.87	1480	1.95	0.09	5.1	25.1	1230
KAS24691		10.80	0.13	1.6	0.060	2.00	25.4	21.6	3.35	1640	2.67	0.10	5.9	30.5	1010
KAS24692		12.65	0.13	1.8	0.083	2.26	30.7	19.1	2.86	2590	3.17	0.07	8.0	33.1	890
KAS24897		13.65	0.15	1.8	0.275	2.53	29.7	15.8	3.76	3940	1.70	0.09	5.9	29.5	580
KAS24898		10.95	0.11	1.5	0.218	1.63	24.7	17.2	4.07	3430	1.86	0.11	5.4	31.6	580
KAS25413		18.25	0.18	3.8	0.171	3.39	38.9	32.3	0.89	657	23.1	0.07	10.2	171.5	1470
KAS25414		19.30	0.20	3.8	0.122	4.12	43.4	39.1	1.66	727	13.40	0.04	11.4	94.9	1070
KAS25415		17.40	0.20	3.3	0.111	3.91	47.3	28.4	0.70	659	18.10	0.05	10.0	111.5	940
KAS25416		9.32	0.14	1.7	0.166	1.36	31.1	13.4	1.81	3010	38.8	0.23	15.9	142.0	910
KAS25417		2.24	0.06	0.5	0.083	0.28	8.7	5.5	8.24	4600	2.40	0.09	1.5	18.1	200
KAS25418		3.25	0.06	0.5	0.030	0.56	7.8	7.4	7.73	2690	1.54	0.13	2.0	12.1	130
KAS25419		14.65	0.16	2.0	0.049	3.48	33.6	27.9	4.13	902	0.84	0.61	8.5	23.4	540
KAS26112		18.60	0.11	1.3	0.218	1.79	12.3	44.9	3.57	2410	4.80	0.45	5.2	112.0	680



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
KAS14517		3.7	<0.002	<0.01	0.25	0.6	<1	0.4	4.6	<0.05	<0.05	2.0	0.026	0.03	0.3
KAS25420		92.6	<0.002	0.07	6.21	8.6	<1	1.8	25.2	0.67	0.07	10.0	0.249	0.91	2.5
KAS25421		57.1	<0.002	0.01	4.08	5.1	1	1.0	26.2	0.37	<0.05	5.7	0.146	0.58	1.6
KAS25422		20.8	<0.002	<0.01	15.75	3.1	1	0.6	30.7	0.24	<0.05	2.5	0.107	4.25	1.5
KAS25423		59.3	<0.002	0.01	14.25	5.7	<1	1.2	31.7	0.38	<0.05	5.1	0.150	2.00	1.6
KAS25424		63.8	<0.002	0.02	5.10	7.5	1	1.7	27.6	0.58	<0.05	5.9	0.228	1.74	2.2
KAS25435		39.9	<0.002	0.01	6.75	31.4	1	2.1	134.0	0.56	<0.05	3.2	0.553	0.35	1.0
KAS25437		45.7	<0.002	0.02	4.99	32.1	1	1.8	116.5	0.62	0.06	4.2	0.518	0.39	1.3
KAS25438		37.9	<0.002	0.02	4.00	39.3	1	1.2	113.5	0.52	0.06	2.6	0.681	0.30	0.8
KAS25440		64.5	<0.002	0.03	3.14	15.8	2	1.8	120.0	0.91	0.08	7.8	0.433	0.62	2.0
KAS25441		37.1	<0.002	0.02	2.66	37.4	<1	1.0	103.0	0.54	0.05	2.5	0.569	0.32	0.8
KAS25442		62.1	<0.002	0.03	5.64	26.5	2	1.6	135.5	0.62	0.06	5.8	0.416	0.56	2.3
KAS25443		53.7	<0.002	0.04	5.20	28.6	2	1.6	91.9	0.51	0.06	5.4	0.414	0.52	2.1
KAS25444		70.1	<0.002	0.04	6.75	22.6	2	1.9	75.1	0.60	0.06	7.9	0.348	0.63	3.3
KAS25445		35.3	<0.002	0.01	6.99	37.9	1	0.9	69.5	0.26	<0.05	1.7	0.379	0.25	0.8
KAS25446		33.5	<0.002	0.01	7.49	44.7	1	0.8	124.5	0.26	<0.05	1.2	0.449	0.32	0.6
KAS25447		40.9	<0.002	0.03	4.21	44.3	1	1.3	73.8	0.33	0.05	2.7	0.481	0.30	1.0
KAS25448		61.5	0.002	0.02	5.70	24.1	1	1.8	88.5	0.51	0.06	6.5	0.339	0.58	2.4
KAS25695		105.0	<0.002	0.03	1.47	10.0	1	2.4	31.0	0.59	0.13	10.0	0.230	0.33	2.0
KAS25696		115.5	<0.002	0.05	2.06	11.5	1	2.7	34.2	0.52	0.11	11.2	0.229	0.49	2.2
KAS24683		65.4	<0.002	0.06	1.27	6.6	1	1.4	45.3	0.36	<0.05	5.9	0.142	0.30	1.5
KAS24684		67.0	<0.002	0.08	2.14	7.1	1	1.5	33.7	0.36	<0.05	6.5	0.138	0.33	1.4
KAS24685		88.5	<0.002	0.10	1.87	11.7	1	2.8	20.1	0.47	0.05	10.1	0.213	0.42	2.1
KAS24686		104.0	<0.002	0.06	1.53	15.8	1	3.1	32.0	0.54	<0.05	10.3	0.262	0.46	2.1
KAS24687		9.4	<0.002	0.28	0.52	3.2	1	0.4	43.4	0.12	<0.05	2.1	0.059	0.12	0.6
KAS24688		80.0	0.002	0.07	1.89	10.1	<1	1.6	29.4	0.47	<0.05	6.3	0.305	0.27	1.8
KAS24689		43.3	<0.002	0.13	0.96	6.1	1	1.7	49.7	0.31	<0.05	5.6	0.115	0.27	1.3
KAS24690		57.6	<0.002	0.14	0.97	7.8	1	1.8	27.5	0.33	<0.05	6.4	0.130	0.29	1.6
KAS24691		81.1	<0.002	0.19	1.85	6.9	1	2.4	37.7	0.38	<0.05	7.6	0.162	0.41	2.2
KAS24692		94.6	<0.002	0.10	1.92	9.2	1	3.0	28.3	0.48	<0.05	8.4	0.190	0.45	2.2
KAS24897		96.0	<0.002	0.08	10.65	9.1	1	3.1	35.1	0.43	0.05	8.2	0.186	0.46	2.7
KAS24898		67.0	<0.002	0.06	18.85	8.6	1	2.1	39.4	0.38	<0.05	7.3	0.159	0.36	2.4
KAS25413		113.0	0.009	0.21	11.10	11.7	2	2.8	21.4	0.79	0.09	15.2	0.270	0.89	6.4
KAS25414		133.5	0.002	0.11	7.90	12.3	2	2.7	20.2	0.85	0.11	13.4	0.273	1.02	5.0
KAS25415		117.5	0.004	0.12	7.41	11.3	3	2.7	20.6	0.77	0.09	13.8	0.234	0.88	5.9
KAS25416		54.8	0.012	0.18	9.15	8.0	4	1.4	43.5	0.47	0.13	7.7	0.187	0.96	4.7
KAS25417		13.7	<0.002	0.01	8.27	1.6	1	0.4	36.9	0.10	<0.05	2.1	0.048	0.31	2.5
KAS25418		18.3	<0.002	0.01	2.93	1.8	<1	0.4	27.1	0.12	<0.05	2.1	0.045	0.60	1.7
KAS25419		92.2	<0.002	0.06	5.14	8.2	1	1.9	26.6	0.64	0.05	9.6	0.262	0.87	2.6
KAS26112		71.1	<0.002	0.03	9.09	43.9	2	2.1	34.3	0.35	<0.05	2.7	0.604	0.40	1.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP22 Au ppm 0.001
KAS14517		0.1	1.1	2	4.9	0.001
KAS25420		1.4	13.1	16	68.9	0.002
KAS25421		1.0	8.5	18	41.4	0.001
KAS25422		0.6	8.7	22	19.9	0.002
KAS25423		1.0	8.3	16	35.5	0.002
KAS25424		1.9	13.1	26	46.5	0.001
KAS25435		0.9	13.8	250	50.6	0.003
KAS25437		1.0	12.8	240	56.9	0.001
KAS25438		0.6	14.8	252	43.4	0.003
KAS25440		1.4	13.1	263	63.6	0.004
KAS25441		0.6	13.7	174	44.0	0.002
KAS25442		1.2	20.9	370	57.8	0.004
KAS25443		1.3	21.4	428	60.6	0.003
KAS25444		1.5	22.6	267	70.7	0.003
KAS25445		0.6	12.8	309	32.7	0.004
KAS25446		1.2	18.1	428	28.7	0.004
KAS25447		1.5	19.7	262	34.7	0.003
KAS25448		1.5	19.6	289	62.3	0.005
KAS25695		4.1	16.9	24	72.3	0.002
KAS25696		3.2	20.3	40	78.8	0.003
KAS24683		1.4	15.6	25	41.3	0.003
KAS24684		1.6	13.7	40	44.1	0.001
KAS24685		4.2	14.6	43	68.0	0.002
KAS24686		3.5	14.8	37	69.8	0.002
KAS24687		0.4	5.3	45	19.4	0.001
KAS24688		3.2	12.6	28	52.1	0.001
KAS24689		2.3	17.2	39	38.1	0.001
KAS24690		2.9	11.8	51	47.3	0.001
KAS24691		5.2	14.0	43	54.9	0.003
KAS24692		6.6	22.1	26	62.5	0.003
KAS24897		4.1	16.8	90	61.6	0.004
KAS24898		2.8	15.3	63	53.1	0.003
KAS25413		1.5	24.9	34	126.0	0.004
KAS25414		1.6	26.3	56	129.5	0.003
KAS25415		1.7	25.1	80	108.5	0.003
KAS25416		2.2	24.9	183	59.3	0.006
KAS25417		0.4	12.8	37	15.4	0.002
KAS25418		0.4	10.5	54	15.3	0.001
KAS25419		1.5	14.1	19	65.1	0.002
KAS26112		1.5	22.8	659	34.9	0.004



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
KAS24855		0.24	0.37	4.99	10.2	380	1.67	0.31	5.97	0.52	59.1	14.2	77	4.42	25.1	2.76
KAS24856		0.26	2.47	5.66	27.2	540	1.81	1.42	0.35	1.35	64.1	19.8	197	5.83	273	3.67
KAS24857		0.26	0.32	5.35	15.6	410	1.91	0.39	3.18	0.62	65.4	20.0	89	4.91	38.0	3.02
KAS24858		0.24	1.96	6.14	51.9	490	2.09	1.20	0.96	2.13	70.8	26.9	126	5.89	102.0	4.20
KAS24859		0.26	1.00	5.83	21.7	480	1.93	3.30	0.90	1.43	65.7	20.8	123	5.12	69.4	3.66
KAS24860		0.26	1.57	6.23	26.5	520	2.03	0.69	0.61	1.73	67.0	24.7	166	5.61	89.6	4.36
KAS24862		0.24	0.07	3.36	12.1	170	0.96	4.56	10.35	0.06	37.7	9.7	75	1.15	8.3	2.62
KAS24863		0.22	0.08	3.29	12.0	190	0.92	4.84	10.55	0.05	38.5	9.3	62	1.25	7.3	2.48
KAS24864		0.24	0.08	3.05	11.0	150	0.94	4.60	10.90	0.04	37.0	8.8	64	1.16	12.0	2.33
KAS24865		0.22	0.16	4.22	103.5	410	1.41	4.13	1.44	0.31	47.6	27.1	128	3.25	60.3	7.44
KAS24866		0.26	0.21	5.11	23.7	400	1.78	5.59	1.18	0.24	44.4	20.7	94	4.11	55.0	6.52
KAS24867		0.22	0.05	4.99	10.9	400	1.59	2.87	1.96	0.23	59.0	10.8	133	2.81	15.9	3.76
KAS24868		0.28	0.07	4.12	13.0	370	1.33	3.92	0.93	0.42	57.3	14.2	146	2.45	22.7	5.56
KAS24869		0.22	0.35	3.85	16.7	310	1.27	3.64	1.62	0.32	40.5	14.6	123	2.71	41.9	4.38
KAS24870		0.24	0.10	3.67	13.7	240	1.30	5.37	4.42	0.16	43.5	13.6	101	1.98	23.9	3.99
KAS24871		0.24	0.07	3.78	10.4	220	1.40	4.38	7.26	0.11	43.9	11.4	64	1.80	21.9	3.48
KAS24872		0.24	0.11	4.05	13.7	250	1.44	10.50	5.70	0.12	49.7	14.6	90	2.20	30.6	4.43
KAS24873		0.24	0.06	3.95	10.8	260	1.36	2.80	6.49	0.14	50.1	13.5	80	1.84	32.6	4.54
KAS24874		0.24	0.12	4.77	19.9	370	1.63	4.65	1.26	0.35	56.6	19.7	124	3.47	43.4	5.64
KAS24875		0.28	0.07	5.01	18.3	330	1.79	5.93	1.00	0.22	59.2	19.4	137	2.66	35.2	6.65
KAS25563		0.28	0.24	5.50	15.4	460	1.76	0.38	0.64	0.25	71.7	11.3	114	3.97	28.6	3.00
KAS25564		0.28	0.21	5.71	21.4	420	1.93	0.38	0.43	0.33	74.4	12.0	95	4.30	26.8	3.28
KAS25565		0.28	0.16	5.52	20.6	400	1.76	0.39	0.37	0.26	69.0	10.6	93	4.05	24.2	3.12
KAS25566		0.28	0.25	5.54	20.1	440	1.79	0.45	0.69	0.34	68.9	11.3	111	4.19	27.6	3.20
KAS25567		0.28	0.36	3.65	12.3	310	1.14	0.31	2.03	0.50	44.9	8.4	81	2.98	32.3	2.10
KAS25568		0.28	0.21	5.05	18.8	360	1.61	0.28	0.82	0.32	59.6	8.4	76	3.78	24.8	2.72
KAS25569		0.26	0.52	4.18	13.3	460	1.27	0.36	1.93	0.59	49.3	9.8	89	3.35	38.9	2.66
KAS25570		0.28	0.28	5.00	15.6	450	1.53	0.33	0.94	0.36	64.5	10.5	112	3.83	28.8	2.94
KAS25571		0.30	0.44	4.74	17.6	460	1.63	0.41	1.20	0.84	61.5	11.3	92	5.07	37.4	2.75
KAS25572		0.28	0.28	5.01	23.6	390	1.70	0.38	1.05	0.45	65.3	9.5	77	3.96	36.9	2.72
KAS25573		0.26	0.40	5.59	29.7	400	2.04	0.46	0.33	0.48	73.1	11.4	75	5.00	43.4	3.17
KAS25574		0.30	0.24	4.89	21.9	400	1.57	0.36	0.55	0.56	60.9	10.1	81	4.14	30.3	2.79
KAS25575		0.28	0.21	4.71	16.6	440	1.45	0.34	1.17	0.70	58.0	9.9	132	3.77	23.6	2.87
KAS25740		0.28	0.27	6.82	31.3	270	0.79	6.06	2.95	0.98	16.20	48.4	44	2.76	118.5	8.37
KAS25741		0.30	0.20	7.51	10.1	360	0.67	1.22	3.55	1.51	16.35	47.9	69	3.87	95.5	9.00
KAS25742		0.32	0.27	6.71	20.5	370	0.76	0.67	3.71	1.48	16.70	52.6	145	4.02	125.5	9.08
KAS25743		0.30	0.06	5.54	1.0	250	0.30	0.08	9.83	0.23	9.49	31.8	35	0.73	22.4	6.71
KAS25744		0.28	0.10	6.28	2.9	290	0.46	0.23	4.86	0.36	6.88	41.5	142	1.33	33.3	9.37
KAS25745		0.30	0.06	6.37	24.0	290	1.22	0.54	2.00	0.22	21.1	29.3	158	1.55	41.5	5.87
KAS25746		0.28	0.16	6.87	37.5	380	1.38	0.83	1.12	0.49	49.4	33.2	163	4.01	143.0	6.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
KAS24855		13.25	0.12	1.8	0.057	3.00	30.1	29.6	4.18	1180	1.23	0.06	6.5	25.2	310
KAS24856		14.30	0.14	2.6	0.196	3.37	31.1	25.5	0.65	3670	2.26	0.13	7.2	32.7	330
KAS24857		14.85	0.17	2.5	0.057	3.26	33.2	32.8	2.62	875	1.54	0.06	7.3	32.4	330
KAS24858		16.75	0.21	2.2	0.090	3.62	35.5	38.6	1.48	1720	2.28	0.08	7.0	39.6	390
KAS24859		15.55	0.18	2.1	0.071	3.49	32.6	34.4	1.31	1340	1.88	0.07	7.1	31.7	370
KAS24860		16.95	0.17	2.2	0.086	3.57	33.7	36.8	1.24	1410	2.70	0.07	7.6	36.7	400
KAS24862		8.71	0.12	1.1	0.045	2.27	19.0	15.4	6.11	1760	1.13	0.06	4.7	15.6	560
KAS24863		8.58	0.11	1.2	0.043	2.40	19.4	16.9	6.28	1590	1.10	0.05	4.5	15.1	570
KAS24864		8.09	0.15	1.1	0.062	2.07	18.7	15.9	6.42	1740	1.42	0.04	4.0	14.7	530
KAS24865		11.50	0.12	1.5	0.109	1.63	23.7	23.8	1.41	4510	1.92	0.34	6.9	34.8	940
KAS24866		14.45	0.14	1.7	0.099	1.94	21.7	31.7	1.77	3030	1.73	0.31	7.9	36.4	890
KAS24867		13.60	0.16	1.8	0.061	3.41	29.8	26.1	1.71	2550	0.86	0.15	6.5	20.0	640
KAS24868		11.90	0.13	1.6	0.068	1.86	27.7	21.3	0.89	4430	1.34	0.36	6.4	21.5	910
KAS24869		10.45	0.11	1.3	0.054	1.54	20.4	20.4	1.07	2650	1.33	0.32	6.2	24.7	1040
KAS24870		10.10	0.13	1.5	0.056	1.96	21.9	22.3	2.68	2450	1.17	0.15	6.3	21.7	660
KAS24871		10.70	0.11	1.5	0.051	2.10	21.8	24.7	3.81	2350	1.27	0.19	6.8	20.0	620
KAS24872		11.40	0.12	1.6	0.058	2.22	24.6	25.7	3.09	2770	1.05	0.14	7.9	25.1	640
KAS24873		11.10	0.11	1.6	0.059	2.07	25.4	23.1	2.91	2980	0.68	0.09	7.8	22.5	680
KAS24874		13.55	0.13	1.6	0.079	1.82	27.5	26.0	1.33	3340	1.54	0.31	7.2	29.7	1060
KAS24875		14.20	0.13	1.6	0.084	2.65	27.9	32.1	1.71	4520	1.40	0.24	7.1	28.8	610
KAS25563		15.45	0.15	2.7	0.070	2.78	35.3	43.0	1.31	708	3.70	0.32	10.3	37.4	630
KAS25564		16.75	0.17	2.8	0.070	3.00	35.9	47.8	1.45	1040	4.45	0.17	10.4	41.9	590
KAS25565		15.75	0.14	2.4	0.058	2.93	34.3	46.1	1.48	874	4.23	0.14	10.0	39.6	550
KAS25566		15.45	0.14	2.5	0.065	2.75	34.0	44.7	1.38	917	3.75	0.20	9.8	39.6	720
KAS25567		9.75	0.13	1.7	0.047	1.73	23.2	26.7	0.90	738	2.42	0.18	6.4	31.6	810
KAS25568		13.85	0.13	2.6	0.056	2.74	30.3	40.1	1.07	769	4.35	0.13	8.5	39.4	640
KAS25569		10.85	0.12	1.8	0.052	1.68	26.6	30.7	0.92	808	2.48	0.39	7.6	34.9	1010
KAS25570		14.00	0.15	2.2	0.056	2.29	32.2	38.7	1.11	750	3.55	0.32	9.4	39.4	780
KAS25571		13.20	0.15	2.3	0.075	2.14	32.1	40.2	1.04	699	6.22	0.31	8.7	42.7	810
KAS25572		13.95	0.15	2.7	0.079	2.64	33.3	41.3	1.40	647	6.63	0.13	8.8	36.5	800
KAS25573		16.20	0.18	2.9	0.083	2.88	37.6	50.9	1.40	719	8.00	0.13	9.4	45.1	620
KAS25574		13.80	0.15	2.3	0.065	2.61	30.7	41.3	1.13	803	7.03	0.18	8.6	42.9	700
KAS25575		13.10	0.15	2.1	0.062	2.35	28.9	40.9	1.06	868	5.27	0.26	8.6	33.7	730
KAS25740		18.50	0.10	0.9	0.225	1.39	7.0	48.2	3.25	1730	1.02	1.67	4.5	49.6	410
KAS25741		20.9	0.10	0.8	0.204	1.43	7.1	54.5	4.02	1770	0.74	1.74	4.3	59.9	410
KAS25742		17.85	0.11	0.9	0.227	1.38	7.5	60.7	4.12	2890	0.80	1.12	3.5	95.6	310
KAS25743		12.60	0.09	0.7	0.144	1.11	4.1	33.6	3.48	1290	0.14	1.59	2.9	45.2	300
KAS25744		15.55	0.09	0.6	0.201	1.29	3.1	42.6	4.28	2020	0.54	1.32	2.4	84.7	190
KAS25745		15.35	0.13	2.1	0.061	2.51	10.4	35.7	3.15	810	7.18	0.61	4.8	90.9	720
KAS25746		18.40	0.13	2.5	0.129	2.62	26.4	36.7	2.76	980	10.90	0.43	6.5	100.5	900



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
KAS24855		114.5	<0.002	0.05	2.50	8.0	<1	1.6	22.2	0.50	<0.05	9.5	0.205	0.51	1.9
KAS24856		145.0	<0.002	0.02	5.68	8.6	1	1.6	24.7	0.54	0.11	12.6	0.238	0.59	2.4
KAS24857		131.5	<0.002	0.06	3.31	9.2	1	1.8	17.4	0.55	0.07	10.4	0.227	0.60	2.1
KAS24858		154.0	<0.002	0.07	9.97	12.9	1	2.0	24.5	0.52	0.06	11.6	0.286	0.74	2.4
KAS24859		142.0	<0.002	0.06	5.98	10.6	1	1.8	18.7	0.52	0.06	10.9	0.244	0.66	2.1
KAS24860		151.5	<0.002	0.07	7.55	13.3	1	1.9	17.0	0.57	0.07	11.5	0.292	0.73	2.3
KAS24862		60.1	0.002	0.03	1.29	5.5	1	1.0	32.7	0.36	<0.05	5.7	0.155	0.26	1.4
KAS24863		62.1	<0.002	0.04	1.32	5.6	1	1.1	36.1	0.35	<0.05	5.8	0.150	0.25	1.4
KAS24864		59.7	<0.002	0.03	1.24	5.3	1	1.0	37.3	0.32	<0.05	5.6	0.132	0.24	1.4
KAS24865		77.1	<0.002	0.11	2.29	11.3	2	1.6	57.8	0.41	0.09	7.5	0.213	0.40	2.1
KAS24866		96.6	<0.002	0.08	2.22	12.2	1	1.8	53.5	0.55	0.10	9.0	0.261	0.57	2.3
KAS24867		109.5	<0.002	0.04	1.70	8.9	1	1.7	30.4	0.49	<0.05	9.4	0.232	0.41	1.8
KAS24868		76.9	<0.002	0.08	1.46	8.9	1	1.5	57.8	0.41	0.09	7.2	0.226	0.39	1.6
KAS24869		70.2	<0.002	0.12	1.51	8.4	1	1.4	52.1	0.41	0.09	6.3	0.208	0.34	1.8
KAS24870		74.3	<0.002	0.05	2.05	7.5	1	1.6	34.3	0.44	0.06	7.5	0.205	0.31	1.7
KAS24871		77.9	<0.002	0.02	1.68	7.2	1	1.6	36.2	0.46	<0.05	7.2	0.208	0.32	1.5
KAS24872		86.3	<0.002	0.04	1.95	8.4	1	1.7	31.1	0.53	0.10	7.6	0.240	0.33	1.5
KAS24873		81.1	<0.002	0.02	1.67	8.4	1	2.0	25.9	0.54	0.05	7.5	0.246	0.31	1.4
KAS24874		87.7	<0.002	0.11	2.20	10.4	1	1.7	52.3	0.49	0.08	8.0	0.246	0.45	2.2
KAS24875		98.5	<0.002	0.06	1.89	10.6	1	2.1	22.1	0.45	0.12	8.6	0.248	0.42	1.7
KAS25563		123.5	<0.002	0.03	1.53	9.7	2	2.0	46.5	0.76	0.10	11.7	0.270	1.08	4.4
KAS25564		137.0	<0.002	0.02	1.76	9.7	1	2.2	26.3	0.79	0.13	12.4	0.266	1.25	4.5
KAS25565		131.0	<0.002	0.02	1.83	9.2	1	2.1	23.4	0.74	0.11	12.1	0.255	1.14	4.2
KAS25566		127.0	<0.002	0.04	1.79	9.8	1	2.0	35.0	0.73	0.17	12.2	0.271	1.12	5.1
KAS25567		79.3	<0.002	0.10	1.41	6.8	2	1.2	42.5	0.48	0.10	7.9	0.181	0.81	4.7
KAS25568		127.5	<0.002	0.05	1.89	8.2	1	1.8	25.9	0.71	0.06	11.6	0.223	1.18	5.4
KAS25569		80.3	<0.002	0.11	1.47	8.7	2	1.3	69.5	0.58	0.08	8.8	0.231	0.84	5.2
KAS25570		110.0	<0.002	0.06	1.60	9.4	1	1.8	53.4	0.68	0.10	10.9	0.252	0.98	5.1
KAS25571		104.5	0.002	0.08	1.96	10.0	2	1.6	66.1	0.65	0.10	10.6	0.237	1.13	8.3
KAS25572		115.5	<0.002	0.03	2.58	8.8	2	1.7	29.6	0.65	0.10	10.2	0.235	1.16	5.2
KAS25573		133.0	<0.002	0.02	3.48	10.5	2	2.0	22.8	0.72	0.11	12.0	0.248	1.38	5.4
KAS25574		113.5	<0.002	0.04	2.28	9.0	2	1.8	31.7	0.63	0.12	10.1	0.232	1.16	6.4
KAS25575		103.0	<0.002	0.06	1.76	9.1	1	1.6	51.4	0.65	0.11	9.4	0.239	0.94	5.9
KAS25740		40.5	<0.002	0.01	7.21	36.9	1	1.0	133.0	0.30	<0.05	1.2	0.555	0.27	0.7
KAS25741		35.4	<0.002	0.01	6.33	39.6	1	0.9	172.0	0.29	0.05	1.2	0.480	0.30	0.8
KAS25742		42.0	<0.002	0.01	10.10	38.1	1	1.1	120.0	0.23	<0.05	1.2	0.385	0.32	0.9
KAS25743		25.9	<0.002	<0.01	3.57	32.0	1	0.5	142.5	0.20	<0.05	0.5	0.367	0.18	0.2
KAS25744		32.3	<0.002	0.01	4.60	38.7	1	0.5	137.0	0.16	<0.05	0.3	0.343	0.19	0.7
KAS25745		78.1	0.006	0.03	4.97	26.2	2	2.7	46.0	0.36	<0.05	6.2	0.296	0.37	2.1
KAS25746		91.1	0.005	0.07	7.08	28.6	2	2.3	49.5	0.46	0.08	8.0	0.317	0.55	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP22 Au ppm 0.001
KAS24855		0.9	8.9	269	56.5	0.001
KAS24856		1.5	15.7	1220	89.5	0.005
KAS24857		1.0	8.4	351	63.8	0.002
KAS24858		1.1	9.4	1010	71.4	0.007
KAS24859		1.1	8.5	705	96.7	0.004
KAS24860		1.1	8.7	885	74.0	0.006
KAS24862		1.3	14.9	22	38.1	0.002
KAS24863		1.2	14.0	19	35.2	0.002
KAS24864		1.4	14.4	16	33.5	0.002
KAS24865		1.8	23.9	86	50.2	0.008
KAS24866		1.9	21.7	95	57.4	0.004
KAS24867		1.7	17.4	55	56.6	0.001
KAS24868		1.6	16.4	61	51.1	<0.001
KAS24869		1.5	14.7	53	51.2	0.001
KAS24870		1.7	14.2	50	47.1	0.001
KAS24871		2.1	13.9	28	48.9	0.002
KAS24872		2.3	16.4	34	49.5	0.002
KAS24873		2.2	16.4	27	53.7	0.001
KAS24874		1.8	17.7	74	53.5	0.001
KAS24875		2.5	21.0	44	52.9	0.002
KAS25563		1.2	16.4	138	87.0	<0.001
KAS25564		1.3	17.5	153	84.2	0.002
KAS25565		1.3	15.6	142	77.4	0.002
KAS25566		1.3	17.4	154	79.1	0.001
KAS25567		0.8	14.9	123	52.6	0.001
KAS25568		1.1	16.8	140	72.8	<0.001
KAS25569		1.0	19.2	181	56.6	0.002
KAS25570		1.2	17.9	166	72.5	<0.001
KAS25571		1.1	23.1	199	70.2	0.001
KAS25572		1.1	19.1	165	82.6	0.002
KAS25573		1.2	23.3	174	89.6	0.003
KAS25574		1.2	18.9	179	79.9	0.003
KAS25575		1.1	17.1	190	73.4	0.001
KAS25740		0.4	17.0	831	23.9	0.004
KAS25741		0.4	19.4	1180	22.7	0.007
KAS25742		0.4	16.7	937	25.4	0.003
KAS25743		0.2	14.4	369	16.4	0.001
KAS25744		0.2	10.3	466	14.8	0.002
KAS25745		1.1	12.0	221	64.8	0.003
KAS25746		1.1	19.1	342	78.5	0.004



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
KAS25840		0.24	1.39	6.61	15.0	380	0.98	0.42	2.21	0.41	80.8	47.6	182	3.56	1300	8.66
KAS25842		0.24	0.17	6.22	25.0	220	1.85	2.44	0.41	0.51	55.4	23.9	130	2.99	88.2	4.79
KAS25843		0.24	0.13	6.07	32.0	250	2.01	1.95	0.14	0.37	74.0	17.8	108	3.07	91.8	3.75
KAS25844		0.24	0.19	6.25	14.6	270	1.25	0.37	1.78	0.76	38.3	37.3	88	4.31	81.7	7.73
KAS25845		0.22	0.37	6.31	65.0	350	1.96	1.39	0.14	0.15	122.0	12.5	104	4.90	118.5	5.66
KAS25846		0.22	0.42	6.24	71.4	310	2.28	0.87	0.12	0.22	130.0	14.2	84	5.10	124.5	5.54
KAS25847		0.22	0.21	6.14	50.4	250	2.43	1.05	0.11	0.26	104.0	13.2	122	4.69	94.5	3.41
KAS25848		0.24	0.22	6.29	27.2	300	2.18	0.81	0.15	0.19	92.2	13.8	85	3.35	106.0	2.94
KAS25849		0.24	0.22	6.08	15.6	230	1.06	0.61	1.16	0.42	55.1	45.7	157	2.79	389	6.72
KAS25850		0.22	0.34	6.26	24.7	220	0.91	0.87	3.50	0.65	32.5	67.3	195	3.92	344	8.98
KAS25851		0.24	0.46	6.50	12.7	240	0.93	0.70	1.94	0.64	27.7	58.3	185	3.06	342	8.80
KAS25852		0.24	0.06	6.09	14.3	250	1.82	0.47	0.25	0.09	59.6	11.2	85	3.08	86.7	2.86
KAS25853		0.24	0.13	6.61	26.1	270	2.47	0.99	0.08	0.07	76.1	6.6	54	3.97	44.5	1.70
KAS25854		0.26	0.32	6.37	35.3	260	2.35	1.26	0.08	0.06	84.4	9.5	57	4.27	63.1	2.63
KAS26281		0.24	0.40	5.07	39.5	300	1.56	2.97	0.15	0.23	68.5	13.3	100	2.10	63.4	3.27
KAS26282		0.22	0.14	6.34	12.5	390	1.85	0.86	0.83	0.39	73.7	11.0	140	2.69	24.1	3.29
KAS26283		0.22	0.17	5.99	14.2	430	1.79	1.18	0.35	0.39	73.0	12.4	157	2.71	30.5	3.80
KAS26284		0.24	0.17	6.05	14.5	360	1.76	1.18	0.61	0.29	73.5	12.8	116	2.35	41.8	3.76
KAS26285		0.24	0.12	5.39	11.1	280	1.56	0.69	4.20	0.12	63.8	10.5	79	1.96	37.1	2.96
KAS26286		0.26	0.11	5.76	7.9	440	1.67	0.45	0.76	0.62	72.9	9.3	110	3.06	19.6	2.72
KAS14516		0.28	0.01	0.31	0.5	10	0.09	0.02	0.01	<0.02	10.70	1.2	465	0.21	4.5	0.49
KAS25703		0.28	0.16	4.01	14.4	120	1.45	3.42	9.74	0.04	41.9	11.7	48	1.74	17.3	2.88
KAS25704		0.28	0.16	4.05	30.6	170	1.28	4.84	5.06	0.10	60.3	22.3	98	1.88	64.9	4.13
KAS25705		0.28	0.17	3.84	35.8	170	1.17	6.04	5.86	0.07	62.3	26.4	103	1.73	55.7	4.01
KAS25706		0.30	0.15	3.44	35.3	190	1.02	7.76	8.14	0.06	52.2	28.7	68	1.34	43.6	3.65
KAS25708		0.30	0.16	4.37	32.9	150	1.20	6.06	5.32	0.09	69.2	23.1	87	1.84	39.6	3.51
KAS25810		0.28	0.17	6.49	25.8	340	1.87	0.67	0.58	0.58	74.9	26.2	74	3.41	85.5	4.96
KAS25811		0.30	0.24	6.57	39.9	350	2.35	1.02	0.26	0.81	104.5	25.6	79	4.10	96.1	4.51
KAS25812		0.28	0.28	6.38	43.1	310	2.37	0.82	0.14	0.77	95.5	19.5	70	4.00	105.0	4.33
KAS25813		0.30	0.31	6.12	42.4	360	2.19	0.68	0.22	0.87	132.5	20.0	124	4.21	169.0	4.10
KAS25814		0.30	0.29	6.91	26.2	270	1.17	1.07	1.70	1.03	36.5	88.9	209	3.42	465	10.00
KAS25815		0.30	0.94	6.41	46.6	370	0.83	1.81	2.36	0.81	53.5	123.5	199	2.39	1070	9.82
KAS25816		0.30	0.18	6.37	24.3	320	1.02	0.81	1.45	0.32	48.0	55.6	200	2.36	321	7.40
KAS25817		0.28	0.35	6.75	42.6	240	2.18	0.85	0.44	1.04	66.0	35.9	143	3.92	261	5.55
KAS25818		0.28	0.42	6.07	82.4	330	2.25	0.88	0.10	0.14	119.5	9.7	82	4.71	129.0	6.65
KAS25819		0.28	0.23	6.60	21.8	380	1.62	0.36	1.24	0.61	61.6	50.6	173	3.52	134.0	7.40
KAS25820		0.28	0.33	6.65	32.8	300	2.05	0.71	0.82	0.69	79.3	23.0	84	4.29	101.0	5.91
KAS25821		0.30	0.18	6.36	10.6	340	1.41	0.16	2.53	0.49	62.2	49.2	109	5.01	78.7	9.37
KAS25822		0.30	0.21	7.07	21.5	340	1.67	0.38	1.28	0.82	46.6	35.6	103	3.50	85.1	7.84
KAS25823		0.30	0.25	7.02	39.2	400	1.57	0.38	1.74	0.99	52.5	40.0	150	4.15	110.5	7.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
KAS25840		18.40	0.16	1.6	0.584	1.58	43.7	49.0	4.09	1000	4.05	1.02	8.6	126.5	660
KAS25842		17.80	0.14	3.0	0.128	2.09	29.5	35.2	2.11	523	13.15	0.97	19.5	79.1	930
KAS25843		17.80	0.18	3.5	0.128	2.78	39.5	30.1	1.34	400	17.05	0.49	13.0	83.6	1010
KAS25844		19.35	0.15	2.0	0.171	1.65	18.4	41.1	3.47	844	6.15	0.94	9.6	58.3	790
KAS25845		19.00	0.20	4.2	0.176	3.20	65.2	33.6	1.68	186	32.8	0.12	10.3	93.6	1860
KAS25846		18.75	0.23	4.4	0.218	3.20	69.1	34.8	1.39	231	30.5	0.09	10.7	97.0	1990
KAS25847		18.50	0.18	4.3	0.134	3.32	52.9	28.2	0.97	926	24.0	0.06	12.4	88.9	970
KAS25848		18.45	0.21	4.8	0.115	3.68	48.5	28.8	0.91	387	17.35	0.15	10.9	79.5	930
KAS25849		16.85	0.15	2.2	0.234	2.09	30.8	34.5	2.90	937	8.80	0.80	9.0	96.5	890
KAS25850		16.20	0.13	1.2	0.186	1.20	16.2	38.6	3.85	1450	5.15	1.34	8.8	117.5	660
KAS25851		17.55	0.12	1.2	0.161	1.21	13.3	39.5	4.05	1280	2.62	1.52	9.3	105.0	680
KAS25852		18.05	0.15	3.4	0.093	3.36	31.8	30.1	1.41	275	11.25	0.19	9.6	57.8	740
KAS25853		19.70	0.21	4.5	0.085	3.95	39.4	25.6	0.86	211	16.05	0.03	11.9	56.2	670
KAS25854		18.75	0.21	4.0	0.106	3.62	43.9	25.8	0.84	518	15.35	0.04	10.9	65.0	1020
KAS26281		14.90	0.15	2.3	0.136	2.64	36.5	21.3	0.53	876	17.35	0.16	8.9	52.7	680
KAS26282		18.50	0.17	2.6	0.098	3.87	36.1	35.6	1.34	1120	3.25	0.12	10.0	32.4	610
KAS26283		16.75	0.15	2.5	0.097	3.57	35.7	33.5	0.99	1530	3.43	0.19	9.3	35.0	670
KAS26284		16.90	0.18	2.6	0.101	3.65	36.0	33.7	1.27	1560	3.58	0.11	9.2	38.1	500
KAS26285		15.75	0.18	2.4	0.070	3.12	31.4	36.1	2.72	1200	2.27	0.06	9.5	27.1	380
KAS26286		16.55	0.19	2.6	0.080	3.51	34.7	38.3	1.03	972	0.84	0.15	10.3	21.3	770
KAS14516		1.09	0.07	0.2	<0.005	0.14	5.1	1.9	0.02	37	1.25	0.01	0.9	7.2	30
KAS25703		11.55	0.13	1.6	0.042	2.44	21.3	22.7	5.85	1210	0.69	0.03	6.0	30.6	380
KAS25704		11.20	0.15	2.1	0.136	2.05	35.5	13.9	2.90	1830	8.57	0.12	8.1	43.2	1260
KAS25705		10.75	0.13	1.9	0.149	1.95	36.7	13.0	3.26	1760	8.36	0.11	7.6	48.0	1260
KAS25706		9.73	0.12	1.6	0.138	1.79	31.5	10.8	4.33	1720	8.12	0.06	6.5	47.3	1110
KAS25708		12.75	0.14	2.4	0.120	2.21	41.4	13.4	2.95	1560	9.47	0.10	10.2	44.5	1490
KAS25810		19.30	0.16	3.6	0.109	2.64	39.0	39.8	2.32	609	15.65	0.41	12.4	113.5	1420
KAS25811		18.95	0.19	4.3	0.133	2.99	54.4	40.5	1.80	624	19.85	0.27	13.5	137.0	1710
KAS25812		18.35	0.19	4.2	0.184	3.04	49.8	39.5	1.47	618	20.4	0.13	10.2	124.0	1370
KAS25813		17.30	0.23	4.1	0.179	2.77	68.7	32.5	1.03	679	22.1	0.19	9.3	129.0	1540
KAS25814		17.90	0.11	1.4	0.296	1.31	19.1	41.2	4.07	1740	6.70	1.19	5.0	125.0	610
KAS25815		18.10	0.15	1.2	0.254	1.73	28.3	39.6	3.17	1360	8.57	0.73	4.6	124.5	1500
KAS25816		16.75	0.15	1.9	0.231	2.02	24.7	35.5	2.81	964	7.41	0.90	5.8	83.2	990
KAS25817		18.80	0.17	3.7	0.201	2.92	33.8	30.5	1.36	880	18.05	0.27	8.1	121.0	960
KAS25818		17.70	0.22	4.2	0.253	2.96	62.8	38.2	1.63	134	28.8	0.09	8.8	88.0	2120
KAS25819		19.00	0.16	2.0	0.176	1.36	29.0	49.3	4.07	1140	7.22	1.11	10.3	71.9	1110
KAS25820		19.55	0.19	3.3	0.181	2.56	40.7	45.0	2.72	522	15.90	0.49	11.8	86.3	1470
KAS25821		20.6	0.14	1.9	0.232	1.16	29.2	40.5	4.13	1150	2.04	1.35	23.9	38.2	1700
KAS25822		19.40	0.16	2.1	0.160	2.11	23.8	48.4	3.42	884	8.32	0.64	8.8	80.9	910
KAS25823		20.8	0.15	2.1	0.205	1.98	27.1	48.7	3.09	1100	7.07	0.65	8.6	80.8	1000



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
KAS25840		55.2	<0.002	0.06	7.02	30.6	3	1.2	108.0	0.48	0.08	3.7	0.484	0.54	1.7	253
KAS25842		80.9	0.003	0.06	7.32	16.6	2	2.5	21.3	0.65	0.26	8.4	0.336	1.00	3.9	223
KAS25843		107.0	0.004	0.06	9.52	11.3	2	3.3	15.2	0.71	0.21	11.1	0.240	1.07	5.5	180
KAS25844		73.9	0.002	0.03	6.83	29.5	2	1.6	64.2	0.62	0.10	4.9	0.688	0.68	2.3	321
KAS25845		122.0	0.009	0.15	18.80	10.9	5	2.6	21.0	0.81	0.20	15.8	0.246	1.60	6.7	220
KAS25846		131.5	0.006	0.15	19.30	9.9	6	2.9	24.4	0.83	0.19	15.9	0.242	1.84	7.3	176
KAS25847		138.0	0.002	0.05	14.35	9.1	3	3.1	19.0	0.95	0.17	16.6	0.219	1.52	6.5	124
KAS25848		130.0	0.003	0.05	11.35	10.5	3	3.4	15.4	0.87	0.16	14.7	0.231	1.39	6.5	166
KAS25849		65.5	<0.002	0.03	3.57	25.9	1	3.5	31.9	0.47	0.07	6.0	0.384	0.55	2.8	236
KAS25850		50.5	<0.002	0.03	4.62	37.4	2	1.7	69.4	0.41	0.07	2.5	0.515	0.57	1.1	277
KAS25851		33.3	<0.002	0.03	4.57	36.4	2	1.9	59.6	0.41	0.05	2.2	0.530	0.48	1.1	287
KAS25852		116.0	0.003	0.03	6.72	11.5	2	3.1	9.2	0.75	0.09	10.6	0.232	0.97	4.8	157
KAS25853		158.5	0.004	0.03	11.00	10.1	2	3.6	8.8	0.99	0.18	13.9	0.240	1.29	6.9	172
KAS25854		147.5	0.003	0.04	12.50	9.9	3	3.2	12.7	0.88	0.20	13.1	0.243	1.29	6.3	161
KAS26281		99.2	<0.002	0.01	10.45	10.0	2	2.1	27.1	0.63	0.10	11.1	0.228	0.82	5.1	292
KAS26282		133.0	<0.002	0.03	4.36	11.3	1	2.6	28.0	0.76	0.05	12.6	0.268	0.64	2.9	98
KAS26283		124.0	<0.002	0.03	4.15	10.7	1	2.5	37.3	0.69	0.06	12.1	0.245	0.70	2.9	103
KAS26284		122.0	<0.002	0.03	4.85	10.8	1	2.4	23.2	0.71	<0.05	12.5	0.247	0.62	2.9	96
KAS26285		104.0	<0.002	0.01	4.94	9.4	1	2.3	23.1	0.71	<0.05	11.2	0.237	0.47	2.4	71
KAS26286		122.5	<0.002	0.06	3.20	9.8	1	2.2	34.5	0.79	<0.05	12.0	0.265	0.64	5.1	58
KAS14516		3.9	<0.002	<0.01	0.23	0.5	<1	0.4	4.4	<0.05	<0.05	1.9	0.027	0.03	0.3	5
KAS25703		87.9	<0.002	0.01	3.78	6.5	1	1.9	29.7	0.47	<0.05	7.4	0.167	0.42	1.9	45
KAS25704		75.0	<0.002	0.04	2.42	7.9	2	2.3	42.1	0.61	0.09	11.0	0.203	0.47	3.4	160
KAS25705		72.8	0.002	0.04	3.50	7.2	1	2.3	46.2	0.60	0.11	10.5	0.194	0.43	3.1	162
KAS25706		66.0	0.002	0.04	4.16	6.2	1	2.1	63.8	0.51	0.10	8.8	0.159	0.35	2.6	142
KAS25708		84.6	<0.002	0.03	2.76	7.6	2	2.6	51.0	0.82	0.12	12.0	0.213	0.44	3.5	183
KAS25810		98.5	0.003	0.04	11.40	17.0	2	2.2	27.2	0.85	0.08	10.5	0.439	1.02	5.6	239
KAS25811		111.5	0.006	0.08	15.00	13.6	3	2.6	29.8	0.92	0.16	12.1	0.358	1.38	7.1	215
KAS25812		119.5	0.006	0.06	17.40	10.9	3	2.9	20.1	0.77	0.21	12.4	0.264	1.39	7.7	179
KAS25813		112.0	0.002	0.08	20.2	10.3	4	2.7	41.6	0.73	0.21	13.0	0.257	1.45	8.8	158
KAS25814		46.5	<0.002	0.08	4.45	41.1	2	2.2	57.8	0.34	0.10	2.9	0.476	0.61	1.6	292
KAS25815		47.0	0.002	0.07	7.86	27.5	3	2.7	103.0	0.31	0.23	3.2	0.353	0.53	1.6	260
KAS25816		54.8	0.002	0.03	3.82	28.2	1	3.6	62.1	0.43	0.11	5.2	0.394	0.59	2.6	246
KAS25817		119.0	<0.002	0.02	9.89	20.9	4	4.1	23.8	0.64	0.18	9.3	0.331	0.95	6.4	226
KAS25818		117.0	0.005	0.16	23.1	10.3	5	2.9	22.3	0.73	0.21	13.4	0.246	1.59	7.0	195
KAS25819		48.8	<0.002	0.07	7.44	32.1	2	1.3	78.0	0.69	0.12	5.0	0.600	0.60	2.0	314
KAS25820		96.0	0.007	0.10	12.90	21.0	3	2.2	30.6	0.73	0.15	9.6	0.497	1.09	4.8	300
KAS25821		60.9	<0.002	0.03	5.60	34.6	2	1.6	133.0	1.41	0.06	3.5	1.140	0.60	1.2	300
KAS25822		69.4	0.004	0.05	8.89	31.1	2	1.7	43.2	0.57	0.06	5.2	0.615	0.74	2.8	318
KAS25823		70.8	0.003	0.05	9.24	29.5	2	1.8	85.7	0.59	0.08	5.5	0.498	0.70	2.8	285



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP22 Au ppm 0.001
KAS25840		0.9	21.2	483	58.7	0.012
KAS25842		2.0	20.3	317	99.3	0.008
KAS25843		1.9	21.4	203	114.5	0.009
KAS25844		1.3	25.3	628	65.7	0.004
KAS25845		1.6	24.6	255	136.5	0.009
KAS25846		1.7	27.7	305	135.5	0.010
KAS25847		1.9	31.5	155	133.0	0.006
KAS25848		1.8	27.7	97	146.0	0.006
KAS25849		1.5	21.0	246	69.7	0.010
KAS25850		1.2	21.1	423	40.8	0.008
KAS25851		1.2	19.3	453	32.9	0.007
KAS25852		1.5	20.7	89	108.0	0.006
KAS25853		1.9	27.9	68	134.0	0.005
KAS25854		1.8	25.5	74	124.0	0.006
KAS26281		1.5	21.6	73	82.3	0.003
KAS26282		1.5	15.7	106	92.0	0.001
KAS26283		1.5	18.7	92	82.5	0.002
KAS26284		1.5	19.8	71	86.5	0.002
KAS26285		1.4	17.4	60	80.7	0.001
KAS26286		1.3	13.6	156	81.8	<0.001
KAS14516		0.1	1.1	<2	7.0	0.001
KAS25703		2.0	11.2	22	55.2	0.003
KAS25704		4.9	36.0	29	72.9	0.007
KAS25705		5.2	21.5	22	69.4	0.010
KAS25706		5.2	18.0	16	59.9	0.010
KAS25708		7.1	21.6	27	86.8	0.008
KAS25810		1.5	24.9	303	115.0	0.006
KAS25811		1.6	24.7	285	155.0	0.008
KAS25812		1.6	22.8	301	149.5	0.007
KAS25813		1.6	22.2	338	142.0	0.006
KAS25814		1.2	23.4	600	60.7	0.009
KAS25815		1.1	24.0	444	39.6	0.027
KAS25816		1.2	19.7	250	65.2	0.027
KAS25817		2.4	26.0	411	120.0	0.007
KAS25818		1.4	19.1	434	137.0	0.011
KAS25819		1.0	21.0	546	69.5	0.003
KAS25820		1.5	25.3	496	110.0	0.007
KAS25821		1.4	33.6	649	62.0	0.002
KAS25822		1.3	25.4	558	71.0	0.005
KAS25823		1.4	25.3	701	70.8	0.008



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
KAS25707		0.22	0.14	4.33	32.5	160	1.31	6.06	5.80	0.12	70.1	21.6	98	1.84	43.5	3.80
KAS25709		0.24	0.07	3.79	19.9	100	1.01	3.95	9.19	0.06	57.4	14.4	73	1.61	20.3	3.20
KAS25710		0.24	0.19	4.55	36.0	140	1.22	8.61	7.77	0.07	113.0	29.7	74	2.07	42.8	3.76
KAS25711		0.24	0.13	5.70	40.6	140	1.50	8.62	2.96	0.07	82.3	32.8	158	1.72	42.1	4.05
KAS25712		0.22	0.14	4.99	50.1	130	1.33	10.05	4.33	0.02	80.4	29.6	123	1.77	29.2	3.08
KAS25713		0.24	0.12	4.78	36.0	140	1.32	9.47	5.26	0.06	69.1	24.6	98	1.77	27.3	3.36
KAS25714		0.26	0.11	5.16	30.3	160	1.43	6.77	6.11	0.08	65.9	38.9	68	1.97	112.0	4.31
KAS25801		0.28	0.15	6.25	12.5	440	0.89	0.38	2.65	0.58	28.5	46.7	68	2.64	128.5	7.15
KAS25802		0.30	0.15	6.29	15.7	380	1.14	0.34	2.67	0.67	60.5	73.0	92	5.48	128.5	9.01
KAS25803		0.24	0.12	7.90	13.6	420	0.85	0.26	3.62	0.58	33.8	54.6	145	1.61	164.0	9.02
KAS25804		0.26	0.40	6.67	13.0	400	0.71	0.26	1.50	0.88	31.7	64.0	213	1.50	322	9.40
KAS25805		0.24	0.29	6.82	17.0	450	1.20	0.28	1.53	1.08	45.1	56.5	249	6.23	173.0	9.63
KAS25806		0.22	0.28	7.00	20.8	420	1.13	0.40	1.66	1.19	37.2	52.0	199	3.33	123.0	9.13
KAS25808		0.22	0.18	6.70	16.0	310	1.58	1.83	1.44	0.59	49.8	36.1	116	4.17	95.4	7.46
KAS25809		0.24	0.14	6.53	17.8	300	3.51	0.61	1.00	0.41	66.3	25.5	97	3.37	71.8	5.63
KAS25973		0.24	0.67	1.09	48.1	80	0.65	2.78	15.80	0.16	14.30	8.9	22	0.33	18.8	4.69
KAS25974		0.24	0.66	0.82	45.5	50	0.44	4.10	16.85	0.10	11.05	6.8	18	0.23	11.1	4.06
KAS25975		0.30	0.74	0.79	54.3	60	0.48	4.66	16.25	0.11	12.20	8.1	28	0.28	13.2	4.74
KAS25976		0.24	0.72	3.13	83.2	220	1.35	1.93	10.55	0.10	32.8	10.9	55	1.25	20.6	7.09
KAS25977		0.28	1.04	3.20	53.1	180	1.17	2.93	7.44	0.24	50.2	35.6	104	1.51	34.1	7.48
KAS25401		0.28	0.34	5.03	22.0	320	1.70	0.42	1.79	1.16	63.2	11.2	113	4.01	48.4	2.86
KAS25402		0.28	0.20	5.53	18.3	360	1.61	0.38	0.72	0.46	61.9	7.2	105	4.37	31.0	2.35
KAS25403		0.24	0.47	4.75	23.1	330	1.66	0.44	0.77	1.68	58.1	14.2	118	3.98	58.2	3.11
KAS25404		0.28	0.17	5.45	20.9	350	1.87	0.35	0.64	0.89	67.9	10.2	109	4.06	41.4	2.97
KAS25405		0.28	0.12	5.61	20.2	370	1.71	0.45	0.33	0.86	63.5	10.3	116	4.16	24.1	2.68
KAS25406		0.30	0.16	6.07	20.0	380	2.11	0.37	0.81	0.41	67.1	8.5	87	4.36	35.8	2.62
KAS25407		0.30	0.14	6.52	11.4	530	2.13	0.36	0.32	0.20	74.4	11.3	88	3.90	17.6	3.53
KAS25408		0.30	0.15	6.42	12.5	550	2.19	0.38	0.32	0.24	76.2	12.4	104	3.92	21.5	3.59
KAS25409		0.28	0.28	5.28	10.7	480	1.72	0.37	1.16	0.45	61.9	11.3	148	3.31	29.8	3.07
KAS25410		0.28	0.20	5.00	12.0	400	1.68	0.26	1.02	0.51	58.5	9.0	148	3.32	19.0	2.71
KAS25411		0.28	0.17	5.43	12.1	440	1.74	0.31	0.92	0.45	62.4	9.9	124	3.72	17.5	2.77
KAS25412		0.28	0.27	5.17	13.6	390	1.74	0.30	0.84	0.32	60.3	9.0	128	3.52	27.8	2.86
KAS25425		0.26	0.03	7.08	6.7	490	0.85	0.37	1.71	1.03	67.5	31.2	100	2.57	20.6	6.73
KAS25426		0.28	0.13	6.75	10.9	620	0.85	0.70	1.85	0.25	37.8	26.0	142	5.36	46.6	6.81
KAS25427		0.26	0.62	6.86	10.7	580	0.80	0.89	1.67	0.54	24.9	36.3	202	5.56	61.1	7.92
KAS25428		0.32	0.14	6.16	13.4	270	1.78	1.85	3.72	0.35	108.5	69.1	109	2.10	102.0	10.50
KAS25429		0.28	0.09	6.26	11.5	400	1.31	0.42	1.29	0.11	46.9	16.9	113	4.08	30.9	4.93
KAS25430		0.30	0.09	7.32	11.3	190	1.03	0.28	0.77	1.15	21.8	45.6	116	4.54	109.0	9.40
KAS25431		0.28	0.15	7.31	9.1	440	0.88	0.40	2.41	1.04	33.0	40.5	93	6.16	139.0	8.55
KAS25432		0.30	0.14	5.62	3.2	370	0.75	0.19	2.22	0.30	27.5	26.3	126	3.98	60.8	7.54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
KAS25707		12.40	0.16	2.4	0.130	2.23	41.3	13.7	3.19	1760	8.44	0.10	9.1	45.4	1520
KAS25709		10.60	0.12	1.8	0.127	1.99	33.0	13.4	4.77	1780	4.24	0.06	6.8	30.7	1210
KAS25710		12.85	0.18	2.6	0.146	2.22	65.1	14.4	3.79	1790	7.35	0.10	9.4	50.8	1920
KAS25711		15.40	0.18	2.5	0.151	2.35	46.7	24.5	2.10	1380	5.21	0.08	11.2	69.8	1720
KAS25712		14.30	0.19	2.3	0.131	2.63	46.9	19.2	2.22	1160	6.13	0.07	6.5	59.6	1620
KAS25713		13.65	0.16	2.3	0.131	2.51	38.4	20.3	3.07	1430	6.51	0.09	5.8	49.9	1310
KAS25714		14.10	0.17	2.5	0.167	2.70	34.1	21.5	3.51	2060	3.39	0.11	6.7	63.7	1060
KAS25801		16.90	0.11	1.3	0.122	1.12	13.0	33.5	2.77	1360	1.39	1.38	6.7	54.9	860
KAS25802		19.70	0.14	2.1	0.189	1.11	28.3	28.7	2.21	1650	2.39	1.91	13.6	65.8	1080
KAS25803		19.25	0.12	0.8	0.192	1.66	18.7	56.0	4.41	1570	0.63	1.40	5.1	100.5	450
KAS25804		16.15	0.14	1.2	0.257	2.44	16.0	48.9	4.06	1160	3.27	0.52	4.2	138.0	630
KAS25805		16.60	0.13	1.0	0.303	1.68	23.2	56.9	4.36	1260	0.95	0.74	5.4	116.0	650
KAS25806		19.05	0.15	1.2	0.244	1.74	17.8	55.6	4.50	1220	2.59	0.92	6.7	106.0	590
KAS25808		20.8	0.14	2.4	0.170	1.91	23.2	43.5	3.72	889	6.41	0.91	10.4	66.2	1100
KAS25809		20.2	0.16	3.0	0.121	2.48	33.3	41.4	3.15	572	10.60	0.57	10.9	84.2	1350
KAS25973		3.03	0.10	0.4	0.039	0.58	6.6	5.8	8.64	1530	0.44	0.02	1.1	21.7	140
KAS25974		2.08	0.07	0.3	0.028	0.44	4.9	4.8	9.29	1380	0.33	0.02	0.9	15.8	130
KAS25975		2.15	0.06	0.3	0.028	0.41	5.5	4.6	9.03	1520	0.38	0.02	1.0	18.4	150
KAS25976		8.36	0.11	1.1	0.050	1.93	16.6	15.8	4.21	1340	0.89	0.02	2.9	39.2	190
KAS25977		8.70	0.12	1.4	0.196	1.68	25.1	11.8	3.94	2690	0.98	0.07	5.0	131.5	470
KAS25401		13.90	0.16	2.6	0.075	2.76	31.9	36.1	1.82	765	6.19	0.15	8.4	53.3	930
KAS25402		15.70	0.17	3.0	0.066	3.03	31.4	36.2	1.21	372	7.15	0.22	9.4	35.5	640
KAS25403		12.30	0.16	2.5	0.074	2.31	29.2	33.2	1.11	1140	5.91	0.17	7.6	52.8	940
KAS25404		15.00	0.16	2.5	0.065	2.77	33.7	39.4	1.21	660	6.94	0.15	9.7	50.5	820
KAS25405		15.95	0.14	2.6	0.065	2.94	32.0	43.6	1.11	539	6.62	0.17	9.9	37.7	770
KAS25406		16.90	0.16	2.9	0.075	3.26	33.7	51.0	1.64	594	7.68	0.14	10.2	44.5	760
KAS25407		17.60	0.17	2.7	0.068	3.44	34.0	61.0	1.44	993	1.88	0.26	11.4	29.9	590
KAS25408		17.60	0.18	2.7	0.068	3.32	35.7	60.7	1.38	1170	2.04	0.30	11.6	32.7	580
KAS25409		13.85	0.16	2.1	0.052	2.49	30.0	41.5	1.02	1340	1.54	0.28	8.9	30.5	960
KAS25410		13.65	0.15	2.2	0.052	2.55	27.3	48.6	1.08	1050	2.45	0.17	8.7	29.8	730
KAS25411		14.60	0.15	2.3	0.050	2.93	29.5	48.8	1.03	885	2.04	0.16	9.4	27.7	770
KAS25412		14.10	0.16	2.3	0.055	2.79	30.7	48.8	1.15	871	2.45	0.14	9.0	34.3	630
KAS25425		20.8	0.17	3.8	0.098	1.19	31.3	31.4	2.47	800	1.62	2.14	44.6	37.4	1900
KAS25426		19.45	0.13	1.9	0.100	1.41	19.1	39.0	2.52	1040	2.07	1.32	11.2	48.0	440
KAS25427		17.40	0.11	1.4	0.107	1.69	12.1	44.8	2.67	1820	1.86	1.10	7.7	65.2	660
KAS25428		15.60	0.19	1.4	0.162	1.07	65.2	39.7	5.04	1720	2.86	0.98	7.3	71.5	690
KAS25429		19.25	0.14	2.9	0.100	2.19	23.7	33.6	2.61	487	6.66	0.92	11.3	38.7	950
KAS25430		19.20	0.10	1.3	0.109	0.86	9.5	62.6	2.96	1880	1.48	1.29	6.6	46.2	510
KAS25431		19.50	0.11	1.4	0.156	1.36	16.3	41.5	2.69	1520	1.10	1.52	11.7	47.3	1000
KAS25432		17.65	0.11	1.4	0.107	0.98	13.1	30.3	3.03	825	1.19	1.41	9.8	34.6	720



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
KAS25707		80.9	<0.002	0.03	2.51	8.3	2	2.7	56.4	0.72	0.11	11.2	0.220	0.47	3.7	169
KAS25709		74.7	0.002	0.02	1.75	7.5	1	2.4	75.2	0.49	0.07	8.6	0.155	0.47	2.6	96
KAS25710		85.0	<0.002	0.02	2.61	9.3	2	2.8	65.8	0.77	0.14	14.1	0.233	0.57	3.7	134
KAS25711		86.1	<0.002	0.04	2.86	19.0	2	3.5	37.3	0.80	0.11	11.0	0.344	0.46	3.2	127
KAS25712		96.5	0.002	0.04	3.01	13.8	1	3.8	38.7	0.52	0.11	11.3	0.193	0.49	3.0	101
KAS25713		91.2	<0.002	0.02	2.60	10.8	1	3.0	44.0	0.48	0.08	10.4	0.197	0.56	3.0	127
KAS25714		101.5	<0.002	0.02	2.25	9.0	1	2.8	52.3	0.54	0.10	11.1	0.220	0.47	2.9	94
KAS25801		38.9	<0.002	0.05	5.82	27.8	1	1.0	150.5	0.48	0.09	3.0	0.481	0.34	1.1	219
KAS25802		54.6	<0.002	0.02	8.24	28.0	2	2.0	119.5	0.97	0.06	4.3	1.060	0.56	1.4	283
KAS25803		35.8	<0.002	<0.01	5.91	40.1	1	1.6	151.0	0.33	<0.05	1.2	0.506	0.34	0.4	252
KAS25804		46.1	<0.002	0.07	5.44	35.6	2	1.5	44.5	0.30	0.05	2.8	0.392	0.32	1.0	276
KAS25805		74.8	0.002	0.04	5.28	41.1	1	1.3	57.8	0.39	0.05	2.4	0.475	0.67	0.9	263
KAS25806		53.8	<0.002	0.03	6.81	37.9	2	1.6	65.6	0.45	0.05	2.7	0.600	0.50	1.2	273
KAS25808		71.8	0.002	0.04	7.99	31.6	2	1.7	49.2	0.74	0.06	5.5	0.721	0.74	2.9	301
KAS25809		83.3	0.003	0.04	8.55	22.7	2	1.9	31.4	0.80	0.11	7.9	0.584	0.84	4.4	249
KAS25973		18.6	<0.002	<0.01	9.17	2.1	1	0.3	24.6	0.09	<0.05	1.8	0.041	0.91	1.0	13
KAS25974		13.4	<0.002	<0.01	6.72	1.6	<1	0.3	23.8	0.07	<0.05	1.4	0.030	0.58	0.7	9
KAS25975		12.8	<0.002	<0.01	7.67	1.7	1	0.2	24.8	0.07	<0.05	1.5	0.031	0.79	0.8	10
KAS25976		62.8	<0.002	<0.01	19.45	5.2	<1	1.1	15.1	0.24	<0.05	5.0	0.103	2.51	1.5	28
KAS25977		61.5	<0.002	0.02	13.40	6.3	1	1.3	25.7	0.36	0.05	6.2	0.145	5.72	1.9	39
KAS25401		113.0	0.003	0.06	2.76	8.9	1	1.9	23.4	0.68	0.10	9.9	0.234	1.41	4.9	144
KAS25402		127.0	0.002	0.04	2.41	9.0	1	2.3	28.9	0.75	0.12	10.1	0.256	1.44	5.1	161
KAS25403		94.3	0.002	0.06	2.93	8.9	1	1.8	30.2	0.61	0.09	9.3	0.226	1.29	5.7	122
KAS25404		117.0	0.002	0.07	2.59	9.1	2	1.9	28.0	0.63	0.07	10.2	0.243	1.24	4.7	132
KAS25405		126.5	<0.002	0.05	2.19	8.8	1	2.1	25.7	0.69	0.07	10.1	0.258	1.29	5.2	161
KAS25406		138.0	<0.002	0.03	2.60	10.1	2	2.2	19.5	0.73	0.09	11.5	0.261	1.33	4.7	164
KAS25407		140.0	<0.002	0.02	1.36	10.7	1	2.2	33.7	0.83	0.10	12.2	0.301	0.89	3.2	98
KAS25408		139.5	<0.002	0.01	1.47	10.9	2	2.2	39.9	0.82	0.09	12.5	0.300	0.87	3.1	99
KAS25409		112.5	<0.002	0.07	1.63	9.4	1	1.6	46.8	0.63	0.05	9.8	0.248	0.75	3.9	79
KAS25410		110.5	<0.002	0.06	1.49	8.7	1	1.8	32.8	0.62	0.07	9.7	0.228	0.79	4.3	91
KAS25411		130.5	<0.002	0.05	1.64	9.2	1	1.9	32.0	0.67	0.08	10.4	0.253	0.90	3.7	97
KAS25412		116.5	<0.002	0.05	1.50	9.3	2	1.8	26.4	0.65	0.08	10.1	0.233	0.88	4.6	99
KAS25425		42.4	<0.002	0.02	4.95	26.9	2	2.0	95.7	2.47	<0.05	6.3	1.275	0.42	1.7	341
KAS25426		62.9	<0.002	0.01	3.52	27.8	1	1.7	123.0	0.70	0.05	4.6	0.565	0.49	1.5	270
KAS25427		68.3	<0.002	0.04	5.92	30.7	1	1.4	124.5	0.48	0.05	2.8	0.529	0.42	1.2	274
KAS25428		33.5	<0.002	0.65	3.57	38.6	4	1.1	85.9	0.44	<0.05	2.7	0.439	0.81	1.2	254
KAS25429		79.4	0.002	0.04	4.34	25.4	2	2.1	54.0	0.75	0.08	7.1	0.602	0.67	3.4	302
KAS25430		50.6	<0.002	0.05	3.19	35.1	1	1.2	46.6	0.40	<0.05	1.5	0.644	0.26	0.5	355
KAS25431		60.4	<0.002	0.03	4.96	32.4	1	1.2	127.5	0.70	<0.05	2.7	0.666	0.37	0.8	305
KAS25432		36.4	<0.002	0.04	2.91	31.8	1	1.1	83.8	0.61	<0.05	2.5	0.751	0.32	0.8	355



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAY-2015
 Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP22 Au ppm 0.001
KAS25707		5.8	21.5	30	90.6	0.007
KAS25709		4.3	16.0	18	67.7	0.004
KAS25710		6.8	23.5	32	95.9	0.008
KAS25711		6.8	21.9	32	92.8	0.008
KAS25712		7.8	18.6	15	83.6	0.009
KAS25713		5.0	20.1	17	82.6	0.009
KAS25714		5.8	20.6	20	88.4	0.005
KAS25801		0.7	13.9	556	45.0	0.005
KAS25802		0.9	21.3	359	65.6	0.004
KAS25803		0.6	18.1	429	26.4	0.003
KAS25804		0.6	15.4	829	41.5	0.005
KAS25805		0.8	20.4	896	31.7	0.004
KAS25806		1.1	25.6	756	40.7	0.004
KAS25808		1.1	37.7	471	75.2	0.004
KAS25809		1.2	46.8	299	101.5	0.003
KAS25973		0.2	8.6	67	16.8	0.002
KAS25974		0.2	8.0	42	11.6	0.001
KAS25975		0.2	8.7	49	12.9	0.002
KAS25976		0.5	10.2	51	40.7	0.002
KAS25977		0.8	14.1	179	52.6	0.003
KAS25401		1.2	20.3	238	93.0	0.004
KAS25402		1.4	15.3	134	105.0	0.001
KAS25403		1.1	22.0	220	86.5	0.004
KAS25404		1.2	20.2	154	87.7	0.003
KAS25405		1.3	15.2	169	89.7	0.001
KAS25406		1.4	18.8	141	99.0	0.002
KAS25407		1.4	15.6	134	89.7	0.002
KAS25408		1.4	17.7	142	89.4	0.002
KAS25409		1.1	18.6	135	72.5	0.002
KAS25410		1.1	15.0	131	74.4	0.003
KAS25411		1.2	14.2	166	79.9	0.002
KAS25412		1.1	21.7	125	76.8	0.002
KAS25425		1.4	25.5	235	144.5	0.002
KAS25426		1.1	14.1	159	58.9	0.005
KAS25427		0.7	12.9	242	47.6	0.002
KAS25428		0.6	98.0	180	48.1	0.009
KAS25429		1.1	18.1	102	93.0	0.003
KAS25430		0.8	16.0	365	32.2	0.004
KAS25431		0.7	20.0	391	47.7	0.006
KAS25432		0.7	19.5	117	45.3	0.003



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAY-2015
Account: CANMID

Project: PA95

CERTIFICATE OF ANALYSIS VA15062647

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP22 LOG-24 LOG-QC ME-MS61
WEI-21