



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

CERTIFICATE VA15158389

Project: QA71

This report is for 200 Pulp samples submitted to our lab in Vancouver, BC, Canada on 15-OCT-2015.

The following have access to data associated with this certificate:

AGNES KOFFYBERG

CHAD ULANSKY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-QC	QC Test on Received Samples

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: CANTEX MINE DEVELOPMENT CORP.
ATTN: AGNES KOFFYBERG
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST23677		0.26	0.002	0.13	6.60	27.8	160	6.05	1.51	0.54	0.46	49.7	23.9	146	2.86	39.1
KAST23678		0.28	0.006	0.24	7.01	37.8	150	2.89	1.08	0.50	0.10	59.6	22.1	113	3.27	52.2
KAST23669		0.26	0.003	0.13	6.56	19.8	440	1.93	0.79	0.32	0.15	56.4	8.8	150	3.58	27.4
KAST23640		0.22	0.002	0.23	4.45	9.8	270	0.54	0.20	1.01	0.42	27.9	20.6	189	2.75	50.2
KAST23636		0.26	0.006	0.28	5.89	28.1	360	1.82	0.72	0.62	0.46	62.8	8.2	102	4.16	67.0
KAST23665		0.26	0.003	0.28	5.84	30.1	360	2.02	0.59	0.25	0.20	82.1	8.5	134	3.69	37.4
KAST23679		0.26	0.002	0.16	6.54	12.4	410	1.26	0.33	1.36	0.41	38.9	27.8	159	2.97	37.0
KAST23637		0.28	0.005	0.30	5.48	21.0	440	1.75	1.06	0.25	0.32	62.8	8.0	103	3.99	57.6
KAST23668		0.28	0.003	0.12	6.41	19.5	400	2.02	0.68	0.38	0.10	59.0	8.7	126	3.56	25.9
KAST22609		0.28	0.012	0.50	7.74	5.9	400	0.72	0.30	4.04	1.85	20.1	46.7	289	1.63	289
KAST22664		0.26	0.003	0.12	7.01	11.7	420	2.11	0.66	1.22	0.64	70.0	20.0	102	2.32	36.3
KAST23667		0.26	0.003	0.16	6.01	22.1	410	1.91	0.75	0.12	0.17	84.7	5.5	80	3.77	30.3
KAST23661		0.26	0.008	0.19	5.66	54.6	270	2.02	1.01	0.04	0.06	56.4	3.3	146	3.96	106.0
KAST23672		0.26	0.004	0.24	6.93	35.2	380	2.29	0.46	0.21	0.68	70.6	12.5	91	4.32	68.2
KAST23671		0.26	0.005	0.21	6.56	29.6	400	2.29	0.50	0.12	0.35	70.4	9.1	99	4.39	39.6
KAST23638		0.26	0.004	0.11	6.66	20.4	340	2.23	0.59	0.10	0.26	71.2	5.1	73	4.75	33.5
KAST23666		0.28	0.004	0.30	6.07	25.9	470	1.75	0.62	0.35	0.15	56.8	8.8	99	3.58	30.4
KAST23680		0.28	0.003	0.26	6.11	14.6	380	1.04	0.26	0.84	1.38	30.6	36.7	142	3.94	97.7
KAST23670		0.26	0.003	0.41	6.31	17.9	590	1.67	0.55	0.82	0.33	56.3	12.4	124	3.21	30.3
KAST23662		0.30	0.004	0.22	5.75	25.1	480	1.79	0.52	0.18	0.10	65.5	6.2	115	4.05	50.1
KAST23675		0.22	0.002	0.25	5.67	16.9	310	1.97	0.44	0.54	0.75	58.8	14.6	130	2.56	32.6
KAST23673		0.22	0.005	0.22	6.58	32.7	370	2.37	0.41	0.10	0.28	71.0	8.3	82	4.21	52.0
KAST23663		0.22	0.004	0.18	5.96	23.9	410	1.95	0.59	0.24	0.13	66.7	10.0	165	3.73	48.9
KAST23639		0.22	0.010	0.29	6.44	40.3	330	2.29	1.12	0.15	0.58	71.2	7.4	82	4.86	42.5
KAST23660		0.04	NSS	0.08	0.07	<0.2	10	0.06	0.02	0.17	0.54	0.58	0.3	4	0.05	4.2
KAST22650		0.22	0.002	1.06	6.60	15.2	540	2.06	1.05	1.47	0.50	66.0	16.3	142	2.47	52.3
KAST22648		0.22	0.004	0.29	6.97	12.9	270	1.28	0.42	2.21	1.39	48.8	39.1	190	1.84	111.5
KAST23664		0.24	0.005	0.31	7.11	28.9	410	2.68	0.98	0.16	0.09	86.0	6.4	119	4.44	23.0
KAST23635		0.24	0.005	0.19	6.01	24.3	340	2.23	0.54	0.26	0.23	59.8	9.0	168	4.85	77.8
KAST22669		0.26	0.003	0.47	6.03	16.2	580	1.37	0.68	1.39	1.04	48.8	33.0	96	5.53	67.6
KAST22668		0.28	0.004	0.12	6.81	15.4	480	1.77	0.45	1.32	0.40	54.7	36.7	140	3.88	144.0
KAST23674		0.24	0.003	0.23	6.73	24.4	350	2.39	0.48	0.65	0.12	52.7	18.2	131	3.84	39.1
KAST23676		0.26	0.003	0.13	5.91	16.2	290	2.36	0.31	1.24	0.49	48.5	15.2	106	2.59	31.1
KAST22775		0.26	0.003	0.23	1.93	23.2	160	0.62	4.27	15.95	0.05	24.3	17.3	30	0.60	18.4
KAST22768		0.26	0.003	0.19	2.48	21.2	140	1.26	4.24	12.50	0.13	25.5	15.1	46	1.08	11.1
KAST22794		0.22	0.001	0.07	7.32	15.0	510	2.33	0.54	0.22	0.12	71.2	22.3	131	5.48	27.9
KAST22799		0.24	0.003	0.12	8.53	18.7	370	3.62	1.03	0.03	0.07	76.3	39.9	126	5.10	105.0
KAST22786		0.26	0.002	0.06	8.64	11.0	360	3.57	0.70	0.09	0.10	90.7	24.4	120	4.74	50.0
KAST22788		0.24	0.002	0.08	7.91	25.2	490	2.69	1.02	0.14	0.11	73.8	37.3	113	5.48	35.1
KAST22776		0.24	0.005	1.02	2.29	33.4	70	0.79	6.29	17.20	0.08	16.55	17.7	32	0.74	39.7



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAST23677		4.64	17.30	0.06	1.9	0.099	1.25	27.7	19.0	1.29	935	12.80	2.74	51.9	65.1	690
KAST23678		6.27	18.25	0.11	3.6	0.106	2.16	30.9	43.7	2.43	532	15.25	1.21	23.4	78.7	1350
KAST23669		3.15	18.00	0.10	3.2	0.098	3.23	28.5	27.5	1.12	480	8.79	0.41	13.6	43.8	920
KAST23640		5.12	12.20	0.07	1.2	0.065	0.86	14.1	17.7	1.80	1010	3.44	0.90	6.2	32.1	840
KAST23636		2.97	16.00	0.12	3.1	0.067	2.83	32.0	26.8	1.23	404	11.55	0.28	11.4	46.5	1060
KAST23665		3.50	16.70	0.13	3.3	0.094	2.72	42.1	28.6	1.09	351	11.80	0.21	10.8	56.9	870
KAST23679		6.45	16.65	0.08	1.7	0.064	1.80	19.6	36.1	2.99	981	3.81	1.22	8.8	47.8	580
KAST23637		2.25	15.10	0.11	2.9	0.075	2.94	33.1	21.6	0.72	1520	11.25	0.15	10.1	43.0	1110
KAST23668		2.77	17.40	0.12	3.3	0.099	3.20	30.5	27.5	1.30	349	11.55	0.23	11.1	49.8	840
KAST22609		8.80	15.55	0.08	0.9	0.146	0.81	10.1	76.0	5.26	2110	0.71	1.67	10.8	141.5	400
KAST22664		5.76	18.45	0.13	2.9	0.101	2.41	35.8	55.7	3.69	810	3.56	1.20	15.7	35.0	670
KAST23667		1.97	17.70	0.15	3.3	0.099	3.23	44.7	22.7	0.68	166	10.40	0.19	12.2	41.4	570
KAST23661		2.60	15.35	0.13	3.1	0.114	3.07	30.8	21.1	0.59	59	15.65	0.07	10.5	40.3	1040
KAST23672		3.89	17.65	0.14	3.5	0.118	3.82	36.4	30.2	1.15	413	11.95	0.28	13.7	69.1	1330
KAST23671		3.10	17.40	0.15	3.3	0.107	3.78	37.2	24.5	0.93	424	11.50	0.21	12.1	50.2	1120
KAST23638		2.30	17.50	0.14	3.6	0.091	3.71	37.1	26.9	1.15	247	11.70	0.04	12.3	48.6	960
KAST23666		3.35	15.80	0.13	2.8	0.089	2.85	29.4	30.0	1.09	406	9.16	0.31	11.8	48.1	760
KAST23680		6.39	16.05	0.10	1.6	0.081	1.48	15.2	28.1	2.25	2000	4.41	1.45	11.8	48.3	630
KAST23670		4.32	16.05	0.11	2.4	0.098	2.37	27.9	39.2	1.42	782	4.72	0.72	14.6	41.8	720
KAST23662		2.95	16.95	0.12	3.0	0.110	2.98	33.0	25.3	0.69	363	11.20	0.21	11.5	43.9	860
KAST23675		2.88	13.90	0.09	2.7	0.072	2.47	31.7	18.0	0.89	1240	9.45	1.10	14.8	44.1	1540
KAST23673		3.08	17.20	0.13	3.5	0.127	4.05	37.4	24.7	0.84	162	12.05	0.09	11.4	55.9	1150
KAST23663		3.40	16.75	0.13	3.1	0.104	3.01	34.4	27.9	0.82	319	11.85	0.28	13.1	76.4	1160
KAST23639		3.33	17.20	0.14	3.5	0.134	3.57	37.1	27.4	1.11	646	14.60	0.04	12.3	60.9	1230
KAST23660		0.07	0.17	0.05	<0.1	<0.005	0.08	<0.5	0.5	0.06	33	0.70	0.01	0.1	1.7	510
KAST22650		4.83	17.85	0.14	3.0	0.079	2.71	28.7	45.8	3.81	1250	5.95	1.36	15.0	51.8	970
KAST22648		7.02	17.00	0.15	1.8	0.159	0.67	22.4	60.8	4.85	2360	3.63	1.97	17.6	112.0	670
KAST23664		2.33	20.9	0.22	5.7	0.118	3.89	42.9	30.1	1.04	153	14.50	0.12	11.0	55.5	820
KAST23635		2.72	17.30	0.19	3.7	0.086	3.16	29.7	25.6	0.97	286	12.60	0.17	10.5	58.0	1120
KAST22669		6.38	18.25	0.17	2.1	0.121	1.42	21.8	34.4	1.81	1620	3.08	1.14	10.8	33.1	760
KAST22668		7.57	20.5	0.20	2.1	0.126	1.69	24.5	41.3	2.46	1180	4.83	0.93	10.9	48.6	650
KAST23674		4.33	19.10	0.21	3.0	0.088	2.77	25.4	26.6	1.52	574	8.71	1.08	15.1	56.8	900
KAST23676		3.08	16.40	0.17	2.9	0.082	2.39	22.7	28.4	1.49	791	8.53	1.44	13.7	49.0	960
KAST22775		4.84	4.57	0.07	0.6	0.050	0.57	11.3	13.7	7.67	1910	0.27	0.05	6.8	22.5	770
KAST22768		4.72	6.28	0.08	1.2	0.057	1.15	11.1	19.1	6.22	3050	0.37	0.09	4.4	24.0	530
KAST22794		5.01	21.5	0.20	3.0	0.085	2.37	33.2	48.7	1.40	1130	1.29	0.35	12.2	33.0	420
KAST22799		3.92	25.6	0.17	3.6	0.100	4.28	34.3	28.5	0.77	1680	1.17	0.07	12.2	44.4	380
KAST22786		4.46	25.3	0.21	3.4	0.104	3.71	40.9	41.3	1.13	1700	0.91	0.15	18.8	43.5	270
KAST22788		5.43	23.0	0.15	3.3	0.094	2.74	33.9	47.9	1.43	1040	1.21	0.26	13.7	40.1	450
KAST22776		6.28	5.56	0.10	0.9	0.083	1.13	7.4	14.0	7.19	3280	0.47	0.05	9.1	73.0	190



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
KAST23677		20.7	69.2	<0.002	0.08	3.61	12.9	1	1.6	45.9	0.67	0.13	5.62	0.324	2.2
KAST23678		22.3	94.9	0.008	0.13	4.86	15.5	2	2.7	45.3	0.71	0.14	11.05	0.303	5.6
KAST23669		15.7	123.5	0.003	0.03	4.10	11.5	1	2.8	40.9	0.85	0.12	11.55	0.309	6.4
KAST23640		13.7	36.0	<0.002	0.08	1.65	17.9	1	1.1	50.6	0.39	0.07	3.17	0.399	1.4
KAST23636		28.8	124.0	0.014	0.07	3.99	10.9	3	2.5	43.8	0.74	0.23	10.05	0.276	6.5
KAST23665		22.2	118.5	0.003	0.03	4.31	9.5	2	2.6	33.3	0.77	0.16	10.20	0.265	7.2
KAST23679		17.9	83.6	<0.002	0.04	2.57	23.6	1	1.6	68.1	0.52	0.08	4.84	0.479	2.2
KAST23637		26.3	123.5	0.007	0.08	3.46	9.4	2	2.8	27.7	0.71	0.18	9.98	0.235	6.3
KAST23668		11.1	126.0	0.005	0.05	4.11	10.9	2	2.9	28.7	0.79	0.14	10.65	0.286	6.8
KAST22609		111.0	24.3	<0.002	0.03	3.76	31.7	1	1.1	120.0	0.27	<0.05	1.61	0.386	0.7
KAST22664		20.3	84.3	<0.002	0.05	2.26	19.0	2	2.5	32.2	0.87	0.05	9.44	0.577	3.4
KAST23667		12.4	130.5	0.003	0.04	5.05	9.9	1	3.0	30.4	0.84	0.14	11.40	0.290	7.3
KAST23661		14.7	137.0	0.004	0.12	8.04	9.8	3	2.8	32.8	0.72	0.34	8.75	0.248	11.1
KAST23672		27.8	140.0	0.002	0.10	5.75	11.1	3	2.7	32.3	0.79	0.14	12.65	0.270	6.7
KAST23671		24.9	142.5	0.005	0.13	5.42	10.1	2	2.8	31.7	0.76	0.12	12.40	0.260	6.7
KAST23638		15.2	150.0	0.006	0.05	4.47	10.5	2	3.0	17.3	0.86	0.18	12.75	0.266	7.8
KAST23666		19.3	112.5	0.005	0.05	4.52	9.8	2	2.3	45.0	0.77	0.16	9.53	0.282	6.0
KAST23680		32.8	94.3	<0.002	0.04	2.88	25.8	1	1.3	52.0	0.49	0.07	4.23	0.480	2.1
KAST23670		32.0	94.1	<0.002	0.04	3.76	11.9	1	2.0	65.2	0.73	0.11	8.30	0.321	3.7
KAST23662		28.2	130.0	0.006	0.07	4.22	9.8	2	2.5	37.7	0.80	0.24	10.30	0.292	5.7
KAST23675		21.2	93.9	0.002	0.09	3.50	10.1	1	2.0	38.2	0.60	0.08	9.16	0.244	5.6
KAST23673		25.1	145.5	0.006	0.14	5.86	10.1	2	2.7	32.7	0.81	0.12	13.10	0.251	6.9
KAST23663		17.6	125.5	0.004	0.07	4.11	10.0	2	2.6	37.6	0.90	0.19	11.30	0.322	6.4
KAST23639		47.8	147.0	0.004	0.07	6.22	10.1	4	2.9	23.0	0.85	0.26	13.00	0.270	8.3
KAST23660		0.9	1.8	<0.002	0.09	0.19	0.1	1	<0.2	2.9	<0.05	<0.05	0.10	<0.005	0.1
KAST22650		369	80.8	0.002	0.05	12.60	13.3	3	2.2	71.3	0.82	0.05	9.69	0.353	3.2
KAST22648		43.0	21.0	0.002	0.03	2.72	23.7	2	1.5	69.9	0.55	0.07	5.74	0.396	1.8
KAST23664		13.2	161.0	0.006	0.05	5.14	12.0	2	3.3	23.6	0.93	0.19	13.40	0.275	9.4
KAST23635		31.9	141.0	0.005	0.06	4.69	11.1	4	2.8	28.2	0.76	0.21	11.20	0.261	6.9
KAST22669		309	78.5	<0.002	0.04	3.87	21.0	2	1.6	89.3	0.70	0.11	5.97	0.555	2.1
KAST22668		46.3	79.5	<0.002	0.03	3.00	24.8	2	1.8	75.1	0.69	0.06	6.40	0.612	2.3
KAST23674		22.8	111.5	0.002	0.05	3.60	18.0	2	2.1	40.1	0.66	0.12	8.21	0.372	4.3
KAST23676		14.0	93.3	0.002	0.05	2.64	12.5	1	2.3	35.8	0.62	0.09	8.63	0.280	4.7
KAST22775		42.4	21.0	<0.002	<0.01	1.57	4.7	1	0.5	55.6	0.32	<0.05	2.68	0.173	1.6
KAST22768		13.8	44.5	<0.002	0.01	1.86	3.7	1	0.9	33.4	0.24	<0.05	5.46	0.099	2.1
KAST22794		10.6	131.0	<0.002	0.02	3.57	15.9	1	2.9	47.3	0.84	0.05	9.91	0.421	2.4
KAST22799		6.7	211	<0.002	0.01	6.36	19.9	2	3.7	11.4	0.82	0.07	11.30	0.414	2.6
KAST22786		10.1	181.0	<0.002	0.01	4.77	18.6	1	3.7	16.0	0.81	0.05	11.30	0.392	2.3
KAST22788		12.2	150.5	<0.002	0.02	5.71	17.6	2	3.2	34.2	0.84	0.10	10.15	0.433	2.5
KAST22776		47.3	43.6	<0.002	<0.01	2.09	4.8	1	1.0	60.4	0.17	<0.05	2.71	0.068	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
KAST23677		145	3.1	10.8	103	68.6
KAST23678		201	3.5	21.1	83	131.5
KAST23669		176	1.6	15.9	96	110.0
KAST23640		196	0.7	11.3	105	43.0
KAST23636		218	1.5	17.1	91	109.0
KAST23665		170	1.4	17.8	83	116.5
KAST23679		262	1.3	13.9	197	63.0
KAST23637		168	1.6	17.3	86	103.0
KAST23668		173	1.7	14.4	66	112.5
KAST22609		244	1.0	17.2	809	32.3
KAST22664		164	1.7	28.2	338	99.5
KAST23667		156	1.9	15.3	50	121.0
KAST23661		241	2.1	14.1	32	116.5
KAST23672		158	2.0	22.4	225	130.0
KAST23671		158	1.8	17.9	172	122.5
KAST23638		173	1.8	20.3	119	125.5
KAST23666		175	1.5	14.2	73	104.5
KAST23680		271	1.3	13.3	231	59.3
KAST23670		162	1.7	13.8	184	87.6
KAST23662		200	1.5	14.1	64	111.5
KAST23675		137	1.7	15.9	86	145.0
KAST23673		157	1.9	19.1	170	124.5
KAST23663		186	1.4	16.4	69	114.5
KAST23639		157	1.7	22.4	150	122.0
KAST23660		1	<0.1	0.2	34	0.9
KAST22650		222	1.4	23.1	234	99.6
KAST22648		263	2.1	25.1	523	55.2
KAST23664		205	1.7	20.6	50	162.5
KAST23635		201	1.7	17.8	141	109.5
KAST22669		218	1.2	16.5	486	57.7
KAST22668		266	1.1	21.2	294	59.1
KAST23674		213	1.7	16.3	124	90.9
KAST23676		171	2.0	16.8	146	100.5
KAST22775		40	1.0	9.2	26	21.7
KAST22768		25	2.1	11.0	36	39.4
KAST22794		128	2.2	15.1	57	99.4
KAST22799		134	3.5	19.1	26	113.5
KAST22786		128	4.0	18.0	44	107.5
KAST22788		133	2.6	15.6	53	109.5
KAST22776		29	2.4	11.7	35	31.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST22766		0.30	0.002	0.17	1.50	32.6	50	0.61	3.89	17.80	0.02	14.20	9.7	16	0.58	11.2
KAST22796		0.26	0.002	0.11	8.27	28.2	530	3.11	0.94	0.14	0.07	71.9	43.3	111	5.46	43.3
KAST22769		0.28	0.004	0.20	3.64	56.5	90	1.24	7.74	12.60	0.06	29.9	33.3	41	1.57	17.5
KAST22793		0.26	0.002	0.10	7.23	19.8	610	2.33	0.59	0.26	0.17	68.8	22.2	136	4.74	34.2
KAST22795		0.26	0.002	0.06	7.64	20.9	500	2.54	0.59	0.15	0.06	77.4	29.4	120	6.12	45.5
KAST22789		0.26	0.001	0.06	7.62	17.3	430	2.28	0.60	0.21	0.05	136.5	27.5	110	5.79	24.7
KAST22785		0.26	0.001	0.04	8.62	8.5	390	3.34	0.52	0.06	0.09	77.9	23.7	99	5.24	28.8
KAST22790		0.26	0.002	0.12	7.49	32.5	480	2.82	0.51	0.16	0.12	69.2	28.5	143	6.03	39.2
KAST22783		0.26	0.004	0.42	8.94	24.4	400	4.05	2.35	0.11	0.10	87.9	40.9	119	6.51	67.3
KAST22787		0.28	0.002	0.21	8.23	21.4	450	3.04	0.92	0.29	0.15	132.5	41.2	118	4.63	48.7
KAST22773		0.26	0.008	0.75	1.24	83.8	150	0.55	9.53	16.80	0.07	17.05	32.7	21	0.64	226
KAST22780		0.28	0.002	0.37	1.75	23.8	90	0.76	3.89	13.00	0.10	15.80	10.9	54	0.61	15.1
KAST22765		0.26	0.003	0.12	3.56	15.9	100	1.18	2.46	10.50	0.04	43.9	13.7	38	1.51	13.3
KAST22791		0.26	0.003	0.08	7.16	31.1	540	2.45	0.56	0.21	0.09	69.0	32.3	100	5.95	34.2
KAST22784		0.26	0.002	0.09	7.77	14.5	460	3.49	0.94	0.13	0.10	80.5	29.1	120	5.39	44.7
KAST22800		0.26	<0.001	0.08	8.13	7.1	360	3.42	0.65	0.06	0.03	71.9	21.3	103	5.50	66.0
KAST22792		0.26	0.001	0.05	7.34	16.0	480	2.42	0.50	0.14	0.11	69.3	22.6	102	5.39	20.8
KAST22779		0.26	0.003	0.33	3.66	26.4	160	1.10	3.51	9.92	0.21	26.1	13.1	81	1.19	20.7
KAST22797		0.26	0.002	0.18	8.33	27.1	720	3.30	0.90	0.21	0.07	73.3	32.6	106	4.98	96.2
KAST22781		0.28	0.003	0.27	1.88	25.2	90	0.83	6.16	15.35	0.12	22.2	17.4	55	0.73	17.2
KAST22781B		0.30	<0.001	0.01	0.33	<0.2	10	0.10	0.03	0.01	<0.02	10.55	0.6	316	0.21	6.7
KAST22798		0.24	0.008	0.32	8.05	57.3	410	3.04	3.40	0.06	0.14	77.8	73.6	111	4.85	122.0
KAST22770		0.26	0.005	0.17	4.64	43.3	110	1.07	7.76	11.95	0.06	28.4	30.2	43	2.00	12.5
KAST22771		0.26	0.004	0.27	2.97	30.7	130	0.88	4.47	13.65	0.05	20.1	19.3	27	1.33	10.7
KAST22777		0.26	0.006	0.80	3.31	25.4	80	0.91	6.98	12.10	0.08	27.4	16.3	42	1.06	22.0
KAST23612		0.24	0.003	0.15	5.88	30.3	410	1.46	0.60	0.76	0.20	47.5	11.6	213	3.54	40.4
KAST22782		0.28	0.001	0.11	1.38	7.1	50	0.37	2.39	15.30	0.09	11.80	5.9	32	0.42	9.8
KAST22774		0.28	0.003	0.10	1.27	13.0	120	0.55	3.18	16.85	0.05	16.20	9.1	29	0.47	16.5
KAST23616		0.24	0.005	0.19	6.78	40.3	390	2.21	0.54	0.24	0.14	73.9	9.5	108	4.42	68.0
KAST23601		0.26	0.009	0.33	6.19	47.8	420	2.25	0.73	0.22	0.50	67.9	11.8	118	4.90	107.0
KAST22778		0.26	0.005	0.19	4.47	15.6	110	1.11	5.86	11.25	0.08	37.8	18.7	54	1.66	22.3
KAST23609		0.26	0.003	0.27	5.63	20.4	480	1.76	1.40	0.33	1.04	71.5	13.2	95	3.73	36.1
KAST23603		0.26	0.005	0.25	5.66	32.2	490	0.93	0.52	1.73	0.65	41.6	15.2	210	2.68	39.7
KAST23621		0.26	0.004	0.16	6.58	20.0	330	2.31	0.60	0.12	0.27	73.0	5.4	59	5.23	42.4
KAST23620		0.26	0.006	0.40	6.03	43.5	380	1.86	0.54	0.15	0.44	66.1	7.3	96	4.36	66.6
KAST23607		0.26	0.005	0.25	6.25	37.3	440	1.83	0.88	0.80	0.49	68.0	18.0	155	3.68	95.9
KAST23619		0.28	0.004	0.34	6.09	26.5	400	2.11	0.44	0.24	0.29	68.2	5.1	85	4.46	46.5
KAST23611		0.26	0.006	0.73	5.97	64.8	350	3.09	2.21	0.34	0.66	58.3	10.8	166	3.09	104.0
KAST23610		0.26	0.004	0.26	5.73	34.7	470	1.72	0.86	0.50	0.72	57.9	12.3	144	3.50	52.0
KAST23617		0.24	0.006	0.10	6.30	25.3	300	2.25	0.59	0.18	0.16	70.5	5.9	72	4.67	49.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAST22766		3.95	4.19	0.05	0.6	0.053	0.78	6.1	12.5	8.48	2280	0.19	0.03	2.8	27.6	220
KAST22796		5.42	23.9	0.15	3.7	0.096	3.34	32.8	45.7	1.56	1090	1.30	0.14	12.9	48.3	550
KAST22769		6.19	9.09	0.10	1.9	0.082	1.92	12.5	27.5	6.72	4270	0.67	0.06	6.6	45.1	570
KAST22793		5.57	20.7	0.18	3.0	0.090	2.19	31.4	47.0	1.40	2280	1.54	0.53	12.6	36.6	480
KAST22795		5.40	24.3	0.20	3.7	0.090	2.71	35.8	42.2	1.38	1670	1.46	0.27	12.9	34.3	610
KAST22789		5.99	23.9	0.26	3.2	0.099	2.58	59.6	50.5	1.70	2010	1.02	0.19	11.3	34.7	920
KAST22785		5.29	25.1	0.21	3.9	0.094	3.37	35.1	52.7	1.54	1000	0.75	0.17	12.9	47.4	300
KAST22790		5.69	22.8	0.19	3.3	0.116	2.72	32.5	50.4	1.51	2860	1.88	0.25	11.9	40.0	610
KAST22783		5.70	26.0	0.21	3.9	0.118	3.85	40.5	41.7	1.16	1900	1.48	0.22	13.0	61.6	480
KAST22787		5.77	25.0	0.29	3.1	0.175	2.76	59.0	44.4	1.33	2190	1.46	0.43	40.4	48.3	360
KAST22773		9.26	3.43	0.11	0.6	0.195	0.58	6.7	6.6	7.44	4930	0.49	0.04	1.6	38.0	180
KAST22780		5.47	4.59	0.06	0.7	0.061	0.86	7.1	13.0	6.59	2860	0.27	0.05	2.3	25.4	260
KAST22765		3.35	9.48	0.08	1.4	0.061	1.84	20.8	21.5	4.10	1780	0.52	0.05	5.1	23.6	350
KAST22791		5.51	21.3	0.19	3.2	0.096	2.31	31.5	48.3	1.46	2040	1.93	0.35	12.1	37.7	520
KAST22784		5.50	23.2	0.21	3.4	0.137	2.89	36.9	46.3	1.28	1970	1.28	0.23	12.5	46.1	410
KAST22800		4.42	24.1	0.23	3.3	0.085	3.51	33.0	44.2	1.24	1060	0.68	0.11	11.7	37.3	350
KAST22792		5.15	21.4	0.17	3.3	0.088	2.59	32.1	48.9	1.56	1380	1.06	0.29	11.9	33.8	430
KAST22779		5.46	9.35	0.12	1.6	0.080	1.70	12.1	20.8	5.20	3190	0.57	0.12	29.3	58.4	380
KAST22797		4.17	24.6	0.23	3.6	0.098	3.75	34.1	38.0	1.16	1030	0.96	0.10	12.8	45.1	540
KAST22781		5.12	4.52	0.07	0.8	0.050	0.87	9.9	12.1	7.49	3330	0.39	0.06	4.8	32.7	310
KAST22781B		0.35	0.89	<0.05	0.2	<0.005	0.15	5.1	1.7	0.01	27	1.43	0.01	0.7	7.6	20
KAST22798		4.90	23.0	0.17	3.5	0.117	4.04	38.1	27.4	0.72	2540	3.58	0.09	14.1	60.5	660
KAST22770		5.65	11.70	0.11	2.2	0.084	2.46	13.2	31.3	5.83	4450	0.74	0.07	13.4	40.6	680
KAST22771		5.39	7.92	0.09	1.4	0.116	1.58	9.1	16.8	7.84	3790	0.68	0.04	8.3	23.4	320
KAST22777		5.46	8.42	0.08	1.3	0.075	1.69	13.5	21.9	6.91	3220	0.75	0.07	8.0	49.8	370
KAST23612		3.11	17.60	0.17	2.7	0.079	2.65	24.1	21.4	1.04	663	11.15	0.34	10.7	57.2	870
KAST22782		3.37	3.31	0.05	0.5	0.040	0.66	5.3	8.7	8.59	2120	0.27	0.04	3.4	14.9	220
KAST22774		3.11	3.56	<0.05	0.6	0.048	0.61	7.9	9.4	8.34	1820	0.24	0.04	2.4	12.3	300
KAST23616		3.30	18.55	0.15	3.5	0.118	3.41	39.7	27.7	1.27	273	14.30	0.17	11.4	65.7	1200
KAST23601		3.69	17.55	0.18	3.2	0.115	3.05	36.8	27.1	1.21	394	20.8	0.20	12.3	79.5	1400
KAST22778		4.50	11.50	0.07	1.8	0.070	2.22	18.5	27.3	5.88	2960	0.81	0.11	16.4	27.3	470
KAST23609		2.54	16.55	0.17	3.1	0.081	2.84	37.3	23.2	1.23	1980	15.05	0.21	10.9	44.8	1410
KAST23603		4.40	16.25	0.14	2.0	0.083	1.83	21.1	29.9	2.11	790	8.23	0.77	8.6	64.8	1060
KAST23621		2.23	19.40	0.20	3.9	0.099	3.75	39.2	26.4	1.13	150	12.90	0.04	12.4	52.1	1040
KAST23620		3.77	17.75	0.21	3.1	0.174	3.20	35.8	24.7	1.05	190	19.60	0.11	10.4	54.4	1340
KAST23607		4.41	17.30	0.20	3.1	0.126	2.51	36.3	30.6	1.45	945	12.70	0.49	13.1	81.7	1470
KAST23619		2.78	18.80	0.20	3.1	0.129	3.18	37.9	26.8	1.17	150	15.85	0.22	11.1	43.6	1130
KAST23611		3.65	16.50	0.20	3.2	0.124	3.17	31.7	18.5	0.80	1100	15.50	0.19	9.9	69.2	1110
KAST23610		3.06	17.15	0.16	3.0	0.092	2.71	30.5	21.3	0.87	1380	11.15	0.43	9.7	60.1	1260
KAST23617		2.17	19.90	0.22	3.7	0.094	3.50	37.6	26.9	1.20	141	14.60	0.05	10.9	57.0	910



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
KAST22766		21.3	31.3	<0.002	<0.01	1.35	2.5	1	0.7	34.9	0.13	<0.05	2.45	0.048	1.0
KAST22796		9.2	169.5	<0.002	0.02	7.30	18.7	1	3.4	24.5	0.78	0.08	10.85	0.431	2.7
KAST22769		19.7	84.5	<0.002	0.15	2.99	2.9	1	1.7	37.9	0.31	<0.05	7.18	0.126	2.6
KAST22793		17.0	114.0	<0.002	0.02	2.38	15.1	2	2.7	60.7	0.86	0.11	10.35	0.407	2.4
KAST22795		12.3	149.5	<0.002	0.02	4.96	17.6	2	3.3	36.4	0.88	0.07	10.30	0.442	2.6
KAST22789		9.0	141.5	<0.002	0.02	4.20	17.0	2	3.2	32.1	0.78	0.05	10.20	0.391	2.3
KAST22785		8.3	173.5	<0.002	0.01	4.53	18.8	2	3.8	18.0	0.96	0.05	11.90	0.412	2.4
KAST22790		11.2	146.5	<0.002	0.02	5.96	18.4	2	3.3	37.7	0.85	0.11	10.45	0.420	2.5
KAST22783		16.0	198.0	<0.002	0.02	8.87	22.2	2	4.0	17.5	0.86	0.07	11.80	0.421	3.1
KAST22787		13.0	140.5	<0.002	0.03	4.31	19.7	2	3.1	37.6	0.85	0.08	11.45	0.409	2.5
KAST22773		114.5	24.6	<0.002	0.06	2.14	2.7	2	0.5	45.9	0.09	<0.05	2.21	0.038	1.4
KAST22780		46.9	34.5	<0.002	<0.01	1.48	3.0	1	0.8	33.7	0.11	<0.05	2.70	0.046	1.0
KAST22765		8.7	73.0	<0.002	<0.01	1.20	6.1	1	1.4	34.2	0.36	<0.05	6.55	0.136	1.9
KAST22791		12.8	129.5	<0.002	0.02	5.40	16.2	2	2.8	45.0	0.85	0.10	9.97	0.416	2.6
KAST22784		11.5	154.5	<0.002	0.02	5.55	17.2	1	3.5	31.3	0.88	<0.05	11.05	0.390	2.6
KAST22800		8.2	179.5	<0.002	0.01	3.47	18.4	1	3.6	16.4	0.84	0.06	10.40	0.396	2.1
KAST22792		9.6	138.5	<0.002	0.01	3.37	16.4	1	3.0	33.7	0.84	0.06	10.30	0.404	2.3
KAST22779		27.2	68.0	<0.002	0.02	1.67	7.9	1	1.5	74.1	0.33	<0.05	4.13	0.136	1.6
KAST22797		9.4	188.5	<0.002	0.01	6.09	18.9	1	3.6	16.7	0.84	0.10	11.10	0.418	2.4
KAST22781		23.3	34.7	<0.002	<0.01	2.67	3.2	1	0.7	43.9	0.18	<0.05	3.14	0.069	1.3
KAST22781B		3.4	3.9	<0.002	<0.01	0.22	0.5	<1	0.3	4.3	<0.05	<0.05	1.85	0.027	0.3
KAST22798		15.8	201	<0.002	0.02	12.20	18.2	2	3.4	14.9	0.76	0.14	10.65	0.383	3.2
KAST22770		16.3	122.5	<0.002	0.06	2.69	3.6	1	2.3	38.1	0.43	<0.05	8.39	0.172	2.6
KAST22771		22.7	78.7	<0.002	0.06	2.04	4.0	1	1.9	48.6	0.31	<0.05	5.12	0.113	1.7
KAST22777		30.1	71.8	<0.002	0.01	2.23	6.1	1	1.6	51.2	0.27	<0.05	4.55	0.108	1.7
KAST23612		16.5	127.0	0.002	0.03	4.69	11.9	1	2.5	40.8	0.66	0.11	7.62	0.286	4.7
KAST22782		10.5	25.9	<0.002	0.03	0.86	2.7	1	0.5	42.1	0.12	<0.05	1.96	0.043	0.8
KAST22774		13.0	25.4	<0.002	<0.01	1.05	2.3	1	0.6	32.5	0.12	<0.05	2.41	0.048	1.1
KAST23616		27.5	151.5	0.004	0.07	7.84	10.9	2	3.0	33.1	0.84	0.08	12.50	0.288	7.7
KAST23601		64.7	144.5	0.006	0.13	8.85	11.3	3	2.8	35.6	0.85	0.19	11.25	0.318	7.7
KAST22778		12.8	96.2	<0.002	0.03	2.34	7.3	1	2.2	60.4	0.43	<0.05	6.26	0.171	2.3
KAST23609		19.7	132.5	0.005	0.08	5.17	10.8	2	2.7	34.7	0.78	0.08	10.35	0.276	5.3
KAST23603		25.1	94.9	<0.002	0.07	5.13	17.5	2	1.8	94.8	0.61	0.09	6.11	0.324	3.3
KAST23621		20.9	166.5	0.010	0.05	4.84	11.4	2	3.2	17.6	0.88	0.11	12.30	0.273	8.2
KAST23620		48.0	142.0	0.005	0.15	11.55	10.3	2	3.2	32.1	0.73	0.13	10.85	0.266	5.5
KAST23607		28.6	123.5	<0.002	0.06	6.28	13.9	2	2.5	60.0	0.87	0.15	10.30	0.358	5.4
KAST23619		33.5	144.5	0.009	0.10	9.01	11.5	2	3.1	32.3	0.80	0.10	11.45	0.292	5.3
KAST23611		15.2	141.5	0.002	0.05	10.25	11.2	2	2.5	28.8	0.64	0.22	9.55	0.244	7.4
KAST23610		16.3	132.5	0.003	0.07	4.99	11.9	2	2.4	50.7	0.67	0.15	8.85	0.271	6.1
KAST23617		20.9	163.0	0.006	0.05	5.17	11.4	2	3.1	13.4	0.83	0.15	11.95	0.239	7.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
KAST22766		15	1.6	8.0	16	18.0
KAST22796		131	2.7	17.3	54	133.0
KAST22769		29	4.4	13.8	40	66.0
KAST22793		127	2.2	16.1	77	128.5
KAST22795		138	2.5	16.7	58	117.5
KAST22789		118	2.3	17.0	55	102.5
KAST22785		123	2.5	17.1	55	127.0
KAST22790		131	2.4	18.3	61	106.5
KAST22783		168	3.1	25.7	54	126.0
KAST22787		142	3.7	19.4	56	109.5
KAST22773		15	1.4	15.5	27	18.4
KAST22780		18	1.6	9.6	28	20.7
KAST22765		40	2.4	11.0	17	44.2
KAST22791		134	2.2	16.2	64	104.5
KAST22784		132	2.4	18.0	54	112.5
KAST22800		119	2.6	14.8	42	104.5
KAST22792		119	2.3	16.1	75	108.0
KAST22779		49	3.2	13.4	50	53.0
KAST22797		124	3.3	20.3	51	123.0
KAST22781		19	2.0	10.8	40	28.9
KAST22781B		4	0.1	1.0	5	4.8
KAST22798		141	3.6	23.1	42	136.5
KAST22770		36	7.4	15.8	24	90.9
KAST22771		29	4.7	12.7	22	52.9
KAST22777		39	3.4	12.9	41	48.5
KAST23612		187	1.6	12.9	82	117.0
KAST22782		13	1.2	6.6	34	18.7
KAST22774		13	1.2	6.8	15	22.9
KAST23616		160	1.9	21.6	90	124.5
KAST23601		211	1.9	18.9	232	116.0
KAST22778		54	5.6	13.9	32	71.4
KAST23609		186	1.7	14.6	141	117.5
KAST23603		202	1.5	13.1	159	73.1
KAST23621		153	1.9	22.8	117	134.5
KAST23620		218	1.7	15.5	206	117.0
KAST23607		191	1.9	18.8	177	114.0
KAST23619		243	1.9	15.4	138	118.0
KAST23611		202	2.1	17.0	90	122.0
KAST23610		183	1.7	14.6	111	113.0
KAST23617		175	1.8	22.0	100	132.0



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST23634		0.26	0.006	0.36	5.76	19.9	350	1.77	0.43	0.18	0.49	64.8	12.9	89	4.18	45.1
KAST23614		0.26	0.007	0.08	6.33	31.5	290	2.39	1.03	0.04	0.09	67.5	5.2	77	3.93	95.3
KAST23659		0.30	0.003	0.18	6.59	23.3	390	1.97	0.73	0.21	0.26	72.7	9.2	84	4.31	39.8
KAST23618		0.26	0.006	0.24	6.17	32.3	310	2.15	0.68	0.13	0.70	68.7	7.1	78	4.90	93.1
KAST23602		0.26	0.015	0.58	5.83	85.1	320	1.80	0.84	0.10	0.98	63.3	8.3	130	4.41	140.0
KAST23608		0.30	0.006	0.43	6.35	78.7	260	2.59	1.63	0.15	0.31	65.9	26.6	77	4.11	142.0
KAST23630		0.28	0.003	0.10	6.33	26.4	410	2.37	0.59	0.40	0.37	98.2	14.2	125	3.77	39.6
KAST23613		0.26	0.004	0.13	6.56	46.9	310	2.28	0.99	0.23	0.43	64.3	13.3	99	3.87	108.5
KAST23626		0.26	0.004	0.10	6.32	27.3	370	1.92	0.72	0.47	0.21	57.7	12.6	170	3.67	41.4
KAST23615		0.26	0.005	0.16	6.38	30.7	410	2.02	0.48	0.24	0.30	73.8	12.0	102	4.14	64.3
KAST23606		0.28	0.011	0.24	5.58	39.2	330	1.54	0.75	0.63	0.32	61.3	6.9	106	3.53	53.0
KAST23629		0.28	0.003	0.15	7.10	10.7	320	2.43	0.48	0.55	0.25	77.1	15.6	117	4.60	12.9
KAST23604		0.26	0.005	0.25	6.04	39.7	510	1.30	1.22	1.71	1.09	51.4	17.7	175	2.95	61.2
KAST23622		0.26	0.007	0.11	5.93	26.0	240	2.12	0.44	0.13	0.12	64.4	4.2	63	4.40	67.9
KAST23605		0.26	0.004	0.16	4.80	19.3	380	0.95	0.52	1.11	0.68	42.0	11.5	212	3.08	40.6
KAST22628		0.28	0.004	0.21	6.12	13.2	450	0.91	0.39	1.98	0.61	43.1	42.2	100	3.13	182.0
KAST22631		0.30	0.004	0.19	6.43	23.3	380	1.90	0.96	0.31	0.28	61.2	11.0	83	3.78	54.1
KAST22626		0.26	0.010	0.28	6.51	48.3	360	2.55	0.53	0.27	0.26	73.8	8.6	124	3.69	94.9
KAST22638		0.26	0.001	0.19	7.44	12.2	410	2.54	0.53	0.54	0.33	77.8	16.9	70	4.85	34.9
KAST22635		0.28	0.005	0.16	6.82	19.0	480	2.16	0.57	0.57	0.69	65.6	11.3	104	3.07	36.9
KAST22630		0.24	0.003	0.41	6.83	24.0	430	2.00	1.16	0.56	0.24	68.9	17.6	141	4.08	63.9
KAST22637		0.26	0.001	0.11	7.66	6.1	420	2.57	0.31	0.95	0.24	73.3	11.7	61	4.40	23.4
KAST22621		0.26	0.002	0.09	7.64	15.0	520	2.35	0.56	0.30	1.18	82.6	21.2	109	3.44	27.9
KAST22632		0.28	0.002	0.24	6.29	25.8	450	1.96	0.62	0.39	0.15	74.7	11.8	87	3.76	53.8
KAST22624		0.24	0.001	0.10	7.48	9.7	380	2.66	0.44	0.36	0.32	73.5	16.3	83	4.27	27.5
KAST22634		0.24	0.005	0.18	5.93	29.1	470	2.08	0.63	0.30	0.25	65.2	11.0	190	4.14	58.4
KAST22623		0.24	0.002	0.13	7.32	13.0	430	2.19	0.45	0.75	0.80	70.3	23.0	105	3.56	38.6
KAST22629		0.26	0.004	0.18	6.53	33.7	460	1.92	1.30	0.50	0.15	74.2	11.9	122	3.96	53.1
KAST22641		0.24	0.005	0.13	6.85	8.1	340	1.57	0.40	1.27	1.05	58.0	24.2	142	2.77	89.4
KAST22640		0.26	0.001	0.04	7.23	6.9	500	2.11	0.47	0.27	0.31	69.5	11.8	115	3.89	9.6
KAST22636		0.24	0.005	0.21	7.21	8.7	390	1.47	0.23	3.08	1.23	48.5	29.2	208	1.63	66.8
KAST22612		0.26	0.014	0.27	5.02	21.2	180	0.81	1.00	9.90	1.28	51.4	53.5	170	2.40	109.5
KAST22639		0.26	0.001	0.14	7.34	9.5	410	2.31	0.44	0.38	0.23	76.7	13.5	81	4.38	21.3
KAST22642		0.26	0.003	0.28	7.44	6.9	320	0.98	0.18	3.29	1.00	40.8	36.0	214	1.36	164.0
KAST22644		0.24	0.005	0.15	6.58	14.2	340	1.81	0.32	1.16	0.88	55.7	18.3	101	1.70	52.1
KAST22625		0.24	0.002	0.10	7.49	12.4	470	2.36	0.41	0.46	0.69	78.0	13.9	86	3.58	26.5
KAST22633		0.24	0.005	0.20	6.04	26.4	440	2.12	0.92	0.34	0.23	68.2	7.8	146	4.27	49.8
KAST22622		0.24	0.001	0.06	7.81	9.9	450	2.31	0.50	0.14	0.51	68.1	15.3	108	3.41	18.2
KAST22627		0.24	0.008	0.26	6.05	45.0	310	2.45	0.52	0.09	0.11	65.1	7.4	190	3.73	102.0
KAST22618		0.26	0.007	0.26	6.77	9.5	320	1.70	0.24	3.27	0.82	67.5	16.7	115	2.22	109.0



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAST23634		2.36	17.75	0.21	3.5	0.112	2.97	34.7	22.1	0.73	1060	12.80	0.31	11.8	48.9	880
KAST23614		1.85	18.20	0.17	3.7	0.119	3.68	36.5	16.4	0.75	64	12.00	0.03	9.9	49.1	490
KAST23659		3.09	20.6	0.20	3.7	0.108	3.32	39.3	26.2	1.65	540	18.55	0.10	12.6	58.3	1350
KAST23618		2.83	19.00	0.25	3.4	0.137	3.31	36.1	27.6	1.14	158	15.20	0.09	12.3	75.1	1230
KAST23602		3.96	16.75	0.22	3.3	0.118	3.09	35.3	27.1	1.05	215	24.8	0.10	9.6	89.3	1510
KAST23608		6.26	17.15	0.21	3.5	0.147	2.79	34.9	32.2	1.52	841	22.6	0.05	10.3	131.0	1850
KAST23630		3.94	20.9	0.22	3.3	0.096	2.24	52.9	29.6	0.98	660	12.15	1.10	26.7	54.1	660
KAST23613		4.09	18.30	0.23	3.4	0.107	3.51	35.5	19.2	0.83	909	18.10	0.12	9.8	105.0	1140
KAST23626		3.55	18.10	0.21	3.1	0.079	2.83	29.4	29.7	1.27	712	10.20	0.40	10.3	52.0	1060
KAST23615		3.64	18.65	0.21	3.4	0.095	2.93	38.6	33.1	1.57	424	14.65	0.26	13.4	73.2	1370
KAST23606		2.68	16.45	0.23	2.7	0.066	2.86	35.5	24.6	1.33	308	15.30	0.29	9.3	55.1	920
KAST23629		6.18	20.6	0.24	3.1	0.113	3.27	40.6	49.6	1.91	3190	2.62	0.26	12.2	36.7	490
KAST23604		4.48	17.70	0.15	2.4	0.070	2.08	25.7	33.9	2.16	852	9.26	0.86	10.0	72.5	990
KAST23622		1.85	17.25	0.24	3.4	0.063	3.18	33.6	27.2	0.86	57	12.00	0.03	9.7	41.7	990
KAST23605		3.17	14.80	0.17	2.0	0.056	1.84	21.9	23.7	1.50	666	8.28	0.49	8.4	45.5	720
KAST22628		7.53	19.45	0.17	1.4	0.141	1.26	19.7	33.9	2.50	1400	2.08	1.08	8.5	46.3	730
KAST22631		4.01	16.20	0.18	2.9	0.097	2.98	31.9	38.7	2.05	355	11.45	0.22	9.7	51.4	1120
KAST22626		3.89	17.00	0.20	2.8	0.118	2.96	39.6	42.8	1.91	286	13.20	0.34	12.7	51.3	960
KAST22638		4.22	19.40	0.20	3.1	0.078	3.27	38.4	67.1	3.37	913	1.00	0.33	12.2	34.6	490
KAST22635		4.12	16.30	0.16	2.6	0.088	2.92	33.9	54.0	2.99	488	5.64	0.69	13.2	42.1	960
KAST22630		5.01	17.40	0.18	2.7	0.124	2.85	35.2	39.1	2.16	613	11.30	0.44	10.4	55.2	1080
KAST22637		4.04	18.75	0.19	2.7	0.062	3.55	36.6	64.1	3.64	945	0.60	0.36	12.0	29.5	540
KAST22621		4.97	18.95	0.19	2.8	0.098	2.73	39.3	75.7	3.88	627	2.10	0.56	13.7	38.1	550
KAST22632		4.26	16.35	0.19	2.8	0.105	2.88	39.5	34.8	1.80	506	12.35	0.31	10.2	50.7	1420
KAST22624		4.51	18.65	0.20	3.0	0.092	3.19	37.0	70.3	3.60	1200	1.13	0.30	11.6	32.5	480
KAST22634		3.43	16.75	0.14	2.9	0.104	2.83	34.4	30.6	1.17	600	12.80	0.32	11.5	54.9	1250
KAST22623		5.03	18.00	0.17	2.6	0.102	2.45	35.6	73.5	3.96	977	1.89	0.70	10.9	48.3	520
KAST22629		5.22	17.20	0.16	3.1	0.117	2.51	39.6	44.4	2.44	402	16.95	0.31	10.4	60.3	1440
KAST22641		5.20	17.40	0.17	2.4	0.097	1.55	27.9	64.2	4.16	1380	2.09	1.74	16.7	65.4	710
KAST22640		4.85	19.50	0.18	2.9	0.071	2.47	34.4	66.4	3.94	550	1.30	0.37	15.6	29.5	700
KAST22636		6.69	15.15	0.16	1.7	0.087	1.76	26.6	59.2	4.86	1480	2.25	1.68	10.3	94.2	610
KAST22612		7.58	11.30	0.18	1.1	0.422	0.34	26.1	47.1	3.43	6280	6.11	1.36	55.5	75.7	430
KAST22639		4.38	19.15	0.18	3.2	0.066	2.84	38.6	70.2	3.78	859	1.06	0.37	13.6	30.9	590
KAST22642		6.82	15.30	0.14	1.7	0.089	1.19	21.5	56.9	4.44	1630	1.82	2.30	11.0	103.0	560
KAST22644		4.67	18.00	0.17	2.8	0.069	1.84	26.4	50.6	3.99	835	3.73	2.34	14.5	57.0	660
KAST22625		4.63	18.80	0.18	3.1	0.070	3.02	40.3	77.0	3.95	889	2.11	0.52	13.5	38.2	560
KAST22633		3.16	16.70	0.19	2.9	0.091	2.90	36.8	30.5	1.28	410	13.15	0.25	11.3	46.1	1130
KAST22622		4.71	19.80	0.17	2.9	0.085	2.88	31.8	77.5	3.93	483	1.41	0.29	12.3	30.5	420
KAST22627		3.41	15.85	0.17	2.7	0.116	2.96	35.9	31.8	1.10	288	16.20	0.12	10.2	61.3	1230
KAST22618		4.44	15.85	0.20	2.9	0.139	1.59	37.8	39.5	4.48	1650	3.17	2.75	15.1	63.7	860



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
KAST23634		12.5	136.0	0.002	0.04	3.44	10.2	2	2.7	31.3	0.92	0.16	11.10	0.270	5.7
KAST23614		8.1	162.5	0.006	0.05	4.98	11.1	3	3.1	10.7	0.75	0.19	11.75	0.225	7.4
KAST23659		19.6	154.0	0.006	0.05	5.31	12.1	1	3.1	24.3	0.89	0.14	12.25	0.300	6.5
KAST23618		24.9	159.0	0.011	0.10	6.03	11.0	3	2.8	28.3	0.87	0.16	11.60	0.248	7.6
KAST23602		55.7	144.0	0.010	0.24	12.35	11.1	5	2.5	23.9	0.67	0.20	10.90	0.244	8.8
KAST23608		53.0	133.0	0.008	0.12	9.72	10.9	5	2.7	16.3	0.76	0.13	12.50	0.232	6.6
KAST23630		16.9	126.0	0.002	0.03	3.77	12.3	2	2.6	51.7	0.83	0.13	10.50	0.340	4.7
KAST23613		14.6	158.0	0.004	0.03	5.94	11.8	4	2.7	21.1	0.68	0.18	9.95	0.249	7.6
KAST23626		13.2	143.0	<0.002	0.04	3.95	13.5	2	2.6	39.7	0.75	0.16	9.28	0.291	4.5
KAST23615		20.2	136.5	0.005	0.07	5.56	11.2	3	2.7	33.5	0.91	0.15	11.10	0.321	6.8
KAST23606		25.5	133.5	0.003	0.08	6.68	11.9	2	2.5	29.4	0.64	0.11	8.73	0.258	7.3
KAST23629		11.9	179.5	<0.002	0.02	3.05	15.0	2	2.8	27.7	0.85	<0.05	12.20	0.305	3.4
KAST23604		31.4	108.5	0.003	0.06	5.73	16.5	2	2.1	92.1	0.66	0.06	7.20	0.332	3.6
KAST23622		23.4	152.5	0.010	0.04	3.64	10.5	3	2.8	12.1	0.72	0.22	11.15	0.215	6.4
KAST23605		24.0	92.1	<0.002	0.05	4.39	13.9	2	1.9	58.5	0.59	<0.05	6.23	0.285	3.3
KAST22628		74.7	49.5	<0.002	0.04	2.55	25.7	1	1.2	99.6	0.54	0.07	3.92	0.540	1.5
KAST22631		22.8	117.0	0.005	0.06	4.16	13.9	1	2.3	28.3	0.69	0.09	9.22	0.308	4.8
KAST22626		30.4	131.5	0.005	0.09	6.73	12.0	4	3.5	24.7	0.74	0.13	11.15	0.297	5.6
KAST22638		24.3	154.5	<0.002	0.02	2.75	14.6	1	2.6	23.0	0.83	0.05	11.15	0.315	3.1
KAST22635		21.2	114.5	0.002	0.06	3.01	12.0	2	2.5	35.6	0.82	0.08	10.15	0.335	3.8
KAST22630		37.5	115.0	0.004	0.06	5.51	18.3	2	2.3	39.5	0.73	0.13	9.26	0.413	4.2
KAST22637		14.2	145.0	<0.002	0.03	2.25	14.0	1	2.6	21.3	0.81	<0.05	9.94	0.333	2.7
KAST22621		14.6	112.0	<0.002	0.03	1.43	14.1	2	2.5	36.2	0.88	0.05	9.82	0.379	2.9
KAST22632		24.0	115.5	0.003	0.10	4.57	13.0	2	2.3	38.1	0.71	0.07	9.83	0.326	4.6
KAST22624		11.4	146.5	<0.002	0.02	2.88	14.1	1	2.5	15.9	0.79	<0.05	10.70	0.320	3.0
KAST22634		24.0	132.0	0.002	0.06	4.82	12.4	3	2.7	39.6	0.75	0.16	10.10	0.314	5.2
KAST22623		19.7	119.5	<0.002	0.03	2.03	16.1	1	2.3	33.9	0.72	0.06	9.70	0.327	2.8
KAST22629		23.5	104.5	0.004	0.06	5.06	16.1	3	2.3	39.4	0.73	0.10	10.10	0.356	4.5
KAST22641		46.2	44.0	<0.002	0.03	1.92	16.6	2	2.1	43.8	0.85	0.06	7.37	0.392	2.7
KAST22640		8.6	133.5	<0.002	0.04	1.37	14.9	1	2.6	42.6	0.95	<0.05	9.78	0.393	2.7
KAST22636		42.7	59.1	<0.002	0.04	1.93	23.5	2	1.4	67.2	0.51	0.06	5.97	0.340	2.3
KAST22612		65.8	18.6	<0.002	0.06	3.90	26.4	3	1.1	124.5	0.38	0.17	3.72	0.236	1.3
KAST22639		17.0	138.0	<0.002	0.02	1.97	14.7	1	2.5	29.6	0.84	0.05	11.35	0.338	3.0
KAST22642		60.2	37.3	<0.002	0.05	2.35	26.4	1	1.4	83.8	0.49	0.05	4.69	0.437	1.6
KAST22644		39.2	38.6	0.002	0.11	1.53	13.6	2	2.2	39.5	0.86	0.08	7.92	0.372	3.5
KAST22625		15.3	131.5	<0.002	0.03	2.35	14.0	1	2.6	27.1	0.87	0.05	11.05	0.350	3.4
KAST22633		22.7	131.0	0.003	0.07	4.91	10.6	2	2.8	34.6	0.75	0.12	10.15	0.289	5.0
KAST22622		11.0	116.0	<0.002	0.02	1.36	14.7	1	2.7	23.2	0.84	0.06	8.98	0.342	2.7
KAST22627		22.7	134.5	0.005	0.09	6.70	11.3	4	3.2	21.0	0.68	0.16	10.15	0.279	5.8
KAST22618		81.0	43.1	<0.002	0.08	2.20	14.3	2	2.1	46.4	0.71	0.06	9.97	0.307	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
KAST23634		193	2.1	15.2	135	120.0
KAST23614		210	1.7	17.9	55	133.0
KAST23659		209	1.8	17.4	135	134.0
KAST23618		206	1.5	21.8	216	123.5
KAST23602		278	2.5	20.1	376	125.5
KAST23608		157	1.5	25.8	109	127.0
KAST23630		174	2.3	15.4	102	123.5
KAST23613		245	1.6	22.0	112	131.5
KAST23626		199	1.7	14.7	99	112.0
KAST23615		173	1.8	21.5	127	122.5
KAST23606		307	2.4	17.7	123	107.0
KAST23629		142	2.7	35.8	78	117.5
KAST23604		213	1.8	15.6	203	85.7
KAST23622		187	1.8	18.2	88	126.5
KAST23605		200	1.5	11.2	115	74.9
KAST22628		261	0.9	20.3	412	49.5
KAST22631		212	1.3	17.1	133	104.0
KAST22626		263	2.2	19.2	182	105.0
KAST22638		104	1.6	21.9	115	117.5
KAST22635		168	1.7	19.5	269	103.0
KAST22630		255	1.2	18.9	157	97.8
KAST22637		102	1.6	18.8	112	104.0
KAST22621		119	1.7	20.5	504	100.5
KAST22632		234	1.4	17.2	120	103.5
KAST22624		110	1.5	22.2	128	107.5
KAST22634		233	1.8	17.3	105	107.0
KAST22623		131	1.6	21.7	410	95.8
KAST22629		258	1.4	17.4	123	104.0
KAST22641		207	1.8	21.4	371	87.9
KAST22640		119	1.9	12.3	151	109.0
KAST22636		226	1.3	23.1	426	67.4
KAST22612		199	3.6	40.6	440	58.0
KAST22639		103	1.7	27.4	98	112.5
KAST22642		244	1.5	21.9	321	60.5
KAST22644		196	1.2	26.2	241	105.5
KAST22625		146	1.7	23.2	267	121.0
KAST22633		218	1.6	16.9	95	109.0
KAST22622		105	1.7	14.4	354	108.5
KAST22627		283	2.2	16.5	88	98.5
KAST22618		281	1.7	33.9	321	107.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST22643		0.24	0.002	0.13	7.41	8.5	400	1.95	0.41	0.50	1.36	72.2	17.0	124	3.32	27.2
KAST23038		0.28	0.009	0.43	7.48	22.7	210	1.58	0.24	0.93	0.88	36.6	45.5	120	2.65	179.0
KAST23040		0.28	0.005	0.20	7.16	10.4	160	1.23	0.09	1.15	0.62	31.0	32.2	117	1.68	88.1
KAST23041		0.28	0.003	0.21	7.61	9.8	210	1.00	0.11	2.02	0.70	30.0	40.2	149	1.90	97.1
KAST23047		0.26	0.004	0.11	6.57	10.0	300	1.33	0.20	1.82	0.76	44.6	26.7	155	2.22	55.3
KAST25065		0.28	0.003	0.55	1.22	22.0	50	0.53	0.57	18.15	0.16	17.50	4.3	14	0.59	13.6
KAST23054		0.26	0.013	0.62	5.89	48.1	330	1.79	0.28	0.07	0.11	67.8	3.2	77	3.72	81.3
KAST23034		0.26	0.018	0.57	5.51	50.7	290	1.69	0.35	0.07	0.14	57.4	3.7	95	3.12	106.0
KAST23035		0.26	0.015	0.76	6.09	84.9	290	1.86	0.40	0.08	0.53	56.1	13.0	92	4.02	187.0
KAST23046		0.26	0.001	0.07	6.47	12.4	2700	1.58	0.49	0.74	0.49	71.4	12.2	122	2.93	28.1
KAST25064		0.34	0.005	0.58	1.19	40.1	110	0.60	0.41	16.75	0.28	24.2	6.6	26	0.75	21.8
KAST23050		0.26	0.010	0.26	6.36	23.1	290	1.70	0.27	0.20	0.82	56.3	13.6	118	3.65	92.7
KAST23037		0.26	0.010	0.57	7.03	12.6	200	1.27	0.12	1.51	0.65	31.4	47.3	70	3.24	234
KAST23036		0.26	0.011	0.58	7.14	37.3	230	1.58	0.24	0.60	1.05	47.9	29.2	99	3.29	182.0
KAST23052		0.26	0.011	0.43	5.70	37.2	250	1.55	0.32	0.11	0.49	57.3	8.3	108	3.18	134.5
KAST25069		0.26	0.003	1.69	1.65	156.0	70	0.59	1.73	16.10	0.53	31.8	8.6	40	1.11	17.3
KAST23043		0.26	0.003	0.16	6.03	18.0	430	1.36	0.47	0.28	0.46	58.6	14.0	107	3.53	41.9
KAST23044		0.26	<0.001	0.06	6.47	11.2	520	1.56	0.39	0.25	0.46	71.9	9.7	106	3.06	22.8
KAST23039		0.28	0.005	0.36	7.85	12.8	210	1.24	0.09	0.97	0.94	27.3	46.8	173	2.72	172.5
KAST23042		0.26	0.004	0.13	6.16	21.4	380	1.41	0.57	0.42	0.37	58.4	15.1	142	3.62	56.2
KAST23051		0.26	0.011	0.45	6.56	36.8	290	1.47	0.29	0.40	0.53	47.4	23.5	104	3.71	169.5
KAST23065		0.22	0.003	0.13	5.80	21.6	550	1.24	0.50	0.65	0.60	55.7	16.5	187	3.72	49.8
KAST23069		0.24	0.003	0.17	6.94	10.5	250	0.87	0.09	0.27	0.98	29.4	28.7	139	1.48	65.5
KAST22645		0.28	0.004	0.15	6.46	32.9	320	1.34	0.31	1.44	0.29	67.1	28.7	128	1.89	99.6
KAST22608		0.28	0.006	0.28	7.15	7.4	260	1.09	0.24	3.71	0.91	47.8	27.4	147	1.87	108.5
KAST22613		0.26	0.008	0.30	6.45	15.9	190	0.75	0.49	5.86	1.23	45.8	46.5	212	1.93	193.5
KAST23055		0.24	0.012	0.77	5.98	56.3	300	1.74	0.27	0.02	0.11	67.4	4.3	84	3.91	99.1
KAST22606		0.26	0.010	0.44	6.53	18.9	370	1.60	0.40	2.14	1.77	65.7	22.6	124	2.38	115.0
KAST23048		0.24	0.005	0.22	7.03	12.5	310	1.32	0.24	0.97	0.70	48.8	26.0	158	2.85	80.2
KAST23057		0.24	0.015	0.66	5.45	82.7	240	1.69	0.32	0.05	0.60	60.1	7.1	110	3.18	193.0
KAST22619		0.24	0.001	0.05	7.19	11.9	590	1.46	0.36	0.20	0.15	56.7	10.7	144	2.89	9.3
KAST23062		0.24	0.013	0.41	5.93	40.6	340	1.35	0.31	0.12	0.31	50.2	7.3	115	3.36	88.0
KAST23060		0.24	0.015	0.50	5.94	56.8	320	1.47	0.35	0.06	0.20	57.4	7.8	105	3.44	119.0
KAST23056		0.26	0.017	0.63	5.52	73.6	270	1.69	0.32	0.04	0.21	62.5	6.1	89	3.52	147.5
KAST23066		0.26	0.004	0.09	6.12	18.3	500	1.31	0.63	0.42	0.29	54.4	17.4	187	2.88	48.9
KAST23059		0.26	0.012	0.35	6.00	60.4	320	1.63	0.33	0.04	0.20	58.3	7.7	97	3.12	119.5
KAST23067		0.24	0.004	0.12	5.91	24.7	550	1.22	1.05	0.66	0.68	56.4	20.4	214	3.18	51.7
KAST23068		0.26	0.001	0.19	6.01	25.6	500	1.13	0.79	0.79	2.32	45.0	22.5	140	4.33	60.5
KAST22604		0.26	0.002	0.12	6.66	17.3	590	2.15	0.34	1.11	0.51	58.8	11.8	110	2.50	27.0
KAST22616		0.26	0.007	0.32	7.96	11.2	350	0.66	0.18	3.15	1.35	28.7	48.7	257	2.05	102.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
KAST22643		5.05	18.60	0.18	2.8	0.141	2.20	34.5	65.5	4.16	761	2.08	1.12	12.9	38.0
KAST23038		8.30	18.50	0.18	1.7	0.087	1.71	18.0	43.7	1.77	983	7.02	0.54	6.3	92.2
KAST23040		7.08	17.40	0.14	1.6	0.071	1.52	14.8	43.4	1.74	690	3.52	0.70	5.5	73.1
KAST23041		8.19	16.95	0.15	1.4	0.070	1.64	14.4	49.9	2.93	1080	2.80	1.25	5.8	76.7
KAST23047		5.38	15.35	0.14	1.8	0.070	2.44	22.3	37.7	2.01	1180	5.50	0.50	7.0	61.1
KAST25065		3.33	3.05	0.11	0.5	0.042	0.64	11.7	17.4	10.25	2320	2.37	0.03	1.7	15.7
KAST23054		3.12	15.60	0.18	2.8	0.080	3.55	37.0	26.2	0.90	38	20.6	0.03	10.1	50.6
KAST23034		2.57	13.85	0.19	2.6	0.063	3.19	32.5	24.2	0.73	43	20.2	0.03	8.4	62.7
KAST23035		5.16	15.05	0.18	2.9	0.096	3.02	30.8	29.0	0.92	199	27.1	0.05	8.4	100.5
KAST23046		3.97	15.75	0.16	2.1	0.068	3.30	35.8	32.5	0.98	1040	3.19	0.19	9.5	27.3
KAST25064		4.34	2.80	0.11	0.6	0.064	0.43	15.8	10.2	10.45	2040	3.65	0.09	2.3	28.0
KAST23050		4.00	15.80	0.16	2.6	0.063	2.87	29.7	36.7	1.34	303	11.10	0.07	8.1	73.1
KAST23037		9.75	18.30	0.11	1.6	0.090	1.18	15.0	27.1	1.74	1370	4.72	0.83	7.0	70.1
KAST23036		6.60	18.15	0.13	2.5	0.090	2.35	25.4	28.6	1.14	681	12.10	0.33	7.9	95.1
KAST23052		3.23	15.15	0.17	2.7	0.074	2.99	31.8	26.2	1.00	105	16.10	0.04	8.6	83.2
KAST25069		3.56	4.33	0.12	0.8	0.057	0.79	22.3	12.9	9.93	1930	2.00	0.05	2.8	33.1
KAST23043		3.70	16.25	0.13	2.4	0.072	2.82	30.7	25.7	1.08	1040	7.07	0.22	9.7	36.8
KAST23044		3.44	16.75	0.15	2.3	0.060	3.78	36.4	27.9	1.03	791	2.62	0.18	10.1	22.8
KAST23039		8.69	18.35	0.11	1.4	0.076	1.52	12.3	38.7	1.95	1210	3.43	0.58	5.3	99.1
KAST23042		3.87	16.85	0.15	2.3	0.069	3.02	30.9	31.7	1.39	723	7.24	0.17	9.0	44.2
KAST23051		5.69	16.75	0.15	2.5	0.089	2.62	25.3	30.9	1.36	575	12.80	0.40	8.2	88.8
KAST23065		4.10	16.45	0.15	2.2	0.074	2.38	29.5	27.0	1.09	1140	6.83	0.49	9.8	40.5
KAST23069		6.29	16.75	0.12	1.7	0.086	2.37	14.4	39.7	1.80	668	7.36	0.06	5.0	68.6
KAST22645		6.52	18.65	0.15	2.6	0.086	1.37	34.0	42.9	3.71	1040	4.11	1.99	14.8	65.4
KAST22608		5.37	15.05	0.13	2.1	0.098	0.90	27.2	42.9	4.69	1860	2.05	2.68	12.4	88.4
KAST22613		7.91	14.75	0.12	1.6	0.271	0.39	23.2	48.0	4.19	4570	3.29	1.95	30.3	91.9
KAST23055		3.51	16.35	0.17	2.8	0.088	3.32	37.4	24.9	0.97	38	17.40	0.03	10.1	55.4
KAST22606		5.35	16.30	0.14	2.5	0.115	2.06	36.1	47.8	4.10	1120	4.81	1.73	11.1	79.8
KAST23048		5.72	17.80	0.14	2.0	0.071	2.47	24.7	36.4	1.85	996	5.22	0.43	7.4	68.4
KAST23057		3.63	14.05	0.16	2.6	0.124	3.06	34.1	20.4	0.69	234	21.6	0.03	9.1	76.2
KAST22619		5.49	20.2	0.13	2.9	0.048	2.63	27.4	62.0	3.76	480	3.30	0.47	13.1	30.2
KAST23062		3.50	14.95	0.15	2.4	0.079	3.16	28.1	26.0	1.16	202	13.90	0.11	8.3	63.8
KAST23060		3.73	14.95	0.17	2.7	0.088	3.31	32.2	22.9	0.91	171	18.85	0.05	8.9	71.7
KAST23056		3.96	14.60	0.15	2.6	0.099	3.16	35.4	21.7	0.84	150	21.1	0.03	9.3	72.8
KAST23066		4.16	16.25	0.14	2.1	0.093	3.07	28.6	30.0	1.27	894	5.64	0.26	8.3	45.0
KAST23059		3.65	15.45	0.18	2.8	0.086	3.46	32.5	23.0	0.86	140	17.80	0.03	8.7	75.0
KAST23067		4.42	16.30	0.16	2.1	0.086	2.72	29.6	26.8	1.15	1140	6.81	0.37	8.5	48.1
KAST23068		4.87	15.90	0.12	1.9	0.063	2.11	23.7	31.2	1.54	909	5.20	0.43	8.6	49.2
KAST22604		4.02	20.1	0.16	2.9	0.079	3.13	27.4	59.5	3.53	542	4.13	1.25	13.5	41.9
KAST22616		7.99	16.25	0.14	1.2	0.099	0.99	14.1	72.3	5.17	1800	1.54	2.04	7.2	143.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
KAST22643		57.5	90.0	<0.002	0.05	1.31	14.3	2	3.0	33.5	0.80	0.06	9.96	0.346	3.0
KAST23038		16.8	57.6	<0.002	0.03	3.18	36.4	2	1.1	35.1	0.42	0.13	4.20	0.603	2.9
KAST23040		9.0	52.8	0.002	0.02	1.88	36.2	2	0.9	33.6	0.38	0.10	3.72	0.518	2.3
KAST23041		13.3	51.7	0.002	0.03	2.00	38.0	2	1.0	63.6	0.38	0.08	3.29	0.571	1.6
KAST23047		25.1	84.7	<0.002	0.03	2.14	23.3	2	1.5	46.4	0.47	0.07	6.16	0.390	2.8
KAST25065		84.7	25.0	<0.002	<0.01	1.84	2.3	1	0.4	40.6	0.12	<0.05	2.36	0.049	1.9
KAST23054		20.3	144.0	0.007	0.15	8.10	10.8	4	2.2	18.1	0.71	0.11	11.35	0.259	7.5
KAST23034		19.9	126.0	0.011	0.11	6.75	12.3	5	2.0	17.1	0.60	0.20	9.26	0.261	8.7
KAST23035		27.1	119.0	0.004	0.19	9.03	17.4	7	1.9	23.3	0.58	0.28	9.51	0.313	8.8
KAST23046		14.8	119.5	<0.002	0.10	2.29	11.2	2	1.9	38.1	0.67	0.06	10.70	0.323	2.6
KAST25064		128.5	21.0	<0.002	0.01	3.10	3.3	3	0.3	39.1	0.18	0.06	2.47	0.060	2.5
KAST23050		11.5	108.0	0.004	0.07	3.94	17.1	3	1.7	18.7	0.55	0.18	7.99	0.332	5.8
KAST23037		14.4	40.2	0.003	0.04	3.63	36.1	2	1.1	53.1	0.46	0.09	3.12	0.739	2.5
KAST23036		17.9	80.8	0.003	0.08	5.36	26.6	3	1.6	28.7	0.55	0.16	6.86	0.516	5.7
KAST23052		13.4	115.0	0.005	0.10	6.24	12.2	4	2.1	17.2	0.62	0.18	9.07	0.254	7.7
KAST25069		161.5	33.6	<0.002	0.01	3.59	2.5	2	0.7	45.7	0.21	0.11	3.76	0.076	2.7
KAST23043		17.9	110.5	<0.002	0.04	3.29	12.6	1	2.1	35.9	0.71	0.05	8.37	0.345	3.6
KAST23044		12.8	120.5	<0.002	0.03	2.33	9.6	1	2.3	32.1	0.75	0.05	10.95	0.296	2.5
KAST23039		19.9	42.4	<0.002	0.02	2.62	37.9	2	1.0	34.9	0.37	<0.05	2.88	0.561	1.9
KAST23042		18.4	115.0	<0.002	0.05	3.62	13.6	1	2.2	32.0	0.65	0.07	8.38	0.301	3.6
KAST23051		15.2	88.3	0.002	0.08	5.23	20.7	3	1.6	30.1	0.58	0.17	7.14	0.442	5.6
KAST23065		28.1	105.5	<0.002	0.06	3.56	14.2	2	2.1	64.5	0.70	0.08	7.68	0.349	3.4
KAST23069		15.5	61.4	<0.002	0.03	2.13	27.8	2	0.8	12.4	0.38	0.07	4.40	0.403	2.8
KAST22645		41.4	50.5	0.002	0.09	3.00	18.8	3	1.9	61.6	0.92	0.09	7.76	0.567	2.7
KAST22608		110.5	25.5	<0.002	0.05	2.53	18.3	1	1.6	75.2	0.54	0.05	7.00	0.316	2.4
KAST22613		66.2	18.4	<0.002	0.06	3.39	25.5	2	1.6	91.2	0.46	0.09	4.85	0.345	1.6
KAST23055		22.9	130.5	0.017	0.13	10.20	10.7	5	2.4	18.8	0.74	0.12	11.05	0.266	7.4
KAST22606		62.7	63.9	0.002	0.09	4.14	15.3	3	2.0	54.1	0.69	0.09	9.01	0.311	3.8
KAST23048		23.5	85.2	<0.002	0.04	2.91	25.0	2	1.7	38.6	0.53	0.08	6.74	0.406	3.1
KAST23057		17.9	122.0	0.004	0.14	11.35	9.3	4	2.1	30.4	0.63	0.13	9.82	0.230	7.4
KAST22619		39.7	83.7	<0.002	0.03	1.90	13.4	1	2.7	37.7	0.94	<0.05	8.96	0.359	2.9
KAST23062		17.5	110.5	0.004	0.11	5.74	13.9	3	1.9	25.0	0.60	0.13	7.78	0.310	6.5
KAST23060		18.4	118.5	0.003	0.17	7.95	13.2	4	2.0	24.0	0.65	0.17	9.04	0.302	7.4
KAST23056		22.7	124.5	0.005	0.17	10.30	9.8	4	2.2	21.9	0.65	0.16	10.05	0.250	7.0
KAST23066		28.1	107.0	<0.002	0.03	3.94	14.5	1	2.0	39.8	0.59	0.08	8.07	0.318	3.1
KAST23059		17.1	123.0	0.003	0.17	7.80	13.3	4	2.1	19.7	0.64	0.13	9.42	0.284	7.3
KAST23067		40.7	107.0	0.002	0.05	4.60	15.1	1	2.0	54.8	0.62	0.12	7.28	0.353	3.3
KAST23068		34.5	95.3	<0.002	0.06	3.33	17.9	1	1.8	59.8	0.60	0.08	6.12	0.377	2.8
KAST22604		77.8	80.9	<0.002	0.05	1.89	12.7	2	3.0	56.3	0.98	0.07	8.44	0.343	3.5
KAST22616		112.0	29.6	<0.002	0.04	3.03	30.1	1	1.0	87.9	0.33	<0.05	3.10	0.343	1.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
KAST22643		117	1.6	21.2	408	105.0
KAST23038		363	0.6	20.4	508	57.3
KAST23040		318	0.5	18.2	446	55.7
KAST23041		319	0.5	17.6	359	44.1
KAST23047		225	0.8	15.8	242	64.3
KAST25065		46	0.3	9.7	63	18.1
KAST23054		320	2.0	20.2	258	107.5
KAST23034		346	1.9	23.1	220	98.4
KAST23035		327	1.6	26.2	508	111.5
KAST23046		116	1.2	17.1	121	79.3
KAST25064		37	0.3	14.0	102	24.0
KAST23050		299	1.3	22.6	403	91.4
KAST23037		413	0.5	25.2	347	50.9
KAST23036		365	1.1	28.5	579	85.5
KAST23052		313	1.7	27.2	385	103.0
KAST25069		62	0.6	11.9	286	30.5
KAST23043		218	1.4	13.3	168	83.5
KAST23044		105	1.2	12.9	104	81.8
KAST23039		354	0.4	19.2	485	42.6
KAST23042		213	1.2	15.7	162	84.5
KAST23051		336	1.2	26.7	531	90.1
KAST23065		216	1.3	15.1	180	78.7
KAST23069		295	0.5	14.5	268	58.2
KAST22645		248	1.2	23.6	196	90.3
KAST22608		261	1.5	26.7	374	76.0
KAST22613		276	2.9	34.4	451	62.3
KAST23055		298	2.1	19.0	377	101.5
KAST22606		254	1.6	29.1	485	94.2
KAST23048		262	1.0	18.9	303	68.6
KAST23057		329	2.0	25.6	381	98.5
KAST22619		142	1.8	13.4	137	105.5
KAST23062		318	1.6	18.8	284	88.4
KAST23060		332	1.8	20.3	323	98.7
KAST23056		301	2.0	20.9	357	100.0
KAST23066		189	1.2	14.1	156	75.6
KAST23059		320	1.8	21.0	290	99.8
KAST23067		217	1.2	13.1	200	78.6
KAST23068		229	1.0	12.5	240	68.6
KAST22604		169	2.1	23.8	336	105.0
KAST22616		229	1.2	18.9	527	42.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
KAST23053		0.26	0.016	0.71	5.88	79.3	300	1.68	0.40	0.10	0.59	56.1	12.6	93	3.41	267
KAST23053B		0.28	<0.001	0.01	0.32	0.5	10	0.09	0.02	<0.01	<0.02	10.70	0.7	337	0.22	4.1
KAS25036		0.28	0.001	1.03	4.65	39.6	250	1.51	0.75	5.70	0.55	53.6	24.2	72	4.47	41.1
KAS25039		0.26	0.004	1.98	5.47	35.0	360	1.82	2.72	1.22	0.28	61.4	104.0	108	6.74	312
KAS25037		0.28	0.003	1.47	5.05	46.6	290	1.71	1.66	4.70	0.39	56.4	45.4	74	5.24	106.5
KAS25038		0.30	0.003	1.27	5.47	35.4	350	1.81	1.95	2.50	0.31	61.3	61.8	89	6.12	170.0
KAS25040		0.26	0.004	2.30	6.11	22.7	410	1.99	3.02	0.47	0.28	63.5	84.7	119	7.24	282
KAS25042		0.26	0.008	1.26	6.30	78.2	410	1.84	1.10	1.07	2.58	65.8	57.6	124	7.03	41.4
KAS25045		0.26	0.001	0.42	5.93	14.2	450	1.75	0.53	0.38	0.18	65.0	36.6	112	8.06	106.0
KAS25043		0.28	0.002	0.25	6.27	2.9	510	2.08	0.32	0.96	0.47	68.1	16.9	108	5.92	19.8
KAS25067		0.26	0.002	0.59	0.77	14.9	50	0.41	0.50	18.55	0.18	14.65	3.5	19	0.56	9.1
KAS25047		0.26	0.001	0.19	5.04	12.3	360	1.68	0.29	3.83	0.21	57.7	12.8	75	7.67	24.1
KAS25048		0.22	0.001	0.48	5.40	14.7	380	1.74	0.57	2.36	0.36	61.1	22.0	89	6.42	54.0
KAS25044		0.26	0.002	0.41	6.52	35.0	460	2.09	0.43	0.67	0.96	67.2	16.5	132	7.76	28.8
KAS25059		0.28	0.003	0.72	0.68	34.1	40	0.33	2.85	18.55	1.46	12.85	6.8	12	0.51	14.6
KAS25061		0.32	<0.001	6.32	0.44	11.3	30	0.19	0.54	19.90	0.77	11.05	2.4	6	0.26	18.6
KAS25056		0.26	<0.001	0.15	2.07	7.4	130	0.74	0.27	13.40	0.15	28.4	3.9	45	1.02	8.2
KAS25058		0.28	<0.001	0.19	2.21	7.1	80	0.72	0.30	16.65	0.26	34.1	3.5	25	1.08	8.2
KAS25060		0.26	0.005	0.78	0.45	46.7	40	0.29	3.53	18.75	0.41	10.85	5.8	9	0.36	15.9
KAS25041		0.26	0.025	4.77	4.75	23.2	450	1.50	2.62	0.63	3.96	55.2	159.5	177	4.24	275
KAS25055		0.26	<0.001	0.20	2.68	10.3	170	0.86	0.20	12.85	0.24	37.9	4.6	42	1.36	9.6
KAS25046		0.26	<0.001	0.26	6.14	3.5	450	1.72	0.37	0.44	0.12	66.1	25.1	125	8.67	80.5
KAST23027		0.24	0.001	0.07	6.58	11.8	600	1.47	0.43	0.52	0.33	71.9	10.7	109	3.19	25.2
KAST23015		0.26	0.004	0.36	6.44	22.2	490	1.22	0.28	0.70	0.49	49.0	23.8	117	3.65	92.3
KAST23017		0.26	0.003	0.21	6.28	21.2	530	1.30	0.37	0.43	0.37	54.3	13.6	153	3.72	61.3
KAST23018		0.26	0.002	0.10	6.62	14.5	520	1.63	0.45	0.28	0.29	67.4	11.1	89	3.56	31.7
KAST23019		0.26	0.002	0.05	6.89	21.1	500	1.65	0.44	0.23	0.21	65.0	14.0	137	3.65	44.0
KAST23031		0.26	0.006	0.41	7.29	11.6	270	0.92	0.11	1.33	1.47	28.1	49.0	109	3.16	189.0
KAST23030		0.26	0.006	0.19	7.11	4.7	330	0.52	0.08	3.23	0.38	17.20	45.3	133	2.15	101.5
KAST23020		0.26	0.003	0.07	6.73	20.4	530	1.41	0.38	0.30	0.16	60.5	15.3	151	3.62	51.1
KAST23016		0.24	0.003	0.39	6.16	21.0	540	1.16	0.35	0.48	0.38	48.9	19.9	174	4.09	84.4
KAST23006		0.24	<0.001	0.08	7.35	9.0	630	2.04	0.40	0.25	0.16	67.6	18.2	156	5.44	20.3
KAST23021		0.26	0.002	0.12	6.62	16.7	530	1.90	0.43	0.28	0.23	73.6	13.5	163	3.30	39.3
KAST23022		0.26	0.002	0.11	6.70	15.9	470	1.84	0.37	0.51	0.16	65.9	14.5	164	3.12	38.9
KAST23023		0.26	0.002	0.16	6.38	30.8	520	1.63	3.51	0.30	0.19	62.1	13.7	123	3.19	40.1
KAST23024		0.24	0.002	0.14	6.29	17.6	580	1.60	0.50	0.42	0.30	61.5	12.6	173	3.14	34.9
KAST23026		0.26	0.002	0.08	6.15	16.0	510	1.54	0.42	0.61	0.36	59.5	15.0	116	3.48	42.4
KAST23003		0.26	0.002	0.06	7.86	10.4	390	3.21	0.91	0.05	0.09	44.0	21.6	102	4.87	24.6
KAST23029		0.26	0.003	0.33	6.90	27.5	710	2.13	1.34	0.34	0.19	70.9	14.7	154	3.30	74.5
KAST23025		0.26	0.001	0.14	6.44	12.1	480	1.43	0.47	0.55	0.77	64.3	14.9	113	3.16	34.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
Sample Description		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
KAST23053		4.72	14.20	0.16	2.8	0.085	3.17	31.5	22.8	0.80	207	24.2	0.04	8.1	142.0	2070
KAST23053B		0.37	0.90	0.08	0.2	<0.005	0.15	5.1	1.5	0.01	27	0.94	0.01	0.8	7.8	20
KAS25036		3.42	11.80	0.14	1.6	0.062	2.39	27.2	39.6	3.69	1280	1.46	0.04	6.1	31.0	480
KAS25039		8.47	13.70	0.13	2.2	0.066	3.06	31.0	54.2	2.32	775	5.25	0.04	4.3	121.5	460
KAS25037		5.03	12.80	0.14	1.8	0.079	2.71	29.3	46.6	3.66	1350	2.57	0.04	6.2	51.6	510
KAS25038		6.32	13.80	0.15	1.9	0.067	3.03	31.1	54.2	2.91	964	3.56	0.03	5.3	68.6	490
KAS25040		8.32	15.20	0.17	2.2	0.074	3.54	32.1	58.5	2.05	604	5.02	0.04	4.8	110.5	460
KAS25042		5.29	15.05	0.14	2.1	0.066	3.24	32.9	47.6	1.00	1240	3.28	0.04	4.6	62.2	310
KAS25045		4.39	14.90	0.15	2.0	0.049	3.61	32.4	54.8	2.36	348	2.76	0.05	7.6	52.5	460
KAS25043		3.40	15.40	0.15	2.1	0.048	3.30	33.6	51.1	1.15	990	1.77	0.04	6.6	30.7	270
KAS25067		2.65	1.91	0.11	0.4	0.041	0.28	8.3	6.7	11.50	2160	1.65	0.03	1.5	14.8	340
KAS25047		2.98	12.60	0.15	1.7	0.043	3.07	28.8	52.0	3.61	746	0.91	0.03	7.2	27.3	500
KAS25048		3.76	13.55	0.17	1.8	0.052	2.86	31.1	52.6	2.63	865	1.40	0.05	7.1	36.3	520
KAS25044		3.47	15.65	0.17	2.2	0.054	3.35	33.8	43.5	1.15	1420	1.52	0.06	7.5	37.3	320
KAS25059		4.30	1.62	0.11	0.3	0.079	0.31	7.9	5.2	10.45	2690	3.71	0.03	1.1	25.3	280
KAS25061		2.46	1.09	0.09	0.2	0.091	0.21	6.8	3.9	10.45	2960	1.04	0.02	0.7	10.4	210
KAS25056		1.71	5.15	0.12	0.8	0.034	1.43	16.0	21.9	8.54	1610	0.68	0.03	3.4	10.3	470
KAS25058		2.67	6.13	0.12	0.9	0.099	1.22	21.8	22.4	9.25	3630	0.72	0.04	3.7	10.3	520
KAS25060		4.64	1.08	0.09	0.3	0.055	0.18	6.5	3.8	11.55	1880	4.10	0.03	0.8	26.8	250
KAS25041		13.85	10.45	0.11	2.5	0.158	2.48	27.3	24.3	0.91	1040	9.31	0.15	3.5	177.0	420
KAS25055		1.96	6.60	0.11	1.0	0.042	1.94	22.0	26.4	7.88	1860	0.73	0.04	4.3	12.5	600
KAS25046		4.28	14.90	0.14	2.1	0.054	3.64	33.0	54.9	2.57	421	1.96	0.04	7.7	47.5	450
KAST23027		3.49	16.65	0.17	2.4	0.073	3.82	36.1	26.4	1.12	910	3.43	0.25	10.4	30.1	670
KAST23015		5.46	15.20	0.13	2.1	0.083	2.15	25.0	26.3	1.70	998	6.56	0.69	8.4	60.9	960
KAST23017		4.34	16.00	0.13	2.5	0.081	2.69	28.1	25.6	1.16	834	7.36	0.31	9.4	44.5	960
KAST23018		3.16	17.50	0.16	2.4	0.072	3.67	33.7	32.6	1.10	505	3.88	0.24	10.9	33.4	710
KAST23019		4.18	17.75	0.19	2.7	0.074	3.39	32.9	35.4	1.37	583	4.48	0.24	10.9	41.2	520
KAST23031		8.77	17.70	0.15	1.3	0.092	1.43	12.5	37.7	2.64	1530	4.16	0.88	5.9	94.3	660
KAST23030		9.31	17.50	0.10	1.1	0.093	1.56	7.0	41.3	3.96	1200	1.14	1.61	5.5	71.1	520
KAST23020		4.37	18.15	0.16	2.4	0.076	3.02	31.2	30.5	1.10	629	5.87	0.27	10.9	45.8	560
KAST23016		4.63	16.95	0.15	2.4	0.072	2.39	25.5	28.0	1.30	1220	7.17	0.47	10.2	50.3	950
KAST23006		5.00	21.5	0.15	2.8	0.085	2.46	33.1	37.1	1.16	1900	1.33	0.35	12.7	30.0	570
KAST23021		3.72	17.40	0.17	2.6	0.075	3.46	36.3	38.1	1.12	1120	4.07	0.27	10.4	37.3	630
KAST23022		3.91	17.80	0.15	2.6	0.068	3.41	32.6	39.3	1.32	754	3.79	0.37	10.2	37.6	590
KAST23023		3.84	16.70	0.16	2.3	0.067	3.01	30.4	37.6	1.16	697	3.94	0.32	10.0	66.8	620
KAST23024		3.77	16.25	0.18	2.4	0.066	2.91	31.9	37.0	1.26	790	5.22	0.30	11.2	38.5	660
KAST23026		3.78	16.60	0.15	2.3	0.065	3.13	30.2	35.1	1.18	935	4.57	0.28	9.9	36.8	700
KAST23003		5.14	23.1	0.15	3.2	0.100	3.36	18.2	53.1	1.35	1040	0.73	0.14	12.9	44.6	350
KAST23029		3.82	17.65	0.17	3.0	0.108	4.08	36.4	38.3	0.84	703	10.75	0.28	11.2	57.2	870
KAST23025		3.64	16.15	0.10	2.3	0.062	3.29	31.9	32.5	1.17	1110	3.95	0.28	9.1	34.3	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2015
Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
KAST23053		19.7	115.0	0.006	0.19	9.80	13.0	5	2.0	27.1	0.63	0.17	9.63	0.267	1.85
KAST23053B		0.5	3.6	<0.002	<0.01	0.23	0.5	<1	0.4	4.2	<0.05	<0.05	1.84	0.025	0.05
KAS25036		278	80.8	<0.002	0.06	3.86	7.7	2	1.5	51.8	0.44	0.10	8.32	0.188	0.43
KAS25039		371	108.0	<0.002	0.49	8.61	9.5	4	1.6	22.3	0.29	0.42	11.50	0.175	0.64
KAS25037		282	95.2	<0.002	0.18	4.77	8.8	3	1.5	43.4	0.45	0.22	9.63	0.198	0.48
KAS25038		256	108.0	<0.002	0.26	5.86	9.6	3	1.7	30.9	0.36	0.32	10.55	0.193	0.61
KAS25040		559	126.0	<0.002	0.42	9.38	10.6	3	1.8	21.3	0.31	0.44	11.65	0.197	0.77
KAS25042		354	133.0	<0.002	0.10	6.10	9.3	1	1.5	32.0	0.33	0.09	11.05	0.166	0.70
KAS25045		99.2	137.5	<0.002	0.17	3.50	9.7	2	1.8	16.8	0.56	0.11	10.80	0.254	0.74
KAS25043		74.9	147.0	<0.002	0.04	2.58	9.7	1	1.6	23.0	0.50	0.05	11.05	0.222	0.65
KAS25067		78.3	12.6	<0.002	<0.01	1.13	2.1	1	0.3	45.9	0.12	<0.05	1.77	0.037	0.20
KAS25047		76.5	116.5	<0.002	0.04	2.03	7.9	1	1.5	40.2	0.54	0.07	8.61	0.224	0.69
KAS25048		152.5	109.5	<0.002	0.08	2.74	8.6	1	1.6	33.5	0.51	0.11	9.75	0.230	0.60
KAS25044		198.0	152.0	<0.002	0.04	3.11	10.1	1	1.8	25.5	0.56	0.06	11.15	0.253	0.66
KAS25059		163.0	15.0	<0.002	0.01	1.80	2.0	1	0.3	48.9	0.09	0.05	1.53	0.027	0.30
KAS25061		129.5	8.0	<0.002	<0.01	0.78	1.5	1	0.2	44.0	0.06	<0.05	0.95	0.017	0.08
KAS25056		55.3	41.4	<0.002	<0.01	1.04	3.1	1	0.7	34.8	0.28	<0.05	4.11	0.103	0.28
KAS25058		82.9	52.1	<0.002	<0.01	0.91	3.2	1	0.8	47.7	0.28	<0.05	4.44	0.108	0.25
KAS25060		85.9	7.4	<0.002	<0.01	1.97	1.6	2	0.2	61.1	0.07	<0.05	1.08	0.022	0.49
KAS25041		1375	105.5	<0.002	0.77	25.0	7.0	2	1.2	31.0	0.24	0.35	11.50	0.143	0.73
KAS25055		67.4	51.9	<0.002	0.01	1.24	3.8	1	0.9	35.0	0.35	0.05	5.21	0.129	0.30
KAS25046		71.3	146.0	<0.002	0.10	2.95	9.5	1	1.8	15.5	0.59	0.07	11.10	0.261	0.84
KAST23027		22.8	133.5	<0.002	0.04	2.89	10.1	1	2.1	42.7	0.78	0.05	11.45	0.331	0.84
KAST23015		23.3	87.3	<0.002	0.06	3.54	18.6	2	1.5	64.1	0.59	0.14	6.77	0.424	0.94
KAST23017		20.3	105.5	0.002	0.06	3.07	12.8	2	2.0	48.4	0.69	0.11	8.39	0.351	1.02
KAST23018		13.7	131.0	<0.002	0.04	2.86	11.6	1	2.4	39.5	0.79	0.05	10.55	0.337	0.89
KAST23019		19.1	130.5	<0.002	0.03	3.07	13.7	1	2.2	37.7	0.81	0.09	9.68	0.381	0.98
KAST23031		17.1	48.3	<0.002	0.03	3.02	37.1	2	0.9	49.2	0.40	0.05	2.48	0.634	0.63
KAST23030		11.8	23.3	<0.002	0.03	2.42	35.6	1	1.0	113.5	0.36	0.06	1.42	0.636	0.45
KAST23020		18.2	125.0	<0.002	0.04	3.07	14.8	2	2.2	43.0	0.77	0.11	8.83	0.406	1.00
KAST23016		24.1	99.3	0.002	0.06	2.98	16.1	2	2.0	52.4	0.72	0.11	7.28	0.438	1.12
KAST23006		14.9	142.5	<0.002	0.02	2.62	15.2	1	3.1	47.2	0.90	0.06	9.92	0.445	0.78
KAST23021		17.1	133.5	<0.002	0.04	3.29	12.2	1	2.2	43.4	0.77	0.08	10.70	0.343	1.00
KAST23022		15.3	128.5	<0.002	0.03	3.23	13.9	1	2.2	43.5	0.75	0.08	9.85	0.367	0.86
KAST23023		24.2	117.0	<0.002	0.03	8.67	12.7	1	2.0	45.8	0.74	<0.05	9.55	0.334	0.85
KAST23024		18.9	113.0	<0.002	0.04	2.88	12.4	1	2.1	47.3	0.73	0.06	9.10	0.348	0.91
KAST23026		17.9	121.0	<0.002	0.04	2.83	13.2	1	2.0	44.1	0.73	0.07	9.26	0.348	0.84
KAST23003		7.5	132.0	<0.002	0.01	4.75	17.3	1	3.6	15.6	0.91	<0.05	7.39	0.425	0.78
KAST23029		96.3	133.5	0.003	0.12	4.65	12.1	2	2.5	50.3	0.81	0.08	11.90	0.351	1.08
KAST23025		25.3	126.5	<0.002	0.03	2.60	13.7	1	2.1	42.9	0.70	0.05	9.96	0.339	0.81



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
KAST23053		340	1.9	30.3	618	103.0
KAST23053B		5	0.1	1.0	2	5.0
KAS25036		42	1.5	11.5	278	62.5
KAS25039		53	1.2	10.6	277	93.4
KAS25037		47	1.5	11.6	251	72.8
KAS25038		52	1.3	10.3	272	80.6
KAS25040		61	1.0	9.8	260	100.5
KAS25042		65	1.5	12.0	894	82.4
KAS25045		60	1.0	8.4	134	75.8
KAS25043		63	1.0	10.1	171	73.2
KAS25067		32	0.3	10.0	69	13.7
KAS25047		45	1.2	8.2	137	61.3
KAS25048		51	1.3	9.2	185	65.0
KAS25044		64	1.4	9.8	305	74.8
KAS25059		30	0.2	9.7	332	12.0
KAS25061		18	0.2	9.0	93	6.0
KAS25056		28	0.5	10.1	90	27.3
KAS25058		32	0.6	12.1	82	31.8
KAS25060		24	0.2	8.0	99	8.7
KAS25041		53	0.6	18.2	2720	104.5
KAS25055		31	0.6	11.3	93	36.4
KAS25046		62	1.0	8.5	112	76.3
KAST23027		121	1.3	16.4	110	81.3
KAST23015		262	1.1	16.9	335	71.5
KAST23017		203	1.3	16.9	204	84.3
KAST23018		132	1.5	14.7	101	84.5
KAST23019		176	1.5	14.4	134	93.6
KAST23031		363	0.5	23.3	822	44.3
KAST23030		337	0.4	14.9	305	32.7
KAST23020		213	1.4	14.3	144	87.2
KAST23016		260	1.4	14.0	224	85.6
KAST23006		140	2.1	13.9	80	102.0
KAST23021		143	1.4	17.4	108	89.8
KAST23022		152	1.3	14.6	119	90.5
KAST23023		150	1.4	14.3	143	80.5
KAST23024		168	1.5	14.9	143	84.9
KAST23026		169	1.3	15.3	135	83.5
KAST23003		134	2.6	11.2	52	114.5
KAST23029		213	1.7	19.1	106	104.0
KAST23025		149	1.3	13.0	162	74.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 30-OCT-2015
 Account: CANMID

Project: QA71

CERTIFICATE OF ANALYSIS VA15158389

	CERTIFICATE COMMENTS
	<p>ANALYTICAL COMMENTS</p> <p>Applies to Method: NSS is non-sufficient sample. ALL METHODS</p> <p>Applies to Method: REE's may not be totally soluble in this method. ME-MS61</p> <p>LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <p>Applies to Method: Au-ICP22 LOG-24 LOG-QC ME-MS61 WEI-21</p>