ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND GEOCHEMICAL SAMPLING

Field work performed August 3 to 31, 2013

at the

CD PROPERTY

CCC, DDD and Shamrock Claims

NTS 115I/03, 04 and 115H/13
Latitude 62°04´N; Longitude 137°44´W

located in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

H. Burrell, B.Sc., P.Geo.
March 2014

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	3
REGIONAL GEOLOGY	5
PROPERTY GEOLOGY	7
MINERALIZATION	8
SOIL AND STREAM SEDIMENT GEOCHEMISTRY	9
GEOPHYSICAL SURVEYS	10
DETAILED DESCRIPTIONS OF SPECIFIC MINERALIZED AREAS	11
Schist Area	11
Maloney Area	13
DISCUSSION AND CONCLUSIONS	17
REFERENCES	19

APPENDICES

I STATEMENT OF QUALIFICATIONS

II STATEMENT OF EXPENTIDURES

III CERTIFICATES OF ANALYSIS

IV ROCK SAMPLE DESCRIPTIONS

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	In pocket
3	Tectonic Setting	5
4	Regional Geology	6
5	Rock Sample Locations	In Pocket
6	Soil Sample Locations	In Pocket
7	Gold Soil and Silt Geochemistry	In Pocket
8	Silver Soil and Silt Geochemistry	In Pocket
9	Arsenic Soil and Silt Geochemistry	In Pocket
10	Total Field Magnetics	In Pocket
11	First Vertical Derivative – Regional Magnetics	In Pocket
12	Schist Area – Mineralization	12
13	Schist Area – Gold Soil Geochemistry	13
14	Schist Area – Silver Soil Geochemistry	13
15	Schist Area – Arsenic Soil Geochemistry	13
16	Schist Area – Antimony Soil Geochemistry	13
17	Schist Area – Copper Soil Geochemistry	13
18	Maloney Area – Detailed Geology	In pocket
19	Maloney Area – Gold Soil Geochemistry and IP	15
20	Maloney Area – Silver Soil Geochemistry and IP	15
21	Maloney Area – Arsenic Soil Geochemistry and IP	15

22 Maloney Area – Copper Soil Geochemistry and IP 15

23 Maloney Area – Molybdenum Soil Geochemistry and IP 15

24 Maloney Area – Lead Soil Geochemistry and IP 15

TABLES

I Lithological Units 6

II Soil Geochemical Thresholds 10

III Schist Area – Anomalous Rock Geochemistry 12

IV Maloney Area – Diamond Drill Hole Details 16

INTRODUCTION

The CD property hosts copper-gold porphyry and gold enriched vein prospects, plus a number of large multi-element soil geochemical anomalies. The property lies within the southern part of the Dawson Range Gold Belt (DRGB) of southwestern Yukon. The area was originally staked to cover creeks that yielded strongly anomalous gold values from historical stream sediment sampling. The property is owned 100% by Strategic Metals Ltd. Most of the claims have no underlying royalties; however, the Shamrock 1 to 12 claims are subject to a 2% Net Smelter Return royalty (NSR) for gold and a 1% NSR for other metals – 50% of which can be purchased for $1M.

This report describes an exploration program that was conducted on the CD property between August 3 and 31, 2013 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The program comprised geological mapping, prospecting and geochemical sampling, which were performed from four fly camps located on the property. The author supervised the program and interpreted all related data; her Statement of Qualifications is in Appendix I. A Statement of Expenditures appears in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The CD property is an amalgamation of 1354 contiguous CCC, DDD and Shamrock claims, which are located on NTS map sheets 115I/03 and 04 and 115H/13. The property is centred at latitude 62°04′ north and longitude 137°44′ west (Figure 1). It covers an area of approximately 27,419 ha (274 sq km). The claims are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date*
CCC 1-34	YD55971-YD56004	April 15, 2014
40	YD56010	April 15, 2014
42	YD56012	April 15, 2014
44	YD56014	April 15, 2014
46	YD56016	April 15, 2014
48	YD56018	April 15, 2014
50-80	YD56020-YD56050	April 15, 2014
97-126	YD56067-YD56096	April 15, 2014
135-148	YD56105-YD56118	April 15, 2014
150	YD56120	April 15, 2014
152	YD56122	April 15, 2014
154	YD56124	April 15, 2014
156	YD56126	April 15, 2014
158	YD56128	April 15, 2014
160	YD56130	April 15, 2014
162	YD56132	April 15, 2014
164	YD56134	April 15, 2014
174	YD56144	April 15, 2014

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

CD PROPERTY

0 200 km

FILE: .../2013/CD | DATE: MARCH 2014



176	YD56146	April 15, 2014
178-186	YD56148-YD56156	April 15, 2014
218-224	YD56188-YD56194	April 15, 2014
260	YD56230	April 15, 2014
262	YD56232	April 15, 2014
343-350	YD108793-YD108800	April 15, 2014
356	YD108806	April 15, 2014
358-401	YD108808-YD108851	April 15, 2014
403-508	YD108853-YD108958	April 15, 2014
525	YD108975	April 15, 2014
527	YD108977	April 15, 2014
529	YD108979	April 15, 2014
531-537	YD108981-YD108987	April 15, 2014
DDD 53	YD34193	April 15, 2017
55-60	YD34195-YD34200	April 15, 2017
69-81	YD34209-YD34221	April 15, 2017
99-112	YD34239-YD34252	April 15, 2017
129-142	YD34269-YD34282	April 15, 2017
155	YD34295	April 15, 2017
157	YD34297	April 15, 2017
159-172	YD34299-YD34312	April 15, 2017
185-202	YD34325-YD34342	April 15, 2017
215-232	YD34355-YD34372	April 15, 2017
247-262	YD34387-YD34402	April 15, 2017
277-292	YD34417-YD34432	April 15, 2017
307-452	YD34447-YD34592	April 15, 2017
454	YD34594	April 15, 2017
465-486	YD34605-YD34626	April 15, 2017
488	YD34628	April 15, 2017
503-508	YD34643-YD34648	April 15, 2017
521-530	YD108591-YD108600	April 15, 2016
532	YD108602	April 15, 2016
557-588	YD108627- YD108658	April 15, 2016
590	YD108660	April 15, 2016
593	YD108663	April 15, 2016
604	YD108674	April 15, 2016
606	YD108676	April 15, 2016
608	YD108678	April 15, 2016
610	YD108680	April 15, 2016
612	YD108682	April 15, 2016
614	YD108684	April 15, 2016
616	YD108686	April 15, 2016
618	YD108688	April 15, 2016
713-764	YD122201-YD122252	April 15, 2016
765-778	YD07283-YD07296	April 15, 2016
Shamrock 1-12	YC19871-YC19882	April 15, 2017

Expiry dates do not include 2013 work, which has not yet been filed for assessment credit.

In 2013, access to and from the property was with a Bell 206B helicopter that was operated by Capital Helicopters (1995) Inc. of Whitehorse from a staging area at Rockhaven Resources Ltd.'s Klaza property. The Klaza property is located about seven kilometres north of the former Mount Nansen Mine, 20 km to the east-northeast of the CD property and 70 km by road west of the community of Carmacks.

The entire CD property lies within the traditional territory of the Little Salmon/Carmacks First Nation and the southern part overlaps with the traditional territory of the Champagne and Aishihik First Nation. Both of these first nations have concluded land claim agreements with Canada and Yukon. In 2013, the White River First Nation, which has not yet signed a land claim agreement, expanded the area of its purposed traditional territory to include the CD property.

HISTORY AND PREVIOUS WORK

Historical work within the bounds of the CD property was mostly concentrated in two areas (Schist and Maloney) as shown on Figure 2. Property-wide historical work is summarized in the following paragraphs, while work and results pertaining specifically to the Schist and Maloney areas are documented in the Detailed Descriptions of Specific Mineralized Areas section below.

The earliest reported exploration activity on the CD property was conducted by placer miners on Schist Creek. The co-discovery claim was staked by A. Christianson and A. McKinnon in January 1915. This claim was not renewed and no other staking records have been found (Deklerk and Traynor, 2005).

In 1969, Archer Cathro performed regional-scale exploration throughout the Dawson Range for the Dawson Range Joint Venture (Straus Exploration Inc., Great Plains Development Corporation, Marietta Resources International Ltd., Molybdenum Corporation of America and Trojan Consolidated Mines Ltd.). During that program, 52 stream sediment samples were collected from within the current CD property boundary. Those samples returned up to 109 ppm copper, up to 27 ppm lead and nil molybdenum (Cathro and Culbert, 1969). No gold analyses were done during this program.

Also in 1969, Amex Potash Ltd. staked the Pot claims in the Maloney Area of the current CD property.

In 1974, Archer Cathro conducted regional exploration in the southern part of the Dawson Range for the Klotassin Joint Venture (KJV). KJV was made up of Newconex Canadian Exploration Ltd., Marietta Resources International Ltd. and Molybdenum Corporation of America. Work performed included 1:50,000 scale reconnaissance-style prospecting, mapping and geochemical sampling (Cathro, 1974). This work was mostly conducted north of the CD property and no samples were collected from within property boundary.

In 1975, Archer Cathro continued its exploration on behalf of KJV. During this program, a total of 408 soil samples were collected within the area of the current CD property. The samples

returned some weakly to strongly anomalous values for copper (up to 450 ppm), molybdenum (up to 20 ppm), lead (up to 82 ppm) and zinc (up to 550 ppm). No gold analyses were done during this program (Cathro, 1976).

In 1980, Archer Cathro explored for gold in the Dawson Range for the NAT Joint Venture (NAT JV), which comprised Chevron Canada Limited and Armco Mineral Exploration Ltd. Part of the NAT JV program involved reanalyses of over 5000 previously collected geochemical sample splits for gold, silver, arsenic and lead. A total of 409 samples (262 soil samples and 147 stream sediment samples) from within the boundaries of the CD property were reanalyzed. Several anomalous results were obtained from this work including two soil samples that yielded 113 ppb and 475 ppb gold (Archer and Onasick, 1980).

In 1985, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 115I (Friske et al., 1985). Thirty-five samples were taken from various drainages on the property. These samples returned background to strongly anomalous values for gold (up to 149 ppb), arsenic (up to 185 ppm) and antimony (16 ppm). All other metals yielded low values.

In 1985, Archer Cathro re-evaluated results from NAT JV and staked a number of claim blocks in the Dawson Range for Freegold Venture (Chevron Canada Limited). One of the claim blocks was in the Maloney Area of the current CD property.

In 2003, 4765 NWT Ltd. re-staked much of the Maloney Area as the Shamrock claims.

In 2010, Strategic Metals staked the CCC and DDD claims and completed a sampling program comprising 397 contour soil samples and 285 stream sediment samples (Chung, 2011a and b). The soil sampling yielded background to strongly anomalous gold (up to 173 ppb), arsenic (up to 197 ppm) and antimony (up to 16 ppm) values. Stream sediment samples returned isolated strongly anomalous gold (up to 89 ppb), arsenic (up to 298 ppm) and antimony (up to 10 ppm) values.

Later in 2010, Strategic Metals contracted New-Sense Geophysics Ltd. of Markham, Ontario to perform helicopter-borne magnetic and radiometric surveys over the central parts of both the CCC and DDD claims. Condor Consulting Inc. of Lakewood, Colorado assessed the data sets and provided 3D models of the magnetics. Complete reports pertaining to this work can be found in Chung (2011a and 2011b), while the results are summarized in the Geophysical Surveys and Detailed Descriptions of Specific Mineralized Areas sections below.

In September 2010, Wolverine Minerals Corp. optioned the CCC and DDD properties and other claims in the Dawson Range from Strategic Metals and in October 2010, Doug Blanchflower – a then independent P.Geo. – was contracted to write a National Instrument 43-101 technical report for Wolverine Minerals' Dawson Range projects. During his visit to the DDD claims Blanchflower found a series of previously undocumented bulldozer trenches. Later that fall, Wolverine Minerals staked additional claims to join the CCC and DDD claim blocks and optioned the Shamrock claims from 4763 NWT Ltd.

In summer 2011, Wolverine Minerals performed geochemical sampling, prospecting, detailed mapping and excavator trenching in various parts of the CD property (Mitchell, 2012). A total of 85 rock samples, 8533 soil samples, 15 stream sediment samples and 24 panned sieve silt samples were taken. Different aspects of this work program are discussed in later sections of this report. Despite generally encouraging results, Wolverine Minerals dropped its option on the Shamrock claims in December 2011.

In late 2012, Wolverine Minerals dropped its option for the CCC and DDD claims, and subsequently Strategic Metals purchased the Shamrock claims from 4763 NWT Ltd.

GEOMORPHOLOGY AND CLIMATE

The CD property is situated in the southern part of the Dawson Range and is drained by creeks that flow into the Klaza and Nisling rivers, which are part of the Yukon River watershed. The property was glaciated during Pliocene to early Pleistocene (Duk-Rodkin, 1999). Ice movement in this area arced from southeast to southwest following the orientation of the Klaza River (Figure 2).

The property covers a system of ridges and headwater valleys. Elevation ranges from approximately 945 m in the Nisling River valley to 1585 m atop ridges. Outcrop is mostly limited to ridge tops and creek gullies.

Soil profiles in the Dawson Range are complex compared to most other places in Yukon. On hillsides and valley bottoms, the soil profile from surface to bedrock typically consists of the following: a layer of organic matter, which ranges from 10 to 50 cm thick; a layer of approximately 2000 year old volcanic ash from the Mount Churchill eruption, which varies from 0 to 20 cm thick; a layer comprised of loess and glacial till material mixed with soliflucted B and C-horizon soil, which ranges from 0 to more than 100 cm thick; and a layer of C-horizon soil (Bond, 2007).

Tree line in the area is at approximately 1400 m. Vegetation at lower elevations is characterized by buckbrush, moss and spruce forests. Stunted spruce and poplar trees with an understory of buckbrush and grass are scattered throughout most of the property. Ridge tops feature moss, grasses and lichen.

The climate in the CD property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from late May to late September.

REGIONAL GEOLOGY

The CD property is located within the Yukon-Tanana Terrane (YTT) as shown on Figure 3. The YTT represents a continental arc that developed along the ancient Pacific margin of North America from Late Devonian to Permian.

STRATEGIC METALS LTD.

FIGURE 3


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

CD PROPERTY

FILE: P:/2013/CD | DATE: MARCH 2014

After Colpron, M. and Nelson, J.L., 2011




In 1975, KJV performed 1:50,000 scale geological mapping of Regional Areas 'C' and 'D', which include portions of the CD property (Cathro, 1976). In 1984, the GSC published a geological map of the Carmacks area (NTS map sheet 115I) at 1:250,000 scale (Tempelman-Kluit, 1984). In 2003, Gordey and Makepeace completed a Yukon-wide geological compilation that updated lithological unit names in the area. Yukon Geological Survey maintains a website illustrating regional geology, which is periodically updated when new information becomes available (YGS, 2013). The main lithological units are described below in Table I, while regional geology is shown on Figure 4.

In 2011, G. Belik – an independent P.Geo. working for Wolverine Minerals – performed reconnaissance-scale mapping in the southern part of the CD property. Geological observations made during this mapping have been incorporated into Table I and Figure 4.

Table I – Lithological Units (*after Gordey and Makepeace, 2003, and Belik, 2011*)

Unit Name	Age	Map Name	Description
Nisling Range Suite	Early Tertiary	ETN	Fine to coarse grained, equigranular and porphyritic granitic rocks of felsic composition (q) and felsic dyke rocks (f).
		ETfN	(f) Orange and buff weathering, light coloured feldspar porphyry dyke and flow rocks of intermediate composition.
		ETqN	(q) Leucocratic, biotite granite; miarolitic alaskite; saccharoidal textured, mafic-poor biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse, white, alkali feldspar phenocrysts; biotite-quartz monzonite.
Prospector Mountain Suite	Late Cretaceous to Tertiary	LKfP	Grey, fine to coarse grained, quartz-feldspar porphyry dykes.
Carmacks Group	Upper Cretaceous	uKC	Volcanic succession dominated by basic volcanic strata, but including felsic volcanic rocks. Acid vitric crystal tuff, lapilli tuff and welded tuff including feeder plugs and necks; felsic volcanic flow rocks and quartz-feldspar porphyries; green and purple massive tuff-breccia with feldspar phyric fragments.
Mount Nansen Group	Middle Cretaceous	mKN	Massive aphyric or feldspar-phyric andesite to dacite flows, breccia and tuff; massive, heterolithic, quartz- and feldspar-phyric, felsic lapilli tuff; flow-banded quartz-phyric rhyolite and quartz-feldspar porphyry plugs, dykes, sills, and breccia.
Whitehorse Suite	Middle Cretaceous	mKgW	Grey, medium to coarse grained, generally equigranular granitic rocks of intermediate



STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 4

REGIONAL GEOLOGY

CD PROPERTY

0 2.5 5 km

UTM ZONE 8, NAD 83, 115I/03, 04 & 115H/13

FILE: P:2013/CD/Figures/F04-Regional_Geology.wor | DATE: MARCH 2014

			composition (biotite-hornblende granodiorite, hornblende-quartz diorite and hornblende diorite; leucocratic, biotite-hornblende granodiorite, locally contains sparse grey and pink potassium feldspar phenocrysts).
Long Lake Suite	Early Jurassic	EJqL	Mostly felsic granitic rocks (q); massive to weakly foliated, fine to coarse grained biotite, biotite-muscovite and biotite-hornblende quartz monzonite to granite, including abundant pegmatite and aplite phases; commonly K-feldspar megacrystic.
Anvil Assemblage	Carboniferous and Permian	CPA	Dominantly oceanic assemblage of ultramafics. Dunite, peridotite, gabbro, pyroxenite, harzburgite and minor diorite, hornblendite and diabase; serpentinite, orange weathering quartz-carbonate rock with minor green chromian muscovite, talc-carbonate schist and carbonatized ultramafic rocks.
Pelly Gneiss Suite – Southwest	Late Devonian to Mississippian	DMgPW	Foliated, medium grained, homogeneous granite gneiss to biotite or hornblende granodiorite gneiss. Massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite.
Amphibolite	Proterozoic and Paleozoic	PPa	Metamorphosed mafic rocks, including amphibolite.
Nisling Assemblage	Late Proterozoic and Paleozoic	PPN	Assemblage characterized by muscovite-quartz-feldspar schist (1) and abundant locally thick limestone members (2).
		PPN1	Dark grey to brown, biotite-muscovite-quartz-feldspar schist, quartzite and micaceous quartzite, garnetiferous; felsic chlorite-biotite orthogneiss; rare amphibolite; minor two-mica gneiss and hornblende diorite gneiss.
		PPN2	Bleached white-weathering, white to grey coarsely crystalline, flow banded fetid marble; graphite, chert, metabasite and calc-silicate lamina are common.
		PPNAi	Green, well foliated, dacite crystal tuff.

PROPERTY GEOLOGY

Recent property-scale mapping primarily focussed on the Maloney and Schist areas, but also included some areas in the northern part of the property. Geology of the Maloney and Schist areas is discussed in the Detailed Descriptions of Specific Mineralized Areas section below. The following summary of general property geology is based on published data referenced in the previous section, Belik's 1:50,000 scale mapping from 2011, and observations made during the 2013 exploration program.

The northern part of the CD property is underlain by Nisling Assemblage gneiss, schist, quartzite and minor limestone, which surround a large body of metaplutonic rock (Pelly Gneiss) that is locally flanked by thin slivers of amphibolite (PPa). The metamorphosed units have been intruded by a lobe granitic rock (mKgW) and several porphyry dykes (LKfP), and are locally overlain by tuffaceous intermediate volcanics (mKN).

In the southern part of the property, Nisling Assemblage metamorphic rocks surround a northeasterly-elongated ultramafic body (CPA) that abuts to the south against a band of amphibolite (PPa). The northern edge of the ultramafic body is formed by a six kilometre long, northeast-trending fault that bisects the property. A number of small faults splay from the main structure. In the southwestern corner of the property, there is a 300 by 1000 m northeasterly-elongated body of dacite tuff (PPAi) that is believed to be a regionally undifferentiated component of the Nisling Assemblage. Unmetamorphosed intrusions in the southern part of the property include parts of two small stocks (mKg and EJqL) and number of smaller quartz-feldspar porphyry dykes and plugs (LKfP), some of which are too small to plot on property-scale maps. Elsewhere in the Dawson Range, Prospector Mountain Suite (LKfP) intrusions are often genetically and spatially related to porphyry and precious metal rich vein mineralization.

Foliations measured in all metamorphosed units generally strike northeasterly and dip between 30° and 70° to the north.

MINERALIZATION

The CD property hosts poorly exposed copper-gold-molybdenum porphyry-style mineralization in the Maloney Area, gold enriched epithermal veins in the Schist Area and scattered occurrences of skarn and epigenetic (fracture-controlled and amygdule-filling) mineralization elsewhere on the property. None of the known occurrences have been thoroughly mapped and prospected, and most geochemical anomalies have not yet been followed up.

Previous workers collected rock samples within six areas (A to F) in the southern part of property (Figure 5), with the majority of those samples coming from the Schist (A) and Maloney (E) areas. The mineral showings in the Maloney and Schist areas are discussed in more detail in the Detailed Descriptions of Specific Mineralized Areas section below. The remaining four areas (B, C, D and F) host minor fracture-controlled mineralization. Rock samples collected from Area B returned some slightly elevated values for arsenic (up to 490 ppm) and antimony (up to 13 ppm). Rocks from Area C yielded only one anomalous arsenic (449 ppm) value. In Area D, rock sampling returned a few mildly enriched gold (up to 64 ppb), arsenic (up to 478 ppm), silver (up to 1.2 ppm) and antimony (up to 45 ppm) values. Rock samples from Area F returned subdued values for all elements of interest.

In 2013, a total of 39 rock samples were collected from the northern part of the property and the Maloney Area as illustrated on Figure 5. In areas with no subcrop or outcrop, prospective rock samples were taken from the bottom of one metre deep hand pits. Certificates of Analysis and Rock Sample Descriptions appear in Appendices III and IV, respectively.

All 2013 rock samples were sent to ALS Minerals in Whitehorse, where they were crushed to

70% passing 2 mm before a 250 g split was pulverized to 85% passing 70 microns. Splits of the pulverized fractions were then sent to ALS Minerals in North Vancouver, where they were dissolved in an aqua regia digestion and analyzed for 51 elements using inductively coupled plasma with mass spectrometry technique (ME-MS41). An additional 30 g charge from each sample taken in the northern part of the property was then analyzed for gold using fire assay followed by inductively coupled plasma with atomic emission spectroscopy analysis (Au-ICP21). Samples collected from the Maloney Area were analyzed for gold using fire assay followed by atomic absorption spectroscopy (Au-AA24), not Au-ICP21.

Cursory prospecting in the northern part of the property identified two new areas of interest (G and H). Area G is a 3 by 100 m epidote skarn containing weak pyrite. Area H is a 50 by 100 m zone of altered Mount Nansen Group andesite with millimetre-scale amygdules filled with massive to semi-massive pyrite, arsenopyrite and galena. Although visually encouraging mineralization was identified, the analytical results were low.

SOIL AND STREAM SEDIMENT GEOCHEMISTRY

Historical soil, stream sediment and panned sieve silt sampling programs on the property have identified numerous areas with anomalous multi-element signatures. The strongest coincident anomalies lie within the Schist and Maloney areas and are discussed in the Detailed Description of Specific Mineralized Areas section below. Elsewhere on the property, encouraging gold (up to 475 ppb), silver (up to 3.1 ppm) and arsenic (up to 1200 ppm) values were obtained from several areas of concentrated, grid soil sampling and from some areas with lower sample densities. Examples of isolated values include a strongly anomalous gold-in-panned silt (139 ppb), many strongly anomalous silver-in-panned silt (up to 5.67 ppm), and a strongly anomalous molybdenum-in-soil (23 ppm).

In 2013, a total of 1144 contour soil samples were collected from the northern part of the CD property. Soil sample locations are shown on Figure 6, while results for gold, silver and arsenic are illustrated thematically on Figures 7 to 9. Certificates of Analysis are provided in Appendix III. All 2013 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from approximately 30 cm deep holes using hand-held augers. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals in Whitehorse where they were dried and screened to -180 microns. The samples were then shipped to ALS Minerals in North Vancouver where they were dissolved in aqua regia and analyzed for 35 elements using the inductively coupled plasma with atomic emission spectroscopy technique (ME-ICP41). An additional 30 g charge was further analyzed for gold by fire assay with inductively coupled plasma with atomic emission spectroscopy finish (Au-ICP21).

Anomalous thresholds and peak values for all soil samples collected to date on the property are listed in Table III.

Table III – Soil Geochemical Thresholds

Element	Weakly Anomalous	Moderately Anomalous	Strongly Anomalous
Gold (ppb)	10 ≤ 20	10 ≤ 100	100 ≤ 1220
Silver (ppm)	0.2≤ 0.5	0.5 ≤ 1.0	1.0 ≤ 7.4
Arsenic (ppm)	20 ≤ 50	50 ≤ 100	100 ≤ 2280
Copper (ppm)	50 ≤ 100	100 ≤ 200	200 ≤ 1370
Molybdenum (ppm)	2 ≤ 5	5 ≤ 10	10 ≤ 53
Lead (ppm)	50 ≤ 100	100 ≤ 200	200 ≤ 1000
Antimony (ppm)	2 ≤ 5	5 ≤ 10	10 ≤153
Zinc (ppm)	100 ≤ 200	200 ≤ 500	500 ≤ 1730

Contour sampling in 2013 identified two clusters of coincident, moderately to strongly anomalous gold, silver and arsenic values. The first cluster lies in the north-central part of the property and comprises strongly anomalous arsenic (up to 489 ppm) values with minor silver and gold support. The second cluster occurs on two contour lines located west of a 2011 soil grid in the northwestern part of the property. These lines host consecutive strings of moderately to strongly anomalous silver and arsenic values with isolated moderately anomalous values for gold.

An isolated soil sample taken 180 m northwest of the newly identified skarn horizon (Area G) returned 161 ppb gold, but near background values for other elements.

GEOPHYSICAL SURVEYS

The earliest recorded geophysical survey performed in the area of the current CD property was in 1970, when an Induced Polarization (IP) survey was completed over part of the Maloney Area. The results of this survey are discussed in more detail in the Descriptions of Specific Mineralized Areas section below.

In 2010, Strategic Metals contracted New-Sense Geophysics to perform helicopter-borne magnetic and radiometric surveys over two areas in the northwestern and southeastern parts of the current CD property. These surveys were flown on 100 m line spacings and provide excellent detail across the areas covered. Figure 10 shows total magnetic intensity for the 2010 surveys.

The northern survey area totalled 360 line kilometres. Magnetic intensities varied 200 nT across the area. A 1200 m wide easterly-elongated magnetic low lies in the centre of the survey area and is open to the west and east. This magnetic low is underlain by Pelly Gneiss Suite (DMgPW) and Amphibolite Assemblage (PPa) rocks. The soil and silt samples collected within the magnetic low returned coincidently anomalous gold (up to 1000 ppb), arsenic (up to 244 ppm) and silver (up to 7.4 ppm) values. Several areas with elevated radiometric signatures were also identified by this survey. Most areas of the elevated radioactivity approximately coincide with Mount Nansen Suite (mKN) or Prospector Mountain Group (LKfP) porphyry bodies.

The southern survey was flown over a 5000 by 7000 m area and totalled 328 line kilometres. The magnetic strength varied 1000 nT across the grid. The results show excellent contrast with northeasterly-trending magnetic highs, likely caused by ultramafic rocks (PPa), flanked and crosscut by multiple magnetic lows. Due to limited outcrops and cursory examination of the geophysically anomalous areas, the cause of the magnetic lows is unknown.

In 2013, the YGS contracted Mira Geoscience Ltd. of Vancouver, British Columbia to compile and interpret new geological and geophysical data for the Whitehorse Trough. The survey extends from south of Whitehorse to northeast of Carmacks and west to Aishihik and Sekulmun lakes. The Mira study combines 2010 and 2011 geophysical surveys flown at 400 m line spacings with older (1961 and 1966) regional-scale data that was flown at about 1200 m line spacings. The entire CD property is covered by the recent, more detailed (400 m line spacing) survey data.

Figure 11 illustrates the first vertical derivative magnetic data from Mira's compilation, for the area of the CD property. The following observations can be made based on this data:

1) The property covers three, large northeasterly-oriented moderate to strong magnetic highs, which are separated by two linear magnetic lows;
2) In the centre of each linear magnetic low, there are very strong magnetic highs that have little to no 'halo.' The sharp edges of the highs roughly coincide with the geological contacts of ultramafic (PPa) rocks;
3) The southern-most of the three large magnetic highs is disaggregated by a series of north-northwesterly-trending magnetic lows, which could represent demagnetized, and possibly mineralized, fault structures; and,
4) The southwestern part of the property, including the Maloney Area, has a distinctive geophysical signature consisting of numerous, non-linear magnetic highs, some of which correspond to mapped intrusive bodies and others which may represent unmapped plutons in overburden covered areas.

DETAILED DESCRIPTIONS OF SPECIFIC MINERALIZED AREAS

SCHIST AREA

The Schist Area (also referred to as Area A) lies in the central part of the current CD property. In 2013, no exploration was done in this area.

History and Previous Work

Although historical bulldozer trenches were identified during a property visit in 2010, no public record of this trenching is available. Since 2010, this area has received rock and soil geochemical sampling, magnetic and radiometric surveys, and excavator trenching.

Geomorphology

The Schist Area overlies an east-trending ridge drained by two creeks. Elevations in the area range from 1220 to 1585 m. Bedrock is exposed along the ridge line, on steep slopes and in trenches.

Geology and Geophysics

In 2011, the Schist Area was mapped in detail by G. Belik and trenched with a small excavator mounted on a John Deere 450 bulldozer. According to Belik's mapping, the area is underlain by Nisling Assemblage (PPN) metasedimentary rocks that are cut by splay faults and porphyry dykes. Two epithermal quartz vein and breccia zones were exposed when old bulldozer trenches were deepened with the excavator. The vein exposures comprise locally drusy, white to dark grey quartz with subtle banding. Where observed, the breccia is monolithic with sericite-altered green to grey clasts of unknown protolith. A fault has been inferred between the two most easterly trenches because the eastern-most trench did not intersect the vein where expected. Soil geochemical results suggest a small sinistral offset (Smith, 2012a).

Based on the first vertical derivative magnetic data from the government geophysical surveys, the vein trace lies along the northern edge of a sinusoidal magnetic high. The area of the magnetic high has been mapped as Nisling Assemblage (PPN). The total field magnetic results from Strategic Metals' survey show sharp contrast between highs and lows along a splay fault that forms the southern contact of a Prospector Mountain Suite (KLfP) plug. This feature bisects the trenched area.

Mineralization


The Schist Area hosts gold, silver and arsenic mineralization in veins, breccias and hydrothermally-altered metamorphic rocks. Anomalous rock sample results are shown in Table IV below. The most continuous and well mineralized vein has been exposed for a 620 m strike length. Results from the five excavator trenches that cross the vein are described in the Excavator Trenching sub-section below. The locations of rock samples taken in and around these trenches are shown on Figure 12, while highlight results are summarized in Table IV.

Table IV – Schist Area Anomalous Rock Geochemistry

Sample	Description	Results
I357278	Light green siliceous rock with hydrothermal sericite and minor quartz veining.	1.13 g/t gold, 1.1 g/t silver, 2390 ppm arsenic and 27 ppm antimony
I357174	Manganese and limonite stained, grey-blue quartz vein with lesser bands or patches of white quartz with limonite-filled vugs.	0.873 g/t gold, 9.8 g/t silver, 1965 ppm arsenic and 53 ppm antimony
I357181	Medium grey rhyolite with orange-yellow limonite staining.	2.78 g/t gold, 25.7 g/t silver, 955 ppm arsenic and 51 ppm antimony

SampleID	Au (g/t)	Ag (g/t)	As (ppm)	Pb (ppm)	Sb (ppm)
I357173	0.0025	0.1	47	11	40
I357174	0.873	9.8	1965	3	53
I357176	0.031	23.1	1420	5	449
I357177	0.279	1.9	722	5	13
I357178	0.172	0.5	1575	5	77
I357179	0.065	1.1	2680	10	122
I357180	0.018	0.4	1475	46	31
I357181	2.78	25.7	955	273	51
I357182	0.01	0.2	1045	3	72
I357265	0.0025	0.2	532	3	33
I357267	6.29	7.6	3110	94	26
I357277	0.537	0.6	3660	9	32
I357278	1.13	1.1	2390	28	27
I357278	1.13	1.1	2390	28	27
I357283	0.0025	0.1	28	2	34
I357285	0.011	1.2	363	278	47
K191559	0.0025	0.4	654	2	48
K191560	0.0025	0.2	1425	6	121

Highlight table samples grading:
≥ 0.1 g/t Au,
≥ 2.0 g/t Ag,
≥ 500 ppm As,
≥ 200 ppm Pb and/or
≥ 20 ppm Sb
shown in grey.



STRATEGIC METALS LTD.

FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SCHIST AREA MINERALIZATION

CD PROPERTY

0 100 400 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F11-Schist_Area_Mineralization.wor | DATE MARCH 2014

I357267	Vein and vein breccia with epithermal characteristics. Local limonite and fine banding.	6.29 g/t gold, 7.6 g/t silver, 3110 ppm arsenic and 26 ppm antimony

Soil and Stream Sediment Geochemistry

In 2011, grid soil sampling was completed within the Schist Area and to the west and south of it (Smith, 2012a). Results from this work for gold, silver, arsenic, antimony and copper are plotted thematically on Figures 13 to 17, respectively. The Schist Area hosts well clustered, moderately to strongly anomalous gold-in-soil (up to 223 ppb) values, with numerous coincidently anomalous arsenic (up to 2280 ppm) and antimony (up to 21 ppm) values. Silver results are subdued. Southwest of the Schist Area, there is a 1500 by 700 m northeasterly-arching zone of moderately to strongly anomalous arsenic (up to 1650 ppm), antimony (up to 153 ppm), nickel (up to 1780 ppm) and cobalt (up to 155 ppm) values. This anomaly approximately coincides with the mapped splay fault that forms the southern boundary of a LKfP porphyry body. The geochemical signature of this zone is inconsistent with a feldspar porphyry or vein and suggests the anomalous soils are sourcing from an unmapped package of listwanite or unaltered ultramafics. Little follow up prospecting has been done in this zone.

A smaller area of coincidently enriched copper and silver soil values lies on the south side of the larger, northeasterly-trending fault that crosses the southern part of the Schist Area. This area has been mapped as Anvil Assemblage (CPA). This anomaly also contains a few isolated, strongly elevated gold values.

Excavator Trenching

In 2011, six trenches totalling 1139 m were dug in the Schist Area by a John Deere 450 bulldozer with an excavator attachment (Smith, 2012a). Three of the six trenches deepened previously undocumented, historical bulldozer trenches. Weathered bedrock was reached in most parts of all six trenches, because permafrost was limited. Five of the trenches delineated an epithermal quartz veins and breccias hosted within variably altered Nisling Assemblage metasediments and metavolcanics. Chip sampling across vein and breccia exposures in the five trenches that crossed the main structure returned a weighted average grade of 0.98 g/t gold over an average width of 4.4 m, with the best interval assaying 1.67 g/t gold over 6.5 m (Figure 12). The highest individual assay graded 2.82 g/t gold over 3.0 m (Smith, 2012a). A secondary vein was exposed in two trenches, about 50 m south of the main vein. A chip sample from one of these trenches returned 0.563 g/t gold over 4.5 m.

MALONEY AREA

The Maloney Area is located in the southwestern corner of the CD property, and includes the Shamrock and some adjacent DDD claims. In 2013, all of the exploration done in the southern part of the property was confined to this area.

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

358,000 mE
359,000 mE
6,884,000 mN

2010-2011 Soil Au (ppb)
≥100 ≤1220
≥50 <100
≥20 <50
≥10 <20
0 <10

1980 Soil Au (ppb)
100 ≤475
≥50 <100
≥20 <50
≥10 <20
0 < 10

1980 Silt Au (ppb)
≥100 ≤110
≥50 <100
≥20 <50
≥10 <20
0 <10

MAIN VEIN
210
193
208
173
189
176
SECONDARY VEIN
133
223
113

0 4 8 km
PROPERTY BOUNDARY
Schist Area
Figure 13

2011 excavator trench
Inferred fault

STRATEGIC METALS LTD.

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SCHIST AREA
GOLD GEOCHEMISTRY
CD PROPERTY

0 100 400 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F11-Schist_Area_Au_Geochemistry.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

358,000 mE
359,000 mE
6,884,000 mN

2010-2011 Soil Ag (ppm)
≥2 ≤5.9
≥1 <2
≥0.5 <1
≥0.2 <0.5
0 <0.2

2011 Silt Ag (ppm)
≥2 ≤567
≥1 <2
≥0.5 <1
≥0.2 <0.5
≥0 <0.2

MAIN VEIN
SECONDARY VEIN

2.0
3.4
2.7
2.4
3.1

0 4 8 km
PROPERTY BOUNDARY
Schist Area
Figure 14

2011 excavator trench
Inferred fault

STRATEGIC METALS LTD.

FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SCHIST AREA
SILVER GEOCHEMISTRY
CD PROPERTY

0 100 400 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F13-Schist_Area_Ag_Geochemistry.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

358 000 mE
359 000 mE
6 884 000 mN

2010-2011 Soil As (ppm)
- ≥200 ≤2280
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

2011 Silt As (ppm)
- ≥200 ≤489
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

227
MAIN VEIN
854
2230
307
2080
1,805
1985
1930
219
380
SECONDARY VEIN
2280
358
1930
241
208
843
800
357
412
616
454
316
424
480
241
393
647
228
329
1650
424
311
285
407
266
231
757
246
470
227
313
245
1200
513
455

0 4 8 km
PROPERTY BOUNDARY
Schist Area
Figure 15

2011 excavator trench
Inferred fault

STRATEGIC METALS LTD.

FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SCHIST AREA
ARSENIC GEOCHEMISTRY
CD PROPERTY

0 100 400 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F14-Schist_Area_As_Geochemistry.wor | DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

358 000 mE
359 000 mE
6 884 000 mN

2010-2011 Soil Sb (ppm)
≥100 ≤153
≥50 <100
≥20 <50
≥10 <20
0 <10

2011 Silt Sb (ppm)
0 <10

MAIN VEIN
SECONDARY VEIN
153
150

0 4 8 km
PROPERTY BOUNDARY
Schist Area
Figure 16

2011 excavator trench
Inferred fault

STRATEGIC METALS LTD.

FIGURE 16
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SCHIST AREA
ANTIMONY GEOCHEMISTRY
CD PROPERTY

0 100 400 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F15-Schist_Area_Sb_Geochemistry.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

358 000 mE
359 000 mE
6 884 000 mN

2010-2011 Soil Cu (ppm)
- ≥200 ≤1160
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

1975 Soil Cu (ppm)
- ≥200 ≤1160
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

2011 Silt Cu (ppm)
- ≥20 <50
- 0 <20

1969 Silt Cu (ppm)
- ≥200 ≤1160
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

MAIN VEIN
SECONDARY VEIN
208
220
243

0 4 8 km
PROPERTY BOUNDARY
Schist Area
Figure 17

2011 excavator trench
Inferred fault

STRATEGIC METALS LTD.

FIGURE 17
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SCHIST AREA
COPPER GEOCHEMISTRY
CD PROPERTY

0 100 400 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F16-Schist_Area_Cu_Geochemistry.wor | DATE: MARCH 2014

History and Previous Work

The Shamrock claims were initially staked by Amax Potash Ltd. as the Pot claims in 1969 (Deklerk and Traynor, 2005). Work programs in 1969 and 1970 comprised soil sampling, hand pitting, geophysical surveys and packsack drilling (75 m in four holes). In 1976, Western Mines Ltd. joint ventured the Pot claims and drilled six holes (740 m). The claims were allowed to lapse following this work.

In 1985, the ALO claims were staked over what are now the Shamrock claims by Freegold Venture. This venture was funded by Chevron Canada Resources Ltd. and managed by Archer Cathro. Positive results from a soil sampling program lead to the staking of additional claims, but no further work was done. In 1990, Big Creek Resources Ltd. purchased the ALO claims, but no work was conducted before they were allowed to lapse.

In 2003, 4763 NWT Ltd. staked the Shamrock claims and performed soil sampling and a ground magnetic survey. In 2004, Copper Ridge Explorations Inc. optioned the Shamrock claims and staked an additional 14 claims. Copper Ridge conducted geological mapping and an IP survey before terminating its option. In 2005, 4763 NWT carried out a hand trenching program on the Shamrock claims.

In March 2010, Strategic Metals staked a large block of DDD claims, which adjoin the Shamrock claims, and in September 2010 optioned those claims and other properties in the Dawson Range to Wolverine Minerals. In spring 2011, Wolverine Minerals optioned the Shamrock property from 4763 NWT.

In 2011, Wolverine Minerals performed grid soil sampling, CanDig excavator trenching and 22 kilometres of line cutting. An IP survey was planned, but it was not conducted because the crew and equipment were not available on a timely basis (Smith, 2012b). Results from the soil sampling and trenching are discussed in the appropriate sub-sections below, while the cut lines are further described in the Induced Polarization and Resistivity Survey sub-section.

Geomorphology

The Maloney Area is centered on a low ridge that separates the westerly-flowing Chimo and Peace creeks (Figure 18). During the pre-Reid glacial episode (circa 3Ma), the area covered by the Shamrock claims was glaciated (LeBarge, 1996). Elevations range from 1000 to 1375 m. The centre of the area lies below tree line; however, most of it was burnt in a recent forest fire. Vegetation within the burnt areas comprises moss, buckbrush and willows. Slopes unaffected by the fire are heavily vegetated with spruce and poplar trees, which are surrounded by an understory of buckbrush and moss. Higher elevations are characterized by moss, grass and lichen. Bedrock is rare in this area.

Geology and Airborne Geophysics

The Maloney Area was mapped by various operators between 1970 and 2011 and by Strategic Metals in 2013. Geology as illustrated on Figure 18 and described below is based on a

compilation of this data. The Maloney Area is mostly underlain by Nisling Assemblage (PPN) muscovite-biotite-quartz schist, interbedded with biotite-quartz schist and minor gneiss, quartzite and limestone. A distinct horizon of light green, well-foliated dacite crystal tuff (PPAi) is interbedded with other Nisling Assemblage lithologies in the northeastern part of the area. The first vertical derivative magnetic data shows weak to moderate response over the Nisling Assemblage and crystal tuff.

Multiple generations of intrusions cut the Nisling Assemblage in the Maloney Area including: Early Jurassic biotite-muscovite granodiorite of the Long Lake Suite (EJqL) in the southeast; Middle Cretaceous Whitehorse Suite diorite to biotite-hornblende granodiorite (mKgW) in the northwest; and, Late Cretaceous to Tertiary porphyritic quartz diorite and quartz-feldspar porphyries of the Prospector Mountain Suite (LKfP) in the central part of the area. The first vertical derivative magnetic signatures for the Long Lake and Prospector Mountain suites are strongly positive. The Whitehorse Suite pluton features a core of weak magnetic response surrounded by an incomplete halo of moderate magnetism. A small lens of Anvil Suite rocks (CPA1) occurs in the southeastern part of the area alongside a narrow porphyry dyke.

The general metamorphic fabric strikes northeasterly and dips 20˚ to 70˚ to the northwest.

Mineralization

Mineralization in the Maloney Area consists of disseminated and fracture filling pyrite, chalcopyrite, molybdenite, arsenopyrite, jarosite, azurite, malachite and hematite is hosted in quartz diorite, quartz-feldspar porphyry and quartz porphyry breccia units.

There are few bedrock exposures in the area and consequently, rock samples and mineral descriptions are mostly based on float specimens and chips taken from soil, on the bottom of one metre deep hand pits that were dug to follow up strongly anomalous soil values. The best mineralized rock sample collected in 2013 came from a hand pit dug at the site of a 632 ppb gold-in-soil value. This sample comprised a weakly brecciated, limonite stained and pitted quartz vein in quartz-mica schist. It returned 805 ppb (0.805 g/t) gold and 7.16 g/t silver.

Soil and Stream Sediment Geochemistry

Multiple geochemical sampling programs have been completed in the Maloney Area since 1970. All available results for gold, silver, arsenic, copper, molybdenum and lead from those programs are plotted thematically on Figures 19 to 24, respectively. The geochemical signature across the Maloney Area shows distinct metal zonation. The core of this area features strongly anomalous copper (up to 1370 ppm), gold (up to1270 ppb) and molybdenum values (up to 53 ppm) over the Prospector Mountain Suite intrusion. To the south, and less obviously to the north and east, the core area is flanked by coincidently anomalous silver (up to 5.9 ppm), arsenic (up to 491 ppm) and lead (up to 1000 ppm) values, with sporadic gold support. The silver-arsenic-lead anomalies appear to represent veining in the outer part of the hydrothermal system cored by the porphyry.

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

347,00
348,00
349,00
350,00
351,00

APPROXIMATE IP SURVEY OUTLINE

6,878,000 mN

6,877,000 mN

2010-2011 Soil Au (ppb)
≥100 ≤632
≥50 <100
≥20 <50
≥10 <20
0 <10

1980-1985 Soil Au (ppb)
≥100 ≤1270
≥50 <100
≥20 <50
≥10 <20
0 <10

2011 Silt Au (ppb)
0 ≤10

1980 Silt Au (ppb)
≥100 ≤110
≥50 <100
≥20 <50
≥10 <20
0 <10

632
1270
468
193
255
243
50
105
177
532
100

Induced Polarity Anomaly
Definite
Probable
Possible
Inferred Anomaly extent

PROPERTY BOUNDARY

2011 CanDig trench
1976 Diamond drill hole

PROPERTY BOUNDARY
Maloney Area
Figure 19

STRATEGIC METALS LTD.

FIGURE 19
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MALONEY AREA
GOLD GEOCHEMISTRY AND IP
CD PROPERTY

0 150 600 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F18-Au_Geochemistry_IP.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

347,000 mE
348,000 mE
349,000 mE
350,000 mE
351,000 mE
6,878,000 mN
6,877,000 mN

APPROXIMATE IP SURVEY OUTLINE

2010-2011 Soil Ag (ppm)
≥2 ≤5.9
≥1 <2
≥0.5 <1
≥0.2 <0.5
0 <0.2

5.9
3.4
2
2
2.3
4.3
2.6
2.6
2.5
2.0
2.4

PROPERTY BOUNDARY

Induced Polarity Anomaly
Definite
Probable
Possible
Inferred Anomaly extent

2011 CanDig trench
1976 Diamond drill hole

Maloney Area
Figure 20

STRATEGIC METALS LTD.

FIGURE 20
ARCHER, CATHRO & ASSOCIATES (198′) LIMITED
MALONEY AREA
SILVER GEOCHEMISTRY AND IP
CD PROPERTY

0 150 600 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 10ft

FILE: P:2013/CD/Figures/F19-Ag_Geochemistry_IP.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

347,000 mE
348,000 mE
349,000 mE
350,000 mE
351,000 mE

6,878,000 mN
6,877,000 mN

APPROXIMATE IP SURVEY OUTLINE

313
468
407
247
213
491
204

PROPERTY BOUNDARY

2010-2011 Soil As (ppm)
- ≥200 ≤2280
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

Induced Polarity Anomaly
- Definite
- Probable
- Possible
- Inferred Anomaly extent

2011 CanDig trench
1976 Diamond drill hole

Maloney Area
Figure 21

STRATEGIC METALS LTD.

FIGURE 21
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MALONEY AREA
ARSENIC GEOCHEMISTRY AND IP
CD PROPERTY

0 150 600 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100ft
FILE: P:2013/CD/Figures/F20-As_Geochemistry_IP.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

347,000

348,000

349,000

350,000

351,000

APPROXIMATE IP SURVEY OUTLINE

1370

6,878,000 mN

6,877,000 mN

2010-2011 Soil Cu (ppm)
- ≥200 ≤1370
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

1975 Soil Cu (ppm)
- ≥200 ≤450
- ≥100 <200
- ≥50 <100
- ≥20 <50
- 0 <20

Induced Polarity Anomaly
- Definite
- Probable
- Possible

Inferred Anomaly extent

PROPERTY BOUNDARY

2011 CanDig trench

1976 Diamond drill hole

PROPERTY BOUNDARY

Maloney Area
Figure 22

STRATEGIC METALS LTD.

FIGURE 22
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MALONEY AREA
COPPER GEOCHEMISTRY AND IP
CD PROPERTY

0 150 600 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F21-Cu_Geochemistry_IP.wor

DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

347,000 mE
348,000 mE
349,000 mE
350,000 mE
351,000 mE

APPROXIMATE IP SURVEY OUTLINE

6,878,000 mN
6,877,000 mN

53

2010-2011 Soil Mo (ppm)
≥20 ≤53
≥10 <20
≥5 <10
≥2 <5
0 <2

1975 Soil Mo (ppm)
≤20
≥10 <20
≥5 <10
≥2 <5
0 <2

PROPERTY BOUNDARY

Induced Polarity Anomaly
Definite
Probable
Possible
Inferred Anomaly extent

2011 CanDig trench
1976 Diamond drill hole

PROPERTY BOUNDARY
Maloney Area
Figure 23

STRATEGIC METALS LTD.

FIGURE 23
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MALONEY AREA
MOLYBDENUM GEOCHEMISTRY AND IP
CD PROPERTY

0 150 600 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100ft

FILE: P:2013/CD/Figures/F22-Mo_Geochemistry_IP.wor
DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

347,000 mE
348,000 mE
349,000 mE
350,000 mE
351,000 mE

6,878,000 mN
6,877,000 mN

2010-2011 Soil Pb (ppm)
≥100 ≤1000
≥50 <100
≥20 <50
≥10 <20
≥0 <10

1975 Soil Pb (ppm)
≥100 ≤156
≥50 <100
≥20 <50
≥10 <20
0 <10

106
191
627
1000
196
287
108
188
143
116
255
125
123
428
234
110
272
185
139
129
116
127
215
161
104
191
129
104
119

PROPERTY BOUNDARY

Maloney Area
Figure 24

2011 CanDig trench
1976 Diamond drill hole

STRATEGIC METALS LTD.

FIGURE 24
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MALONEY AREA
LEAD GEOCHEMISTRY AND IP
CD PROPERTY

0 150 600 m
UTM ZONE 8, NAD 83, 115I/03, 04 & 115H13, Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F23-Maloney_Area_Pb_Geochemistry_IP.wor
DATE: MARCH 2014

Induced Polarization and Resistivity Survey

In 1970, an IP survey was carried out between Chimo and Peace creeks (Gledhill, 1970). This dipole-dipole survey was run along north-trending grid lines spaced approximately 245 m apart, with three additional fill-in lines over the copper-molybdenum anomaly. The extent of the survey and summarized results underlie geochemical data on Figures 19 to 24. The electrode separation on the lines was about 120 m and five dipole receiver readings were taken from each transmitter dipole. The equipment used was a McPhar model multi-frequency IP device. Three zones of anomalous IP conductance were located during the survey. The southern-most zone was the shallowest and best defined, while the two northerly anomalies were interpreted to be deeper and were not completely outlined.

In 2011, a total of 22 line kilometres were cut for another IP survey. These cut lines overlap the eastern part of the 1970 survey. A geophysical crew was not available to perform the survey in a timely manner and, therefore, the survey was not done.

Mechanized Trenching

In 2011, Wolverine Minerals completed CanDig trenching in the western part of the copper-molybdenum-gold anomaly (Smith, 2012b). Eight trenches totalling about 1300 m were dug for lengths of 12 to 389 m and to maximum depths of 75 cm. Bedrock was rarely encountered in these trenches due in part to the limitations of the CanDig (i.e. bucket size) and thick overburden cover. Samples from bedrock in these trenches yielded low results with the exception of three separate intervals, which yielded 0.431 g/t gold over five metres, 0.15% copper over five metres and 196 ppm molybdenum over four metres.

Diamond Drilling

In 1976, six diamond drill holes totalling 740 m were completed to test for porphyry copper potential in the core of the copper-molybdenum-gold soil geochemical anomaly (Figure 18). Table V below shows details for the six diamond drill holes.

Table V – Maloney Area Diamond Drill Hole Details

Hole	Azimuth	Dip	Length (m)
76-1	050°	-50°	64.62
76-2	000°	-50°	177.09
76-3	225	-50°	44.50
76-4	-	-90°	171.60
76-5	-	-90°	144.17
76-6	-	-90°	138.07

Lithologies intersected in the drill holes include schist, gneiss, orthogneiss, felsic and grey-green tuff and quartz porphyry. The drill holes were selectively sampled at three metre intervals based on visually encouraging features such as mineralization and alteration. Six samples returned elevated copper values between 1000 and 2000 ppm, seven samples graded between 100 and

240 ppb gold, and 23 samples yielded between 1 and 3 ppm silver (Salken, 1976). Copper and gold values showed a fairly high correlation. Holes 76-1 and 76-2 partially tested areas of elevated chargeability that were outlined by the 1970 IP survey. None of the holes cut known or suspected fault zones.

DISCUSSION AND CONCLUSIONS

The CD property lies in an under-explored part of the DRGB. It hosts precious metal rich veins in the Schist Area and weak porphyry-style and vein mineralization in the Maloney Area. Strong soil geochemical anomalies are present in both of the mineralized areas and elsewhere on the property.

The close association between Prospector Mountain Suite porphyry dykes and mineralization at Rockhaven Resources' nearby Klaza property provides an excellent model for future exploration on the CD property. At the Klaza property gold- and silver-rich veins occur alongside feldspar porphyry dykes within linear structural zones that extend northwesterly from an extensive, but relatively weak porphyry system.

Future work on the CD property is warranted and should include:

1. Soil sampling. Additional contour soil sampling should be performed in the southern part of the property to expand known geochemical anomalies and identify new areas of interest; while grid sampling should be conducted in the prospective areas in the northern part of the property where contour sampling has returned encouraging results.

2. Mapping and prospecting. This work should be done in the immediate vicinity of all known mineral showings and areas with elevated soil geochemical response. Prospecting should focus on areas where geochemical anomalies coincide with first vertical derivative magnetic lows, which could mark areas of demagnetization along linear structures.

3. Ground IP surveying. A ground-based IP survey should be completed using the existing cut lines in the Maloney Area to determine the porphyry potential beneath the multi-element soil geochemical anomaly.

4. Hand pitting. The area with strong multi-element soil geochemistry in the Maloney Area should be systematically hand pitted to a depth of at least one metre. All rocks encountered should be examined by a geologist and, if bedrock is not exposed in a pit, an auger soil sample should be taken from as deep as possible beneath its floor.

5. Reverse circulation drilling. Pending favourable results from the IP survey and hand pits, a track-mounted, self-propelled reverse circulation drill should be used in the Maloney Area to test coincident geochemical and geophysical anomalies. This drill should also be used in the Schist Area to test beneath the known veins and nearby soil anomalies.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



Heather Burrell, P.Geo.

REFERENCES

Archer, A, R. and Onasick, E.P.
1980 NAT Joint Venture Final Report; Internal report prepared by Archer, Cathro & Associates Ltd. for Chevron Canada Limited and Armco Mineral Exploration Ltd.

Belik, G.
2011 Internal report, reconnaissance geological mapping of the DDD/Shamrock claim block.

Bond, J.D.
2007 A guide to soil sampling in Yukon. YGS Brochure 2007-2. www.geology.gob.yk.ca

Cathro, R.J. and Culbert, R.E.
1969 Summary report on the 1969 field program; Dawson Range Joint Venture Project, Yukon Territory; Internal report prepared by Archer, Cathro & Associates Ltd.

Cathro, R.J.
1974 Regional Exploration in the Dawson Range District, Yukon for Klotassin Joint Venture; Internal report prepared by Archer, Cathro & Associates Ltd.

1976 1975 Regional Exploration in the Dawson Range District, Yukon for Klotassin Joint Venture; Internal report prepared by Archer, Cathro & Associates Ltd.

Chung, C.
2011(a) Assessment report describing soil geochemistry and helicopter-borne geophysics at the CCC property, Whitehorse Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

2011(b) Assessment report describing soil geochemistry and helicopter-borne geophysics at the DDD property, Whitehorse Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Deklerk, R. and Traynor, S.
2005 Yukon MINFILE – A database of mineral occurrences; Yukon Geological Survey. Available at: http://servlet.gov.yk.ca/ygsmin/occurrence.do?occurrenceID=115I+070

Duk-Rodkin, A.
1999 Glacial limits map of Yukon Territory; Geological Survey of Canada Geoscience Map 1999-2.

Eaton, D.
1986 Geological and Geochemical Report on the Maloney Property (ALO 1-50 claims). Prepared by Archer, Cathro & Associates (1981) Limited. Assessment Report 091810.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
1985 Regional stream sediment and water geochemical reconnaissance data (115I); Geological Survey of Canada, Open File 1220.

Gledhill, T.
1970 Induced Polarization and Resistivity Survey for Amax Exploration Inc. at the Maloney Creek Copper Prospect (Pot Group), Casino Area, Yukon.

Gordey, S.P. and Makepeace, A.J. (compilers)
2003 Yukon digital geology, version 2.0; Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).

LeBarge, W.P.
1996. Placer deposits of the Yukon: Overview and potential for new discoveries. In: Yukon Quaternary Geology Volume 1, Exploration and Geological Services Division, Northern Affairs Program, Yukon Region, p. 1-12.

Mitchell, A.
2012 Assessment Report describing prospecting and geochemical sampling at the CCC property, Whitehorse Mining District, report prepared for Wolverine Minerals Corp. and Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Salken, L.W.
1976 Diamond drill logs and maps for the Maloney Creek property. Report prepared for Western Mines Ltd. Assessment Report 091328.

Smith, H.
2012(a) Assessment Report describing geochemical sampling, geological mapping and excavator trenching at the DDD property, Whitehorse Mining District, report prepared for Wolverine Minerals Corp. and Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

2012(b) Assessment Report describing mechanized trenching and geochemical sampling at the Shamrock property, Whitehorse Mining District, report prepared for Wolverine Minerals Corp. by Archer, Cathro & Associates (1981) Limited.

Tempelman-Kluit, D.J.
1984 Reconnaissance Geology of Lake Laverge (105E) and Carmacks (115I), Yukon Territory; Geological Survey of Canada Open File 1101.

Yukon Geological Survey
2013 MapViewer Online http://mapservices.gov.yk.ca/Mining/WebMap.aspx

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Heather Burrell, geologist, with business addresses in Vancouver and Squamish, British Columbia and Whitehorse, Yukon Territory and residential address in Squamish, British Columbia do hereby certify that:

1. I graduated from the University of British Columbia in 2006 with a B.Sc in Geological Sciences.

2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory, British Columbia and Northwest Territories.

3. I am a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia.

4. I am a partner in Archer, Cathro & Associates (1981) Limited.

5. I have personally participated in the fieldwork reported herein and have interpreted all data resulting from this work.



H. Burrell, B.Sc., P.Geo

APPENDIX II

STATEMENT OF EXPENDITURES

Statement of Expenditures
CD Property (750 CCC & DDD Mineral Claims)
April 4, 2014

Labour

W.D. Eaton – geologist – 49 hours – April to January at $120/hr	$ 6,174.00
H. Burrell – geologist – 75 hours – April to January at $96/hr	7,560.00
J. Tarswell – geologist – 152 hours – April to January at $77/hr	12,289.20
L. Flavelle – geologist – 242 hours – April to January at $68/hr	17,278.80
J. Thomson – field assistant – 184 hours – April to January at $53/hr	10,239.60
L. Vinnedge – field assistant – 188 hours – April to January at $47/hr	9,277.80
K. Grey – field assistant – 16 hours – April to January at 45/hr	756.00
D. Huston – expeditor – 2 hours – April to January at $92/hr	193.20
L. Corbett – expeditor – 18 hours – April to January at $81/hr	1,530.90
D. Wallinger – expeditor – 18 hours – April to January at $74/hr	1,398.60
D. Libman – expeditor – 18 hours – April to January at $55/hr	924.00
J. Mariacher – office – 14 hours – April to January at $90/hr	1,323.00
S. Newman – office –77 hours – April to January at $62/hr	5,012.70
L. Smith – office – 20.5 hours – April to January at $62/hr	1,334.55
	75,292.35

Expenses (incl. management)

Field room and board – 98 ½ mandays @ $135/day	15,079.37
Capital Helicopters – 13 hours Bell 206 @ $1,025/hr plus fuel	16,629.79
Trans North Helicopters – 2 hours Bell 206 @ $990/hr plus fuel	2,633.15
ALS Chemex	36,087.52
	70,429.83

Total	$145,722.18

Total 1144 soil, silt and rock samples = $127.38/sample

APPENDIX III

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

CERTIFICATE WH13158874

Project: DDD

P.O. No.:

This report is for 11 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: DDD

CERTIFICATE OF ANALYSIS WH13158874

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
M400979		0.70	0.05	0.36	5.0	<0.2	<10	200	0.05	0.41	0.01	0.02	31.9	0.2	6	0.39
M400980		1.35	0.03	0.46	3.5	<0.2	<10	680	0.10	0.25	0.01	0.05	53.3	0.2	8	0.53
M400981		1.43	0.05	0.45	4.0	<0.2	<10	160	0.10	0.57	0.01	0.02	47.1	0.1	5	0.47
M400982		0.90	0.03	0.51	5.2	<0.2	<10	480	0.12	0.30	0.01	0.04	50.7	0.1	7	0.79
M400983		0.82	0.17	0.91	1.3	<0.2	<10	110	0.33	0.08	0.32	0.07	16.65	8.7	22	0.37
M400984		2.16	0.04	1.93	10.6	<0.2	<10	70	0.68	0.18	4.51	0.12	45.7	7.1	36	5.91
M400985		1.39	7.16	0.37	37.9	0.6	<10	110	0.21	25.1	0.09	0.04	20.3	3.2	18	0.72
M400986		1.45	0.06	0.93	3.1	<0.2	<10	60	0.41	0.23	0.57	0.04	17.85	5.5	21	0.74
M400987		1.53	0.08	0.37	3.9	<0.2	<10	40	0.21	0.35	0.04	0.02	3.43	4.2	8	0.73
M400988		0.83	0.08	0.66	4.0	<0.2	<10	80	0.35	1.16	0.37	0.05	12.15	4.0	16	0.59
M400989		1.85	0.07	0.21	69.7	<0.2	<10	20	0.68	0.11	0.01	1.14	8.73	7.6	16	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: DDD

CERTIFICATE OF ANALYSIS WH13158874

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
M400979		2.3	1.55	1.96	<0.05	0.03	<0.01	<0.005	0.46	15.2	0.9	0.02	14	11.80	0.01	0.15
M400980		5.8	1.10	1.68	0.05	<0.02	<0.01	<0.005	0.43	26.7	1.1	0.03	34	1.63	0.01	0.08
M400981		3.0	1.52	2.75	0.05	0.04	<0.01	0.005	0.56	25.1	1.1	0.02	15	7.03	0.02	0.12
M400982		8.4	1.49	1.94	0.05	<0.02	<0.01	0.005	0.53	24.8	1.2	0.04	29	2.82	0.02	0.06
M400983		217	6.92	8.96	0.12	0.14	<0.01	0.010	0.15	7.6	13.5	0.68	161	1.54	0.07	0.60
M400984		3.3	1.54	8.06	0.10	0.07	<0.01	0.019	0.31	23.2	13.4	0.63	362	1.13	0.15	0.90
M400985		215	2.23	4.85	<0.05	0.08	<0.01	0.428	0.21	10.8	2.9	0.11	69	1.26	0.02	0.52
M400986		18.6	1.27	3.74	<0.05	0.05	<0.01	0.035	0.09	9.0	6.9	0.25	223	0.25	0.08	1.39
M400987		30.9	0.40	1.04	<0.05	0.09	<0.01	0.009	0.14	1.6	1.3	0.03	67	0.14	0.06	0.10
M400988		24.7	1.85	3.83	<0.05	0.06	<0.01	0.060	0.16	6.7	3.6	0.16	127	0.57	0.06	1.18
M400989		42.4	3.28	0.69	<0.05	<0.02	<0.01	0.005	0.06	4.3	0.7	0.02	213	3.76	<0.01	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: DDD

CERTIFICATE OF ANALYSIS WH13158874

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
M400979		0.7	70	3.5	17.9	0.001	0.56	0.23	0.5	3.2	1.0	6.4	<0.01	0.11	3.6	0.006
M400980		0.9	120	4.1	17.3	<0.001	0.38	0.14	0.6	1.7	0.2	17.2	<0.01	0.04	10.2	<0.005
M400981		0.5	210	3.9	23.3	<0.001	0.59	0.16	0.7	2.6	0.7	71.3	<0.01	0.12	23.0	0.006
M400982		0.7	150	4.7	23.3	<0.001	0.52	0.19	0.6	2.3	0.3	17.4	<0.01	0.05	12.6	<0.005
M400983		7.0	580	7.3	5.4	0.001	0.03	0.17	6.0	0.3	0.7	23.2	<0.01	0.01	8.9	0.108
M400984		19.2	610	9.6	26.7	<0.001	0.02	1.68	3.8	0.4	1.0	141.0	0.01	0.01	9.7	0.124
M400985		4.8	320	5.7	10.2	<0.001	0.35	0.31	1.1	0.7	0.8	16.1	<0.01	1.61	4.8	0.017
M400986		10.8	280	4.4	7.6	<0.001	0.02	0.45	1.9	0.2	0.5	49.4	<0.01	0.03	3.6	0.060
M400987		2.5	30	8.3	8.0	<0.001	0.02	0.12	0.2	<0.2	<0.2	13.1	<0.01	0.03	0.5	<0.005
M400988		8.1	190	7.9	8.8	<0.001	0.05	0.92	1.3	0.6	0.6	30.1	<0.01	0.19	3.7	0.033
M400989		51.8	390	8.2	3.9	<0.001	0.02	1.60	1.0	0.8	<0.2	2.0	<0.01	0.03	1.3	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: DDD

CERTIFICATE OF ANALYSIS WH13158874

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-AA24
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.005
M400979		0.17	0.22	5	0.47	1.34	3	1.5	0.008
M400980		0.21	0.35	2	0.20	2.05	4	0.5	<0.005
M400981		0.27	0.45	3	0.40	2.05	3	1.5	0.009
M400982		0.29	0.42	3	0.25	2.06	3	<0.5	<0.005
M400983		0.05	0.69	57	0.66	5.86	26	4.2	0.018
M400984		0.27	1.18	26	0.32	10.35	30	1.4	<0.005
M400985		0.16	0.54	8	0.14	3.05	7	3.6	0.805
M400986		0.07	0.48	14	0.39	4.63	18	1.9	<0.005
M400987		0.10	0.10	2	<0.05	1.16	4	2.8	<0.005
M400988		0.10	0.30	14	0.18	3.00	12	1.6	0.013
M400989		0.05	1.38	16	0.05	5.43	702	0.5	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: DDD

Finalized Date: 19-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13158874

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA24	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

CERTIFICATE WH13153542

Project: CCC

P.O. No.:

This report is for 15 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153542

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M400951		0.80	<0.001	<0.01	0.06	0.5	<0.2	<10	10	<0.05	0.01	0.01	<0.01	1.58	0.4	15
M400952		1.12	<0.001	0.01	0.31	0.6	<0.2	<10	70	0.18	0.01	0.04	0.01	3.36	0.4	9
M400953		0.51	0.006	0.25	0.39	269	<0.2	<10	710	0.23	0.11	0.03	0.37	23.9	2.3	23
M400954		2.92	<0.001	0.03	2.08	0.9	<0.2	<10	30	0.25	0.03	1.83	0.06	4.15	16.4	93
M400955		2.06	<0.001	0.02	0.84	1.2	<0.2	<10	20	0.20	0.08	1.07	0.05	14.65	3.4	8
M400956		2.85	0.001	0.04	0.80	1.0	<0.2	<10	50	0.25	0.10	1.38	0.10	12.85	7.6	10
M400957		1.10	0.001	0.04	0.64	0.8	<0.2	<10	10	0.25	0.03	7.23	0.02	25.0	5.9	11
M400958		1.00	0.001	0.04	0.13	2	<0.2	<10	10	0.07	0.03	>25.0	0.09	7.56	3.0	2
M400959		1.26	0.002	0.04	0.16	130.0	<0.2	<10	20	0.16	0.01	0.09	0.03	8.14	2.9	10
M400960		0.81	<0.001	0.02	0.09	11.5	<0.2	<10	10	0.05	0.04	0.02	<0.01	6.75	0.6	11
M400961		0.84	<0.001	0.01	0.13	2.7	<0.2	<10	20	0.05	0.02	0.04	0.01	3.91	1.7	13
M400962		1.33	<0.001	0.03	1.12	6.1	<0.2	<10	310	0.13	0.07	0.08	0.01	35.1	6.1	35
M400963		1.53	<0.001	0.03	0.02	0.4	<0.2	<10	10	<0.05	<0.01	0.01	0.01	0.57	0.4	16
M400964		5.57	0.001	0.03	1.35	1.4	<0.2	<10	30	0.26	0.03	1.71	0.08	7.96	16.2	36
M400965		0.59	0.001	0.03	0.91	1.2	<0.2	<10	20	0.22	0.04	2.06	0.17	17.90	16.9	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153542

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M400951		0.10	1.1	0.30	0.25	<0.05	<0.02	<0.01	<0.005	0.03	0.8	0.7	0.02	37	0.12	<0.01
M400952		0.42	3.2	0.53	0.91	<0.05	0.05	<0.01	<0.005	0.14	1.1	1.5	0.04	54	0.09	0.07
M400953		0.99	30.7	6.14	1.28	0.15	0.03	3.68	0.028	0.19	10.3	1.6	0.01	65	11.75	0.01
M400954		0.98	9.1	1.89	5.19	0.09	0.10	0.01	0.012	0.17	1.9	12.0	1.38	315	0.08	0.27
M400955		0.33	11.6	1.16	4.79	0.10	0.13	0.02	0.018	0.08	6.2	1.7	0.22	223	0.31	0.10
M400956		0.65	5.8	1.44	2.86	0.11	0.16	<0.01	0.012	0.09	7.2	8.1	0.62	341	0.12	0.12
M400957		2.36	14.1	0.86	2.53	0.08	0.08	<0.01	0.007	0.09	12.6	5.7	0.23	135	0.09	0.06
M400958		0.43	9.2	0.80	0.48	<0.05	0.02	0.01	0.007	0.01	4.7	0.8	0.08	387	0.56	0.02
M400959		0.83	15.2	0.92	0.62	<0.05	<0.02	0.02	0.006	0.07	3.2	0.9	0.01	119	0.65	<0.01
M400960		0.53	2.1	0.39	0.35	<0.05	0.06	0.01	<0.005	0.08	3.2	0.8	<0.01	32	0.16	0.01
M400961		0.15	3.5	0.54	0.44	<0.05	<0.02	<0.01	<0.005	0.05	1.6	2.4	0.04	70	0.11	0.01
M400962		1.64	8.3	2.07	6.17	0.10	0.02	<0.01	0.020	0.71	15.7	16.5	0.52	267	0.13	0.06
M400963		0.05	2.2	0.39	0.12	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.4	0.01	48	0.17	<0.01
M400964		0.35	11.7	1.76	4.37	0.10	0.12	0.01	0.012	0.12	3.6	11.6	1.18	403	0.12	0.14
M400965		0.09	7.5	1.57	4.20	0.13	0.09	0.01	0.011	0.05	12.1	9.6	1.12	566	0.06	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153542

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M400951		0.07	1.4	20	0.4	1.5	<0.001	<0.01	0.07	0.2	<0.2	<0.2	0.9	<0.01	<0.01	0.3
M400952		0.07	0.9	30	5.1	5.3	<0.001	<0.01	0.21	0.3	<0.2	<0.2	19.5	<0.01	<0.01	1.4
M400953		0.11	9.9	2970	5.5	5.0	0.002	0.30	75.6	1.1	4.4	0.2	305	<0.01	0.24	2.5
M400954		0.17	34.3	60	2.5	3.8	<0.001	0.02	0.25	7.4	0.2	0.3	125.0	<0.01	0.01	0.4
M400955		0.78	3.2	660	1.9	1.9	<0.001	0.01	0.31	3.0	0.3	1.1	84.6	<0.01	<0.01	2.4
M400956		0.64	6.5	610	5.5	3.8	<0.001	0.06	0.31	4.7	0.4	0.5	62.2	<0.01	0.01	2.2
M400957		2.48	13.4	450	4.4	3.4	<0.001	0.02	3.83	1.4	0.3	0.4	199.5	0.01	0.01	4.5
M400958		0.80	7.2	690	6.1	0.5	0.001	0.02	0.06	0.5	0.7	<0.2	2140	<0.01	0.03	2.2
M400959		<0.05	9.6	80	2.5	3.8	<0.001	0.02	2.14	0.9	0.2	<0.2	10.6	<0.01	0.01	1.0
M400960		0.13	1.8	30	5.2	3.4	<0.001	0.02	1.05	0.2	<0.2	<0.2	1.8	<0.01	0.01	1.9
M400961		<0.05	3.6	60	1.3	1.8	<0.001	<0.01	0.37	0.2	<0.2	<0.2	4.5	<0.01	<0.01	0.8
M400962		0.51	10.9	110	3.1	49.2	<0.001	<0.01	0.62	4.7	0.3	0.5	38.1	<0.01	0.01	7.2
M400963		<0.05	2.2	<10	0.3	0.5	<0.001	<0.01	0.13	0.1	<0.2	<0.2	0.5	<0.01	<0.01	<0.2
M400964		0.35	30.0	120	4.9	2.9	<0.001	0.04	0.15	6.6	0.3	0.4	59.8	<0.01	0.01	1.5
M400965		0.44	37.6	320	10.0	1.4	<0.001	0.01	0.15	2.9	0.3	0.4	41.8	<0.01	0.01	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153542

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
M400951		<0.005	<0.02	0.06	1	<0.05	0.28	3	<0.5
M400952		<0.005	0.03	0.11	1	<0.05	0.59	6	1.1
M400953		<0.005	0.83	1.48	185	0.29	9.25	41	0.7
M400954		0.063	0.02	0.25	38	0.07	3.58	33	2.3
M400955		0.066	<0.02	1.12	21	0.06	5.35	18	2.4
M400956		0.160	0.02	0.53	50	0.73	6.93	29	2.7
M400957		0.092	<0.02	0.47	9	0.18	5.18	24	1.7
M400958		0.011	<0.02	1.35	2	0.20	10.80	10	<0.5
M400959		<0.005	0.05	0.56	7	0.06	1.70	26	<0.5
M400960		<0.005	0.10	0.17	1	0.05	0.98	2	1.3
M400961		<0.005	<0.02	0.16	1	<0.05	0.77	4	<0.5
M400962		0.147	0.26	0.57	34	0.05	4.15	52	<0.5
M400963		<0.005	<0.02	<0.05	1	<0.05	0.17	2	<0.5
M400964		0.104	<0.02	0.54	52	0.18	5.68	36	2.4
M400965		0.091	<0.02	0.42	44	0.40	5.78	56	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153542

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (2 ppm DL)
ME-MS41

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP21	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

CERTIFICATE WH13153668

Project: CCC

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153668

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M400966		0.92	0.001	0.09	0.29	9.1	<0.2	<10	70	0.27	0.24	0.02	0.01	11.15	0.4	7
M400967		1.07	0.001	0.05	2.19	3.8	<0.2	<10	180	0.66	0.07	1.20	0.27	28.7	48.4	15
M400968		0.88	0.004	0.05	3.12	7.8	<0.2	<10	100	0.76	0.05	0.58	0.09	36.8	47.2	437
M400969		0.63	0.003	0.05	2.87	6.8	<0.2	<10	120	0.84	0.05	0.82	0.11	47.7	39.9	595
M400970		0.80	0.002	0.03	2.77	1.9	<0.2	<10	100	0.77	0.05	0.70	0.09	52.3	45.9	311
M400971		0.69	0.001	0.03	2.51	0.6	<0.2	<10	80	0.76	0.05	1.71	0.10	49.9	53.8	496
M400972		2.51	0.001	0.05	0.55	1.4	<0.2	<10	30	0.40	0.01	0.37	0.07	10.50	6.0	61
M400973		2.19	0.009	0.21	0.96	18.1	<0.2	<10	60	0.38	0.01	1.88	0.12	8.45	32.7	79
M400974		0.46	0.041	0.07	1.46	2.9	<0.2	<10	70	0.89	0.09	0.30	0.09	32.1	27.2	127
M400975		1.48	0.002	0.11	3.99	2.6	<0.2	<10	80	0.78	0.05	6.74	0.56	30.3	80.3	38
M400976		1.30	0.001	0.05	2.20	1.3	<0.2	<10	90	0.68	0.03	8.89	0.28	38.3	37.9	241
M400977		0.87	0.002	0.08	3.07	0.9	<0.2	<10	100	1.06	0.06	1.02	0.25	60.2	17.0	30
M400978		1.14	0.002	1.84	4.81	87.6	<0.2	<10	370	1.25	0.27	2.34	1.26	40.1	50.9	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153668

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M400966		0.42	13.8	1.18	1.13	<0.05	0.07	0.03	0.016	0.10	5.5	0.9	0.01	27	0.15	0.03
M400967		1.01	8.7	2.94	7.47	0.05	0.27	<0.01	0.022	0.20	11.6	54.9	0.92	506	1.46	0.06
M400968		0.42	66.9	7.46	12.45	0.07	0.24	0.01	0.028	0.16	17.0	13.6	2.07	1240	0.70	0.03
M400969		0.44	77.5	6.07	14.00	0.09	0.15	0.01	0.036	0.14	23.1	16.2	2.12	1160	0.57	0.05
M400970		0.68	76.3	6.69	12.40	0.07	0.15	<0.01	0.031	0.20	23.8	9.6	1.67	1620	0.79	0.03
M400971		0.46	75.4	4.78	13.15	0.07	0.13	0.01	0.031	0.18	26.3	9.4	1.60	854	0.21	0.04
M400972		0.41	40.3	0.96	1.68	<0.05	0.08	0.01	<0.005	0.08	2.5	3.1	0.36	214	0.64	<0.01
M400973		0.75	14.7	2.43	3.83	<0.05	0.12	0.01	0.005	0.03	4.9	5.4	0.62	1150	2.05	<0.01
M400974		0.39	76.7	4.68	5.28	<0.05	0.28	<0.01	0.014	0.29	12.3	3.8	0.71	897	0.94	0.01
M400975		0.44	28.7	10.50	14.55	0.12	0.13	<0.01	0.031	0.04	18.4	17.0	2.93	2960	10.75	0.01
M400976		0.75	56.3	5.04	8.60	0.08	0.14	<0.01	0.027	0.15	20.5	8.5	1.58	2490	1.33	0.03
M400977		0.43	33.3	5.33	13.25	0.09	0.07	<0.01	0.035	0.23	34.6	10.8	2.40	1100	0.38	0.03
M400978		2.12	45.3	9.26	16.45	0.10	0.10	<0.01	0.041	0.15	18.7	27.3	3.06	1440	17.05	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153668

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M400966		0.11	2.4	60	3.8	4.7	<0.001	<0.01	0.52	1.0	1.5	<0.2	2.2	<0.01	0.11	8.6
M400967		0.31	8.6	1100	20.8	6.8	<0.001	0.01	0.21	6.8	0.6	0.6	68.3	<0.01	0.05	2.5
M400968		0.10	265	2010	6.6	6.6	<0.001	<0.01	0.79	11.0	0.3	0.6	27.4	<0.01	<0.01	2.8
M400969		0.10	230	2690	16.0	4.7	<0.001	<0.01	0.67	12.1	0.6	0.7	31.9	<0.01	<0.01	3.4
M400970		0.07	260	2760	5.5	9.3	<0.001	<0.01	0.34	10.9	0.6	0.6	33.1	<0.01	0.01	3.1
M400971		0.07	286	2930	5.5	5.5	<0.001	0.01	0.22	10.6	0.8	0.7	74.3	<0.01	<0.01	3.1
M400972		0.06	34.0	30	14.7	4.4	<0.001	0.01	0.28	4.4	0.2	<0.2	12.3	<0.01	<0.01	0.2
M400973		0.18	146.0	200	2.3	2.7	<0.001	0.01	0.62	5.8	0.4	<0.2	50.5	<0.01	<0.01	0.3
M400974		0.12	176.0	900	9.1	12.3	<0.001	0.01	0.68	10.1	0.4	0.5	14.3	<0.01	0.01	2.2
M400975		<0.05	156.0	660	9.7	1.8	<0.001	<0.01	0.30	37.6	0.8	0.5	228	<0.01	0.01	1.7
M400976		<0.05	171.0	1670	10.6	6.8	<0.001	<0.01	0.30	13.4	0.6	0.6	324	<0.01	0.01	2.5
M400977		<0.05	26.1	2520	9.4	10.8	<0.001	<0.01	0.30	7.9	0.5	0.9	35.2	<0.01	0.01	3.2
M400978		<0.05	35.4	570	111.5	6.7	<0.001	<0.01	1.04	14.7	3.1	0.9	184.0	<0.01	0.57	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153668

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
M400966		<0.005	0.05	1.26	3	<0.05	5.64	11	1.0
M400967		0.179	0.08	1.06	65	0.15	11.85	135	6.1
M400968		0.061	0.03	0.47	167	0.16	9.57	80	6.9
M400969		0.023	0.03	0.59	177	0.18	12.25	79	5.3
M400970		0.017	0.03	0.65	151	0.11	12.10	77	4.5
M400971		0.010	0.02	0.56	171	0.06	14.35	82	4.2
M400972		<0.005	0.02	0.25	21	<0.05	1.32	20	2.1
M400973		<0.005	<0.02	0.48	60	0.14	4.19	27	8.1
M400974		0.050	0.04	0.79	105	0.23	6.57	64	9.2
M400975		0.023	<0.02	1.15	215	0.55	17.55	178	9.7
M400976		0.020	0.03	0.71	116	0.14	13.25	76	5.7
M400977		0.008	0.05	0.86	98	<0.05	15.45	101	4.0
M400978		0.007	0.03	0.72	123	<0.05	16.05	192	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 10-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13153668

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP21	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

CERTIFICATE WH13145856

Project: CCC

P.O. No.:

This report is for 117 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ71985		0.39	0.003	<0.2	1.69	14	<10	150	0.5	<2	0.36	<0.5	12	49	34	3.08
ZZ71986		0.34	0.006	0.2	2.52	19	<10	160	0.6	<2	0.23	<0.5	15	43	27	3.63
ZZ71987		0.42	0.003	<0.2	2.09	29	<10	130	0.5	<2	0.22	<0.5	10	38	29	3.72
ZZ71988		0.42	0.004	0.2	2.15	13	<10	240	0.5	<2	0.25	<0.5	13	34	31	3.14
ZZ71989		0.44	0.004	<0.2	1.84	17	<10	240	0.5	<2	0.26	<0.5	9	29	24	2.92
ZZ71990		0.35	0.005	0.6	2.54	18	<10	460	0.8	<2	0.31	<0.5	7	30	43	3.04
ZZ71991		0.31	0.007	<0.2	1.31	17	<10	190	<0.5	<2	0.18	<0.5	17	23	27	2.56
ZZ71992		0.53	0.003	<0.2	1.67	9	<10	210	0.5	<2	0.27	<0.5	11	25	20	2.31
ZZ71993		0.46	0.007	<0.2	2.38	29	<10	400	0.7	<2	0.33	<0.5	12	45	40	3.29
ZZ71994		0.56	0.007	0.5	2.42	19	<10	370	0.8	<2	0.44	<0.5	12	58	33	3.92
ZZ71995		0.43	0.004	0.2	1.50	12	<10	250	0.6	<2	0.37	<0.5	7	33	22	2.42
ZZ71996		0.37	0.006	0.4	2.45	21	<10	490	1.3	<2	0.41	<0.5	19	46	47	3.97
ZZ71997		0.41	0.003	<0.2	2.42	14	<10	370	0.6	<2	0.43	<0.5	19	52	36	4.19
ZZ71998		0.31	0.005	0.3	2.10	13	<10	360	0.7	<2	0.43	<0.5	9	36	44	2.79
ZZ71999		0.36	0.007	0.3	2.54	37	<10	410	0.7	<2	0.51	<0.5	18	56	43	4.26
ZZ72000		0.29	0.006	0.3	2.43	21	<10	500	0.6	<2	0.50	<0.5	12	46	41	3.51
ZZ73501		0.39	0.002	<0.2	2.08	29	<10	300	0.5	<2	0.36	<0.5	12	42	34	3.76
ZZ73502		0.45	0.006	<0.2	1.98	18	<10	230	0.5	<2	0.36	<0.5	13	39	26	3.08
ZZ73503		0.41	0.003	<0.2	1.89	11	<10	230	<0.5	<2	0.43	<0.5	11	38	30	3.06
ZZ73504		0.56	0.005	<0.2	2.15	11	<10	320	0.5	<2	0.46	<0.5	11	49	30	3.48
ZZ73505		0.41	0.005	0.4	2.36	19	<10	310	0.6	<2	0.37	<0.5	10	30	44	3.04
ZZ73506		0.31	0.004	0.8	2.05	15	<10	240	0.6	<2	0.26	<0.5	7	25	49	2.46
ZZ73507		0.28	0.003	0.2	1.97	11	<10	250	0.5	<2	0.28	<0.5	8	23	28	2.36
ZZ73508		0.37	0.013	1.1	3.26	80	<10	450	1.1	<2	0.22	<0.5	12	41	51	3.64
ZZ73509		0.58	0.006	0.5	1.64	40	<10	210	0.5	<2	0.31	<0.5	8	29	24	2.58
ZZ73510		0.38	0.006	0.2	2.21	6	<10	210	<0.5	<2	0.30	<0.5	8	34	19	2.66
ZZ73511		0.38	0.005	<0.2	2.04	8	<10	160	0.5	<2	0.34	<0.5	10	46	23	2.55
ZZ73512		0.45	0.004	<0.2	1.96	14	<10	150	0.5	<2	0.34	<0.5	8	43	23	2.90
ZZ73513		0.45	0.006	0.4	2.11	15	<10	230	0.5	<2	0.27	<0.5	10	44	39	2.76
ZZ73514		0.37	0.005	0.2	1.83	14	<10	170	<0.5	<2	0.30	<0.5	8	39	20	2.60
ZZ73515		0.43	0.007	0.4	2.50	27	<10	250	0.5	<2	0.33	<0.5	11	58	31	3.65
ZZ73516		0.63	0.004	0.3	2.30	15	<10	210	0.5	<2	0.43	<0.5	14	59	32	3.19
ZZ73517		0.40	0.008	0.7	1.49	15	<10	190	<0.5	<2	0.38	<0.5	8	30	22	2.14
ZZ73518		0.45	0.006	0.2	1.60	19	<10	150	<0.5	<2	0.33	<0.5	8	42	21	2.81
ZZ73519		0.37	0.011	1.1	2.18	12	<10	230	0.6	<2	0.49	<0.5	6	42	38	2.41
ZZ73520		0.41	0.009	0.9	2.42	20	<10	280	<0.5	<2	0.49	<0.5	9	63	33	3.51
ZZ73521		0.33	0.004	<0.2	2.89	19	<10	330	0.6	<2	0.38	<0.5	16	98	49	4.20
ZZ73522		0.36	0.007	1.3	1.47	6	<10	200	<0.5	<2	0.18	<0.5	8	29	23	1.67
ZZ73523		0.46	0.012	0.9	2.19	15	<10	280	<0.5	<2	0.38	<0.5	10	68	39	3.34
ZZ73524		0.34	0.009	1.3	1.65	5	<10	230	<0.5	<2	0.29	<0.5	10	33	49	1.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ71985		<10	<1	0.15	20	0.67	466	1	0.01	41	890	8	0.01	2	5	19
ZZ71986		10	<1	0.11	10	0.54	475	5	<0.01	31	720	11	0.01	2	5	20
ZZ71987		10	<1	0.10	10	0.48	364	2	<0.01	26	560	12	0.01	2	5	17
ZZ71988		10	<1	0.12	10	0.50	425	1	<0.01	29	530	8	0.01	2	5	21
ZZ71989		10	<1	0.10	10	0.39	295	1	0.01	20	430	9	0.01	2	4	22
ZZ71990		10	<1	0.16	30	0.30	376	2	0.01	21	590	10	0.02	3	6	33
ZZ71991		10	<1	0.10	10	0.26	1190	2	0.01	18	460	9	0.01	<2	3	19
ZZ71992		<10	<1	0.10	10	0.37	531	1	<0.01	19	650	8	<0.01	<2	4	18
ZZ71993		10	<1	0.12	20	0.58	369	1	<0.01	26	920	11	0.04	4	5	32
ZZ71994		10	<1	0.14	30	0.67	404	3	0.01	29	830	12	0.02	2	11	36
ZZ71995		<10	<1	0.10	20	0.50	278	1	0.01	20	540	14	0.01	2	6	29
ZZ71996		10	<1	0.14	40	0.62	694	3	0.01	34	880	16	0.03	3	17	37
ZZ71997		10	<1	0.11	10	0.83	942	2	0.01	25	950	11	0.02	2	8	35
ZZ71998		10	<1	0.11	20	0.48	261	1	0.01	26	810	8	0.04	3	9	37
ZZ71999		10	<1	0.14	20	0.59	1090	3	0.01	30	940	10	0.04	3	13	50
ZZ72000		10	<1	0.14	10	0.59	625	2	0.01	29	1040	8	0.06	3	8	49
ZZ73501		10	<1	0.11	10	0.61	445	2	0.02	26	720	10	0.02	<2	6	26
ZZ73502		10	<1	0.12	20	0.62	343	1	0.02	25	810	7	0.01	<2	7	25
ZZ73503		10	<1	0.14	20	0.66	357	1	0.02	25	990	7	0.01	<2	6	26
ZZ73504		10	<1	0.19	20	0.83	455	1	0.02	27	1060	8	0.01	<2	7	27
ZZ73505		10	<1	0.15	20	0.40	522	2	0.03	26	900	8	0.06	<2	5	33
ZZ73506		10	<1	0.13	20	0.29	279	2	0.03	24	780	5	0.06	<2	3	26
ZZ73507		10	<1	0.15	20	0.31	449	1	0.03	20	620	5	0.04	<2	4	25
ZZ73508		10	<1	0.22	30	0.41	472	2	0.01	33	1360	15	0.08	<2	7	26
ZZ73509		10	<1	0.11	10	0.39	411	1	0.02	24	860	8	0.04	<2	4	25
ZZ73510		10	<1	0.07	10	0.44	539	1	0.02	29	910	7	0.06	<2	4	26
ZZ73511		10	<1	0.09	10	0.62	336	2	0.02	30	940	8	0.03	<2	5	26
ZZ73512		10	<1	0.07	20	0.57	302	2	0.02	26	860	8	0.03	<2	5	24
ZZ73513		10	<1	0.07	20	0.50	424	1	0.02	29	870	9	0.05	<2	5	22
ZZ73514		10	<1	0.07	10	0.53	240	1	0.02	25	830	8	0.02	<2	4	20
ZZ73515		10	<1	0.12	20	0.71	340	1	0.02	38	1070	11	0.03	<2	7	23
ZZ73516		10	<1	0.11	20	0.78	293	1	0.02	36	1160	9	0.02	<2	6	26
ZZ73517		<10	<1	0.07	10	0.34	537	1	0.03	22	980	5	0.05	<2	3	26
ZZ73518		10	<1	0.11	20	0.53	221	1	0.01	25	810	8	0.01	<2	4	21
ZZ73519		10	<1	0.15	10	0.44	225	1	0.02	28	960	9	0.07	<2	5	37
ZZ73520		10	<1	0.21	10	0.65	405	2	0.02	36	1060	8	0.05	2	6	38
ZZ73521		10	<1	0.47	20	1.11	613	1	0.02	64	780	7	0.02	<2	9	27
ZZ73522		<10	<1	0.07	10	0.21	369	1	0.04	20	770	3	0.05	<2	3	19
ZZ73523		10	<1	0.16	10	0.69	384	3	0.02	39	980	7	0.03	<2	6	29
ZZ73524		<10	<1	0.07	10	0.24	378	1	0.03	24	1130	3	0.09	2	4	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ71985		<20	0.13	<10	<10	85	<10	87
ZZ71986		<20	0.09	<10	<10	79	<10	76
ZZ71987		<20	0.08	<10	<10	90	<10	71
ZZ71988		<20	0.06	<10	<10	65	<10	61
ZZ71989		<20	0.04	<10	<10	63	<10	57
ZZ71990		<20	0.01	<10	<10	51	<10	65
ZZ71991		<20	0.05	<10	<10	58	<10	66
ZZ71992		<20	0.04	<10	<10	47	<10	57
ZZ71993		<20	0.02	<10	<10	65	<10	91
ZZ71994		<20	0.07	<10	<10	90	<10	108
ZZ71995		<20	0.06	<10	<10	54	<10	70
ZZ71996		<20	0.03	<10	<10	77	<10	98
ZZ71997		<20	0.06	<10	<10	97	<10	109
ZZ71998		<20	0.03	<10	<10	64	<10	75
ZZ71999		<20	0.03	<10	<10	91	<10	113
ZZ72000		<20	0.05	<10	<10	79	<10	104
ZZ73501		<20	0.07	<10	<10	83	<10	86
ZZ73502		<20	0.10	<10	<10	69	<10	72
ZZ73503		<20	0.13	<10	<10	68	<10	80
ZZ73504		<20	0.13	<10	<10	80	<10	91
ZZ73505		<20	0.05	<10	<10	58	<10	86
ZZ73506		<20	0.03	<10	<10	48	<10	63
ZZ73507		<20	0.05	<10	<10	50	<10	58
ZZ73508		<20	0.01	<10	<10	63	<10	86
ZZ73509		<20	0.04	<10	<10	53	<10	73
ZZ73510		<20	0.06	<10	<10	51	<10	115
ZZ73511		<20	0.09	<10	<10	75	<10	103
ZZ73512		<20	0.07	<10	10	68	<10	93
ZZ73513		<20	0.05	<10	<10	59	<10	89
ZZ73514		<20	0.07	<10	<10	62	<10	71
ZZ73515		<20	0.08	<10	<10	91	<10	106
ZZ73516		<20	0.09	<10	<10	80	<10	97
ZZ73517		<20	0.04	<10	<10	54	<10	67
ZZ73518		<20	0.07	<10	<10	68	<10	82
ZZ73519		<20	0.05	<10	<10	84	<10	88
ZZ73520		<20	0.09	<10	<10	106	<10	104
ZZ73521		<20	0.20	<10	<10	125	<10	120
ZZ73522		<20	0.03	<10	<10	47	<10	45
ZZ73523		<20	0.10	<10	<10	125	<10	108
ZZ73524		<20	0.03	<10	<10	54	<10	47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73525		0.43	0.004	<0.2	2.05	9	<10	270	<0.5	<2	0.37	<0.5	13	65	36	3.10
ZZ73526		0.50	0.006	0.3	2.75	15	<10	310	0.5	<2	0.47	<0.5	18	92	41	4.12
ZZ73527		0.32	0.005	0.6	2.37	7	<10	250	<0.5	<2	0.39	<0.5	6	39	31	2.13
ZZ73528		0.33	0.005	0.3	2.14	9	<10	200	<0.5	<2	0.40	<0.5	9	56	32	3.29
ZZ73529		0.40	0.005	0.2	2.30	6	<10	300	<0.5	<2	0.49	<0.5	14	103	37	3.19
ZZ73530		0.45	0.004	0.5	1.99	9	<10	220	<0.5	<2	0.33	<0.5	9	46	39	2.97
ZZ73531		0.38	0.006	0.2	2.18	14	<10	260	0.5	<2	0.46	<0.5	11	70	40	3.67
ZZ73532		0.41	0.007	0.7	1.37	7	<10	130	<0.5	<2	0.18	<0.5	4	27	28	1.59
ZZ73533		0.32	0.005	0.5	0.89	9	<10	80	<0.5	<2	0.10	<0.5	4	13	31	1.19
ZZ73534		0.34	0.003	0.2	0.76	6	<10	70	<0.5	<2	0.08	<0.5	2	9	14	0.82
ZZ73535		0.40	0.014	0.4	2.28	77	<10	210	0.5	<2	0.26	0.5	12	52	61	4.01
ZZ73536		0.42	0.007	0.3	2.10	34	<10	210	<0.5	<2	0.27	<0.5	9	43	32	3.09
ZZ73537		0.34	0.006	0.3	1.90	25	<10	220	<0.5	<2	0.23	0.5	7	45	37	3.10
ZZ73538		0.38	0.005	<0.2	2.43	30	<10	210	0.5	<2	0.23	<0.5	12	47	29	3.93
ZZ73539		0.38	0.006	0.2	2.69	28	<10	210	0.5	<2	0.27	<0.5	12	49	42	3.74
ZZ73540		0.25	0.006	0.2	2.71	18	<10	230	0.6	<2	0.32	<0.5	18	64	45	3.93
ZZ73541		0.38	0.013	0.3	2.32	62	<10	190	0.5	<2	0.26	<0.5	13	43	35	3.38
ZZ73542		0.34	0.004	<0.2	2.54	21	<10	240	0.5	<2	0.27	<0.5	14	53	40	3.58
ZZ73543		0.42	0.005	<0.2	1.96	10	<10	220	<0.5	<2	0.50	<0.5	12	76	23	2.76
ZZ73544		0.36	0.006	0.2	2.04	12	<10	170	<0.5	<2	0.32	<0.5	8	39	27	2.75
ZZ73545		0.33	0.008	<0.2	2.56	18	<10	210	0.5	<2	0.32	<0.5	13	52	30	3.56
ZZ73546		0.43	0.006	0.2	2.66	15	<10	260	0.6	<2	0.39	<0.5	12	57	30	3.32
ZZ73547		0.36	0.006	<0.2	2.41	13	<10	250	0.7	<2	0.37	<0.5	12	48	32	3.05
ZZ73548		0.45	0.006	0.2	1.95	26	<10	230	0.5	<2	0.34	<0.5	12	55	36	3.25
ZZ73549		0.47	0.009	0.7	2.78	26	<10	490	0.6	<2	0.39	<0.5	11	53	44	3.32
ZZ73550		0.39	0.008	<0.2	1.92	18	<10	240	<0.5	<2	0.30	<0.5	16	39	31	3.44
ZZ73551		0.46	0.010	0.2	2.31	24	<10	300	<0.5	<2	0.36	<0.5	13	58	41	3.52
ZZ73552		0.24	0.012	1.2	2.59	22	<10	320	0.5	<2	0.25	<0.5	11	46	45	2.99
ZZ73553		0.38	0.005	0.4	1.70	26	<10	200	<0.5	<2	0.31	<0.5	10	44	32	2.94
ZZ73554		0.51	0.006	0.2	2.32	24	<10	290	0.5	<2	0.37	<0.5	17	65	42	3.64
ZZ73555		0.29	0.008	0.6	2.53	14	<10	240	<0.5	<2	0.41	<0.5	30	70	35	3.83
ZZ73556		0.34	0.008	0.2	1.99	22	<10	220	0.5	<2	0.33	<0.5	10	63	53	2.87
ZZ73557		0.43	0.005	<0.2	1.86	20	<10	180	<0.5	<2	0.29	<0.5	8	44	32	3.18
ZZ73558		0.34	0.009	0.3	2.16	106	<10	260	<0.5	<2	0.24	<0.5	9	53	48	3.47
ZZ73559		0.39	0.005	<0.2	1.91	55	<10	220	<0.5	<2	0.28	<0.5	10	46	27	3.27
ZZ73560		0.33	0.003	<0.2	1.85	35	<10	180	<0.5	<2	0.24	<0.5	12	54	26	3.27
ZZ73561		0.37	0.006	<0.2	2.27	20	<10	220	<0.5	<2	0.29	<0.5	12	50	37	3.40
ZZ73562		0.38	0.004	<0.2	1.81	21	<10	180	<0.5	<2	0.21	<0.5	7	36	21	2.87
ZZ73563		0.27	0.004	<0.2	1.61	25	<10	160	<0.5	<2	0.21	<0.5	7	42	28	3.02
ZZ73564		0.29	0.009	0.2	2.77	31	<10	300	0.7	<2	0.30	<0.5	14	61	41	3.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73525		10	<1	0.29	10	0.81	336	1	0.02	42	1020	5	0.01	<2	6	22
ZZ73526		10	<1	0.20	10	0.98	639	1	0.02	55	930	10	0.03	<2	8	35
ZZ73527		10	<1	0.18	10	0.41	209	1	0.03	28	880	4	0.06	<2	4	36
ZZ73528		10	<1	0.23	10	0.73	294	1	0.02	33	700	7	0.02	<2	5	28
ZZ73529		10	<1	0.32	10	1.10	259	1	0.02	69	1070	5	0.02	<2	5	31
ZZ73530		10	<1	0.17	10	0.55	281	1	0.03	33	820	5	0.03	<2	4	27
ZZ73531		10	<1	0.46	30	0.93	462	1	0.02	45	1110	5	0.02	<2	8	28
ZZ73532		<10	<1	0.09	10	0.24	138	1	0.03	20	740	3	0.05	<2	2	19
ZZ73533		<10	<1	0.05	<10	0.12	156	1	0.04	12	580	3	0.05	<2	1	14
ZZ73534		<10	<1	0.04	<10	0.09	44	1	0.04	7	410	2	0.04	<2	1	12
ZZ73535		10	1	0.14	10	0.57	547	4	0.02	46	1120	9	0.06	3	4	29
ZZ73536		10	<1	0.10	10	0.48	351	1	0.02	32	700	7	0.02	<2	5	22
ZZ73537		10	<1	0.11	10	0.45	274	1	<0.01	32	590	9	0.01	2	4	19
ZZ73538		10	<1	0.13	10	0.62	415	1	0.01	31	590	7	0.01	3	6	17
ZZ73539		10	<1	0.15	10	0.62	515	2	0.01	42	800	9	0.02	3	6	23
ZZ73540		10	<1	0.17	10	0.84	525	1	0.01	48	1170	7	0.02	4	8	18
ZZ73541		10	<1	0.12	10	0.54	603	1	0.01	36	960	8	0.02	3	5	21
ZZ73542		10	<1	0.17	10	0.64	526	1	0.01	39	680	7	0.02	3	6	23
ZZ73543		10	<1	0.17	10	0.91	320	<1	0.02	35	900	5	<0.01	2	5	31
ZZ73544		10	<1	0.10	20	0.52	278	1	0.01	24	690	7	0.02	<2	5	23
ZZ73545		10	<1	0.13	10	0.75	477	1	0.01	36	670	6	0.02	<2	5	23
ZZ73546		10	<1	0.16	20	0.78	326	1	0.02	33	780	6	0.02	<2	6	25
ZZ73547		10	<1	0.13	20	0.65	415	<1	0.01	37	740	7	0.01	2	8	28
ZZ73548		10	<1	0.10	20	0.55	358	1	<0.01	33	910	8	0.01	5	6	22
ZZ73549		10	<1	0.12	10	0.39	570	2	<0.01	34	1200	9	0.06	5	5	36
ZZ73550		10	<1	0.10	20	0.49	835	2	0.01	28	690	9	0.03	3	4	25
ZZ73551		10	<1	0.14	10	0.66	581	2	0.01	42	1110	7	0.03	5	6	27
ZZ73552		10	<1	0.13	10	0.42	465	2	0.01	35	1140	6	0.08	2	4	29
ZZ73553		10	<1	0.16	20	0.56	448	2	0.01	30	910	6	0.02	4	5	20
ZZ73554		10	<1	0.21	10	0.86	794	2	0.01	43	1050	5	0.02	<2	7	22
ZZ73555		10	<1	0.13	10	0.74	2160	3	0.01	41	1700	7	0.08	2	5	28
ZZ73556		10	<1	0.19	20	0.79	383	2	0.01	39	960	7	0.02	7	7	19
ZZ73557		10	<1	0.16	10	0.62	356	1	0.01	26	760	7	0.04	2	5	20
ZZ73558		10	<1	0.17	10	0.54	390	3	0.01	35	700	8	0.06	8	4	23
ZZ73559		10	<1	0.12	10	0.64	399	2	0.01	38	400	8	0.02	7	5	23
ZZ73560		10	<1	0.14	10	0.64	486	2	0.01	41	450	9	0.02	6	5	20
ZZ73561		10	<1	0.17	10	0.70	420	1	0.01	39	570	8	0.03	3	5	23
ZZ73562		10	<1	0.12	10	0.50	268	1	0.01	23	310	6	0.01	3	4	18
ZZ73563		10	<1	0.14	10	0.53	266	1	0.01	24	400	7	0.02	<2	4	17
ZZ73564		10	<1	0.19	20	0.78	537	1	0.01	54	610	9	0.03	4	7	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73525		<20	0.16	<10	<10	98	<10	92
ZZ73526		<20	0.13	<10	<10	108	<10	93
ZZ73527		<20	0.06	<10	<10	59	<10	75
ZZ73528		<20	0.13	<10	<10	94	<10	79
ZZ73529		<20	0.21	<10	<10	90	<10	83
ZZ73530		<20	0.11	<10	<10	88	<10	73
ZZ73531		<20	0.19	<10	<10	103	<10	136
ZZ73532		<20	0.04	<10	<10	49	<10	70
ZZ73533		<20	0.03	<10	<10	32	<10	42
ZZ73534		<20	0.03	<10	<10	22	<10	21
ZZ73535		<20	0.05	<10	<10	102	<10	148
ZZ73536		<20	0.06	<10	<10	80	<10	93
ZZ73537		<20	0.06	<10	<10	90	<10	85
ZZ73538		<20	0.10	<10	<10	92	<10	87
ZZ73539		<20	0.07	<10	<10	90	<10	115
ZZ73540		<20	0.13	<10	<10	111	<10	119
ZZ73541		<20	0.07	<10	<10	76	<10	84
ZZ73542		<20	0.08	<10	<10	89	<10	89
ZZ73543		<20	0.14	<10	<10	81	<10	74
ZZ73544		<20	0.08	<10	<10	69	<10	62
ZZ73545		<20	0.11	<10	<10	90	<10	89
ZZ73546		<20	0.13	<10	<10	83	<10	77
ZZ73547		<20	0.09	<10	<10	67	<10	69
ZZ73548		<20	0.04	<10	<10	83	<10	98
ZZ73549		<20	0.01	<10	<10	101	<10	101
ZZ73550		<20	0.07	<10	<10	88	<10	88
ZZ73551		<20	0.07	<10	<10	95	<10	108
ZZ73552		<20	0.04	<10	<10	83	<10	88
ZZ73553		<20	0.09	<10	<10	82	<10	81
ZZ73554		<20	0.13	<10	<10	106	<10	108
ZZ73555		<20	0.12	<10	<10	104	<10	102
ZZ73556		<20	0.13	<10	<10	109	<10	123
ZZ73557		<20	0.11	<10	<10	86	<10	88
ZZ73558		<20	0.06	<10	<10	108	<10	101
ZZ73559		<20	0.09	<10	<10	84	<10	87
ZZ73560		<20	0.11	<10	<10	97	<10	85
ZZ73561		<20	0.10	<10	<10	88	<10	96
ZZ73562		<20	0.08	<10	<10	80	<10	59
ZZ73563		<20	0.13	<10	<10	103	<10	69
ZZ73564		<20	0.08	<10	<10	97	<10	98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73565		0.37	0.008	0.4	2.15	47	<10	340	0.5	<2	0.43	<0.5	11	58	31	3.42
ZZ73566		0.31	0.020	1.5	2.20	31	<10	300	0.7	<2	0.55	0.7	11	55	40	2.78
ZZ73567		0.34	0.003	<0.2	1.38	11	<10	120	<0.5	<2	0.25	<0.5	7	67	15	1.67
ZZ73568		0.31	0.060	<0.2	2.08	42	<10	230	<0.5	<2	0.39	<0.5	18	118	27	3.17
ZZ73569		0.36	0.006	<0.2	1.93	43	<10	250	<0.5	<2	0.39	<0.5	16	108	25	2.97
ZZ73570		0.48	0.006	<0.2	2.04	20	<10	260	0.7	<2	0.46	<0.5	18	96	28	3.27
ZZ73571		0.34	0.004	<0.2	2.02	14	<10	290	<0.5	<2	0.49	<0.5	32	107	18	3.31
ZZ73572		0.45	0.003	<0.2	2.08	11	<10	190	<0.5	<2	0.32	<0.5	13	65	18	3.14
ZZ73573		0.51	0.004	<0.2	1.92	16	<10	250	0.5	<2	0.40	<0.5	19	75	26	3.02
ZZ73574		0.36	0.005	<0.2	2.14	36	<10	230	0.5	<2	0.32	<0.5	18	130	29	3.27
ZZ73575		0.36	0.013	0.2	2.32	71	<10	370	0.6	<2	0.47	<0.5	25	152	49	3.72
ZZ73576		0.26	0.013	0.4	1.91	51	<10	390	0.6	<2	0.43	0.8	14	55	43	3.32
ZZ73577		0.39	0.006	<0.2	2.20	19	<10	420	0.6	<2	0.52	<0.5	22	171	45	3.50
ZZ73578		0.33	0.004	<0.2	2.04	13	<10	580	0.6	<2	0.48	<0.5	19	115	46	3.44
ZZ73579		0.39	0.008	0.2	2.03	24	<10	180	<0.5	<2	0.33	<0.5	11	54	38	2.53
ZZ73580		0.20	0.018	0.4	1.13	6	<10	100	<0.5	<2	0.32	<0.5	5	24	38	1.41
ZZ73581		0.46	0.004	0.2	1.94	33	<10	200	0.5	<2	0.36	<0.5	15	52	32	3.42
ZZ73582		0.48	0.008	0.4	2.33	21	<10	200	0.6	<2	0.31	<0.5	13	54	38	3.62
ZZ73583		0.36	0.012	0.9	2.12	54	<10	270	0.7	<2	0.44	<0.5	15	44	40	2.76
ZZ73584		0.46	0.009	0.4	2.14	100	<10	290	0.6	<2	0.32	<0.5	10	32	28	2.88
ZZ73585		0.47	0.003	<0.2	2.51	8	<10	230	0.8	<2	0.28	<0.5	14	61	27	3.57
ZZ73586		0.39	0.003	<0.2	2.63	12	<10	170	0.7	<2	0.31	<0.5	16	50	32	3.83
ZZ73587		0.49	0.002	<0.2	1.96	14	<10	140	0.5	<2	0.25	<0.5	11	38	32	3.57
ZZ73588		0.31	0.001	<0.2	2.34	10	<10	110	0.5	<2	0.21	<0.5	11	34	18	3.39
ZZ73589		0.43	0.003	<0.2	2.37	11	<10	150	0.5	<2	0.25	<0.5	10	35	25	3.17
ZZ73590		0.35	0.002	<0.2	2.08	9	<10	110	<0.5	<2	0.16	<0.5	8	35	20	3.40
ZZ73591		0.42	0.003	<0.2	2.49	9	<10	130	0.5	<2	0.23	<0.5	9	37	16	3.28
ZZ73592		0.35	0.007	<0.2	2.37	11	<10	150	0.5	<2	0.27	<0.5	10	34	22	3.20
ZZ73593		0.37	0.002	<0.2	1.93	8	<10	160	0.6	<2	0.32	<0.5	11	35	25	3.06
ZZ73594		0.36	0.003	<0.2	1.86	8	<10	170	0.5	<2	0.24	<0.5	7	28	24	2.55
ZZ73595		0.30	0.006	<0.2	2.21	11	<10	120	0.6	<2	0.23	<0.5	13	35	25	3.28
ZZ73596		0.32	0.003	<0.2	1.93	13	<10	120	<0.5	<2	0.24	<0.5	10	33	21	3.40
ZZ73597		0.27	0.002	<0.2	1.98	8	<10	110	<0.5	<2	0.18	<0.5	9	32	17	3.14
ZZ73598		0.35	0.002	<0.2	2.35	10	<10	150	0.5	<2	0.18	<0.5	11	34	17	3.32
ZZ73599		0.30	0.005	<0.2	1.82	15	<10	180	0.5	<2	0.32	<0.5	11	33	28	3.16
ZZ73600		0.26	0.002	<0.2	2.12	10	<10	150	0.5	<2	0.29	<0.5	10	48	27	3.18
ZZ73601		0.27	0.002	<0.2	1.93	7	<10	140	<0.5	<2	0.37	<0.5	10	42	19	2.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73565		10	1	0.12	20	0.66	461	2	0.01	42	930	8	0.06	3	7	30
ZZ73566		10	1	0.13	20	0.62	315	1	0.01	46	1010	8	0.10	2	7	40
ZZ73567		<10	<1	0.07	10	0.69	164	<1	0.02	61	690	4	0.05	2	3	16
ZZ73568		10	<1	0.12	10	1.11	358	<1	0.01	114	850	6	0.05	2	5	25
ZZ73569		10	<1	0.12	10	1.01	359	1	0.01	102	730	7	0.05	3	5	22
ZZ73570		10	<1	0.13	20	1.28	358	1	0.02	147	660	8	0.04	4	7	27
ZZ73571		10	<1	0.11	10	1.47	254	<1	0.02	209	740	6	0.03	2	6	27
ZZ73572		10	<1	0.17	10	1.09	335	<1	0.01	87	510	7	<0.01	<2	5	23
ZZ73573		10	<1	0.16	20	1.28	450	1	0.02	135	710	6	0.02	<2	6	24
ZZ73574		10	<1	0.13	10	1.52	397	1	0.02	163	460	7	0.03	4	5	26
ZZ73575		10	<1	0.16	20	1.50	794	1	0.02	163	840	7	0.03	6	8	32
ZZ73576		10	1	0.12	20	0.67	445	4	0.02	61	790	11	0.03	5	6	30
ZZ73577		10	<1	0.19	10	1.74	312	1	0.03	162	760	6	0.02	6	9	32
ZZ73578		10	<1	0.14	20	1.20	506	1	0.02	139	960	5	0.03	6	7	31
ZZ73579		10	<1	0.12	10	0.68	249	2	0.02	50	930	8	0.05	4	4	19
ZZ73580		<10	<1	0.05	10	0.31	176	1	0.03	23	760	4	0.08	2	1	26
ZZ73581		10	<1	0.21	20	0.81	593	1	0.02	39	680	9	0.02	4	7	22
ZZ73582		10	<1	0.20	20	0.80	556	2	0.02	41	710	10	0.04	3	6	25
ZZ73583		10	<1	0.09	30	0.61	483	1	0.02	44	1080	8	0.10	3	5	34
ZZ73584		10	<1	0.09	10	0.49	540	1	0.02	26	970	11	0.05	4	3	35
ZZ73585		10	<1	0.49	40	0.96	448	<1	0.01	32	520	13	0.01	2	7	20
ZZ73586		10	<1	0.26	20	0.83	547	1	0.02	35	690	13	0.02	3	6	23
ZZ73587		10	<1	0.19	20	0.57	349	1	0.01	28	560	14	0.02	3	5	21
ZZ73588		10	<1	0.17	10	0.60	337	1	0.01	22	470	15	0.02	<2	4	16
ZZ73589		10	<1	0.10	10	0.59	320	1	0.02	22	640	10	0.02	2	4	20
ZZ73590		10	<1	0.13	10	0.53	237	1	0.01	20	290	12	0.02	2	4	16
ZZ73591		10	<1	0.09	20	0.57	260	1	0.01	20	480	10	0.02	2	5	19
ZZ73592		10	<1	0.11	10	0.57	300	1	0.02	23	410	8	0.02	2	4	22
ZZ73593		10	<1	0.22	20	0.61	393	<1	0.02	28	510	8	0.02	2	5	21
ZZ73594		10	<1	0.09	20	0.40	220	1	0.02	17	400	9	0.02	<2	3	23
ZZ73595		10	<1	0.20	10	0.58	397	<1	0.02	30	420	9	0.02	3	5	17
ZZ73596		10	<1	0.18	10	0.50	295	1	0.02	21	380	9	0.02	3	4	20
ZZ73597		10	<1	0.12	10	0.52	269	1	0.02	19	310	7	0.02	2	4	17
ZZ73598		10	<1	0.13	10	0.55	304	1	0.01	21	310	8	0.02	<2	5	16
ZZ73599		10	<1	0.15	10	0.41	866	1	0.02	25	480	9	0.03	5	4	30
ZZ73600		10	<1	0.15	20	0.63	324	<1	0.02	32	590	9	0.02	2	5	23
ZZ73601		10	<1	0.15	10	0.69	346	<1	0.02	26	480	7	0.02	2	4	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73565		<20	0.07	<10	<10	80	<10	127
ZZ73566		<20	0.06	<10	<10	69	<10	116
ZZ73567		<20	0.08	<10	<10	45	<10	53
ZZ73568		<20	0.10	<10	<10	70	<10	65
ZZ73569		<20	0.12	<10	<10	77	<10	65
ZZ73570		<20	0.13	<10	<10	78	<10	69
ZZ73571		<20	0.12	<10	<10	67	<10	63
ZZ73572		<20	0.15	<10	<10	67	<10	66
ZZ73573		<20	0.14	<10	<10	69	<10	72
ZZ73574		<20	0.12	<10	<10	71	<10	71
ZZ73575		<20	0.14	<10	<10	94	<10	100
ZZ73576		<20	0.09	<10	<10	69	<10	131
ZZ73577		<20	0.13	<10	<10	117	<10	81
ZZ73578		<20	0.11	<10	<10	79	<10	84
ZZ73579		<20	0.10	<10	<10	69	<10	79
ZZ73580		<20	0.03	<10	<10	32	<10	38
ZZ73581		<20	0.14	<10	<10	81	<10	93
ZZ73582		<20	0.12	<10	<10	90	<10	111
ZZ73583		<20	0.04	<10	<10	51	<10	98
ZZ73584		<20	0.03	<10	<10	53	<10	76
ZZ73585		<20	0.20	<10	<10	68	<10	90
ZZ73586		<20	0.14	<10	<10	71	<10	100
ZZ73587		<20	0.11	<10	<10	70	<10	78
ZZ73588		<20	0.13	<10	<10	64	<10	83
ZZ73589		<20	0.11	<10	<10	64	<10	56
ZZ73590		<20	0.12	<10	<10	71	<10	56
ZZ73591		<20	0.12	<10	<10	67	<10	56
ZZ73592		<20	0.11	<10	<10	62	<10	55
ZZ73593		<20	0.12	<10	<10	52	<10	63
ZZ73594		<20	0.06	<10	<10	51	<10	45
ZZ73595		<20	0.11	<10	<10	57	<10	74
ZZ73596		<20	0.12	<10	<10	63	<10	69
ZZ73597		<20	0.11	<10	<10	60	<10	68
ZZ73598		<20	0.13	<10	<10	64	<10	60
ZZ73599		<20	0.05	<10	<10	50	<10	132
ZZ73600		<20	0.11	<10	<10	62	<10	87
ZZ73601		<20	0.13	<10	<10	59	<10	140

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145856

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

CERTIFICATE WH13145857

Project: CCC

P.O. No.:

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74700		0.34	0.003	0.2	1.83	6	<10	140	0.6	<2	0.47	<0.5	9	28	27	2.50
ZZ74701		0.26	0.002	<0.2	1.00	2	<10	70	<0.5	<2	0.15	<0.5	5	15	11	1.51
ZZ74702		0.32	0.002	<0.2	1.55	7	<10	110	<0.5	<2	0.25	<0.5	8	29	18	2.62
ZZ74703		0.38	0.009	<0.2	1.84	11	<10	110	0.7	<2	0.26	<0.5	11	38	23	3.19
ZZ74704		0.36	0.003	<0.2	2.41	6	<10	150	0.6	<2	0.33	<0.5	14	41	30	3.40
ZZ74705		0.40	0.005	<0.2	2.21	10	<10	180	0.5	<2	0.25	<0.5	10	39	24	3.35
ZZ74706		0.29	0.005	0.2	2.30	10	<10	150	0.5	<2	0.21	<0.5	12	38	19	3.31
ZZ74707		0.37	0.003	<0.2	1.98	10	<10	170	0.5	<2	0.28	<0.5	10	36	22	3.05
ZZ74708		0.30	0.002	<0.2	1.94	4	<10	150	0.5	<2	0.24	<0.5	10	34	23	2.71
ZZ74709		0.42	0.008	0.2	1.65	26	<10	150	0.6	<2	0.31	<0.5	12	39	35	3.26
ZZ74710		0.30	0.005	0.2	1.98	11	<10	170	0.9	<2	0.30	<0.5	18	39	47	3.59
ZZ74711		0.36	0.005	0.2	2.25	12	<10	220	0.7	<2	0.31	<0.5	15	47	42	3.61
ZZ74712		0.36	0.005	0.2	1.80	10	<10	190	0.5	<2	0.24	<0.5	9	31	29	2.51
ZZ74713		0.31	0.004	<0.2	1.47	7	<10	170	<0.5	<2	0.23	<0.5	7	27	20	2.26
ZZ74714		0.39	0.003	0.2	1.60	13	<10	170	0.5	<2	0.29	<0.5	11	36	25	2.89
ZZ74715		0.44	0.006	0.4	2.28	18	<10	240	0.8	<2	0.35	<0.5	13	45	41	3.68
ZZ74716		0.38	0.009	0.9	2.33	23	<10	400	1.0	<2	0.42	<0.5	14	51	73	4.01
ZZ74717		0.36	0.002	0.2	1.47	12	<10	180	<0.5	<2	0.33	<0.5	10	31	25	2.33
ZZ74718		0.46	0.004	<0.2	1.98	10	<10	260	0.5	<2	0.37	<0.5	12	43	26	2.89
ZZ74719		0.32	0.004	<0.2	1.79	25	<10	240	1.0	<2	0.56	<0.5	16	68	37	4.08
ZZ74720		0.30	0.004	0.2	1.40	6	<10	210	<0.5	<2	0.30	<0.5	8	30	24	2.07
ZZ74721		0.32	0.005	0.3	2.04	6	<10	270	0.5	<2	0.42	<0.5	9	43	30	2.68
ZZ74722		0.31	0.006	0.2	1.97	7	<10	240	0.5	<2	0.38	<0.5	10	46	30	2.76
ZZ74723		0.27	0.003	0.3	1.61	4	<10	180	<0.5	<2	0.32	<0.5	8	31	27	2.23
ZZ74724		0.37	0.003	0.2	2.76	6	<10	250	0.7	<2	0.18	<0.5	12	46	33	4.00
ZZ74725		0.20	0.001	<0.2	0.70	2	<10	130	<0.5	<2	0.26	<0.5	4	46	26	0.90
ZZ74726		0.21	0.003	0.3	1.62	7	<10	190	0.5	<2	0.46	<0.5	7	31	25	2.23
ZZ74727		0.43	0.004	<0.2	1.50	6	<10	150	0.5	<2	0.39	<0.5	9	31	20	2.49
ZZ74728		0.23	0.006	0.5	1.94	11	<10	200	0.6	<2	0.46	<0.5	9	24	30	2.39
ZZ74729		0.41	0.005	<0.2	1.62	7	<10	180	<0.5	<2	0.49	<0.5	9	31	30	2.23
ZZ74730		0.19	0.002	<0.2	0.71	<2	<10	110	<0.5	2	0.46	<0.5	4	10	14	0.95
ZZ74731		0.31	0.010	0.2	1.96	9	<10	190	0.5	<2	0.40	<0.5	9	34	22	2.55
ZZ74732		0.19	0.005	<0.2	1.89	13	<10	230	0.5	<2	0.52	<0.5	11	35	30	2.58
ZZ74733		0.30	0.005	<0.2	1.59	7	<10	150	0.5	3	0.36	<0.5	7	32	21	2.19
ZZ74734		0.26	0.002	0.2	1.49	7	<10	130	<0.5	2	0.49	<0.5	6	26	21	1.89
ZZ74735		0.33	0.008	0.2	1.28	5	<10	110	<0.5	3	0.36	<0.5	5	19	18	1.53
ZZ74736		0.21	0.005	0.2	1.58	7	<10	160	0.5	2	0.56	<0.5	5	22	28	1.83
ZZ74737		0.20	0.003	<0.2	1.59	8	<10	160	<0.5	2	0.32	<0.5	6	21	27	1.67
ZZ74738		0.39	0.003	<0.2	2.11	9	<10	140	0.5	<2	0.28	<0.5	10	33	20	2.67
ZZ74739		0.34	0.002	<0.2	2.53	7	<10	100	0.6	<2	0.20	<0.5	10	40	19	2.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74700		10	<1	0.16	30	0.40	381	<1	0.02	19	600	7	0.02	<2	4	34
ZZ74701		<10	<1	0.09	10	0.21	254	<1	0.03	9	290	5	<0.01	<2	2	14
ZZ74702		10	<1	0.14	10	0.48	320	<1	0.02	18	260	7	<0.01	<2	3	21
ZZ74703		10	<1	0.22	20	0.65	376	<1	0.02	25	400	11	<0.01	2	5	18
ZZ74704		10	<1	0.25	20	0.73	443	<1	0.02	34	460	9	<0.01	2	5	23
ZZ74705		10	<1	0.16	20	0.63	377	<1	0.02	27	320	10	<0.01	<2	5	22
ZZ74706		10	<1	0.16	10	0.61	414	1	0.02	23	310	9	<0.01	<2	4	19
ZZ74707		10	<1	0.14	10	0.60	438	<1	0.02	22	350	9	<0.01	<2	4	22
ZZ74708		10	<1	0.16	10	0.55	305	<1	0.02	23	320	8	<0.01	<2	4	20
ZZ74709		10	<1	0.22	20	0.61	479	1	0.02	32	610	10	0.01	6	4	26
ZZ74710		10	<1	0.27	20	0.74	796	1	0.02	37	570	9	<0.01	3	5	24
ZZ74711		10	<1	0.33	20	0.75	746	1	0.02	33	630	10	0.01	3	5	26
ZZ74712		10	<1	0.16	10	0.45	384	<1	0.03	22	520	7	<0.01	2	4	21
ZZ74713		<10	<1	0.12	10	0.43	256	<1	0.03	20	360	5	<0.01	2	3	19
ZZ74714		10	<1	0.17	10	0.55	339	1	0.02	26	540	8	<0.01	2	5	19
ZZ74715		10	<1	0.17	20	0.64	600	1	0.02	33	490	11	<0.01	<2	5	25
ZZ74716		10	<1	0.19	30	0.63	615	3	0.02	46	850	10	0.02	4	9	33
ZZ74717		<10	<1	0.12	10	0.47	356	<1	0.03	19	500	5	<0.01	2	4	22
ZZ74718		10	<1	0.17	20	0.66	410	<1	0.02	26	600	6	<0.01	<2	6	27
ZZ74719		10	<1	0.26	30	0.74	467	1	0.02	36	1310	8	<0.01	5	10	25
ZZ74720		<10	1	0.11	20	0.41	304	<1	0.03	18	480	4	0.01	<2	4	23
ZZ74721		10	<1	0.14	20	0.61	310	<1	0.03	27	680	6	0.01	<2	6	26
ZZ74722		10	<1	0.17	10	0.65	333	1	0.03	27	530	7	0.01	<2	5	28
ZZ74723		10	<1	0.13	10	0.38	340	<1	0.04	21	540	5	0.01	<2	4	22
ZZ74724		10	<1	0.11	10	0.67	330	<1	0.03	27	300	10	<0.01	<2	4	19
ZZ74725		<10	<1	0.08	10	0.29	92	<1	0.04	17	320	4	<0.01	<2	1	19
ZZ74726		10	<1	0.17	20	0.44	244	<1	0.03	22	560	5	0.02	2	4	28
ZZ74727		<10	<1	0.17	20	0.53	300	<1	0.03	20	400	7	<0.01	<2	4	24
ZZ74728		<10	1	0.14	20	0.28	375	<1	0.04	19	660	6	0.03	<2	4	31
ZZ74729		10	1	0.16	20	0.46	342	1	0.04	20	410	7	0.04	<2	3	31
ZZ74730		<10	<1	0.05	10	0.13	252	<1	0.04	7	520	2	0.05	<2	1	30
ZZ74731		10	1	0.18	20	0.50	223	1	0.03	22	550	8	0.04	2	4	28
ZZ74732		10	1	0.20	20	0.49	451	1	0.03	23	640	8	0.05	<2	4	39
ZZ74733		10	<1	0.24	20	0.43	223	<1	0.03	19	540	6	0.04	<2	4	26
ZZ74734		10	1	0.16	20	0.38	190	<1	0.03	14	460	6	0.05	<2	3	35
ZZ74735		<10	<1	0.13	10	0.27	172	<1	0.04	13	460	4	0.05	<2	2	28
ZZ74736		<10	1	0.14	20	0.29	184	<1	0.04	16	670	5	0.07	<2	3	41
ZZ74737		<10	1	0.14	10	0.29	160	<1	0.04	17	460	5	0.05	<2	3	28
ZZ74738		10	<1	0.14	10	0.60	376	1	0.03	19	610	7	0.02	<2	4	18
ZZ74739		10	<1	0.09	10	0.72	262	<1	0.03	20	240	7	0.02	<2	4	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74700		<20	0.06	<10	<10	45	<10	55
ZZ74701		<20	0.06	<10	<10	36	<10	35
ZZ74702		<20	0.11	<10	<10	57	<10	50
ZZ74703		<20	0.11	<10	<10	54	<10	64
ZZ74704		<20	0.13	<10	<10	63	<10	69
ZZ74705		<20	0.10	<10	<10	65	<10	63
ZZ74706		<20	0.11	<10	<10	66	<10	59
ZZ74707		<20	0.10	<10	<10	63	<10	59
ZZ74708		<20	0.10	<10	<10	58	<10	54
ZZ74709		<20	0.11	<10	<10	61	<10	90
ZZ74710		<20	0.11	<10	<10	65	<10	90
ZZ74711		<20	0.13	<10	<10	70	<10	84
ZZ74712		<20	0.08	<10	<10	54	<10	60
ZZ74713		<20	0.08	<10	<10	51	<10	50
ZZ74714		<20	0.10	<10	<10	64	<10	69
ZZ74715		<20	0.08	<10	<10	76	<10	85
ZZ74716		<20	0.07	<10	<10	75	<10	128
ZZ74717		<20	0.09	<10	<10	50	<10	50
ZZ74718		<20	0.10	<10	<10	61	<10	61
ZZ74719		<20	0.10	<10	<10	75	<10	83
ZZ74720		<20	0.07	<10	<10	45	<10	41
ZZ74721		<20	0.09	<10	<10	60	<10	60
ZZ74722		<20	0.12	<10	<10	67	<10	63
ZZ74723		<20	0.07	<10	<10	51	<10	45
ZZ74724		<20	0.14	<10	<10	92	<10	89
ZZ74725		<20	0.08	<10	<10	24	<10	16
ZZ74726		<20	0.07	<10	<10	47	<10	52
ZZ74727		<20	0.10	<10	<10	52	<10	54
ZZ74728		<20	0.05	<10	<10	45	<10	40
ZZ74729		<20	0.10	<10	<10	52	<10	54
ZZ74730		<20	0.04	<10	<10	26	<10	22
ZZ74731		<20	0.08	<10	<10	52	<10	60
ZZ74732		<20	0.08	<10	<10	54	<10	63
ZZ74733		<20	0.09	<10	<10	46	<10	51
ZZ74734		<20	0.07	<10	<10	40	<10	44
ZZ74735		<20	0.05	<10	<10	30	<10	41
ZZ74736		<20	0.05	<10	<10	36	<10	44
ZZ74737		<20	0.05	<10	<10	35	<10	35
ZZ74738		<20	0.13	<10	<10	63	<10	53
ZZ74739		<20	0.16	<10	<10	75	<10	53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74740		0.40	0.003	<0.2	1.83	5	<10	150	<0.5	2	0.36	<0.5	11	35	21	2.48
ZZ74741		0.38	0.003	<0.2	1.20	4	<10	110	<0.5	2	0.20	<0.5	4	14	18	1.19
ZZ74742		0.30	0.005	<0.2	1.57	9	<10	160	<0.5	<2	0.64	<0.5	7	26	26	1.99
ZZ74743		0.23	0.003	<0.2	1.25	4	<10	170	<0.5	2	0.66	<0.5	5	18	29	1.37
ZZ74744		0.39	0.006	<0.2	2.19	9	<10	210	0.6	<2	0.46	<0.5	10	43	32	2.82
ZZ74745		0.24	0.004	<0.2	1.85	11	<10	190	0.5	2	0.48	<0.5	9	34	31	2.64
ZZ74746		0.41	0.012	<0.2	1.45	13	<10	140	<0.5	2	0.49	<0.5	9	31	20	2.47
ZZ74747		0.38	0.007	<0.2	1.76	26	<10	170	<0.5	2	0.43	<0.5	11	32	22	2.81
ZZ74748		0.27	0.006	0.2	1.75	17	<10	220	0.5	3	0.62	<0.5	11	30	42	2.38
ZZ74749		0.32	0.003	<0.2	1.43	9	<10	120	<0.5	<2	0.24	<0.5	9	28	22	2.26
ZZ74750		0.25	0.003	<0.2	1.54	9	<10	100	<0.5	<2	0.13	<0.5	10	26	20	3.06
ZZ74751		0.33	0.021	0.3	1.95	16	<10	440	0.8	2	0.42	<0.5	10	40	37	2.88
ZZ74752		0.36	0.005	0.2	1.48	16	<10	290	0.6	2	0.42	<0.5	9	32	28	2.74
ZZ74753		0.56	0.004	0.2	1.57	15	<10	270	0.6	<2	0.40	<0.5	8	28	21	2.66
ZZ74754		0.34	0.008	0.2	1.35	32	<10	240	0.5	2	0.31	<0.5	10	25	23	2.56
ZZ74755		0.41	0.005	0.2	1.41	28	<10	290	0.6	2	0.33	<0.5	10	26	26	2.66
ZZ74756		0.37	0.002	<0.2	1.03	18	<10	160	<0.5	2	0.18	<0.5	7	16	20	1.99
ZZ74757		0.35	0.003	0.2	1.42	31	<10	290	0.5	2	0.18	<0.5	7	17	25	2.05
ZZ74758		0.41	0.003	<0.2	1.01	31	<10	200	<0.5	2	0.20	<0.5	8	19	24	2.05
ZZ74759		0.48	0.004	<0.2	0.85	22	<10	170	<0.5	<2	0.24	<0.5	7	19	19	1.81
ZZ74760		0.18	0.002	0.2	1.40	11	<10	330	0.5	2	0.28	<0.5	6	18	26	2.17
ZZ74761		0.43	0.003	<0.2	1.23	10	<10	220	0.5	<2	0.33	<0.5	8	28	25	2.37
ZZ74762		0.31	0.003	<0.2	1.71	10	<10	370	0.8	<2	0.29	<0.5	8	27	35	2.59
ZZ74763		0.36	0.002	0.3	1.56	8	<10	310	0.5	2	0.31	<0.5	6	18	25	1.94
ZZ74764		0.37	0.005	0.3	1.13	8	<10	360	<0.5	2	0.35	<0.5	4	13	20	1.54
ZZ74765		0.43	0.003	<0.2	1.29	15	<10	250	<0.5	<2	0.28	<0.5	8	20	28	2.36
ZZ74766		0.25	0.004	0.4	1.96	7	<10	460	1.0	<2	0.29	<0.5	6	21	50	2.37
ZZ74767		0.47	0.003	<0.2	1.68	11	<10	270	0.5	<2	0.27	<0.5	9	27	23	2.59
ZZ74768		0.52	0.003	<0.2	1.23	6	<10	180	<0.5	<2	0.28	<0.5	8	22	17	2.37
ZZ74769		0.41	0.004	0.2	2.10	16	<10	460	0.9	<2	0.35	<0.5	10	31	54	3.70
ZZ74770		0.40	0.003	<0.2	1.79	15	<10	230	0.5	<2	0.31	<0.5	10	27	21	2.92
ZZ74771		0.38	0.002	<0.2	1.93	38	<10	460	0.9	<2	0.32	<0.5	9	25	55	2.93
ZZ74772		0.44	0.007	0.3	1.60	29	<10	480	0.5	<2	0.18	<0.5	6	15	31	2.21
ZZ74773		0.54	0.006	0.2	1.67	31	<10	370	0.7	<2	0.23	<0.5	17	26	44	3.38
ZZ74774		0.54	0.003	0.3	1.05	7	<10	320	<0.5	<2	0.23	<0.5	6	14	25	1.96
ZZ74775		0.27	0.005	0.5	1.51	13	<10	380	0.5	<2	0.34	<0.5	7	18	25	2.15
ZZ74776		0.24	0.006	0.2	1.13	19	<10	230	0.6	<2	0.14	<0.5	2	11	20	1.41
ZZ74777		0.44	0.004	<0.2	1.30	17	<10	210	<0.5	<2	0.24	<0.5	6	23	12	2.12
ZZ74778		0.35	0.009	<0.2	1.38	29	<10	280	0.5	<2	0.25	<0.5	6	22	14	2.39
ZZ74779		0.47	0.013	0.2	1.73	65	<10	210	0.7	<2	0.13	<0.5	9	28	31	2.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74740		10	<1	0.21	10	0.71	424	<1	0.04	22	660	5	0.02	<2	4	22
ZZ74741		<10	<1	0.09	10	0.18	189	<1	0.04	11	410	4	0.03	<2	2	19
ZZ74742		<10	<1	0.15	20	0.39	287	<1	0.04	19	600	6	0.07	<2	3	45
ZZ74743		<10	1	0.09	20	0.27	173	<1	0.04	14	560	4	0.07	<2	2	51
ZZ74744		10	<1	0.19	30	0.62	296	<1	0.03	25	580	9	0.05	<2	5	34
ZZ74745		10	<1	0.16	30	0.49	302	1	0.03	21	650	7	0.06	<2	4	35
ZZ74746		10	<1	0.19	20	0.49	357	<1	0.03	17	590	5	0.04	<2	4	31
ZZ74747		10	<1	0.31	20	0.65	407	<1	0.03	21	620	7	0.03	<2	4	29
ZZ74748		<10	1	0.14	20	0.42	445	<1	0.03	23	990	7	0.10	2	3	50
ZZ74749		<10	1	0.21	10	0.46	288	<1	0.03	20	410	7	0.02	<2	3	19
ZZ74750		10	1	0.09	10	0.29	479	1	0.03	11	360	10	0.02	<2	2	14
ZZ74751		10	1	0.11	20	0.43	381	1	0.02	31	920	9	0.05	<2	7	39
ZZ74752		<10	1	0.09	20	0.42	373	1	0.03	25	650	7	0.04	<2	7	34
ZZ74753		10	<1	0.10	20	0.41	378	1	0.03	17	780	7	0.04	<2	7	28
ZZ74754		<10	1	0.09	20	0.38	489	1	0.02	20	700	8	0.03	<2	7	22
ZZ74755		<10	1	0.08	20	0.37	473	1	0.03	22	650	9	0.03	<2	5	26
ZZ74756		<10	<1	0.06	10	0.24	260	1	0.03	16	400	6	0.03	<2	2	16
ZZ74757		<10	1	0.08	10	0.21	424	1	0.03	14	580	6	0.04	<2	2	19
ZZ74758		<10	1	0.07	20	0.24	335	1	0.03	15	360	6	0.03	<2	2	19
ZZ74759		<10	<1	0.07	10	0.22	347	1	0.03	18	610	6	0.03	<2	3	19
ZZ74760		<10	<1	0.09	30	0.21	323	1	0.03	15	610	6	0.05	<2	4	27
ZZ74761		<10	<1	0.08	20	0.44	377	1	0.03	20	430	8	0.03	<2	4	26
ZZ74762		<10	<1	0.09	40	0.41	314	1	0.02	23	430	8	0.03	<2	5	27
ZZ74763		<10	<1	0.09	20	0.24	292	1	0.04	16	730	6	0.05	<2	3	30
ZZ74764		<10	1	0.09	10	0.16	146	1	0.04	13	670	6	0.05	<2	4	30
ZZ74765		<10	1	0.07	20	0.31	328	2	<0.01	19	470	9	<0.01	4	3	29
ZZ74766		<10	<1	0.08	70	0.24	259	2	<0.01	20	930	9	0.04	<2	2	34
ZZ74767		10	<1	0.08	20	0.49	350	1	<0.01	21	490	8	<0.01	3	5	25
ZZ74768		<10	<1	0.08	10	0.45	329	1	<0.01	18	510	7	<0.01	2	3	21
ZZ74769		10	<1	0.16	30	0.46	412	3	<0.01	31	660	15	0.03	2	5	40
ZZ74770		10	<1	0.08	10	0.46	327	2	<0.01	19	490	8	<0.01	2	4	30
ZZ74771		10	<1	0.13	40	0.31	494	2	<0.01	22	540	11	<0.01	<2	4	40
ZZ74772		<10	<1	0.12	10	0.16	318	2	0.01	18	700	6	0.03	2	3	29
ZZ74773		10	<1	0.13	20	0.40	1135	3	<0.01	28	550	12	0.01	3	5	28
ZZ74774		<10	1	0.09	10	0.19	277	1	0.01	15	620	5	0.02	3	2	28
ZZ74775		<10	1	0.11	20	0.22	412	1	0.01	21	770	6	0.03	3	4	42
ZZ74776		<10	1	0.06	30	0.09	96	<1	0.01	10	560	4	0.04	3	3	22
ZZ74777		<10	<1	0.09	20	0.35	258	1	<0.01	16	600	11	<0.01	2	3	20
ZZ74778		<10	<1	0.10	30	0.29	384	1	<0.01	15	720	11	<0.01	<2	3	24
ZZ74779		10	<1	0.13	20	0.35	394	3	<0.01	22	770	12	0.05	3	2	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74740		<20	0.14	<10	<10	54	<10	54
ZZ74741		<20	0.04	<10	<10	27	<10	26
ZZ74742		<20	0.07	<10	<10	39	<10	59
ZZ74743		<20	0.05	<10	<10	27	<10	35
ZZ74744		<20	0.10	<10	<10	59	<10	68
ZZ74745		<20	0.09	<10	<10	54	<10	59
ZZ74746		<20	0.12	<10	<10	56	<10	61
ZZ74747		<20	0.14	<10	<10	53	<10	73
ZZ74748		<20	0.06	<10	<10	48	<10	87
ZZ74749		<20	0.10	<10	<10	42	<10	59
ZZ74750		<20	0.12	<10	<10	87	<10	53
ZZ74751		<20	0.03	<10	<10	63	<10	77
ZZ74752		<20	0.05	<10	<10	55	<10	64
ZZ74753		<20	0.04	<10	<10	48	<10	70
ZZ74754		<20	0.04	<10	<10	42	<10	66
ZZ74755		<20	0.04	<10	<10	43	<10	68
ZZ74756		<20	0.04	<10	<10	40	<10	45
ZZ74757		<20	0.02	<10	<10	42	<10	45
ZZ74758		<20	0.05	<10	<10	46	<10	49
ZZ74759		<20	0.03	<10	<10	32	<10	52
ZZ74760		<20	0.03	<10	<10	44	<10	50
ZZ74761		<20	0.07	<10	<10	46	<10	61
ZZ74762		<20	0.04	<10	<10	47	<10	55
ZZ74763		<20	0.02	<10	<10	35	<10	51
ZZ74764		<20	0.02	<10	<10	33	<10	42
ZZ74765		<20	0.04	<10	<10	46	<10	53
ZZ74766		<20	0.02	<10	<10	41	<10	42
ZZ74767		<20	0.07	<10	<10	51	<10	51
ZZ74768		<20	0.08	<10	<10	45	<10	54
ZZ74769		<20	0.04	<10	<10	58	<10	87
ZZ74770		<20	0.06	<10	<10	60	<10	61
ZZ74771		<20	0.02	<10	<10	56	<10	68
ZZ74772		<20	0.01	<10	<10	31	<10	50
ZZ74773		<20	0.05	<10	<10	49	<10	95
ZZ74774		<20	0.04	<10	<10	41	<10	50
ZZ74775		<20	0.03	<10	<10	36	<10	58
ZZ74776		<20	0.02	<10	<10	28	<10	27
ZZ74777		<20	0.06	<10	<10	37	<10	55
ZZ74778		<20	0.04	<10	<10	37	<10	58
ZZ74779		<20	0.03	<10	<10	46	<10	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74780		0.44	0.002	<0.2	0.79	10	<10	90	<0.5	<2	0.11	<0.5	6	13	18	1.91
ZZ74781		0.31	0.004	<0.2	1.38	21	<10	170	<0.5	<2	0.15	<0.5	5	21	16	2.17
ZZ74782		0.43	0.014	<0.2	1.91	51	<10	200	0.6	<2	0.20	<0.5	9	33	24	2.97
ZZ74783		0.45	0.011	0.2	1.68	51	<10	170	<0.5	<2	0.17	<0.5	5	28	15	2.36
ZZ74784		0.57	0.015	0.3	1.38	85	<10	140	0.5	<2	0.20	<0.5	14	34	20	2.72
ZZ74785		0.43	0.009	0.2	1.45	38	<10	180	<0.5	<2	0.14	<0.5	7	27	24	2.02
ZZ74786		0.63	0.004	<0.2	1.70	27	<10	240	0.7	<2	0.27	<0.5	16	45	33	2.99
ZZ74787		0.37	0.006	<0.2	1.65	25	<10	210	0.5	<2	0.26	<0.5	10	34	23	2.68
ZZ74788		0.49	0.002	<0.2	1.35	19	<10	150	<0.5	<2	0.28	<0.5	10	26	27	2.71
ZZ74789		0.49	0.003	<0.2	1.14	6	<10	210	<0.5	<2	0.18	<0.5	5	15	23	1.56
ZZ74790		0.66	0.003	<0.2	1.75	17	<10	180	0.5	<2	0.27	<0.5	10	30	26	2.67
ZZ74791		0.38	0.003	<0.2	1.84	24	<10	240	0.5	<2	0.26	<0.5	10	33	27	2.71
ZZ74792		0.39	0.002	0.2	1.34	17	<10	180	<0.5	<2	0.31	<0.5	7	26	24	2.15
ZZ74793		0.37	0.020	0.3	2.07	26	<10	290	0.7	<2	0.32	<0.5	12	50	49	3.17
ZZ74794		0.40	0.006	<0.2	1.60	10	<10	220	<0.5	<2	0.25	<0.5	10	40	28	2.67
ZZ74795		0.40	0.002	0.2	1.30	12	<10	140	<0.5	<2	0.23	<0.5	6	25	17	1.80
ZZ74796		0.37	0.004	<0.2	1.78	28	<10	190	<0.5	<2	0.34	<0.5	10	41	28	2.73
ZZ74797		0.32	0.001	0.3	0.96	5	<10	150	<0.5	<2	0.28	<0.5	4	18	20	1.45
ZZ74798		0.24	0.003	0.3	1.53	8	<10	230	<0.5	<2	0.37	<0.5	7	34	34	2.10
ZZ74799		0.41	0.002	<0.2	1.80	11	<10	210	<0.5	<2	0.38	<0.5	11	45	22	2.54
ZZ74800		0.42	0.003	0.3	2.17	18	<10	250	0.5	<2	0.42	<0.5	10	50	34	2.74
ZZ74801		0.34	0.005	0.3	2.09	3	<10	250	0.5	<2	0.53	<0.5	13	54	32	2.78
ZZ74802		0.48	0.003	0.3	1.47	7	<10	190	<0.5	<2	0.29	<0.5	8	32	30	2.30
ZZ74803		0.36	0.003	0.2	1.91	7	<10	220	0.5	<2	0.44	<0.5	11	41	31	3.05
ZZ74804		0.42	0.005	<0.2	2.04	12	<10	190	0.5	<2	0.36	<0.5	12	46	27	3.36
ZZ74805		0.44	0.004	<0.2	1.93	10	<10	190	0.5	<2	0.45	<0.5	10	38	25	2.92
ZZ74806		0.42	0.004	<0.2	2.22	10	<10	190	0.6	<2	0.45	<0.5	11	41	24	3.09
ZZ74807		0.47	0.001	<0.2	2.06	6	<10	230	0.5	<2	0.44	<0.5	11	43	22	2.98
ZZ74808		0.36	0.002	<0.2	2.15	6	<10	180	0.6	<2	0.35	<0.5	11	45	27	3.31
ZZ74809		0.32	0.002	<0.2	1.82	9	<10	170	0.5	<2	0.49	<0.5	9	39	28	2.87
ZZ74810		0.41	0.002	<0.2	2.08	5	<10	170	0.5	<2	0.38	<0.5	10	39	27	3.03
ZZ74811		0.43	0.003	<0.2	1.91	7	<10	160	0.5	<2	0.36	<0.5	11	37	25	3.13
ZZ74812		0.40	0.006	0.2	2.46	27	<10	220	0.8	<2	0.48	<0.5	11	40	36	4.49
ZZ74813		0.34	0.004	<0.2	1.85	9	<10	140	0.5	<2	0.40	<0.5	10	36	24	3.03
ZZ74814		0.55	0.003	<0.2	1.74	15	<10	150	0.5	<2	0.31	<0.5	9	34	25	2.78
ZZ74815		0.41	0.003	<0.2	2.50	12	<10	280	0.7	<2	0.42	<0.5	12	47	34	3.54
ZZ74816		0.42	0.003	<0.2	1.73	12	<10	130	0.6	<2	0.39	<0.5	12	39	21	3.56
ZZ74817		0.36	0.003	0.2	2.76	8	<10	250	0.7	<2	0.59	<0.5	14	45	36	3.52
ZZ74818		0.45	0.002	<0.2	2.40	7	<10	200	0.7	<2	0.58	<0.5	15	51	36	3.49
ZZ74819		0.37	0.002	<0.2	2.21	7	<10	170	0.7	<2	0.35	<0.5	13	45	23	3.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74780		<10	<1	0.04	10	0.11	163	1	0.01	9	510	4	<0.01	2	1	12
ZZ74781		10	<1	0.06	20	0.26	188	1	<0.01	13	320	9	<0.01	2	2	17
ZZ74782		10	<1	0.09	30	0.45	401	1	<0.01	22	620	10	<0.01	3	3	21
ZZ74783		<10	1	0.10	20	0.36	118	1	<0.01	15	660	11	<0.01	3	3	15
ZZ74784		<10	1	0.10	20	0.41	536	2	<0.01	22	700	12	0.01	5	3	17
ZZ74785		<10	<1	0.09	10	0.37	181	1	<0.01	18	660	11	<0.01	2	3	15
ZZ74786		10	<1	0.12	30	0.69	542	1	<0.01	36	680	10	<0.01	2	6	22
ZZ74787		10	1	0.09	20	0.54	433	1	<0.01	27	650	10	<0.01	<2	4	21
ZZ74788		<10	<1	0.09	20	0.45	348	1	<0.01	27	690	13	<0.01	2	3	20
ZZ74789		<10	<1	0.06	20	0.19	185	1	0.01	13	510	6	<0.01	2	2	20
ZZ74790		10	1	0.08	20	0.52	362	1	<0.01	26	590	9	<0.01	3	4	23
ZZ74791		10	<1	0.09	20	0.46	360	1	<0.01	27	630	10	<0.01	2	3	26
ZZ74792		<10	<1	0.07	10	0.40	259	1	<0.01	22	750	6	0.01	3	3	29
ZZ74793		10	<1	0.12	20	0.64	482	1	<0.01	41	710	10	0.01	<2	4	34
ZZ74794		10	<1	0.11	10	0.56	370	1	<0.01	26	500	7	<0.01	<2	4	24
ZZ74795		<10	<1	0.06	10	0.38	234	1	0.01	20	540	5	<0.01	2	3	23
ZZ74796		10	<1	0.08	10	0.68	374	1	<0.01	30	660	8	<0.01	2	5	24
ZZ74797		<10	<1	0.05	<10	0.19	135	1	0.01	14	620	3	0.02	3	2	27
ZZ74798		<10	<1	0.08	10	0.45	207	<1	<0.01	27	730	5	0.02	<2	5	30
ZZ74799		10	<1	0.10	10	0.69	311	1	<0.01	27	780	7	<0.01	<2	5	26
ZZ74800		10	1	0.10	10	0.70	254	1	<0.01	31	870	8	0.01	<2	6	28
ZZ74801		10	<1	0.13	30	0.74	347	1	0.03	34	650	10	0.02	<2	4	31
ZZ74802		10	<1	0.12	20	0.37	382	1	0.02	21	680	4	0.02	2	4	22
ZZ74803		10	<1	0.20	10	0.70	448	1	0.01	27	630	8	0.02	<2	4	31
ZZ74804		10	<1	0.24	20	0.76	451	1	0.02	32	430	10	0.01	2	6	24
ZZ74805		10	<1	0.21	20	0.67	360	<1	0.02	26	400	7	0.01	<2	5	29
ZZ74806		10	<1	0.17	10	0.70	386	<1	0.01	27	460	8	0.01	2	5	31
ZZ74807		10	<1	0.30	20	0.76	353	<1	0.02	26	430	7	0.01	<2	5	30
ZZ74808		10	<1	0.45	20	0.78	322	<1	0.01	30	430	9	0.01	<2	5	23
ZZ74809		10	<1	0.25	20	0.58	398	<1	0.02	24	670	6	0.02	<2	5	35
ZZ74810		10	<1	0.21	10	0.61	436	1	0.01	22	470	8	0.02	<2	4	30
ZZ74811		10	<1	0.22	20	0.65	455	1	0.01	25	490	11	0.02	<2	4	26
ZZ74812		10	<1	0.27	30	0.59	290	1	0.02	27	630	15	0.03	2	6	34
ZZ74813		10	<1	0.16	20	0.64	391	<1	0.01	22	430	10	0.02	3	4	30
ZZ74814		10	<1	0.15	20	0.56	371	<1	0.01	21	450	8	0.02	<2	4	24
ZZ74815		10	<1	0.20	20	0.76	390	1	0.02	30	650	12	0.03	3	6	35
ZZ74816		10	<1	0.23	20	0.59	326	1	0.01	21	420	12	0.01	<2	6	24
ZZ74817		10	<1	0.23	30	0.67	507	<1	0.02	33	830	9	0.05	<2	6	41
ZZ74818		10	<1	0.39	40	0.86	380	<1	0.02	34	530	11	0.03	2	7	35
ZZ74819		10	<1	0.30	30	0.79	372	<1	0.01	30	420	12	0.02	<2	6	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74780		<20	0.07	<10	<10	57	<10	35
ZZ74781		<20	0.06	<10	<10	56	<10	37
ZZ74782		<20	0.06	<10	<10	61	<10	60
ZZ74783		<20	0.04	<10	<10	43	<10	54
ZZ74784		<20	0.05	<10	<10	43	<10	66
ZZ74785		<20	0.04	<10	<10	44	<10	64
ZZ74786		<20	0.08	<10	<10	66	<10	79
ZZ74787		<20	0.06	<10	<10	55	<10	63
ZZ74788		<20	0.06	<10	<10	48	<10	70
ZZ74789		<20	0.03	<10	<10	36	<10	33
ZZ74790		<20	0.08	<10	<10	55	<10	61
ZZ74791		<20	0.05	<10	<10	57	<10	66
ZZ74792		<20	0.06	<10	<10	47	<10	53
ZZ74793		<20	0.07	<10	<10	72	<10	91
ZZ74794		<20	0.11	<10	<10	70	<10	72
ZZ74795		<20	0.05	<10	<10	40	<10	54
ZZ74796		<20	0.09	<10	<10	69	<10	75
ZZ74797		<20	0.05	<10	<10	40	<10	39
ZZ74798		<20	0.08	<10	<10	55	<10	55
ZZ74799		<20	0.11	<10	<10	74	<10	72
ZZ74800		<20	0.09	<10	<10	72	<10	75
ZZ74801		<20	0.13	<10	<10	75	<10	74
ZZ74802		<20	0.07	<10	<10	60	<10	56
ZZ74803		<20	0.13	<10	<10	69	<10	67
ZZ74804		<20	0.14	<10	<10	70	<10	84
ZZ74805		<20	0.13	<10	<10	60	<10	60
ZZ74806		<20	0.11	<10	<10	63	<10	66
ZZ74807		<20	0.15	<10	<10	62	<10	63
ZZ74808		<20	0.17	<10	<10	61	<10	63
ZZ74809		<20	0.10	<10	<10	59	<10	68
ZZ74810		<20	0.12	<10	<10	65	<10	65
ZZ74811		<20	0.11	<10	<10	57	<10	75
ZZ74812		<20	0.10	<10	<10	72	<10	70
ZZ74813		<20	0.11	<10	<10	54	<10	57
ZZ74814		<20	0.10	<10	<10	53	<10	59
ZZ74815		<20	0.11	<10	<10	69	<10	72
ZZ74816		<20	0.13	<10	<10	58	<10	63
ZZ74817		<20	0.11	<10	<10	63	<10	80
ZZ74818		<20	0.17	<10	<10	64	<10	92
ZZ74819		<20	0.15	<10	<10	58	<10	84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74820		0.46	0.006	<0.2	1.71	8	<10	140	0.6	<2	0.29	<0.5	12	35	23	3.18
ZZ74821		0.42	0.019	<0.2	1.81	69	<10	130	0.6	<2	0.24	<0.5	13	37	30	3.47
ZZ74822		0.49	0.009	<0.2	2.52	65	<10	180	0.8	<2	0.22	<0.5	16	45	32	3.80
ZZ74823		0.44	0.013	0.2	2.26	88	<10	210	0.6	<2	0.33	<0.5	19	43	34	3.62
ZZ74824		0.35	0.002	0.2	1.12	10	<10	100	<0.5	<2	0.20	<0.5	9	21	16	2.16
ZZ74825		0.45	0.003	0.2	1.33	8	<10	120	<0.5	<2	0.27	<0.5	12	23	26	2.68
ZZ74826		0.38	0.003	<0.2	1.81	13	<10	180	0.6	<2	0.35	<0.5	12	39	27	2.91
ZZ74827		0.34	0.005	0.3	2.22	20	<10	240	0.8	<2	0.36	<0.5	12	36	42	3.16
ZZ74828		0.43	0.019	0.3	1.60	71	<10	160	0.6	<2	0.28	<0.5	11	33	38	3.42
ZZ74829		0.47	0.003	<0.2	1.84	13	<10	130	<0.5	<2	0.22	<0.5	11	31	22	3.21
ZZ74830		0.36	0.003	0.2	1.25	6	<10	90	<0.5	<2	0.15	<0.5	7	20	29	2.22
ZZ74831		0.39	0.004	<0.2	1.97	9	<10	150	0.7	<2	0.24	<0.5	15	36	57	3.53
ZZ74832		0.41	0.002	<0.2	1.67	7	<10	140	0.5	<2	0.20	<0.5	8	26	35	2.54
ZZ74833		0.37	0.002	<0.2	1.77	6	<10	140	0.6	<2	0.29	<0.5	12	34	23	3.06
ZZ74834		0.40	0.004	<0.2	1.85	10	<10	140	0.6	<2	0.30	<0.5	11	35	24	2.98
ZZ74835		0.29	0.002	<0.2	1.32	6	<10	90	<0.5	<2	0.15	<0.5	7	19	19	2.05
ZZ74836		0.38	0.002	<0.2	1.90	25	<10	140	0.7	<2	0.21	<0.5	15	35	24	3.24
ZZ74837		0.39	0.001	<0.2	1.14	8	<10	100	<0.5	2	0.20	<0.5	6	19	21	1.79
ZZ74838		0.49	0.004	<0.2	1.52	13	<10	170	<0.5	<2	0.38	<0.5	9	38	20	2.63
ZZ74839		0.33	0.004	<0.2	1.91	28	<10	260	0.7	<2	0.47	<0.5	11	34	37	2.88
ZZ74840		0.35	0.010	0.4	3.08	76	<10	350	1.0	<2	0.52	<0.5	12	53	45	3.82
ZZ74841		0.31	0.002	<0.2	1.70	17	<10	190	<0.5	<2	0.29	<0.5	7	39	22	2.58
ZZ74842		0.34	0.007	<0.2	2.03	28	<10	220	0.6	<2	0.39	<0.5	8	39	25	2.99
ZZ74843		0.38	0.004	<0.2	1.90	10	<10	200	0.5	2	0.37	<0.5	7	32	23	2.49
ZZ74844		0.46	0.007	0.2	2.02	9	<10	250	0.5	<2	0.33	<0.5	8	31	24	2.90
ZZ74845		0.33	0.002	0.2	2.02	7	<10	230	<0.5	2	0.31	<0.5	5	31	21	2.11
ZZ74846		0.27	0.002	0.2	2.02	5	<10	290	0.5	<2	0.38	<0.5	6	23	28	2.03
ZZ74847		0.28	0.004	0.2	1.28	10	<10	200	<0.5	2	0.47	<0.5	9	19	24	2.00
ZZ74848		0.46	0.001	<0.2	1.80	11	<10	200	<0.5	<2	0.39	<0.5	10	33	22	2.59
ZZ74849		0.36	0.001	0.3	2.12	16	<10	170	0.5	2	0.19	<0.5	8	30	19	3.47
ZZ74850		0.35	0.003	<0.2	1.81	13	<10	140	<0.5	2	0.21	<0.5	9	24	26	2.43
ZZ74851		0.40	0.003	0.3	1.91	13	<10	240	<0.5	2	0.33	<0.5	9	23	27	2.18
ZZ74852		0.32	0.003	0.3	1.92	16	<10	290	<0.5	2	0.65	<0.5	12	46	41	2.73
ZZ74853		0.19	0.004	0.6	1.80	13	<10	310	0.5	2	1.26	<0.5	7	42	53	1.94
ZZ74854		0.37	0.004	0.2	2.17	13	<10	240	0.5	2	0.66	<0.5	12	48	31	2.95
ZZ74855		0.28	0.001	<0.2	0.81	5	<10	120	<0.5	2	0.44	<0.5	5	17	25	1.39
ZZ74856		0.32	0.004	0.2	2.21	17	<10	240	0.5	<2	0.60	<0.5	15	55	45	3.31
ZZ74857		0.38	0.008	0.4	2.12	46	<10	190	0.5	2	0.26	<0.5	11	38	40	2.98
ZZ74858		0.31	0.002	0.8	3.12	6	<10	340	<0.5	2	0.12	<0.5	7	85	52	4.17
ZZ74859		0.44	0.002	<0.2	1.53	16	<10	130	<0.5	2	0.24	<0.5	11	41	32	3.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74820		10	<1	0.29	20	0.65	363	<1	0.01	27	490	10	0.02	3	5	19
ZZ74821		10	<1	0.27	20	0.65	433	<1	0.01	27	370	12	0.02	3	4	21
ZZ74822		10	<1	0.26	20	0.71	564	1	0.01	35	470	13	0.02	2	5	19
ZZ74823		10	1	0.26	20	0.67	875	1	0.01	30	700	14	0.03	2	5	27
ZZ74824		<10	<1	0.17	10	0.36	275	<1	0.02	16	470	7	0.01	<2	3	14
ZZ74825		<10	<1	0.08	10	0.36	309	1	0.02	17	710	9	0.03	<2	3	20
ZZ74826		10	<1	0.14	20	0.59	274	<1	0.02	28	500	10	0.02	2	5	25
ZZ74827		10	<1	0.14	20	0.55	449	<1	0.01	31	830	12	0.04	<2	4	32
ZZ74828		10	<1	0.22	20	0.53	372	1	0.01	27	660	11	0.03	3	4	27
ZZ74829		10	<1	0.12	10	0.53	384	1	0.01	22	300	10	0.01	<2	3	21
ZZ74830		<10	<1	0.18	10	0.33	187	1	0.02	15	490	6	0.03	<2	2	15
ZZ74831		10	<1	0.38	20	0.70	567	2	0.02	30	460	9	0.04	<2	5	24
ZZ74832		10	<1	0.17	10	0.39	224	1	0.02	20	360	7	0.02	<2	3	23
ZZ74833		10	<1	0.25	20	0.63	277	<1	0.01	23	420	10	0.01	<2	5	21
ZZ74834		10	<1	0.15	20	0.62	350	<1	0.01	27	540	7	<0.01	<2	4	21
ZZ74835		<10	<1	0.09	10	0.28	260	<1	0.02	12	330	6	0.01	<2	2	16
ZZ74836		10	<1	0.39	20	0.64	362	<1	0.01	26	350	15	<0.01	4	5	16
ZZ74837		<10	<1	0.07	10	0.29	233	1	0.02	16	360	7	0.01	<2	2	16
ZZ74838		10	<1	0.13	20	0.58	384	1	0.01	21	550	7	0.01	<2	5	26
ZZ74839		10	<1	0.11	50	0.46	535	1	0.01	19	800	11	0.03	<2	5	42
ZZ74840		10	<1	0.19	50	0.63	538	1	0.01	30	1000	10	0.05	<2	8	49
ZZ74841		10	<1	0.10	20	0.50	301	1	0.01	20	380	7	0.02	<2	5	25
ZZ74842		10	<1	0.13	40	0.54	336	1	0.01	20	690	8	0.02	<2	6	30
ZZ74843		10	<1	0.14	30	0.50	272	1	0.01	17	660	7	0.02	<2	5	29
ZZ74844		10	<1	0.19	40	0.48	321	1	0.01	16	630	7	0.02	<2	6	30
ZZ74845		10	<1	0.11	30	0.38	185	<1	0.02	17	710	6	0.04	<2	5	28
ZZ74846		10	1	0.11	40	0.26	280	<1	0.02	13	740	6	0.06	<2	5	36
ZZ74847		<10	1	0.08	40	0.26	435	1	0.02	13	700	5	0.05	<2	4	41
ZZ74848		10	<1	0.09	10	0.57	415	<1	0.01	23	340	8	0.02	<2	4	33
ZZ74849		10	<1	0.11	10	0.43	319	1	0.01	15	570	9	0.02	<2	4	26
ZZ74850		10	1	0.11	10	0.36	313	1	0.01	16	460	7	0.01	<2	4	26
ZZ74851		10	1	0.12	20	0.31	518	1	0.03	15	640	5	0.04	<2	4	32
ZZ74852		10	<1	0.19	20	0.59	425	1	0.03	28	770	5	0.05	<2	5	47
ZZ74853		<10	1	0.11	30	0.43	187	1	0.02	37	1000	5	0.10	<2	5	91
ZZ74854		10	<1	0.17	20	0.69	367	1	0.02	27	580	8	0.05	<2	6	48
ZZ74855		<10	<1	0.05	10	0.19	154	<1	0.01	12	530	3	0.05	<2	2	38
ZZ74856		10	<1	0.16	20	0.75	418	1	<0.01	35	770	8	0.03	<2	7	53
ZZ74857		10	<1	0.09	10	0.47	449	2	<0.01	32	490	8	<0.01	<2	4	24
ZZ74858		10	1	0.34	10	0.92	226	3	<0.01	33	640	7	0.08	<2	9	23
ZZ74859		10	<1	0.17	10	0.51	426	1	<0.01	29	570	8	0.01	<2	5	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74820		<20	0.14	<10	<10	50	<10	69
ZZ74821		<20	0.12	<10	<10	51	<10	78
ZZ74822		<20	0.12	<10	<10	65	<10	98
ZZ74823		<20	0.11	<10	<10	64	<10	98
ZZ74824		<20	0.10	<10	<10	45	<10	61
ZZ74825		<20	0.07	<10	<10	40	<10	54
ZZ74826		<20	0.10	<10	<10	53	<10	70
ZZ74827		<20	0.06	<10	<10	54	<10	70
ZZ74828		<20	0.09	<10	<10	51	<10	84
ZZ74829		<20	0.08	<10	<10	58	<10	142
ZZ74830		<20	0.07	<10	<10	41	<10	134
ZZ74831		<20	0.14	<10	<10	59	<10	232
ZZ74832		<20	0.08	<10	<10	46	<10	73
ZZ74833		<20	0.13	<10	<10	47	<10	63
ZZ74834		<20	0.10	<10	<10	51	<10	74
ZZ74835		<20	0.06	<10	<10	39	<10	48
ZZ74836		<20	0.13	<10	<10	47	<10	74
ZZ74837		<20	0.07	<10	<10	44	<10	48
ZZ74838		<20	0.11	<10	<10	54	<10	76
ZZ74839		<20	0.07	<10	<10	58	<10	78
ZZ74840		<20	0.06	<10	<10	75	<10	95
ZZ74841		<20	0.09	<10	<10	65	<10	66
ZZ74842		<20	0.08	<10	<10	64	<10	78
ZZ74843		<20	0.09	<10	<10	56	<10	81
ZZ74844		<20	0.10	<10	<10	59	<10	87
ZZ74845		<20	0.07	<10	<10	47	<10	72
ZZ74846		<20	0.06	<10	<10	40	<10	66
ZZ74847		<20	0.06	<10	<10	45	<10	54
ZZ74848		<20	0.09	<10	<10	59	<10	66
ZZ74849		<20	0.09	<10	<10	74	<10	74
ZZ74850		<20	0.08	<10	<10	51	<10	55
ZZ74851		<20	0.06	<10	<10	43	<10	63
ZZ74852		<20	0.12	<10	<10	75	<10	77
ZZ74853		<20	0.05	<10	<10	52	<10	73
ZZ74854		<20	0.12	<10	<10	71	<10	75
ZZ74855		<20	0.07	<10	<10	39	<10	31
ZZ74856		<20	0.13	<10	<10	89	<10	88
ZZ74857		<20	0.04	<10	<10	80	<10	96
ZZ74858		<20	0.21	<10	<10	189	<10	89
ZZ74859		<20	0.10	<10	<10	85	<10	98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74860		0.28	0.005	<0.2	2.34	23	<10	220	0.5	<2	0.35	<0.5	14	55	46	3.72
ZZ74861		0.35	0.003	0.2	1.96	7	<10	220	<0.5	<2	0.48	<0.5	11	56	35	2.86
ZZ74862		0.33	0.003	0.2	2.01	18	<10	190	<0.5	2	0.53	<0.5	10	55	32	3.13
ZZ74863		0.32	0.006	0.3	2.30	26	<10	250	0.5	<2	0.51	<0.5	13	56	44	3.29
ZZ74864		0.35	0.006	0.3	2.42	18	<10	330	0.5	2	0.62	<0.5	20	71	40	3.60
ZZ74865		0.38	0.004	<0.2	2.03	13	<10	200	<0.5	<2	0.43	<0.5	11	61	29	3.08
ZZ74866		0.30	0.003	0.2	1.45	17	<10	170	<0.5	<2	0.57	<0.5	6	30	35	2.06
ZZ74867		0.41	0.005	0.3	2.11	21	<10	220	<0.5	<2	0.55	<0.5	11	46	33	3.01
ZZ74868		0.36	0.007	0.4	2.36	35	<10	230	0.5	2	0.46	<0.5	11	48	35	3.31
ZZ74869		0.43	0.001	<0.2	1.95	16	<10	230	<0.5	<2	0.44	<0.5	12	55	29	3.48
ZZ74870		0.45	0.011	0.5	3.11	23	<10	300	0.5	2	0.39	<0.5	16	61	63	3.75
ZZ74871		0.40	0.008	0.3	2.32	18	<10	230	0.5	<2	0.44	<0.5	13	56	36	2.96
ZZ74872		0.47	0.010	0.3	2.48	35	<10	270	0.6	2	0.50	<0.5	18	70	59	3.73
ZZ74873		0.42	0.006	0.6	2.41	12	<10	300	0.5	<2	0.58	<0.5	15	57	65	3.40
ZZ74874		0.51	0.005	0.2	2.27	20	<10	240	<0.5	<2	0.44	<0.5	12	65	52	3.58
ZZ74875		0.43	0.006	0.5	2.68	11	<10	230	<0.5	<2	0.43	<0.5	16	64	45	3.92
ZZ74876		0.48	0.007	0.3	2.29	11	<10	230	0.5	<2	0.29	0.5	12	54	41	3.15
ZZ74877		0.48	0.004	0.3	2.12	10	<10	220	0.5	<2	0.44	<0.5	14	68	45	3.12
ZZ74878		0.40	0.016	0.7	3.05	15	<10	330	0.7	<2	0.39	0.5	22	65	75	4.20
ZZ74879		0.46	0.002	<0.2	1.59	9	<10	180	<0.5	<2	0.31	<0.5	11	47	28	2.63
ZZ74880		0.40	0.005	0.2	2.13	27	<10	180	<0.5	<2	0.33	<0.5	13	43	28	3.06
ZZ74881		0.41	0.007	0.2	2.34	26	<10	240	0.6	<2	0.44	<0.5	16	64	49	3.49
ZZ74882		0.53	0.003	<0.2	2.01	24	<10	190	0.5	<2	0.38	<0.5	11	48	37	3.10
ZZ74883		0.47	0.005	0.2	2.36	23	<10	290	0.7	<2	0.56	<0.5	15	76	57	4.10
ZZ74884		0.34	0.004	0.2	3.02	13	<10	280	0.7	<2	0.42	<0.5	19	72	63	4.21
ZZ74885		0.32	0.002	0.3	1.47	7	<10	140	<0.5	<2	0.20	<0.5	9	29	28	2.02
ZZ74886		0.28	0.002	0.5	1.50	5	<10	190	<0.5	<2	0.31	<0.5	6	27	28	1.75
ZZ74887		0.38	0.004	<0.2	2.06	11	<10	220	0.5	<2	0.35	<0.5	13	45	24	3.32
ZZ74888		0.34	0.003	<0.2	2.43	12	<10	310	0.6	<2	0.50	<0.5	15	50	32	3.64
ZZ74889		0.44	0.001	0.2	2.29	12	<10	290	0.5	<2	0.45	<0.5	11	53	33	3.32
ZZ74890		0.34	0.003	0.4	1.76	12	<10	300	0.5	<2	0.43	<0.5	11	58	53	3.02
ZZ74891		0.40	0.003	0.2	2.19	13	<10	270	0.5	<2	0.44	<0.5	14	126	41	3.28
ZZ74892		0.33	0.006	0.7	2.70	17	<10	340	0.7	<2	0.44	<0.5	13	84	55	3.39
ZZ74893		0.43	0.002	0.2	1.61	16	<10	200	0.5	<2	0.36	<0.5	10	43	31	2.98
ZZ74894		0.55	0.003	0.2	1.69	14	<10	220	0.5	<2	0.40	<0.5	11	43	33	3.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74860		10	<1	0.15	20	0.68	548	2	<0.01	43	650	8	0.01	<2	6	31
ZZ74861		10	<1	0.18	20	0.72	386	1	<0.01	30	780	6	0.03	<2	6	37
ZZ74862		10	<1	0.16	10	0.74	295	1	0.01	29	710	8	0.03	<2	6	41
ZZ74863		10	1	0.15	20	0.72	434	2	0.01	37	640	9	0.03	<2	7	40
ZZ74864		10	<1	0.32	20	0.90	1005	3	<0.01	35	980	7	0.04	2	8	46
ZZ74865		10	1	0.18	10	0.81	363	1	<0.01	31	370	7	0.02	<2	6	39
ZZ74866		<10	1	0.10	10	0.31	184	1	<0.01	24	650	5	0.05	<2	3	45
ZZ74867		10	<1	0.18	20	0.65	864	1	<0.01	28	1030	6	0.02	<2	6	40
ZZ74868		10	<1	0.16	20	0.67	406	2	<0.01	32	660	8	0.02	<2	7	38
ZZ74869		10	<1	0.17	10	0.72	377	1	<0.01	34	600	7	<0.01	2	5	34
ZZ74870		10	1	0.19	10	0.66	717	2	<0.01	47	890	8	0.04	<2	6	42
ZZ74871		10	<1	0.16	20	0.70	296	1	<0.01	32	920	10	0.01	<2	7	34
ZZ74872		10	1	0.21	20	0.71	492	2	<0.01	46	1030	12	0.01	2	9	36
ZZ74873		10	1	0.21	20	0.81	592	2	0.03	43	830	7	0.06	2	7	51
ZZ74874		10	<1	0.26	20	0.93	476	2	0.02	44	770	7	0.04	<2	6	36
ZZ74875		10	<1	0.41	20	1.04	507	1	0.02	43	570	9	0.02	<2	8	35
ZZ74876		10	<1	0.19	20	0.74	386	1	0.02	36	620	5	0.05	<2	6	25
ZZ74877		10	<1	0.17	20	0.77	631	3	0.03	42	850	6	0.02	<2	7	27
ZZ74878		10	<1	0.17	20	0.77	1525	3	0.02	55	880	10	0.04	<2	7	36
ZZ74879		10	<1	0.13	10	0.58	406	1	0.02	32	640	5	0.02	3	4	23
ZZ74880		10	<1	0.10	10	0.61	493	1	0.02	28	610	6	0.02	<2	5	25
ZZ74881		10	<1	0.21	30	0.89	603	2	0.02	54	710	6	0.03	8	8	34
ZZ74882		10	<1	0.22	20	0.72	477	1	0.02	35	980	7	0.02	2	6	24
ZZ74883		10	<1	0.36	20	0.99	608	2	0.03	56	1180	6	0.03	<2	9	34
ZZ74884		10	<1	0.28	40	0.94	752	2	0.02	48	850	9	0.04	2	10	35
ZZ74885		<10	<1	0.12	10	0.35	419	1	0.03	21	490	5	0.02	<2	3	19
ZZ74886		10	<1	0.13	10	0.30	283	1	0.04	21	610	3	0.05	<2	3	25
ZZ74887		10	<1	0.26	20	0.80	487	1	0.03	27	530	12	0.02	2	6	23
ZZ74888		10	<1	0.18	30	0.78	305	1	0.02	28	900	12	0.06	2	7	36
ZZ74889		10	<1	0.20	20	0.84	431	1	0.02	36	720	8	0.02	<2	7	31
ZZ74890		10	<1	0.16	10	0.66	459	1	0.03	48	1010	4	0.04	<2	6	26
ZZ74891		10	<1	0.13	10	1.22	506	1	0.02	100	840	6	0.03	<2	6	32
ZZ74892		10	<1	0.18	20	0.95	397	2	0.02	57	1040	9	0.06	<2	9	36
ZZ74893		10	<1	0.13	20	0.66	441	1	0.02	30	750	8	0.02	<2	5	25
ZZ74894		10	<1	0.12	20	0.62	484	2	0.02	31	870	7	0.03	<2	6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74860		<20	0.09	<10	<10	98	<10	126
ZZ74861		<20	0.12	<10	<10	78	<10	87
ZZ74862		<20	0.13	<10	<10	94	<10	102
ZZ74863		<20	0.11	<10	<10	95	<10	91
ZZ74864		<20	0.16	<10	<10	118	<10	125
ZZ74865		<20	0.15	<10	<10	106	<10	104
ZZ74866		<20	0.06	<10	<10	54	<10	78
ZZ74867		<20	0.11	<10	<10	76	<10	105
ZZ74868		<20	0.10	<10	<10	84	<10	97
ZZ74869		<20	0.15	<10	<10	103	<10	100
ZZ74870		<20	0.09	<10	<10	115	<10	109
ZZ74871		<20	0.12	<10	<10	94	<10	109
ZZ74872		<20	0.10	<10	<10	117	<10	148
ZZ74873		<20	0.11	<10	<10	101	<10	100
ZZ74874		<20	0.14	<10	<10	114	<10	126
ZZ74875		<20	0.18	<10	<10	85	<10	100
ZZ74876		<20	0.13	<10	<10	102	<10	80
ZZ74877		<20	0.13	<10	<10	84	<10	76
ZZ74878		<20	0.10	<10	<10	107	<10	108
ZZ74879		<20	0.11	<10	<10	78	<10	80
ZZ74880		<20	0.11	<10	<10	74	<10	71
ZZ74881		<20	0.14	<10	<10	93	<10	101
ZZ74882		<20	0.13	<10	<10	85	<10	88
ZZ74883		<20	0.17	<10	<10	117	<10	117
ZZ74884		<20	0.16	<10	<10	116	<10	107
ZZ74885		<20	0.07	<10	<10	55	<10	58
ZZ74886		<20	0.06	<10	<10	49	<10	50
ZZ74887		<20	0.15	<10	<10	62	<10	73
ZZ74888		<20	0.12	<10	<10	69	<10	84
ZZ74889		<20	0.14	<10	<10	79	<10	84
ZZ74890		<20	0.11	<10	<10	90	<10	74
ZZ74891		<20	0.11	<10	<10	89	<10	85
ZZ74892		<20	0.11	<10	<10	97	<10	119
ZZ74893		<20	0.11	<10	<10	76	<10	87
ZZ74894		<20	0.09	<10	<10	74	<10	93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145857

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

CERTIFICATE WH13145858

Project: CCC

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73602		0.32	0.001	<0.2	1.58	2	<10	180	<0.5	2	0.55	<0.5	8	25	15	2.39
ZZ73603		0.33	0.001	<0.2	2.24	6	<10	220	0.7	<2	0.57	<0.5	11	48	25	3.22
ZZ73604		0.37	0.002	<0.2	1.78	4	<10	180	0.5	<2	0.60	<0.5	7	32	20	2.46
ZZ73605		0.29	0.003	<0.2	2.21	5	<10	200	0.8	<2	0.64	<0.5	13	56	24	3.70
ZZ73606		0.35	0.004	<0.2	1.82	<2	<10	150	0.7	<2	0.57	<0.5	7	29	20	2.79
ZZ73607		0.29	0.004	0.2	1.88	8	<10	240	0.6	<2	0.63	<0.5	12	28	22	3.08
ZZ73608		0.35	0.002	<0.2	1.76	6	<10	180	0.7	<2	0.54	<0.5	9	33	21	3.04
ZZ73609		0.36	0.003	0.2	2.44	7	<10	240	0.9	<2	0.48	<0.5	13	39	29	3.46
ZZ73610		0.35	0.001	<0.2	1.13	4	<10	110	0.6	<2	0.31	<0.5	5	14	13	1.75
ZZ73611		0.31	0.002	0.3	1.80	4	<10	160	0.7	<2	0.65	0.9	9	25	29	2.29
ZZ73612		0.28	0.002	<0.2	1.46	6	<10	120	0.5	<2	0.18	<0.5	9	24	32	2.76
ZZ73613		0.50	0.003	0.2	1.92	7	<10	140	0.7	<2	0.27	<0.5	11	28	29	2.95
ZZ73614		0.34	0.002	<0.2	2.19	8	<10	160	0.5	<2	0.24	<0.5	14	35	23	3.27
ZZ73615		0.35	0.003	<0.2	2.22	7	<10	140	0.5	<2	0.36	<0.5	12	39	24	3.12
ZZ73616		0.38	0.024	<0.2	2.05	8	<10	160	0.5	<2	0.41	<0.5	10	35	26	2.92
ZZ73617		0.30	0.007	<0.2	1.69	13	<10	130	0.5	2	0.46	<0.5	10	34	32	2.86
ZZ73618		0.40	0.003	<0.2	2.26	6	<10	200	0.6	<2	0.39	<0.5	10	35	27	2.94
ZZ73619		0.44	0.005	<0.2	1.59	11	<10	110	0.5	<2	0.28	<0.5	8	29	19	2.36
ZZ73620		0.33	0.003	<0.2	2.40	13	<10	160	0.6	<2	0.36	<0.5	10	40	28	3.36
ZZ73621		0.34	0.013	0.6	3.52	17	<10	320	1.7	<2	0.62	<0.5	20	53	72	4.88
ZZ73622		0.27	0.004	0.2	1.78	6	<10	130	0.6	<2	0.31	<0.5	8	32	27	2.69
ZZ73623		0.45	0.007	0.3	2.60	11	<10	220	0.9	<2	0.45	<0.5	14	41	46	3.36
ZZ73624		0.34	0.002	0.2	1.95	8	<10	160	0.5	<2	0.32	<0.5	8	36	27	2.97
ZZ73625		0.30	0.001	<0.2	2.14	10	<10	190	<0.5	<2	0.28	<0.5	9	37	22	3.10
ZZ73626		0.35	0.002	0.3	1.86	10	<10	150	0.6	<2	0.24	<0.5	11	35	23	2.97
ZZ73627		0.31	0.006	0.2	2.28	18	<10	190	0.5	<2	0.25	<0.5	10	39	30	3.21
ZZ73628		0.27	0.003	0.3	1.55	8	<10	150	<0.5	<2	0.24	<0.5	7	30	17	2.54
ZZ73629		0.33	0.007	<0.2	2.45	11	<10	330	0.8	<2	0.43	<0.5	14	65	41	3.74
ZZ73630		0.25	0.002	0.2	1.60	11	<10	160	<0.5	<2	0.21	<0.5	8	32	23	2.75
ZZ73631		0.29	0.006	<0.2	2.15	12	<10	190	0.6	<2	0.30	<0.5	11	44	29	3.18
ZZ73632		0.26	0.006	0.3	1.82	10	<10	200	0.5	<2	0.25	<0.5	16	34	29	2.76
ZZ73633		0.38	0.006	0.4	2.00	12	<10	270	0.6	<2	0.36	<0.5	10	48	44	3.01
ZZ73634		0.29	0.004	<0.2	1.88	12	<10	230	<0.5	<2	0.31	<0.5	10	35	27	2.67
ZZ73635		0.38	0.006	0.4	1.69	22	<10	290	0.7	<2	0.30	<0.5	8	20	42	2.85
ZZ73636		0.34	0.003	<0.2	1.75	20	<10	200	<0.5	<2	0.27	<0.5	11	30	23	3.24
ZZ73637		0.27	0.004	<0.2	1.90	22	<10	280	<0.5	<2	0.31	<0.5	12	36	32	3.43
ZZ73638		0.25	0.003	<0.2	1.76	24	<10	210	<0.5	<2	0.23	<0.5	8	29	37	3.17
ZZ73639		0.28	0.004	0.3	2.00	17	<10	310	0.5	<2	0.36	<0.5	11	32	33	2.91
ZZ73640		0.23	0.005	0.5	1.57	21	<10	300	0.6	<2	0.24	<0.5	8	19	43	2.38
ZZ73641		0.18	0.021	0.6	2.46	42	<10	600	0.6	<2	0.17	<0.5	6	26	41	2.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73602		10	<1	0.11	10	0.44	215	<1	0.02	12	700	6	0.03	<2	4	46
ZZ73603		10	<1	0.13	20	0.66	370	<1	0.02	25	820	9	0.04	<2	7	39
ZZ73604		10	<1	0.13	10	0.52	234	<1	0.03	14	720	5	0.05	<2	4	49
ZZ73605		10	<1	0.19	20	0.71	405	<1	0.02	27	730	7	0.05	2	8	42
ZZ73606		10	<1	0.14	20	0.45	256	<1	0.02	13	800	8	0.03	<2	5	31
ZZ73607		10	<1	0.13	20	0.45	434	1	0.02	16	710	8	0.03	<2	5	38
ZZ73608		10	<1	0.15	20	0.50	292	1	0.02	20	650	8	0.02	2	6	35
ZZ73609		10	<1	0.29	30	0.65	466	1	0.02	26	910	11	0.03	<2	7	34
ZZ73610		<10	<1	0.13	20	0.26	214	<1	0.02	9	300	16	0.01	<2	2	25
ZZ73611		10	<1	0.17	40	0.37	429	<1	0.04	17	760	7	0.08	<2	3	38
ZZ73612		10	<1	0.17	20	0.37	336	1	0.03	17	390	10	0.02	<2	3	20
ZZ73613		10	<1	0.20	20	0.38	558	<1	0.03	21	600	11	0.04	<2	3	25
ZZ73614		10	1	0.22	10	0.61	374	<1	0.02	26	250	13	0.01	2	4	21
ZZ73615		10	<1	0.17	10	0.68	393	<1	0.02	25	280	10	0.01	<2	5	27
ZZ73616		10	<1	0.12	10	0.62	410	<1	0.02	25	330	8	<0.01	4	5	28
ZZ73617		10	<1	0.15	20	0.56	415	<1	0.02	23	520	9	0.01	<2	5	31
ZZ73618		10	<1	0.14	20	0.61	424	<1	0.02	23	510	10	0.01	<2	5	29
ZZ73619		10	<1	0.15	20	0.43	342	<1	0.03	17	420	8	<0.01	<2	4	23
ZZ73620		10	<1	0.19	20	0.69	365	<1	0.02	27	330	10	<0.01	<2	5	27
ZZ73621		10	1	0.21	130	0.56	1055	1	0.02	43	1190	16	0.04	2	9	58
ZZ73622		10	<1	0.14	20	0.51	306	1	0.02	21	500	9	0.01	<2	4	26
ZZ73623		10	<1	0.15	60	0.56	624	1	0.02	32	770	10	0.02	4	5	37
ZZ73624		10	<1	0.15	20	0.56	336	<1	0.02	20	340	10	0.01	<2	4	30
ZZ73625		10	1	0.21	10	0.67	322	<1	0.01	23	350	8	<0.01	<2	4	24
ZZ73626		10	<1	0.16	10	0.56	409	1	0.02	21	400	10	<0.01	2	4	20
ZZ73627		10	<1	0.16	10	0.63	378	1	0.02	29	480	9	0.01	3	5	21
ZZ73628		10	<1	0.10	10	0.52	255	1	0.02	16	280	8	<0.01	2	3	21
ZZ73629		10	<1	0.35	20	0.98	481	1	0.02	42	800	9	<0.01	5	7	24
ZZ73630		10	<1	0.11	10	0.51	293	1	0.02	18	260	10	<0.01	2	3	20
ZZ73631		10	<1	0.15	10	0.70	395	1	0.02	28	420	10	<0.01	4	5	23
ZZ73632		10	<1	0.10	10	0.47	883	1	0.02	20	490	10	0.01	<2	3	26
ZZ73633		10	<1	0.13	20	0.68	372	1	0.02	30	650	9	0.01	<2	6	26
ZZ73634		10	<1	0.10	10	0.59	373	1	0.02	25	460	6	<0.01	<2	4	25
ZZ73635		10	<1	0.09	20	0.24	338	2	0.02	24	780	10	0.03	2	2	29
ZZ73636		10	1	0.11	20	0.52	439	1	0.02	19	590	9	0.02	<2	4	25
ZZ73637		10	<1	0.13	20	0.66	538	3	0.02	25	490	8	0.01	2	5	28
ZZ73638		10	1	0.11	10	0.44	281	2	0.01	22	280	8	0.01	<2	4	28
ZZ73639		10	<1	0.13	20	0.51	347	2	0.02	26	830	11	0.02	<2	6	34
ZZ73640		10	<1	0.09	20	0.23	341	2	0.02	19	670	8	0.03	<2	2	29
ZZ73641		10	<1	0.16	10	0.29	177	3	0.01	18	1110	14	0.06	<2	3	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73602		<20	0.05	<10	<10	54	<10	53
ZZ73603		<20	0.07	<10	<10	71	<10	64
ZZ73604		<20	0.06	<10	<10	57	<10	55
ZZ73605		<20	0.09	<10	<10	75	<10	72
ZZ73606		<20	0.06	<10	<10	62	<10	59
ZZ73607		<20	0.04	<10	<10	50	<10	69
ZZ73608		<20	0.05	<10	<10	59	<10	70
ZZ73609		<20	0.07	<10	<10	59	<10	74
ZZ73610		<20	0.02	<10	<10	22	<10	77
ZZ73611		<20	0.06	<10	<10	36	<10	149
ZZ73612		<20	0.09	<10	<10	52	<10	54
ZZ73613		<20	0.07	<10	<10	51	<10	73
ZZ73614		<20	0.12	<10	<10	59	<10	72
ZZ73615		<20	0.13	<10	<10	62	<10	67
ZZ73616		<20	0.10	<10	<10	57	<10	56
ZZ73617		<20	0.10	<10	<10	52	<10	66
ZZ73618		<20	0.10	<10	<10	56	<10	54
ZZ73619		<20	0.08	<10	<10	42	<10	47
ZZ73620		<20	0.11	<10	<10	63	<10	63
ZZ73621		<20	0.04	<10	<10	75	<10	72
ZZ73622		<20	0.09	<10	<10	56	<10	53
ZZ73623		<20	0.06	<10	<10	64	<10	65
ZZ73624		<20	0.11	<10	<10	67	<10	61
ZZ73625		<20	0.13	<10	<10	65	<10	65
ZZ73626		<20	0.11	<10	<10	67	<10	63
ZZ73627		<20	0.09	<10	<10	65	<10	76
ZZ73628		<20	0.09	<10	<10	60	<10	56
ZZ73629		<20	0.15	<10	<10	85	<10	94
ZZ73630		<20	0.10	<10	<10	63	<10	54
ZZ73631		<20	0.12	<10	<10	72	<10	73
ZZ73632		<20	0.08	<10	<10	62	<10	58
ZZ73633		<20	0.10	<10	<10	71	<10	75
ZZ73634		<20	0.10	<10	<10	62	<10	61
ZZ73635		<20	0.02	<10	<10	51	<10	73
ZZ73636		<20	0.07	<10	<10	62	<10	67
ZZ73637		<20	0.09	<10	<10	71	<10	79
ZZ73638		<20	0.05	<10	<10	75	<10	72
ZZ73639		<20	0.06	<10	<10	58	<10	76
ZZ73640		<20	0.03	<10	<10	49	<10	59
ZZ73641		<20	0.01	<10	<10	45	<10	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73642		0.35	0.005	<0.2	1.37	18	<10	210	<0.5	<2	0.19	<0.5	8	23	19	2.66
ZZ73643		0.23	0.005	0.5	2.23	21	<10	580	0.6	<2	0.22	<0.5	9	29	28	2.55
ZZ73644		0.28	0.021	0.2	2.31	104	<10	490	0.9	<2	0.25	<0.5	13	29	29	3.20
ZZ73645		0.44	0.006	<0.2	1.43	43	<10	150	<0.5	<2	0.22	<0.5	8	26	17	2.46
ZZ73646		0.33	0.006	<0.2	1.41	26	<10	150	0.5	<2	0.27	<0.5	7	25	16	2.10
ZZ73647		0.53	0.006	<0.2	1.36	24	<10	170	0.5	<2	0.30	<0.5	7	27	16	1.99
ZZ73648		0.51	0.008	<0.2	1.23	76	<10	130	<0.5	<2	0.30	<0.5	7	31	14	2.39
ZZ73649		0.46	0.014	0.2	1.77	41	<10	220	0.7	<2	0.24	<0.5	13	36	21	2.39
ZZ73650		0.38	0.007	<0.2	1.71	66	<10	180	0.5	<2	0.29	<0.5	8	36	16	2.27
ZZ73651		0.38	0.003	<0.2	1.23	5	<10	160	<0.5	<2	0.29	<0.5	5	25	9	1.31
ZZ73652		0.42	0.005	0.3	1.90	38	<10	230	0.5	<2	0.48	<0.5	8	29	20	2.71
ZZ73653		0.43	0.012	0.6	1.79	36	<10	300	0.6	<2	0.31	<0.5	5	26	27	2.36
ZZ73654		0.48	0.009	0.3	1.76	32	<10	230	0.5	<2	0.25	<0.5	7	30	23	2.56
ZZ73655		0.33	0.009	<0.2	1.85	62	<10	210	<0.5	<2	0.22	<0.5	11	31	21	2.98
ZZ73656		0.32	0.004	<0.2	1.49	21	<10	200	<0.5	<2	0.17	<0.5	13	23	18	2.74
ZZ73657		0.41	0.009	<0.2	1.28	42	<10	180	0.6	<2	0.20	<0.5	8	23	23	2.92
ZZ73658		0.45	0.005	<0.2	1.00	27	<10	130	<0.5	<2	0.19	<0.5	9	18	14	2.50
ZZ73659		0.37	0.014	0.2	1.23	95	<10	180	<0.5	<2	0.20	<0.5	7	22	18	2.47
ZZ73660		0.34	0.009	0.2	0.81	73	<10	120	<0.5	<2	0.21	<0.5	7	15	11	2.18
ZZ73661		0.33	0.009	0.2	1.09	117	<10	210	0.5	<2	0.16	<0.5	9	18	23	2.53
ZZ73662		0.35	0.030	0.3	1.95	149	<10	210	0.5	<2	0.19	<0.5	12	34	24	2.82
ZZ73663		0.18	0.003	<0.2	1.03	70	<10	120	<0.5	<2	0.11	<0.5	9	22	21	2.69
ZZ73664		0.24	0.002	<0.2	1.76	39	<10	130	<0.5	<2	0.15	<0.5	8	25	27	2.93
ZZ73665		0.27	0.017	<0.2	1.41	128	<10	180	0.6	<2	0.15	<0.5	9	23	29	2.88
ZZ73666		0.38	0.035	0.2	1.19	110	<10	170	<0.5	2	0.20	<0.5	4	19	15	1.93
ZZ73667		0.27	0.016	0.3	1.56	50	<10	270	<0.5	<2	0.19	<0.5	8	23	27	2.34
ZZ73668		0.34	0.005	0.2	1.72	27	<10	170	0.5	<2	0.26	<0.5	8	32	21	2.60
ZZ73669		0.39	0.005	<0.2	1.49	47	<10	180	0.6	<2	0.33	<0.5	15	49	27	2.67
ZZ73670		0.33	0.005	<0.2	2.32	52	<10	170	0.7	<2	0.30	<0.5	15	49	27	3.40
ZZ73671		0.17	0.002	0.4	2.08	24	<10	190	0.7	<2	0.22	<0.5	13	38	67	3.25
ZZ73672		0.21	0.004	0.4	2.04	26	<10	300	0.6	<2	0.34	<0.5	10	43	41	2.88
ZZ73673		0.23	0.016	<0.2	1.95	28	<10	270	0.6	<2	0.48	<0.5	17	62	46	3.59
ZZ73674		0.26	0.006	<0.2	2.00	114	<10	200	0.6	<2	0.36	<0.5	16	62	34	3.64
ZZ73675		0.17	0.008	0.4	1.58	43	<10	280	0.8	<2	0.42	<0.5	6	17	40	1.93
ZZ73676		0.21	0.007	0.2	1.13	41	<10	180	<0.5	<2	0.16	<0.5	6	18	22	1.79
ZZ73677		0.33	0.015	0.5	2.14	97	<10	280	0.9	<2	0.23	<0.5	13	39	41	3.34
ZZ73678		0.51	0.025	0.3	2.37	95	<10	270	0.8	<2	0.30	<0.5	13	58	44	3.20
ZZ73679		0.35	0.015	0.5	2.03	96	<10	190	<0.5	<2	0.23	<0.5	9	39	24	3.02
ZZ73680		0.37	0.005	<0.2	1.79	25	<10	200	0.5	<2	0.32	<0.5	10	39	26	2.61
ZZ73681		0.40	0.005	<0.2	1.74	16	<10	160	<0.5	<2	0.32	<0.5	8	44	26	1.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73642		10	1	0.08	20	0.41	323	1	0.01	16	360	10	0.01	<2	3	17
ZZ73643		10	<1	0.13	20	0.33	422	1	0.02	22	850	9	0.05	<2	3	28
ZZ73644		10	1	0.16	40	0.32	905	2	0.02	20	980	15	0.06	<2	4	35
ZZ73645		10	<1	0.09	30	0.39	357	1	0.02	17	530	9	0.01	2	3	20
ZZ73646		<10	1	0.08	40	0.43	364	1	0.02	14	600	9	0.01	<2	4	21
ZZ73647		<10	<1	0.08	40	0.40	243	1	0.02	15	610	10	0.01	<2	5	22
ZZ73648		<10	<1	0.07	20	0.46	190	<1	0.02	14	620	9	<0.01	<2	4	19
ZZ73649		<10	<1	0.09	40	0.44	195	1	0.01	17	670	13	<0.01	<2	7	18
ZZ73650		10	<1	0.08	40	0.42	239	1	0.02	16	630	9	0.01	<2	4	23
ZZ73651		<10	<1	0.06	20	0.35	169	<1	0.02	10	480	10	0.01	<2	3	21
ZZ73652		10	<1	0.10	20	0.43	435	2	0.02	21	870	9	0.04	<2	5	44
ZZ73653		10	<1	0.10	30	0.31	133	1	0.03	24	840	9	0.04	2	4	29
ZZ73654		10	1	0.10	30	0.41	199	1	0.02	20	590	12	0.02	3	5	19
ZZ73655		10	<1	0.09	20	0.48	748	1	0.02	20	690	12	0.03	3	3	19
ZZ73656		10	<1	0.09	20	0.40	1075	1	0.02	18	640	10	0.03	<2	3	18
ZZ73657		<10	<1	0.13	20	0.35	450	1	0.01	24	630	13	0.06	<2	3	24
ZZ73658		<10	<1	0.11	30	0.36	370	1	0.02	14	420	15	0.07	<2	3	18
ZZ73659		<10	<1	0.13	20	0.34	318	2	0.02	14	650	12	0.08	<2	2	20
ZZ73660		<10	<1	0.10	30	0.23	280	1	0.02	14	560	11	0.03	3	2	19
ZZ73661		<10	<1	0.15	30	0.25	450	2	0.02	15	600	13	0.17	2	1	24
ZZ73662		10	<1	0.13	20	0.53	389	2	0.02	22	700	15	0.03	3	3	18
ZZ73663		10	<1	0.12	20	0.30	436	2	0.02	18	340	11	0.09	2	2	16
ZZ73664		10	<1	0.10	20	0.34	225	1	0.02	18	330	11	0.08	<2	3	16
ZZ73665		<10	<1	0.16	20	0.29	435	2	0.02	14	580	14	0.15	3	3	24
ZZ73666		<10	<1	0.09	10	0.31	107	1	0.01	10	620	11	0.02	3	2	16
ZZ73667		<10	<1	0.11	20	0.32	194	2	0.01	15	800	10	0.06	<2	2	19
ZZ73668		10	<1	0.08	20	0.54	170	1	0.02	21	660	10	0.01	2	4	17
ZZ73669		<10	<1	0.08	30	0.65	335	1	0.01	43	740	11	<0.01	<2	5	21
ZZ73670		10	<1	0.09	10	0.79	445	1	0.01	42	670	9	0.01	<2	5	20
ZZ73671		10	<1	0.07	10	0.49	482	2	0.02	29	750	12	0.06	<2	4	23
ZZ73672		10	<1	0.11	10	0.53	307	1	0.03	31	470	10	0.02	<2	5	29
ZZ73673		10	<1	0.18	10	0.95	550	1	0.03	45	920	8	0.02	3	7	27
ZZ73674		10	<1	0.16	20	0.98	620	1	0.02	48	740	10	0.01	2	5	22
ZZ73675		<10	<1	0.10	40	0.20	173	1	0.03	20	770	8	0.08	<2	2	36
ZZ73676		<10	<1	0.09	10	0.19	174	2	0.03	12	480	6	0.04	<2	1	20
ZZ73677		10	<1	0.14	20	0.58	522	2	0.02	36	770	11	0.05	<2	4	24
ZZ73678		10	<1	0.12	30	0.84	386	1	0.02	49	860	11	0.03	<2	7	26
ZZ73679		10	<1	0.10	20	0.58	260	1	0.01	28	870	12	0.03	<2	3	20
ZZ73680		10	<1	0.09	20	0.65	295	1	0.02	28	760	7	0.02	<2	5	20
ZZ73681		10	<1	0.11	20	0.67	199	1	0.02	32	720	9	0.02	<2	4	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73642		<20	0.06	<10	<10	49	<10	61
ZZ73643		<20	0.02	<10	<10	45	<10	68
ZZ73644		<20	0.02	<10	<10	46	<10	78
ZZ73645		<20	0.06	<10	<10	46	<10	55
ZZ73646		<20	0.07	<10	<10	43	<10	47
ZZ73647		<20	0.07	<10	<10	43	<10	54
ZZ73648		<20	0.10	<10	<10	48	<10	49
ZZ73649		<20	0.08	<10	<10	61	<10	57
ZZ73650		<20	0.06	<10	<10	46	<10	54
ZZ73651		<20	0.07	<10	<10	31	<10	50
ZZ73652		<20	0.06	<10	<10	51	<10	82
ZZ73653		<20	0.03	<10	<10	51	<10	69
ZZ73654		<20	0.04	<10	<10	53	<10	69
ZZ73655		<20	0.05	<10	<10	53	<10	73
ZZ73656		<20	0.04	<10	<10	49	<10	67
ZZ73657		<20	0.03	<10	<10	37	<10	74
ZZ73658		<20	0.06	<10	<10	40	<10	50
ZZ73659		<20	0.04	<10	<10	40	<10	53
ZZ73660		<20	0.04	<10	<10	34	<10	46
ZZ73661		<20	0.03	<10	<10	39	<10	53
ZZ73662		<20	0.02	<10	<10	49	<10	77
ZZ73663		<20	0.06	<10	<10	54	<10	59
ZZ73664		<20	0.05	<10	<10	59	<10	48
ZZ73665		<20	0.04	<10	<10	43	<10	55
ZZ73666		<20	0.03	<10	<10	37	<10	42
ZZ73667		<20	0.02	<10	<10	39	<10	59
ZZ73668		<20	0.05	<10	<10	49	<10	66
ZZ73669		<20	0.06	<10	<10	47	<10	70
ZZ73670		<20	0.06	<10	<10	68	<10	77
ZZ73671		<20	0.05	<10	<10	80	<10	74
ZZ73672		<20	0.05	<10	<10	77	<10	66
ZZ73673		<20	0.11	<10	<10	114	<10	97
ZZ73674		<20	0.10	<10	<10	89	<10	101
ZZ73675		<20	0.02	<10	<10	32	<10	40
ZZ73676		<20	0.02	<10	<10	39	<10	41
ZZ73677		<20	0.03	<10	<10	63	<10	92
ZZ73678		<20	0.07	<10	<10	69	<10	85
ZZ73679		<20	0.04	<10	<10	59	<10	75
ZZ73680		<20	0.08	<10	<10	59	<10	68
ZZ73681		<20	0.09	<10	<10	51	<10	70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73682		0.25	0.005	0.6	1.68	43	<10	200	0.5	<2	0.44	<0.5	7	28	30	2.23
ZZ73683		0.33	0.006	1.1	2.07	45	<10	240	0.8	<2	0.45	<0.5	10	44	51	2.88
ZZ73684		0.35	0.006	0.2	1.83	34	<10	270	<0.5	<2	0.40	<0.5	11	45	28	2.81
ZZ73685		0.29	0.001	0.6	1.57	31	<10	160	0.8	<2	0.50	<0.5	10	45	44	2.26
ZZ73686		0.24	0.003	0.3	1.03	34	<10	90	0.6	<2	0.55	<0.5	5	21	31	1.34
ZZ73687		0.19	0.005	0.3	1.73	39	<10	150	0.5	<2	0.57	<0.5	11	54	46	2.97
ZZ73688		0.22	0.003	0.2	0.97	32	<10	120	0.5	<2	0.71	<0.5	4	13	37	0.97
ZZ73689		0.21	0.004	0.2	1.20	32	<10	120	0.5	<2	0.65	<0.5	7	20	38	1.48
ZZ73690		0.33	0.010	0.5	2.46	63	<10	260	0.9	<2	0.40	<0.5	14	71	44	3.35
ZZ73691		0.29	0.004	0.4	2.04	22	<10	230	0.5	<2	0.42	<0.5	9	52	43	2.57
ZZ73692		0.28	0.002	<0.2	1.72	12	<10	240	<0.5	<2	0.47	<0.5	11	37	33	2.11
ZZ73693		0.39	0.004	<0.2	1.70	25	<10	200	<0.5	<2	0.41	<0.5	9	38	29	2.27
ZZ73694		0.35	0.004	<0.2	2.07	34	<10	210	0.5	<2	0.48	<0.5	13	43	36	2.51
ZZ73695		0.34	0.003	<0.2	1.78	14	<10	190	0.5	<2	0.55	<0.5	12	38	32	2.76
ZZ73696		0.34	0.003	<0.2	2.05	16	<10	230	<0.5	<2	0.48	<0.5	12	46	29	2.74
ZZ73697		0.36	0.006	0.3	2.17	20	<10	250	0.6	<2	0.51	<0.5	11	49	41	2.54
ZZ73698		0.23	0.003	<0.2	1.68	16	<10	180	<0.5	<2	0.48	<0.5	10	39	26	2.64
ZZ73699		0.24	0.003	0.2	1.26	9	<10	160	<0.5	<2	0.52	<0.5	5	24	25	1.63
ZZ73700		0.37	0.001	0.2	1.93	25	<10	160	0.5	<2	0.50	<0.5	11	36	22	2.58
ZZ73701		0.36	0.007	0.3	1.80	41	<10	220	0.6	<2	0.44	<0.5	9	52	27	2.59
ZZ73702		0.32	0.009	<0.2	1.73	98	<10	200	0.6	<2	0.48	<0.5	9	41	25	2.79
ZZ73703		0.21	0.005	0.4	1.08	50	<10	140	<0.5	<2	0.33	<0.5	4	16	17	1.39
ZZ73704		0.25	0.004	<0.2	1.32	38	<10	120	<0.5	<2	0.27	<0.5	7	21	15	2.24
ZZ73705		0.32	0.004	0.2	2.01	17	<10	270	0.5	<2	0.39	<0.5	7	32	21	2.76
ZZ73706		0.26	0.002	0.2	1.97	10	<10	260	<0.5	<2	0.44	<0.5	6	29	19	2.29
ZZ73707		0.22	0.004	0.2	1.64	12	<10	300	0.5	<2	0.47	<0.5	12	24	24	3.04
ZZ73708		0.31	0.004	0.3	1.85	13	<10	280	0.5	<2	0.73	<0.5	9	30	28	2.64
ZZ73709		0.33	0.001	0.2	1.68	8	<10	210	<0.5	<2	0.50	<0.5	6	27	22	2.24
ZZ73710		0.29	0.002	0.2	2.27	6	<10	350	<0.5	<2	0.52	<0.5	10	34	28	2.79
ZZ73711		0.29	0.003	0.3	2.12	10	<10	290	0.5	<2	0.50	<0.5	8	34	30	2.84
ZZ73712		0.27	0.002	0.4	1.30	5	<10	220	<0.5	<2	0.62	<0.5	5	17	29	1.47
ZZ73713		0.31	0.003	0.4	2.00	13	<10	270	0.5	<2	0.73	<0.5	11	57	36	2.84
ZZ73714		0.29	0.003	0.2	1.65	17	<10	220	<0.5	<2	0.71	<0.5	10	64	30	2.45
ZZ73715		0.33	0.006	0.4	2.31	21	<10	300	0.6	<2	0.79	<0.5	15	50	41	3.23
ZZ73716		0.36	0.005	<0.2	2.26	16	<10	250	0.5	<2	0.62	<0.5	15	52	35	3.10
ZZ73717		0.39	0.006	0.2	2.08	19	<10	210	<0.5	<2	0.58	<0.5	12	47	32	3.03
ZZ73718		0.50	0.004	0.4	1.98	11	<10	180	<0.5	<2	0.44	<0.5	12	38	34	2.49
ZZ73719		0.26	0.004	<0.2	2.17	18	<10	170	<0.5	<2	0.21	<0.5	14	55	29	3.47
ZZ73720		0.35	0.027	0.3	1.93	26	<10	250	0.5	<2	0.46	<0.5	11	60	45	3.14
ZZ73721		0.35	0.007	0.4	2.02	19	<10	230	<0.5	<2	0.41	<0.5	11	47	36	3.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73682		10	<1	0.09	20	0.36	322	<1	0.03	26	770	7	0.05	<2	4	39
ZZ73683		10	<1	0.12	30	0.52	509	1	0.03	48	910	7	0.07	<2	6	35
ZZ73684		10	<1	0.09	10	0.71	577	1	0.02	31	740	7	0.03	<2	4	29
ZZ73685		10	<1	0.07	30	0.63	353	1	0.03	38	660	6	0.04	<2	4	38
ZZ73686		<10	<1	0.05	20	0.30	265	<1	0.04	17	460	4	0.03	<2	2	35
ZZ73687		10	<1	0.07	20	0.68	454	1	0.03	33	510	7	0.02	<2	4	36
ZZ73688		<10	<1	0.04	40	0.16	207	1	0.04	16	510	8	0.05	<2	2	44
ZZ73689		<10	<1	0.04	30	0.30	283	<1	0.03	15	720	6	0.05	<2	2	44
ZZ73690		10	<1	0.12	30	0.92	434	1	0.02	58	810	11	0.03	3	7	32
ZZ73691		10	<1	0.09	20	0.73	207	<1	0.01	36	670	6	0.03	2	5	32
ZZ73692		10	<1	0.09	10	0.58	431	1	0.02	25	860	6	0.04	<2	4	34
ZZ73693		10	<1	0.11	10	0.60	331	<1	0.02	26	660	4	0.02	2	4	30
ZZ73694		10	<1	0.08	10	0.61	362	<1	0.02	25	850	6	0.03	<2	5	33
ZZ73695		10	<1	0.25	10	0.64	515	<1	0.02	27	780	9	0.03	<2	4	34
ZZ73696		10	<1	0.11	10	0.65	413	<1	0.01	27	730	7	0.02	<2	4	35
ZZ73697		10	<1	0.13	20	0.61	347	<1	0.02	30	750	8	0.04	<2	6	37
ZZ73698		10	<1	0.14	10	0.64	335	<1	0.02	25	480	7	0.01	2	4	31
ZZ73699		<10	<1	0.06	10	0.33	119	<1	0.03	13	610	4	0.05	<2	2	38
ZZ73700		10	<1	0.06	20	0.54	419	<1	0.02	21	820	8	0.04	2	3	33
ZZ73701		10	<1	0.11	40	0.48	385	1	0.02	19	710	7	0.02	<2	6	35
ZZ73702		10	<1	0.11	30	0.56	432	1	0.02	21	690	7	0.01	3	5	37
ZZ73703		<10	<1	0.07	30	0.23	145	<1	0.03	10	430	5	0.02	<2	2	30
ZZ73704		10	<1	0.06	20	0.34	288	1	0.02	12	490	5	<0.01	<2	3	20
ZZ73705		10	<1	0.14	30	0.45	363	<1	0.02	16	880	6	0.02	<2	6	33
ZZ73706		10	<1	0.12	30	0.33	322	1	0.02	15	770	6	0.04	2	5	44
ZZ73707		10	<1	0.10	30	0.29	449	1	0.02	14	700	3	0.05	2	5	42
ZZ73708		10	<1	0.13	30	0.44	371	1	0.02	19	720	7	0.04	<2	5	54
ZZ73709		10	<1	0.15	20	0.46	250	<1	0.02	18	560	5	0.02	<2	5	38
ZZ73710		10	<1	0.19	20	0.57	429	<1	0.02	18	790	7	0.03	<2	7	43
ZZ73711		10	<1	0.13	30	0.56	286	1	0.02	21	830	8	0.02	<2	7	36
ZZ73712		<10	<1	0.07	30	0.22	214	1	0.03	15	750	3	0.06	<2	3	49
ZZ73713		10	<1	0.14	30	0.66	387	1	0.02	41	710	7	0.04	<2	6	53
ZZ73714		10	<1	0.12	20	0.61	309	1	0.03	41	620	6	0.04	3	5	45
ZZ73715		10	<1	0.15	20	0.67	629	1	0.02	33	720	8	0.04	<2	7	53
ZZ73716		10	<1	0.16	20	0.76	536	1	0.02	32	540	7	0.02	3	6	50
ZZ73717		10	<1	0.18	10	0.68	435	1	0.02	30	470	6	0.02	2	6	47
ZZ73718		10	<1	0.16	10	0.52	413	1	0.03	28	530	5	0.01	<2	5	37
ZZ73719		10	<1	0.19	10	0.72	662	1	0.02	31	360	7	0.02	<2	6	21
ZZ73720		10	<1	0.20	20	0.74	452	2	0.02	42	700	7	0.01	2	6	35
ZZ73721		10	<1	0.11	10	0.60	507	1	0.02	32	710	6	0.02	3	6	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73682		<20	0.05	<10	<10	51	<10	78
ZZ73683		<20	0.07	<10	<10	64	<10	70
ZZ73684		<20	0.08	<10	<10	69	<10	82
ZZ73685		<20	0.04	<10	<10	48	<10	56
ZZ73686		<20	0.03	<10	<10	28	<10	36
ZZ73687		<20	0.07	<10	<10	73	<10	65
ZZ73688		<20	0.03	<10	<10	23	<10	29
ZZ73689		<20	0.04	<10	<10	34	<10	35
ZZ73690		<20	0.08	<10	<10	80	<10	77
ZZ73691		<20	0.09	<10	<10	66	<10	59
ZZ73692		<20	0.08	<10	<10	51	<10	55
ZZ73693		<20	0.10	<10	<10	56	<10	60
ZZ73694		<20	0.07	<10	<10	65	<10	57
ZZ73695		<20	0.12	<10	<10	53	<10	71
ZZ73696		<20	0.09	<10	<10	67	<10	67
ZZ73697		<20	0.08	<10	<10	61	<10	65
ZZ73698		<20	0.11	<10	<10	58	<10	59
ZZ73699		<20	0.06	<10	<10	40	<10	40
ZZ73700		<20	0.07	<10	<10	52	<10	68
ZZ73701		<20	0.07	<10	<10	53	<10	67
ZZ73702		<20	0.07	<10	<10	54	<10	68
ZZ73703		<20	0.04	<10	<10	30	<10	37
ZZ73704		<20	0.06	<10	<10	51	<10	50
ZZ73705		<20	0.08	<10	<10	56	<10	74
ZZ73706		<20	0.07	<10	<10	50	<10	72
ZZ73707		<20	0.05	<10	<10	42	<10	55
ZZ73708		<20	0.07	<10	<10	54	<10	73
ZZ73709		<20	0.09	<10	<10	43	<10	57
ZZ73710		<20	0.11	<10	<10	51	<10	85
ZZ73711		<20	0.09	<10	<10	54	<10	70
ZZ73712		<20	0.04	<10	<10	31	<10	41
ZZ73713		<20	0.09	<10	<10	66	<10	74
ZZ73714		<20	0.08	<10	<10	64	<10	66
ZZ73715		<20	0.09	<10	<10	75	<10	69
ZZ73716		<20	0.12	<10	<10	80	<10	76
ZZ73717		<20	0.11	<10	<10	76	<10	75
ZZ73718		<20	0.11	<10	<10	64	<10	70
ZZ73719		<20	0.16	<10	<10	109	<10	90
ZZ73720		<20	0.11	<10	<10	105	<10	117
ZZ73721		<20	0.08	<10	<10	78	<10	90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73722		0.33	0.008	0.5	2.16	23	<10	280	<0.5	<2	0.65	0.6	12	48	49	3.08
ZZ73723		0.26	0.003	0.3	1.79	20	<10	220	<0.5	<2	0.65	0.5	12	42	32	2.67
ZZ73724		0.40	0.010	0.6	2.40	20	<10	290	0.6	<2	0.65	<0.5	13	57	53	3.50
ZZ73725		0.30	0.005	0.2	2.08	14	<10	200	<0.5	<2	0.57	<0.5	12	47	35	3.24
ZZ73726		0.35	0.003	<0.2	1.90	25	<10	160	<0.5	<2	0.40	<0.5	13	57	26	3.33
ZZ73727		0.32	0.007	0.4	1.77	27	<10	170	<0.5	<2	0.59	<0.5	11	45	29	2.86
ZZ73728		0.38	0.005	<0.2	1.84	17	<10	180	<0.5	<2	0.57	<0.5	13	47	33	3.03
ZZ73729		0.39	0.009	0.7	1.78	31	<10	160	0.5	<2	0.64	<0.5	11	48	43	3.05
ZZ73730		0.36	0.005	<0.2	1.98	14	<10	180	0.5	<2	0.51	<0.5	11	48	35	2.61
ZZ73731		0.42	0.005	0.2	1.79	17	<10	180	<0.5	<2	0.55	<0.5	11	45	25	3.30
ZZ73732		0.37	0.006	<0.2	1.77	10	<10	180	<0.5	<2	0.45	<0.5	10	42	33	2.57
ZZ73733		0.43	0.006	<0.2	1.75	13	<10	140	<0.5	<2	0.44	<0.5	10	45	22	2.83
ZZ73734		0.34	0.008	0.5	2.12	10	<10	220	<0.5	<2	0.39	<0.5	9	54	28	2.56
ZZ73735		0.31	0.004	<0.2	1.58	15	<10	130	<0.5	<2	0.18	<0.5	7	22	28	3.03
ZZ73736		0.30	0.002	<0.2	2.30	11	<10	200	0.6	<2	0.45	<0.5	13	37	35	3.49
ZZ73737		0.21	0.007	0.3	1.71	11	<10	320	0.6	<2	0.40	<0.5	7	17	27	2.34
ZZ73738		0.52	0.005	<0.2	2.04	9	<10	310	0.5	<2	0.46	<0.5	11	41	32	3.19
ZZ73739		0.36	0.004	<0.2	2.16	20	<10	350	0.5	<2	0.45	<0.5	13	41	33	3.31
ZZ73740		0.23	0.002	0.2	1.79	9	<10	240	0.6	<2	0.20	<0.5	6	24	34	2.17
ZZ73741		0.30	0.003	<0.2	1.58	7	<10	170	<0.5	2	0.25	<0.5	10	51	33	2.47
ZZ73742		0.22	0.005	<0.2	1.85	14	<10	220	0.5	2	0.25	<0.5	9	32	29	2.78
ZZ73743		0.23	0.003	<0.2	1.91	12	<10	140	<0.5	2	0.19	<0.5	12	33	21	3.50
ZZ73744		0.27	0.001	<0.2	1.42	11	<10	180	<0.5	2	0.19	<0.5	9	24	21	2.67
ZZ73745		0.32	0.003	<0.2	1.92	10	<10	260	0.7	2	0.27	<0.5	10	27	27	2.68
ZZ73746		0.27	0.004	<0.2	1.99	10	<10	260	0.6	<2	0.23	<0.5	9	28	22	2.89
ZZ73747		0.23	0.004	<0.2	1.50	9	<10	200	<0.5	2	0.23	<0.5	4	20	21	2.08
ZZ73748		0.27	0.004	<0.2	1.35	12	<10	190	<0.5	<2	0.22	<0.5	7	22	18	2.44
ZZ73749		0.38	0.003	<0.2	1.47	30	<10	170	0.6	2	0.29	<0.5	13	31	30	3.24
ZZ73750		0.33	0.005	<0.2	2.19	12	<10	180	<0.5	<2	0.27	<0.5	13	53	29	3.19
ZZ73751		0.25	0.003	<0.2	2.03	19	<10	160	0.5	<2	0.22	<0.5	14	47	31	4.24
ZZ73752		0.34	0.005	0.2	3.06	19	<10	180	0.7	<2	0.24	<0.5	16	49	31	4.10
ZZ74601		0.44	0.011	0.2	2.13	20	<10	190	0.5	<2	0.36	<0.5	29	66	84	4.71
ZZ74602		0.46	0.003	<0.2	2.21	4	<10	300	0.5	2	0.37	<0.5	14	62	45	3.25
ZZ74603		0.50	0.005	0.2	2.76	12	<10	310	0.6	<2	0.32	0.5	19	76	55	3.98
ZZ74604		0.53	0.007	0.4	1.85	7	<10	240	0.5	<2	0.26	<0.5	11	43	39	2.64
ZZ74605		0.43	0.005	0.4	2.90	11	<10	370	0.7	<2	0.33	<0.5	20	87	51	3.59
ZZ74606		0.42	0.010	<0.2	2.09	49	<10	210	0.5	<2	0.38	<0.5	12	46	35	3.02
ZZ74607		0.44	0.006	<0.2	1.97	8	<10	170	<0.5	<2	0.38	<0.5	10	34	30	2.31
ZZ74608		0.45	0.002	<0.2	1.96	9	<10	160	<0.5	<2	0.51	<0.5	11	60	31	2.44
ZZ74609		0.47	0.003	<0.2	2.23	14	<10	160	<0.5	<2	0.42	<0.5	13	44	25	2.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73722		10	<1	0.16	10	0.64	617	1	0.02	34	780	7	0.04	2	6	56
ZZ73723		10	<1	0.17	10	0.61	541	1	0.02	26	690	5	0.03	3	5	53
ZZ73724		10	<1	0.21	20	0.75	474	2	0.01	36	690	9	<0.01	3	6	51
ZZ73725		10	1	0.19	20	0.78	433	1	0.01	29	490	8	0.03	4	5	46
ZZ73726		10	1	0.23	10	0.82	415	1	0.01	29	260	8	0.01	3	6	28
ZZ73727		10	1	0.14	20	0.61	440	1	0.01	28	530	8	0.04	3	6	42
ZZ73728		10	1	0.14	10	0.70	342	1	0.01	29	560	7	0.03	3	6	38
ZZ73729		10	<1	0.09	10	0.53	381	2	<0.01	34	760	7	0.04	4	6	43
ZZ73730		10	1	0.13	20	0.70	273	1	0.01	31	560	9	0.01	3	6	32
ZZ73731		10	1	0.11	20	0.60	316	1	0.01	27	760	8	0.02	4	5	36
ZZ73732		10	<1	0.12	10	0.62	313	1	0.01	26	670	10	0.04	3	5	31
ZZ73733		10	1	0.15	20	0.70	334	1	0.01	24	680	9	0.01	3	5	26
ZZ73734		10	1	0.13	20	0.58	168	1	0.01	30	570	9	0.03	3	8	25
ZZ73735		10	1	0.07	10	0.30	216	2	<0.01	19	350	13	0.01	3	2	20
ZZ73736		10	<1	0.06	10	0.65	451	1	0.01	22	710	10	0.02	4	5	31
ZZ73737		10	1	0.09	30	0.20	292	1	0.02	14	920	6	0.06	<2	6	32
ZZ73738		10	<1	0.10	20	0.72	446	2	0.01	25	670	8	0.03	4	6	35
ZZ73739		10	<1	0.09	20	0.66	516	2	0.01	25	730	8	0.02	2	7	34
ZZ73740		<10	1	0.07	30	0.31	194	1	0.01	17	450	10	0.02	2	3	19
ZZ73741		<10	<1	0.07	20	0.45	332	1	0.02	30	590	6	0.01	<2	4	19
ZZ73742		10	<1	0.08	20	0.50	309	1	0.02	24	590	8	0.01	<2	5	22
ZZ73743		10	<1	0.11	10	0.50	615	1	0.01	22	480	11	0.01	<2	4	18
ZZ73744		10	<1	0.08	20	0.33	362	1	0.02	20	400	7	0.01	<2	4	18
ZZ73745		10	<1	0.09	10	0.44	336	1	0.02	26	530	8	0.01	<2	5	22
ZZ73746		10	<1	0.09	20	0.43	361	1	0.02	20	430	10	0.01	2	5	21
ZZ73747		10	<1	0.06	20	0.17	141	2	0.01	12	360	10	0.01	<2	2	25
ZZ73748		10	<1	0.06	10	0.31	240	2	0.02	16	290	7	0.01	<2	3	19
ZZ73749		<10	<1	0.11	20	0.47	466	1	0.02	34	780	10	0.01	<2	5	18
ZZ73750		10	<1	0.12	10	0.61	494	1	0.02	37	720	6	0.02	<2	4	21
ZZ73751		10	<1	0.11	10	0.53	547	2	0.02	32	630	11	0.01	<2	5	19
ZZ73752		10	<1	0.11	10	0.54	613	2	0.02	34	870	10	0.02	<2	7	22
ZZ74601		10	<1	0.14	10	0.63	1570	4	0.02	59	1380	10	0.02	<2	8	21
ZZ74602		10	<1	0.33	20	0.87	554	2	0.02	44	820	5	0.03	<2	7	26
ZZ74603		10	1	0.20	20	0.93	659	2	0.02	60	750	8	0.01	3	9	23
ZZ74604		10	<1	0.10	20	0.50	420	1	0.02	32	650	7	0.02	<2	5	23
ZZ74605		10	<1	0.37	20	0.95	464	2	0.02	81	880	6	0.08	<2	7	23
ZZ74606		10	<1	0.13	10	0.71	388	1	0.02	38	570	8	0.01	<2	6	23
ZZ74607		10	<1	0.06	10	0.48	349	<1	0.03	30	560	4	0.02	<2	4	23
ZZ74608		<10	<1	0.07	10	0.74	295	<1	0.03	36	760	5	0.01	<2	5	27
ZZ74609		10	<1	0.08	10	0.77	329	1	0.02	33	550	6	0.01	<2	4	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73722		<20	0.09	<10	<10	82	<10	98
ZZ73723		<20	0.11	<10	<10	74	<10	88
ZZ73724		<20	0.11	<10	<10	95	<10	102
ZZ73725		<20	0.12	<10	<10	72	<10	85
ZZ73726		<20	0.16	<10	<10	93	<10	90
ZZ73727		<20	0.09	<10	<10	68	<10	89
ZZ73728		<20	0.12	<10	<10	81	<10	85
ZZ73729		<20	0.05	<10	<10	85	<10	115
ZZ73730		<20	0.10	<10	<10	77	<10	81
ZZ73731		<20	0.09	<10	<10	82	<10	84
ZZ73732		<20	0.10	<10	<10	74	<10	87
ZZ73733		<20	0.10	<10	<10	71	<10	81
ZZ73734		<20	0.08	<10	<10	73	<10	74
ZZ73735		<20	0.04	<10	<10	67	<10	59
ZZ73736		<20	0.10	<10	<10	76	<10	61
ZZ73737		<20	0.03	<10	<10	47	<10	47
ZZ73738		<20	0.08	<10	<10	69	<10	77
ZZ73739		<20	0.05	<10	<10	66	<10	69
ZZ73740		<20	0.02	<10	<10	43	<10	51
ZZ73741		<20	0.07	<10	<10	56	<10	52
ZZ73742		<20	0.07	<10	<10	62	<10	59
ZZ73743		<20	0.07	<10	<10	68	<10	72
ZZ73744		<20	0.05	<10	<10	54	<10	53
ZZ73745		<20	0.04	<10	<10	50	<10	54
ZZ73746		<20	0.03	<10	<10	55	<10	57
ZZ73747		<20	0.03	<10	<10	56	<10	36
ZZ73748		<20	0.04	<10	<10	60	<10	47
ZZ73749		<20	0.07	<10	<10	57	<10	77
ZZ73750		<20	0.09	<10	<10	89	<10	66
ZZ73751		<20	0.09	<10	<10	96	<10	75
ZZ73752		<20	0.07	<10	<10	89	<10	78
ZZ74601		<20	0.10	<10	<10	133	<10	130
ZZ74602		<20	0.17	<10	<10	105	<10	95
ZZ74603		<20	0.13	<10	<10	122	<10	113
ZZ74604		<20	0.06	<10	<10	72	<10	56
ZZ74605		<20	0.16	<10	<10	120	<10	112
ZZ74606		<20	0.11	<10	<10	77	<10	72
ZZ74607		<20	0.08	<10	<10	60	<10	45
ZZ74608		<20	0.09	<10	<10	58	<10	52
ZZ74609		<20	0.09	<10	<10	71	<10	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74610		0.46	0.003	0.2	2.54	9	<10	280	<0.5	<2	0.43	<0.5	13	57	37	3.00
ZZ74611		0.34	0.003	0.2	1.91	9	<10	200	<0.5	<2	0.42	<0.5	13	49	35	2.38
ZZ74612		0.43	0.003	0.2	1.77	11	<10	170	<0.5	<2	0.42	<0.5	9	46	33	2.09
ZZ74613		0.36	0.002	<0.2	2.02	12	<10	250	<0.5	<2	0.41	<0.5	12	47	33	2.66
ZZ74614		0.38	0.004	<0.2	1.73	17	<10	190	<0.5	<2	0.32	<0.5	9	45	34	2.87
ZZ74615		0.41	0.008	0.5	2.50	30	<10	390	1.0	<2	0.54	<0.5	12	66	73	4.25
ZZ74616		0.33	0.004	<0.2	2.06	13	<10	280	0.5	<2	0.34	<0.5	12	46	29	3.49
ZZ74617		0.48	0.003	0.4	1.78	11	<10	290	<0.5	<2	0.32	<0.5	9	42	39	2.60
ZZ74618		0.44	0.007	<0.2	1.71	55	<10	220	0.6	<2	0.33	<0.5	20	98	59	4.20
ZZ74619		0.30	0.012	1.4	1.76	20	<10	280	<0.5	<2	0.25	<0.5	6	36	32	2.13
ZZ74620		0.26	0.007	0.5	1.90	18	<10	320	0.5	<2	0.53	<0.5	10	35	25	2.68
ZZ74621		0.39	0.005	0.2	2.30	13	<10	510	0.6	<2	0.67	<0.5	15	84	66	3.90
ZZ74622		0.31	0.003	0.2	1.66	2	<10	240	<0.5	<2	0.42	<0.5	6	32	18	1.58
ZZ74623		0.51	0.004	<0.2	1.49	13	<10	200	<0.5	<2	0.38	<0.5	8	38	22	2.66
ZZ74624		0.33	0.008	0.5	2.04	20	<10	260	0.5	<2	0.30	<0.5	11	43	34	2.89
ZZ74625		0.41	0.005	0.3	1.84	24	<10	260	0.5	<2	0.33	<0.5	14	52	33	2.86
ZZ74626		0.37	0.005	0.4	1.80	25	<10	230	<0.5	<2	0.35	<0.5	13	45	31	3.10
ZZ74627		0.41	0.005	0.3	1.59	10	<10	210	<0.5	<2	0.27	<0.5	7	38	26	2.20
ZZ74628		0.23	0.005	0.5	0.83	6	<10	130	<0.5	<2	0.23	<0.5	4	16	21	1.22
ZZ74629		0.40	0.010	1.0	2.11	53	<10	260	<0.5	<2	0.36	<0.5	13	58	36	3.60
ZZ74630		0.33	0.008	0.9	1.71	18	<10	220	<0.5	<2	0.27	<0.5	6	31	32	2.27
ZZ74631		0.37	0.005	0.3	1.67	21	<10	250	<0.5	<2	0.34	0.5	14	45	32	2.62
ZZ74632		0.43	0.007	0.5	2.13	25	<10	240	<0.5	<2	0.33	<0.5	10	57	38	3.01
ZZ74633		0.31	0.014	2.0	1.97	30	<10	240	<0.5	<2	0.22	<0.5	8	40	44	2.70
ZZ74634		0.32	0.008	1.3	2.73	30	<10	330	0.6	<2	0.30	<0.5	11	58	66	3.53
ZZ74635		0.32	0.015	0.9	2.54	25	<10	340	<0.5	<2	0.31	<0.5	14	70	46	3.56
ZZ74636		0.34	0.010	0.7	2.47	17	<10	280	<0.5	<2	0.30	<0.5	10	64	49	2.94
ZZ74637		0.39	0.009	0.7	2.34	22	<10	260	0.5	<2	0.38	<0.5	15	74	47	3.39
ZZ74638		0.41	0.010	0.5	2.63	22	<10	280	0.5	<2	0.35	<0.5	12	67	57	3.66
ZZ74639		0.35	0.008	0.4	1.79	30	<10	200	<0.5	<2	0.33	<0.5	13	50	32	3.24
ZZ74640		0.38	0.007	0.2	1.83	20	<10	190	<0.5	<2	0.40	<0.5	12	44	35	2.61
ZZ74641		0.43	0.006	<0.2	1.86	31	<10	210	<0.5	<2	0.50	<0.5	14	48	31	2.66
ZZ74642		0.48	0.005	0.2	1.91	27	<10	250	0.5	<2	0.50	<0.5	13	63	29	3.03
ZZ74643		0.35	0.003	0.2	1.90	13	<10	220	<0.5	<2	0.55	<0.5	12	57	31	2.58
ZZ74644		0.38	0.002	0.2	0.92	3	<10	100	<0.5	<2	0.33	<0.5	6	16	23	1.27
ZZ74645		0.34	0.010	0.2	2.20	42	<10	230	0.7	<2	0.46	<0.5	19	59	35	4.00
ZZ74646		0.44	0.004	0.2	1.97	16	<10	250	0.5	<2	0.50	<0.5	10	43	33	2.85
ZZ74647		0.44	0.007	0.2	2.17	21	<10	310	0.7	<2	0.77	<0.5	15	58	39	3.05
ZZ74648		0.40	0.009	0.2	1.93	46	<10	320	0.7	<2	0.48	<0.5	14	59	29	3.74
ZZ74649		0.36	0.009	0.2	2.07	41	<10	410	0.7	<2	0.50	<0.5	17	54	33	3.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74610		10	<1	0.12	20	0.86	351	1	0.02	38	780	7	0.03	<2	7	29
ZZ74611		10	<1	0.08	10	0.65	469	1	0.03	32	690	5	0.03	<2	5	26
ZZ74612		10	<1	0.06	10	0.65	215	<1	0.03	34	710	6	0.04	<2	4	29
ZZ74613		10	<1	0.08	10	0.78	358	1	0.02	35	420	7	0.02	<2	5	26
ZZ74614		10	<1	0.09	10	0.54	307	1	0.01	30	270	8	0.01	<2	5	27
ZZ74615		10	<1	0.16	30	0.62	788	2	0.02	62	1070	8	0.04	3	12	40
ZZ74616		10	<1	0.13	20	0.65	473	2	0.02	28	560	9	0.02	<2	6	25
ZZ74617		10	<1	0.14	10	0.48	301	1	0.03	28	740	5	0.03	<2	5	24
ZZ74618		10	<1	0.15	10	0.80	663	3	0.01	118	910	8	0.01	9	8	21
ZZ74619		10	<1	0.10	10	0.32	156	1	0.03	38	700	4	0.05	<2	5	22
ZZ74620		10	1	0.12	10	0.42	467	1	0.03	25	840	7	0.06	<2	5	47
ZZ74621		10	<1	0.40	10	1.01	528	2	0.03	50	1310	8	0.14	<2	9	53
ZZ74622		10	<1	0.08	20	0.42	155	<1	0.02	22	970	5	0.06	<2	5	32
ZZ74623		10	<1	0.13	10	0.47	348	2	0.01	23	700	11	0.01	<2	4	27
ZZ74624		10	<1	0.12	10	0.35	601	2	0.02	29	890	10	0.03	<2	5	28
ZZ74625		10	<1	0.11	20	0.53	517	2	0.02	33	830	7	0.02	<2	8	26
ZZ74626		10	<1	0.14	20	0.51	493	2	0.02	29	1040	8	0.02	2	5	25
ZZ74627		10	<1	0.12	10	0.33	163	1	0.03	24	780	7	0.02	<2	6	21
ZZ74628		<10	<1	0.05	10	0.11	153	<1	0.03	14	710	3	0.04	<2	4	20
ZZ74629		10	<1	0.16	10	0.57	443	3	0.02	38	1070	8	0.02	2	6	29
ZZ74630		10	<1	0.10	10	0.25	270	1	0.03	26	800	3	0.05	<2	5	27
ZZ74631		10	<1	0.06	10	0.41	757	2	0.02	33	930	5	0.04	<2	5	31
ZZ74632		10	<1	0.11	10	0.64	361	2	0.01	32	980	6	0.03	<2	6	26
ZZ74633		10	<1	0.11	10	0.33	391	3	0.03	36	870	4	0.06	<2	5	25
ZZ74634		10	<1	0.19	10	0.54	493	3	0.02	47	1110	9	0.08	<2	6	34
ZZ74635		10	<1	0.16	10	0.69	350	3	0.02	39	1100	8	0.05	<2	8	29
ZZ74636		10	<1	0.18	10	0.71	223	2	0.02	35	770	7	0.04	<2	9	29
ZZ74637		10	<1	0.20	20	0.82	531	3	0.02	41	980	6	0.03	<2	8	28
ZZ74638		10	<1	0.17	20	0.86	451	3	0.02	44	1030	7	0.05	<2	7	28
ZZ74639		10	<1	0.10	10	0.64	292	2	0.02	32	1010	9	0.01	4	6	21
ZZ74640		10	<1	0.08	10	0.58	346	1	0.03	31	790	5	0.03	2	5	29
ZZ74641		10	<1	0.07	10	0.57	509	1	0.02	28	730	6	0.05	2	4	36
ZZ74642		10	<1	0.12	10	0.75	1425	2	0.04	39	730	9	0.04	7	6	32
ZZ74643		10	<1	0.15	10	0.68	615	1	0.05	33	740	7	0.05	<2	5	32
ZZ74644		<10	<1	0.06	10	0.18	255	1	0.06	13	580	3	0.06	<2	2	23
ZZ74645		10	<1	0.11	20	0.75	1100	1	0.03	37	910	10	0.04	4	7	28
ZZ74646		10	1	0.08	10	0.57	395	1	0.04	26	790	8	0.05	2	4	35
ZZ74647		10	<1	0.09	20	0.78	314	1	0.04	41	910	10	0.04	3	7	37
ZZ74648		10	<1	0.06	20	0.68	642	1	0.04	29	670	9	0.03	5	8	28
ZZ74649		10	1	0.07	20	0.62	705	2	0.04	33	910	10	0.05	4	7	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74610		<20	0.13	<10	<10	86	<10	84
ZZ74611		<20	0.07	<10	<10	62	<10	59
ZZ74612		<20	0.06	<10	<10	60	<10	62
ZZ74613		<20	0.09	<10	<10	70	<10	57
ZZ74614		<20	0.10	<10	<10	89	<10	73
ZZ74615		<20	0.05	<10	<10	99	<10	127
ZZ74616		<20	0.09	<10	<10	95	<10	82
ZZ74617		<20	0.08	<10	<10	81	<10	68
ZZ74618		<20	0.10	<10	<10	120	<10	166
ZZ74619		<20	0.04	<10	<10	61	<10	59
ZZ74620		<20	0.05	<10	<10	60	<10	97
ZZ74621		<20	0.17	<10	<10	142	<10	152
ZZ74622		<20	0.06	<10	<10	43	<10	88
ZZ74623		<20	0.06	<10	<10	68	<10	77
ZZ74624		<20	0.03	<10	<10	76	<10	80
ZZ74625		<20	0.05	<10	<10	69	<10	81
ZZ74626		<20	0.07	<10	<10	82	<10	98
ZZ74627		<20	0.06	<10	<10	76	<10	70
ZZ74628		<20	0.05	<10	<10	43	<10	38
ZZ74629		<20	0.07	<10	<10	104	<10	128
ZZ74630		<20	0.03	<10	<10	60	<10	74
ZZ74631		<20	0.06	<10	<10	62	<10	83
ZZ74632		<20	0.08	<10	<10	100	<10	118
ZZ74633		<20	0.03	<10	<10	78	<10	106
ZZ74634		<20	0.06	<10	<10	105	<10	119
ZZ74635		<20	0.09	<10	<10	133	<10	123
ZZ74636		<20	0.11	<10	<10	122	<10	126
ZZ74637		<20	0.13	<10	<10	131	<10	121
ZZ74638		<20	0.12	<10	<10	119	<10	111
ZZ74639		<20	0.09	<10	<10	89	<10	92
ZZ74640		<20	0.09	<10	<10	68	<10	62
ZZ74641		<20	0.08	<10	<10	69	<10	73
ZZ74642		<20	0.10	<10	<10	76	<10	86
ZZ74643		<20	0.13	<10	<10	65	<10	67
ZZ74644		<20	0.04	<10	<10	29	<10	28
ZZ74645		<20	0.11	<10	<10	80	<10	79
ZZ74646		<20	0.09	<10	<10	69	<10	69
ZZ74647		<20	0.10	<10	<10	80	<10	80
ZZ74648		<20	0.07	<10	<10	100	<10	72
ZZ74649		<20	0.05	<10	<10	85	<10	98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74650		0.49	0.005	0.2	2.00	30	<10	370	0.6	<2	0.48	<0.5	12	52	33	3.15
ZZ74651		0.22	0.002	0.2	0.58	8	<10	190	<0.5	<2	0.34	<0.5	22	9	16	2.08
ZZ74652		0.34	0.003	0.3	0.87	10	<10	150	<0.5	<2	0.19	<0.5	5	15	18	1.53
ZZ74653		0.17	0.004	0.2	1.58	14	<10	330	<0.5	<2	0.46	<0.5	16	35	23	2.72
ZZ74654		0.40	0.018	0.3	1.82	25	<10	270	<0.5	<2	0.53	<0.5	8	43	23	2.78
ZZ74655		0.40	0.006	0.2	1.76	26	<10	230	0.5	<2	0.37	<0.5	9	38	29	2.81
ZZ74656		0.34	0.003	0.2	1.64	22	<10	200	<0.5	<2	0.40	<0.5	11	41	33	2.86
ZZ74657		0.21	0.004	0.3	1.14	10	<10	160	<0.5	<2	0.41	<0.5	5	16	23	1.62
ZZ74658		0.33	0.005	<0.2	1.75	14	<10	170	0.5	<2	0.31	<0.5	9	35	22	2.96
ZZ74659		0.29	0.008	0.5	1.36	28	<10	270	0.5	<2	0.41	<0.5	7	21	26	2.12
ZZ74660		0.36	0.008	0.6	1.59	30	<10	300	0.6	<2	0.51	<0.5	11	41	31	3.40
ZZ74661		0.34	0.002	0.4	1.51	18	<10	270	0.5	<2	0.34	<0.5	9	30	31	2.52
ZZ74662		0.40	0.008	0.4	1.98	36	<10	230	<0.5	<2	0.40	<0.5	16	53	31	3.47
ZZ74663		0.37	0.002	0.2	1.23	15	<10	120	<0.5	<2	0.24	<0.5	8	30	21	1.93
ZZ74664		0.44	0.005	0.3	1.97	18	<10	270	0.5	<2	0.34	<0.5	10	44	27	2.66
ZZ74665		0.35	0.011	0.6	2.84	35	<10	350	0.7	<2	0.36	<0.5	17	64	35	4.09
ZZ74666		0.35	0.005	0.5	2.42	32	<10	370	0.5	<2	0.51	<0.5	13	66	32	4.09
ZZ74667		0.35	0.006	0.2	2.07	38	<10	240	0.6	<2	0.47	<0.5	12	59	34	3.01
ZZ74668		0.35	0.003	0.4	0.97	14	<10	140	<0.5	<2	0.35	<0.5	4	17	18	1.45
ZZ74669		0.36	0.005	0.3	1.93	36	<10	400	0.6	<2	0.53	<0.5	12	52	33	3.14
ZZ74670		0.31	0.009	0.6	2.33	50	<10	410	0.7	<2	0.48	<0.5	9	85	41	3.71
ZZ74671		0.31	0.005	0.3	1.82	21	<10	320	0.5	<2	0.42	<0.5	10	48	32	2.17
ZZ74672		0.32	0.002	0.3	2.08	21	<10	180	0.5	<2	0.20	<0.5	9	34	46	3.11
ZZ74673		0.40	0.005	<0.2	2.81	14	<10	180	0.7	<2	0.28	<0.5	13	47	32	3.67
ZZ74674		0.37	0.002	<0.2	2.27	13	<10	230	0.6	<2	0.27	<0.5	11	42	30	3.75
ZZ74675		0.36	0.005	<0.2	2.24	11	<10	160	0.6	<2	0.28	<0.5	12	41	29	3.55
ZZ74676		0.33	0.002	0.2	1.10	10	<10	100	<0.5	<2	0.16	<0.5	7	18	18	1.89
ZZ74677		0.44	0.003	<0.2	2.30	15	<10	180	0.7	<2	0.26	<0.5	11	41	26	3.40
ZZ74678		0.33	0.003	0.3	2.00	6	<10	220	0.6	<2	0.34	<0.5	8	30	40	2.53
ZZ74679		0.35	0.002	<0.2	1.67	11	<10	140	0.5	<2	0.20	<0.5	12	29	23	2.92
ZZ74680		0.35	0.002	<0.2	2.01	7	<10	260	0.6	<2	0.61	<0.5	10	33	27	2.99
ZZ74681		0.50	0.004	0.2	1.48	12	<10	180	0.7	<2	0.28	<0.5	14	33	35	3.47
ZZ74682		0.30	0.006	<0.2	2.10	9	<10	200	0.5	<2	0.29	<0.5	9	39	26	3.22
ZZ74683		0.44	0.002	<0.2	2.07	10	<10	150	0.6	<2	0.29	<0.5	11	36	21	3.29
ZZ74684		0.35	0.002	0.2	1.94	6	<10	220	0.5	<2	0.47	<0.5	6	24	25	2.14
ZZ74685		0.47	0.003	<0.2	2.20	8	<10	170	0.7	<2	0.30	<0.5	11	40	24	3.12
ZZ74686		0.36	0.002	<0.2	2.41	10	<10	170	0.6	<2	0.35	<0.5	11	40	22	3.41
ZZ74687		0.37	0.003	<0.2	1.77	7	<10	150	<0.5	<2	0.26	<0.5	7	29	22	2.86
ZZ74688		0.33	0.003	<0.2	1.72	10	<10	140	<0.5	<2	0.35	<0.5	9	31	18	2.71
ZZ74689		0.33	0.008	<0.2	1.76	5	<10	180	0.5	<2	0.42	<0.5	9	28	21	2.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74650		10	<1	0.07	20	0.66	642	1	0.04	35	880	9	0.03	3	7	29
ZZ74651		<10	<1	0.02	10	0.09	1875	1	0.05	9	790	2	0.06	2	1	28
ZZ74652		<10	1	0.04	10	0.14	162	<1	0.05	10	590	3	0.04	3	2	15
ZZ74653		<10	1	0.07	10	0.41	1425	1	0.04	22	870	8	0.04	4	4	32
ZZ74654		10	<1	0.16	10	0.63	274	1	0.04	24	810	9	0.04	5	4	33
ZZ74655		10	<1	0.11	10	0.54	367	1	0.03	29	760	8	0.03	5	5	24
ZZ74656		<10	<1	0.12	10	0.60	366	1	0.04	31	820	7	0.03	5	5	26
ZZ74657		<10	<1	0.06	10	0.18	212	1	0.05	15	710	4	0.06	2	2	29
ZZ74658		10	1	0.13	10	0.55	339	1	0.03	27	490	10	0.03	2	4	23
ZZ74659		<10	<1	0.07	10	0.20	374	1	0.05	18	680	8	0.06	4	4	32
ZZ74660		10	<1	0.09	20	0.46	599	2	0.03	29	910	10	0.05	4	7	41
ZZ74661		10	<1	0.07	10	0.31	366	1	0.04	26	820	7	0.05	3	4	31
ZZ74662		10	1	0.11	10	0.62	918	2	0.03	29	870	9	0.03	4	5	30
ZZ74663		<10	<1	0.07	10	0.31	293	1	0.04	17	670	6	0.04	3	2	21
ZZ74664		10	1	0.10	20	0.55	425	1	0.04	28	780	7	0.04	2	5	27
ZZ74665		10	<1	0.18	30	0.68	863	2	0.04	35	920	11	0.05	4	10	31
ZZ74666		10	<1	0.19	20	0.77	560	2	0.03	37	820	10	0.05	5	7	34
ZZ74667		10	<1	0.19	20	0.74	418	1	0.03	33	810	7	0.04	5	6	27
ZZ74668		<10	<1	0.05	10	0.17	199	<1	0.05	12	700	4	0.05	3	2	21
ZZ74669		10	<1	0.12	20	0.59	551	1	0.03	33	950	8	0.05	6	7	33
ZZ74670		10	1	0.14	20	0.77	283	2	0.03	69	880	9	0.05	6	8	34
ZZ74671		<10	<1	0.11	20	0.57	184	1	0.04	38	770	8	0.04	7	7	30
ZZ74672		10	<1	0.12	20	0.42	394	1	0.04	25	630	9	0.04	3	2	20
ZZ74673		10	1	0.33	20	0.75	411	1	0.03	35	660	12	0.03	2	6	19
ZZ74674		10	1	0.21	20	0.61	409	1	0.03	30	560	12	0.03	<2	5	21
ZZ74675		10	<1	0.15	10	0.62	510	1	0.03	29	630	11	0.03	2	4	23
ZZ74676		<10	1	0.07	10	0.21	853	1	0.05	12	500	4	0.04	2	2	17
ZZ74677		10	<1	0.14	20	0.63	456	1	0.03	29	520	12	0.03	<2	5	20
ZZ74678		10	<1	0.10	20	0.32	345	1	0.03	21	650	9	0.04	<2	3	32
ZZ74679		10	<1	0.13	10	0.41	594	1	0.02	21	450	12	0.02	2	3	18
ZZ74680		10	<1	0.10	20	0.47	706	<1	0.03	24	690	9	0.03	<2	4	44
ZZ74681		<10	<1	0.16	20	0.42	630	1	0.01	33	680	14	0.03	3	4	23
ZZ74682		10	<1	0.13	10	0.56	547	1	0.01	22	350	12	0.02	<2	5	26
ZZ74683		10	<1	0.24	20	0.61	377	1	0.01	23	520	17	0.02	<2	4	21
ZZ74684		10	<1	0.15	20	0.31	273	<1	0.03	17	800	7	0.06	2	3	34
ZZ74685		10	<1	0.27	20	0.69	365	<1	0.01	26	530	14	0.02	2	5	22
ZZ74686		10	<1	0.14	10	0.64	395	1	0.01	27	600	18	0.02	3	5	22
ZZ74687		10	<1	0.09	10	0.46	292	<1	0.01	18	300	23	0.03	2	4	22
ZZ74688		10	<1	0.13	10	0.50	363	<1	0.02	20	540	7	0.02	3	4	24
ZZ74689		10	<1	0.10	20	0.42	306	<1	0.02	18	830	7	0.04	2	4	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74650		<20	0.07	<10	<10	85	<10	80
ZZ74651		<20	0.05	<10	<10	42	<10	31
ZZ74652		<20	0.05	<10	<10	47	<10	37
ZZ74653		<20	0.07	<10	<10	65	<10	75
ZZ74654		<20	0.12	<10	<10	71	<10	84
ZZ74655		<20	0.10	<10	<10	65	<10	71
ZZ74656		<20	0.11	<10	<10	70	<10	88
ZZ74657		<20	0.04	<10	<10	39	<10	42
ZZ74658		<20	0.10	<10	<10	66	<10	75
ZZ74659		<20	0.02	<10	<10	40	<10	54
ZZ74660		<20	0.07	<10	<10	82	<10	94
ZZ74661		<20	0.04	<10	<10	58	<10	67
ZZ74662		<20	0.10	<10	<10	82	<10	92
ZZ74663		<20	0.06	<10	<10	60	<10	55
ZZ74664		<20	0.08	<10	<10	67	<10	76
ZZ74665		<20	0.08	<10	<10	98	<10	103
ZZ74666		<20	0.11	<10	<10	100	<10	108
ZZ74667		<20	0.12	<10	<10	82	<10	89
ZZ74668		<20	0.04	<10	<10	40	<10	41
ZZ74669		<20	0.06	<10	<10	77	<10	96
ZZ74670		<20	0.06	<10	<10	89	<10	94
ZZ74671		<20	0.08	<10	<10	69	<10	95
ZZ74672		<20	0.05	<10	<10	68	<10	64
ZZ74673		<20	0.14	<10	<10	71	<10	81
ZZ74674		<20	0.10	<10	<10	74	<10	75
ZZ74675		<20	0.11	<10	<10	73	<10	80
ZZ74676		<20	0.06	<10	<10	44	<10	39
ZZ74677		<20	0.11	<10	<10	71	<10	73
ZZ74678		<20	0.06	<10	<10	58	<10	53
ZZ74679		<20	0.07	<10	<10	54	<10	60
ZZ74680		<20	0.10	<10	<10	67	<10	64
ZZ74681		<20	0.08	<10	<10	55	<10	101
ZZ74682		<20	0.10	<10	<10	75	<10	71
ZZ74683		<20	0.14	<10	<10	65	<10	65
ZZ74684		<20	0.06	<10	<10	37	<10	45
ZZ74685		<20	0.14	<10	<10	60	<10	84
ZZ74686		<20	0.11	<10	<10	67	<10	68
ZZ74687		<20	0.11	<10	<10	69	<10	57
ZZ74688		<20	0.11	<10	<10	61	<10	55
ZZ74689		<20	0.08	<10	<10	54	<10	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74690		0.38	0.005	<0.2	2.20	11	<10	160	0.5	<2	0.34	<0.5	11	38	19	3.04
ZZ74691		0.40	0.002	<0.2	1.85	6	<10	170	0.5	<2	0.33	<0.5	10	35	22	2.86
ZZ74692		0.47	0.004	<0.2	1.80	15	<10	150	0.7	<2	0.39	<0.5	12	38	23	3.02
ZZ74693		0.35	0.004	<0.2	1.73	8	<10	160	0.5	<2	0.48	<0.5	9	35	24	2.78
ZZ74694		0.27	0.002	0.2	1.35	5	<10	130	<0.5	<2	0.31	<0.5	5	19	16	1.81
ZZ74695		0.42	0.001	<0.2	1.82	5	<10	150	0.6	<2	0.49	<0.5	9	32	22	2.74
ZZ74696		0.37	0.003	<0.2	1.68	5	<10	140	0.7	<2	0.36	<0.5	11	37	15	2.74
ZZ74697		0.43	0.004	<0.2	1.94	4	<10	160	0.8	<2	0.47	<0.5	13	46	21	3.11
ZZ74698		0.36	0.008	<0.2	1.78	6	<10	160	0.7	<2	0.56	<0.5	10	41	22	2.79
ZZ74699		0.33	0.002	0.2	1.17	2	<10	100	<0.5	<2	0.29	<0.5	5	16	19	1.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74690		10	<1	0.10	10	0.62	389	1	0.01	23	440	11	0.02	<2	5	24
ZZ74691		10	<1	0.16	20	0.48	420	<1	0.02	20	600	8	0.03	<2	4	27
ZZ74692		10	<1	0.15	30	0.53	435	1	0.01	23	670	10	0.03	<2	6	28
ZZ74693		10	<1	0.15	20	0.51	427	<1	0.02	21	680	9	0.03	<2	5	33
ZZ74694		<10	<1	0.10	10	0.23	138	<1	0.03	13	520	5	0.04	<2	3	26
ZZ74695		10	<1	0.18	10	0.45	360	<1	0.02	19	510	10	0.04	<2	4	36
ZZ74696		10	<1	0.43	20	0.57	232	<1	0.02	19	510	9	0.02	<2	5	23
ZZ74697		10	<1	0.20	20	0.68	362	<1	0.02	26	600	9	0.02	<2	6	30
ZZ74698		10	<1	0.15	20	0.53	439	<1	0.02	20	830	6	0.05	<2	5	37
ZZ74699		<10	<1	0.09	20	0.21	243	<1	0.03	11	470	6	0.04	<2	2	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74690		<20	0.12	<10	<10	68	<10	68
ZZ74691		<20	0.10	<10	<10	62	<10	67
ZZ74692		<20	0.11	<10	<10	65	<10	79
ZZ74693		<20	0.09	<10	<10	52	<10	78
ZZ74694		<20	0.06	<10	<10	41	<10	54
ZZ74695		<20	0.09	<10	<10	57	<10	79
ZZ74696		<20	0.15	<10	<10	49	<10	77
ZZ74697		<20	0.13	<10	<10	64	<10	61
ZZ74698		<20	0.08	<10	<10	64	<10	63
ZZ74699		<20	0.06	<10	<10	40	<10	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13145858

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

CERTIFICATE WH13153543

Project: CCC

P.O. No.:

This report is for 194 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89911		0.35	0.004	0.2	1.62	8	<10	130	0.6	<2	0.32	<0.5	10	30	23	2.78
ZZ89912		0.35	0.010	0.2	1.78	10	<10	110	0.5	<2	0.20	<0.5	8	30	18	2.90
ZZ89913		0.30	0.002	0.2	1.66	10	<10	140	<0.5	<2	0.26	<0.5	9	29	21	2.79
ZZ89914		0.37	0.002	0.3	2.04	8	<10	120	0.5	<2	0.24	<0.5	9	34	19	3.07
ZZ89915		0.30	0.001	0.2	1.07	6	<10	80	<0.5	<2	0.18	<0.5	5	18	15	1.87
ZZ89916		0.21	0.002	0.2	1.24	6	<10	90	<0.5	<2	0.19	<0.5	6	21	14	2.08
ZZ89917		0.25	0.003	0.2	1.86	8	<10	120	0.5	<2	0.29	<0.5	10	33	20	2.90
ZZ89918		0.32	0.004	0.2	1.76	8	<10	110	<0.5	<2	0.27	<0.5	8	31	17	2.89
ZZ89919		0.29	0.002	<0.2	1.59	8	<10	110	<0.5	<2	0.19	<0.5	9	26	17	2.45
ZZ89920		0.33	0.003	0.2	1.24	4	<10	90	<0.5	<2	0.19	<0.5	7	22	15	2.14
ZZ89921		0.40	0.002	0.2	1.19	4	<10	80	<0.5	<2	0.19	<0.5	6	17	15	1.68
ZZ89922		0.32	0.005	0.2	1.44	5	<10	100	<0.5	<2	0.23	<0.5	8	22	18	2.15
ZZ89923		0.27	0.002	0.2	1.31	5	<10	120	<0.5	<2	0.98	<0.5	7	16	26	1.62
ZZ89924		0.38	0.003	<0.2	1.65	8	<10	130	0.5	<2	0.85	<0.5	7	22	24	2.03
ZZ89925		0.29	0.016	<0.2	1.68	11	<10	120	0.5	<2	0.29	<0.5	9	29	20	2.78
ZZ89926		0.40	0.002	0.2	1.46	6	<10	100	<0.5	<2	0.20	<0.5	7	24	20	2.34
ZZ89927		0.61	0.004	<0.2	1.70	8	<10	120	0.6	<2	0.35	<0.5	9	29	21	2.63
ZZ89928		0.22	0.003	<0.2	1.22	3	<10	80	<0.5	<2	0.16	<0.5	5	18	15	1.69
ZZ89929		0.27	0.001	0.2	1.16	3	<10	80	<0.5	<2	0.17	<0.5	4	17	11	1.70
ZZ89930		0.39	0.001	0.2	0.82	2	<10	50	<0.5	<2	0.12	<0.5	4	14	10	1.50
ZZ89931		0.33	0.003	0.3	2.23	23	<10	390	0.5	<2	0.84	<0.5	26	242	53	4.89
ZZ89932		0.25	0.004	0.3	0.59	25	<10	140	<0.5	<2	0.09	<0.5	7	18	30	2.34
ZZ89933		0.31	0.010	0.6	1.35	62	<10	280	<0.5	<2	0.17	<0.5	5	35	49	3.24
ZZ89934		0.38	0.004	<0.2	2.31	17	<10	150	0.7	<2	0.30	<0.5	23	72	107	5.09
ZZ89935		0.33	0.002	<0.2	1.76	21	<10	100	<0.5	<2	0.15	<0.5	9	37	20	3.14
ZZ89936		0.20	0.002	<0.2	1.16	8	<10	60	<0.5	<2	0.19	<0.5	6	24	23	2.29
ZZ89937		0.27	0.006	<0.2	1.21	44	<10	100	0.6	<2	0.32	<0.5	17	39	47	4.29
ZZ89938		0.34	0.004	<0.2	1.49	12	<10	100	0.5	<2	0.14	<0.5	8	28	28	2.70
ZZ89939		0.21	0.002	<0.2	0.75	4	<10	60	<0.5	<2	0.11	<0.5	6	13	20	2.20
ZZ89940		0.28	0.002	<0.2	2.36	15	<10	90	0.6	<2	0.13	<0.5	12	36	22	3.40
ZZ89941		0.30	0.001	<0.2	2.32	13	<10	130	1.3	<2	0.13	<0.5	19	46	39	4.86
ZZ89942		0.27	0.002	<0.2	2.31	11	<10	90	0.6	<2	0.14	<0.5	12	40	35	3.99
ZZ89943		0.25	0.002	<0.2	2.18	12	<10	90	0.8	<2	0.14	<0.5	13	36	27	3.39
ZZ89944		0.23	0.016	<0.2	1.49	11	<10	90	<0.5	<2	0.14	<0.5	9	27	27	3.16
ZZ89945		0.28	0.007	<0.2	2.94	13	<10	80	0.6	<2	0.22	<0.5	9	36	27	3.63
ZZ89946		0.51	0.003	<0.2	2.21	20	<10	120	0.7	<2	0.24	<0.5	10	36	28	2.92
ZZ89947		0.25	<0.001	<0.2	0.63	3	<10	40	<0.5	<2	0.12	<0.5	4	11	11	1.68
ZZ89948		0.34	0.007	<0.2	1.64	24	<10	100	0.6	<2	0.22	<0.5	9	30	19	2.95
ZZ89949		0.43	0.004	0.2	1.06	32	<10	120	0.5	<2	0.16	<0.5	7	22	28	3.01
ZZ89950		0.44	0.003	<0.2	1.51	20	<10	110	0.6	<2	0.23	<0.5	11	28	22	3.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89911		<10	<1	0.22	20	0.55	391	<1	0.01	22	690	11	0.02	<2	3	20
ZZ89912		10	<1	0.15	20	0.53	312	<1	0.01	17	370	9	0.01	<2	3	17
ZZ89913		10	<1	0.17	20	0.50	298	1	0.02	17	460	8	0.02	<2	3	22
ZZ89914		10	<1	0.18	10	0.59	302	1	0.01	18	360	10	0.01	<2	4	21
ZZ89915		10	<1	0.09	10	0.28	239	<1	0.02	9	450	7	0.02	<2	2	16
ZZ89916		10	<1	0.12	10	0.32	229	<1	0.02	11	430	7	0.02	<2	2	18
ZZ89917		10	<1	0.22	20	0.59	334	<1	0.01	21	480	9	0.01	<2	4	21
ZZ89918		10	<1	0.20	20	0.56	278	1	0.01	17	330	10	0.01	<2	3	19
ZZ89919		10	<1	0.16	20	0.49	341	<1	0.01	16	420	8	0.01	<2	3	16
ZZ89920		<10	<1	0.17	10	0.39	239	<1	0.02	14	480	7	0.02	<2	2	17
ZZ89921		<10	<1	0.09	10	0.29	253	<1	0.02	10	470	6	0.03	<2	2	18
ZZ89922		10	<1	0.11	10	0.36	290	<1	0.02	13	500	6	0.02	<2	2	20
ZZ89923		<10	<1	0.10	30	0.28	351	<1	0.02	12	680	7	0.06	<2	1	54
ZZ89924		10	<1	0.12	30	0.38	285	<1	0.03	16	660	7	0.07	<2	2	50
ZZ89925		10	<1	0.23	20	0.55	317	<1	0.02	21	410	10	0.01	<2	3	21
ZZ89926		10	<1	0.15	20	0.40	239	<1	0.02	16	470	9	0.01	<2	2	18
ZZ89927		10	<1	0.18	20	0.55	328	<1	0.01	21	550	9	0.01	<2	3	21
ZZ89928		<10	<1	0.11	10	0.29	143	<1	0.02	10	360	6	0.01	<2	2	16
ZZ89929		10	<1	0.09	10	0.27	119	<1	0.02	9	260	6	0.01	<2	2	19
ZZ89930		<10	<1	0.11	10	0.23	140	<1	0.03	8	320	3	<0.01	<2	1	11
ZZ89931		10	<1	0.33	10	1.64	812	1	0.02	67	2980	4	0.05	2	8	63
ZZ89932		<10	<1	0.09	10	0.12	154	1	0.01	15	580	9	0.16	4	1	47
ZZ89933		<10	1	0.07	10	0.31	106	4	0.01	17	1510	7	0.12	15	2	82
ZZ89934		10	<1	0.12	20	1.06	550	8	0.01	26	830	5	0.02	<2	12	24
ZZ89935		10	<1	0.08	10	0.49	410	1	0.01	20	500	9	0.04	<2	2	14
ZZ89936		10	<1	0.08	10	0.31	187	1	0.01	10	750	5	0.08	<2	2	17
ZZ89937		<10	<1	0.06	20	0.47	492	3	0.01	31	1380	6	0.03	3	5	22
ZZ89938		10	<1	0.08	10	0.27	305	1	<0.01	15	720	10	0.04	<2	1	15
ZZ89939		<10	<1	0.05	10	0.12	143	1	0.01	9	660	5	0.07	<2	1	12
ZZ89940		10	<1	0.16	10	0.61	362	<1	0.01	25	390	11	0.04	<2	4	12
ZZ89941		10	<1	0.31	40	0.69	636	1	<0.01	35	360	19	0.03	<2	7	10
ZZ89942		10	<1	0.18	10	0.70	369	1	0.01	26	470	9	0.06	<2	3	13
ZZ89943		10	<1	0.11	10	0.65	385	<1	0.01	26	280	14	0.05	<2	3	12
ZZ89944		10	<1	0.16	10	0.42	285	1	0.01	18	400	10	0.06	<2	2	13
ZZ89945		10	<1	0.06	10	0.43	295	1	0.01	18	560	10	0.09	<2	3	18
ZZ89946		10	<1	0.14	20	0.68	215	<1	0.01	23	570	13	0.07	<2	5	17
ZZ89947		<10	<1	0.05	10	0.17	108	<1	0.01	6	460	2	0.06	<2	1	11
ZZ89948		10	<1	0.16	20	0.50	259	<1	0.01	19	590	13	0.04	<2	3	15
ZZ89949		<10	<1	0.12	40	0.28	145	1	<0.01	17	600	12	0.07	2	3	17
ZZ89950		<10	<1	0.10	20	0.38	219	1	0.01	24	800	13	0.04	3	3	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89911		<20	0.11	<10	<10	49	<10	61
ZZ89912		<20	0.11	<10	<10	57	<10	53
ZZ89913		<20	0.12	<10	<10	58	<10	53
ZZ89914		<20	0.13	<10	<10	65	<10	56
ZZ89915		<20	0.08	<10	<10	47	<10	33
ZZ89916		<20	0.09	<10	<10	51	<10	38
ZZ89917		<20	0.13	<10	<10	59	<10	59
ZZ89918		<20	0.13	<10	<10	61	<10	56
ZZ89919		<20	0.10	<10	<10	50	<10	49
ZZ89920		<20	0.10	<10	<10	48	<10	44
ZZ89921		<20	0.07	<10	<10	37	<10	33
ZZ89922		<20	0.09	<10	<10	49	<10	43
ZZ89923		<20	0.05	<10	<10	32	<10	36
ZZ89924		<20	0.07	<10	<10	37	<10	56
ZZ89925		<20	0.12	<10	<10	52	<10	58
ZZ89926		<20	0.09	<10	<10	47	<10	48
ZZ89927		<20	0.11	<10	<10	50	<10	53
ZZ89928		<20	0.08	<10	<10	38	<10	29
ZZ89929		<20	0.08	<10	<10	41	<10	28
ZZ89930		<20	0.07	<10	<10	34	<10	26
ZZ89931		<20	0.18	<10	<10	176	<10	98
ZZ89932		<20	0.04	<10	<10	59	<10	58
ZZ89933		<20	0.03	<10	<10	63	<10	59
ZZ89934		<20	0.09	<10	<10	110	<10	75
ZZ89935		<20	0.07	<10	<10	73	<10	51
ZZ89936		<20	0.08	<10	<10	62	<10	35
ZZ89937		<20	0.04	<10	<10	80	<10	64
ZZ89938		<20	0.04	<10	<10	53	<10	54
ZZ89939		<20	0.06	<10	<10	58	<10	54
ZZ89940		<20	0.10	<10	<10	59	<10	66
ZZ89941		20	0.08	<10	<10	56	<10	122
ZZ89942		<20	0.13	<10	<10	72	<10	74
ZZ89943		<20	0.08	<10	<10	58	<10	68
ZZ89944		<20	0.12	<10	<10	69	<10	63
ZZ89945		<20	0.10	<10	<10	57	<10	68
ZZ89946		<20	0.11	<10	<10	54	<10	67
ZZ89947		<20	0.06	<10	<10	45	<10	27
ZZ89948		<20	0.07	<10	<10	43	<10	62
ZZ89949		<20	0.03	<10	<10	32	<10	50
ZZ89950		<20	0.05	<10	<10	45	<10	68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89951		0.38	0.008	<0.2	1.35	45	<10	100	0.7	<2	0.28	<0.5	21	23	22	2.86
ZZ89952		0.43	0.002	<0.2	1.29	26	<10	110	0.7	<2	0.22	<0.5	13	25	24	2.88
ZZ89953		0.27	0.001	<0.2	0.86	14	<10	60	<0.5	<2	0.12	<0.5	5	13	25	1.77
ZZ89954		0.25	0.001	0.2	0.70	6	<10	60	<0.5	<2	0.11	<0.5	4	9	17	1.47
ZZ89955		0.31	0.003	<0.2	1.33	20	<10	70	0.5	<2	0.15	<0.5	10	22	22	2.88
ZZ89956		0.24	<0.001	<0.2	0.67	11	<10	60	<0.5	<2	0.17	<0.5	4	10	12	1.47
ZZ89957		0.42	0.003	<0.2	0.51	12	<10	60	0.7	<2	0.13	<0.5	13	12	17	2.32
ZZ89958		0.39	<0.001	<0.2	0.46	3	<10	40	<0.5	<2	0.11	<0.5	2	5	10	0.83
ZZ89961		0.26	0.014	<0.2	1.06	169	<10	140	0.6	<2	0.29	<0.5	10	25	28	2.90
ZZ89962		0.25	0.005	0.2	0.68	70	<10	110	<0.5	<2	0.16	<0.5	6	15	19	1.71
ZZ89963		0.35	0.005	<0.2	1.45	105	<10	160	0.5	<2	0.19	<0.5	8	26	22	2.85
ZZ89964		0.27	0.047	1.6	2.41	442	<10	290	1.4	<2	0.29	<0.5	13	35	49	3.98
ZZ89965		0.43	0.007	<0.2	1.52	133	<10	110	0.9	<2	0.20	<0.5	11	34	28	3.76
ZZ89966		0.25	0.002	<0.2	0.92	34	<10	80	<0.5	<2	0.28	<0.5	9	25	16	2.35
ZZ89967		0.30	0.003	0.3	1.34	32	<10	110	0.6	<2	0.28	<0.5	8	20	28	2.81
ZZ89968		0.40	0.002	<0.2	1.38	32	<10	120	0.6	<2	0.24	<0.5	8	29	24	2.71
ZZ89969		0.38	0.006	<0.2	1.53	36	<10	140	0.7	<2	0.30	<0.5	9	31	28	2.68
ZZ89970		0.21	<0.001	0.2	0.54	12	<10	60	<0.5	<2	0.12	<0.5	5	8	12	1.73
ZZ89971		0.32	0.004	0.2	1.32	37	<10	180	0.6	<2	0.26	<0.5	10	22	30	2.35
ZZ89972		0.21	0.002	<0.2	1.11	24	<10	100	<0.5	<2	0.15	<0.5	8	17	24	2.03
ZZ89973		0.25	0.009	<0.2	1.85	59	<10	250	0.7	<2	0.26	<0.5	20	37	30	3.76
ZZ89974		0.27	0.004	<0.2	1.16	27	<10	140	0.6	<2	0.20	<0.5	12	26	21	2.66
ZZ89975		0.23	0.002	<0.2	1.56	14	<10	120	<0.5	<2	0.14	<0.5	10	26	17	2.75
ZZ89976		0.18	0.001	<0.2	0.78	6	<10	130	<0.5	<2	0.14	<0.5	3	12	16	1.37
ZZ89977		0.34	0.002	<0.2	1.11	12	<10	150	<0.5	<2	0.27	<0.5	7	23	16	2.27
ZZ89978		0.23	0.001	<0.2	0.77	3	<10	120	<0.5	<2	0.12	<0.5	3	9	14	1.11
ZZ89979		0.32	<0.001	<0.2	0.51	4	<10	70	<0.5	<2	0.10	<0.5	3	8	7	1.08
ZZ89980		0.28	<0.001	<0.2	0.91	4	<10	70	<0.5	<2	0.13	<0.5	4	12	10	1.52
ZZ89981		0.23	0.002	0.3	1.10	6	<10	160	<0.5	<2	0.21	<0.5	8	19	19	1.85
ZZ89982		0.28	0.003	<0.2	1.83	14	<10	190	0.5	<2	0.40	<0.5	12	40	26	3.12
ZZ89983		0.20	0.001	<0.2	1.32	7	<10	110	<0.5	<2	0.32	<0.5	11	26	33	2.16
ZZ89984		0.32	0.001	0.2	1.00	7	<10	80	<0.5	<2	0.21	<0.5	6	18	22	1.91
ZZ89985		0.24	0.001	0.3	1.38	5	<10	130	0.5	<2	0.36	<0.5	6	23	25	1.90
ZZ89986		0.28	0.005	0.2	1.32	9	<10	110	<0.5	<2	0.21	<0.5	9	24	22	2.22
ZZ89987		0.24	<0.001	0.2	0.86	4	<10	90	<0.5	<2	0.17	<0.5	4	16	16	1.41
ZZ89988		0.31	0.002	<0.2	1.06	6	<10	90	<0.5	<2	0.24	<0.5	8	20	15	2.24
ZZ89989		0.32	0.001	0.2	1.55	9	<10	130	0.5	<2	0.30	<0.5	9	28	27	2.83
ZZ89990		0.30	0.003	<0.2	1.92	13	<10	150	0.6	<2	0.24	<0.5	11	33	22	3.14
ZZ89991		0.36	0.004	0.3	1.85	11	<10	180	0.7	<2	0.31	<0.5	9	31	28	2.85
ZZ89992		0.20	0.002	0.3	1.53	9	<10	160	0.6	<2	0.25	<0.5	8	24	27	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89951		<10	<1	0.10	30	0.33	521	<1	<0.01	23	940	13	0.04	<2	3	16
ZZ89952		<10	<1	0.09	30	0.34	393	1	0.01	23	690	15	0.05	<2	3	16
ZZ89953		<10	<1	0.05	10	0.13	98	<1	0.01	9	530	9	0.06	<2	1	13
ZZ89954		<10	<1	0.03	10	0.06	66	1	0.01	5	310	3	0.04	<2	1	13
ZZ89955		10	<1	0.09	20	0.38	254	1	0.01	18	430	13	0.04	<2	2	13
ZZ89956		<10	<1	0.05	20	0.12	89	<1	0.02	6	390	4	0.04	<2	1	18
ZZ89957		<10	<1	0.10	50	0.09	181	1	<0.01	17	530	14	0.02	<2	2	17
ZZ89958		<10	<1	0.04	10	0.05	53	<1	0.03	3	460	2	0.05	<2	<1	12
ZZ89961		<10	<1	0.12	30	0.41	359	1	0.01	23	710	7	0.05	2	4	29
ZZ89962		<10	<1	0.07	10	0.13	260	1	0.02	11	580	4	0.07	<2	1	20
ZZ89963		10	<1	0.09	20	0.30	291	1	0.01	18	540	10	0.06	<2	2	24
ZZ89964		10	<1	0.15	40	0.25	713	3	0.01	29	1640	21	0.21	2	4	50
ZZ89965		10	<1	0.09	20	0.41	280	2	0.01	24	660	10	0.05	3	4	19
ZZ89966		<10	<1	0.07	10	0.29	393	1	0.02	17	530	6	0.05	<2	3	31
ZZ89967		10	<1	0.05	20	0.21	224	1	0.02	15	1010	7	0.07	<2	2	29
ZZ89968		10	<1	0.09	20	0.38	222	1	0.01	18	660	8	0.05	<2	3	22
ZZ89969		<10	<1	0.10	30	0.45	241	1	0.01	23	770	10	0.02	<2	5	22
ZZ89970		<10	<1	0.04	10	0.08	140	<1	0.02	5	400	3	0.03	<2	1	14
ZZ89971		<10	<1	0.10	20	0.23	175	<1	0.01	22	800	14	0.04	<2	3	28
ZZ89972		<10	<1	0.08	10	0.21	184	<1	0.01	20	460	11	0.03	<2	2	22
ZZ89973		10	<1	0.15	20	0.44	702	1	<0.01	46	800	21	0.08	3	4	45
ZZ89974		<10	<1	0.08	20	0.41	344	<1	<0.01	28	370	13	0.01	<2	4	20
ZZ89975		10	<1	0.08	10	0.36	334	<1	<0.01	18	270	10	0.01	<2	3	16
ZZ89976		<10	<1	0.08	10	0.12	128	<1	0.02	8	480	4	0.02	<2	1	18
ZZ89977		<10	<1	0.09	10	0.33	291	<1	0.01	15	670	10	0.01	<2	3	26
ZZ89978		<10	<1	0.07	<10	0.07	119	<1	0.02	5	480	5	0.03	<2	<1	19
ZZ89979		<10	<1	0.04	<10	0.10	134	<1	0.02	4	330	3	0.02	<2	1	11
ZZ89980		<10	<1	0.05	10	0.16	159	<1	0.02	6	350	8	0.01	<2	1	14
ZZ89981		<10	<1	0.07	10	0.29	255	<1	0.02	12	540	4	0.03	<2	2	19
ZZ89982		10	<1	0.19	20	0.74	406	1	0.01	31	650	7	0.02	<2	5	26
ZZ89983		<10	<1	0.14	10	0.43	449	<1	0.02	23	500	7	0.03	<2	2	23
ZZ89984		<10	<1	0.10	20	0.27	222	<1	0.03	13	480	6	0.04	<2	2	17
ZZ89985		10	<1	0.10	30	0.35	211	1	0.02	16	670	5	0.06	<2	2	27
ZZ89986		<10	<1	0.11	20	0.43	314	<1	0.02	17	430	8	0.03	<2	2	18
ZZ89987		<10	<1	0.08	10	0.20	135	<1	0.02	9	490	6	0.04	<2	1	16
ZZ89988		<10	<1	0.09	10	0.35	301	<1	0.02	16	660	6	0.02	<2	2	15
ZZ89989		10	<1	0.14	20	0.46	341	1	0.02	20	650	11	0.03	<2	3	24
ZZ89990		10	1	0.14	20	0.61	388	<1	0.01	24	380	12	0.02	2	4	20
ZZ89991		10	<1	0.13	40	0.46	420	1	0.02	21	630	13	0.03	<2	3	26
ZZ89992		10	<1	0.12	30	0.33	409	<1	0.02	15	660	11	0.03	<2	3	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89951		<20	0.04	<10	<10	37	<10	78
ZZ89952		<20	0.05	<10	<10	41	<10	83
ZZ89953		<20	0.04	<10	<10	38	<10	36
ZZ89954		<20	0.06	<10	<10	55	<10	22
ZZ89955		<20	0.06	<10	<10	47	<10	61
ZZ89956		<20	0.04	<10	<10	38	<10	25
ZZ89957		20	<0.01	<10	<10	18	<10	52
ZZ89958		<20	0.02	<10	<10	21	<10	12
ZZ89961		<20	0.06	<10	<10	41	<10	60
ZZ89962		<20	0.03	<10	<10	37	<10	36
ZZ89963		<20	0.03	<10	<10	57	<10	53
ZZ89964		<20	0.01	<10	<10	46	<10	63
ZZ89965		<20	0.04	<10	<10	51	<10	68
ZZ89966		<20	0.05	<10	<10	50	<10	51
ZZ89967		<20	0.05	<10	<10	70	<10	41
ZZ89968		<20	0.03	<10	<10	43	<10	53
ZZ89969		<20	0.05	<10	<10	46	<10	60
ZZ89970		<20	0.05	<10	<10	53	<10	26
ZZ89971		<20	0.01	<10	<10	42	<10	44
ZZ89972		<20	0.02	<10	<10	39	<10	40
ZZ89973		<20	0.01	<10	<10	56	<10	91
ZZ89974		<20	0.05	<10	<10	43	<10	61
ZZ89975		<20	0.04	<10	<10	53	<10	50
ZZ89976		<20	0.02	<10	<10	33	<10	24
ZZ89977		<20	0.05	<10	<10	43	<10	40
ZZ89978		<20	0.01	<10	<10	27	<10	21
ZZ89979		<20	0.03	<10	<10	28	<10	17
ZZ89980		<20	0.04	<10	<10	38	<10	24
ZZ89981		<20	0.06	<10	<10	38	<10	36
ZZ89982		<20	0.12	<10	<10	57	<10	80
ZZ89983		<20	0.10	<10	<10	45	<10	49
ZZ89984		<20	0.08	<10	<10	46	<10	40
ZZ89985		<20	0.06	<10	<10	40	<10	44
ZZ89986		<20	0.08	<10	<10	48	<10	53
ZZ89987		<20	0.06	<10	<10	39	<10	34
ZZ89988		<20	0.08	<10	<10	50	<10	47
ZZ89989		<20	0.10	<10	<10	63	<10	60
ZZ89990		<20	0.10	<10	<10	56	<10	62
ZZ89991		<20	0.07	<10	<10	55	<10	60
ZZ89992		<20	0.08	<10	<10	53	<10	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89993		0.22	0.002	0.4	1.66	7	<10	140	0.8	<2	0.43	<0.5	9	24	29	2.08
ZZ89994		0.30	0.001	<0.2	1.22	5	<10	100	<0.5	<2	0.19	<0.5	6	20	19	1.85
ZZ89995		0.28	0.005	0.2	1.68	16	<10	120	0.6	<2	0.19	<0.5	9	28	21	2.86
ZZ89996		0.33	0.005	<0.2	1.18	8	<10	90	<0.5	<2	0.21	<0.5	7	21	17	2.11
ZZ89997		0.30	0.005	0.2	2.00	15	<10	150	0.7	<2	0.28	<0.5	11	35	26	3.30
ZZ89998		0.28	0.002	0.2	1.28	7	<10	100	0.5	<2	0.18	<0.5	4	17	17	1.47
ZZ89999		0.41	0.003	<0.2	1.54	7	<10	100	<0.5	<2	0.18	<0.5	7	25	16	2.49
ZZ90000		0.30	<0.001	0.2	0.75	5	<10	60	<0.5	<2	0.18	<0.5	3	12	9	1.27
ZZ74895		0.39	0.004	0.2	2.05	16	<10	90	0.5	<2	0.15	<0.5	10	36	19	2.99
ZZ74896		0.38	0.016	<0.2	1.59	13	<10	80	<0.5	<2	0.16	<0.5	9	27	15	2.32
ZZ74897		0.38	0.016	1.2	0.81	214	<10	160	<0.5	3	0.12	<0.5	4	17	12	3.28
ZZ74898		0.34	0.001	<0.2	1.19	21	<10	110	<0.5	<2	0.14	<0.5	7	18	19	2.51
ZZ74899		0.30	0.003	<0.2	1.97	13	<10	80	<0.5	<2	0.15	<0.5	7	36	18	3.01
ZZ74900		0.34	0.001	<0.2	1.55	31	<10	110	0.5	<2	0.14	<0.5	10	27	23	3.27
ZZ74901		0.29	0.001	<0.2	1.34	7	<10	140	<0.5	<2	0.15	<0.5	4	22	25	2.17
ZZ74902		0.31	0.001	<0.2	1.31	10	<10	100	0.5	<2	0.13	<0.5	8	24	22	2.74
ZZ74903		0.34	0.002	<0.2	1.35	8	<10	90	<0.5	<2	0.08	<0.5	7	24	28	2.57
ZZ74904		0.27	0.002	<0.2	1.22	8	<10	120	<0.5	<2	0.15	<0.5	5	21	23	2.34
ZZ74905		0.29	0.002	<0.2	1.29	11	<10	130	<0.5	<2	0.14	<0.5	6	26	17	2.70
ZZ74906		0.46	0.004	<0.2	1.79	13	<10	90	0.6	<2	0.19	<0.5	12	29	17	2.82
ZZ74907		0.31	0.002	<0.2	1.02	7	<10	90	<0.5	<2	0.12	<0.5	5	20	14	2.28
ZZ74908		0.33	0.003	<0.2	1.62	7	<10	100	0.6	<2	0.16	<0.5	9	25	21	2.63
ZZ74909		0.35	0.004	<0.2	1.55	9	<10	110	0.5	2	0.12	<0.5	8	29	25	3.03
ZZ74910		0.39	0.001	<0.2	2.30	24	<10	100	1.0	<2	0.07	<0.5	18	30	36	3.98
ZZ74911		0.31	0.002	<0.2	2.05	16	<10	90	0.8	<2	0.14	<0.5	12	35	27	3.17
ZZ74912		0.27	0.006	<0.2	2.29	21	<10	120	0.7	<2	0.13	<0.5	15	32	22	3.18
ZZ74913		0.39	0.002	<0.2	1.40	7	<10	80	<0.5	<2	0.10	<0.5	5	22	18	2.31
ZZ74914		0.37	0.004	<0.2	1.44	9	<10	110	<0.5	2	0.10	<0.5	7	28	29	3.01
ZZ74915		0.31	0.003	<0.2	2.51	13	<10	100	0.7	2	0.15	<0.5	15	39	24	3.41
ZZ74916		0.30	0.007	<0.2	1.28	14	<10	120	<0.5	2	0.12	<0.5	6	25	25	2.35
ZZ74917		0.36	0.004	<0.2	2.29	12	<10	90	0.5	2	0.15	<0.5	12	35	20	3.03
ZZ74918		0.26	0.001	<0.2	1.00	5	<10	70	<0.5	<2	0.11	<0.5	6	16	22	1.95
ZZ74919		0.43	0.004	<0.2	2.06	11	<10	100	0.7	<2	0.23	<0.5	14	36	27	2.95
ZZ74920		0.32	0.003	<0.2	1.86	21	<10	80	0.7	<2	0.19	<0.5	11	31	22	2.83
ZZ74921		0.50	0.007	<0.2	1.89	61	<10	100	0.8	<2	0.24	<0.5	17	28	20	3.26
ZZ74922		0.28	0.004	<0.2	2.42	10	<10	110	0.6	2	0.20	<0.5	12	35	17	3.01
ZZ74923		0.28	0.004	<0.2	1.86	10	<10	100	<0.5	<2	0.16	<0.5	10	28	25	2.85
ZZ74924		0.28	0.007	<0.2	1.25	9	<10	80	<0.5	<2	0.15	<0.5	5	24	17	2.69
ZZ74925		0.30	0.005	<0.2	1.98	6	<10	100	0.5	2	0.20	<0.5	9	30	19	2.64
ZZ74926		0.33	0.003	<0.2	2.72	12	<10	120	0.8	<2	0.57	<0.5	14	36	24	3.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89993		10	<1	0.11	50	0.36	282	<1	0.02	17	640	12	0.05	<2	3	33
ZZ89994		<10	<1	0.11	10	0.33	201	<1	0.02	13	510	6	0.04	<2	2	17
ZZ89995		10	<1	0.17	20	0.45	409	<1	0.01	18	540	14	0.03	<2	3	17
ZZ89996		<10	<1	0.13	20	0.34	269	<1	0.02	13	460	8	0.03	2	2	18
ZZ89997		10	<1	0.20	30	0.58	452	<1	0.01	24	620	13	0.03	<2	4	22
ZZ89998		<10	<1	0.08	20	0.23	121	<1	0.02	10	610	7	0.06	3	1	18
ZZ89999		10	<1	0.13	20	0.45	258	<1	0.01	17	340	10	0.01	<2	3	15
ZZ90000		<10	<1	0.07	10	0.17	116	<1	0.03	7	460	3	0.03	<2	1	15
ZZ74895		10	<1	0.10	10	0.56	421	<1	0.01	21	470	16	0.04	<2	3	13
ZZ74896		<10	<1	0.09	10	0.46	309	<1	0.01	19	300	8	0.04	<2	3	12
ZZ74897		<10	<1	0.34	30	0.19	182	14	0.01	8	610	48	0.60	5	1	48
ZZ74898		<10	<1	0.07	20	0.19	256	3	0.01	13	620	13	0.08	<2	1	17
ZZ74899		10	<1	0.08	10	0.44	262	1	0.01	18	410	11	0.04	<2	3	14
ZZ74900		10	<1	0.14	20	0.38	677	3	0.01	20	460	11	0.14	2	2	18
ZZ74901		10	<1	0.03	10	0.16	107	1	0.01	10	390	11	0.03	<2	2	20
ZZ74902		10	<1	0.09	10	0.29	298	1	<0.01	20	490	14	0.03	<2	2	13
ZZ74903		10	<1	0.08	10	0.27	452	1	0.01	15	450	10	0.04	<2	1	11
ZZ74904		10	<1	0.09	10	0.23	193	1	0.01	14	570	8	0.04	2	1	18
ZZ74905		10	1	0.08	10	0.32	192	1	0.01	15	480	11	0.03	<2	2	15
ZZ74906		<10	<1	0.15	20	0.49	306	<1	0.01	22	530	11	0.02	2	3	13
ZZ74907		10	<1	0.09	20	0.24	263	1	0.01	12	480	10	0.04	<2	1	13
ZZ74908		10	<1	0.11	20	0.39	243	<1	0.01	19	510	11	0.03	2	2	15
ZZ74909		10	<1	0.15	10	0.47	271	<1	0.01	18	410	9	0.03	2	2	12
ZZ74910		10	<1	0.34	30	0.72	337	<1	<0.01	34	350	23	0.01	3	3	6
ZZ74911		10	<1	0.22	30	0.71	294	<1	0.01	26	330	15	0.01	2	4	12
ZZ74912		10	<1	0.25	20	0.67	373	<1	0.01	30	280	12	0.01	3	4	11
ZZ74913		10	1	0.10	10	0.32	189	1	0.01	13	600	9	0.05	<2	1	12
ZZ74914		10	1	0.07	10	0.33	285	1	0.01	16	430	10	0.03	2	2	14
ZZ74915		10	1	0.20	20	0.71	428	<1	0.01	27	360	13	0.03	4	4	13
ZZ74916		10	1	0.09	10	0.34	172	1	<0.01	14	280	11	0.02	2	2	13
ZZ74917		10	<1	0.13	10	0.60	309	<1	0.01	24	370	9	0.03	3	3	13
ZZ74918		<10	1	0.06	10	0.17	298	1	0.01	10	540	6	0.05	2	1	14
ZZ74919		10	<1	0.18	40	0.73	270	<1	0.01	27	430	10	<0.01	3	5	17
ZZ74920		10	1	0.12	40	0.67	241	<1	0.01	24	390	14	0.01	3	4	14
ZZ74921		10	<1	0.14	40	0.78	632	1	0.01	28	450	15	0.01	2	4	18
ZZ74922		10	<1	0.10	10	0.58	322	<1	0.01	21	520	9	0.02	2	4	17
ZZ74923		10	1	0.09	10	0.44	229	<1	0.01	20	330	8	0.02	2	3	15
ZZ74924		10	<1	0.07	10	0.33	201	1	0.01	12	300	8	0.01	2	2	17
ZZ74925		10	<1	0.12	10	0.52	273	<1	0.01	20	530	5	0.03	<2	3	17
ZZ74926		10	1	0.07	20	0.59	425	<1	0.02	28	510	10	0.04	2	4	50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89993		<20	0.07	<10	<10	39	<10	94
ZZ89994		<20	0.07	<10	<10	39	<10	54
ZZ89995		<20	0.09	<10	<10	53	<10	60
ZZ89996		<20	0.08	<10	<10	44	<10	43
ZZ89997		<20	0.11	<10	<10	58	<10	70
ZZ89998		<20	0.05	<10	<10	27	<10	28
ZZ89999		<20	0.09	<10	<10	48	<10	49
ZZ90000		<20	0.05	<10	<10	29	<10	25
ZZ74895		<20	0.09	<10	<10	63	<10	66
ZZ74896		<20	0.08	<10	<10	49	<10	52
ZZ74897		<20	0.04	<10	<10	35	<10	45
ZZ74898		<20	0.04	<10	<10	51	<10	61
ZZ74899		<20	0.10	<10	<10	76	<10	65
ZZ74900		<20	0.05	<10	<10	57	<10	102
ZZ74901		<20	0.07	<10	<10	68	<10	31
ZZ74902		<20	0.06	<10	<10	56	<10	59
ZZ74903		<20	0.08	<10	<10	64	<10	47
ZZ74904		<20	0.08	<10	<10	61	<10	41
ZZ74905		<20	0.09	<10	<10	67	<10	42
ZZ74906		<20	0.08	<10	<10	43	<10	56
ZZ74907		<20	0.06	<10	<10	45	<10	55
ZZ74908		<20	0.08	<10	<10	46	<10	47
ZZ74909		<20	0.10	<10	<10	59	<10	58
ZZ74910		<20	0.07	<10	<10	31	<10	105
ZZ74911		<20	0.12	<10	<10	48	<10	72
ZZ74912		<20	0.12	<10	<10	46	<10	104
ZZ74913		<20	0.06	<10	<10	42	<10	40
ZZ74914		<20	0.11	<10	<10	76	<10	49
ZZ74915		<20	0.12	<10	<10	59	<10	88
ZZ74916		<20	0.12	<10	<10	69	<10	47
ZZ74917		<20	0.11	<10	<10	59	<10	65
ZZ74918		<20	0.07	<10	<10	57	<10	36
ZZ74919		<20	0.13	<10	<10	49	<10	80
ZZ74920		<20	0.08	<10	<10	43	<10	83
ZZ74921		<20	0.07	<10	<10	42	<10	78
ZZ74922		<20	0.11	<10	<10	60	<10	57
ZZ74923		<20	0.11	<10	<10	65	<10	48
ZZ74924		<20	0.14	<10	<10	83	<10	45
ZZ74925		<20	0.11	<10	<10	53	<10	54
ZZ74926		<20	0.07	<10	<10	56	<10	59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74927		0.30	0.005	<0.2	3.91	5	<10	80	1.3	2	3.39	<0.5	17	55	28	4.19
ZZ74928		0.25	0.008	<0.2	2.08	8	<10	80	0.5	2	0.27	<0.5	10	29	15	2.30
ZZ74929		0.44	0.015	<0.2	2.76	6	<10	90	1.1	<2	0.62	<0.5	14	42	23	4.29
ZZ74930		0.33	0.003	<0.2	2.35	8	<10	130	0.6	2	0.18	<0.5	13	36	22	3.24
ZZ74931		0.40	0.004	<0.2	1.41	12	<10	130	<0.5	<2	0.21	<0.5	7	32	22	3.08
ZZ74932		0.39	0.007	<0.2	2.67	9	<10	110	0.8	2	0.78	<0.5	13	40	36	3.17
ZZ74933		0.35	0.010	0.2	2.03	28	<10	120	0.9	<2	0.85	<0.5	12	28	31	2.79
ZZ74934		0.29	0.003	<0.2	2.18	5	<10	130	0.5	<2	0.53	<0.5	13	35	27	2.83
ZZ74935		0.51	0.007	<0.2	1.92	34	<10	110	0.8	2	0.30	<0.5	12	34	20	2.70
ZZ74936		0.36	0.003	<0.2	2.10	15	<10	170	0.7	<2	0.38	<0.5	11	35	25	2.98
ZZ74937		0.43	0.004	<0.2	2.71	22	<10	160	0.8	<2	0.55	<0.5	21	54	35	4.80
ZZ74938		0.30	0.004	<0.2	2.17	15	<10	160	0.5	2	0.38	<0.5	14	46	38	3.02
ZZ74939		0.34	0.002	<0.2	1.71	7	<10	140	<0.5	<2	0.57	<0.5	11	41	22	2.91
ZZ74940		0.31	0.005	<0.2	2.35	9	<10	110	0.7	2	0.52	<0.5	12	47	33	3.41
ZZ74941		0.40	0.004	<0.2	2.29	11	<10	150	0.6	<2	0.52	<0.5	15	38	28	3.12
ZZ74942		0.40	0.005	<0.2	2.28	9	<10	130	0.6	<2	0.75	<0.5	13	43	31	3.28
ZZ74943		0.33	0.004	<0.2	2.41	10	<10	130	0.6	<2	0.75	<0.5	14	45	23	3.22
ZZ74944		0.39	0.003	<0.2	2.85	12	<10	120	0.8	<2	0.46	<0.5	14	101	31	3.84
ZZ74945		0.43	0.004	<0.2	2.10	10	<10	110	0.6	2	0.20	<0.5	14	35	31	3.17
ZZ74946		0.37	0.004	<0.2	1.82	11	<10	110	0.5	<2	0.23	<0.5	12	29	21	3.02
ZZ74947		0.37	0.003	<0.2	2.78	8	<10	170	1.0	<2	0.31	<0.5	16	38	34	4.09
ZZ74948		0.27	0.003	<0.2	1.33	6	<10	90	<0.5	<2	0.24	<0.5	7	21	27	2.07
ZZ74949		0.43	0.004	<0.2	1.55	11	<10	90	<0.5	<2	0.26	<0.5	9	30	19	2.73
ZZ74950		0.44	0.009	0.2	2.01	14	<10	160	0.5	<2	0.23	<0.5	14	42	21	3.33
ZZ74951		0.43	0.004	<0.2	1.84	13	<10	120	0.5	<2	0.25	<0.5	11	40	19	2.82
ZZ74952		0.34	0.004	<0.2	1.39	11	<10	90	<0.5	<2	0.24	<0.5	8	32	21	2.45
ZZ74953		0.36	0.005	<0.2	2.05	10	<10	130	0.6	<2	0.29	<0.5	9	49	27	2.66
ZZ74954		0.44	0.005	<0.2	2.13	22	<10	130	0.6	<2	0.45	<0.5	12	44	17	3.29
ZZ74955		0.43	0.005	<0.2	1.96	17	<10	110	0.5	2	0.48	<0.5	10	42	19	3.13
ZZ74956		0.31	0.006	0.2	2.06	14	<10	110	0.8	<2	0.49	<0.5	10	41	30	3.06
ZZ74957		0.29	0.004	<0.2	1.55	11	<10	120	0.5	<2	0.51	<0.5	14	57	31	2.40
ZZ74958		0.33	0.006	<0.2	1.66	24	<10	110	0.7	<2	0.37	<0.5	14	30	23	3.02
ZZ74959		0.36	0.005	<0.2	1.50	9	<10	110	0.6	2	0.74	<0.5	10	34	30	2.46
ZZ74960		0.43	0.028	<0.2	1.85	23	<10	110	0.7	<2	0.61	<0.5	12	50	27	2.88
ZZ74961		0.42	0.005	<0.2	2.03	38	<10	90	1.0	<2	0.62	<0.5	13	42	33	3.42
ZZ74962		0.50	0.006	<0.2	1.84	7	<10	110	0.7	<2	0.62	<0.5	9	40	26	2.42
ZZ74963		0.37	0.006	<0.2	1.95	14	<10	120	0.9	<2	0.85	<0.5	12	38	23	3.24
ZZ74964		0.46	0.007	<0.2	1.81	18	<10	90	0.9	<2	0.41	<0.5	11	35	26	3.04
ZZ74965		0.38	0.004	<0.2	1.57	14	<10	100	0.5	<2	0.39	<0.5	10	32	19	2.75
ZZ74966		0.41	0.004	<0.2	2.16	14	<10	90	0.9	<2	0.52	<0.5	11	41	24	3.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74927		10	1	0.09	40	0.89	565	<1	0.18	36	610	15	0.07	4	7	353
ZZ74928		10	<1	0.05	20	0.48	262	<1	0.01	21	440	5	0.04	2	3	20
ZZ74929		10	<1	0.61	70	1.08	364	<1	0.01	33	680	7	0.01	4	6	31
ZZ74930		10	1	0.30	20	0.72	327	<1	0.01	26	450	7	0.02	<2	4	15
ZZ74931		10	<1	0.09	10	0.49	232	1	0.01	18	380	10	0.03	3	3	21
ZZ74932		10	1	0.13	40	0.64	385	<1	0.06	32	630	8	0.02	3	7	80
ZZ74933		10	<1	0.07	30	0.47	423	<1	0.04	28	700	17	0.04	4	4	81
ZZ74934		10	<1	0.21	20	0.80	350	<1	0.03	28	610	5	0.04	2	5	45
ZZ74935		10	1	0.11	20	0.68	337	<1	0.01	25	650	11	0.01	3	4	23
ZZ74936		10	<1	0.15	20	0.69	502	<1	0.01	26	750	7	0.03	2	4	27
ZZ74937		10	<1	0.38	30	1.02	584	<1	0.03	39	740	8	0.04	4	7	36
ZZ74938		10	<1	0.20	20	0.66	317	2	0.02	33	740	10	0.04	<2	4	32
ZZ74939		10	<1	0.16	10	0.66	433	2	0.02	21	590	8	0.03	<2	4	38
ZZ74940		10	<1	0.27	30	0.71	470	2	0.03	35	400	9	0.07	<2	5	54
ZZ74941		10	<1	0.17	20	0.64	351	2	0.02	27	640	9	0.05	<2	4	36
ZZ74942		10	<1	0.25	20	0.73	441	2	0.03	31	610	7	0.07	<2	5	53
ZZ74943		10	<1	0.18	20	0.66	410	2	0.04	32	690	8	0.04	<2	5	53
ZZ74944		10	<1	0.29	40	1.24	419	2	0.01	46	700	13	0.04	2	7	30
ZZ74945		10	<1	0.21	20	0.65	374	2	0.01	26	340	9	0.02	<2	4	17
ZZ74946		10	<1	0.28	10	0.57	309	2	0.01	22	470	8	0.01	<2	3	17
ZZ74947		10	<1	0.83	30	0.95	467	1	0.02	26	470	10	0.02	<2	5	27
ZZ74948		<10	<1	0.17	20	0.36	267	2	0.02	14	600	5	0.05	<2	2	20
ZZ74949		10	<1	0.25	20	0.58	319	1	0.01	21	470	7	0.02	<2	3	19
ZZ74950		10	<1	0.33	20	0.77	520	2	0.01	27	560	9	0.04	<2	4	28
ZZ74951		10	<1	0.17	20	0.65	467	2	0.01	23	580	8	0.03	<2	4	23
ZZ74952		10	<1	0.16	10	0.50	270	2	0.02	18	600	7	0.04	<2	2	23
ZZ74953		10	<1	0.24	20	0.78	238	2	0.01	27	640	14	0.07	<2	4	28
ZZ74954		10	1	0.20	20	0.82	412	2	0.01	28	700	12	0.04	<2	4	29
ZZ74955		10	<1	0.09	20	0.68	316	2	0.02	21	750	8	0.06	<2	4	30
ZZ74956		10	<1	0.10	30	0.61	245	2	0.02	23	1180	11	0.11	<2	4	37
ZZ74957		10	<1	0.09	20	0.57	894	2	0.02	31	890	8	0.08	<2	2	41
ZZ74958		10	<1	0.17	20	0.61	437	2	0.02	25	710	12	0.03	2	3	26
ZZ74959		<10	<1	0.10	20	0.53	401	2	0.02	21	880	8	0.10	2	2	51
ZZ74960		10	<1	0.14	30	0.74	375	2	0.02	29	630	11	0.06	<2	4	43
ZZ74961		10	<1	0.18	40	0.80	420	2	0.02	31	560	16	0.08	3	5	47
ZZ74962		10	<1	0.14	20	0.71	253	1	0.02	26	720	11	0.05	3	4	36
ZZ74963		10	<1	0.11	30	0.74	424	2	0.03	26	630	11	0.05	3	5	54
ZZ74964		10	<1	0.13	30	0.69	397	2	0.02	26	640	10	0.05	<2	4	32
ZZ74965		<10	<1	0.17	20	0.67	309	2	0.02	23	540	6	0.05	<2	3	29
ZZ74966		10	<1	0.13	30	0.94	353	2	0.01	30	640	16	0.03	<2	4	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74927		<20	0.16	<10	<10	62	<10	90
ZZ74928		<20	0.08	<10	<10	45	<10	42
ZZ74929		30	0.16	<10	<10	48	<10	94
ZZ74930		<20	0.14	<10	<10	56	<10	65
ZZ74931		<20	0.16	<10	<10	94	<10	47
ZZ74932		<20	0.13	<10	<10	56	<10	62
ZZ74933		<20	0.05	<10	<10	44	<10	64
ZZ74934		<20	0.17	<10	<10	61	<10	66
ZZ74935		<20	0.07	<10	<10	43	<10	59
ZZ74936		<20	0.09	<10	<10	48	<10	63
ZZ74937		<20	0.18	<10	<10	61	<10	94
ZZ74938		<20	0.11	<10	<10	58	<10	76
ZZ74939		<20	0.14	<10	<10	62	<10	71
ZZ74940		<20	0.15	<10	<10	54	<10	74
ZZ74941		<20	0.13	<10	<10	56	<10	70
ZZ74942		<20	0.15	<10	<10	53	<10	74
ZZ74943		<20	0.15	<10	<10	58	<10	67
ZZ74944		<20	0.13	<10	<10	60	<10	99
ZZ74945		<20	0.14	<10	<10	56	<10	56
ZZ74946		<20	0.14	<10	<10	54	<10	57
ZZ74947		<20	0.20	<10	<10	53	<10	65
ZZ74948		<20	0.09	<10	<10	39	<10	36
ZZ74949		<20	0.14	<10	<10	51	<10	55
ZZ74950		<20	0.16	<10	<10	61	<10	74
ZZ74951		<20	0.11	<10	<10	51	<10	68
ZZ74952		<20	0.09	<10	<10	46	<10	54
ZZ74953		<20	0.11	<10	<10	47	<10	67
ZZ74954		<20	0.12	<10	<10	52	<10	78
ZZ74955		<20	0.10	<10	<10	53	<10	71
ZZ74956		<20	0.08	<10	<10	53	<10	70
ZZ74957		<20	0.07	<10	<10	45	<10	52
ZZ74958		<20	0.09	<10	<10	43	<10	70
ZZ74959		<20	0.07	<10	<10	44	<10	57
ZZ74960		<20	0.10	<10	<10	48	<10	70
ZZ74961		<20	0.08	<10	<10	44	<10	74
ZZ74962		<20	0.10	<10	<10	43	<10	70
ZZ74963		<20	0.08	<10	<10	47	<10	76
ZZ74964		<20	0.09	<10	<10	49	<10	65
ZZ74965		<20	0.10	<10	<10	41	<10	59
ZZ74966		<20	0.08	<10	<10	46	<10	82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ74967		0.47	0.004	<0.2	1.75	55	<10	90	0.6	<2	0.43	<0.5	7	34	19	3.69
ZZ74968		0.42	0.005	<0.2	2.08	29	<10	100	1.2	<2	0.60	<0.5	15	62	24	3.97
ZZ74969		0.32	0.003	<0.2	1.37	8	<10	120	0.5	<2	0.69	<0.5	8	24	23	2.23
ZZ74970		0.38	0.004	<0.2	1.78	15	<10	110	0.6	<2	0.34	<0.5	8	33	17	2.73
ZZ74971		0.41	0.004	<0.2	2.03	8	<10	120	0.7	<2	0.35	<0.5	12	40	21	3.04
ZZ74972		0.36	0.005	<0.2	1.57	7	<10	80	0.7	<2	0.34	<0.5	10	33	18	3.23
ZZ74973		0.37	0.004	<0.2	1.73	11	<10	100	0.5	<2	0.37	<0.5	8	32	18	2.73
ZZ74974		0.52	0.004	<0.2	1.55	7	<10	100	<0.5	<2	0.29	<0.5	8	29	19	2.50
ZZ74975		0.43	0.004	0.2	1.78	9	<10	110	0.7	<2	0.36	<0.5	10	37	23	2.99
ZZ74976		0.39	0.004	<0.2	1.57	7	<10	80	0.6	<2	0.22	<0.5	7	25	21	2.31
ZZ74977		0.40	0.004	<0.2	1.96	8	<10	100	0.6	<2	0.22	<0.5	13	36	19	3.62
ZZ74978		0.37	0.003	<0.2	1.12	5	<10	70	<0.5	<2	0.16	<0.5	12	20	16	1.97
ZZ74979		0.38	0.006	0.2	1.70	9	<10	100	0.5	<2	0.18	<0.5	7	32	25	2.69
ZZ74980		0.49	0.005	<0.2	1.81	10	<10	100	0.5	<2	0.21	<0.5	11	35	18	2.79
ZZ74981		0.46	0.004	<0.2	1.91	11	<10	120	0.5	<2	0.38	<0.5	10	37	18	2.78
ZZ74982		0.56	0.004	<0.2	2.07	17	<10	130	0.7	<2	0.38	<0.5	11	42	23	3.26
ZZ74983		0.39	0.004	<0.2	1.94	23	<10	120	0.6	<2	0.28	<0.5	14	41	27	3.54
ZZ74984		0.36	0.004	<0.2	1.87	22	<10	120	0.6	<2	0.30	<0.5	12	37	21	3.23
ZZ74985		0.31	0.005	<0.2	0.85	84	<10	70	0.5	<2	0.12	<0.5	10	18	18	2.67
ZZ74986		0.33	0.005	<0.2	1.49	13	<10	80	<0.5	<2	0.26	<0.5	8	29	28	2.40
ZZ74987		0.36	0.004	<0.2	1.40	6	<10	90	<0.5	<2	0.27	<0.5	9	26	22	2.46
ZZ74988		0.37	0.006	<0.2	1.68	9	<10	100	0.5	2	0.23	<0.5	9	28	23	2.60
ZZ74989		0.33	0.004	<0.2	1.80	9	<10	100	0.5	<2	0.21	<0.5	11	30	20	2.63
ZZ74990		0.35	0.006	<0.2	1.84	10	<10	110	<0.5	<2	0.23	<0.5	12	31	23	2.74
ZZ74991		0.32	0.005	<0.2	1.80	11	<10	80	0.5	<2	0.14	<0.5	8	32	19	3.06
ZZ74992		0.33	0.008	<0.2	1.69	9	<10	80	0.5	<2	0.15	<0.5	12	40	18	2.80
ZZ74993		0.37	0.013	<0.2	1.50	14	<10	70	0.5	<2	0.22	<0.5	10	32	27	3.28
ZZ74994		0.48	0.013	0.3	2.17	41	<10	170	0.6	2	0.29	<0.5	11	53	41	4.32
ZZ74995		0.40	0.006	<0.2	1.61	42	<10	100	0.6	<2	0.18	<0.5	12	31	24	3.53
ZZ74996		0.32	0.002	<0.2	2.04	32	<10	100	0.7	<2	0.16	<0.5	13	32	27	3.46
ZZ74997		0.53	0.008	0.2	0.59	73	<10	90	0.8	<2	0.11	<0.5	12	18	26	2.98
ZZ74998		0.38	0.007	<0.2	2.04	25	<10	130	0.8	<2	0.25	<0.5	15	37	28	3.44
ZZ74999		0.50	0.004	<0.2	1.85	11	<10	130	0.5	<2	0.24	<0.5	13	34	27	3.31
ZZ75000		0.46	0.002	<0.2	1.67	15	<10	110	0.6	<2	0.23	<0.5	20	32	24	3.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ74967		10	<1	0.09	10	0.59	193	1	0.01	18	390	10	0.02	<2	4	26
ZZ74968		10	<1	0.13	30	0.80	347	2	0.02	32	630	14	0.02	3	6	36
ZZ74969		10	<1	0.05	20	0.39	389	2	0.03	15	800	7	0.08	<2	2	57
ZZ74970		10	<1	0.10	20	0.59	284	2	0.01	21	720	11	0.03	2	4	21
ZZ74971		10	<1	0.15	20	0.75	342	2	0.01	28	650	10	0.03	<2	4	24
ZZ74972		10	<1	0.11	20	0.58	394	1	0.02	22	650	9	0.02	<2	4	24
ZZ74973		10	<1	0.07	10	0.56	367	2	0.01	18	730	9	0.05	<2	2	24
ZZ74974		10	<1	0.07	10	0.53	292	1	0.01	21	510	10	0.02	<2	3	17
ZZ74975		10	<1	0.12	20	0.69	377	<1	0.01	25	640	9	0.03	<2	4	29
ZZ74976		10	<1	0.07	20	0.43	267	<1	0.02	16	710	7	0.04	<2	2	19
ZZ74977		10	<1	0.16	20	0.75	305	<1	0.01	28	630	10	0.01	<2	4	15
ZZ74978		<10	<1	0.05	10	0.31	656	<1	0.02	10	690	4	0.05	<2	1	14
ZZ74979		10	<1	0.14	10	0.52	191	<1	0.01	17	760	10	0.05	<2	2	16
ZZ74980		10	<1	0.12	20	0.63	318	<1	0.01	20	610	8	0.03	<2	3	18
ZZ74981		10	<1	0.23	20	0.69	305	<1	0.02	22	410	5	0.03	2	4	29
ZZ74982		10	<1	0.22	30	0.76	409	<1	0.02	25	600	9	0.04	<2	4	32
ZZ74983		10	<1	0.28	20	0.78	441	<1	0.01	28	520	9	0.02	<2	4	26
ZZ74984		10	<1	0.18	20	0.70	413	<1	0.01	26	600	9	0.02	2	4	25
ZZ74985		<10	<1	0.11	20	0.20	223	2	0.01	22	720	5	0.04	2	1	11
ZZ74986		<10	<1	0.11	10	0.50	293	<1	0.01	19	810	5	0.03	<2	2	17
ZZ74987		10	<1	0.10	10	0.52	251	<1	0.01	19	800	7	0.02	<2	2	19
ZZ74988		10	<1	0.10	10	0.47	270	<1	0.01	18	830	7	0.03	<2	2	19
ZZ74989		10	<1	0.16	10	0.62	401	<1	0.01	23	480	7	0.02	<2	3	14
ZZ74990		10	<1	0.14	10	0.63	320	<1	0.01	27	430	5	0.01	<2	3	16
ZZ74991		10	<1	0.08	10	0.44	214	1	0.01	19	350	8	0.02	<2	3	14
ZZ74992		10	<1	0.14	10	0.66	351	<1	0.01	28	260	8	0.01	<2	3	11
ZZ74993		10	<1	0.10	20	0.53	311	1	0.01	24	480	10	0.03	<2	3	27
ZZ74994		10	<1	0.24	20	0.85	243	1	0.01	27	750	8	0.03	<2	7	35
ZZ74995		10	<1	0.19	20	0.46	366	1	0.01	22	450	14	0.02	2	3	20
ZZ74996		10	<1	0.17	20	0.61	378	<1	0.01	26	390	13	0.02	2	4	13
ZZ74997		<10	<1	0.14	40	0.13	413	<1	<0.01	24	340	18	<0.01	2	4	10
ZZ74998		10	<1	0.27	20	0.68	405	<1	0.01	28	680	8	0.01	2	5	19
ZZ74999		10	<1	0.28	20	0.59	368	<1	0.01	24	620	9	0.03	<2	4	20
ZZ75000		10	<1	0.23	20	0.53	535	<1	0.01	27	670	13	0.02	<2	4	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153543

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ74967		<20	0.08	<10	<10	61	<10	55
ZZ74968		<20	0.06	<10	<10	53	<10	75
ZZ74969		<20	0.06	<10	<10	45	<10	46
ZZ74970		<20	0.07	<10	<10	47	<10	60
ZZ74971		<20	0.10	<10	<10	48	<10	71
ZZ74972		<20	0.11	<10	<10	64	<10	69
ZZ74973		<20	0.06	<10	<10	53	<10	54
ZZ74974		<20	0.08	<10	<10	49	<10	53
ZZ74975		<20	0.10	<10	<10	56	<10	58
ZZ74976		<20	0.06	<10	<10	46	<10	42
ZZ74977		<20	0.08	<10	<10	43	<10	70
ZZ74978		<20	0.06	<10	<10	44	<10	32
ZZ74979		<20	0.09	<10	<10	52	<10	47
ZZ74980		<20	0.09	<10	<10	52	<10	56
ZZ74981		<20	0.12	<10	<10	50	<10	60
ZZ74982		<20	0.11	<10	<10	56	<10	69
ZZ74983		<20	0.13	<10	<10	54	<10	73
ZZ74984		<20	0.10	<10	<10	51	<10	66
ZZ74985		<20	0.03	<10	<10	42	<10	40
ZZ74986		<20	0.08	<10	<10	49	<10	42
ZZ74987		<20	0.08	<10	<10	46	<10	50
ZZ74988		<20	0.09	<10	<10	53	<10	46
ZZ74989		<20	0.10	<10	<10	47	<10	53
ZZ74990		<20	0.11	<10	<10	54	<10	49
ZZ74991		<20	0.11	<10	<10	67	<10	45
ZZ74992		<20	0.11	<10	<10	48	<10	47
ZZ74993		<20	0.09	<10	<10	60	<10	54
ZZ74994		<20	0.13	<10	<10	68	<10	73
ZZ74995		<20	0.08	<10	<10	53	<10	59
ZZ74996		<20	0.09	<10	<10	54	<10	60
ZZ74997		20	0.01	<10	<10	21	<10	61
ZZ74998		<20	0.12	<10	<10	54	<10	53
ZZ74999		<20	0.14	<10	<10	58	<10	59
ZZ75000		<20	0.12	<10	<10	52	<10	65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 9-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13153543

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

CERTIFICATE WH13153544

Project: CCC

P.O. No.:

This report is for 111 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89501		0.45	0.005	<0.2	1.68	14	<10	110	0.6	<2	0.35	<0.5	11	37	27	3.00
ZZ89502		0.48	0.005	0.2	1.51	57	<10	140	0.6	<2	0.35	<0.5	11	50	57	3.52
ZZ89503		0.55	0.005	0.3	1.90	54	<10	170	0.6	<2	0.29	<0.5	9	53	59	3.64
ZZ89504		0.46	0.011	0.3	1.47	246	<10	150	0.5	<2	0.20	<0.5	7	39	58	3.34
ZZ89505		0.52	0.006	0.3	1.23	40	<10	100	0.5	<2	0.38	<0.5	12	38	53	3.21
ZZ89506		0.44	0.005	0.2	1.56	54	<10	160	0.7	<2	0.24	<0.5	18	45	67	4.22
ZZ89507		0.44	0.018	0.4	1.72	220	<10	180	0.7	<2	0.17	<0.5	9	47	60	3.69
ZZ89508		0.34	0.003	<0.2	1.74	54	<10	200	0.7	<2	0.46	<0.5	19	46	54	5.01
ZZ89509		0.44	0.004	<0.2	1.94	35	<10	150	0.7	<2	0.44	<0.5	14	62	49	3.84
ZZ89510		0.39	0.004	<0.2	2.19	14	<10	140	0.5	<2	0.43	<0.5	13	49	22	3.39
ZZ89511		0.50	0.003	<0.2	2.19	13	<10	120	0.5	<2	0.62	<0.5	16	74	23	3.48
ZZ89512		0.41	0.004	<0.2	2.44	19	<10	160	0.7	<2	0.37	<0.5	12	61	33	3.72
ZZ89513		0.52	0.003	<0.2	1.25	44	<10	100	1.0	2	0.34	<0.5	21	40	42	4.25
ZZ89514		0.46	0.015	0.4	1.26	145	<10	170	1.1	<2	0.39	<0.5	15	28	40	5.17
ZZ89515		0.47	0.004	<0.2	1.41	26	<10	130	0.8	<2	0.26	<0.5	15	27	29	3.48
ZZ89516		0.48	0.005	<0.2	1.13	19	<10	100	0.5	<2	0.28	<0.5	10	22	21	2.62
ZZ89517		0.40	0.008	0.2	1.75	27	<10	140	0.7	<2	0.30	<0.5	9	28	27	2.86
ZZ89518		0.36	0.027	0.3	1.93	280	<10	240	1.0	2	0.49	<0.5	13	33	34	3.40
ZZ89519		0.50	0.023	0.2	1.20	248	<10	110	0.5	<2	0.18	<0.5	10	25	27	3.23
ZZ89520		0.47	0.011	0.3	1.59	87	<10	140	0.5	<2	0.19	<0.5	10	31	22	2.79
ZZ89521		0.44	0.008	<0.2	1.66	37	<10	220	<0.5	<2	0.31	<0.5	11	35	25	2.79
ZZ89522		0.43	0.005	0.3	0.99	32	<10	120	<0.5	<2	0.23	<0.5	6	23	22	1.91
ZZ89523		0.38	0.004	<0.2	1.29	21	<10	140	<0.5	<2	0.27	<0.5	10	29	23	2.53
ZZ89524		0.28	0.001	0.2	1.30	23	<10	130	<0.5	<2	0.19	<0.5	6	30	19	2.94
ZZ89525		0.34	0.003	0.5	1.12	10	<10	100	<0.5	<2	0.23	<0.5	5	23	21	1.92
ZZ89526		0.45	0.006	0.2	1.61	22	<10	180	<0.5	<2	0.35	<0.5	11	47	31	3.11
ZZ89527		0.51	0.005	0.2	1.99	19	<10	240	0.6	<2	0.35	<0.5	12	43	38	3.44
ZZ89528		0.39	0.003	0.2	1.52	17	<10	160	0.5	<2	0.36	<0.5	9	34	32	2.86
ZZ89529		0.30	0.004	0.3	1.23	10	<10	160	0.5	<2	0.35	<0.5	6	22	25	1.80
ZZ89530		0.38	0.005	0.2	1.41	11	<10	160	0.5	<2	0.44	<0.5	8	32	34	2.41
ZZ89531		0.37	0.002	0.3	1.00	9	<10	100	<0.5	<2	0.31	<0.5	5	19	24	1.53
ZZ89532		0.38	0.004	0.4	0.97	7	<10	100	<0.5	<2	0.49	<0.5	5	14	29	1.57
ZZ89533		0.34	0.003	0.2	1.45	12	<10	340	0.5	<2	0.39	<0.5	11	34	26	2.61
ZZ89534		0.41	0.002	0.2	1.49	12	<10	510	0.6	<2	0.36	<0.5	8	36	30	2.44
ZZ89535		0.39	0.001	<0.2	1.25	6	<10	80	<0.5	<2	0.26	<0.5	6	20	16	2.52
ZZ89536		0.50	0.002	<0.2	1.93	8	<10	130	0.5	<2	0.57	<0.5	9	33	23	2.88
ZZ89537		0.44	<0.001	<0.2	0.95	6	<10	70	<0.5	<2	0.45	<0.5	5	14	14	1.50
ZZ89538		0.30	0.002	<0.2	1.57	7	<10	130	<0.5	<2	0.94	<0.5	6	21	22	1.87
ZZ89539		0.33	0.003	<0.2	1.47	5	<10	130	<0.5	<2	0.90	<0.5	7	21	22	1.95
ZZ89540		0.42	0.002	<0.2	1.73	5	<10	130	0.5	<2	0.61	<0.5	9	26	20	2.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89501		10	<1	0.25	30	0.59	326	<1	0.01	24	800	9	<0.01	<2	6	20
ZZ89502		10	<1	0.24	20	0.66	378	3	0.02	37	1090	9	0.14	2	6	44
ZZ89503		10	<1	0.43	20	0.82	312	3	0.01	26	1090	9	0.16	<2	6	41
ZZ89504		<10	<1	0.26	30	0.42	195	3	0.01	22	1130	17	0.35	6	5	36
ZZ89505		<10	<1	0.19	10	0.53	359	3	0.02	40	1090	6	0.10	3	5	43
ZZ89506		10	<1	0.37	20	0.62	534	3	0.01	53	1090	10	0.15	4	6	30
ZZ89507		10	<1	0.29	20	0.60	282	6	0.01	29	1190	12	0.11	4	5	49
ZZ89508		10	<1	0.10	30	0.62	785	1	0.01	41	1210	6	0.07	<2	6	39
ZZ89509		10	<1	0.13	20	0.76	250	1	0.01	46	900	9	0.02	<2	7	29
ZZ89510		10	<1	0.19	20	0.88	351	<1	0.01	31	810	8	0.02	<2	5	29
ZZ89511		10	<1	0.32	20	1.12	336	<1	0.01	38	1630	4	<0.01	3	5	33
ZZ89512		10	<1	0.19	20	1.03	301	1	0.01	38	690	11	0.01	2	8	26
ZZ89513		<10	<1	0.11	40	0.44	666	2	0.01	50	1070	15	0.01	<2	5	24
ZZ89514		<10	<1	0.14	50	0.27	551	3	<0.01	34	890	22	0.05	4	6	53
ZZ89515		<10	<1	0.08	40	0.40	495	1	<0.01	27	560	13	0.02	3	5	30
ZZ89516		<10	<1	0.08	30	0.31	358	1	0.01	20	780	10	0.04	<2	3	33
ZZ89517		<10	<1	0.10	20	0.37	344	2	0.01	21	740	13	0.04	<2	4	45
ZZ89518		10	<1	0.13	40	0.40	557	3	0.01	27	1100	15	0.09	<2	4	79
ZZ89519		<10	<1	0.10	20	0.33	540	1	0.01	27	790	12	0.08	3	3	35
ZZ89520		10	<1	0.08	10	0.45	620	1	0.01	20	770	10	0.05	<2	2	22
ZZ89521		10	<1	0.08	10	0.55	443	2	0.01	19	640	8	0.03	2	4	29
ZZ89522		<10	1	0.06	10	0.31	271	1	0.02	13	700	3	0.03	2	2	21
ZZ89523		<10	<1	0.09	10	0.46	414	2	0.01	22	750	6	0.02	<2	3	24
ZZ89524		10	<1	0.08	10	0.38	204	2	0.01	15	520	8	0.02	2	3	23
ZZ89525		<10	<1	0.07	10	0.28	244	1	0.02	12	610	5	0.04	<2	2	23
ZZ89526		10	<1	0.08	10	0.65	473	2	0.01	25	780	6	0.04	3	4	34
ZZ89527		10	1	0.09	20	0.72	547	1	0.01	26	760	9	0.03	3	5	27
ZZ89528		<10	<1	0.07	20	0.53	452	1	0.02	21	690	6	0.04	<2	4	30
ZZ89529		<10	<1	0.06	30	0.30	297	1	0.02	13	710	4	0.05	2	3	29
ZZ89530		<10	<1	0.08	20	0.51	355	1	0.02	19	620	4	0.03	<2	4	32
ZZ89531		<10	<1	0.05	20	0.27	186	<1	0.03	11	560	3	0.04	<2	3	29
ZZ89532		<10	<1	0.04	30	0.18	241	1	0.03	11	760	2	0.05	<2	3	37
ZZ89533		<10	1	0.09	20	0.50	745	1	0.02	23	900	6	0.05	2	3	31
ZZ89534		<10	<1	0.07	20	0.50	247	1	0.02	25	720	8	0.05	<2	3	31
ZZ89535		10	<1	0.11	10	0.32	191	<1	0.02	12	450	6	0.02	<2	2	17
ZZ89536		10	<1	0.21	20	0.58	334	<1	0.01	21	440	6	0.03	<2	4	35
ZZ89537		<10	<1	0.07	10	0.22	192	<1	0.03	8	440	3	0.04	<2	1	28
ZZ89538		<10	<1	0.09	20	0.34	290	<1	0.02	13	610	7	0.06	2	2	55
ZZ89539		<10	1	0.10	20	0.36	309	<1	0.02	14	660	7	0.06	2	2	50
ZZ89540		10	<1	0.22	20	0.48	390	<1	0.02	16	550	9	0.04	<2	3	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89501		<20	0.14	<10	<10	53	<10	66
ZZ89502		<20	0.11	<10	<10	97	<10	131
ZZ89503		<20	0.13	<10	<10	98	<10	114
ZZ89504		<20	0.05	<10	<10	70	<10	61
ZZ89505		<20	0.09	<10	<10	76	<10	128
ZZ89506		<20	0.12	<10	<10	82	<10	188
ZZ89507		<20	0.07	<10	<10	94	<10	118
ZZ89508		<20	0.10	<10	<10	62	<10	56
ZZ89509		<20	0.10	<10	<10	74	<10	71
ZZ89510		<20	0.13	<10	<10	58	<10	71
ZZ89511		<20	0.16	<10	<10	60	<10	74
ZZ89512		<20	0.14	<10	<10	68	<10	87
ZZ89513		<20	0.02	<10	<10	46	<10	103
ZZ89514		<20	0.01	<10	<10	38	<10	68
ZZ89515		<20	0.02	<10	<10	43	<10	68
ZZ89516		<20	0.03	<10	<10	42	<10	49
ZZ89517		<20	0.02	<10	<10	47	<10	58
ZZ89518		<20	0.02	<10	<10	48	<10	72
ZZ89519		<20	0.04	<10	<10	48	<10	66
ZZ89520		<20	0.05	<10	<10	57	<10	65
ZZ89521		<20	0.05	<10	<10	61	<10	55
ZZ89522		<20	0.04	<10	<10	38	<10	36
ZZ89523		<20	0.06	<10	<10	52	<10	60
ZZ89524		<20	0.07	<10	<10	71	<10	60
ZZ89525		<20	0.05	<10	<10	47	<10	40
ZZ89526		<20	0.06	<10	<10	70	<10	67
ZZ89527		<20	0.07	<10	<10	69	<10	66
ZZ89528		<20	0.06	<10	<10	62	<10	51
ZZ89529		<20	0.04	<10	<10	37	<10	32
ZZ89530		<20	0.07	<10	<10	56	<10	46
ZZ89531		<20	0.04	<10	<10	35	<10	27
ZZ89532		<20	0.04	<10	<10	38	<10	24
ZZ89533		<20	0.06	<10	<10	53	<10	58
ZZ89534		<20	0.07	<10	<10	48	<10	54
ZZ89535		<20	0.11	<10	<10	59	<10	42
ZZ89536		<20	0.11	<10	<10	47	<10	63
ZZ89537		<20	0.06	<10	<10	32	<10	32
ZZ89538		<20	0.06	<10	<10	35	<10	41
ZZ89539		<20	0.06	<10	<10	37	<10	48
ZZ89540		<20	0.10	<10	<10	47	<10	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89541		0.38	0.002	0.2	1.53	6	<10	120	0.5	<2	0.25	<0.5	8	23	18	2.19
ZZ89542		0.43	0.003	<0.2	1.88	9	<10	110	0.5	<2	0.22	<0.5	8	33	21	2.99
ZZ89543		0.32	0.002	<0.2	1.24	5	<10	80	<0.5	<2	0.14	<0.5	4	20	15	1.93
ZZ89544		0.33	0.002	<0.2	1.09	5	<10	60	<0.5	<2	0.13	<0.5	3	16	13	1.47
ZZ89545		0.31	0.003	<0.2	1.58	9	<10	90	0.5	<2	0.15	<0.5	5	22	23	2.10
ZZ89546		0.45	0.002	<0.2	1.28	8	<10	70	0.5	<2	0.15	<0.5	7	19	19	2.10
ZZ89547		0.42	0.003	<0.2	1.82	8	<10	120	0.6	<2	0.23	<0.5	9	29	23	2.99
ZZ89548		0.32	0.005	<0.2	2.08	8	<10	140	0.6	<2	0.27	<0.5	11	37	22	3.22
ZZ89549		0.40	0.004	<0.2	1.57	8	<10	130	<0.5	<2	0.25	<0.5	8	28	18	2.53
ZZ89550		0.38	0.003	0.3	1.85	9	<10	380	0.5	<2	0.54	<0.5	9	33	27	2.60
ZZ89551		0.52	0.003	0.4	2.10	20	<10	490	0.6	<2	0.24	1.2	12	48	47	3.53
ZZ89552		0.48	0.002	0.7	1.42	14	<10	800	0.5	<2	0.18	1.7	6	28	47	2.23
ZZ89553		0.39	0.003	0.9	1.54	25	<10	760	0.5	<2	0.37	0.8	9	31	45	2.52
ZZ89554		0.26	0.002	0.5	1.40	12	<10	410	0.5	<2	0.33	<0.5	5	16	23	1.71
ZZ89555		0.50	0.004	<0.2	2.19	18	<10	240	0.8	<2	1.03	<0.5	18	40	63	3.66
ZZ89556		0.49	0.003	<0.2	1.82	19	<10	270	0.6	<2	0.72	<0.5	13	41	34	2.98
ZZ89557		0.53	0.161	<0.2	2.13	13	<10	230	0.5	<2	0.60	<0.5	13	53	34	3.04
ZZ89558		0.55	0.006	<0.2	1.53	11	<10	160	<0.5	<2	0.47	<0.5	12	31	25	2.51
ZZ89559		0.47	0.002	<0.2	0.94	2	<10	90	<0.5	<2	0.29	<0.5	10	17	27	1.44
ZZ89560		0.42	0.006	<0.2	2.23	10	<10	190	0.5	<2	1.14	<0.5	17	52	40	3.67
ZZ89561		0.40	0.005	<0.2	1.92	17	<10	180	<0.5	<2	0.89	<0.5	14	42	27	3.20
ZZ89562		0.30	0.003	<0.2	1.63	11	<10	260	<0.5	<2	0.37	<0.5	9	39	28	2.41
ZZ89563		0.41	0.002	<0.2	1.76	13	<10	190	<0.5	<2	0.48	<0.5	11	42	26	2.72
ZZ89564		0.45	0.003	<0.2	1.74	12	<10	220	<0.5	<2	0.60	<0.5	11	34	27	2.60
ZZ89565		0.46	0.004	<0.2	1.72	16	<10	200	<0.5	<2	0.37	<0.5	10	34	28	2.61
ZZ89566		0.41	0.003	<0.2	2.05	8	<10	190	<0.5	<2	0.43	<0.5	11	44	29	3.03
ZZ89567		0.42	0.005	<0.2	1.89	10	<10	160	<0.5	<2	0.34	<0.5	10	34	23	2.62
ZZ89568		0.42	0.001	<0.2	1.64	9	<10	130	<0.5	<2	0.46	<0.5	11	36	21	2.38
ZZ89569		0.46	0.001	<0.2	1.67	7	<10	140	<0.5	<2	0.26	<0.5	9	27	19	2.35
ZZ89570		0.35	0.003	<0.2	0.84	5	<10	80	<0.5	<2	0.17	<0.5	6	12	11	1.60
ZZ89571		0.49	0.004	<0.2	1.93	15	<10	170	<0.5	<2	0.35	<0.5	10	35	28	2.80
ZZ89572		0.48	0.004	<0.2	1.77	19	<10	190	<0.5	<2	0.50	<0.5	11	37	33	2.61
ZZ89573		0.49	0.002	<0.2	1.69	10	<10	150	<0.5	<2	0.45	<0.5	9	32	31	2.69
ZZ89574		0.46	0.002	<0.2	2.12	33	<10	270	0.6	<2	0.66	<0.5	15	44	37	3.14
ZZ89575		0.41	0.003	0.2	1.61	14	<10	210	<0.5	<2	1.41	<0.5	11	31	53	2.32
ZZ89576		0.44	0.002	<0.2	1.64	10	<10	160	<0.5	<2	0.52	<0.5	10	40	28	2.69
ZZ89577		0.41	0.002	<0.2	1.83	10	<10	190	<0.5	<2	0.69	<0.5	13	42	37	2.87
ZZ89578		0.51	0.003	<0.2	1.80	26	<10	230	0.5	<2	0.64	<0.5	12	41	38	2.66
ZZ89579		0.51	0.004	<0.2	1.70	41	<10	250	<0.5	<2	0.60	<0.5	12	50	36	2.60
ZZ89580		0.55	0.003	<0.2	1.77	11	<10	200	<0.5	<2	0.73	<0.5	11	39	32	2.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89541		10	<1	0.14	10	0.39	325	<1	0.02	13	530	9	0.04	<2	2	21
ZZ89542		10	<1	0.25	20	0.58	237	<1	0.01	19	610	9	0.03	<2	3	17
ZZ89543		<10	<1	0.13	10	0.32	129	<1	0.02	11	360	6	0.03	<2	2	14
ZZ89544		<10	1	0.08	10	0.24	106	<1	0.02	8	400	5	0.03	<2	1	13
ZZ89545		10	<1	0.11	10	0.32	180	<1	0.02	13	530	6	0.04	<2	2	16
ZZ89546		<10	<1	0.14	10	0.28	262	<1	0.02	12	530	8	0.04	<2	2	15
ZZ89547		10	<1	0.15	30	0.48	278	<1	0.01	19	440	10	0.02	<2	3	21
ZZ89548		10	<1	0.26	20	0.67	354	<1	0.01	23	550	8	0.02	<2	5	18
ZZ89549		10	<1	0.16	10	0.50	254	<1	0.02	16	440	4	0.02	<2	3	18
ZZ89550		10	1	0.11	20	0.54	326	1	0.01	21	800	9	0.05	<2	4	47
ZZ89551		10	<1	0.12	10	0.63	515	4	0.01	42	680	38	0.03	<2	5	22
ZZ89552		10	<1	0.08	10	0.29	216	2	0.02	29	750	9	0.04	<2	2	20
ZZ89553		10	<1	0.07	10	0.32	479	2	0.02	25	490	9	0.02	<2	3	29
ZZ89554		<10	1	0.06	20	0.16	325	1	0.03	14	970	6	0.08	<2	2	36
ZZ89555		10	<1	0.09	20	0.94	525	<1	0.02	30	1840	8	0.05	2	10	74
ZZ89556		10	<1	0.09	20	0.70	583	1	0.01	26	810	7	0.03	2	5	50
ZZ89557		10	<1	0.09	10	0.84	485	<1	0.01	30	830	7	0.01	<2	7	38
ZZ89558		<10	1	0.06	10	0.58	405	<1	0.02	17	790	4	<0.01	<2	5	28
ZZ89559		<10	<1	0.04	10	0.24	381	<1	0.03	11	610	3	0.02	<2	2	21
ZZ89560		10	<1	0.17	20	0.83	576	<1	0.02	33	880	5	0.01	<2	7	85
ZZ89561		10	<1	0.34	20	0.85	364	<1	0.03	28	1130	4	<0.01	<2	6	56
ZZ89562		10	<1	0.10	20	0.62	308	<1	0.01	25	430	4	<0.01	2	5	27
ZZ89563		10	<1	0.12	10	0.71	348	<1	0.01	24	520	4	<0.01	<2	5	36
ZZ89564		10	<1	0.08	10	0.59	397	<1	0.02	21	740	5	<0.01	<2	5	38
ZZ89565		10	<1	0.08	10	0.56	353	<1	0.02	19	440	5	<0.01	<2	5	30
ZZ89566		10	<1	0.15	10	0.80	391	<1	0.02	24	820	4	<0.01	<2	5	31
ZZ89567		10	<1	0.08	10	0.58	391	<1	0.02	19	560	5	<0.01	<2	4	26
ZZ89568		10	<1	0.08	10	0.59	340	<1	0.02	20	560	4	<0.01	<2	3	27
ZZ89569		10	<1	0.07	10	0.48	299	<1	0.01	14	440	6	<0.01	<2	3	20
ZZ89570		<10	<1	0.05	<10	0.18	173	<1	0.03	7	540	<2	<0.01	<2	2	12
ZZ89571		10	<1	0.09	10	0.66	329	<1	0.01	22	510	5	<0.01	<2	4	24
ZZ89572		10	<1	0.07	20	0.66	326	<1	0.01	21	590	6	<0.01	2	5	32
ZZ89573		10	<1	0.09	10	0.47	259	1	0.01	15	360	6	<0.01	2	3	34
ZZ89574		10	<1	0.08	20	0.76	505	<1	0.02	27	520	6	0.01	<2	6	48
ZZ89575		10	<1	0.05	10	0.50	755	1	0.02	24	1050	5	0.07	<2	3	85
ZZ89576		10	<1	0.12	10	0.78	352	<1	0.02	25	800	5	<0.01	2	5	30
ZZ89577		10	<1	0.07	20	0.72	385	1	0.02	27	720	5	0.02	<2	5	45
ZZ89578		10	<1	0.08	20	0.69	346	1	0.02	29	860	5	0.01	2	6	43
ZZ89579		10	<1	0.07	10	0.74	408	1	0.02	32	770	5	0.01	2	6	42
ZZ89580		10	1	0.07	20	0.68	251	1	0.02	24	1130	6	0.01	<2	6	47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89541		<20	0.07	<10	<10	41	<10	47
ZZ89542		<20	0.12	<10	<10	53	<10	63
ZZ89543		<20	0.08	<10	<10	38	<10	34
ZZ89544		<20	0.06	<10	<10	31	<10	30
ZZ89545		<20	0.07	<10	<10	42	<10	38
ZZ89546		<20	0.07	<10	<10	38	<10	39
ZZ89547		<20	0.09	<10	<10	50	<10	55
ZZ89548		<20	0.14	<10	<10	56	<10	65
ZZ89549		<20	0.12	<10	<10	52	<10	54
ZZ89550		<20	0.09	<10	<10	50	<10	82
ZZ89551		<20	0.10	<10	<10	109	<10	244
ZZ89552		<20	0.06	<10	<10	73	<10	149
ZZ89553		<20	0.05	<10	<10	83	<10	96
ZZ89554		<20	0.03	<10	<10	31	<10	45
ZZ89555		<20	0.07	<10	<10	112	<10	70
ZZ89556		<20	0.06	<10	<10	62	<10	78
ZZ89557		<20	0.08	<10	<10	77	<10	83
ZZ89558		<20	0.11	<10	<10	60	<10	55
ZZ89559		<20	0.05	<10	<10	35	<10	28
ZZ89560		<20	0.16	<10	<10	82	<10	74
ZZ89561		<20	0.16	<10	<10	68	<10	62
ZZ89562		<20	0.11	<10	<10	60	<10	48
ZZ89563		<20	0.14	<10	<10	70	<10	57
ZZ89564		<20	0.10	<10	<10	59	<10	48
ZZ89565		<20	0.09	<10	<10	62	<10	48
ZZ89566		<20	0.15	<10	<10	81	<10	65
ZZ89567		<20	0.09	<10	<10	63	<10	49
ZZ89568		<20	0.11	<10	<10	60	<10	45
ZZ89569		<20	0.09	<10	<10	60	<10	45
ZZ89570		<20	0.07	<10	<10	47	<10	26
ZZ89571		<20	0.11	<10	<10	64	<10	54
ZZ89572		<20	0.09	<10	<10	61	<10	49
ZZ89573		<20	0.12	<10	<10	73	<10	43
ZZ89574		<20	0.11	<10	<10	71	<10	57
ZZ89575		<20	0.06	<10	<10	50	<10	40
ZZ89576		<20	0.14	<10	<10	70	<10	59
ZZ89577		<20	0.11	<10	<10	68	<10	53
ZZ89578		<20	0.11	<10	<10	65	<10	58
ZZ89579		<20	0.10	<10	<10	74	<10	61
ZZ89580		<20	0.08	<10	<10	69	<10	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89581		0.46	0.002	0.2	1.78	8	<10	470	<0.5	<2	0.58	<0.5	11	37	27	2.50
ZZ89582		0.51	0.003	0.3	1.78	19	<10	520	0.6	<2	0.52	<0.5	12	36	34	2.79
ZZ89583		0.47	0.004	0.2	1.76	13	<10	670	0.5	<2	0.50	<0.5	10	40	34	2.69
ZZ89584		0.42	0.003	0.4	1.85	10	<10	510	0.6	<2	0.43	<0.5	9	34	38	2.68
ZZ89585		0.46	0.005	0.3	1.88	9	<10	620	<0.5	<2	0.43	<0.5	10	35	29	2.70
ZZ89586		0.43	0.002	0.2	1.56	7	<10	320	<0.5	<2	0.40	<0.5	7	27	25	2.21
ZZ89587		0.45	0.001	0.3	1.55	5	<10	410	<0.5	<2	0.35	<0.5	8	26	26	2.16
ZZ89588		0.33	0.002	<0.2	1.68	7	<10	180	0.5	<2	0.27	<0.5	9	24	25	2.16
ZZ89589		0.39	0.006	<0.2	1.56	7	<10	130	<0.5	<2	0.27	<0.5	9	29	21	2.68
ZZ89590		0.44	0.002	<0.2	1.78	5	<10	150	0.5	<2	0.57	<0.5	9	27	22	2.35
ZZ89591		0.37	0.002	<0.2	1.72	30	<10	120	0.6	<2	0.36	<0.5	11	38	23	3.11
ZZ89592		0.41	0.002	<0.2	1.65	11	<10	120	0.5	<2	0.36	<0.5	10	31	23	2.72
ZZ89593		0.44	0.002	<0.2	2.01	16	<10	120	0.7	<2	0.31	<0.5	11	37	22	2.95
ZZ89594		0.56	0.002	<0.2	1.94	9	<10	110	0.6	<2	0.30	<0.5	9	36	21	2.88
ZZ89595		0.42	0.005	<0.2	1.91	10	<10	90	0.6	<2	0.26	<0.5	10	36	21	2.68
ZZ89596		0.71	0.002	<0.2	1.91	10	<10	110	0.5	2	0.32	<0.5	10	37	19	2.62
ZZ89597		0.44	0.002	<0.2	1.86	8	<10	100	0.5	2	0.31	<0.5	8	34	14	2.49
ZZ89598		0.45	0.002	<0.2	1.88	14	<10	90	0.5	<2	0.30	<0.5	9	36	18	2.65
ZZ89599		0.50	0.003	0.6	1.65	58	<10	300	1.0	<2	0.20	1.2	16	50	77	4.43
ZZ89600		0.41	0.006	0.4	1.21	43	<10	130	0.6	<2	0.20	<0.5	9	29	41	3.27
ZZ89601		0.35	0.025	0.2	0.75	96	<10	60	0.8	<2	0.26	<0.5	9	18	29	4.14
ZZ89602		0.53	0.004	<0.2	2.18	12	<10	120	0.6	<2	0.28	<0.5	12	42	19	2.73
ZZ89603		0.48	0.001	<0.2	1.46	13	<10	70	0.6	<2	0.36	<0.5	10	28	19	3.01
ZZ89604		0.51	0.001	<0.2	1.56	20	<10	100	0.7	<2	0.46	<0.5	13	33	32	3.37
ZZ89605		0.41	0.002	<0.2	1.94	116	<10	90	0.9	<2	0.33	<0.5	21	47	44	4.35
ZZ89606		0.39	0.002	<0.2	1.36	13	<10	70	<0.5	<2	0.22	<0.5	7	26	15	2.35
ZZ89607		0.44	0.002	<0.2	1.34	13	<10	70	0.5	<2	0.28	<0.5	10	28	19	2.52
ZZ89608		0.40	0.002	<0.2	1.58	13	<10	100	0.5	<2	0.21	<0.5	10	27	21	2.80
ZZ89609		0.28	0.002	<0.2	1.24	13	<10	60	<0.5	<2	0.19	<0.5	8	21	22	2.35
ZZ89610		0.42	0.005	0.2	1.83	41	<10	100	0.6	<2	0.21	<0.5	14	32	22	3.46
ZZ89611		0.62	0.009	0.2	1.97	36	<10	110	0.6	<2	0.24	<0.5	13	38	30	3.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89581		10	1	0.09	10	0.60	305	1	0.01	24	980	12	0.01	<2	5	40
ZZ89582		10	1	0.11	20	0.53	388	1	0.01	27	850	15	0.02	3	5	40
ZZ89583		10	<1	0.19	20	0.61	329	1	0.01	28	860	9	0.01	<2	5	39
ZZ89584		10	<1	0.13	20	0.52	306	1	0.02	25	910	10	0.03	<2	5	35
ZZ89585		10	1	0.16	20	0.59	298	<1	0.02	25	740	9	0.01	<2	4	34
ZZ89586		<10	<1	0.14	20	0.43	253	1	0.02	19	640	5	0.02	<2	3	33
ZZ89587		10	1	0.15	20	0.44	268	1	0.02	19	700	6	0.01	<2	3	27
ZZ89588		10	<1	0.12	20	0.36	343	<1	0.02	17	610	7	0.02	2	3	25
ZZ89589		10	<1	0.19	20	0.52	268	<1	0.01	19	580	7	<0.01	<2	3	20
ZZ89590		10	1	0.19	20	0.47	381	<1	0.02	17	650	7	0.03	<2	3	36
ZZ89591		10	<1	0.17	20	0.61	448	<1	0.01	28	640	11	0.03	2	3	31
ZZ89592		10	<1	0.13	20	0.48	411	1	0.02	19	690	7	0.04	2	3	33
ZZ89593		10	<1	0.13	20	0.67	308	<1	0.01	23	590	10	0.02	2	4	26
ZZ89594		10	<1	0.16	20	0.67	254	<1	0.01	23	580	10	0.02	4	4	28
ZZ89595		10	<1	0.14	20	0.67	256	<1	0.01	20	610	10	0.03	2	4	22
ZZ89596		10	<1	0.12	20	0.66	243	<1	0.01	23	610	9	0.02	2	4	20
ZZ89597		10	<1	0.11	20	0.63	190	<1	0.01	22	650	9	0.02	2	4	22
ZZ89598		10	<1	0.11	20	0.63	232	<1	0.01	21	760	11	0.03	<2	4	22
ZZ89599		<10	<1	0.40	40	0.63	526	4	0.02	60	1120	12	0.46	10	5	200
ZZ89600		<10	<1	0.19	20	0.36	263	3	0.01	25	1130	14	0.25	3	2	86
ZZ89601		<10	<1	0.10	60	0.15	599	1	<0.01	14	580	16	0.03	<2	3	24
ZZ89602		10	<1	0.15	20	0.81	375	<1	0.01	27	640	10	0.02	<2	4	22
ZZ89603		10	<1	0.13	20	0.56	341	<1	0.01	21	740	8	0.03	2	3	27
ZZ89604		<10	<1	0.11	20	0.63	520	<1	0.01	30	690	12	0.02	2	4	34
ZZ89605		10	<1	0.17	30	0.79	656	1	0.01	42	870	13	0.04	2	5	35
ZZ89606		<10	<1	0.08	10	0.45	240	<1	0.01	16	590	7	0.02	<2	2	18
ZZ89607		<10	<1	0.13	20	0.47	346	<1	0.01	21	720	6	0.01	<2	3	20
ZZ89608		10	<1	0.14	20	0.47	322	<1	0.01	21	530	9	0.02	<2	3	19
ZZ89609		<10	<1	0.08	20	0.33	255	<1	0.01	15	700	6	0.05	<2	2	16
ZZ89610		10	<1	0.18	20	0.50	531	<1	0.01	21	720	13	0.04	3	3	21
ZZ89611		10	<1	0.18	20	0.60	410	1	0.01	25	770	9	0.04	3	4	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153544

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89581		<20	0.08	<10	<10	66	<10	104
ZZ89582		<20	0.08	<10	<10	62	<10	126
ZZ89583		<20	0.11	<10	<10	64	<10	108
ZZ89584		<20	0.09	<10	<10	61	<10	87
ZZ89585		<20	0.12	<10	<10	58	<10	80
ZZ89586		<20	0.09	<10	<10	48	<10	58
ZZ89587		<20	0.09	<10	<10	48	<10	58
ZZ89588		<20	0.08	<10	<10	49	<10	47
ZZ89589		<20	0.12	<10	<10	62	<10	65
ZZ89590		<20	0.09	<10	<10	46	<10	54
ZZ89591		<20	0.10	<10	<10	52	<10	67
ZZ89592		<20	0.09	<10	<10	53	<10	54
ZZ89593		<20	0.10	<10	<10	51	<10	64
ZZ89594		<20	0.11	<10	<10	51	<10	63
ZZ89595		<20	0.10	<10	<10	49	<10	56
ZZ89596		<20	0.11	<10	<10	53	<10	60
ZZ89597		<20	0.08	<10	<10	43	<10	58
ZZ89598		<20	0.08	<10	<10	44	<10	64
ZZ89599		<20	0.07	<10	<10	73	<10	191
ZZ89600		<20	0.04	<10	<10	56	<10	94
ZZ89601		20	0.01	<10	<10	29	<10	57
ZZ89602		<20	0.11	<10	<10	45	<10	66
ZZ89603		<20	0.10	<10	<10	64	<10	60
ZZ89604		<20	0.08	<10	<10	49	<10	74
ZZ89605		<20	0.09	<10	<10	59	<10	84
ZZ89606		<20	0.08	<10	<10	47	<10	47
ZZ89607		<20	0.08	<10	<10	47	<10	52
ZZ89608		<20	0.08	<10	<10	45	<10	58
ZZ89609		<20	0.07	<10	<10	48	<10	42
ZZ89610		<20	0.07	<10	<10	49	<10	61
ZZ89611		<20	0.09	<10	<10	61	<10	80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 8-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13153544

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE WH13153545

Project: CCC

P.O. No.:

This report is for 219 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73753		0.35	0.006	<0.2	1.69	7	<10	70	0.6	<2	0.18	<0.5	11	29	21	2.84
ZZ73754		0.22	0.007	<0.2	1.73	11	<10	40	<0.5	<2	0.09	<0.5	8	31	20	3.08
ZZ73755		0.28	0.002	<0.2	2.36	10	<10	60	0.6	2	0.12	<0.5	15	36	26	3.38
ZZ73756		0.26	0.003	<0.2	1.98	9	<10	60	<0.5	<2	0.11	<0.5	11	33	24	3.10
ZZ73757		0.30	0.002	<0.2	1.93	6	<10	50	0.5	<2	0.13	<0.5	10	31	20	2.59
ZZ73758		0.22	0.002	<0.2	1.74	4	<10	70	0.6	<2	0.17	<0.5	10	28	18	2.40
ZZ73759		0.24	0.002	0.2	1.86	5	<10	70	0.5	<2	0.16	<0.5	8	30	18	2.65
ZZ73760		0.19	0.002	<0.2	2.01	12	<10	260	<0.5	<2	0.16	<0.5	9	35	29	3.03
ZZ73761		0.23	0.002	<0.2	1.87	10	<10	410	0.6	<2	0.08	<0.5	11	35	38	3.55
ZZ73762		0.23	0.001	<0.2	2.26	10	<10	70	0.6	<2	0.11	<0.5	16	36	26	3.52
ZZ73763		0.25	0.002	<0.2	1.94	64	<10	50	0.6	<2	0.03	<0.5	14	26	23	3.35
ZZ73764		0.22	0.004	<0.2	2.15	17	<10	50	0.5	<2	0.09	<0.5	10	35	22	3.59
ZZ73765		0.18	0.003	<0.2	2.22	7	<10	100	0.8	<2	0.21	<0.5	18	77	31	3.62
ZZ73766		0.20	0.004	<0.2	1.96	11	<10	90	0.5	<2	0.19	<0.5	11	41	22	3.44
ZZ73767		0.18	0.002	0.3	2.04	15	<10	210	<0.5	<2	0.15	<0.5	9	37	24	3.39
ZZ73768		0.20	0.004	0.3	2.33	29	<10	170	<0.5	<2	0.15	<0.5	11	36	27	3.03
ZZ73769		0.18	0.005	<0.2	1.78	14	<10	120	<0.5	<2	0.11	<0.5	8	36	25	3.83
ZZ73770		0.19	0.005	<0.2	1.89	12	<10	80	<0.5	<2	0.14	<0.5	8	33	22	2.79
ZZ73771		0.19	0.001	<0.2	1.89	16	<10	280	<0.5	<2	0.28	<0.5	19	61	56	3.54
ZZ73772		0.19	0.004	<0.2	2.35	12	<10	110	<0.5	<2	0.22	<0.5	15	45	31	2.85
ZZ73773		0.23	0.003	0.3	1.75	21	<10	160	0.7	<2	0.11	<0.5	15	44	41	4.11
ZZ73774		0.24	0.011	<0.2	2.22	16	<10	140	0.6	2	0.18	<0.5	13	52	25	3.64
ZZ73775		0.21	0.005	<0.2	1.59	22	<10	80	0.6	<2	0.25	<0.5	13	37	20	3.42
ZZ73776		0.27	0.002	<0.2	1.48	20	<10	120	0.6	2	0.13	<0.5	10	22	19	3.48
ZZ73777		0.29	0.002	0.2	0.92	9	<10	180	0.5	<2	0.36	<0.5	7	14	16	1.99
ZZ73778		0.31	0.011	0.2	2.09	107	<10	170	0.7	<2	0.26	<0.5	12	35	27	3.51
ZZ73779		0.44	0.008	0.2	1.88	79	<10	180	0.9	2	0.23	<0.5	13	35	36	3.53
ZZ73780		0.32	0.008	<0.2	1.60	48	<10	50	<0.5	<2	0.20	<0.5	9	25	18	2.34
ZZ73781		0.22	0.006	<0.2	1.59	71	<10	70	<0.5	<2	0.15	<0.5	6	30	21	2.86
ZZ73782		0.26	0.010	<0.2	2.04	171	<10	120	0.6	<2	0.22	<0.5	13	33	28	3.30
ZZ73783		0.25	0.006	0.2	1.32	129	<10	100	0.5	<2	0.23	<0.5	8	24	18	2.37
ZZ73784		0.23	0.003	0.2	0.66	83	<10	70	<0.5	<2	0.30	<0.5	8	17	20	2.62
ZZ73785		0.24	0.009	0.3	0.95	44	<10	150	<0.5	2	0.17	<0.5	6	16	28	1.82
ZZ73786		0.23	0.006	0.2	1.05	37	<10	100	<0.5	2	0.16	<0.5	5	20	26	2.33
ZZ73787		0.25	0.016	0.6	1.26	39	<10	280	0.8	<2	0.36	<0.5	11	23	29	2.67
ZZ73788		0.35	0.005	0.4	1.83	18	<10	130	0.9	<2	0.21	<0.5	8	34	28	3.07
ZZ73789		0.27	0.003	<0.2	1.43	18	<10	120	<0.5	<2	0.23	<0.5	9	24	22	2.73
ZZ73790		0.25	0.003	<0.2	0.80	60	<10	220	1.3	<2	0.46	<0.5	20	22	52	4.20
ZZ73791		0.20	0.002	<0.2	2.67	17	<10	190	1.2	<2	0.26	<0.5	17	35	39	3.92
ZZ73792		0.32	0.016	0.2	0.74	318	<10	210	0.8	<2	0.13	<0.5	13	16	50	4.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73753		10	<1	0.17	20	0.50	312	1	0.01	22	630	12	0.02	<2	3	13
ZZ73754		10	<1	0.08	10	0.43	296	2	0.01	18	390	10	0.04	<2	2	10
ZZ73755		10	<1	0.21	10	0.64	391	1	0.01	27	400	12	0.03	<2	4	11
ZZ73756		10	<1	0.15	10	0.59	337	1	0.01	21	310	8	0.03	<2	3	12
ZZ73757		10	<1	0.11	10	0.51	287	1	0.01	20	350	8	0.03	<2	3	12
ZZ73758		10	<1	0.09	10	0.47	257	<1	0.01	20	330	7	0.04	<2	3	16
ZZ73759		10	<1	0.08	10	0.46	214	1	0.01	19	360	10	0.03	<2	3	15
ZZ73760		10	<1	0.07	10	0.52	272	2	0.01	24	520	9	0.06	2	2	18
ZZ73761		10	<1	0.09	20	0.48	343	2	0.01	29	530	14	0.10	<2	2	24
ZZ73762		10	<1	0.09	10	0.61	511	1	0.01	35	470	13	0.04	2	3	11
ZZ73763		10	<1	0.08	20	0.50	479	2	<0.01	27	330	24	0.03	5	3	9
ZZ73764		10	<1	0.07	10	0.58	449	2	0.01	22	490	13	0.04	2	2	10
ZZ73765		10	<1	0.17	20	1.02	436	1	0.01	43	540	9	0.03	2	5	17
ZZ73766		10	<1	0.11	10	0.60	346	1	0.01	22	490	9	0.04	<2	4	18
ZZ73767		10	<1	0.08	10	0.52	269	2	0.01	23	340	9	0.04	<2	4	20
ZZ73768		10	<1	0.09	10	0.55	263	2	0.01	26	450	7	0.06	5	3	24
ZZ73769		10	<1	0.07	10	0.47	264	2	0.01	17	470	9	0.05	3	3	15
ZZ73770		10	<1	0.06	10	0.42	256	2	0.01	17	430	8	0.04	2	3	18
ZZ73771		10	<1	0.11	10	0.67	487	1	0.01	34	1120	6	0.05	<2	4	30
ZZ73772		10	<1	0.10	10	0.68	401	<1	0.01	33	640	7	0.03	<2	4	19
ZZ73773		10	<1	0.10	10	0.43	386	3	<0.01	40	710	10	0.07	2	4	39
ZZ73774		10	<1	0.13	10	0.72	369	1	0.01	31	480	8	0.04	<2	4	19
ZZ73775		10	<1	0.06	10	0.61	437	1	0.01	19	570	5	0.04	2	5	21
ZZ73776		10	<1	0.08	10	0.31	307	2	0.01	14	480	12	0.03	2	3	13
ZZ73777		<10	<1	0.07	20	0.21	217	1	0.01	10	1040	10	0.03	2	2	28
ZZ73778		10	<1	0.10	20	0.44	563	2	0.01	25	840	12	0.03	2	4	27
ZZ73779		10	<1	0.12	40	0.48	505	2	0.01	29	930	12	0.03	3	6	32
ZZ73780		<10	<1	0.06	10	0.35	269	1	0.01	17	620	7	0.03	2	2	14
ZZ73781		10	<1	0.06	10	0.34	196	1	0.01	16	490	9	0.05	2	2	16
ZZ73782		10	1	0.10	10	0.48	366	<1	0.01	27	590	13	0.04	<2	3	22
ZZ73783		<10	1	0.08	10	0.33	234	1	0.01	20	750	12	0.04	<2	2	18
ZZ73784		<10	<1	0.05	10	0.17	226	<1	0.01	19	1220	21	0.02	<2	2	21
ZZ73785		<10	<1	0.05	10	0.14	605	1	0.01	11	620	8	0.06	<2	1	19
ZZ73786		10	<1	0.11	10	0.16	216	1	<0.01	13	540	13	0.05	<2	1	20
ZZ73787		<10	<1	0.11	50	0.21	295	1	0.01	22	920	16	0.08	<2	4	51
ZZ73788		10	1	0.09	30	0.60	188	<1	0.01	27	410	14	0.02	<2	5	20
ZZ73789		<10	<1	0.10	10	0.34	279	1	0.01	20	830	10	0.04	<2	2	27
ZZ73790		<10	<1	0.18	50	0.11	523	1	<0.01	54	970	25	0.17	3	5	60
ZZ73791		10	1	0.09	30	0.47	555	<1	0.01	35	560	19	0.04	<2	5	28
ZZ73792		<10	<1	0.30	70	0.12	202	3	0.01	36	1040	29	0.52	8	4	176

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73753		<20	0.10	<10	<10	46	<10	58
ZZ73754		<20	0.09	<10	<10	66	<10	54
ZZ73755		<20	0.12	<10	<10	58	<10	68
ZZ73756		<20	0.13	<10	<10	62	<10	60
ZZ73757		<20	0.10	<10	<10	53	<10	55
ZZ73758		<20	0.10	<10	<10	49	<10	48
ZZ73759		<20	0.11	<10	<10	60	<10	49
ZZ73760		<20	0.08	<10	<10	71	<10	69
ZZ73761		<20	0.06	<10	<10	71	<10	129
ZZ73762		<20	0.07	<10	<10	57	<10	122
ZZ73763		<20	0.02	<10	<10	40	<10	133
ZZ73764		<20	0.06	<10	<10	67	<10	97
ZZ73765		<20	0.15	<10	<10	80	<10	65
ZZ73766		<20	0.11	<10	<10	75	<10	55
ZZ73767		<20	0.11	<10	<10	81	<10	65
ZZ73768		<20	0.10	<10	<10	69	<10	57
ZZ73769		<20	0.12	<10	<10	94	<10	52
ZZ73770		<20	0.10	<10	<10	70	<10	48
ZZ73771		<20	0.09	<10	<10	101	<10	66
ZZ73772		<20	0.10	<10	<10	68	<10	60
ZZ73773		<20	0.02	<10	<10	62	<10	91
ZZ73774		<20	0.07	<10	<10	69	<10	70
ZZ73775		<20	0.04	<10	<10	74	<10	49
ZZ73776		<20	0.03	<10	<10	58	<10	62
ZZ73777		<20	0.02	<10	<10	33	<10	56
ZZ73778		<20	0.03	<10	<10	58	<10	74
ZZ73779		<20	0.04	<10	<10	50	<10	69
ZZ73780		<20	0.07	<10	<10	49	<10	39
ZZ73781		<20	0.07	<10	<10	69	<10	47
ZZ73782		<20	0.08	<10	<10	63	<10	61
ZZ73783		<20	0.05	<10	<10	43	<10	47
ZZ73784		<20	0.03	<10	<10	38	<10	46
ZZ73785		<20	0.04	<10	<10	51	<10	39
ZZ73786		<20	0.04	<10	<10	61	<10	39
ZZ73787		<20	0.01	<10	<10	38	<10	47
ZZ73788		<20	0.05	<10	<10	50	<10	63
ZZ73789		<20	0.03	<10	<10	48	<10	52
ZZ73790		20	0.01	<10	<10	31	<10	109
ZZ73791		<20	0.02	<10	<10	57	<10	60
ZZ73792		20	0.01	<10	<10	26	<10	72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73793		0.24	0.008	<0.2	1.59	72	<10	120	1.0	2	0.24	<0.5	13	37	46	3.71
ZZ73794		0.29	0.019	<0.2	1.37	489	<10	130	1.0	2	0.39	<0.5	22	53	48	4.65
ZZ73795		0.26	0.019	0.2	1.52	438	<10	170	0.8	2	0.33	<0.5	15	43	39	3.84
ZZ73796		0.36	0.006	<0.2	1.89	47	<10	180	0.6	<2	0.34	<0.5	12	45	38	2.90
ZZ73797		0.30	0.021	0.2	1.45	114	<10	130	0.6	<2	0.35	<0.5	12	30	29	2.70
ZZ73798		0.30	0.007	<0.2	1.81	105	<10	160	0.6	2	0.47	<0.5	11	34	26	2.94
ZZ73799		0.31	0.007	<0.2	2.36	37	<10	120	0.6	<2	0.31	<0.5	8	36	21	2.81
ZZ73800		0.33	0.008	<0.2	2.11	126	<10	180	0.8	2	0.45	<0.5	14	40	35	3.73
ZZ73801		0.34	0.002	<0.2	1.95	15	<10	130	0.5	3	0.29	<0.5	9	36	21	3.12
ZZ73802		0.28	0.002	<0.2	1.96	14	<10	110	<0.5	<2	0.27	<0.5	9	35	19	3.24
ZZ73803		0.22	0.002	<0.2	1.88	9	<10	100	<0.5	<2	0.20	<0.5	9	33	17	3.08
ZZ73804		0.32	0.002	<0.2	1.79	13	<10	100	0.5	<2	0.19	<0.5	9	28	19	2.68
ZZ73805		0.20	0.002	0.3	1.43	9	<10	100	<0.5	2	0.17	<0.5	6	20	21	1.93
ZZ73806		0.27	0.001	<0.2	1.48	10	<10	100	<0.5	<2	0.20	<0.5	6	25	15	2.17
ZZ73807		0.36	0.003	<0.2	2.08	12	<10	140	0.6	<2	0.20	<0.5	14	38	29	3.48
ZZ73808		0.26	0.003	<0.2	2.30	12	<10	180	0.6	<2	0.28	<0.5	12	41	32	3.52
ZZ73809		0.38	0.005	0.3	1.95	11	<10	120	<0.5	<2	0.22	<0.5	7	36	27	2.34
ZZ73810		0.18	0.003	0.2	1.01	6	<10	90	<0.5	2	0.16	<0.5	4	20	19	1.61
ZZ73811		0.35	0.004	0.2	1.96	16	<10	110	0.6	2	0.33	<0.5	13	41	24	2.99
ZZ73812		0.34	0.003	<0.2	2.21	14	<10	160	0.5	<2	0.37	<0.5	9	39	20	2.94
ZZ73813		0.39	0.002	<0.2	2.05	47	<10	170	0.5	2	0.36	<0.5	11	35	20	3.27
ZZ73814		0.31	0.004	0.2	2.20	14	<10	150	0.5	<2	0.28	<0.5	10	40	22	3.13
ZZ73815		0.32	0.005	<0.2	2.15	10	<10	120	0.5	2	0.32	<0.5	10	40	20	2.96
ZZ73816		0.50	0.003	<0.2	2.32	15	<10	160	0.6	2	0.41	<0.5	12	43	23	3.36
ZZ73817		0.40	0.007	<0.2	2.13	21	<10	130	0.6	<2	0.28	<0.5	12	38	22	3.52
ZZ73818		0.43	0.003	<0.2	1.87	16	<10	90	0.6	<2	0.32	<0.5	9	39	21	2.85
ZZ73819		0.29	0.006	<0.2	1.74	32	<10	100	0.6	<2	0.30	<0.5	12	44	37	3.33
ZZ73820		0.22	0.006	0.6	2.51	19	<10	160	0.6	<2	0.29	<0.5	21	50	37	3.83
ZZ73821		0.24	0.006	<0.2	2.25	25	<10	150	0.7	<2	0.29	0.5	14	43	37	3.99
ZZ73822		0.28	0.005	0.2	2.17	20	<10	140	0.8	<2	0.33	0.7	15	57	44	3.69
ZZ73823		0.27	0.006	<0.2	1.32	3	<10	80	<0.5	<2	0.26	<0.5	7	27	18	2.09
ZZ73824		0.33	0.002	<0.2	1.65	7	<10	80	<0.5	<2	0.22	<0.5	8	30	18	2.18
ZZ73825		0.34	0.005	<0.2	1.14	3	<10	60	<0.5	<2	0.29	<0.5	6	23	10	1.98
ZZ73826		0.28	0.005	<0.2	1.28	4	<10	80	<0.5	<2	0.22	<0.5	4	23	18	1.60
ZZ73827		0.30	0.003	<0.2	1.48	3	<10	70	<0.5	<2	0.20	<0.5	5	29	12	1.48
ZZ73828		0.30	0.005	<0.2	2.03	7	<10	140	<0.5	<2	0.24	<0.5	8	38	19	2.45
ZZ73829		0.26	0.003	<0.2	1.43	13	<10	90	<0.5	<2	0.36	<0.5	8	27	15	2.51
ZZ73830		0.31	0.003	<0.2	1.36	7	<10	120	<0.5	<2	0.59	<0.5	8	22	20	1.96
ZZ73831		0.26	0.004	<0.2	1.67	9	<10	130	0.5	<2	0.45	<0.5	13	30	21	2.56
ZZ73832		0.35	0.006	<0.2	1.51	16	<10	80	<0.5	<2	0.33	<0.5	9	30	16	2.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73793		<10	<1	0.11	40	0.46	360	<1	0.01	35	630	15	0.01	<2	7	19
ZZ73794		<10	1	0.10	30	0.48	761	1	0.01	60	1050	13	0.04	5	6	28
ZZ73795		<10	<1	0.12	30	0.57	562	1	0.01	43	810	13	0.04	3	5	30
ZZ73796		10	1	0.08	20	0.60	279	<1	0.01	32	620	8	0.03	<2	5	28
ZZ73797		<10	1	0.08	20	0.43	545	<1	0.01	30	790	10	0.01	<2	5	27
ZZ73798		<10	<1	0.07	10	0.53	416	<1	0.01	29	760	9	0.03	<2	5	35
ZZ73799		10	1	0.12	20	0.51	163	<1	0.01	20	520	11	0.02	<2	3	28
ZZ73800		10	1	0.14	30	0.65	345	<1	0.01	35	760	13	0.02	<2	6	32
ZZ73801		10	<1	0.22	20	0.62	336	<1	0.01	21	450	9	0.01	<2	4	26
ZZ73802		10	<1	0.34	20	0.74	302	<1	0.01	22	390	8	0.01	<2	4	22
ZZ73803		10	1	0.28	10	0.61	315	<1	0.01	19	290	7	0.01	<2	4	18
ZZ73804		10	1	0.26	10	0.51	314	<1	0.02	17	440	6	0.02	<2	3	17
ZZ73805		10	<1	0.14	10	0.29	137	<1	0.02	11	400	5	0.02	<2	2	20
ZZ73806		10	<1	0.17	10	0.45	217	<1	0.02	14	360	6	0.01	<2	3	17
ZZ73807		10	1	0.55	20	0.73	385	<1	0.01	26	400	8	0.01	<2	4	17
ZZ73808		10	1	0.32	20	0.78	390	<1	0.01	26	440	8	0.01	<2	5	25
ZZ73809		10	<1	0.19	10	0.56	164	<1	0.01	21	540	10	0.03	<2	3	20
ZZ73810		10	<1	0.11	10	0.26	118	1	0.02	10	430	6	0.03	<2	1	19
ZZ73811		10	1	0.22	10	0.71	425	<1	0.01	25	670	8	0.02	<2	5	22
ZZ73812		10	<1	0.22	10	0.73	225	<1	0.01	24	570	9	0.02	<2	5	26
ZZ73813		10	<1	0.12	20	0.57	463	<1	0.01	23	730	11	0.04	<2	4	29
ZZ73814		10	1	0.19	20	0.70	402	<1	0.01	24	580	9	0.03	<2	4	25
ZZ73815		10	<1	0.27	20	0.73	229	<1	0.01	23	590	11	0.02	<2	4	21
ZZ73816		10	1	0.33	20	0.81	401	<1	0.01	26	630	9	0.02	<2	5	28
ZZ73817		10	1	0.25	20	0.70	344	<1	0.01	23	590	9	0.02	<2	5	23
ZZ73818		10	<1	0.23	20	0.67	343	1	0.01	24	690	11	0.02	<2	4	20
ZZ73819		10	<1	0.27	20	0.74	700	2	0.01	35	760	10	0.05	<2	4	27
ZZ73820		10	<1	0.25	10	0.74	1205	2	0.02	35	800	13	0.08	<2	4	32
ZZ73821		10	<1	0.18	20	0.65	741	2	0.01	35	710	15	0.03	<2	4	29
ZZ73822		10	<1	0.26	20	0.84	652	2	0.01	48	930	13	0.03	<2	5	27
ZZ73823		<10	<1	0.13	10	0.42	225	1	0.02	16	630	6	0.04	<2	2	20
ZZ73824		10	<1	0.14	10	0.52	191	1	0.01	18	560	9	0.03	<2	3	18
ZZ73825		<10	<1	0.13	10	0.43	163	1	0.01	14	750	5	0.02	<2	2	17
ZZ73826		<10	<1	0.09	10	0.36	119	<1	0.01	12	630	7	0.05	<2	2	20
ZZ73827		10	<1	0.10	10	0.44	128	<1	0.01	13	530	7	0.05	<2	2	17
ZZ73828		10	<1	0.10	10	0.59	270	1	0.02	20	820	9	0.06	<2	3	27
ZZ73829		10	<1	0.08	20	0.48	234	<1	0.02	16	660	6	0.05	<2	3	26
ZZ73830		<10	<1	0.07	30	0.39	474	1	0.02	15	820	6	0.08	<2	2	48
ZZ73831		10	<1	0.09	20	0.52	661	1	0.02	19	880	8	0.07	<2	3	36
ZZ73832		<10	<1	0.13	20	0.55	320	1	0.01	19	800	11	0.03	<2	3	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73793		<20	0.02	<10	<10	51	<10	77
ZZ73794		<20	0.03	<10	<10	65	<10	100
ZZ73795		<20	0.06	<10	<10	60	<10	70
ZZ73796		<20	0.07	<10	<10	67	<10	57
ZZ73797		<20	0.05	<10	<10	49	<10	58
ZZ73798		<20	0.05	<10	<10	54	<10	55
ZZ73799		<20	0.06	<10	<10	56	<10	50
ZZ73800		<20	0.06	<10	<10	56	<10	68
ZZ73801		<20	0.12	<10	<10	58	<10	60
ZZ73802		<20	0.15	<10	<10	58	<10	61
ZZ73803		<20	0.14	<10	<10	58	<10	55
ZZ73804		<20	0.10	<10	<10	49	<10	52
ZZ73805		<20	0.07	<10	<10	40	<10	36
ZZ73806		<20	0.11	<10	<10	47	<10	44
ZZ73807		<20	0.18	<10	<10	56	<10	63
ZZ73808		<20	0.16	<10	<10	64	<10	64
ZZ73809		<20	0.10	<10	<10	51	<10	59
ZZ73810		<20	0.08	<10	<10	50	<10	38
ZZ73811		<20	0.13	<10	<10	69	<10	68
ZZ73812		<20	0.14	<10	<10	56	<10	64
ZZ73813		<20	0.07	<10	<10	63	<10	79
ZZ73814		<20	0.11	<10	<10	59	<10	77
ZZ73815		<20	0.13	<10	<10	58	<10	63
ZZ73816		<20	0.15	<10	<10	57	<10	75
ZZ73817		<20	0.12	<10	<10	56	<10	64
ZZ73818		<20	0.12	<10	<10	50	<10	67
ZZ73819		<20	0.12	<10	<10	69	<10	114
ZZ73820		<20	0.09	<10	<10	87	<10	110
ZZ73821		<20	0.09	<10	<10	75	<10	109
ZZ73822		<20	0.12	<10	<10	89	<10	153
ZZ73823		<20	0.09	<10	<10	40	<10	44
ZZ73824		<20	0.11	<10	<10	41	<10	51
ZZ73825		<20	0.10	<10	<10	42	<10	42
ZZ73826		<20	0.08	<10	<10	28	<10	36
ZZ73827		<20	0.09	<10	<10	27	<10	40
ZZ73828		<20	0.08	<10	<10	41	<10	60
ZZ73829		<20	0.09	<10	<10	49	<10	57
ZZ73830		<20	0.07	<10	<10	36	<10	43
ZZ73831		<20	0.07	<10	<10	48	<10	63
ZZ73832		<20	0.09	<10	<10	51	<10	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73833		0.35	0.003	<0.2	1.46	14	<10	90	<0.5	<2	0.31	<0.5	9	26	15	2.32
ZZ73834		0.33	0.003	<0.2	1.46	10	<10	130	<0.5	<2	0.42	<0.5	8	25	25	2.11
ZZ73835		0.30	0.008	<0.2	1.44	4	<10	90	<0.5	<2	0.29	<0.5	10	26	19	2.30
ZZ73836		0.28	0.004	<0.2	1.58	10	<10	90	0.5	<2	0.29	<0.5	10	28	19	2.57
ZZ73837		0.49	0.003	<0.2	1.41	9	<10	90	<0.5	<2	0.43	<0.5	9	26	18	2.37
ZZ73838		0.36	0.005	<0.2	1.55	10	<10	90	<0.5	<2	0.39	<0.5	9	30	15	2.32
ZZ73839		0.44	0.005	<0.2	1.61	4	<10	90	0.5	<2	0.44	<0.5	7	30	14	2.25
ZZ73840		0.22	0.004	<0.2	1.38	5	<10	100	<0.5	<2	0.47	<0.5	7	25	18	2.11
ZZ73841		0.24	0.002	<0.2	1.46	5	<10	90	<0.5	<2	0.46	<0.5	6	24	15	1.79
ZZ73842		0.23	0.003	<0.2	1.34	<2	<10	80	<0.5	<2	0.41	<0.5	6	25	15	2.10
ZZ73843		0.29	0.002	<0.2	1.44	6	<10	90	<0.5	<2	0.21	<0.5	6	27	16	2.27
ZZ73844		0.30	0.003	<0.2	1.58	8	<10	80	<0.5	<2	0.20	<0.5	7	28	18	2.47
ZZ73845		0.29	0.002	<0.2	1.24	6	<10	80	<0.5	<2	0.30	<0.5	7	24	13	2.08
ZZ73846		0.37	0.005	<0.2	1.34	7	<10	60	<0.5	<2	0.26	<0.5	7	24	13	2.27
ZZ73847		0.21	0.003	<0.2	0.78	2	<10	70	<0.5	<2	0.37	<0.5	5	13	16	1.76
ZZ73848		0.32	0.003	<0.2	1.83	15	<10	110	0.5	<2	0.30	<0.5	11	34	20	2.91
ZZ73849		0.30	0.006	<0.2	1.73	11	<10	160	0.5	<2	0.35	<0.5	10	33	16	2.92
ZZ73850		0.31	0.001	<0.2	1.65	11	<10	110	<0.5	<2	0.31	<0.5	7	29	15	2.52
ZZ73851		0.26	0.004	0.2	1.80	29	<10	130	<0.5	<2	0.32	<0.5	13	33	19	2.65
ZZ73852		0.39	0.008	0.5	2.30	33	<10	130	0.6	<2	0.30	<0.5	10	46	35	3.28
ZZ73853		0.33	0.004	0.2	1.66	16	<10	90	<0.5	<2	0.27	<0.5	11	44	27	2.69
ZZ73854		0.30	0.004	0.3	1.96	13	<10	120	0.5	2	0.20	<0.5	12	39	28	3.44
ZZ73855		0.30	0.007	0.3	2.34	21	<10	140	0.6	2	0.20	<0.5	13	48	44	3.65
ZZ73856		0.24	0.002	<0.2	1.69	12	<10	120	<0.5	<2	0.18	<0.5	7	32	24	2.76
ZZ73857		0.27	0.004	<0.2	2.09	10	<10	120	<0.5	<2	0.23	<0.5	9	35	23	2.93
ZZ73858		0.20	0.003	<0.2	2.06	14	<10	140	0.6	2	0.30	<0.5	11	36	29	2.93
ZZ73859		0.30	0.004	<0.2	1.37	4	<10	150	<0.5	<2	1.27	<0.5	10	25	47	2.13
ZZ73860		0.26	0.002	<0.2	1.02	36	<10	70	<0.5	<2	0.69	<0.5	6	17	25	1.64
ZZ73861		0.29	0.002	<0.2	0.85	8	<10	60	<0.5	2	0.72	<0.5	6	12	27	1.31
ZZ73862		0.43	0.004	0.2	2.26	14	<10	130	0.7	<2	0.31	<0.5	11	48	32	3.17
ZZ73863		0.31	0.003	<0.2	2.15	19	<10	170	0.8	<2	0.71	<0.5	14	47	34	3.61
ZZ73864		0.42	0.003	<0.2	1.76	14	<10	120	0.6	<2	0.38	<0.5	12	41	28	3.04
ZZ73865		0.26	0.004	<0.2	1.95	7	<10	170	0.5	2	0.60	<0.5	7	36	29	2.01
ZZ73866		0.26	0.003	<0.2	1.86	15	<10	150	0.5	<2	0.46	<0.5	9	35	23	2.77
ZZ73867		0.26	0.007	<0.2	1.82	13	<10	140	0.5	<2	0.43	<0.5	9	36	21	2.79
ZZ73868		0.29	0.003	<0.2	1.47	5	<10	120	<0.5	<2	0.53	<0.5	7	29	16	2.12
ZZ73869		0.41	0.002	<0.2	1.68	14	<10	120	<0.5	<2	0.36	<0.5	7	33	19	2.28
ZZ73870		0.34	0.005	<0.2	1.49	6	<10	110	<0.5	<2	0.27	<0.5	7	28	14	1.89
ZZ73871		0.30	0.005	<0.2	1.56	16	<10	110	<0.5	2	0.25	<0.5	8	31	16	2.62
ZZ73872		0.44	0.007	<0.2	1.25	29	<10	90	0.5	<2	0.34	<0.5	9	28	20	2.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73833		<10	<1	0.12	20	0.51	310	1	0.01	17	700	8	0.03	<2	3	23
ZZ73834		<10	<1	0.09	20	0.41	371	<1	0.02	17	820	7	0.07	<2	3	34
ZZ73835		<10	<1	0.16	10	0.49	361	1	0.01	19	570	8	0.02	<2	3	21
ZZ73836		10	<1	0.14	10	0.52	339	<1	0.01	20	510	9	0.02	<2	3	21
ZZ73837		<10	<1	0.15	20	0.51	288	1	0.02	18	500	8	0.03	<2	3	31
ZZ73838		10	<1	0.12	20	0.56	283	<1	0.02	18	640	8	0.04	<2	3	28
ZZ73839		10	<1	0.14	20	0.58	201	1	0.02	19	660	10	0.04	2	4	28
ZZ73840		<10	<1	0.08	20	0.45	357	<1	0.02	15	750	6	0.05	<2	3	33
ZZ73841		<10	<1	0.07	10	0.45	176	<1	0.02	14	780	6	0.06	<2	2	31
ZZ73842		<10	<1	0.17	10	0.45	234	<1	0.02	15	700	5	0.04	<2	2	28
ZZ73843		10	<1	0.21	10	0.48	185	<1	0.01	17	400	7	0.03	<2	3	18
ZZ73844		10	<1	0.19	20	0.52	230	1	0.01	18	440	9	0.02	<2	3	18
ZZ73845		10	<1	0.12	10	0.44	302	1	0.01	14	500	7	0.02	<2	2	24
ZZ73846		10	<1	0.14	10	0.46	189	<1	0.01	14	420	6	0.01	<2	3	19
ZZ73847		<10	<1	0.07	10	0.18	169	<1	0.03	8	780	4	0.05	<2	1	33
ZZ73848		10	<1	0.21	20	0.60	392	1	0.01	21	610	8	0.02	<2	4	27
ZZ73849		10	<1	0.34	20	0.62	322	1	0.01	20	630	9	0.02	<2	4	30
ZZ73850		10	<1	0.18	10	0.56	248	<1	0.01	18	530	7	0.02	<2	3	26
ZZ73851		10	<1	0.14	10	0.53	648	1	0.01	20	650	10	0.03	<2	3	29
ZZ73852		10	<1	0.23	20	0.70	332	3	0.01	28	710	13	0.04	2	4	32
ZZ73853		10	<1	0.17	10	0.68	510	2	0.01	30	650	7	0.03	<2	4	24
ZZ73854		10	<1	0.11	10	0.56	534	2	0.01	23	470	9	0.02	<2	4	21
ZZ73855		10	1	0.18	10	0.68	555	3	0.01	34	530	9	0.04	<2	5	29
ZZ73856		10	<1	0.15	10	0.48	277	2	0.01	20	410	8	0.02	<2	3	22
ZZ73857		10	<1	0.12	10	0.51	254	1	0.01	20	500	9	<0.01	<2	4	20
ZZ73858		10	<1	0.11	10	0.54	312	1	0.02	23	330	10	<0.01	<2	4	25
ZZ73859		<10	1	0.05	20	0.33	383	1	0.02	19	1000	6	0.08	<2	2	67
ZZ73860		<10	<1	0.06	20	0.26	224	1	0.03	14	670	7	0.03	<2	2	35
ZZ73861		<10	<1	0.05	10	0.16	206	<1	0.03	10	640	4	0.03	<2	1	33
ZZ73862		10	<1	0.20	20	0.68	480	1	0.01	34	680	13	0.01	<2	4	24
ZZ73863		10	<1	0.16	20	0.69	712	1	0.01	34	760	11	0.02	<2	6	51
ZZ73864		10	<1	0.18	20	0.63	335	1	0.01	27	720	11	<0.01	<2	5	24
ZZ73865		10	1	0.08	20	0.56	249	1	0.01	23	770	11	0.05	<2	3	54
ZZ73866		10	<1	0.11	10	0.55	382	1	0.01	23	740	8	0.02	<2	3	34
ZZ73867		10	<1	0.11	20	0.61	337	1	0.01	24	780	8	0.02	<2	4	31
ZZ73868		<10	<1	0.12	10	0.51	262	<1	0.01	20	850	6	0.01	<2	4	35
ZZ73869		10	1	0.11	20	0.55	205	1	0.01	22	710	7	0.01	<2	3	26
ZZ73870		<10	<1	0.06	20	0.46	218	1	0.01	16	740	8	0.02	<2	3	21
ZZ73871		<10	<1	0.10	20	0.48	333	1	0.01	18	670	9	0.01	<2	3	18
ZZ73872		<10	1	0.18	20	0.43	287	1	0.01	19	1030	9	<0.01	<2	3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73833		<20	0.08	<10	<10	40	<10	52
ZZ73834		<20	0.07	<10	<10	42	<10	54
ZZ73835		<20	0.10	<10	<10	40	<10	53
ZZ73836		<20	0.10	<10	<10	44	<10	62
ZZ73837		<20	0.10	<10	<10	41	<10	58
ZZ73838		<20	0.09	<10	<10	43	<10	58
ZZ73839		<20	0.09	<10	<10	42	<10	56
ZZ73840		<20	0.07	<10	<10	37	<10	50
ZZ73841		<20	0.05	<10	<10	32	<10	46
ZZ73842		<20	0.08	<10	<10	40	<10	46
ZZ73843		<20	0.11	<10	<10	43	<10	44
ZZ73844		<20	0.10	<10	<10	47	<10	47
ZZ73845		<20	0.08	<10	<10	42	<10	43
ZZ73846		<20	0.11	<10	<10	48	<10	42
ZZ73847		<20	0.07	<10	<10	46	<10	34
ZZ73848		<20	0.10	<10	<10	47	<10	58
ZZ73849		<20	0.13	<10	<10	44	<10	57
ZZ73850		<20	0.10	<10	<10	42	<10	51
ZZ73851		<20	0.08	<10	<10	53	<10	56
ZZ73852		<20	0.08	<10	<10	75	<10	91
ZZ73853		<20	0.11	<10	<10	64	<10	77
ZZ73854		<20	0.11	<10	<10	83	<10	79
ZZ73855		<20	0.12	<10	<10	93	<10	120
ZZ73856		<20	0.11	<10	<10	66	<10	66
ZZ73857		<20	0.10	<10	<10	60	<10	51
ZZ73858		<20	0.12	<10	<10	67	<10	61
ZZ73859		<20	0.07	<10	<10	44	<10	39
ZZ73860		<20	0.05	<10	<10	31	<10	36
ZZ73861		<20	0.04	<10	<10	27	<10	32
ZZ73862		<20	0.09	<10	<10	61	<10	95
ZZ73863		<20	0.11	<10	<10	60	<10	92
ZZ73864		<20	0.12	<10	<10	55	<10	85
ZZ73865		<20	0.08	<10	<10	60	<10	71
ZZ73866		<20	0.08	<10	<10	52	<10	71
ZZ73867		<20	0.08	<10	<10	51	<10	74
ZZ73868		<20	0.09	<10	<10	41	<10	59
ZZ73869		<20	0.09	<10	<10	50	<10	67
ZZ73870		<20	0.05	<10	<10	38	<10	54
ZZ73871		<20	0.08	<10	<10	53	<10	53
ZZ73872		<20	0.08	<10	<10	38	<10	59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73873		0.26	0.011	<0.2	1.32	20	<10	90	<0.5	<2	0.33	<0.5	11	29	22	2.68
ZZ73874		0.33	0.006	<0.2	1.79	21	<10	130	0.6	<2	0.31	<0.5	9	36	29	2.71
ZZ73875		0.26	0.004	0.2	1.07	11	<10	80	0.6	<2	0.51	<0.5	5	15	23	1.64
ZZ73876		0.26	0.006	<0.2	2.30	53	<10	360	0.9	3	0.58	1.5	27	41	45	3.33
ZZ73877		0.30	0.007	<0.2	1.55	10	<10	180	0.5	2	0.62	<0.5	7	27	31	2.21
ZZ73878		0.27	0.013	<0.2	1.57	13	<10	130	0.5	2	0.56	<0.5	9	33	26	2.40
ZZ73879		0.24	0.005	<0.2	1.38	67	<10	130	0.5	<2	0.58	<0.5	9	28	20	2.46
ZZ73880		0.26	0.003	<0.2	1.24	12	<10	100	<0.5	<2	1.41	<0.5	11	43	35	2.43
ZZ73881		0.25	0.003	<0.2	1.22	61	<10	110	0.5	<2	1.51	<0.5	9	33	36	2.04
ZZ73882		0.35	0.006	<0.2	1.31	61	<10	130	0.5	<2	1.85	<0.5	13	51	36	2.83
ZZ73883		0.24	0.003	<0.2	1.20	25	<10	120	<0.5	2	1.38	<0.5	8	28	42	1.85
ZZ73884		0.25	0.005	<0.2	1.50	42	<10	160	<0.5	<2	1.25	<0.5	10	35	41	2.28
ZZ73885		0.34	0.004	<0.2	1.70	78	<10	140	0.6	<2	0.83	<0.5	12	40	40	2.78
ZZ73886		0.30	0.003	<0.2	1.41	29	<10	130	<0.5	<2	0.91	<0.5	12	42	27	2.57
ZZ73887		0.27	0.004	<0.2	1.51	26	<10	130	0.5	<2	1.20	<0.5	12	39	44	2.70
ZZ73888		0.29	0.007	<0.2	1.43	27	<10	140	0.5	<2	1.22	<0.5	14	36	40	2.49
ZZ73889		0.31	0.003	<0.2	1.22	13	<10	100	0.5	<2	3.17	<0.5	11	24	53	2.08
ZZ73890		0.26	0.004	<0.2	1.32	14	<10	120	<0.5	<2	1.40	<0.5	11	31	37	2.40
ZZ73891		0.26	0.004	<0.2	1.63	17	<10	180	0.6	<2	1.04	<0.5	12	37	34	2.53
ZZ73892		0.25	0.004	<0.2	1.43	12	<10	120	<0.5	<2	0.54	<0.5	9	36	28	2.49
ZZ73893		0.32	0.003	<0.2	1.86	15	<10	120	0.6	<2	0.98	<0.5	13	81	58	3.19
ZZ73894		0.26	0.005	0.3	1.52	27	<10	90	0.7	<2	2.18	<0.5	10	36	61	2.29
ZZ73895		0.25	0.003	<0.2	1.41	17	<10	130	<0.5	<2	0.96	<0.5	12	33	30	2.47
ZZ73896		0.30	0.010	<0.2	1.56	38	<10	110	0.6	<2	0.95	<0.5	11	43	37	2.81
ZZ73897		0.36	0.004	<0.2	1.31	15	<10	90	0.5	<2	1.42	<0.5	11	26	47	2.48
ZZ73898		0.24	0.003	<0.2	1.16	17	<10	90	<0.5	<2	2.71	<0.5	10	23	45	2.30
ZZ73899		0.29	0.022	<0.2	1.35	26	<10	100	0.6	<2	1.80	<0.5	12	35	37	2.82
ZZ73900		0.33	0.004	<0.2	1.27	41	<10	90	0.5	<2	1.38	<0.5	9	27	31	2.48
ZZ73901		0.25	0.006	<0.2	1.52	37	<10	100	0.5	<2	1.00	<0.5	13	40	27	2.79
ZZ73902		0.29	0.006	<0.2	1.52	48	<10	100	0.5	<2	0.63	<0.5	11	44	23	2.92
ZZ73903		0.26	0.002	<0.2	1.86	16	<10	100	0.6	<2	0.91	<0.5	12	41	37	3.26
ZZ73904		0.23	0.003	<0.2	1.10	25	<10	60	<0.5	<2	0.86	<0.5	7	21	34	1.75
ZZ73905		0.30	0.003	<0.2	1.58	22	<10	100	0.5	<2	0.51	<0.5	11	36	28	2.77
ZZ73906		0.35	0.016	<0.2	1.68	18	<10	130	0.6	2	0.89	<0.5	8	36	30	2.17
ZZ73907		0.32	0.002	<0.2	1.42	11	<10	110	<0.5	<2	0.80	<0.5	10	34	29	2.53
ZZ73908		0.30	0.005	<0.2	1.55	12	<10	120	<0.5	<2	0.55	<0.5	11	35	20	2.69
ZZ73909		0.26	0.009	<0.2	1.70	12	<10	140	<0.5	<2	0.60	<0.5	13	36	22	3.03
ZZ73910		0.26	0.004	<0.2	1.51	11	<10	140	<0.5	<2	0.60	<0.5	10	38	27	2.51
ZZ73911		0.32	0.003	<0.2	1.45	15	<10	90	<0.5	<2	0.30	<0.5	9	30	18	2.53
ZZ73912		0.25	0.003	<0.2	1.10	7	<10	100	<0.5	<2	0.40	<0.5	9	25	17	2.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73873		<10	<1	0.18	20	0.40	422	<1	0.02	21	850	7	0.01	<2	3	23
ZZ73874		10	<1	0.12	30	0.54	197	<1	0.01	23	650	13	0.01	2	5	23
ZZ73875		<10	1	0.05	20	0.17	251	<1	0.02	12	710	5	0.04	<2	2	32
ZZ73876		10	<1	0.07	40	0.56	6390	2	0.02	42	1050	12	0.04	<2	5	52
ZZ73877		10	<1	0.06	20	0.39	343	1	0.01	19	760	5	0.05	<2	3	50
ZZ73878		10	<1	0.08	20	0.48	307	1	0.01	24	670	7	0.03	<2	4	43
ZZ73879		<10	1	0.10	20	0.40	370	1	0.01	20	760	8	0.03	<2	3	45
ZZ73880		<10	1	0.08	10	0.45	469	1	0.02	33	1170	5	0.06	<2	3	84
ZZ73881		<10	1	0.08	10	0.36	383	1	0.02	26	720	6	0.07	19	2	100
ZZ73882		<10	<1	0.08	20	0.55	466	1	0.02	40	1070	5	0.06	6	4	116
ZZ73883		<10	<1	0.06	10	0.35	381	<1	0.03	25	770	4	0.06	4	3	80
ZZ73884		<10	1	0.06	10	0.51	361	1	0.02	27	830	6	0.05	5	3	78
ZZ73885		10	<1	0.09	20	0.62	398	1	0.02	32	630	8	0.03	3	5	60
ZZ73886		10	<1	0.08	10	0.58	394	<1	0.02	32	890	5	0.03	18	4	50
ZZ73887		10	<1	0.10	10	0.53	421	1	0.02	32	760	5	0.04	8	5	54
ZZ73888		<10	<1	0.07	10	0.48	1110	1	0.02	32	610	7	0.05	<2	4	64
ZZ73889		<10	<1	0.08	10	0.40	536	<1	0.02	23	980	11	0.06	44	2	178
ZZ73890		<10	<1	0.06	10	0.43	1240	1	0.02	32	610	8	0.06	<2	3	67
ZZ73891		<10	<1	0.05	20	0.49	806	1	0.02	35	830	9	0.05	<2	3	51
ZZ73892		10	<1	0.09	10	0.52	407	1	0.02	24	410	6	0.02	<2	4	34
ZZ73893		10	<1	0.06	20	0.81	527	1	0.02	51	960	8	0.04	<2	7	63
ZZ73894		<10	<1	0.04	30	0.33	1000	1	0.02	31	1280	7	0.11	<2	3	167
ZZ73895		<10	<1	0.05	10	0.47	451	1	0.02	27	700	7	0.05	<2	4	60
ZZ73896		<10	<1	0.06	20	0.58	438	1	0.02	33	730	9	0.05	2	5	59
ZZ73897		<10	<1	0.04	20	0.44	436	<1	0.03	30	810	11	0.07	2	3	109
ZZ73898		<10	<1	0.05	20	0.36	634	1	0.03	27	1000	10	0.09	<2	2	167
ZZ73899		<10	<1	0.07	20	0.50	604	1	0.02	31	900	10	0.07	<2	4	122
ZZ73900		<10	<1	0.06	20	0.45	398	1	0.02	24	960	8	0.07	2	3	94
ZZ73901		10	<1	0.10	20	0.62	440	1	0.02	31	1000	7	0.06	<2	5	64
ZZ73902		10	<1	0.15	20	0.67	289	1	0.02	32	780	8	0.03	21	5	40
ZZ73903		10	<1	0.14	20	0.69	457	1	0.02	37	1010	12	0.05	<2	5	75
ZZ73904		<10	1	0.07	20	0.31	302	1	0.03	18	590	6	0.05	<2	2	69
ZZ73905		10	<1	0.11	20	0.63	353	1	0.02	27	870	8	0.05	4	4	40
ZZ73906		<10	<1	0.09	30	0.52	213	<1	0.01	29	1020	8	0.07	<2	4	63
ZZ73907		<10	<1	0.10	20	0.52	426	1	0.02	25	750	6	0.05	2	3	49
ZZ73908		10	<1	0.12	20	0.59	336	1	0.02	24	860	6	0.04	<2	4	40
ZZ73909		10	<1	0.15	20	0.70	444	1	0.02	26	920	5	0.03	<2	5	39
ZZ73910		10	<1	0.14	30	0.56	469	1	0.02	24	770	7	0.05	<2	4	49
ZZ73911		10	<1	0.16	20	0.53	314	1	0.02	21	630	8	0.02	<2	3	22
ZZ73912		<10	<1	0.08	10	0.33	474	1	0.02	17	810	5	0.05	<2	2	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73873		<20	0.09	<10	<10	47	<10	60
ZZ73874		<20	0.09	<10	<10	49	<10	74
ZZ73875		<20	0.03	<10	<10	31	<10	34
ZZ73876		<20	0.06	<10	<10	56	<10	99
ZZ73877		<20	0.06	<10	<10	47	<10	64
ZZ73878		<20	0.07	<10	<10	43	<10	60
ZZ73879		<20	0.05	<10	<10	40	<10	67
ZZ73880		<20	0.05	<10	<10	50	<10	59
ZZ73881		<20	0.04	<10	<10	40	<10	52
ZZ73882		<20	0.05	<10	<10	51	<10	60
ZZ73883		<20	0.05	<10	<10	37	<10	42
ZZ73884		<20	0.06	<10	<10	48	<10	49
ZZ73885		<20	0.07	<10	<10	55	<10	65
ZZ73886		<20	0.07	<10	<10	48	<10	55
ZZ73887		<20	0.07	<10	<10	54	<10	55
ZZ73888		<20	0.06	<10	<10	55	<10	54
ZZ73889		<20	0.05	<10	<10	37	<10	45
ZZ73890		<20	0.06	<10	<10	56	<10	54
ZZ73891		<20	0.05	<10	<10	50	<10	46
ZZ73892		<20	0.10	<10	<10	67	<10	46
ZZ73893		<20	0.09	<10	<10	89	<10	69
ZZ73894		<20	0.03	<10	<10	59	<10	50
ZZ73895		<20	0.06	<10	<10	58	<10	54
ZZ73896		<20	0.05	<10	<10	59	<10	55
ZZ73897		<20	0.05	<10	<10	42	<10	47
ZZ73898		<20	0.04	<10	<10	36	<10	49
ZZ73899		<20	0.05	<10	<10	50	<10	60
ZZ73900		<20	0.04	<10	<10	41	<10	52
ZZ73901		<20	0.07	<10	<10	48	<10	63
ZZ73902		<20	0.10	<10	<10	51	<10	55
ZZ73903		<20	0.09	<10	<10	47	<10	74
ZZ73904		<20	0.05	<10	<10	31	<10	35
ZZ73905		<20	0.08	<10	<10	49	<10	56
ZZ73906		<20	0.06	<10	<10	43	<10	75
ZZ73907		<20	0.09	<10	<10	51	<10	60
ZZ73908		<20	0.10	<10	<10	49	<10	63
ZZ73909		<20	0.13	<10	<10	56	<10	61
ZZ73910		<20	0.10	<10	<10	49	<10	55
ZZ73911		<20	0.11	<10	<10	50	<10	53
ZZ73912		<20	0.08	<10	<10	55	<10	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73913		0.34	0.008	0.5	1.39	38	<10	160	0.5	<2	0.29	<0.5	6	25	20	2.22
ZZ73914		0.24	0.006	0.2	1.34	31	<10	70	<0.5	<2	0.23	<0.5	10	30	26	2.86
ZZ73915		0.43	0.003	<0.2	1.31	15	<10	110	<0.5	<2	0.38	<0.5	8	26	25	2.30
ZZ73916		0.37	0.007	0.2	1.78	12	<10	170	0.5	<2	0.52	<0.5	10	38	31	2.78
ZZ73917		0.22	0.004	0.2	1.51	11	<10	150	<0.5	<2	0.56	<0.5	9	31	27	2.55
ZZ73918		0.24	0.005	0.2	1.32	9	<10	130	<0.5	<2	0.32	<0.5	7	27	21	2.41
ZZ73919		0.33	0.004	0.4	1.59	9	<10	220	0.5	<2	0.43	<0.5	9	27	25	2.37
ZZ73920		0.31	0.005	0.2	1.58	11	<10	240	0.5	<2	0.72	<0.5	10	30	32	2.62
ZZ73921		0.27	0.003	0.2	1.34	8	<10	160	<0.5	<2	0.68	<0.5	8	25	21	2.20
ZZ73922		0.32	0.001	0.2	1.48	7	<10	130	<0.5	<2	0.46	<0.5	7	25	24	2.18
ZZ73923		0.26	0.002	0.3	1.24	6	<10	100	<0.5	<2	0.36	<0.5	7	23	18	2.32
ZZ73924		0.31	0.002	<0.2	1.56	7	<10	130	<0.5	<2	0.46	<0.5	9	30	28	2.46
ZZ73925		0.26	0.004	0.2	1.28	6	<10	140	<0.5	<2	0.72	<0.5	8	23	25	2.24
ZZ73926		0.27	0.003	<0.2	1.78	13	<10	170	0.5	2	0.54	<0.5	11	37	30	2.89
ZZ73927		0.29	0.004	0.2	1.44	13	<10	180	<0.5	2	0.63	<0.5	9	31	24	2.31
ZZ73928		0.26	0.003	<0.2	1.52	12	<10	140	<0.5	<2	0.61	<0.5	8	31	21	2.38
ZZ73929		0.33	0.004	<0.2	1.49	9	<10	150	<0.5	<2	0.50	<0.5	9	29	24	2.43
ZZ73930		0.21	0.003	<0.2	1.32	5	<10	120	<0.5	<2	0.38	<0.5	6	23	18	1.95
ZZ73931		0.31	0.003	0.3	1.82	9	<10	160	0.5	<2	0.54	<0.5	9	34	26	2.79
ZZ73932		0.25	0.004	0.4	1.73	8	<10	170	0.5	<2	0.39	<0.5	9	28	26	2.42
ZZ73933		0.30	0.005	0.2	1.61	7	<10	130	0.5	<2	0.31	<0.5	7	29	22	2.49
ZZ73934		0.24	0.005	<0.2	1.67	8	<10	140	<0.5	3	0.31	<0.5	8	30	22	2.56
ZZ73935		0.26	0.008	0.2	1.32	7	<10	120	<0.5	<2	0.28	<0.5	9	22	19	2.26
ZZ73936		0.27	0.003	0.2	1.51	9	<10	130	<0.5	<2	0.28	<0.5	7	23	18	2.13
ZZ73937		0.29	0.005	<0.2	1.61	5	<10	130	<0.5	<2	0.29	<0.5	7	28	17	2.36
ZZ73938		0.35	0.005	<0.2	1.66	6	<10	140	<0.5	2	0.31	<0.5	8	28	18	2.42
ZZ73939		0.28	0.005	<0.2	1.86	8	<10	210	0.5	<2	0.42	<0.5	9	31	24	2.67
ZZ73940		0.24	0.007	0.3	1.76	5	<10	200	<0.5	<2	0.45	<0.5	11	25	21	2.26
ZZ73941		0.35	0.002	<0.2	1.67	7	<10	180	<0.5	2	0.32	<0.5	9	27	20	2.50
ZZ73942		0.21	0.001	0.2	1.11	2	<10	140	<0.5	<2	0.21	<0.5	5	14	14	1.28
ZZ73943		0.30	0.002	<0.2	1.63	7	<10	180	<0.5	2	0.37	<0.5	8	28	22	2.43
ZZ73944		0.29	0.001	<0.2	1.89	7	<10	180	<0.5	<2	0.28	<0.5	8	31	20	2.82
ZZ73945		0.33	0.002	<0.2	2.08	8	<10	210	0.5	2	0.23	<0.5	10	33	19	2.77
ZZ73946		0.29	0.001	<0.2	1.83	9	<10	250	<0.5	<2	0.23	<0.5	8	31	20	2.75
ZZ73947		0.32	0.001	0.2	1.95	5	<10	260	0.5	<2	0.60	<0.5	9	32	30	2.74
ZZ73948		0.24	0.002	<0.2	1.63	5	<10	170	<0.5	<2	0.33	<0.5	8	32	19	2.58
ZZ73949		0.23	0.002	0.2	1.69	5	<10	170	<0.5	<2	0.27	<0.5	7	27	21	2.18
ZZ73950		0.32	0.001	0.2	1.66	3	<10	150	<0.5	2	0.22	<0.5	5	23	21	2.00
ZZ73951		0.32	0.002	<0.2	2.39	21	<10	210	0.7	<2	0.57	<0.5	17	70	45	4.13
ZZ73952		0.36	0.004	0.3	1.66	37	<10	160	0.8	<2	0.65	<0.5	15	51	49	3.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73913		<10	<1	0.07	20	0.34	262	1	0.01	17	950	7	0.04	<2	3	26
ZZ73914		<10	<1	0.10	10	0.41	371	2	0.01	24	580	9	0.02	<2	3	21
ZZ73915		<10	<1	0.09	20	0.42	303	1	0.02	18	480	6	0.02	2	3	28
ZZ73916		10	<1	0.12	20	0.62	457	1	0.01	25	740	7	0.04	<2	5	38
ZZ73917		<10	<1	0.10	20	0.50	400	1	0.02	20	650	7	0.04	<2	4	39
ZZ73918		<10	<1	0.09	10	0.39	320	1	0.02	18	500	7	0.02	<2	3	25
ZZ73919		<10	<1	0.11	30	0.41	341	1	0.02	22	530	6	0.03	<2	3	32
ZZ73920		<10	<1	0.12	20	0.49	403	1	0.02	22	780	7	0.06	<2	3	53
ZZ73921		<10	<1	0.11	20	0.43	301	1	0.02	17	630	5	0.05	<2	3	50
ZZ73922		<10	<1	0.11	20	0.42	267	1	0.02	16	650	6	0.05	<2	3	37
ZZ73923		<10	<1	0.10	20	0.39	266	1	0.02	14	660	5	0.03	<2	3	27
ZZ73924		<10	<1	0.13	20	0.54	280	1	0.02	20	620	7	0.03	2	4	32
ZZ73925		<10	<1	0.09	20	0.37	353	1	0.02	17	690	6	0.05	<2	3	48
ZZ73926		10	1	0.10	20	0.58	398	1	0.01	23	580	7	0.02	<2	4	38
ZZ73927		10	<1	0.09	20	0.46	349	1	0.02	19	570	4	0.03	<2	3	43
ZZ73928		10	<1	0.08	10	0.55	310	1	0.01	19	460	6	0.03	<2	4	43
ZZ73929		10	<1	0.11	20	0.52	367	1	0.01	18	690	6	0.02	<2	4	34
ZZ73930		<10	<1	0.12	10	0.40	213	<1	0.02	14	530	5	0.02	<2	3	26
ZZ73931		10	1	0.14	20	0.53	338	1	0.01	20	600	7	0.02	<2	5	35
ZZ73932		10	1	0.12	30	0.44	368	1	0.01	17	750	7	0.04	<2	3	33
ZZ73933		10	<1	0.17	20	0.48	251	1	0.01	16	710	8	0.02	<2	3	21
ZZ73934		10	<1	0.12	20	0.52	298	1	0.01	17	570	8	0.01	<2	3	21
ZZ73935		<10	<1	0.09	10	0.34	363	1	0.01	13	620	6	0.02	<2	2	21
ZZ73936		10	<1	0.09	20	0.38	279	<1	0.02	15	530	7	0.03	<2	2	23
ZZ73937		10	1	0.12	20	0.52	261	<1	0.01	17	490	7	0.01	<2	3	21
ZZ73938		<10	<1	0.12	20	0.52	265	<1	0.01	17	510	8	0.01	<2	3	21
ZZ73939		10	1	0.14	20	0.52	374	<1	0.01	19	520	7	0.01	<2	4	31
ZZ73940		10	1	0.13	20	0.40	425	1	0.02	17	680	7	0.04	<2	3	37
ZZ73941		10	<1	0.09	10	0.48	306	<1	0.01	18	530	6	0.01	<2	3	21
ZZ73942		<10	<1	0.06	10	0.21	223	<1	0.02	8	360	4	0.02	<2	1	21
ZZ73943		10	<1	0.09	10	0.46	281	1	0.01	15	380	9	0.01	<2	3	25
ZZ73944		10	<1	0.14	10	0.57	258	1	0.01	20	430	8	<0.01	<2	4	21
ZZ73945		10	<1	0.10	10	0.55	285	1	0.01	20	350	9	0.01	<2	4	18
ZZ73946		10	<1	0.14	10	0.53	232	1	0.01	18	370	13	0.01	<2	4	19
ZZ73947		10	<1	0.16	20	0.54	322	1	0.02	21	600	15	0.03	<2	4	42
ZZ73948		10	<1	0.23	20	0.59	259	<1	0.01	21	420	7	<0.01	<2	4	24
ZZ73949		10	1	0.18	20	0.43	244	<1	0.02	15	540	7	0.03	<2	3	22
ZZ73950		10	1	0.14	10	0.34	145	1	0.02	14	480	7	0.02	<2	2	20
ZZ73951		10	<1	0.23	20	1.06	418	1	0.01	49	1260	7	0.01	<2	6	33
ZZ73952		<10	1	0.15	30	0.61	234	2	0.01	47	1610	20	0.02	2	6	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73913		<20	0.04	<10	<10	46	<10	46
ZZ73914		<20	0.06	<10	<10	53	<10	62
ZZ73915		<20	0.06	<10	<10	51	<10	48
ZZ73916		<20	0.07	<10	<10	60	<10	63
ZZ73917		<20	0.07	<10	<10	57	<10	55
ZZ73918		<20	0.07	<10	<10	60	<10	58
ZZ73919		<20	0.07	<10	<10	52	<10	50
ZZ73920		<20	0.07	<10	<10	56	<10	63
ZZ73921		<20	0.08	<10	<10	47	<10	56
ZZ73922		<20	0.07	<10	<10	43	<10	44
ZZ73923		<20	0.09	<10	<10	54	<10	45
ZZ73924		<20	0.09	<10	<10	49	<10	54
ZZ73925		<20	0.07	<10	<10	52	<10	46
ZZ73926		<20	0.08	<10	<10	61	<10	58
ZZ73927		<20	0.07	<10	<10	49	<10	48
ZZ73928		<20	0.08	<10	<10	49	<10	50
ZZ73929		<20	0.08	<10	<10	50	<10	63
ZZ73930		<20	0.07	<10	<10	40	<10	48
ZZ73931		<20	0.08	<10	<10	54	<10	66
ZZ73932		<20	0.07	<10	<10	49	<10	59
ZZ73933		<20	0.09	<10	<10	48	<10	73
ZZ73934		<20	0.09	<10	<10	52	<10	61
ZZ73935		<20	0.07	<10	<10	53	<10	45
ZZ73936		<20	0.07	<10	<10	45	<10	42
ZZ73937		<20	0.10	<10	<10	45	<10	55
ZZ73938		<20	0.09	<10	<10	47	<10	50
ZZ73939		<20	0.10	<10	<10	54	<10	57
ZZ73940		<20	0.07	<10	<10	43	<10	55
ZZ73941		<20	0.10	<10	<10	54	<10	52
ZZ73942		<20	0.04	<10	<10	27	<10	30
ZZ73943		<20	0.09	<10	<10	55	<10	50
ZZ73944		<20	0.11	<10	<10	56	<10	60
ZZ73945		<20	0.10	<10	<10	59	<10	57
ZZ73946		<20	0.11	<10	<10	59	<10	65
ZZ73947		<20	0.10	<10	<10	51	<10	74
ZZ73948		<20	0.13	<10	<10	46	<10	67
ZZ73949		<20	0.09	<10	<10	40	<10	52
ZZ73950		<20	0.08	<10	<10	39	<10	47
ZZ73951		<20	0.14	<10	<10	78	<10	80
ZZ73952		<20	0.05	<10	<10	50	<10	94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73953		0.25	0.002	<0.2	1.67	38	<10	130	0.5	<2	0.46	<0.5	11	33	22	3.12
ZZ73954		0.21	0.002	<0.2	1.88	10	<10	110	0.5	2	0.39	<0.5	17	28	40	3.30
ZZ73955		0.20	0.003	<0.2	1.97	15	<10	100	<0.5	<2	0.25	<0.5	11	48	26	3.42
ZZ73956		0.20	0.002	<0.2	1.80	19	<10	130	<0.5	<2	0.37	<0.5	16	62	27	3.35
ZZ73957		0.24	0.008	0.5	2.42	65	<10	250	0.9	<2	0.92	<0.5	17	58	51	4.17
ZZ73958		0.28	0.003	<0.2	2.03	18	<10	140	0.6	<2	0.53	<0.5	11	40	27	3.18
ZZ73959		0.31	0.001	<0.2	1.98	23	<10	180	0.6	<2	0.95	<0.5	13	43	35	3.38
ZZ73960		0.24	0.002	<0.2	1.44	65	<10	130	<0.5	<2	0.57	<0.5	9	32	22	2.46
ZZ73961		0.34	0.005	<0.2	1.90	91	<10	150	0.8	<2	0.39	<0.5	17	40	27	3.63
ZZ73962		0.27	0.006	<0.2	1.86	74	<10	150	0.8	<2	0.64	<0.5	13	30	30	3.76
ZZ73963		0.28	0.012	0.5	2.20	91	<10	240	1.2	<2	0.99	<0.5	13	28	32	3.21
ZZ73964		0.26	0.014	<0.2	1.94	144	<10	160	0.6	<2	0.31	<0.5	15	35	29	3.02
ZZ73965		0.27	0.022	0.2	1.22	347	<10	110	0.7	<2	0.33	<0.5	11	42	34	3.21
ZZ73966		0.22	0.010	0.2	1.50	144	<10	90	0.6	2	0.21	<0.5	15	40	31	3.59
ZZ73967		0.37	0.008	0.2	1.28	114	<10	90	<0.5	<2	0.21	<0.5	6	27	17	2.39
ZZ73968		0.17	0.002	0.2	1.02	11	<10	60	<0.5	<2	0.10	<0.5	3	21	21	1.62
ZZ73969		0.22	0.004	0.2	1.49	20	<10	90	0.5	<2	0.22	<0.5	11	34	34	2.81
ZZ73970		<0.02	0.003	0.3	1.80	27	<10	170	0.6	<2	0.26	<0.5	12	55	52	3.44
ZZ73971		0.34	0.020	<0.2	1.57	9	<10	120	<0.5	<2	0.38	<0.5	9	31	21	2.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73953		10	1	0.14	10	0.62	475	1	0.01	26	430	10	0.01	<2	4	32
ZZ73954		10	<1	0.12	10	0.58	286	1	0.01	26	970	6	0.03	3	3	20
ZZ73955		10	1	0.09	10	0.59	238	1	0.01	32	350	9	0.02	<2	3	20
ZZ73956		10	<1	0.07	10	0.60	670	1	0.01	34	540	9	0.02	<2	4	26
ZZ73957		10	<1	0.17	30	0.69	1010	2	0.01	44	1190	11	0.08	2	9	71
ZZ73958		10	<1	0.13	20	0.64	407	1	0.01	28	650	7	0.02	<2	5	36
ZZ73959		10	<1	0.09	20	0.55	777	2	0.01	35	840	10	0.02	<2	5	71
ZZ73960		10	<1	0.06	10	0.48	249	1	0.01	23	700	7	0.02	<2	3	35
ZZ73961		10	<1	0.28	30	0.62	575	<1	0.01	31	420	11	0.01	<2	5	26
ZZ73962		10	<1	0.09	20	0.37	702	1	0.01	29	920	14	0.02	3	4	52
ZZ73963		<10	<1	0.13	60	0.20	1555	1	0.02	27	1130	11	0.05	4	6	94
ZZ73964		10	<1	0.12	20	0.52	452	1	0.01	31	750	10	0.02	4	5	27
ZZ73965		<10	<1	0.12	30	0.47	401	2	0.01	41	920	12	0.05	6	4	29
ZZ73966		10	<1	0.14	20	0.45	990	2	0.01	35	800	19	0.04	3	3	21
ZZ73967		<10	<1	0.09	10	0.40	168	2	0.01	16	820	8	0.03	5	2	15
ZZ73968		10	<1	0.05	10	0.18	85	1	0.01	12	480	7	0.05	2	1	14
ZZ73969		10	<1	0.14	10	0.55	333	2	0.01	28	720	10	0.06	2	3	20
ZZ73970		10	<1	0.30	20	0.73	461	4	0.02	39	980	7	0.18	2	5	33
ZZ73971		10	<1	0.22	20	0.59	263	1	0.01	23	800	6	0.01	3	4	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13153545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73953		<20	0.08	<10	<10	56	<10	58
ZZ73954		<20	0.13	<10	<10	67	<10	51
ZZ73955		<20	0.11	<10	<10	70	<10	50
ZZ73956		<20	0.09	<10	<10	73	<10	50
ZZ73957		<20	0.05	<10	<10	66	<10	88
ZZ73958		<20	0.10	<10	<10	61	<10	60
ZZ73959		<20	0.07	<10	<10	65	<10	67
ZZ73960		<20	0.05	<10	<10	50	<10	51
ZZ73961		<20	0.09	<10	<10	50	<10	76
ZZ73962		<20	0.04	<10	<10	56	<10	63
ZZ73963		<20	0.02	<10	<10	54	<10	61
ZZ73964		<20	0.06	<10	<10	54	<10	68
ZZ73965		<20	0.06	<10	<10	50	<10	80
ZZ73966		<20	0.07	<10	<10	64	<10	102
ZZ73967		<20	0.06	<10	<10	48	<10	57
ZZ73968		<20	0.05	<10	<10	47	<10	33
ZZ73969		<20	0.09	<10	<10	60	<10	76
ZZ73970		<20	0.12	<10	<10	108	<10	131
ZZ73971		<20	0.12	<10	<10	50	<10	65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13153545

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

CERTIFICATE WH13155450

Project: CCC

P.O. No.:

This report is for 146 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ73972		0.30	0.002	<0.2	1.53	13	<10	130	<0.5	<2	0.19	<0.5	7	22	16	2.45
ZZ73973		0.22	0.002	<0.2	2.00	8	<10	110	<0.5	<2	0.15	<0.5	7	29	14	2.87
ZZ73974		0.21	0.007	<0.2	1.35	8	<10	100	<0.5	<2	0.15	<0.5	5	20	12	2.33
ZZ73975		0.26	0.003	<0.2	1.36	12	<10	80	<0.5	<2	0.16	<0.5	6	23	12	2.85
ZZ73976		0.27	0.002	<0.2	0.79	4	<10	100	0.5	<2	0.41	<0.5	5	13	9	1.55
ZZ73977		0.29	0.004	<0.2	1.56	8	<10	200	0.7	<2	0.37	<0.5	7	23	13	2.28
ZZ73978		0.23	0.003	<0.2	1.23	4	<10	120	0.6	<2	0.29	<0.5	3	12	11	1.50
ZZ73979		0.30	0.001	<0.2	0.81	<2	<10	80	0.5	<2	0.26	<0.5	4	10	11	2.02
ZZ73980		0.29	0.002	0.2	1.52	8	<10	160	1.0	<2	0.30	<0.5	7	21	18	2.12
ZZ73981		0.23	0.003	0.2	1.88	7	<10	130	<0.5	<2	0.30	<0.5	6	24	42	2.30
ZZ73982		0.19	0.003	<0.2	1.37	6	<10	120	0.5	<2	0.29	<0.5	8	19	14	2.02
ZZ73983		0.32	0.002	<0.2	1.27	7	<10	100	0.6	<2	0.39	<0.5	9	26	15	2.52
ZZ73984		0.26	0.003	<0.2	1.20	6	<10	90	<0.5	<2	0.28	<0.5	7	22	15	2.39
ZZ73985		0.33	0.003	<0.2	1.43	7	<10	90	<0.5	<2	0.36	<0.5	7	25	13	2.33
ZZ73986		0.15	0.002	0.3	0.81	2	<10	70	<0.5	<2	0.39	<0.5	3	10	15	1.06
ZZ73987		0.40	0.003	0.2	1.50	11	<10	580	0.6	<2	0.27	<0.5	6	18	26	2.70
ZZ73988		0.36	0.002	<0.2	1.92	9	<10	120	0.5	<2	0.15	<0.5	7	23	22	3.15
ZZ73989		0.34	0.003	<0.2	1.94	9	<10	90	<0.5	<2	0.27	<0.5	8	25	26	2.57
ZZ73990		0.37	0.003	<0.2	2.11	9	<10	220	0.6	<2	0.19	<0.5	11	33	19	3.04
ZZ73991		0.38	0.003	0.2	0.92	38	<10	300	0.6	<2	0.15	<0.5	7	11	27	2.90
ZZ73992		0.40	0.005	0.2	1.52	17	<10	140	0.6	<2	0.27	<0.5	8	24	22	2.51
ZZ73993		0.37	0.005	<0.2	0.70	68	<10	110	0.5	<2	0.17	<0.5	5	16	13	2.03
ZZ73994		0.40	0.005	<0.2	0.38	31	<10	230	0.7	<2	0.21	<0.5	5	7	18	2.58
ZZ73995		0.33	0.003	<0.2	0.92	19	<10	150	0.8	<2	0.19	<0.5	6	13	19	2.69
ZZ73996		0.38	0.004	<0.2	1.24	24	<10	110	0.5	<2	0.13	<0.5	6	22	17	2.57
ZZ73997		0.30	0.006	<0.2	1.35	27	<10	140	0.5	<2	0.21	<0.5	5	19	20	1.91
ZZ73998		0.28	0.005	<0.2	1.70	38	<10	170	0.8	<2	0.19	<0.5	5	21	25	2.80
ZZ73999		0.33	0.008	<0.2	1.45	34	<10	150	1.0	2	0.23	<0.5	9	24	20	2.86
ZZ74000		0.36	0.005	<0.2	1.50	23	<10	110	0.6	<2	0.25	<0.5	9	24	26	2.57
ZZ89001		0.33	0.016	<0.2	1.05	16	<10	90	<0.5	<2	0.22	<0.5	7	23	15	2.25
ZZ89002		0.37	0.009	0.2	1.20	59	<10	200	0.6	2	0.18	<0.5	6	19	22	2.63
ZZ89003		0.32	0.009	<0.2	0.95	27	<10	100	0.6	<2	0.20	<0.5	6	17	23	2.87
ZZ89004		0.28	0.014	<0.2	1.22	221	<10	120	0.5	<2	0.13	<0.5	6	20	26	2.80
ZZ89005		0.30	0.002	<0.2	1.09	20	<10	60	<0.5	<2	0.15	<0.5	5	20	20	2.30
ZZ89006		0.37	0.002	<0.2	1.00	25	<10	140	1.0	<2	0.04	<0.5	11	13	62	3.13
ZZ89007		0.29	0.009	<0.2	1.72	36	<10	90	0.5	<2	0.14	<0.5	7	26	27	2.89
ZZ89008		0.26	0.006	<0.2	2.26	31	<10	120	0.6	<2	0.13	<0.5	8	32	25	3.16
ZZ89009		0.28	0.006	<0.2	1.63	19	<10	80	<0.5	<2	0.12	<0.5	5	24	22	2.73
ZZ89010		0.27	0.005	<0.2	2.21	29	<10	120	0.5	<2	0.16	<0.5	8	32	18	3.28
ZZ89011		0.25	0.005	<0.2	0.93	14	<10	110	<0.5	<2	0.10	<0.5	3	12	16	1.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ73972		10	<1	0.05	10	0.33	297	1	0.02	14	300	11	0.02	<2	2	19
ZZ73973		10	<1	0.05	10	0.38	283	2	0.01	13	380	13	0.02	<2	3	16
ZZ73974		10	<1	0.05	10	0.28	178	1	0.01	11	320	11	0.01	<2	2	16
ZZ73975		10	<1	0.07	10	0.34	260	1	0.01	13	410	12	0.01	<2	2	15
ZZ73976		<10	<1	0.06	20	0.27	245	1	0.01	8	1150	9	0.01	<2	2	20
ZZ73977		<10	<1	0.07	20	0.49	318	1	0.01	15	750	14	0.01	<2	3	23
ZZ73978		<10	<1	0.07	30	0.19	134	1	0.03	7	650	9	0.05	<2	1	29
ZZ73979		<10	<1	0.05	20	0.13	134	<1	0.03	5	700	7	0.02	<2	1	24
ZZ73980		<10	<1	0.12	30	0.36	327	1	0.02	13	780	18	0.04	<2	2	40
ZZ73981		10	<1	0.07	10	0.31	220	1	0.01	13	640	11	0.03	<2	1	30
ZZ73982		<10	<1	0.11	20	0.33	468	1	0.01	13	760	10	0.02	<2	2	21
ZZ73983		<10	<1	0.21	20	0.48	287	1	0.02	17	800	10	0.01	<2	3	23
ZZ73984		<10	<1	0.11	10	0.37	266	<1	0.02	12	450	6	0.02	<2	2	21
ZZ73985		10	<1	0.13	10	0.48	300	<1	0.01	14	480	6	0.02	<2	3	24
ZZ73986		<10	<1	0.06	10	0.14	114	<1	0.04	6	570	5	0.05	<2	1	32
ZZ73987		10	<1	0.11	40	0.28	290	1	0.02	13	740	8	0.05	<2	3	26
ZZ73988		10	<1	0.08	10	0.39	339	1	0.01	16	430	7	0.03	<2	4	13
ZZ73989		10	<1	0.07	10	0.49	281	<1	0.01	19	770	4	0.01	<2	3	15
ZZ73990		10	<1	0.09	30	0.56	460	1	0.01	21	620	8	0.02	<2	5	16
ZZ73991		<10	<1	0.10	40	0.15	330	2	0.03	13	770	13	0.16	<2	3	35
ZZ73992		<10	<1	0.10	20	0.44	322	1	0.01	20	740	8	0.05	<2	3	23
ZZ73993		<10	<1	0.07	30	0.24	187	1	0.01	13	290	12	0.02	2	3	15
ZZ73994		<10	<1	0.07	40	0.11	400	3	0.01	9	720	16	0.01	<2	3	13
ZZ73995		<10	<1	0.10	40	0.17	401	1	0.01	11	780	12	0.03	<2	2	15
ZZ73996		<10	<1	0.08	20	0.30	352	1	0.01	13	480	10	0.02	<2	2	13
ZZ73997		<10	<1	0.07	40	0.24	205	1	0.02	12	720	8	0.06	<2	1	21
ZZ73998		10	<1	0.09	70	0.30	215	2	0.02	16	830	11	0.06	<2	3	20
ZZ73999		<10	<1	0.09	50	0.34	653	2	0.01	19	700	16	0.02	<2	4	16
ZZ74000		10	<1	0.07	40	0.34	486	1	0.02	17	870	11	0.04	<2	2	20
ZZ89001		<10	<1	0.07	20	0.33	265	1	0.02	14	450	9	0.03	<2	2	17
ZZ89002		<10	<1	0.09	60	0.24	260	2	0.02	13	710	14	0.08	<2	2	21
ZZ89003		<10	<1	0.10	40	0.25	254	2	0.02	15	670	14	0.10	<2	3	17
ZZ89004		<10	<1	0.14	40	0.28	219	3	0.01	13	440	17	0.15	<2	2	15
ZZ89005		<10	<1	0.08	30	0.31	191	1	0.01	14	470	11	0.05	<2	2	12
ZZ89006		<10	<1	0.11	120	0.20	180	3	0.02	22	660	13	0.16	<2	3	16
ZZ89007		10	<1	0.06	20	0.32	201	1	0.01	21	380	16	0.04	<2	2	12
ZZ89008		10	<1	0.09	20	0.45	248	1	0.01	18	380	11	0.03	<2	3	12
ZZ89009		10	<1	0.06	10	0.25	201	1	0.01	11	350	11	0.03	<2	2	10
ZZ89010		10	<1	0.08	20	0.44	222	<1	0.01	17	380	10	0.02	<2	4	15
ZZ89011		10	<1	0.05	20	0.08	82	<1	0.01	5	370	7	0.02	<2	1	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ73972		<20	0.05	<10	<10	51	<10	77
ZZ73973		<20	0.08	<10	<10	71	<10	108
ZZ73974		<20	0.06	<10	<10	57	<10	43
ZZ73975		<20	0.07	<10	<10	63	<10	58
ZZ73976		<20	0.04	<10	<10	28	<10	36
ZZ73977		<20	0.05	<10	<10	47	<10	48
ZZ73978		<20	0.03	<10	<10	31	<10	24
ZZ73979		<20	0.05	<10	<10	61	<10	46
ZZ73980		<20	0.03	<10	<10	37	<10	44
ZZ73981		<20	0.02	<10	<10	51	<10	42
ZZ73982		<20	0.03	<10	<10	33	<10	58
ZZ73983		<20	0.10	<10	<10	39	<10	60
ZZ73984		<20	0.09	<10	<10	58	<10	49
ZZ73985		<20	0.09	<10	<10	44	<10	47
ZZ73986		<20	0.04	<10	<10	24	<10	21
ZZ73987		<20	0.05	<10	<10	48	<10	58
ZZ73988		<20	0.08	<10	<10	60	<10	62
ZZ73989		<20	0.10	<10	<10	48	<10	52
ZZ73990		<20	0.08	<10	<10	62	<10	57
ZZ73991		<20	0.02	<10	<10	25	<10	66
ZZ73992		<20	0.07	<10	<10	48	<10	57
ZZ73993		<20	0.04	<10	<10	30	<10	50
ZZ73994		20	0.02	<10	<10	14	<10	107
ZZ73995		<20	0.02	<10	<10	29	<10	79
ZZ73996		<20	0.04	<10	<10	48	<10	56
ZZ73997		<20	0.03	<10	<10	38	<10	49
ZZ73998		<20	0.02	<10	<10	42	<10	75
ZZ73999		<20	0.06	<10	<10	46	<10	95
ZZ74000		<20	0.06	<10	<10	54	<10	63
ZZ89001		<20	0.07	<10	<10	49	<10	53
ZZ89002		<20	0.04	<10	<10	47	<10	61
ZZ89003		<20	0.05	<10	<10	39	<10	74
ZZ89004		<20	0.03	<10	<10	39	<10	60
ZZ89005		<20	0.05	<10	<10	42	<10	44
ZZ89006		<20	0.01	<10	<10	24	<10	126
ZZ89007		<20	0.06	<10	<10	59	<10	68
ZZ89008		<20	0.06	<10	<10	63	<10	59
ZZ89009		<20	0.07	<10	<10	76	<10	47
ZZ89010		<20	0.08	<10	<10	71	<10	50
ZZ89011		<20	0.04	<10	<10	46	<10	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89012		0.28	0.002	0.3	1.97	17	<10	120	<0.5	<2	0.13	<0.5	6	25	28	3.06
ZZ89013		0.27	0.010	<0.2	1.71	28	<10	120	0.5	<2	0.23	<0.5	11	30	17	2.97
ZZ89014		0.22	0.003	<0.2	1.49	32	<10	150	0.6	<2	0.19	<0.5	8	25	20	2.59
ZZ89015		0.52	0.002	0.2	1.71	14	<10	130	<0.5	<2	0.26	<0.5	7	31	18	2.20
ZZ89016		0.31	0.002	<0.2	1.45	11	<10	130	<0.5	<2	0.22	<0.5	7	31	18	2.98
ZZ89017		0.35	0.002	<0.2	1.39	9	<10	120	<0.5	<2	0.30	<0.5	6	29	17	2.31
ZZ89018		0.34	0.002	0.2	2.53	17	<10	270	0.5	<2	0.30	<0.5	8	62	28	3.23
ZZ89019		0.39	0.001	<0.2	1.93	10	<10	220	<0.5	<2	0.35	<0.5	8	52	18	2.55
ZZ89020		0.36	<0.001	<0.2	2.19	14	<10	250	0.6	<2	0.37	<0.5	11	57	27	3.41
ZZ89021		0.34	0.001	0.2	2.14	8	<10	210	0.5	<2	0.29	<0.5	9	93	21	2.36
ZZ89022		0.27	0.002	<0.2	1.90	9	<10	220	<0.5	<2	0.32	<0.5	8	49	22	2.75
ZZ89023		0.26	0.001	<0.2	1.73	9	<10	140	<0.5	<2	0.28	<0.5	8	39	19	2.54
ZZ89024		0.34	0.003	0.2	2.22	15	<10	150	0.7	<2	0.30	<0.5	9	61	20	3.07
ZZ89025		0.29	0.005	<0.2	1.92	7	<10	120	<0.5	<2	0.32	<0.5	9	59	23	2.02
ZZ89026		0.41	0.001	<0.2	2.11	11	<10	140	0.5	<2	0.27	<0.5	13	129	26	2.50
ZZ89027		0.44	0.003	<0.2	1.69	14	<10	150	0.5	<2	0.28	<0.5	13	58	25	3.19
ZZ89028		0.36	<0.001	0.2	2.03	8	<10	200	0.6	2	0.40	<0.5	9	66	39	3.27
ZZ89029		0.35	<0.001	0.2	1.98	14	<10	170	0.7	<2	0.28	<0.5	12	57	29	3.37
ZZ89030		0.24	0.003	<0.2	1.26	13	<10	70	<0.5	<2	0.10	<0.5	5	28	18	2.69
ZZ89031		0.34	0.001	<0.2	2.24	12	<10	150	0.6	<2	0.31	<0.5	18	53	30	3.54
ZZ89032		0.20	<0.001	<0.2	1.37	15	<10	110	<0.5	<2	0.28	<0.5	14	56	26	2.69
ZZ89033		0.27	0.001	<0.2	2.25	15	<10	110	0.5	<2	0.15	<0.5	11	85	29	4.12
ZZ89034		0.25	<0.001	<0.2	1.40	11	<10	120	<0.5	<2	0.19	<0.5	10	43	27	2.64
ZZ89035		0.32	0.001	0.5	1.93	11	<10	210	0.8	<2	0.38	<0.5	9	46	38	2.66
ZZ89036		0.32	0.002	0.2	2.53	9	<10	300	0.8	<2	0.40	<0.5	17	85	38	3.76
ZZ89037		0.30	0.001	<0.2	1.32	18	<10	90	0.8	<2	0.16	<0.5	10	28	32	3.17
ZZ89038		0.32	0.001	<0.2	1.04	11	<10	80	0.6	<2	0.18	<0.5	9	31	21	2.33
ZZ89039		0.26	0.002	<0.2	1.36	13	<10	70	0.5	<2	0.17	<0.5	9	33	28	3.08
ZZ89040		0.27	0.003	0.5	1.50	17	<10	100	<0.5	<2	0.18	<0.5	8	27	20	2.83
ZZ89041		0.23	0.002	<0.2	2.96	14	<10	140	0.7	<2	0.22	<0.5	12	44	18	4.00
ZZ89042		0.27	0.001	<0.2	1.97	10	<10	150	0.6	<2	0.20	<0.5	12	31	34	2.96
ZZ89043		0.30	0.004	<0.2	0.92	13	<10	80	<0.5	<2	0.14	<0.5	5	19	13	1.72
ZZ89044		0.29	0.022	<0.2	2.27	9	<10	130	0.7	<2	0.24	<0.5	12	34	26	2.78
ZZ89045		0.25	0.002	0.2	1.28	15	<10	130	0.7	<2	0.21	<0.5	7	27	26	2.40
ZZ89046		0.45	0.013	<0.2	1.28	9	<10	100	<0.5	<2	0.22	<0.5	12	29	18	1.96
ZZ89047		0.48	0.005	<0.2	0.96	10	<10	80	<0.5	<2	0.27	<0.5	8	23	13	1.78
ZZ89048		0.37	0.002	0.2	1.92	13	<10	180	0.7	<2	0.32	<0.5	12	49	30	2.98
ZZ89049		0.41	0.001	<0.2	1.54	12	<10	120	0.6	<2	0.30	<0.5	9	43	26	2.53
ZZ89050		0.24	0.005	<0.2	2.02	14	<10	160	0.7	<2	0.23	<0.5	10	49	34	2.99
ZZ89051		0.48	0.014	<0.2	1.66	9	<10	120	<0.5	<2	0.33	<0.5	9	40	21	2.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89012		10	<1	0.06	10	0.29	184	<1	0.02	12	480	9	0.03	<2	2	17
ZZ89013		10	<1	0.12	40	0.47	442	<1	0.01	20	630	9	0.02	<2	4	17
ZZ89014		10	<1	0.11	40	0.35	321	1	0.01	17	540	8	0.02	<2	3	17
ZZ89015		10	<1	0.10	30	0.47	158	<1	0.01	18	910	8	0.02	<2	4	15
ZZ89016		10	<1	0.07	20	0.36	209	<1	0.01	17	950	7	0.04	<2	3	16
ZZ89017		10	<1	0.07	20	0.43	189	<1	0.01	17	920	5	0.01	<2	3	16
ZZ89018		10	<1	0.16	10	0.76	190	<1	0.01	32	830	6	0.03	<2	6	20
ZZ89019		10	<1	0.16	10	0.72	210	<1	0.01	32	730	6	0.01	<2	5	18
ZZ89020		10	<1	0.09	20	0.78	413	<1	0.01	36	1010	10	0.04	<2	4	26
ZZ89021		10	<1	0.09	10	0.85	176	<1	0.01	56	710	8	0.02	<2	5	18
ZZ89022		10	<1	0.07	10	0.62	284	<1	0.01	27	1000	5	0.03	<2	4	25
ZZ89023		10	<1	0.10	20	0.57	279	<1	0.01	23	790	6	0.02	<2	3	19
ZZ89024		10	<1	0.12	30	0.73	270	<1	0.01	30	970	11	0.03	<2	6	22
ZZ89025		10	<1	0.07	10	0.73	205	<1	0.01	37	850	8	0.01	<2	4	18
ZZ89026		10	<1	0.10	20	1.02	224	<1	0.01	97	640	8	0.01	<2	5	14
ZZ89027		10	<1	0.11	20	0.69	476	<1	0.01	35	860	6	0.03	<2	5	17
ZZ89028		10	<1	0.11	20	0.75	316	<1	0.02	42	1190	6	0.10	<2	5	29
ZZ89029		10	<1	0.16	20	0.76	379	<1	0.01	38	840	7	0.03	<2	4	19
ZZ89030		10	<1	0.05	10	0.22	142	1	0.01	12	410	9	0.04	<2	2	10
ZZ89031		10	<1	0.13	10	0.79	514	<1	0.01	42	760	8	0.02	<2	5	17
ZZ89032		10	<1	0.10	10	0.70	536	1	0.02	44	720	6	0.02	<2	4	16
ZZ89033		10	<1	0.10	10	0.87	354	<1	0.01	52	340	8	0.02	<2	5	11
ZZ89034		10	<1	0.09	10	0.48	291	<1	0.02	31	660	6	0.03	<2	3	15
ZZ89035		10	<1	0.11	20	0.54	381	<1	0.03	34	1100	7	0.10	<2	2	33
ZZ89036		10	<1	0.22	20	1.13	533	<1	0.01	50	890	12	0.01	<2	8	21
ZZ89037		<10	<1	0.11	20	0.30	275	1	0.01	30	430	12	0.04	<2	4	15
ZZ89038		<10	<1	0.08	30	0.31	303	1	0.01	24	430	16	0.03	<2	3	14
ZZ89039		10	<1	0.07	20	0.29	316	1	0.01	24	530	13	0.06	<2	2	14
ZZ89040		<10	<1	0.11	20	0.36	221	2	0.02	19	490	9	0.11	<2	3	16
ZZ89041		10	<1	0.10	20	0.68	474	1	0.02	24	470	11	0.03	<2	5	20
ZZ89042		10	<1	0.10	20	0.49	362	1	0.02	26	360	9	0.07	<2	3	17
ZZ89043		<10	<1	0.08	30	0.28	142	1	0.01	13	190	9	0.06	<2	2	16
ZZ89044		10	<1	0.10	10	0.61	422	<1	0.01	31	260	9	0.01	<2	4	18
ZZ89045		<10	1	0.08	50	0.30	259	1	0.01	23	590	11	0.04	2	3	23
ZZ89046		<10	<1	0.05	20	0.36	876	1	0.01	16	670	9	<0.01	<2	3	15
ZZ89047		<10	<1	0.05	10	0.34	585	1	0.01	16	660	6	<0.01	<2	3	13
ZZ89048		10	<1	0.14	20	0.61	535	1	0.01	36	660	10	0.02	<2	4	25
ZZ89049		10	<1	0.11	20	0.55	266	1	0.01	29	640	9	<0.01	<2	4	18
ZZ89050		10	<1	0.13	30	0.57	309	1	<0.01	34	720	10	0.01	<2	4	15
ZZ89051		<10	<1	0.13	10	0.61	250	<1	0.01	25	730	8	<0.01	<2	4	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89012		<20	0.08	<10	<10	78	<10	48
ZZ89013		<20	0.09	<10	<10	53	<10	77
ZZ89014		<20	0.06	<10	<10	49	<10	64
ZZ89015		<20	0.07	<10	<10	47	<10	52
ZZ89016		<20	0.10	<10	<10	107	<10	58
ZZ89017		<20	0.09	<10	<10	49	<10	48
ZZ89018		<20	0.12	<10	<10	93	<10	65
ZZ89019		<20	0.12	<10	<10	69	<10	59
ZZ89020		<20	0.08	<10	<10	86	<10	69
ZZ89021		<20	0.08	<10	<10	77	<10	60
ZZ89022		<20	0.07	<10	<10	75	<10	59
ZZ89023		<20	0.07	<10	<10	59	<10	56
ZZ89024		<20	0.05	<10	<10	66	<10	62
ZZ89025		<20	0.07	<10	<10	55	<10	56
ZZ89026		<20	0.08	<10	<10	65	<10	65
ZZ89027		<20	0.08	<10	<10	78	<10	78
ZZ89028		<20	0.10	<10	<10	87	<10	87
ZZ89029		<20	0.11	<10	<10	82	<10	78
ZZ89030		<20	0.11	<10	<10	93	<10	44
ZZ89031		<20	0.10	<10	<10	81	<10	78
ZZ89032		<20	0.11	<10	<10	75	<10	68
ZZ89033		<20	0.18	<10	<10	119	<10	76
ZZ89034		<20	0.08	<10	<10	68	<10	62
ZZ89035		<20	0.05	<10	<10	69	<10	64
ZZ89036		<20	0.12	<10	<10	114	<10	101
ZZ89037		20	0.04	<10	<10	38	<10	84
ZZ89038		<20	0.05	<10	<10	35	<10	71
ZZ89039		<20	0.06	<10	<10	50	<10	66
ZZ89040		<20	0.06	<10	<10	47	<10	50
ZZ89041		<20	0.12	<10	<10	79	<10	70
ZZ89042		<20	0.09	<10	<10	59	<10	61
ZZ89043		<20	0.06	<10	<10	32	<10	33
ZZ89044		<20	0.11	<10	<10	62	<10	65
ZZ89045		<20	0.04	<10	<10	46	<10	57
ZZ89046		<20	0.04	<10	<10	41	<10	46
ZZ89047		<20	0.05	<10	<10	34	<10	51
ZZ89048		<20	0.06	<10	<10	69	<10	83
ZZ89049		<20	0.08	<10	<10	56	<10	69
ZZ89050		<20	0.08	<10	<10	72	<10	71
ZZ89051		<20	0.10	<10	<10	60	<10	63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89052		0.32	0.003	<0.2	1.60	12	<10	140	0.7	<2	0.35	<0.5	10	69	28	2.74
ZZ89053		0.38	0.002	<0.2	1.23	16	<10	130	<0.5	<2	0.29	<0.5	7	31	20	2.19
ZZ89054		0.24	0.001	<0.2	1.46	16	<10	120	0.5	<2	0.21	<0.5	11	36	27	2.75
ZZ89055		0.31	0.007	<0.2	1.50	26	<10	160	0.7	<2	0.29	<0.5	12	35	30	2.80
ZZ89056		0.35	0.002	0.2	1.50	12	<10	130	0.5	<2	0.33	<0.5	8	29	21	2.12
ZZ89057		0.38	0.003	<0.2	1.74	12	<10	130	0.7	<2	0.30	<0.5	10	34	29	2.68
ZZ89058		0.35	0.002	<0.2	1.77	5	<10	160	<0.5	<2	0.49	<0.5	8	28	21	2.25
ZZ89059		0.32	0.001	<0.2	1.79	3	<10	150	0.5	<2	0.26	<0.5	8	26	24	2.22
ZZ89060		0.23	0.002	0.2	1.60	6	<10	120	0.6	<2	0.32	<0.5	4	25	39	1.85
ZZ89061		0.35	0.002	<0.2	1.94	7	<10	160	0.5	<2	0.43	<0.5	9	32	20	2.66
ZZ89062		0.28	0.002	0.3	1.76	5	<10	160	<0.5	<2	0.35	<0.5	7	26	18	2.15
ZZ89063		0.34	0.001	<0.2	1.98	7	<10	140	0.5	<2	0.37	<0.5	9	35	18	2.65
ZZ89064		0.29	0.004	<0.2	2.23	7	<10	180	0.5	<2	0.39	<0.5	9	36	22	2.69
ZZ89065		0.36	0.005	<0.2	2.27	7	<10	170	0.6	<2	0.41	<0.5	10	34	22	2.73
ZZ89066		0.31	0.002	<0.2	2.02	7	<10	130	0.6	<2	0.36	<0.5	10	33	20	2.74
ZZ89067		0.29	0.002	0.3	1.86	4	<10	120	0.5	<2	0.31	<0.5	8	25	21	2.22
ZZ89068		0.28	0.003	<0.2	1.70	5	<10	130	<0.5	<2	0.34	<0.5	9	27	22	2.45
ZZ89069		0.44	0.003	0.2	2.12	9	<10	150	0.6	<2	0.40	<0.5	8	32	20	2.57
ZZ89070		0.33	0.003	0.2	2.04	6	<10	140	0.6	<2	0.44	<0.5	10	32	24	2.60
ZZ89071		0.37	0.002	<0.2	2.02	6	<10	140	0.5	<2	0.48	<0.5	11	33	26	2.76
ZZ89072		0.32	0.001	<0.2	1.98	8	<10	130	0.5	<2	0.49	<0.5	9	35	23	2.69
ZZ89073		0.27	0.001	<0.2	1.43	4	<10	100	<0.5	<2	0.65	<0.5	6	21	20	1.78
ZZ89074		0.36	0.002	<0.2	1.83	4	<10	140	0.5	<2	0.57	<0.5	10	28	26	2.18
ZZ89075		0.37	0.004	<0.2	1.58	4	<10	100	0.5	<2	0.52	<0.5	8	22	24	1.87
ZZ89076		0.39	0.004	<0.2	2.50	8	<10	170	0.7	<2	0.35	<0.5	11	40	28	2.93
ZZ89077		0.32	0.002	<0.2	2.33	7	<10	130	0.7	<2	0.31	<0.5	11	43	22	3.11
ZZ89078		0.30	<0.001	<0.2	1.82	11	<10	140	0.7	<2	0.37	<0.5	10	25	21	2.90
ZZ89079		0.39	<0.001	0.2	1.57	8	<10	150	0.6	<2	0.56	<0.5	9	27	26	2.67
ZZ89080		0.43	0.003	<0.2	2.07	25	<10	200	0.7	<2	0.48	<0.5	13	55	32	3.25
ZZ89081		0.37	0.004	0.3	2.56	16	<10	250	0.9	<2	0.44	<0.5	11	42	30	3.79
ZZ89082		0.32	0.004	0.2	1.75	18	<10	100	0.6	<2	0.24	<0.5	9	28	19	2.71
ZZ89083		0.29	0.004	<0.2	2.11	15	<10	100	0.6	<2	0.20	<0.5	9	32	21	3.04
ZZ89084		0.30	0.003	<0.2	2.26	15	<10	130	0.7	<2	0.24	<0.5	12	34	28	3.35
ZZ89085		0.27	0.008	<0.2	2.49	15	<10	170	0.9	<2	0.25	<0.5	15	39	37	4.20
ZZ89086		0.35	0.006	<0.2	1.64	12	<10	140	0.7	<2	0.22	<0.5	10	29	26	3.10
ZZ89087		0.38	0.004	<0.2	1.68	14	<10	100	0.6	<2	0.17	<0.5	9	27	23	2.86
ZZ89088		0.34	0.006	<0.2	1.47	29	<10	110	0.6	<2	0.22	<0.5	11	25	23	3.17
ZZ89089		0.31	0.004	<0.2	1.42	23	<10	100	0.5	<2	0.12	<0.5	9	24	24	3.46
ZZ89090		0.29	0.004	<0.2	2.06	49	<10	100	0.6	<2	0.15	<0.5	16	30	34	3.41
ZZ89091		0.26	0.003	<0.2	1.29	23	<10	120	0.6	<2	0.21	<0.5	11	23	21	2.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89052		<10	<1	0.13	30	0.59	300	1	0.01	42	760	9	<0.01	3	5	24
ZZ89053		<10	<1	0.12	20	0.45	209	1	0.01	20	680	8	0.04	6	3	22
ZZ89054		10	<1	0.11	10	0.45	407	1	0.01	28	620	10	0.01	<2	3	14
ZZ89055		<10	<1	0.10	20	0.42	588	1	0.01	36	880	12	<0.01	<2	3	18
ZZ89056		<10	<1	0.09	30	0.44	314	1	0.01	23	660	8	0.01	<2	4	23
ZZ89057		10	<1	0.11	30	0.51	495	1	0.01	27	680	9	0.01	<2	4	22
ZZ89058		10	<1	0.11	20	0.46	246	<1	0.03	17	630	7	0.04	<2	3	36
ZZ89059		10	<1	0.11	30	0.42	302	<1	0.02	18	540	7	0.02	<2	3	22
ZZ89060		10	<1	0.10	20	0.31	112	1	0.01	15	690	10	0.02	<2	1	27
ZZ89061		10	<1	0.17	20	0.55	325	<1	0.02	21	580	9	0.02	<2	4	29
ZZ89062		10	<1	0.11	30	0.41	294	<1	0.02	15	670	6	0.03	<2	3	27
ZZ89063		10	<1	0.19	20	0.63	346	<1	0.02	22	490	7	<0.01	<2	4	24
ZZ89064		10	<1	0.20	30	0.65	238	<1	0.01	22	560	6	0.01	<2	5	27
ZZ89065		10	<1	0.16	40	0.60	320	<1	0.02	24	670	7	0.01	<2	4	29
ZZ89066		10	<1	0.21	30	0.59	325	<1	0.01	21	540	8	<0.01	<2	4	24
ZZ89067		10	<1	0.14	20	0.40	288	<1	0.02	15	630	7	0.03	<2	3	24
ZZ89068		10	<1	0.17	20	0.44	334	<1	0.02	17	570	9	0.02	<2	3	27
ZZ89069		10	<1	0.19	40	0.51	298	<1	0.01	20	610	8	0.01	<2	4	27
ZZ89070		10	<1	0.20	30	0.56	306	<1	0.01	21	560	6	0.01	<2	4	29
ZZ89071		10	1	0.16	30	0.54	401	<1	0.02	21	730	7	0.03	<2	4	34
ZZ89072		10	<1	0.21	30	0.63	298	<1	0.01	24	430	6	0.01	<2	4	31
ZZ89073		<10	<1	0.15	40	0.35	199	<1	0.03	14	740	5	0.05	<2	2	40
ZZ89074		10	<1	0.18	30	0.41	392	<1	0.03	18	670	7	0.04	<2	3	36
ZZ89075		10	<1	0.14	30	0.33	256	<1	0.03	15	630	5	0.04	<2	3	33
ZZ89076		10	<1	0.25	40	0.69	236	<1	0.01	28	570	8	0.01	<2	5	27
ZZ89077		10	<1	0.36	30	0.80	254	<1	0.01	29	420	9	<0.01	<2	5	21
ZZ89078		10	<1	0.13	50	0.57	403	<1	0.01	22	610	13	0.02	<2	3	30
ZZ89079		10	<1	0.14	40	0.43	285	1	0.02	24	670	10	0.04	<2	4	40
ZZ89080		10	<1	0.19	30	0.76	449	1	0.01	59	770	12	0.03	<2	4	35
ZZ89081		10	<1	0.14	40	0.53	670	1	0.01	34	1550	15	0.06	<2	3	41
ZZ89082		10	<1	0.13	30	0.55	263	<1	0.01	21	550	10	<0.01	<2	4	17
ZZ89083		10	<1	0.10	20	0.55	298	<1	0.01	23	470	10	<0.01	<2	4	15
ZZ89084		10	<1	0.14	40	0.54	438	<1	0.01	27	590	14	0.01	<2	4	23
ZZ89085		10	<1	0.20	30	0.43	1115	1	0.01	27	860	25	0.04	<2	3	30
ZZ89086		10	<1	0.15	30	0.40	557	<1	<0.01	20	630	16	0.01	<2	3	22
ZZ89087		10	<1	0.13	20	0.42	287	<1	0.01	21	550	14	0.01	<2	3	15
ZZ89088		<10	<1	0.16	30	0.42	383	10	0.01	23	600	18	0.09	<2	3	24
ZZ89089		<10	<1	0.15	30	0.34	299	1	<0.01	21	260	20	0.03	<2	3	15
ZZ89090		10	<1	0.14	20	0.44	504	<1	0.01	26	350	17	0.02	<2	3	19
ZZ89091		<10	<1	0.12	30	0.33	519	1	0.01	22	540	20	0.08	<2	3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89052		<20	0.08	<10	<10	64	<10	72
ZZ89053		<20	0.08	<10	<10	47	<10	54
ZZ89054		<20	0.07	<10	<10	60	<10	68
ZZ89055		<20	0.05	<10	<10	50	<10	80
ZZ89056		<20	0.06	<10	<10	45	<10	61
ZZ89057		<20	0.07	<10	<10	56	<10	73
ZZ89058		<20	0.10	<10	<10	47	<10	56
ZZ89059		<20	0.09	<10	<10	46	<10	46
ZZ89060		<20	0.05	<10	<10	38	<10	38
ZZ89061		<20	0.11	<10	<10	52	<10	58
ZZ89062		<20	0.08	<10	<10	44	<10	46
ZZ89063		<20	0.13	<10	<10	50	<10	56
ZZ89064		<20	0.13	<10	<10	51	<10	58
ZZ89065		<20	0.12	<10	<10	55	<10	55
ZZ89066		<20	0.13	<10	<10	52	<10	53
ZZ89067		<20	0.08	<10	<10	47	<10	43
ZZ89068		<20	0.11	<10	<10	58	<10	52
ZZ89069		<20	0.10	<10	<10	49	<10	58
ZZ89070		<20	0.11	<10	<10	51	<10	56
ZZ89071		<20	0.11	<10	<10	58	<10	58
ZZ89072		<20	0.13	<10	<10	52	<10	58
ZZ89073		<20	0.08	<10	<10	35	<10	44
ZZ89074		<20	0.09	<10	<10	47	<10	52
ZZ89075		<20	0.07	<10	<10	36	<10	38
ZZ89076		<20	0.13	<10	<10	55	<10	69
ZZ89077		<20	0.16	<10	<10	52	<10	70
ZZ89078		<20	0.04	<10	<10	29	<10	64
ZZ89079		<20	0.08	<10	<10	58	<10	64
ZZ89080		<20	0.09	<10	<10	54	<10	86
ZZ89081		<20	0.02	<10	<10	60	<10	99
ZZ89082		<20	0.10	<10	<10	45	<10	57
ZZ89083		<20	0.09	<10	<10	56	<10	57
ZZ89084		<20	0.06	<10	<10	51	<10	65
ZZ89085		<20	0.03	<10	<10	58	<10	87
ZZ89086		<20	0.04	<10	<10	42	<10	72
ZZ89087		<20	0.07	<10	<10	49	<10	71
ZZ89088		<20	0.08	<10	<10	46	<10	72
ZZ89089		<20	0.06	<10	<10	44	<10	70
ZZ89090		<20	0.07	<10	<10	52	<10	83
ZZ89091		<20	0.06	<10	<10	41	<10	79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89092		0.26	0.002	0.3	1.79	19	<10	110	<0.5	<2	0.15	<0.5	6	26	14	2.80
ZZ89093		0.33	0.004	0.2	2.34	17	<10	150	0.6	<2	0.24	<0.5	11	34	20	2.79
ZZ89094		0.26	0.003	<0.2	1.83	7	<10	170	0.5	<2	0.19	<0.5	7	31	21	2.93
ZZ89095		0.31	0.003	0.2	1.58	11	<10	300	0.8	<2	0.47	<0.5	7	20	19	2.48
ZZ89096		0.29	0.003	<0.2	1.15	15	<10	150	0.5	<2	0.20	<0.5	8	14	17	1.96
ZZ89097		0.29	0.005	0.2	0.85	32	<10	90	0.5	<2	0.20	<0.5	10	12	11	1.86
ZZ89098		0.38	0.003	<0.2	1.69	15	<10	250	0.5	<2	0.48	<0.5	17	15	11	2.25
ZZ89099		0.40	0.002	<0.2	1.34	3	<10	190	0.7	<2	0.42	<0.5	7	14	13	1.76
ZZ89100		0.31	0.002	<0.2	1.16	2	<10	190	1.1	<2	0.56	<0.5	9	12	20	3.03
ZZ89101		0.38	0.002	0.2	1.88	7	<10	250	1.3	<2	0.43	<0.5	9	19	25	2.38
ZZ89102		0.37	0.003	<0.2	2.06	<2	<10	280	0.6	<2	0.48	<0.5	9	24	19	2.30
ZZ89103		0.38	0.002	<0.2	1.43	5	<10	310	0.8	<2	0.52	<0.5	8	18	17	1.50
ZZ89104		0.39	0.002	<0.2	1.24	4	<10	260	0.7	<2	0.52	<0.5	6	17	19	1.69
ZZ89105		0.30	0.004	0.2	1.59	8	<10	220	0.8	<2	1.35	<0.5	8	15	20	1.66
ZZ89106		0.40	0.003	<0.2	1.66	7	<10	120	<0.5	<2	0.35	<0.5	6	20	13	2.64
ZZ89107		0.40	0.002	<0.2	1.75	9	<10	160	0.5	<2	0.45	<0.5	8	19	19	2.40
ZZ89108		0.35	0.004	<0.2	1.74	10	<10	170	0.7	<2	0.67	<0.5	9	16	19	2.29
ZZ89109		0.33	0.002	<0.2	1.23	3	<10	120	<0.5	<2	0.59	<0.5	5	10	18	1.40
ZZ89110		0.48	0.006	<0.2	1.57	18	<10	180	0.8	<2	0.67	<0.5	9	15	22	2.10
ZZ89111		0.42	0.003	<0.2	2.00	9	<10	130	0.7	<2	0.48	<0.5	8	15	11	2.68
ZZ89112		0.40	0.006	<0.2	2.02	12	<10	350	0.8	<2	0.81	<0.5	8	23	23	2.27
ZZ89113		0.37	0.002	<0.2	2.14	14	<10	190	0.6	<2	0.49	<0.5	9	23	17	2.91
ZZ89114		0.31	0.003	<0.2	2.24	12	<10	130	<0.5	<2	0.25	<0.5	18	23	11	2.77
ZZ89115		0.32	0.001	<0.2	2.39	7	<10	290	<0.5	<2	0.46	<0.5	9	30	14	2.88
ZZ89116		0.32	0.001	<0.2	2.20	6	<10	180	<0.5	<2	0.31	<0.5	11	23	16	3.12
ZZ89117		0.32	0.001	<0.2	2.06	4	<10	170	<0.5	<2	0.30	<0.5	9	17	19	3.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89092		10	<1	0.07	10	0.27	156	1	0.01	13	230	13	0.02	<2	3	18
ZZ89093		10	<1	0.08	10	0.57	300	1	0.01	25	300	11	0.01	<2	4	20
ZZ89094		10	<1	0.09	10	0.42	520	1	0.01	15	530	14	0.02	<2	2	22
ZZ89095		<10	<1	0.12	40	0.26	448	1	0.01	13	1020	13	0.04	<2	5	47
ZZ89096		<10	<1	0.08	20	0.19	475	1	0.01	8	710	14	0.01	<2	2	29
ZZ89097		<10	<1	0.08	20	0.16	640	5	<0.01	8	650	36	0.02	2	1	26
ZZ89098		<10	<1	0.08	10	0.39	893	2	0.01	12	1210	14	0.01	<2	3	54
ZZ89099		<10	<1	0.07	20	0.31	264	<1	0.01	7	1150	11	<0.01	<2	4	38
ZZ89100		<10	<1	0.06	20	0.29	512	1	0.01	7	1580	12	<0.01	<2	4	70
ZZ89101		<10	<1	0.09	50	0.38	330	<1	0.01	10	1050	12	0.01	<2	8	43
ZZ89102		10	<1	0.07	20	0.58	333	<1	0.01	12	780	9	0.01	<2	6	43
ZZ89103		<10	<1	0.10	40	0.26	325	1	0.02	12	920	12	0.03	<2	2	47
ZZ89104		<10	<1	0.08	30	0.26	262	<1	0.02	10	870	7	0.02	<2	3	40
ZZ89105		<10	<1	0.07	40	0.44	365	1	0.02	9	1030	13	0.08	<2	4	84
ZZ89106		10	<1	0.08	10	0.36	255	1	0.01	10	390	14	0.02	<2	2	28
ZZ89107		10	<1	0.08	20	0.62	353	1	0.01	12	700	9	<0.01	<2	3	33
ZZ89108		<10	<1	0.09	20	0.73	423	1	0.01	12	1050	9	0.02	<2	4	57
ZZ89109		<10	<1	0.07	10	0.30	246	<1	0.03	6	550	6	0.03	<2	2	49
ZZ89110		<10	<1	0.09	40	0.66	325	1	0.01	10	1090	9	0.02	3	5	61
ZZ89111		10	<1	0.05	20	1.23	516	<1	0.01	11	960	12	<0.01	<2	4	29
ZZ89112		10	<1	0.10	20	0.57	354	<1	0.01	15	880	8	0.04	<2	4	72
ZZ89113		10	<1	0.07	20	0.85	420	1	0.01	14	670	12	<0.01	<2	5	35
ZZ89114		10	<1	0.05	10	0.79	544	2	0.01	16	550	7	<0.01	<2	3	18
ZZ89115		10	<1	0.06	10	0.74	338	<1	0.02	15	590	7	0.01	<2	5	34
ZZ89116		10	<1	0.05	10	0.74	414	<1	0.02	11	530	7	<0.01	<2	3	26
ZZ89117		10	<1	0.06	10	0.73	384	<1	0.02	9	530	4	<0.01	<2	3	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155450

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89092		<20	0.05	<10	<10	68	<10	46
ZZ89093		<20	0.11	<10	<10	63	<10	54
ZZ89094		<20	0.03	<10	<10	69	<10	64
ZZ89095		<20	0.01	<10	<10	46	<10	66
ZZ89096		<20	0.01	<10	<10	33	<10	53
ZZ89097		<20	0.01	<10	<10	25	<10	123
ZZ89098		<20	0.01	<10	<10	38	<10	89
ZZ89099		<20	0.02	<10	<10	42	<10	53
ZZ89100		<20	0.02	<10	<10	53	<10	82
ZZ89101		<20	0.01	<10	<10	50	<10	67
ZZ89102		<20	0.03	<10	<10	58	<10	60
ZZ89103		<20	0.02	<10	<10	33	<10	67
ZZ89104		<20	0.04	<10	<10	40	<10	47
ZZ89105		<20	0.02	<10	<10	36	<10	61
ZZ89106		<20	0.05	<10	<10	70	<10	54
ZZ89107		<20	0.05	<10	<10	51	<10	73
ZZ89108		<20	0.03	<10	<10	45	<10	77
ZZ89109		<20	0.03	<10	<10	32	<10	40
ZZ89110		<20	0.02	<10	<10	36	<10	66
ZZ89111		<20	0.03	<10	<10	44	<10	71
ZZ89112		<20	0.02	<10	<10	45	<10	55
ZZ89113		<20	0.04	<10	<10	56	<10	67
ZZ89114		<20	0.04	<10	<10	59	<10	73
ZZ89115		<20	0.05	<10	<10	65	<10	68
ZZ89116		<20	0.05	<10	<10	66	<10	69
ZZ89117		<20	0.03	<10	<10	63	<10	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 10-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13155450

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE WH13155451

Project: CCC

P.O. No.:

This report is for 212 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89851		0.20	0.001	<0.2	0.70	2	<10	50	<0.5	<2	0.40	<0.5	3	13	10	1.14
ZZ89852		0.24	0.002	<0.2	0.71	3	<10	40	<0.5	<2	0.51	<0.5	4	16	8	1.33
ZZ89853		0.23	0.002	<0.2	1.19	4	<10	70	<0.5	<2	0.45	<0.5	5	23	17	1.65
ZZ89854		0.30	0.001	<0.2	0.82	3	<10	40	<0.5	<2	0.40	<0.5	4	9	8	1.10
ZZ89855		0.15	0.002	<0.2	0.98	4	<10	60	<0.5	<2	0.50	<0.5	4	11	14	1.28
ZZ89856		0.28	0.002	<0.2	1.55	7	<10	100	<0.5	<2	0.45	<0.5	7	19	11	2.02
ZZ89857		0.34	0.003	<0.2	1.44	6	<10	110	0.5	<2	0.51	<0.5	6	17	10	2.01
ZZ89858		0.29	0.002	<0.2	1.17	4	<10	100	<0.5	<2	0.49	<0.5	5	13	8	1.43
ZZ89859		0.32	0.001	<0.2	1.33	2	<10	90	0.5	<2	0.73	<0.5	4	12	14	1.20
ZZ89860		0.25	0.003	<0.2	1.85	6	<10	140	<0.5	<2	0.24	<0.5	7	26	12	2.55
ZZ89861		0.32	0.002	<0.2	1.43	6	<10	100	<0.5	<2	0.18	<0.5	6	19	10	2.09
ZZ89862		0.27	0.004	0.5	1.57	6	<10	220	0.9	<2	0.78	<0.5	4	15	20	1.55
ZZ89863		0.33	0.004	0.6	2.01	12	<10	240	0.7	<2	0.49	<0.5	9	41	53	2.69
ZZ89864		0.31	0.002	0.2	0.69	8	<10	70	<0.5	<2	0.13	<0.5	4	11	12	1.37
ZZ89865		0.31	0.002	<0.2	1.29	6	<10	90	<0.5	<2	0.12	<0.5	5	18	35	1.78
ZZ89866		0.48	0.002	<0.2	1.32	7	<10	100	<0.5	<2	0.26	<0.5	6	21	13	2.15
ZZ89867		0.41	0.001	<0.2	0.62	2	<10	120	<0.5	<2	0.55	<0.5	5	6	9	1.05
ZZ89868		0.28	0.003	<0.2	0.99	2	<10	200	<0.5	<2	0.56	<0.5	3	7	12	0.88
ZZ89869		0.26	0.001	<0.2	0.38	<2	<10	40	<0.5	<2	0.09	<0.5	3	4	2	1.02
ZZ89870		0.37	0.003	0.2	2.02	4	<10	270	0.7	<2	0.56	<0.5	7	19	12	2.15
ZZ89871		0.52	0.003	<0.2	1.23	4	<10	130	0.5	<2	0.53	<0.5	6	13	6	1.74
ZZ89872		0.38	0.001	<0.2	0.47	<2	<10	30	<0.5	<2	0.15	<0.5	4	5	7	1.29
ZZ89873		0.34	0.004	0.2	1.93	9	<10	110	0.7	<2	0.46	<0.5	10	17	15	2.34
ZZ89874		0.36	0.002	0.2	1.61	8	<10	120	0.7	<2	0.75	<0.5	6	14	17	1.70
ZZ89875		0.42	0.001	<0.2	1.38	5	<10	100	0.5	<2	0.45	<0.5	7	13	10	1.81
ZZ89876		0.30	0.001	0.2	1.00	4	<10	90	0.5	<2	0.29	<0.5	5	9	9	1.18
ZZ89877		0.38	0.002	0.3	1.06	6	<10	80	<0.5	<2	0.13	<0.5	5	13	8	1.66
ZZ89878		0.32	0.001	<0.2	0.97	6	<10	100	0.6	<2	0.32	<0.5	5	8	10	1.10
ZZ89879		0.47	0.002	0.3	1.39	4	<10	130	<0.5	<2	0.32	<0.5	5	17	16	1.74
ZZ89880		0.42	0.002	0.2	1.46	3	<10	140	0.5	<2	0.36	<0.5	6	16	16	1.89
ZZ89881		0.51	0.003	0.2	1.96	7	<10	180	0.6	<2	0.27	<0.5	8	25	18	2.57
ZZ89882		0.39	0.002	0.4	1.29	4	<10	190	<0.5	<2	0.32	<0.5	6	17	11	1.88
ZZ89883		0.37	0.004	0.2	1.94	5	<10	270	0.6	<2	0.40	<0.5	8	24	18	2.25
ZZ89884		0.44	0.001	<0.2	0.76	<2	<10	150	<0.5	<2	0.29	<0.5	3	7	15	1.12
ZZ89885		0.29	0.003	0.2	1.46	4	<10	110	<0.5	<2	0.42	<0.5	6	25	19	2.18
ZZ89886		0.27	0.003	0.2	1.42	4	<10	130	<0.5	<2	0.51	<0.5	7	21	18	1.87
ZZ89887		0.37	0.003	0.2	1.63	4	<10	140	<0.5	<2	0.43	<0.5	7	27	23	2.24
ZZ89888		0.25	0.004	<0.2	1.90	4	<10	140	<0.5	3	0.46	<0.5	7	27	21	2.21
ZZ89889		0.24	0.004	0.2	1.72	6	<10	150	<0.5	3	0.72	<0.5	8	25	22	2.09
ZZ89890		0.24	0.004	0.2	1.63	3	<10	140	0.5	3	0.74	<0.5	7	23	23	1.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89851		<10	<1	0.04	10	0.23	99	<1	0.05	4	480	2	0.01	<2	1	32
ZZ89852		<10	<1	0.03	<10	0.31	150	<1	0.04	4	510	2	0.02	<2	1	36
ZZ89853		10	<1	0.03	10	0.33	174	<1	0.03	6	430	4	0.02	<2	2	32
ZZ89854		<10	<1	0.03	<10	0.17	89	<1	0.04	3	380	2	0.02	<2	1	24
ZZ89855		<10	<1	0.04	10	0.17	150	<1	0.03	6	480	2	0.03	<2	1	35
ZZ89856		10	<1	0.06	10	0.51	265	<1	0.02	10	620	6	<0.01	<2	3	50
ZZ89857		<10	<1	0.06	10	0.48	253	<1	0.02	11	720	5	<0.01	<2	3	51
ZZ89858		<10	<1	0.05	10	0.30	191	<1	0.03	6	550	5	0.01	<2	2	47
ZZ89859		<10	<1	0.05	10	0.31	164	<1	0.04	5	590	4	0.04	<2	2	59
ZZ89860		10	<1	0.06	10	0.39	312	<1	0.02	12	470	7	<0.01	<2	3	25
ZZ89861		10	<1	0.06	10	0.32	167	<1	0.02	9	460	5	<0.01	<2	2	17
ZZ89862		<10	<1	0.10	50	0.23	141	<1	0.03	9	950	6	0.08	<2	3	78
ZZ89863		10	<1	0.13	30	0.53	320	<1	0.02	21	940	7	0.04	<2	5	34
ZZ89864		<10	<1	0.06	10	0.13	131	<1	0.03	8	350	3	0.02	<2	1	13
ZZ89865		10	<1	0.07	10	0.23	132	<1	0.01	9	400	7	0.01	<2	1	14
ZZ89866		10	<1	0.07	10	0.35	156	<1	0.02	11	430	5	<0.01	<2	2	18
ZZ89867		<10	<1	0.03	10	0.10	193	<1	0.04	2	620	<2	0.04	<2	1	54
ZZ89868		<10	<1	0.08	10	0.11	150	<1	0.04	3	540	5	0.02	<2	1	78
ZZ89869		<10	<1	0.03	<10	0.04	47	<1	0.03	<1	350	<2	0.01	<2	<1	11
ZZ89870		10	<1	0.08	30	0.55	415	<1	0.02	10	950	11	0.03	<2	4	64
ZZ89871		<10	<1	0.07	10	0.41	211	<1	0.01	6	970	9	0.01	<2	3	29
ZZ89872		<10	<1	0.03	<10	0.11	79	<1	0.03	2	460	<2	<0.01	<2	1	14
ZZ89873		10	<1	0.07	20	0.95	323	<1	0.02	9	890	11	0.01	<2	4	37
ZZ89874		10	<1	0.05	10	0.54	233	<1	0.03	6	770	9	0.05	<2	2	51
ZZ89875		10	<1	0.05	10	0.53	245	<1	0.03	5	560	6	0.01	<2	2	35
ZZ89876		<10	<1	0.05	10	0.26	136	<1	0.03	4	550	6	0.03	<2	1	33
ZZ89877		<10	<1	0.05	<10	0.22	139	<1	0.02	6	420	5	<0.01	<2	1	16
ZZ89878		<10	<1	0.04	10	0.14	75	<1	0.03	4	480	2	0.03	<2	1	58
ZZ89879		<10	<1	0.10	10	0.27	194	<1	0.02	9	640	6	0.03	<2	2	27
ZZ89880		10	<1	0.13	10	0.21	217	<1	0.03	8	770	4	0.03	<2	2	28
ZZ89881		10	<1	0.14	20	0.33	415	<1	0.02	13	690	7	0.03	<2	3	25
ZZ89882		10	<1	0.12	20	0.23	278	<1	0.03	8	740	3	0.03	<2	2	28
ZZ89883		10	<1	0.16	30	0.34	362	<1	0.02	13	850	6	0.05	<2	3	37
ZZ89884		<10	<1	0.06	20	0.10	166	1	0.02	8	700	5	0.03	<2	1	23
ZZ89885		<10	<1	0.14	20	0.41	216	<1	0.02	16	510	7	0.04	<2	3	29
ZZ89886		<10	<1	0.11	20	0.35	257	1	0.02	15	530	7	0.04	<2	3	33
ZZ89887		10	<1	0.13	20	0.42	238	<1	0.02	16	540	7	0.04	<2	3	29
ZZ89888		10	<1	0.15	20	0.46	249	1	0.02	18	560	6	0.05	<2	3	34
ZZ89889		10	<1	0.13	20	0.41	414	1	0.02	16	690	6	0.07	<2	3	46
ZZ89890		10	<1	0.12	20	0.34	341	1	0.02	16	620	8	0.06	<2	3	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89851		<20	0.04	<10	<10	32	<10	17
ZZ89852		<20	0.05	<10	<10	39	<10	22
ZZ89853		<20	0.06	<10	<10	46	<10	22
ZZ89854		<20	0.05	<10	<10	30	<10	15
ZZ89855		<20	0.05	<10	<10	34	<10	28
ZZ89856		<20	0.09	<10	<10	42	<10	40
ZZ89857		<20	0.07	<10	<10	44	<10	38
ZZ89858		<20	0.04	<10	<10	33	<10	30
ZZ89859		<20	0.03	<10	<10	27	<10	26
ZZ89860		<20	0.07	<10	<10	62	<10	37
ZZ89861		<20	0.06	<10	<10	51	<10	39
ZZ89862		<20	0.02	<10	<10	30	<10	39
ZZ89863		<20	0.05	<10	<10	55	<10	58
ZZ89864		<20	0.04	<10	<10	35	<10	24
ZZ89865		<20	0.06	<10	<10	46	<10	29
ZZ89866		<20	0.07	<10	<10	47	<10	33
ZZ89867		<20	0.03	<10	<10	31	<10	20
ZZ89868		<20	0.01	<10	<10	16	<10	19
ZZ89869		<20	0.05	<10	<10	33	<10	13
ZZ89870		<20	0.02	<10	<10	36	<10	70
ZZ89871		<20	0.11	<10	<10	37	<10	46
ZZ89872		<20	0.06	<10	<10	43	<10	20
ZZ89873		<20	0.04	<10	<10	55	<10	69
ZZ89874		<20	0.03	<10	<10	39	<10	39
ZZ89875		<20	0.04	<10	<10	44	<10	45
ZZ89876		<20	0.03	<10	<10	30	<10	26
ZZ89877		<20	0.05	<10	<10	40	<10	29
ZZ89878		<20	0.04	<10	<10	29	<10	24
ZZ89879		<20	0.04	<10	<10	34	<10	36
ZZ89880		<20	0.03	<10	<10	42	<10	39
ZZ89881		<20	0.05	<10	<10	54	<10	54
ZZ89882		<20	0.06	<10	<10	44	<10	36
ZZ89883		<20	0.04	<10	<10	41	<10	53
ZZ89884		<20	0.03	<10	<10	33	<10	26
ZZ89885		<20	0.09	<10	<10	43	<10	48
ZZ89886		<20	0.07	<10	<10	37	<10	46
ZZ89887		<20	0.08	<10	<10	44	<10	48
ZZ89888		<20	0.08	<10	<10	39	<10	58
ZZ89889		<20	0.07	<10	<10	37	<10	59
ZZ89890		<20	0.06	<10	<10	35	<10	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89891		0.30	0.008	0.7	2.02	7	<10	150	0.6	2	0.53	0.5	6	29	22	2.26
ZZ89892		0.33	0.006	0.8	1.66	6	<10	130	0.5	2	0.58	0.6	5	24	17	1.97
ZZ89893		0.31	0.008	0.2	1.22	5	<10	80	<0.5	2	0.31	<0.5	4	20	13	1.66
ZZ89894		0.28	0.007	0.2	1.62	5	<10	120	<0.5	<2	0.64	<0.5	6	23	18	1.85
ZZ89895		0.32	0.005	0.2	1.38	4	<10	110	<0.5	2	0.40	<0.5	6	22	13	2.02
ZZ89896		0.43	0.004	0.7	2.19	10	<10	170	0.7	2	0.38	<0.5	17	38	24	3.11
ZZ89897		0.27	0.002	0.3	0.96	3	<10	100	<0.5	4	0.57	<0.5	4	11	16	1.19
ZZ89898		0.30	0.007	0.2	1.10	2	<10	110	<0.5	<2	0.42	<0.5	5	14	14	1.70
ZZ89899		0.42	0.003	0.7	1.48	8	<10	120	0.6	2	0.42	1.3	6	23	19	2.10
ZZ89900		0.25	0.001	<0.2	0.56	<2	<10	140	<0.5	2	1.06	<0.5	1	4	18	0.67
ZZ89901		0.23	0.001	<0.2	0.81	2	<10	310	0.5	2	1.06	<0.5	1	6	15	0.72
ZZ89902		0.22	0.001	0.2	0.68	<2	<10	210	<0.5	<2	0.19	<0.5	4	6	18	0.99
ZZ89903		0.36	0.001	<0.2	0.85	3	<10	280	<0.5	<2	0.40	<0.5	3	11	12	1.37
ZZ89904		0.15	0.003	<0.2	1.22	6	<10	270	0.6	<2	1.83	0.5	4	11	19	1.25
ZZ89905		0.29	0.001	<0.2	0.77	2	<10	160	<0.5	<2	0.46	<0.5	3	6	10	1.02
ZZ89906		0.20	0.001	<0.2	1.26	3	<10	300	0.6	<2	1.09	<0.5	4	12	17	1.16
ZZ89907		0.27	0.002	<0.2	1.26	4	<10	310	0.6	2	0.80	<0.5	4	12	18	1.33
ZZ89908		0.15	0.002	<0.2	1.25	3	<10	270	0.6	<2	0.82	<0.5	5	10	19	1.01
ZZ89909		0.24	0.002	<0.2	1.04	4	<10	190	0.6	2	0.40	<0.5	5	14	14	1.72
ZZ89910		0.24	0.001	<0.2	0.50	<2	<10	80	<0.5	2	0.19	<0.5	3	8	8	1.13
ZZ89612		0.32	0.002	<0.2	1.60	7	<10	180	<0.5	3	0.22	<0.5	6	23	18	2.29
ZZ89613		0.41	0.003	<0.2	1.34	5	<10	110	<0.5	3	0.24	<0.5	7	20	14	2.11
ZZ89614		0.40	0.003	<0.2	1.59	7	<10	180	<0.5	2	0.23	<0.5	6	23	20	2.30
ZZ89615		0.41	0.001	<0.2	1.67	7	<10	130	<0.5	2	0.22	<0.5	7	24	14	2.30
ZZ89616		0.35	0.005	<0.2	1.17	5	<10	120	<0.5	<2	0.18	<0.5	4	17	14	1.72
ZZ89617		0.40	0.007	<0.2	1.49	7	<10	140	0.5	2	0.27	<0.5	7	20	16	2.24
ZZ89618		0.44	0.004	<0.2	1.68	8	<10	150	0.7	3	0.22	<0.5	7	22	18	2.26
ZZ89619		0.36	0.006	0.2	1.38	10	<10	100	0.5	3	0.18	<0.5	10	28	22	2.76
ZZ89620		0.31	0.004	0.3	1.97	12	<10	190	0.6	4	0.50	<0.5	9	33	34	3.02
ZZ89621		0.37	0.004	<0.2	1.76	5	<10	140	0.5	2	0.49	<0.5	9	29	25	2.71
ZZ89622		0.39	0.002	0.2	1.49	4	<10	140	0.5	2	0.45	<0.5	7	20	26	1.98
ZZ89623		0.43	0.034	<0.2	1.98	8	<10	160	0.5	2	0.52	<0.5	9	30	22	2.55
ZZ89624		0.39	0.005	0.2	2.24	8	<10	140	0.7	2	0.55	<0.5	10	30	25	2.64
ZZ89625		0.30	0.003	<0.2	1.46	4	<10	120	<0.5	<2	0.50	<0.5	5	18	24	1.61
ZZ89626		0.30	0.004	0.3	2.27	7	<10	190	0.7	2	0.62	<0.5	10	35	31	2.80
ZZ89627		0.37	0.002	<0.2	2.13	14	<10	130	0.6	<2	0.18	<0.5	10	49	26	3.40
ZZ89628		0.39	0.004	0.2	1.60	11	<10	140	0.5	<2	0.24	<0.5	8	32	21	2.31
ZZ89629		0.43	0.002	<0.2	1.68	12	<10	150	<0.5	<2	0.18	<0.5	9	38	23	2.72
ZZ89630		0.38	0.004	0.2	2.30	15	<10	120	0.5	<2	0.15	<0.5	8	37	24	3.37
ZZ89631		0.34	0.004	0.4	2.19	21	<10	180	0.8	2	0.28	<0.5	10	46	36	3.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89891		10	<1	0.14	20	0.43	308	1	0.01	16	600	33	0.05	<2	4	38
ZZ89892		10	<1	0.08	20	0.35	374	<1	0.01	13	680	25	0.05	<2	3	46
ZZ89893		<10	<1	0.09	10	0.28	195	<1	0.02	11	360	13	0.02	<2	2	26
ZZ89894		10	<1	0.09	10	0.35	270	<1	0.02	15	520	7	0.06	<2	3	48
ZZ89895		10	<1	0.12	10	0.36	236	<1	0.02	13	450	9	0.03	<2	2	29
ZZ89896		10	<1	0.20	20	0.55	599	1	0.01	26	610	68	0.04	<2	5	32
ZZ89897		<10	<1	0.07	10	0.17	187	<1	0.02	9	580	5	0.05	<2	2	46
ZZ89898		<10	<1	0.07	10	0.20	162	<1	0.02	9	610	5	0.04	<2	2	36
ZZ89899		<10	<1	0.13	30	0.34	291	1	0.01	14	490	41	0.03	<2	3	37
ZZ89900		<10	<1	0.05	10	0.07	112	<1	0.03	4	590	2	0.07	<2	1	96
ZZ89901		<10	<1	0.12	20	0.07	102	<1	0.02	4	620	6	0.04	<2	2	82
ZZ89902		<10	<1	0.07	<10	0.08	504	1	0.02	5	350	5	0.01	<2	1	19
ZZ89903		<10	<1	0.08	10	0.16	135	<1	0.02	7	460	5	0.01	<2	2	41
ZZ89904		<10	<1	0.11	20	0.28	312	<1	0.02	8	860	5	0.09	<2	2	132
ZZ89905		<10	<1	0.08	30	0.11	101	<1	0.03	4	450	2	0.03	<2	1	41
ZZ89906		<10	<1	0.10	30	0.26	263	<1	0.02	8	760	6	0.06	<2	3	89
ZZ89907		<10	<1	0.11	50	0.22	248	<1	0.02	9	800	9	0.05	<2	2	72
ZZ89908		<10	<1	0.12	20	0.18	398	<1	0.02	8	930	8	0.07	<2	2	95
ZZ89909		<10	<1	0.09	30	0.26	238	1	0.01	9	820	12	0.02	<2	2	37
ZZ89910		<10	<1	0.07	10	0.12	109	<1	0.02	4	300	3	0.01	<2	1	20
ZZ89612		<10	<1	0.06	10	0.34	199	1	<0.01	14	310	8	0.01	<2	2	22
ZZ89613		<10	<1	0.08	10	0.30	243	1	0.01	11	760	9	0.01	<2	2	27
ZZ89614		10	<1	0.07	10	0.33	411	1	<0.01	12	390	8	0.01	<2	3	24
ZZ89615		<10	<1	0.07	10	0.42	252	<1	<0.01	16	480	10	0.01	<2	2	16
ZZ89616		10	<1	0.05	10	0.24	142	1	0.01	9	510	7	0.02	<2	2	19
ZZ89617		<10	<1	0.09	10	0.35	346	1	0.01	13	690	10	0.01	<2	2	24
ZZ89618		10	<1	0.09	10	0.32	382	1	0.01	14	550	17	0.02	<2	2	20
ZZ89619		10	<1	0.11	20	0.42	402	1	0.02	20	550	9	0.07	<2	2	23
ZZ89620		10	<1	0.12	30	0.55	358	1	0.01	22	870	10	0.06	<2	3	40
ZZ89621		10	<1	0.14	20	0.51	320	<1	0.02	21	580	8	0.02	<2	3	32
ZZ89622		<10	<1	0.11	40	0.33	277	1	0.02	14	710	7	0.06	<2	2	33
ZZ89623		10	<1	0.12	20	0.53	300	<1	0.02	22	560	6	0.02	<2	4	34
ZZ89624		10	<1	0.09	30	0.50	365	<1	0.02	22	720	7	0.04	<2	3	39
ZZ89625		<10	<1	0.06	30	0.30	187	<1	0.02	12	680	5	0.06	<2	2	34
ZZ89626		10	<1	0.11	20	0.59	301	1	0.01	25	750	9	0.05	<2	4	36
ZZ89627		10	<1	0.12	20	0.59	338	<1	0.01	26	420	8	0.01	<2	4	19
ZZ89628		10	<1	0.11	20	0.42	316	<1	0.02	20	680	6	0.02	<2	3	20
ZZ89629		10	<1	0.09	10	0.55	386	<1	0.01	22	400	7	<0.01	<2	3	15
ZZ89630		10	<1	0.09	10	0.51	278	1	0.01	21	430	10	0.01	<2	4	15
ZZ89631		10	<1	0.12	30	0.60	428	1	0.01	35	510	10	0.03	<2	5	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89891		<20	0.07	<10	<10	44	<10	103
ZZ89892		<20	0.06	<10	<10	36	<10	94
ZZ89893		<20	0.07	<10	<10	31	<10	50
ZZ89894		<20	0.07	<10	<10	36	<10	55
ZZ89895		<20	0.08	<10	<10	41	<10	52
ZZ89896		<20	0.09	<10	<10	52	<10	79
ZZ89897		<20	0.04	<10	<10	22	<10	31
ZZ89898		<20	0.06	<10	<10	41	<10	33
ZZ89899		<20	0.05	<10	<10	37	<10	140
ZZ89900		<20	0.02	<10	<10	18	<10	16
ZZ89901		<20	0.01	<10	<10	12	<10	25
ZZ89902		<20	0.03	<10	<10	28	<10	51
ZZ89903		<20	0.03	<10	<10	36	<10	29
ZZ89904		<20	0.02	<10	<10	26	<10	66
ZZ89905		<20	0.02	<10	<10	28	<10	21
ZZ89906		<20	0.02	<10	<10	22	<10	46
ZZ89907		<20	0.02	<10	<10	24	<10	41
ZZ89908		<20	0.01	<10	<10	20	<10	39
ZZ89909		<20	0.03	<10	<10	30	<10	42
ZZ89910		<20	0.04	<10	<10	31	<10	26
ZZ89612		<20	0.06	<10	<10	51	<10	42
ZZ89613		<20	0.04	<10	<10	42	<10	46
ZZ89614		<20	0.06	<10	<10	56	<10	64
ZZ89615		<20	0.06	<10	<10	47	<10	46
ZZ89616		<20	0.06	<10	<10	46	<10	34
ZZ89617		<20	0.04	<10	<10	41	<10	48
ZZ89618		<20	0.03	<10	<10	47	<10	55
ZZ89619		<20	0.06	<10	<10	51	<10	52
ZZ89620		<20	0.07	<10	<10	49	<10	58
ZZ89621		<20	0.10	<10	<10	56	<10	56
ZZ89622		<20	0.06	<10	<10	38	<10	46
ZZ89623		<20	0.11	<10	<10	51	<10	52
ZZ89624		<20	0.08	<10	<10	52	<10	55
ZZ89625		<20	0.06	<10	<10	32	<10	33
ZZ89626		<20	0.08	<10	<10	52	<10	62
ZZ89627		<20	0.09	<10	<10	79	<10	68
ZZ89628		<20	0.06	<10	<10	54	<10	59
ZZ89629		<20	0.09	<10	<10	71	<10	58
ZZ89630		<20	0.10	<10	<10	76	<10	56
ZZ89631		<20	0.07	<10	<10	72	<10	75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89632		0.34	0.003	0.2	2.13	19	<10	190	0.7	2	0.26	<0.5	9	47	32	3.31
ZZ89633		0.42	0.003	0.2	1.54	13	<10	140	<0.5	3	0.22	<0.5	7	37	26	2.43
ZZ89634		0.35	0.003	<0.2	1.57	14	<10	150	0.5	2	0.24	<0.5	7	32	25	2.64
ZZ89635		0.48	0.005	0.5	1.68	15	<10	210	0.5	2	0.22	<0.5	8	42	33	2.64
ZZ89636		0.61	0.002	<0.2	1.38	14	<10	140	<0.5	2	0.24	<0.5	8	32	19	2.42
ZZ89637		0.56	0.002	0.3	1.41	10	<10	190	<0.5	2	0.24	<0.5	8	37	27	2.15
ZZ89638		0.55	0.005	<0.2	1.52	10	<10	180	<0.5	<2	0.30	<0.5	9	46	24	2.55
ZZ89639		0.37	0.004	0.4	2.67	19	<10	400	0.8	3	0.34	<0.5	12	67	65	4.16
ZZ89640		0.51	0.003	<0.2	1.59	10	<10	160	0.5	3	0.35	<0.5	9	45	27	2.62
ZZ89641		0.52	0.003	0.6	2.51	13	<10	240	0.9	3	0.31	<0.5	11	53	55	3.21
ZZ89642		0.37	0.006	0.2	1.71	10	<10	180	<0.5	3	0.40	<0.5	8	36	29	2.48
ZZ89643		0.44	0.002	<0.2	2.04	13	<10	130	0.5	3	0.21	<0.5	9	42	23	3.22
ZZ89644		0.41	0.003	<0.2	1.86	13	<10	150	0.5	3	0.28	<0.5	8	37	26	2.98
ZZ89645		0.44	0.003	0.2	1.92	14	<10	140	0.5	3	0.34	<0.5	9	39	27	2.68
ZZ89646		0.46	0.003	0.2	2.53	16	<10	270	0.7	2	0.23	<0.5	14	60	53	3.54
ZZ89647		0.41	0.002	0.2	1.76	15	<10	170	0.5	2	0.28	<0.5	9	40	34	2.60
ZZ89648		0.42	0.005	<0.2	2.41	12	<10	160	0.6	2	0.22	<0.5	13	47	33	3.50
ZZ89649		0.36	0.003	<0.2	1.91	12	<10	110	<0.5	3	0.19	<0.5	9	32	23	3.02
ZZ89650		0.46	0.007	0.2	1.58	12	<10	150	0.5	3	0.39	<0.5	10	30	26	2.49
ZZ89651		0.42	0.003	<0.2	1.63	9	<10	150	0.7	3	0.29	<0.5	8	30	30	2.38
ZZ89652		0.53	0.002	<0.2	1.40	10	<10	120	<0.5	2	0.23	<0.5	8	21	23	2.26
ZZ89653		0.45	0.004	<0.2	1.87	12	<10	140	0.6	2	0.28	<0.5	10	32	29	2.83
ZZ89654		0.43	0.003	0.3	1.69	12	<10	120	0.5	2	0.21	<0.5	7	42	25	2.43
ZZ89655		0.46	0.004	<0.2	2.06	16	<10	180	0.5	3	0.29	<0.5	8	45	30	2.73
ZZ89656		0.43	0.006	0.3	2.33	21	<10	210	0.7	3	0.34	<0.5	10	42	40	3.11
ZZ89657		0.30	0.001	<0.2	0.66	4	<10	50	<0.5	<2	0.14	<0.5	3	9	15	0.87
ZZ89658		0.38	0.004	<0.2	2.13	13	<10	180	0.7	<2	0.27	<0.5	11	38	24	2.79
ZZ89659		0.49	0.008	<0.2	1.48	8	<10	120	<0.5	<2	0.29	<0.5	8	32	19	2.30
ZZ89660		0.38	0.008	<0.2	1.82	10	<10	130	0.6	<2	0.26	<0.5	9	33	25	2.64
ZZ89661		0.43	0.003	0.3	1.80	9	<10	130	0.5	<2	0.20	<0.5	9	31	20	2.42
ZZ89662		0.42	0.010	0.2	1.47	13	<10	70	<0.5	<2	0.22	<0.5	6	29	16	2.10
ZZ89663		0.42	0.003	<0.2	1.59	7	<10	100	0.5	<2	0.23	<0.5	8	28	24	2.32
ZZ89664		0.65	0.006	<0.2	2.23	9	<10	170	0.6	<2	0.24	<0.5	9	34	30	2.72
ZZ89665		0.43	0.007	0.6	3.56	15	<10	250	0.7	<2	0.20	<0.5	11	44	34	3.81
ZZ89666		0.50	0.004	<0.2	1.78	13	<10	150	0.5	<2	0.25	<0.5	6	30	25	2.31
ZZ89667		0.46	0.009	<0.2	1.83	6	<10	120	0.5	<2	0.28	<0.5	9	28	22	2.07
ZZ89668		0.37	0.003	<0.2	1.59	7	<10	140	<0.5	3	0.37	<0.5	9	44	21	2.34
ZZ89669		0.45	0.005	0.2	1.53	8	<10	100	<0.5	3	0.29	<0.5	8	33	16	1.98
ZZ89670		0.33	0.003	0.4	1.80	9	<10	130	0.5	2	0.19	<0.5	6	37	20	2.02
ZZ89671		0.33	0.014	<0.2	1.30	11	<10	90	<0.5	2	0.23	<0.5	6	25	17	1.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89632		10	<1	0.15	20	0.66	384	1	0.01	31	480	10	0.02	<2	4	23
ZZ89633		10	<1	0.14	10	0.48	295	1	0.01	26	520	7	0.01	<2	3	17
ZZ89634		10	<1	0.11	10	0.40	224	1	0.01	21	540	7	0.02	<2	2	20
ZZ89635		10	<1	0.16	20	0.51	308	1	0.01	28	400	10	0.02	<2	3	23
ZZ89636		10	<1	0.13	10	0.46	284	1	0.01	21	570	6	0.01	<2	3	17
ZZ89637		10	<1	0.14	10	0.49	341	1	0.01	24	520	5	0.02	<2	3	19
ZZ89638		10	<1	0.20	20	0.72	303	<1	0.01	31	480	7	0.01	<2	4	18
ZZ89639		10	<1	0.22	20	0.77	584	2	0.01	46	500	13	0.03	<2	5	32
ZZ89640		10	<1	0.15	20	0.75	300	<1	0.01	32	650	7	0.01	<2	4	19
ZZ89641		10	<1	0.16	20	0.75	337	1	0.01	43	830	10	0.05	<2	4	25
ZZ89642		10	<1	0.08	20	0.59	327	1	0.01	24	830	7	0.02	<2	3	28
ZZ89643		10	<1	0.10	20	0.58	317	1	0.01	29	590	11	0.02	<2	4	17
ZZ89644		10	<1	0.11	20	0.63	279	1	0.01	25	580	9	0.03	<2	4	25
ZZ89645		10	<1	0.09	20	0.66	300	1	0.01	30	800	8	0.01	<2	4	20
ZZ89646		10	<1	0.12	10	0.79	353	2	0.01	64	520	12	0.02	<2	5	19
ZZ89647		10	<1	0.11	10	0.50	349	2	0.01	27	490	9	0.02	<2	3	22
ZZ89648		10	<1	0.15	10	0.74	424	1	<0.01	40	480	9	0.01	<2	4	17
ZZ89649		10	<1	0.10	10	0.52	277	1	0.01	22	490	8	0.02	<2	4	13
ZZ89650		<10	<1	0.09	20	0.51	253	1	0.01	24	840	9	0.01	<2	4	20
ZZ89651		10	<1	0.08	40	0.47	188	1	0.02	25	590	8	0.02	<2	5	19
ZZ89652		10	<1	0.08	20	0.34	254	1	0.01	19	450	8	0.02	<2	2	18
ZZ89653		10	<1	0.08	20	0.53	359	1	0.01	25	680	8	0.02	<2	4	18
ZZ89654		10	<1	0.10	20	0.60	278	1	0.01	29	520	8	0.02	<2	4	15
ZZ89655		10	<1	0.11	20	0.73	232	1	0.01	29	650	8	0.02	<2	4	18
ZZ89656		10	<1	0.08	30	0.62	426	2	0.01	34	990	11	0.04	<2	5	25
ZZ89657		<10	<1	0.04	10	0.11	91	<1	0.04	7	450	2	0.02	<2	1	13
ZZ89658		10	<1	0.08	20	0.59	387	1	0.01	29	590	9	0.01	<2	4	21
ZZ89659		<10	<1	0.08	20	0.53	299	<1	0.01	24	700	7	0.01	<2	3	18
ZZ89660		<10	<1	0.09	30	0.48	347	1	0.01	27	740	10	0.01	<2	4	17
ZZ89661		10	<1	0.08	30	0.39	361	1	0.02	25	610	9	0.02	<2	3	18
ZZ89662		<10	<1	0.06	20	0.41	171	2	0.01	18	570	9	0.01	<2	3	13
ZZ89663		10	<1	0.07	30	0.41	222	1	0.02	18	580	10	0.01	<2	3	16
ZZ89664		10	<1	0.08	30	0.51	238	1	0.01	24	570	10	0.01	<2	4	20
ZZ89665		10	<1	0.14	40	0.57	266	2	0.01	32	830	15	0.03	<2	5	20
ZZ89666		10	<1	0.07	30	0.42	181	1	0.01	16	680	10	0.02	<2	4	19
ZZ89667		<10	<1	0.07	30	0.45	200	<1	0.01	18	730	7	0.01	<2	4	16
ZZ89668		10	<1	0.10	10	0.65	229	<1	0.01	26	770	6	0.02	<2	4	18
ZZ89669		10	<1	0.08	10	0.53	249	<1	0.01	21	670	7	0.02	<2	3	15
ZZ89670		10	<1	0.06	20	0.51	149	1	<0.01	21	660	9	0.04	<2	3	14
ZZ89671		<10	<1	0.07	20	0.39	167	1	0.01	14	670	7	0.03	<2	3	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89632		<20	0.09	<10	<10	82	<10	80
ZZ89633		<20	0.07	<10	<10	64	<10	64
ZZ89634		<20	0.07	<10	<10	71	<10	54
ZZ89635		<20	0.09	<10	<10	80	<10	69
ZZ89636		<20	0.09	<10	<10	66	<10	56
ZZ89637		<20	0.08	<10	<10	62	<10	54
ZZ89638		<20	0.12	<10	<10	69	<10	66
ZZ89639		<20	0.09	<10	<10	114	<10	107
ZZ89640		<20	0.12	<10	<10	69	<10	69
ZZ89641		<20	0.08	<10	<10	76	<10	91
ZZ89642		<20	0.09	<10	<10	63	<10	60
ZZ89643		<20	0.08	<10	<10	74	<10	66
ZZ89644		<20	0.08	<10	<10	66	<10	71
ZZ89645		<20	0.09	<10	<10	62	<10	65
ZZ89646		<20	0.10	<10	<10	80	<10	77
ZZ89647		<20	0.06	<10	<10	71	<10	63
ZZ89648		<20	0.11	<10	<10	79	<10	76
ZZ89649		<20	0.10	<10	<10	67	<10	56
ZZ89650		<20	0.09	<10	<10	51	<10	55
ZZ89651		<20	0.08	<10	<10	58	<10	57
ZZ89652		<20	0.06	<10	<10	47	<10	48
ZZ89653		<20	0.08	<10	<10	62	<10	61
ZZ89654		<20	0.06	<10	<10	67	<10	67
ZZ89655		<20	0.09	<10	<10	74	<10	67
ZZ89656		<20	0.06	<10	<10	70	<10	65
ZZ89657		<20	0.03	<10	<10	24	<10	17
ZZ89658		<20	0.09	<10	<10	62	<10	56
ZZ89659		<20	0.09	<10	<10	51	<10	56
ZZ89660		<20	0.08	<10	<10	55	<10	58
ZZ89661		<20	0.06	<10	<10	56	<10	56
ZZ89662		<20	0.06	<10	<10	49	<10	45
ZZ89663		<20	0.07	<10	<10	54	<10	50
ZZ89664		<20	0.08	<10	<10	57	<10	55
ZZ89665		<20	0.04	<10	<10	67	<10	77
ZZ89666		<20	0.06	<10	<10	54	<10	46
ZZ89667		<20	0.08	<10	<10	44	<10	47
ZZ89668		<20	0.12	<10	<10	65	<10	57
ZZ89669		<20	0.07	<10	<10	46	<10	48
ZZ89670		<20	0.05	<10	<10	56	<10	52
ZZ89671		<20	0.06	<10	<10	41	<10	43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89672		0.56	0.008	<0.2	1.22	7	<10	110	<0.5	<2	0.29	<0.5	7	24	15	1.78
ZZ89673		0.45	0.003	<0.2	1.49	9	<10	120	<0.5	<2	0.23	<0.5	7	26	18	2.20
ZZ89674		0.28	0.005	<0.2	1.34	9	<10	100	0.5	2	0.19	<0.5	7	23	19	2.00
ZZ89675		0.39	0.003	<0.2	1.30	9	<10	90	0.6	2	0.17	<0.5	8	27	16	2.12
ZZ89676		0.49	0.001	<0.2	1.68	9	<10	150	0.6	<2	0.40	<0.5	8	37	20	2.48
ZZ89677		0.40	0.002	<0.2	1.99	5	<10	60	0.8	3	0.79	<0.5	7	27	13	2.38
ZZ89678		0.48	0.001	<0.2	1.68	2	<10	160	0.6	3	0.40	<0.5	11	33	16	2.84
ZZ89679		0.44	0.003	<0.2	2.24	4	<10	120	0.7	2	0.55	<0.5	10	36	18	2.86
ZZ89680		0.48	0.003	<0.2	2.34	5	<10	180	0.8	2	0.74	<0.5	8	25	17	2.18
ZZ89681		0.46	0.002	<0.2	2.26	6	<10	100	0.6	2	0.62	<0.5	9	36	16	2.36
ZZ89682		0.58	0.002	<0.2	2.08	<2	<10	100	0.5	<2	0.44	<0.5	8	27	18	1.93
ZZ89683		0.36	0.002	<0.2	1.33	6	<10	140	0.6	<2	0.35	<0.5	4	13	16	1.32
ZZ89684		0.43	0.004	0.4	2.00	12	<10	150	0.7	<2	0.29	<0.5	8	45	25	2.93
ZZ89685		0.44	0.004	0.4	2.04	8	<10	160	0.5	<2	0.35	<0.5	10	49	57	2.74
ZZ89686		0.51	0.003	0.3	1.62	6	<10	110	<0.5	<2	0.36	<0.5	9	44	53	2.48
ZZ89687		0.49	0.004	0.2	1.98	8	<10	150	0.6	2	0.33	<0.5	10	44	39	2.88
ZZ89688		0.43	0.004	<0.2	1.59	7	<10	130	<0.5	<2	0.30	<0.5	8	33	17	2.32
ZZ89689		0.47	0.002	<0.2	1.16	6	<10	110	<0.5	<2	0.26	<0.5	6	28	17	1.66
ZZ89690		0.44	0.040	<0.2	1.59	7	<10	160	<0.5	<2	0.35	<0.5	9	51	22	2.51
ZZ89691		0.39	0.003	<0.2	1.85	9	<10	190	<0.5	<2	0.34	<0.5	9	52	26	2.39
ZZ89692		0.37	0.008	<0.2	1.70	9	<10	170	<0.5	<2	0.35	<0.5	6	39	24	2.20
ZZ89693		0.39	0.003	<0.2	1.81	7	<10	220	0.5	<2	0.34	<0.5	10	46	28	2.39
ZZ89694		0.50	0.005	0.3	1.89	9	<10	170	0.6	2	0.27	<0.5	10	43	28	2.43
ZZ89695		0.43	0.008	0.2	1.89	8	<10	130	0.6	2	0.28	<0.5	10	58	31	2.68
ZZ89696		0.39	0.023	<0.2	1.43	8	<10	90	<0.5	<2	0.29	<0.5	7	29	18	2.00
ZZ89697		0.53	0.003	<0.2	1.29	13	<10	100	0.5	<2	0.27	<0.5	9	29	21	2.22
ZZ89698		0.43	0.001	<0.2	1.67	32	<10	130	0.5	<2	0.19	<0.5	9	41	26	2.76
ZZ89699		0.32	0.002	<0.2	0.96	6	<10	90	<0.5	<2	0.21	<0.5	7	23	16	1.79
ZZ89700		0.28	0.003	0.2	1.81	14	<10	140	0.5	<2	0.24	<0.5	10	35	28	2.77
ZZ89701		0.46	0.004	<0.2	2.04	13	<10	210	0.7	<2	0.33	<0.5	14	55	39	3.11
ZZ89702		0.35	0.003	<0.2	1.36	24	<10	80	<0.5	<2	0.12	<0.5	7	25	23	2.40
ZZ89703		0.34	0.003	0.2	0.92	7	<10	60	<0.5	<2	0.17	<0.5	5	16	23	1.81
ZZ89704		0.54	0.002	<0.2	1.99	13	<10	180	0.5	<2	0.28	<0.5	10	57	26	3.12
ZZ89705		0.33	0.002	<0.2	1.96	9	<10	160	0.5	<2	0.24	<0.5	10	57	21	2.67
ZZ89706		0.43	0.034	0.2	2.00	12	<10	210	0.5	<2	0.28	<0.5	11	55	27	2.86
ZZ89707		0.47	0.001	<0.2	1.19	18	<10	110	<0.5	<2	0.16	<0.5	7	25	42	3.30
ZZ89708		0.46	0.002	0.2	1.07	30	<10	180	<0.5	<2	0.07	<0.5	5	14	46	3.10
ZZ89709		0.44	0.006	<0.2	0.98	12	<10	80	<0.5	<2	0.17	<0.5	5	22	32	2.57
ZZ89710		0.32	0.016	<0.2	1.49	9	<10	160	0.5	<2	0.42	<0.5	13	53	59	2.64
ZZ89711		0.52	0.003	<0.2	1.65	14	<10	150	0.6	<2	0.29	<0.5	11	45	34	3.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89672		<10	<1	0.07	20	0.42	202	1	0.01	17	650	6	0.02	<2	3	16
ZZ89673		10	<1	0.07	30	0.43	253	1	0.01	18	620	7	0.04	<2	3	18
ZZ89674		10	<1	0.06	30	0.34	275	1	0.01	16	630	8	0.05	<2	2	18
ZZ89675		<10	<1	0.06	20	0.32	320	1	0.01	19	610	8	0.03	<2	2	13
ZZ89676		10	<1	0.08	30	0.51	303	1	0.01	25	670	8	0.04	<2	4	25
ZZ89677		10	<1	0.06	10	1.14	325	<1	0.01	12	910	5	0.03	<2	5	48
ZZ89678		10	<1	0.08	10	0.84	330	<1	0.01	31	410	9	0.02	<2	3	46
ZZ89679		10	<1	0.07	10	1.04	328	<1	0.01	23	670	10	0.03	<2	4	65
ZZ89680		10	<1	0.07	20	0.85	505	<1	0.02	13	780	12	0.04	<2	3	228
ZZ89681		10	<1	0.05	10	1.04	338	<1	0.01	17	910	7	0.03	<2	4	79
ZZ89682		10	<1	0.05	10	0.81	230	<1	0.02	15	890	7	0.02	<2	4	51
ZZ89683		<10	<1	0.05	10	0.31	201	<1	0.03	7	730	7	0.04	<2	2	38
ZZ89684		10	<1	0.07	30	0.69	276	1	0.01	21	840	9	0.03	<2	4	25
ZZ89685		10	<1	0.06	20	0.67	271	<1	0.02	29	690	7	0.02	2	6	25
ZZ89686		10	<1	0.05	10	0.54	294	<1	0.03	21	690	6	0.02	<2	5	22
ZZ89687		10	<1	0.06	30	0.57	294	<1	0.02	22	620	9	0.02	<2	6	25
ZZ89688		10	1	0.06	20	0.53	194	<1	0.02	19	750	7	0.01	<2	4	19
ZZ89689		<10	<1	0.06	20	0.42	142	<1	0.02	15	620	5	0.01	<2	3	15
ZZ89690		10	<1	0.09	20	0.74	239	1	0.02	25	800	5	0.01	<2	5	19
ZZ89691		10	<1	0.12	10	0.76	234	<1	0.02	30	810	5	0.02	<2	4	19
ZZ89692		10	<1	0.09	10	0.62	206	1	0.02	25	830	5	0.03	<2	4	21
ZZ89693		10	<1	0.09	20	0.69	226	1	0.02	30	780	5	0.02	<2	5	22
ZZ89694		10	<1	0.08	20	0.62	270	1	0.02	27	720	7	0.02	<2	5	18
ZZ89695		10	<1	0.10	20	0.80	237	1	0.02	36	560	8	0.01	2	5	16
ZZ89696		<10	<1	0.06	20	0.44	185	1	0.02	18	830	6	0.02	<2	3	15
ZZ89697		<10	<1	0.08	20	0.41	315	1	0.02	21	670	8	0.01	<2	3	17
ZZ89698		10	1	0.08	10	0.54	333	2	0.02	27	410	9	0.02	<2	3	17
ZZ89699		<10	<1	0.07	10	0.33	268	1	0.02	15	640	5	0.02	<2	2	13
ZZ89700		10	<1	0.08	20	0.53	367	1	0.02	26	380	7	0.02	2	4	19
ZZ89701		10	<1	0.11	20	0.83	379	1	0.02	42	750	8	0.01	2	6	20
ZZ89702		10	<1	0.06	10	0.31	426	1	0.02	15	340	7	0.03	2	2	15
ZZ89703		10	<1	0.04	20	0.16	151	1	0.03	10	500	5	0.03	<2	1	16
ZZ89704		10	<1	0.10	20	0.75	313	1	0.02	35	410	7	0.02	<2	5	19
ZZ89705		10	<1	0.11	10	0.75	278	<1	0.02	35	520	5	0.02	2	4	16
ZZ89706		10	<1	0.11	20	0.76	337	1	0.02	42	650	6	0.02	<2	5	19
ZZ89707		10	<1	0.10	10	0.31	366	1	0.02	15	490	11	0.08	2	2	19
ZZ89708		10	<1	0.11	40	0.11	145	3	0.02	13	420	13	0.16	2	2	20
ZZ89709		10	<1	0.06	10	0.20	160	1	0.02	12	730	6	0.05	2	2	16
ZZ89710		10	1	0.16	10	0.69	383	1	0.02	37	1020	7	0.02	2	4	24
ZZ89711		10	<1	0.13	20	0.57	397	1	0.02	32	700	9	0.03	3	4	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89672		<20	0.08	<10	<10	37	<10	43
ZZ89673		<20	0.06	<10	<10	47	<10	50
ZZ89674		<20	0.06	<10	<10	47	<10	44
ZZ89675		<20	0.05	<10	<10	41	<10	48
ZZ89676		<20	0.07	<10	<10	53	<10	61
ZZ89677		<20	0.05	<10	<10	52	<10	62
ZZ89678		<20	0.03	<10	<10	49	<10	69
ZZ89679		<20	0.07	<10	<10	53	<10	70
ZZ89680		<20	0.02	<10	<10	41	<10	63
ZZ89681		<20	0.10	<10	<10	56	<10	58
ZZ89682		<20	0.07	<10	<10	46	<10	53
ZZ89683		<20	0.02	<10	<10	29	<10	40
ZZ89684		<20	0.04	<10	<10	61	<10	55
ZZ89685		<20	0.05	<10	<10	65	<10	49
ZZ89686		<20	0.05	<10	<10	61	<10	45
ZZ89687		<20	0.07	<10	<10	59	<10	59
ZZ89688		<20	0.07	<10	<10	51	<10	49
ZZ89689		<20	0.08	<10	<10	45	<10	41
ZZ89690		<20	0.11	<10	<10	72	<10	62
ZZ89691		<20	0.11	<10	<10	68	<10	61
ZZ89692		<20	0.10	<10	<10	63	<10	50
ZZ89693		<20	0.11	<10	<10	65	<10	53
ZZ89694		<20	0.08	<10	<10	61	<10	58
ZZ89695		<20	0.11	<10	<10	71	<10	83
ZZ89696		<20	0.07	<10	<10	45	<10	42
ZZ89697		<20	0.05	<10	<10	43	<10	58
ZZ89698		<20	0.06	<10	<10	68	<10	68
ZZ89699		<20	0.06	<10	<10	42	<10	44
ZZ89700		<20	0.08	<10	<10	68	<10	63
ZZ89701		<20	0.11	<10	<10	81	<10	76
ZZ89702		<20	0.06	<10	<10	58	<10	49
ZZ89703		<20	0.06	<10	<10	53	<10	35
ZZ89704		<20	0.13	<10	<10	84	<10	59
ZZ89705		<20	0.11	<10	<10	69	<10	51
ZZ89706		<20	0.11	<10	<10	71	<10	57
ZZ89707		<20	0.08	<10	<10	79	<10	47
ZZ89708		<20	0.04	<10	<10	63	<10	59
ZZ89709		<20	0.08	<10	<10	85	<10	42
ZZ89710		<20	0.10	<10	<10	71	<10	64
ZZ89711		<20	0.07	<10	<10	70	<10	82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89712		0.58	0.003	<0.2	2.49	11	<10	290	0.9	<2	0.45	<0.5	17	166	39	3.60
ZZ89713		0.35	0.002	<0.2	1.58	4	<10	70	0.6	<2	0.66	<0.5	9	40	32	2.27
ZZ89714		0.39	0.008	<0.2	2.21	10	<10	110	0.6	<2	0.32	<0.5	10	40	18	2.97
ZZ89715		0.33	0.001	<0.2	1.68	6	<10	60	<0.5	<2	0.31	<0.5	7	22	20	2.27
ZZ89716		0.39	0.002	<0.2	2.33	12	<10	120	0.5	<2	0.33	<0.5	10	35	18	2.81
ZZ89717		0.37	0.002	<0.2	2.16	9	<10	90	0.6	<2	0.48	<0.5	8	24	21	2.44
ZZ89718		0.41	0.002	<0.2	2.32	9	<10	100	0.6	2	0.70	<0.5	10	21	19	2.29
ZZ89719		0.41	<0.001	<0.2	1.96	7	<10	70	0.6	<2	0.77	<0.5	7	17	14	2.05
ZZ89720		0.44	0.003	<0.2	1.69	7	<10	140	0.7	<2	0.87	<0.5	6	13	17	1.85
ZZ89721		0.41	0.002	0.2	1.21	7	<10	150	0.7	<2	0.29	<0.5	5	13	12	1.80
ZZ89722		0.37	0.001	<0.2	1.52	7	<10	110	0.5	<2	0.17	<0.5	6	22	15	2.50
ZZ89723		0.45	0.003	<0.2	1.56	12	<10	90	<0.5	<2	0.23	<0.5	8	30	17	3.09
ZZ89724		0.44	0.003	0.4	2.06	13	<10	120	<0.5	<2	0.26	<0.5	10	48	41	3.31
ZZ89725		0.39	0.001	0.4	1.01	3	<10	100	<0.5	2	0.45	<0.5	5	23	42	1.56
ZZ89726		0.32	0.002	<0.2	2.24	10	<10	120	0.7	<2	0.22	<0.5	13	44	45	3.23
ZZ89727		0.39	0.003	0.4	1.25	6	<10	110	<0.5	<2	0.25	<0.5	5	21	55	1.99
ZZ89728		0.48	0.002	0.2	1.54	9	<10	100	0.8	<2	0.49	<0.5	12	34	44	2.55
ZZ89729		0.44	0.002	0.3	1.60	10	<10	90	0.9	2	0.74	<0.5	16	46	53	3.16
ZZ89730		0.47	0.004	<0.2	2.20	7	<10	120	0.8	<2	1.05	<0.5	15	81	58	3.55
ZZ89731		0.41	0.002	0.2	1.68	4	<10	100	<0.5	<2	0.53	<0.5	6	17	23	2.44
ZZ89732		0.41	0.002	0.2	2.30	8	<10	80	0.7	<2	1.10	<0.5	10	19	18	2.87
ZZ89733		0.42	0.003	<0.2	2.06	10	<10	100	0.8	<2	0.89	<0.5	9	13	13	2.98
ZZ89734		0.33	0.001	<0.2	1.58	11	<10	150	0.5	<2	0.46	<0.5	8	14	9	1.87
ZZ89735		0.34	0.002	<0.2	1.53	4	<10	90	0.6	<2	1.18	<0.5	7	16	15	2.26
ZZ89736		0.40	0.001	0.2	0.93	<2	<10	110	<0.5	<2	0.92	<0.5	4	8	34	1.27
ZZ89737		0.32	0.003	<0.2	1.28	5	<10	110	0.6	<2	0.64	<0.5	5	11	18	1.78
ZZ89738		0.39	0.001	<0.2	0.81	5	<10	100	<0.5	<2	0.35	<0.5	4	10	13	1.32
ZZ89739		0.32	0.001	0.2	0.76	3	<10	140	<0.5	<2	0.18	<0.5	3	8	11	1.09
ZZ89740		0.43	0.001	<0.2	2.15	<2	<10	120	0.6	<2	0.36	<0.5	5	9	10	2.67
ZZ89741		0.35	0.001	<0.2	1.60	3	<10	150	<0.5	<2	0.16	<0.5	5	12	10	1.98
ZZ89742		0.34	0.001	<0.2	0.96	9	<10	80	<0.5	2	0.08	<0.5	4	12	13	1.69
ZZ89743		0.39	0.002	<0.2	1.26	4	<10	170	0.5	<2	0.46	<0.5	5	19	14	1.43
ZZ89744		0.35	0.004	<0.2	1.24	6	<10	110	<0.5	<2	0.37	<0.5	9	22	18	2.55
ZZ89745		0.46	0.004	<0.2	1.65	9	<10	120	<0.5	<2	0.17	<0.5	6	22	12	2.79
ZZ89746		0.38	0.002	<0.2	1.88	8	<10	140	0.5	<2	0.22	<0.5	8	26	14	2.68
ZZ89747		0.37	0.019	<0.2	1.49	7	<10	120	<0.5	<2	0.16	<0.5	4	20	17	2.28
ZZ89748		0.38	0.002	<0.2	1.17	6	<10	250	0.6	<2	0.40	<0.5	10	18	18	1.92
ZZ89749		0.48	0.002	<0.2	1.33	5	<10	130	<0.5	<2	0.23	<0.5	6	19	13	1.99
ZZ89750		0.35	0.002	<0.2	1.33	7	<10	210	<0.5	<2	0.24	<0.5	5	21	12	2.30
ZZ89751		0.37	0.003	<0.2	1.50	12	<10	300	0.7	<2	0.56	<0.5	7	17	22	2.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89712		10	<1	0.29	30	1.80	506	1	0.02	118	1050	10	0.01	<2	7	24
ZZ89713		10	<1	0.04	10	1.07	364	<1	0.04	19	640	5	0.02	<2	3	37
ZZ89714		10	<1	0.06	10	0.73	292	<1	0.02	21	480	9	0.01	<2	4	42
ZZ89715		10	<1	0.05	10	0.48	318	<1	0.03	11	430	6	0.01	<2	2	37
ZZ89716		10	<1	0.06	10	0.72	242	<1	0.02	19	530	8	0.01	<2	4	35
ZZ89717		10	<1	0.05	10	0.59	249	<1	0.03	15	340	8	0.02	<2	3	65
ZZ89718		10	1	0.06	10	0.71	301	<1	0.03	12	530	7	0.02	<2	3	66
ZZ89719		10	<1	0.07	10	0.74	287	<1	0.03	11	630	7	0.02	<2	3	98
ZZ89720		10	<1	0.05	10	0.67	369	<1	0.03	7	570	9	0.03	<2	2	112
ZZ89721		<10	<1	0.09	20	0.31	234	3	0.02	9	490	16	0.01	<2	1	29
ZZ89722		10	<1	0.10	10	0.38	205	1	0.02	12	370	10	0.02	<2	2	20
ZZ89723		10	<1	0.14	10	0.43	315	1	0.02	16	350	10	0.03	<2	3	27
ZZ89724		10	<1	0.07	10	0.66	289	1	0.02	23	330	9	0.02	<2	5	19
ZZ89725		<10	<1	0.04	10	0.33	249	<1	0.03	12	600	3	0.05	<2	2	28
ZZ89726		10	<1	0.09	10	0.71	357	<1	0.02	25	450	9	0.02	<2	5	18
ZZ89727		10	<1	0.05	20	0.29	180	<1	0.03	12	480	5	0.03	<2	3	20
ZZ89728		10	<1	0.08	30	0.66	301	<1	0.02	27	370	11	0.03	<2	4	29
ZZ89729		10	<1	0.11	30	0.80	496	1	0.03	29	510	42	0.04	3	5	37
ZZ89730		10	<1	0.07	20	1.39	1060	1	0.02	31	580	6	0.06	<2	9	69
ZZ89731		10	<1	0.04	10	0.59	295	1	0.02	10	670	9	0.04	<2	2	55
ZZ89732		10	<1	0.05	20	1.33	470	<1	0.03	7	790	9	0.05	<2	5	130
ZZ89733		10	<1	0.07	20	0.96	511	1	0.02	6	810	11	0.04	2	4	98
ZZ89734		10	1	0.05	10	0.44	245	<1	0.03	8	560	10	0.02	<2	2	81
ZZ89735		10	<1	0.04	20	0.66	372	<1	0.02	7	940	6	0.06	<2	4	93
ZZ89736		<10	<1	0.04	20	0.22	254	<1	0.04	5	750	5	0.05	<2	2	86
ZZ89737		<10	<1	0.04	30	0.35	288	<1	0.03	6	850	5	0.04	<2	2	56
ZZ89738		<10	<1	0.05	10	0.18	195	<1	0.03	7	450	7	0.02	<2	1	31
ZZ89739		<10	<1	0.04	10	0.11	162	1	0.03	5	410	5	0.03	<2	1	21
ZZ89740		10	<1	0.07	10	0.81	525	<1	0.02	5	520	18	0.01	<2	2	40
ZZ89741		<10	<1	0.06	10	0.42	300	<1	0.02	7	340	14	0.01	2	2	19
ZZ89742		10	<1	0.05	10	0.13	131	1	0.02	7	310	9	0.02	<2	1	11
ZZ89743		<10	<1	0.07	20	0.32	150	<1	0.03	9	710	7	0.05	<2	2	41
ZZ89744		10	<1	0.10	10	0.35	481	1	0.02	13	620	9	0.03	<2	2	29
ZZ89745		10	<1	0.06	10	0.36	215	1	0.02	12	470	10	0.01	<2	2	14
ZZ89746		10	<1	0.07	10	0.41	228	<1	0.02	14	350	12	0.01	<2	3	22
ZZ89747		10	<1	0.05	10	0.25	171	1	0.02	8	260	11	0.01	<2	2	18
ZZ89748		<10	<1	0.08	20	0.34	523	1	<0.01	13	840	14	<0.01	<2	3	32
ZZ89749		<10	<1	0.06	10	0.35	188	1	<0.01	11	350	7	<0.01	<2	2	19
ZZ89750		10	<1	0.08	10	0.35	259	1	<0.01	11	250	8	<0.01	<2	2	24
ZZ89751		<10	<1	0.14	20	0.31	322	2	0.01	13	840	11	<0.01	<2	4	53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89712		<20	0.12	<10	<10	105	<10	105
ZZ89713		<20	0.06	<10	<10	60	<10	40
ZZ89714		<20	0.10	<10	<10	72	<10	48
ZZ89715		<20	0.08	<10	<10	56	<10	43
ZZ89716		<20	0.10	<10	<10	67	<10	52
ZZ89717		<20	0.08	<10	<10	59	<10	52
ZZ89718		<20	0.06	<10	<10	55	<10	53
ZZ89719		<20	0.06	<10	<10	46	<10	47
ZZ89720		<20	0.03	<10	<10	41	<10	49
ZZ89721		<20	0.01	<10	<10	27	<10	52
ZZ89722		<20	0.04	<10	<10	44	<10	60
ZZ89723		<20	0.08	<10	<10	68	<10	54
ZZ89724		<20	0.07	<10	<10	79	<10	51
ZZ89725		<20	0.05	<10	<10	42	<10	35
ZZ89726		<20	0.10	<10	<10	64	<10	56
ZZ89727		<20	0.06	<10	<10	52	<10	34
ZZ89728		<20	0.07	<10	<10	47	<10	56
ZZ89729		<20	0.05	<10	<10	55	<10	108
ZZ89730		<20	0.02	<10	<10	88	<10	63
ZZ89731		<20	0.03	<10	<10	59	<10	56
ZZ89732		<20	0.01	<10	<10	69	<10	72
ZZ89733		<20	0.01	<10	<10	51	<10	78
ZZ89734		<20	0.03	<10	<10	40	<10	53
ZZ89735		<20	0.02	<10	<10	53	<10	58
ZZ89736		<20	0.02	<10	<10	32	<10	33
ZZ89737		<20	0.02	<10	<10	44	<10	44
ZZ89738		<20	0.03	<10	<10	33	<10	35
ZZ89739		<20	0.02	<10	<10	28	<10	27
ZZ89740		<20	0.01	<10	<10	29	<10	68
ZZ89741		<20	0.02	<10	<10	34	<10	47
ZZ89742		<20	0.04	<10	<10	51	<10	38
ZZ89743		<20	0.03	<10	<10	34	<10	38
ZZ89744		<20	0.06	<10	<10	54	<10	53
ZZ89745		<20	0.05	<10	<10	62	<10	49
ZZ89746		<20	0.06	<10	<10	54	<10	44
ZZ89747		<20	0.05	<10	<10	63	<10	36
ZZ89748		<20	0.05	<10	<10	37	<10	50
ZZ89749		<20	0.06	<10	<10	41	<10	40
ZZ89750		<20	0.07	<10	<10	56	<10	42
ZZ89751		<20	0.03	<10	<10	40	<10	63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZZ89752		0.39	0.007	<0.2	1.54	7	<10	180	<0.5	<2	0.26	<0.5	7	21	14	2.17
ZZ89753		0.33	0.001	<0.2	1.06	4	<10	100	<0.5	<2	0.15	<0.5	5	11	10	1.88
ZZ89754		0.34	0.003	<0.2	1.51	7	<10	130	<0.5	<2	0.21	<0.5	7	22	14	2.48
ZZ89755		0.40	0.007	<0.2	1.12	8	<10	320	<0.5	<2	0.72	<0.5	5	13	27	1.70
ZZ89756		0.37	0.001	<0.2	1.24	4	<10	620	1.0	<2	0.47	<0.5	5	12	22	1.48
ZZ89757		0.33	0.002	<0.2	1.58	6	<10	130	<0.5	<2	0.19	<0.5	6	23	16	2.38
ZZ89758		0.35	0.015	<0.2	1.52	7	<10	130	<0.5	<2	0.15	<0.5	6	21	11	2.11
ZZ89759		0.28	0.002	<0.2	1.25	7	<10	170	<0.5	<2	0.20	<0.5	8	14	24	1.91
ZZ89760		0.33	0.002	<0.2	1.11	5	<10	130	<0.5	<2	0.30	<0.5	5	19	10	1.78
ZZ89761		0.28	0.005	0.2	1.92	9	<10	720	0.9	<2	1.87	<0.5	6	18	32	1.91
ZZ89762		0.32	0.002	<0.2	1.85	5	<10	320	0.5	<2	0.53	<0.5	9	27	18	2.78
ZZ89763		0.35	0.004	<0.2	2.12	7	<10	260	0.6	<2	0.35	<0.5	8	22	20	2.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZZ89752		<10	<1	0.09	10	0.40	248	1	<0.01	13	410	8	<0.01	<2	2	22
ZZ89753		<10	<1	0.07	20	0.20	175	1	<0.01	6	620	8	<0.01	<2	1	14
ZZ89754		10	<1	0.08	10	0.35	212	1	<0.01	11	350	9	<0.01	<2	2	20
ZZ89755		<10	<1	0.10	10	0.17	286	2	<0.01	7	680	11	0.03	<2	2	100
ZZ89756		<10	<1	0.10	30	0.16	328	<1	0.01	8	610	8	<0.01	<2	3	56
ZZ89757		10	<1	0.07	10	0.34	183	<1	<0.01	10	360	8	<0.01	<2	2	18
ZZ89758		<10	<1	0.05	10	0.34	179	<1	<0.01	12	230	7	<0.01	<2	2	15
ZZ89759		10	<1	0.06	10	0.22	665	1	<0.01	7	280	7	<0.01	<2	2	26
ZZ89760		<10	<1	0.05	10	0.36	194	<1	<0.01	11	530	5	<0.01	<2	2	21
ZZ89761		<10	<1	0.13	10	0.29	329	1	<0.01	12	700	7	0.05	<2	5	150
ZZ89762		10	<1	0.06	20	0.61	360	<1	<0.01	16	640	7	<0.01	<2	5	41
ZZ89763		10	<1	0.07	20	0.55	642	1	<0.01	12	460	8	<0.01	<2	4	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: CCC

CERTIFICATE OF ANALYSIS WH13155451

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
ZZ89752		<20	0.06	<10	<10	41	<10	46
ZZ89753		<20	0.03	<10	<10	37	<10	43
ZZ89754		<20	0.05	<10	<10	49	<10	49
ZZ89755		<20	0.02	<10	<10	35	<10	50
ZZ89756		<20	0.02	<10	<10	28	<10	33
ZZ89757		<20	0.07	<10	<10	57	<10	39
ZZ89758		<20	0.05	<10	<10	44	<10	37
ZZ89759		<20	0.05	<10	<10	45	<10	50
ZZ89760		<20	0.05	<10	<10	39	<10	41
ZZ89761		<20	0.01	<10	<10	38	<10	55
ZZ89762		<20	0.05	<10	<10	53	<10	54
ZZ89763		<20	0.03	<10	<10	51	<10	54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: CCC

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE OF ANALYSIS WH13155451

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-ICP41

APPENDIX IV

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: CCC

Sample Number:	M400951	UTM:	354423	mE	Nad83, Zone 8
Elevation:	1312 m	UTM:	6886649	mN	

Comments: 60 cm wide milky quartz vein crosscutting a mica rich quartz mica schist. Vein hosts weak limonite staining on fractures and localized weak scorodite staining. (166/subvertical).

Sample Number:	M400952	UTM:	354000	mE	Nad83, Zone 8
Elevation:	1550 m	UTM:	6885234	mN	

Comments: Milky quartz vein hosting abundant grey quartz lenses. Minor hematite/scorodite staining in localized pods. Limonite staining along fractures (335/?). 100% of the outcrop is quartz vein material, open in all directions.

Sample Number:	M400953	UTM:	355192	mE	Nad83, Zone 8
Elevation:	1624 m	UTM:	6888956	mN	

Comments: Rusted conglomerate hosting blebs of extremely fine grained arsenopyrite? Too small to tell if the blebs are a sulphide or not. Extremely limonite/manganese stained throughout. Quartz mica schist fragments are welded together by vuggy white/grey quartz.

Sample Number:	M400954	UTM:	352442	mE	Nad83, Zone 8
Elevation:	1415 m	UTM:	6887892	mN	

Comments: Recrystalized limestone. Calc-silicate bands rich with epidote throughout. Interbedded minor quartz-mica-schists. Trace to weakly scarnified.

Sample Number:	M400955	UTM:	352304	mE	Nad83, Zone 8
Elevation:	1410 m	UTM:	6887817	mN	

Comments: Recrystalized limestone. Calc-silicate bands rich with epidote throughout. Interbedded minor quartz-mica-schists. Trace to weakly scarnified.

Rock Sample Descriptions Property: CCC

Sample Number:	M400956	UTM:	352279	mE	Nad83, Zone 8
Elevation:	1415 m	UTM:	6887808	mN	

Comments: Trace to weakly scarnified marble hosting trace pyrite/chalcopyrite. Large package with intense epidote alteration. Swirling quartz-biotite-schist all around marble/epidote bands. Three piece composite representing the most abundant (common) skarn style mineralization.

Sample Number:	M400957	UTM:	354644	mE	Nad83, Zone 8
Elevation:	1350 m	UTM:	6887563	mN	

Comments: Strongly calc-silicate altered, horblende banded, limonite pitted, possibly sulphide pitted (trace-weak). Possible trace fine-grained sulphide. Band approximately 5 cm wide within marble horizon.

Sample Number:	M400958	UTM:	355170	mE	Nad83, Zone 8
Elevation:	1375 m	UTM:	6887830	mN	

Comments: Limonite pitted marble with possible remanent sulphide within pits (sphalerite? - trace).

Sample Number:	M400959	UTM:	355677	mE	Nad83, Zone 8
Elevation:	1400 m	UTM:	6887450	mN	

Comments: 3-piece composite chip sample of quartz float train (3 x 10 m) with weak to moderate limonite-hematite stringers.

Sample Number:	M400960	UTM:	354287	mE	Nad83, Zone 8
Elevation:	1624 m	UTM:	6889192	mN	

Comments: White/clear quartz boulder. Boulders litter top of ridge, especially concentrated near quartz feldspar porphyry and quartz-mica-schist contacts.

Sample Number:	M400961	UTM:	353076	mE	Nad83, Zone 8
Elevation:	1607 m	UTM:	6884910	mN	

Comments: Sample taken from the bottom of a 72 cm deep soil pit. Blue-grey smoky quartz with limonite/hematite within vugs/pits. White irregular quartz veinlets present. On DDD property.

Rock Sample Descriptions Property: CCC

Sample Number:	M400962	UTM:	353076	mE	Nad83, Zone 8
Elevation:	1607 m	UTM:	6884910	mN	

Comments: Sample taken from the bottom of a 72 cm deep soil pit. Quartz mica schist bounding 5 cm wide white quartz vein with micaceous/limonitic/hematitic fracture surfaces. Clear and white quartz crystals up to 1 cm in diameter. On DDD property.

Sample Number:	M400963	UTM:	355303	mE	Nad83, Zone 8
Elevation:	1476 m	UTM:	6891315	mN	

Comments: (float) Smoky quartz with limonite-hematite fracture surfaces as well as unknown red opaque mineral within.

Sample Number:	M400964	UTM:	352279	mE	Nad83, Zone 8
Elevation:	1415 m	UTM:	6887808	mN	

Comments: Trace to weakly scarnified marble hosting trace pyrite/chalcopyrite. Large package with intense epidote alteration. Swirling quartz-biotite-schist all around marble/epidote bands. 3 m chip sample across the truewidth of the skarn. Open along strike and to the southwest.

Sample Number:	M400965	UTM:	352279	mE	Nad83, Zone 8
Elevation:	1415 m	UTM:	6887808	mN	

Comments: Visually strongest skarn style mineralization. At center of the 3 m chip. 20cm wide. Intense epidote alteration and swirling calc-silicate material. Punky limonite in pods and along fractures. Strong green colour.

Sample Number:	M400966	UTM:	357419	mE	Nad83, Zone 8
Elevation:	1463 m	UTM:	6892271	mN	

Comments: Silicious pelly gneiss suite hosting vuggy quartz veinlets. Strong quartz flooding. Minor limonite pits disseminated throughout.

Sample Number:	M400967	UTM:	358727	mE	Nad83, Zone 8
Elevation:	1476 m	UTM:	6891156	mN	

Comments: Strongly altered (bleached) Mount Nansen volcanics. Feldspars have been altered green. Found adjacent to quartz-feldspar porphyry. Exact rock type that hosts weak to moderate copper mineralization at Klaza. Volcanics host trace pyrite cubes and sulphide pits. Large limonite pits throughout. Mafics have been destroyed, destruction of magnetite likely cause of copper precipitation.

Rock Sample Descriptions Property: CCC

Sample Number:	M400968	UTM:	360760	mE	Nad83, Zone 8
Elevation:	1500 m	UTM:	6890950	mN	

Comments: Purple/green altered Mount Nansen volcanics hosting weakly mineralized amygdules. Semi-massive pyrite +/- arsenopyrite/galena found occupying some vesicles/amygdules. Other amygdules filled with globular hematite. Rock is friable. Limonite pitting prevelent.

Sample Number:	M400969	UTM:	360750	mE	Nad83, Zone 8
Elevation:	1500 m	UTM:	6891750	mN	

Comments: Purple/green altered Mount Nansen volcanics hosting weakly mineralized amygdules. Semi-massive pyrite +/- arsenopyrite/galena found occupying some vesicles/amygdules. Other amygdules filled with globular hematite. Rock is friable. Limonite pitting prevelent.

Sample Number:	M400970	UTM:	360736	mE	Nad83, Zone 8
Elevation:	1510 m	UTM:	6890733	mN	

Comments: Purple/green altered Mount Nansen volcanics hosting weakly mineralized amygdules. Semi-massive pyrite +/- arsenopyrite/galena found occupying some vesicles/amygdules. Other amygdules filled with globular hematite. Rock is friable. Limonite pitting prevelent.

Sample Number:	M400971	UTM:	360711	mE	Nad83, Zone 8
Elevation:	1541 m	UTM:	6890717	mN	

Comments: Purple/green altered Mount Nansen volcanics hosting weakly mineralized amygdules. Semi-massive pyrite +/- arsenopyrite/galena found occupying some vesicles/amygdules. Other amygdules filled with globular hematite. Rock is friable. Limonite pitting prevelent.

Sample Number:	M400972	UTM:	360767	mE	Nad83, Zone 8
Elevation:	1541 m	UTM:	6890709	mN	

Comments: Quartz-epidote vein. Extremely vuggy/punky. Strong limonite in vugs. Strongly limonite and hematite stained. Localized pods of globular hematite. Epithermal textures present (comb structures, cordial banding, flow textures). No visual mineralization.

Rock Sample Descriptions Property: CCC

Sample Number:	M400973	UTM:	360771	mE	Nad83, Zone 8
Elevation:	1541 m	UTM:	6890710	mN	

Comments: Quartz-epidote vein. Extremely vuggy/punky. Strong limonite in vugs. Strongly limonite and hematite stained. Localized pods of globular hematite. Epithermal textures present (comb structures, cordial banding, flow textures). No visual mineralization. attached to a massive quartz vein that is strongly hematite stained and opaque. Blood red colour.

Sample Number:	M400974	UTM:	360884	mE	Nad83, Zone 8
Elevation:	1541 m	UTM:	6890704	mN	

Comments: Purple/green altered Mount Nansen volcanics hosting weakly mineralized amygdules. Semi-massive pyrite +/- arsenopyrite/galena found occupying some vesicles/amygdules. Other amygdules filled with globular hematite. Rock is friable. Limonite pitting prevelent.

Sample Number:	M400975	UTM:	361031	mE	Nad83, Zone 8
Elevation:	1510 m	UTM:	6890827	mN	

Comments: Strongly altered (Propylitic/phyllic) Mount Nansen volcanics (dark to light green coloured) hosting bladed calcite and quartz vein material. Carbonate material on all fractures. Quartz is milky/grey. Punky limonite often occupies contact between volcanics and calcite/quartz. quartz veining has swirling textures inside. Looks like it could have copper mineralization.

Sample Number:	M400976	UTM:	361004	mE	Nad83, Zone 8
Elevation:	1510 m	UTM:	6890831	mN	

Comments: Strongly altered (Propylitic/phyllic) Mount Nansen volcanics (dark to light green coloured) hosting bladed calcite and quartz vein material. Carbonate material on all fractures. Quartz is milky/grey. Punky limonite often occupies contact between volcanics and calcite/quartz. quartz veining has swirling textures inside. Looks like it could have copper mineralization.

Sample Number:	M400977	UTM:	360420	mE	Nad83, Zone 8
Elevation:	1500 m	UTM:	6891630	mN	

Comments: Purple/green altered Mount Nansen volcanics hosting weakly mineralized amygdules. Semi-massive pyrite +/- arsenopyrite/galena found occupying some vesicles/amygdules. Other amygdules filled with globular hematite. Rock is friable. Limonite pitting prevelent.

Rock Sample Descriptions Property: CCC

Sample Number:	M400978	UTM:	358633 mE	Nad83, Zone 8
Elevation:	1370 m	UTM:	6889966 mN	

Comments: Strongly altered Mount Nansen volcanic hosting punky, dark coloured limonite blebs and veins associated with silicious quartz feldspar porphyry material. Silicious, black and tan coloured dykes are similar to dykes found at Klaza. Volcanic rock itself is highly altered (bleached) and very vuggy.

Rock Sample Descriptions Property: DDD

Sample Number:	M400979	UTM:	349073	mE	Nad83, Zone 7
Elevation:	1230 m	UTM:	6878040	mN	

Comments: Angular quartz clasts up to 2 cm wide with pitted limonite infill (weak breccia). Trace manganese in fractures and infilling some vugs. Relic foliation present (banded quartz) where breccia is not. Trace scorodite? On fracture surfaces.

Sample Number:	M400980	UTM:	349300	mE	Nad83, Zone 7
Elevation:	1235 m	UTM:	6877990	mN	

Comments: Angular quartz clasts up to 2 cm wide with pitted limonite infill (weak breccia). Trace manganese in fractures and infilling some vugs. Relic foliation present (banded quartz) where breccia is not. Trace scorodite? On fracture surfaces.

Sample Number:	M400981	UTM:	349300	mE	Nad83, Zone 7
Elevation:	1230 m	UTM:	6878000	mN	

Comments: Angular quartz clasts up to 2 cm wide with pitted limonite infill (weak breccia). Trace manganese in fractures and infilling some vugs. Relic foliation present (banded quartz) where breccia is not. Trace scorodite? On fracture surfaces.

Sample Number:	M400982	UTM:	349270	mE	Nad83, Zone 7
Elevation:	1229 m	UTM:	6878012	mN	

Comments: Angular quartz clasts up to 2 cm wide with pitted limonite infill (weak breccia). Trace manganese in fractures and infilling some vugs. Relic foliation present (banded quartz) where breccia is not. Trace scorodite? On fracture surfaces.

Sample Number:	M400983	UTM:	348280	mE	Nad83, Zone 7
Elevation:	1245 m	UTM:	6878430	mN	

Comments: Porphyritic diorite/feldspar porphyry hosting up to 1 cm wide semi-massive to massive sphalerite veinlets. Host rock is unaltered to weakly altered. Found as float in talus/ridge top material.

Sample Number:	M400984	UTM:	350594	mE	Nad83, Zone 7
Elevation:	1148 m	UTM:	6878197	mN	

Comments: Pit Depth: 10; Taken at outcrop on northwest facing slope. Rock sample taken of siliceous dyke material with limonite selvage and stain.

Rock Sample Descriptions Property: DDD

Sample Number:	M400985	UTM:	350300	mE	Nad83, Zone 7
Elevation:	1066 m	UTM:	6878350	mN	

Comments: Pit Depth: 100; Dug until encountered permafrosst. Siliceous blue-grey-green aphanitic dyke, quartz mica schist and limonitic quartz vein material removed from pit. Quartz vein sampled.

Sample Number:	M400986	UTM:	350304	mE	Nad83, Zone 7
Elevation:	1066 m	UTM:	6878249	mN	

Comments: Pit Depth: 50; Altered quartz mica schist, two dykes (one taken as rep and one with quartz veining sampled), and limonitic quartz vein sampled.

Sample Number:	M400987	UTM:	350304	mE	Nad83, Zone 7
Elevation:	1066 m	UTM:	6878249	mN	

Comments: Pit Depth: 50; Dyke with quartz vein.

Sample Number:	M400988	UTM:	350446	mE	Nad83, Zone 7
Elevation:	1100 m	UTM:	6878103	mN	

Comments: Pit Depth: 65; Siliceous dyke, altered quartz mica schist and limonitic quartz vein/punky bright orange limonite on quartz vein selvages. Permafrost encountered at base of pit.

Sample Number:	M400989	UTM:	349587	mE	Nad83, Zone 7
Elevation:	1250 m	UTM:	6877292	mN	

Comments: Silicified quartz-mica schist clasts welded together by a punky, limonitic cement. Matric is deep red/dark brown colour. 50% clast and 50% matrix. Minor quartz fragments and silicious dyke material also present.

340,000 mE
345,000 mE
350,000 mE
355,000 mE
360,000 mE
365,000 mE
370,000 mE
6,900,000 mN
6,895,000 mN
6,890,000 mN
6,885,000 mN
6,880,000 mN
6,875,000 mN

SCHIST AREA

MALONEY AREA

Property boundary

SHAMROCK 1 YC10873
SHAMROCK 2 YC10874
SHAMROCK 3 YC10875
SHAMROCK 4 YC10876
SHAMROCK 5 YC10877
SHAMROCK 6 YC10878
SHAMROCK 7 YC10879
SHAMROCK 8 YC10880
SHAMROCK 9 YC10881
SHAMROCK 10 YC10882
SHAMROCK 11 YC10883
SHAMROCK 12 YC10884

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

STRATEGIC METALS LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 2

CLAIM LOCATIONS

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I03, 04 & 115H13 Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F02-Claim_Locations.wor | DATE: MARCH 2014

340,000 mE
345,000 mE
350,000 mE
355,000 mE
360,000 mE
365,000 mE
370,000 mE

6,900,000 mN
6,895,000 mN
6,890,000 mN
6,885,000 mN
6,880,000 mN
6,875,000 mN

M400968
M400969
M400977
M400963
M400967
M400976
M400975
M400974
M400971
M400973
M400972
M400978
M400960
M400953
M400965
M400954
M400955
M400956
M400964
M400958
M400957
M400959
M400951
M400952
M400987
AREA F
Inset Map
See Figure 12
SCHIST AREA
AREA B
AREA C
MALONEY AREA
AREA G
AREA G
AREA D
M400989
M400982
M400979
M400980
M400981
M400988
M400985
M400987
M400986
M400983
M400984

M400987 - 2013 Rock sample location

2011 Rock sample location

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change
decreasing 22.7'

STRATEGIC METALS LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK SAMPLE LOCATIONS

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I03 & 115H13 Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F5-Rock_Sample_Locations.wor

DATE: MARCH 2014

360,000 mE

362,500 mE

365,000 mE

367,500 mE

370,000 mE

372,500 mE

6,895,000 mN


6,892,500 mN

6,890,000 mN

6,887,500 mN

6,885,000 mN

Property boundary




STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS

CD PROPERTY



0 500 m

UTM ZONE 8, NAD 83, 115i/03, 04 & 115H/13 Contour Interval: 100 ft

FILE: P:2013/Hy/Figures/F06-Soil_Sample_Locations.wor

DATE: MARCH 2014

6,900,000 mN
6,895,000 mN
6,890,000 mN
6,885,000 mN
6,880,000 mN
6,875,000 mN

340,000 mE
345,000 mE
350,000 mE
355,000 mE
360,000 mE
365,000 mE
370,000 mE

Soil Au (ppb)
- ≥100 <1220
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥0 <10

Historical Soil Au (ppb)
- ≥100 <1,270
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥0 <10

Silt Au (ppm)
- ≤10
- ≥0 <10

Sieve Silt Au (ppb)
- ≥100 <139
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥0 <10

Historical Silt Au (ppb)
- ≥100 <110
- ≥20 <50
- ≥10 <20
- ≥0 <10

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD SOIL AND SILT GEOCHEMISTRY

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I03 & 115H13 Contour Interval: 100 ft

FILE: .../2013/CD

DATE: FEBURARY 2014

Soil Ag (ppm)
- ≥2 <5.9
- ≥1 <2
- ≥0.5 <1
- ≥0.2 <0.5
- ≥0 <0.2

Sieve Silt Ag (ppm)
- ≥2 <5.7
- ≥1 <2
- ≥0.5 <1
- ≥0.2 <0.5
- ≥0 <0.2

Silt Ag (ppm)
- ≤0.5
- ≥0.2 <0.5
- ≥0 <0.2

6,900,000 mN
6,895,000 mN
6,890,000 mN
6,885,000 mN
6,880,000 mN
6,875,000 mN
340,000 mE
345,000 mE
350,000 mE
355,000 mE
360,000 mE
365,000 mE
370,000 mE

SCHIST AREA

MALONEY AREA

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER SOIL AND SILT GEOCHEMISTRY

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I03 & 115H13 Contour Interval: 100 ft

FILE: .../2013/CD

DATE: MARCH 2014

6,900,000 mN
6,895,000 mN
6,890,000 mN
6,885,000 mN
6,880,000 mN
6,875,000 mN
340,000 mE
345,000 mE
350,000 mE
355,000 mE
360,000 mE
365,000 mE
370,000 mE

SCHIST AREA

MALONEY AREA

Soil As (ppm)
- ≥200 <2280
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥0 <20

Sieve Silt As (ppm)
- ≥20 <40.7
- ≥0 <20

Silt As (ppm)
- ≥100 <185
- ≥50 <100
- ≥20 <50
- ≥0 <20

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC SOIL AND SILT GEOCHEMISTRY

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I03 & 115H13 Contour Interval: 100 ft

FILE: .../2013/CD

DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

NORTH
TMI (nT)
57025.5 57049.6 57070.4 57088.2 57099.5 57109.7 57121.1 57131.8 57145.5 57235.1

SOUTH
TMI (nT)
56987.3 57056.0 57079.8 57103.6 57126.1 57140.8 57150.0 57169.9 57243.9 57619.2

345000 mE
350 000 mE
355 000 mE
360 000 mE
5 000 mN
0 000 mN
5 000 mN
0 000 mN

mKgW
uKC2
PPN2
PPa
DMgPW
PPN1
mKN
LKfP
PPA
NORTH
SCHIST AREA
SOUTH
MALONEY AREA
mKgW?
LKfP
ETfN
PPAi
EJqL
GPA4
4,000
4,500
3,500

Vein zone intersected in trench

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TOTAL FIELD MAGNETICS

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I/03, 04 & 115H/13 Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F10-Total_Field_Magnetics.wor

DATE: MARCH 2014

T.N.
2°43'
21°18'
Grid north
Magnetic north
Annual change decreasing 22.7'

345000 mE
350 000 mE
355 000 mE
360 000 mE
365 000 mE
370 000 mE
5 000 mN
0 000 mN

NORTH SURVEY OUTLINE
SOUTH SURVEY OUTLINE
SCHIST AREA
MALONEY AREA

mKgW
uKC2
PPN2
PPa
DMgPW
4,000
4,500
3,500
LKfP
PPN1
mKN
PPA
PPN2
mKgW?
ETfN
EJqL
PPAi
LCPA4

Mineralized Area referred to in text
Outline of detailed 2011 helicopter-borne geophysical survey
Vein zone intersected in trench
PPa Regional geology outline

STRATEGIC METALS LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIRST VERTICAL DERIVATIVE REGIONAL DATA

CD PROPERTY

0 4 km

UTM ZONE 8, NAD 83, 115I/03, 04 & 115H/13 Contour Interval: 100 ft

FILE: P:2013/CD/Figures/F10-Total_Field_Magnetics.wor

DATE: MARCH 2014

T.N.
19.6°
21°37'
East (GRID)
Magnetic north
Annual change decreasing 23.5'

PROPERTY BOUNDARY

348 000 mE | 349 000 mE | 350 000 mE | 351 000 mE | 352 000 mE | 353 000 mE

6 879 000 mN | 6 878 000 mN | 6 877 000 mN

CHIMO CREEK

PEACE CREEK

mKgW

LKfP

PPN

PPNAi

PPN1

PPa

EJqL

CPA

6-1 | 6-2 | 6-3 | 6-4 | 6-5 | 6-6

Granodiorite present; locally porphyritic

Spherulite veinlets up to 4 mm wide within altered quartz-feldspar porphyry

AREA OF STRONG SILICIFICATION

Transitional quartz veins and breccias associated with trace to weakly mineralized quartz-feldspar porphyry/siliceous dykes hosted within altered, interbedded biotite schist, limestone and greenstone

Limonitic quartz vein exposed in hand pit

Limonitic quartz vein exposed in hand pit

Siliceous dyke exposed in hand pit

Limonitic quartz vein exposed in hand pit

Silicified

Quartz breccia

Silicified, limonite on fracture surfaces

Silicified

Interbedded quartzite

Brecciated, siliceous quartz-mica schist with punky limonite

Silica flooded w/quartz veining

Minor limonitic quartz

Siliceous, aphanitic quartz-feldspar porphyry dyke

Variably banded

Quartz boulders present

70-80% outcrop

80% outcrop, minor subcrop/talus

Outcrop/subcrop

80% outcrop

70% outcrop

Poorly foliated biotite-quartz schist

Poorly foliated biotite-quartzite schist

PPN2 - talus

Talus

Talus

Subcrop

Interbedded with quartzite, quartz veins present

4 000 | 3 500 | 4 000 | 4 050 | 4 500

LATE CRETACEOUS TO TERTIARY

LKfP — Prospector Mountain Suite
Porphyritic diorite, quartz-feldspar intrusions and dykes.

MIDDLE CRETACEOUS

mKgW — Whitehorse Suite: Intermediate Intrusions
Biotite-hornblende granodiorite, diorite; locally porphyritic.

CARBONIFEROUS AND PERMIAN

CPA — Anvil Suite: Ultramafics
Dark green serpentine, peridotite, pyroxenite, minor eclogite.

EARLY JURASSIC

EJqL — Long Lake Suite
Mostly felsic granitic rocks (q); massive to weakly foliated, fine to coarse grained biotite, biotite-muscovite and biotite-hornblende quartz monzonite to granite, including abundant pegmatite and aplite phases; commonly K-feldspar megacrystic.

PROTEROZOIC AND PALEOZOIC

PPa — Amphibolite
Metamorphosed mafic rocks, including amphibolite.

LATE PROTEROZOIC AND PALEOZOIC

Nisling Assemblage

PPN — Muscovite-biotite-quartz schist.

PPN1 — Biotite-quartz schist and gneiss.

PPN2 — Quartzite and limestone-marble

PPNAI — Intermediate Metavolcanics
Light green, well foliated biotite schist with interbedded limestone, greenstone and dacite tuff.

After Eaton, 1986, and Balik, 2011

Outcrop

Subcrop/talus outline

Contact; known and inferred.

Fault

Historical trench

Area of strong copper and gold soil geochemistry

30 — Bedding orientation

75 — Fracture orientation

Hand pit: limited bedrock encountered.

2013 Camp

PROPERTY BOUNDARY

Detailed Map Area
Figure 18

0 2 4 km

STRATEGIC METALS LTD.

FIGURE 18

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MALONEY AREA
DETAILED GEOLOGY
CD PROPERTY

0 120 m 300 m

UTM ZONE 8, NAD 83, 115I/03, 04 and 115H13, Contour Interval: 100 ft

FILE: P:20'3/Hy/Figures/F17-Maloney_Area_Detailed_Geology.wor

DATE: MARCH 2014