

## Report Transmission Cover Page

Bill To:	J. Gibson & Associates	Project:		Lot ID:	<b>1035194</b>
Report To:	J. Gibson & Associates	ID:	Silver Range Res.	Control Number:	C0041404
	Box 20913	Name:		Date Received:	Oct 23, 2014
	Whitehorse, YT, Canada	Location:	Snap Project	Date Reported:	Oct 29, 2014
	Y1A 6P2	LSD:		Report Number:	1961664
Attn:	John Gibson	P.O.:			
Sampled By:	J. Gibson	Acct code:			
Company:					

Contact & Affiliation	Address	Delivery Commitments
John Gibson J. Gibson & Associates	, Box 20913 Whitehorse, Yukon Territory Y1A 6P2 Phone: (867) 633-4522 Fax: (867) 668-6895 Email: <a href="mailto:ludditegibson@gmail.com">ludditegibson@gmail.com</a>	On [Lot Verification] send (COA) by Email - Single Report On [Report Approval] send (COC, Test Report) by Email - Merge Reports On [Report Approval] send (Test Report) by Email - Single Report On [Lot Approval and Final Test Report Approval] send (Invoice) by Email - Single Report On [Lot Creation] send (COR) by Email - Single Report

### Notes To Clients:

- pH analysis was performed past the recommended holding time of 15 minutes from sample collection

## Analytical Report

Bill To: J. Gibson & Associates	Project:	Lot ID: <b>1035194</b>
Report To: J. Gibson & Associates	ID: Silver Range Res.	Control Number: C0041404
Box 20913	Name:	Date Received: Oct 23, 2014
Whitehorse, YT, Canada	Location: Snap Project	Date Reported: Oct 29, 2014
Y1A 6P2	LSD:	Report Number: 1961664
Attn: John Gibson	P.O.:	
Sampled By: J. Gibson	Acct code:	
Company:		

		Reference Number	1035194-1	1035194-2	1035194-3	
		Sample Date	Oct 20, 2014	Oct 20, 2014	Oct 20, 2014	
		Sample Time	NA	NA	NA	
		Sample Location	Surface	Surface	Surface	
		Sample Description	Snap 1 / Surface	Snap 2 / Surface	Snap 4 / Surface	
		Matrix	Water	Water	Water	
Analyte		Units	Results	Results	Results	Nominal Detection Limit
<b>Inorganic Nonmetallic Parameters</b>						
Organic Carbon	Total Nonpurgeable	mg/L	1.2	0.6	1.3	0.5
Cyanide	Total	mg/L	<0.002	<0.002	<0.002	0.002
Ammonia - N		mg/L	0.02	0.02	0.03	.01
Phosphorus	Total	mg/L	<0.003	<0.003	<0.003	0.003
<b>Metals Dissolved</b>						
Sulfur	Dissolved	mg/L	17.1	21.7	17.1	0.2
Titanium	Dissolved	mg/L	<0.010	<0.010	<0.010	0.01
Digestion			Field Filtered	Field Filtered	Field Filtered	
Aluminum	Dissolved	mg/L	0.008	0.053	<0.005	0.005
Antimony	Dissolved	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Arsenic	Dissolved	mg/L	0.0005	0.0003	0.0003	0.0002
Barium	Dissolved	mg/L	0.024	0.023	0.019	0.001
Beryllium	Dissolved	mg/L	0.00006	0.00043	<0.00004	0.00004
Bismuth	Dissolved	mg/L	<0.001	<0.001	<0.001	0.001
Boron	Dissolved	mg/L	0.012	0.010	0.01	0.004
Cadmium	Dissolved	mg/L	0.00085	0.00298	0.00006	0.00001
Chromium	Dissolved	mg/L	<0.0004	<0.0004	<0.0004	0.0004
Cobalt	Dissolved	mg/L	0.00010	0.00024	0.00009	0.00002
Copper	Dissolved	mg/L	<0.001	0.001	<0.001	0.001
Lead	Dissolved	mg/L	0.0002	0.0009	<0.0001	0.0001
Lithium	Dissolved	mg/L	0.003	0.004	0.001	0.001
Molybdenum	Dissolved	mg/L	0.00022	<0.00010	0.00038	0.0001
Nickel	Dissolved	mg/L	0.013	0.042	<0.001	0.001
Selenium	Dissolved	mg/L	<0.0006	<0.0006	<0.0006	0.0006
Silver	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Strontium	Dissolved	mg/L	0.117	0.134	0.129	0.001
Tellurium	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Thallium	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Thorium	Dissolved	mg/L	<0.0004	<0.0004	<0.0004	0.0004
Tin	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Uranium	Dissolved	mg/L	0.0011	<0.0004	0.0026	0.0004
Vanadium	Dissolved	mg/L	<0.00010	<0.00010	<0.00010	0.0001
Zinc	Dissolved	mg/L	0.206	0.428	0.001	0.001
Zirconium	Dissolved	mg/L	<0.00010	<0.00010	<0.00010	0.0001
<b>Metals Total</b>						
Aluminum	Total	mg/L	0.024	0.100	0.011	0.005

## Analytical Report

Bill To: J. Gibson & Associates	Project:	Lot ID: <b>1035194</b>
Report To: J. Gibson & Associates	ID: Silver Range Res.	Control Number: C0041404
Box 20913	Name:	Date Received: Oct 23, 2014
Whitehorse, YT, Canada	Location: Snap Project	Date Reported: Oct 29, 2014
Y1A 6P2	LSD:	Report Number: 1961664
Attn: John Gibson	P.O.:	
Sampled By: J. Gibson	Acct code:	
Company:		

		Reference Number	1035194-1	1035194-2	1035194-3	
		Sample Date	Oct 20, 2014	Oct 20, 2014	Oct 20, 2014	
		Sample Time	NA	NA	NA	
		Sample Location	Surface	Surface	Surface	
		Sample Description	Snap 1 / Surface	Snap 2 / Surface	Snap 4 / Surface	
		Matrix	Water	Water	Water	
Analyte		Units	Results	Results	Results	Nominal Detection Limit
<b>Metals Total - Continued</b>						
Antimony	Total	mg/L	<0.0001	<0.0001	0.0001	0.0001
Arsenic	Total	mg/L	0.00055	0.00037	0.00026	0.00005
Barium	Total	mg/L	0.0260	0.0240	0.0206	0.00005
Beryllium	Total	mg/L	0.00010	0.00061	<0.00005	0.00005
Bismuth	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Boron	Total	mg/L	<0.002	<0.002	<0.002	0.002
Cadmium	Total	mg/L	0.00091	0.00287	0.00002	0.00001
Calcium	Total	mg/L	25.8	23.2	33.0	0.05
Chromium	Total	mg/L	<0.0005	<0.0005	<0.0005	0.0005
Cobalt	Total	mg/L	<0.0001	0.0003	<0.0001	0.0001
Copper	Total	mg/L	0.0013	0.0019	0.0016	0.0001
Iron	Total	mg/L	0.181	0.021	0.164	0.002
Lead	Total	mg/L	0.0003	0.0011	<0.0001	0.0001
Lithium	Total	mg/L	0.0024	0.0035	0.0013	0.0005
Magnesium	Total	mg/L	4.64	4.99	3.28	0.04
Manganese	Total	mg/L	0.0398	0.0402	0.0148	0.001
Molybdenum	Total	mg/L	0.00019	0.00007	0.00039	0.00005
Nickel	Total	mg/L	0.0133	0.0442	0.0006	0.0002
Potassium	Total	mg/L	0.7	0.7	0.7	0.1
Selenium	Total	mg/L	0.0001	0.0002	0.0003	0.0001
Silicon	Total	mg/L	4.16	4.12	4.02	0.02
Silver	Total	mg/L	<0.00005	<0.00005	<0.00005	0.00005
Sodium	Total	mg/L	1.9	2.0	1.6	0.1
Strontium	Total	mg/L	0.120	0.139	0.130	0.0001
Thallium	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Thorium	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Tin	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Titanium	Total	mg/L	<0.0005	<0.0005	<0.0005	0.0005
Uranium	Total	mg/L	0.00104	0.00019	0.00278	0.00001
Vanadium	Total	mg/L	0.0001	<0.0001	0.0001	0.0001
Zinc	Total	mg/L	0.198	0.423	0.0013	0.0005
Zirconium	Total	mg/L	<0.0005	<0.0005	<0.0005	0.0005
Hardness	as CaCO <sub>3</sub>	mg/L	84	79	96	1
<b>Physical and Aggregate Properties</b>						
Solids	Total Suspended	mg/L	<3	<3	<3	1
Solids	Total Dissolved	mg/L	128	116	140	5

## Analytical Report

Bill To: J. Gibson & Associates	Project:	Lot ID: <b>1035194</b>
Report To: J. Gibson & Associates	ID: Silver Range Res.	Control Number: C0041404
Box 20913	Name:	Date Received: Oct 23, 2014
Whitehorse, YT, Canada	Location: Snap Project	Date Reported: Oct 29, 2014
Y1A 6P2	LSD:	Report Number: 1961664
Attn: John Gibson	P.O.:	
Sampled By: J. Gibson	Acct code:	
Company:		

		Reference Number	1035194-1	1035194-2	1035194-3	
		Sample Date	Oct 20, 2014	Oct 20, 2014	Oct 20, 2014	
		Sample Time	NA	NA	NA	
		Sample Location	Surface	Surface	Surface	
		Sample Description	Snap 1 / Surface	Snap 2 / Surface	Snap 4 / Surface	
		Matrix	Water	Water	Water	
Analyte		Units	Results	Results	Results	Nominal Detection Limit
Routine Water						
pH	at 25 °C		7.30	6.83	7.47	
Electrical Conductivity		µS/cm at 25 C	174	173	191	1
Calcium	Dissolved	mg/L	22.6	19.8	28.9	0.1
Iron	Dissolved	mg/L	0.056	<0.005	0.047	0.005
Magnesium	Dissolved	mg/L	4.39	4.59	3.12	0.1
Manganese	Dissolved	mg/L	0.035	0.036	0.012	0.001
Potassium	Dissolved	mg/L	0.7	0.6	0.7	0.1
Silicon	Dissolved	mg/L	3.93	3.82	3.83	0.05
Sodium	Dissolved	mg/L	1.8	1.9	1.5	0.1
Bicarbonate		mg/L	40	14	54	5
Carbonate		mg/L	<6	<6	<6	6
Hydroxide		mg/L	<5	<5	<5	5
P-Alkalinity	as CaCO3	mg/L	<5	<5	<5	5
T-Alkalinity	as CaCO3	mg/L	33	11	44	5
Chloride	Dissolved	mg/L	0.07	0.10	0.06	0.05
Nitrate - N	Dissolved	mg/L	0.07	0.14	0.06	0.01
Nitrite - N	Dissolved	mg/L	<0.01	<0.01	<0.01	0.01
Sulfate (SO4)	Dissolved	mg/L	47.9	60.1	46.9	0.5
Hardness	as CaCO3	mg/L	74	68	85	5

Approved by: 

Mathieu Simoneau  
Operations Manager

Data have been validated by Analytical Quality Control and Exova's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

## Methodology and Notes

Bill To:	J. Gibson & Associates	Project:		Lot ID:	<b>1035194</b>
Report To:	J. Gibson & Associates	ID:	Silver Range Res.	Control Number:	C0041404
	Box 20913	Name:		Date Received:	Oct 23, 2014
	Whitehorse, YT, Canada	Location:	Snap Project	Date Reported:	Oct 29, 2014
	Y1A 6P2	LSD:		Report Number:	1961664
Attn:	John Gibson	P.O.:			
Sampled By:	J. Gibson	Acct code:			
Company:					

## Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (Surrey)	APHA	* Alkalinity - Titration Method, 2320 B	24-Oct-14	Exova Surrey
Alk, pH, EC, Turb in water (Surrey)	APHA	* Conductivity, 2510 B	24-Oct-14	Exova Surrey
Alk, pH, EC, Turb in water (Surrey)	APHA	* pH - Electrometric Method, 4500-H+ B	24-Oct-14	Exova Surrey
Ammonia-N in Water (Surrey)	APHA	* Flow Injection Analysis, 4500-NH3 H	24-Oct-14	Exova Surrey
Anions by IEC in water (Surrey)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	24-Oct-14	Exova Surrey
BC ICP-MS Total Metals in Water	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	27-Oct-14	Exova Edmonton
BC Trace Total Metals in Water	APHA	* Inductively Coupled Plasma (ICP) Method, 3120 B	27-Oct-14	Exova Edmonton
Carbon Organic (Total) in water (TOC)	APHA	High-Temperature Combustion Method, 5310 B	27-Oct-14	Exova Edmonton
Cyanide (Total) in water	US EPA	* US EPA method, 335.3	28-Oct-14	Exova Edmonton
Metals SemiTrace (Dissolved) in water (Surrey)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	27-Oct-14	Exova Surrey
Phosphorus - total by Smartchem (Surrey)	APHA	* Preliminary Acid Hydrolysis, Ascorbic Acid Reduction Method, 4500-P B,E	27-Oct-14	Exova Surrey
Solids Dissolved (Total, Fixed and Volatile) - Surrey	APHA	* Total Dissolved Solids Dried at 180 C, 2540 C	27-Oct-14	Exova Surrey
Solids Suspended (Total, Fixed and Volatile)	APHA	* Total Suspended Solids Dried at 103-105°C, 2540 D	27-Oct-14	Exova Surrey
Trace Metals (dissolved) in Water (Surrey)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	27-Oct-14	Exova Surrey
Trace Metals (dissolved) in Water (Surrey)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	27-Oct-14	Exova Surrey

\* Reference Method Modified

## References

APHA	Standard Methods for the Examination of Water and Wastewater
US EPA	US Environmental Protection Agency Test Methods

## Methodology and Notes

Bill To:	J. Gibson & Associates	Project:		Lot ID:	<b>1035194</b>
Report To:	J. Gibson & Associates	ID:	Silver Range Res.	Control Number:	C0041404
	Box 20913	Name:		Date Received:	Oct 23, 2014
	Whitehorse, YT, Canada	Location:	Snap Project	Date Reported:	Oct 29, 2014
	Y1A 6P2	LSD:		Report Number:	1961664
Attn:	John Gibson	P.O.:			
Sampled By:	J. Gibson	Acct code:			
Company:					

---

## Comments:

- pH analysis was performed past the recommended holding time of 15 minutes from sample collection

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

