ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing
GEOLOGICAL MAPPING, PROSPECTING, HAND TRENCHING AND GEOCHEMICAL SAMPLING

Field work performed between August 10 and 17, 2013

at the
TASIN PROJECT

Claim Name	Grant Numbers
Tasin 951-956	YE65901-YE65906
1035-1050	YE65985-YE66000
1051-1060	YE66401-YE66410
1119	YE66469
1121	YE66471
1123	YE66473
1125-1144	YE66475-YE66494
1209-1228	YE66559-YE66578

NTS 106C/02 & 105N/15
Latitude 63º59' N; Longitude 132º43' W

in the
Mayo Mining District
Yukon Territory

prepared by
Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by
J. Morton, B.Sc., GIT
May 2014

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	5
MINERALIZATION AND HAND TRENCHING	6
SOIL GEOCHEMISTRY	7
DISCUSSION AND CONCLUSIONS	8
REFERENCES	9

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS

TABLES

I	Regional Lithological Units	4
II	Significant Rock Sample Results	6
III	Threshold Values for Soil Samples	7

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	1
3	Rackla Belt Regional Geology	4
4	Idealized Regional Cross-Section	4
5	General Property Geology	5
6	Detailed Geology, Trench Locations, and 2013 Rock Sample Locations	In Pocket
7	Trench TR-13-01	6
8	Trench TR-13-02	6
9	Trench TR-13-03	6
10	Soil Sample Locations	7
11	Gold Geochemistry	7
12	Arsenic Geochemistry	7
13	Mercury Geochemistry	7
14	Thallium Geochemistry	7
15	Antimony Geochemistry	7

INTRODUCTION

The Tasin project is located within a district of precious metal-enriched, replacement-style, volcanogenic massive sulphide and vein occurrences, such as ATAC Resources Ltd.'s Tiger and Conrad deposits, Xstrata's Craig deposit, Redtail Metals Corp.'s Marg deposit, Blind Creek Resources Ltd.'s Blende deposit, Victoria Gold Corp.'s Dublin Gulch deposit and Alexco Resource Corp.'s Keno Hill deposits. The Tasin project area covers a mineral showing and strong geochemical anomalies, containing metals that are commonly pathfinders for Carlin-type deposits. It lies within one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes a program of geochemical sampling, prospecting, hand trenching and geological mapping conducted between August 10 and August 17, 2013 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised the program and interpreted all results from this work. A Statement of Qualifications is located in Appendix I and Statement of Expenditures in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Tasin project area is located in east-central Yukon at latitude 63°59´N and longitude 132°43´W on NTS map sheets 106C/02 and 105N/15 (Figure 1). The project area is a part of the much larger (328 km^2) Crag East property, which consists of 1618 contiguous mineral claims. All work outlined in this report lies entirely within a claim grouping that comprises 75 contiguous mineral claims covering an area of approximately 1450 hectares (14.50 km^2). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the subject claims are listed below, while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Numbers	Expiry Date
Tasin 951-956	YE65901-YE65906	March 11, 2022
Tasin 1035-1050	YE65985-YE66000	March 11, 2022
Tasin 1051-1060	YE66401-YE66410	March 11, 2022
Tasin 1119	YE66469	March 11, 2022
Tasin 1121	YE66471	March 11, 2022
Tasin 1123	YE66473	March 11, 2022
Tasin 1125-1144	YE66475-YE66494	March 11, 2022
Tasin 1209-1228	YE66559-YE66578	March 11, 2022

The Tasin project area lies 160 km northeast of the town of Mayo, the nearest supply centre. The closest road access is at the community of Keno City, which is situated 46 km by road northeast of Mayo and 126 km by air west of the Tasin project.

Access to and from the project area in 2013 was provided by an AStar B3 helicopter operated by Horizon Helicopters from a temporary base at ATAC's Nadaleen camp, which lies approximately 20 km northeast of the project area.

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION

TASIN PROJECT

0 200 km

FILE: ../2013/Tasin/Figures/F1-Location.wor | DATE: MAY 2014





STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

TASIN PROJECT

0 2 km

UTM ZONE 8, NAD 83, 106C &105N, Contour intervals 100 m

FILE: ../Figures/F2-Claim_Locations.wor | DATE: MAY 2014

HISTORY AND PREVIOUS WORK

In 2001, the Geological Survey of Canada (GSC) completed low-density stream sediment and water sampling surveys on NTS map sheet 106C (Héon, 2003). Numerous samples were collected from creeks on the Crag East property. These samples returned background to subdued values for gold and Carlin-type pathfinder elements; however, no samples were collected from the Tasin project area.

In 2008, ATAC followed up one of the GSC gold anomalies and discovered the Tiger deposit, a significant carbonate-hosted gold prospect located 85 km northwest of the Tasin project area (Dumala, 2009). In 2009, ATAC explored a cluster of GSC arsenic anomalies located 100 km east of the Tiger deposit and identified moderately to very strongly anomalous gold-in-soil results. Drilling in this new area since 2010 has outlined several Carlin-type gold deposits, collectively referred to as the Nadaleen Trend.

In November 2009, after ATAC had staked a very large claim block connecting the Tiger deposit to the Nadaleen Trend, Strategic Metals purchased ATAC's regional exploration database. Starting in 2010, Strategic Metals staked the Tasin and several other claims in the hanging wall of the stratigraphy that hosts ATAC's discoveries, looking for leakage anomalies that could indicate buried deposits.

In 2011, Strategic Metals conducted an extensive stream sediment and soil sampling program on the Crag East property. Encouraging results for Carlin-type pathfinder elements were obtained from stream sediment samples in the Tasin project area.

In 2012, Strategic Metals performed an additional two days of contour soil sampling and prospecting in the Tasin project area. This work expanded the previously identified area of anomalous silt geochemistry, referred to as the Tasin Anomaly, and discovered realgar-bearing float within a creek bed. Results from all of the work performed by Strategic Metals to date are described in the appropriate sections of this report.

GEOMORPHOLOGY

The Tasin Anomaly is located on the western flank of the Tasin Range and is drained by creeks that flow into the Stewart River, which is a part of the Yukon River watershed.

The anomaly lies along the north side of an east-west trending ridge and covers a steep north-facing gully. Elevations in the area range from 1000 to 1800 m above sea level and tree line is approximately 1500 m. Grass, moss, rock glaciers, talus slopes and cliffs characterize alpine terrain, while sub-alpine areas are typically devoid of outcrop and vegetated with stunted black spruce, willow and alder. Valley bottoms are densely treed with mature spruce. There are a number of avalanche chutes with downed trees in the area. Creeks have sufficient water for camp and drilling purposes throughout the summer and early fall.

The climate in the vicinity of the Tasin project area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The area is mostly snow-free from early June to late September.

REGIONAL GEOLOGY

The Tasin project area is located in the south-central part of the Rackla Belt, an 18 by 120 km belt that is host to a range of mineralization types including various styles of base metal and gold occurrences (Colpron et al., 2013).

The Rackla Belt spans the southern portion of the Nadaleen map sheet (106C) and southeastern corner of the Nash Creek (106D) map sheet. The GSC published 1:250,000 scale geological maps of the Nash Creek and Nadaleen map sheets in 1972 (Green) and 1974 (Blusson), respectively. In 1990, Indian and Northern Affairs Canada (predecessor to the Yukon Geological Survey) released a 1:50,000 scale geological map of NTS map sheet 106D/01 (Abbott, 1990).

In 2010, the Yukon Geological Survey (YGS) initiated a project to better understand the geology of the Rackla Belt as a result of the recent discoveries in the area. Work to date has included 1:50,000 scale mapping of the: 1) Mount Mervyn map area (106C/04) in 2010 (Chakungal and Bennett, 2011); 2) Mount Ferrell map area (106C/03) in 2011 (Colpron, 2012); and 3) Ortell Lake and Mount Stenbraten map areas (106C/02 and 01) in 2012 (Colpron et al., 2013). It also included integrating structures and stratigraphic units across map sheets 106C/01 to 106C/04 and 106D/01 (Colpron et al., 2013).

The southern part of the Crag East property lies outside of the currently defined Rackla Belt, on NTS map sheet 105N, which was mapped by Indian and Northern Affairs Canada in 1995 at a 1:125,000 scale (Roots et al., 1995).

Geology of the Rackla Belt presented in the following paragraphs is primarily summarized from the YGS's recent work (Colpron et al., 2013).

The Rackla Belt straddles the boundary between deep-water, dominantly clastic rocks of the Selwyn Basin to the south and shallower water shelf strata of the Mackenzie Platform to the north.

The Rackla Belt is divided into three main structural panels – Richardson fault array, Mackenzie fold belt and Selwyn fold belt (Figure 3). Both the north-trending Richardson fault array and the northern edge of the northwest-trending Selwyn fold belt have prolonged histories of Proterozoic and Paleozoic faulting (mainly extensional and strike-slip) that were reactivated during Mesozoic compression.

The three main structural panels are separated by the Dawson Thrust and Kathleen Lakes Faults (Figure 3). The Dawson Thrust Fault is a crustal break that may date back to late Neoproterozoic rifting and was subsequently reactivated as a north-directed thrust fault during Paleozoic

extension and Mesozoic compression. The direction of movement along Mesozoic thrust faults in the region is generally towards the north. The Kathleen Lakes Fault is an enigmatic structure with uncertain kinematics. It likely has a long history that may have begun as a normal fault in the Neoproterozoic and has since been reactivated, possibly accommodating strike-slip and normal movement.

Both extensional and apparent sinistral strike-slip faults cross-cut structures associated with compression represent some of the youngest deformation in the Rackla Belt. Some strike-slip reactivation may have occurred along both the Kathleen Lakes and Dawson Thrust Faults; however, the amount of motion is probably very small and appears to die out to the east.

The Rackla Belt can be divided into five stratigraphic and facies domains that are generally bounded by the Dawson Thrust and Kathleen Lakes Faults (Figure 3).


1) Neoproterozoic to Paleozoic Selwyn Basin: The southern part of the belt (hanging wall of the Dawson Thrust Fault) comprises Neoproterozoic to Upper Paleozoic predominantly off-shelf clastic sedimentary rocks of Selwyn Basin;
2) Paleozoic Off-shelf: To the north of the Selwyn Basin, Ordovician to Permian off-shelf carbonate and shale (including abundant debris flow and turbidite deposits) are bound by the Dawson Thrust and Kathleen Lakes faults;
3) Neoproterozoic Off-shelf (Windermere Supergroup?): In the northeastern part of the belt, rocks in the footwall of the Dawson Thrust Fault consist of fine-grained siliciclastic and carbonate rocks. Ediacaran fossils in this sequence suggest correlation with the upper part of the Neoproterozoic Windermere Supergroup;
4) Paleozoic Platform: Platformal carbonate rocks of Ordovician to Devonian age occur mainly north of the Kathleen Lakes Fault in the central part of the belt. A notable exception is a window of this package at the west end of the belt; and,
5) Proterozoic: Older Proterozoic rocks of the Wernecke Supergroup and Pinguicula Group occupy the region north of the Kathleen Lakes Fault in the northwestern part of the belt.

The transition between platformal and basinal facies varies around Selwyn Basin. Its eastern boundary exhibits a more typical facies transition that migrates through time. By contrast, the northern boundary of Selwyn Basin is strongly localized and was apparently controlled by the Dawson Thrust Fault. Figure 4 illustrates an idealized cross-section through Rackla Belt stratigraphy, along the northern boundary of Selwyn Basin. The lithological units that occur in the immediate vicinity of the project area are described in Table I.


Table I – Regional Lithological Units (*after Colpron et al., 2013*)

Unit Name	Age	Map Unit	Description


RACKLA BELT STRATIGRAPHIC AND FACIES DOMAINS



LOWER CAMBRIAN PALEOGEOGRAPHY



MINERALIZATION ALONG RACKLA BELT



Note: Underlined showings are held by Strategic Metals Ltd.

After Colpron et al, 2013

STRATEGIC METALS LTD.


FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RACKLA BELT REGIONAL GEOLOGY

TASIN PROJECT

FILE: ../2013/Tasin/Figures/F3-Regional_Domains.wor	DATE: MAY 2014



Carlin-type Au (epigenetic) occurrence

VMS occurrence

MVT occurrence

Rapitan iron occurrence

TJ - Jones Lake Fm
MPMC - Mount Christie Fm
MT - Tsichu Fm
DMBR - Besa River Fm
DME - Earn Gp
DMP - Prevost Fm
DPL - Portrait Lake Fm
DO - Ogilvie Fm
DF - Funeral Fm
DGB - Grizzly Bear Fm
DN - Nahanni Fm
DH - Headless Fm
DL - Landry Fm
DNA - Natla Fm
DA - Arnica Fm

DS - Sombre Fm
DC - Camsell Fm
SDD - Delorme Fm
SDS - Sapper Fm
SS - Steele Fm
OSW - Whittaker Fm
CDB - Bouvette Fm
CSH - Haywire Fm
OBS - Broken Skull Fm
OSD - Duo Lakes Fm
COR - Rabbitkettle Fm
CSC - Slats Creek Fm
CA - Avalanche Fm
CRS - Rockslide Fm
CG - Gull Lake Fm

CS - Sekwi Fm
PCV - Vampire Fm
PCBR - Backbone Ranges Fm
PCI - Ingta Fm
PCHN - Narchilla Fm
PHA - Algae Fm
PHY - Yusezu Fm
PB - Blueflower Fm
PSH - Sheepbed Fm
PIB - Icebrook Fm
PK - Keele Fm
PT - Twitya Fm
PSZ - Shezal Fm
PSA - Sayunei Fm
PCL - Coates Lake Gp

Unnamed units have lower case identifiers

Chert conglomerate, grit sandstone, and siltstone
Chert, shale
Shale
Siltstone, shale
Sandstone, siltstone, shale
Shale, sandstone
Grit, sandstone, shale (turbidites)

Mafic volcanic rocks
Diabase sills and dikes
Diamictite
Quartzite
Silty and argillaceous limestone
Dolostone
Limestone

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

IDEALIZED REGIONAL CROSS-SECTION

TASIN PROJECT

FILE: ../2013/Tasin/Figures/F4-Regional_Xsection.wor | DATE: MAY 2014


Gull Lake Formation?	Lower to Middle Cambrian	CGLvc	Brown weathering, green volcanic sandstone, siltstone; locally gritty; conglomerate with mud chips; local orange weathering dolostone bands.
Narchilla Formation (Hyland Group)	Neoproterozoic (Ediacaran) to Lower Cambrian	PCHn	Maroon and green shale and siltstone, locally bioturbated; locally grey, brown shale; locally black gritty sandstone, locally green and white sandstone; yellowish buff weathering dolomitic limestone. Note: maroon shale typical of Narchilla Formation also occurs locally below or within dolomitic limestone of Algae Formation.
Algae Lake Formation (Hyland Group)	Neoproterozoic (Ediacaran)	PHa	Light grey to yellowish buff weathering dolomitic limestone and dolostone, variably dolomitized and variably silty/sandy; locally fine grained, dolomitic sandstone; commonly graded and cross-bedded; local occurrence of Ediacaran fossils; minor grey and/or maroon shale; local debris flow units: generally limestone pebble to cobble breccia and conglomerate; some polymictic breccia.
Yusezyu Formation (Hyland Group)		PHy	Brownish grey sandstone and grit (pebbly sandstone), calcareous near top of unit; brown, grey, olive green and locally maroon shale and siltstone; locally quartz pebble conglomerate.

PROPERTY GEOLOGY

In 2013 Strategic Metals performed detailed geological mapping at a 1:2500 scale within the Tasin project area (Figure 5).

The project area is underlain by the Neoproterozoic through Middle Cambrian aged sedimentary and metapelitic rocks of Hyland Group and Gull Lake Formation. Locally, Hyland Group has been divided into four sub-units – Yusezyu Formation siliciclastics (PHy), Yusezyu Formation(?) phyllite (PHy1?), Algae Lake Formation carbonates (PHa), and Narchilla Formation maroon and green shales (PCHn). PHy comprises tan to light grey shale, medium-grained arkose and quartz-rich pebble conglomerate, while PHa consists of thinly bedded, dark grey shales that are intercalated with medium to light grey silty limestone, dolomitic sandstone and rudstone. Yusezyu and Algae Lake formation rocks are conformably overlain by Narchilla Formation strata. Narchilla Formation is unconformably overlain by Gull Lake Formation (Moynihan et al., in press). A package of medium grey to black siltstone, shale and phyllite, with rare limestone clasts, has been provisionally assigned to Yusezyu Formation based on its relative stratigraphic location. Observations made by Strategic Metals indicate that this unit, PHy1?, may be a metamorphic equivalent of PHy.

Bedding in the project area generally strikes southeasterly and dips steeply to the southwest. Three northwesterly striking faults have been mapped. The southernmost is a thrust fault that juxtaposes Yusezyu Formation to the south against Gull Lake Formation to the north. The other



QUATERNARY

Q — Quaternary - unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand and gravel, and local volcanic ash, in part with cover or soil and organic deposits

DEVONIAN AND MISSISSIPPIAN

DME — Earn Group (undivided) - complex assemblage of submarine fan and channel deposits, within black siliceous shale and chert, and including seperated small occurrences of felsic volcanic rocks; barite common

MIDDLE DEVONIAN

mDc — Light grey crinoidal limestone, contains "two-hole" and "star" crinoids

ORDOVICIAN TO LOWER DEVONIAN

ODRR — Road River Group (undivided) - black shale and chert overlain by orange siltstone or buff platy limestone

LOWER TO MIDDLE CAMBRIAN

CGLvc — Gull Lake Formation? - brown weathering, green volcanic sandstone, siltstone; locally gritty; conglomerate with mud chips; local orange weathering dolostone bands

CGL1 — Gull Lake Formation - shale, siltstone and mudstone, locally bio-turbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist

NEOPROTEROZOIC (EDIACARAN) TO LOWER CAMBRIAN

PCHn — Hyland Group (Narchilla Formation) - maroon and green shale and siltstone, locally bioturbated; locally grey, brown shale; locally green and white sandstone; yellowish-buff wetahering dolomitic limestone

NEOPROTEROZOIC (EDIACARAN)

PHa — Hyland Group (Algae Formation) - light grey to yellowish-buff weathering dolomitic limestone and dolostone, variably dolomitized and variably silty/sandy; locally fine grained, dolomitic sandstone; commonly graded and cross-bedded; minor grey and/or maroon shale; local debris flow units- generally limestone pebble to cobble breccia and conglomerate; some polymictic breccia, locally boulder size

PHy — Hyland Group (Yusezyu Formation) - brownish-grey sandstone and grit (pebbly sandstone), calcareous near top of unit; brown, grey, olive green and locally maroon shale and siltstone; locally quartz pebble conglomerate

PSs — Stenbraten Assemblage (Upper) - "upper mixed clastic sequence" - brown weathreing, grey shale ans siltstone; minor sandstone and grit; rhythmically bedded, brown weathering, grey limestone and shale; calcareous shale; thinly bedded, grey limestone

PSc — Stenbraten Assemblage (Lower) - "carbonate marker" - grey, buff, tan and orange weathering dolostone, dolomitic sandstone and limestone, commonly planar and/or cross laminated; calcareous shale and siltstone; maroon shale; carbonate-clast diamictite and congolmerate; pink weathering siltstone at base of unit

PNu — Nadaleen Assemblage (Upper) - orange weathering, greenish-brown, rhythmically bedded, fine grained sandstone, siltstone, mudstone; polymictic diamictite, conglomerate (carbonate and quartz pebble to cobble); maroon and green fine grained sandstone-siltstone-mudstone

PNl — Nadaleen Assemblage (Lower) - brownish-grey siltstone, mudstone, limestone; rhythmically, thin to medium bedded mudstone and limestone; local pink-grey quartz sandstone and quartzite; calcareous grit and sandstone

Normal fault — Bedding (strike and dip) — Reaglar mineralization

Thrust fault — Cleavage (strike and dip)

STRATEGIC METALS LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GENERAL PROPERTY GEOLOGY

TASIN PROJECT

0 — 5 km

UTM ZONE 8 & 9, NAD 83, 106C/02 & 105N/15

FILE: ../2013/Tasin/Figures/F5-General_Geology.wor

DATE: MAY 2014

two are high-angle faults in the northern part of the project area, where a block of Algae Lake Formation strata is sandwiched between two packages of Yusezyu Formation. These two northern faults form a wide shear zone that is accompanied by a pervasive foliation and boudinaged quartz vein sweats.

MINERALIZATION AND HAND TRENCHING

In 2012, Strategic Metals collected 15 rock samples within the Tasin project area. Three of these samples were collected as float in a creek bed and comprised greenish grey, pitted, clast-supported dolostone breccia with minor pervasive, crystalline realgar. These samples yielded strongly elevated values for arsenic (up to 3.73%) and mercury (up to 109.5 ppm), but only background values for gold.

In 2013, Strategic Metals collected another 27 rock samples within the Tasin project area. Nine of these samples comprised bedrock specimens collected from three hand trenches (Trenches TR-13-01, TR-13-02 and TR-13-03). The locations of hand trenches and 2013 rock samples are plotted on Figure 5, while detailed trench geology and trench sample locations are illustrated on Figures 6 to 9. Rock Sample Descriptions are located in Appendix III and Certificates of Analysis in Appendix IV.


Rock geochemical sample sites were marked by orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at the ALS Minerals laboratories in Whitehorse, Yukon and North Vancouver, B.C. Each sample was dried, fine-crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Significant rock sample results are provided in Table II.

Table II – Significant Rock Sample Results

Sample #	Sample Type	As (ppm)	Hg (ppm)	Tl (ppm)	Sb (ppm)	Au (ppb)
G006814*	Creek float	37300	109.5	1.36	5.61	7
M896082	Creek float	25200	59.2	0.87	2.87	3
M896090	Outcrop grab	9870	22.9	1.26	1.69	4
M896102	Outcrop grab	233	1.55	0.31	20.7	13
M896100	Trench grab	6680	14	0.47	1.26	3

* Sample from 2012.

Work in 2013 traced the realgar-bearing float to a bedrock exposure of decarbonatized dolostone (Tasin Showing), which lies within the fault plane of a southeast-striking normal fault. A grab sample collected from the showing (M896090) comprised green weathering, pitted and sooty,



611,000 mE

611,500 mE

612,000 mE

7,098,000 mN

7,097,500 mN

Thick vegetation

Boulder field

Boulder field

Boulder field

Avalanche chute

Avalanche chute

Lake

Boulder field

M896080
M896082
M896081
M896083
M896087
M896088
M896085
M896084
M896086
M896078
M896090
M896089
M896102
M896092
M896091
M896093
M896094
M896095
TR-13-01
TR-13-02
TR-13-03

Rock Sample
Trench
Outcrop
Contact (measured, inferred)
Geomorpholgical feature
Normal fault (measured, inferred)
Thrust fault (measured, inferred)
Bedding (strike and dip)
Linear (trend and plunge)
Cleavage/fracture (strike and dip)
Antiformal fold
Synformal fold

CGLvc: Resistive, brown weathering medium to coarse grained green volcanic sandstone.

PCHn: Maroon and green shale and siltstone.

PHa: Brown and buff weathering intercolated dark grey shales, medium to light grey silty limestones, dolmitic sandstones and rudstone.

PHy1?: Resistive, orange to dark brown to maroon weathering, fresh medium grey to black silsteone to shale to phyllite, locally with limestone clasts (<10cm in diameter).

PHy: Butt to orange weathering, fresh grey, quartz-feldspathic shale and sandstone, and polymictic pebble conglomerate.

T.N.
2°02'
22°21'
Grid north
Magnetic north
Annual change decreasing 26.7'

PROJECT AREA BOUNDARY

STRATEGIC METALS LTD.

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED GEOLOGY, TRENCH LOCATIONS AND 2013 ROCK SAMPLE LOCATIONS


TASIN PROJECT

0 300 m

UTM ZONE 8 & 9, NAD 83, 106C/02 & 105N/15

FILE: ../Tasin/Figures/F5-Geology_Trench_Rocks.wor

DATE: MAY 2014



STRATEGIC METALS LTD.


FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENCH TR-03-01

TASIN PROJECT

0 4 m

FILE: .../Tasin/Figures/F6-Trench_1.wor | DATE: MAY 2014



STRATEGIC METALS LTD.


FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENCH TR-13-02

TASIN PROJECT

0 4 m

FILE: ../Tasin/Figures/F7-Trench_2.wor | DATE: MAY 2014



STRATEGIC METALS LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENCH TR-13-03

TASIN PROJECT

0 4 m

FILE: .../Tasin/Figures/F8-Trench_3.wor | DATE: MAY 2014

medium grey to black, decarbonatized rudstone with fine- to medium-grained realgar throughout. This sample returned elevated values for arsenic, mercury and thallium.

In 2013, Strategic Metals dug three hand trenches in the Tasin project area. An 11.3 m trench (TR-13-01) was dug across the Tasin Showing and the strike of the fault, in order to expose wallrocks on either side. Bedrock samples collected from this trench returned elevated values for arsenic and mercury but failed to reproduce the tenor of sample M896090. The second trench (TR-13-02) was excavated in order to expose unusual green weathering rudstone in Algae Lake Formation strata, and the third trench (TR-13-03) was dug to intersect the fault that hosts the Tasin Showing, 130 m southeast of TR-13-01. Bedrock samples taken from trench TR-13-02 yielded only background values for all elements of interest. Trench TR-13-03 failed to reach bedrock, but soil samples collected within it returned moderately anomalous values for arsenic (up to 138.5 ppm) and mercury (up to 2.82 ppm), and weakly anomalous values for antimony (up to 3.01 ppm).

SOIL GEOCHEMISTRY

In 2011, Strategic Metals collected 2009 contour and grid soil and 802 silt samples across the Crag East property. This work identified some prospective targets, including the Tasin Anomaly, an area of encouraging stream sediment results for Carlin-type pathfinder elements.


In 2012, an additional 101 contour soil samples were collected within the project area, which expanded the size and tenor of the Tasin Anomaly.

In 2013, another 278 soil samples were collected from a grid in the vicinity of the Tasin Anomaly. The 2013 soil sample locations are illustrated on Figure 10, while soil results in the Tasin project area from all programs for gold, arsenic, mercury, thallium, and antimony are illustrated thematically on Figures 11 to 15, respectively. Certificates of Analysis for the 2013 samples are in Appendix IV.

The 2013 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 180 cm deep holes dug by mattock or hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to the ALS Minerals laboratory in Whitehorse, Yukon where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver, B.C. where they were analysed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for the metals of interest are listed in Table III.

Table III – Threshold Values for Soil Samples

Element	Anomalous Thresholds



STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


SOIL SAMPLE LOCATIONS

TASIN PROJECT

0 500 m

UTM ZONE 8 & 9, NAD 83, 106C/02 & 105N/15, Contour interval 20 m

FILE: ...2013/Tasin/Figures/F10-Soil_Locations.wor | DATE: MAY 2014



STRATEGIC METALS LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LTD.


GOLD GEOCHEMISTRY


TASIN PROJECT

0 500 m

UTM ZONE 8, NAD 83, 106C/03, Contour interval 100 feet

FILE: ../Figures/F11-Au_Geochem.wor | DATE: MAY 2014


T.N.
1°07'
22° 24' E
Grid north
Magnetic north
Annual change
decreasing 26.5'
611000 mE
612000 mE
7098000 mN
7097000 mN
PROJECT AREA BOUNDARY
STRATEGIC METALS LTD.
FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LTD.
ARSENIC GEOCHEMISTRY
TASIN PROJECT
0
500 m
UTM ZONE 8, NAD 83, 106C/03, Contour interval 100 feet
FILE: ../Figures/F12-As_Geochem.wor
DATE: MAY 2014
Arsenic Soil (ppm)
≥500 ≤ 562
≥200 < 500
≥100 < 200
≥50 < 100
≥20 < 50
0 < 20
Arsenic Silt (ppm)
≥100 ≤ 200
≥50 < 100
≥20 < 50
0 < 20



STRATEGIC METALS LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LTD.


MERCURY GEOCHEMISTRY

TASIN PROJECT

0 500 m

UTM ZONE 8, NAD 83, 106C/03, Contour interval 100 feet

FILE: ../Figures/F13-Hg_Geochem.wor | DATE: MAY 2014



STRATEGIC METALS LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LTD.


THALLIUM GEOCHEMISTRY

TASIN PROJECT

0 500 m

UTM ZONE 8, NAD 83, 106C/03, Contour interval 100 feet

FILE: ../Figures/F14-Tl_Geochem.wor | DATE: MAY 2014


T.N.
1°07'
22° 24' E
Grid north
Magnetic north
Annual change
decreasing 26.5'
611000 mE
612000 mE
7098000 mN
7097000 mN
PROJECT AREA BOUNDARY
STRATEGIC METALS LTD.
FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LTD.
ANTIMONY GEOCHEMISTRY
TASIN PROJECT
0
500 m
UTM ZONE 8, NAD 83, 106C/03, Contour interval 100 feet
FILE: ../Figures/F15-Sb_Geochem.wor
DATE: MAY 2014
Antimony Soil (ppm)
≥10 ≤ 10.75
≥5 < 10
≥2 < 5
≥1 < 2
0 < 1
Antimony Silt (ppm)
≥1 ≤ 2
0 < 1

	Weak	Moderate	Strong	Very Strong	Peak
Gold (ppb)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100		100
Arsenic (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	562
Mercury (ppm)	≥ 1 < 2	≥ 2 < 5			2.82
Thallium (ppm)	≥ 0.5 < 1	≥ 1 < 2			1.56
Antimony (ppm)	≥ 2 < 5	≥ 5 < 10	≥ 10 < 20		10.75

Grid soil sampling completed in 2013 returned variably anomalous, widespread and sporadic values for gold and other Carlin-type pathfinder elements. A series of moderate to very strong arsenic and moderate gold values are concentrated within an incised drainage near the centre of the grid, while smaller clusters and isolated points with elevated gold±arsenic±mercury and/or antimony values are present elsewhere in the project area. The two highest gold-in-soil values (both 100 ppb) are located in the northwest corner of the soil grid. Soil sampling in 2013 returned background to weakly anomalous thallium values, with the exception of a single moderately anomalous point result.

DISCUSSION AND CONCLUSIONS

The Tasin Anomaly is located within the Rackla Belt, a district containing a number of advanced exploration prospects.

Strategic Metals' 2013 exploration program further expanded the size and tenor of anomalous soil geochemistry in the vicinity of the Tasin Anomaly. The work identified higher gold-, arsenic-, mercury- and antimony-in-soil values than were obtained from previous geochemical sampling, and identified a significant showing of decarbonatized rock that is enriched in Carlin-type pathfinder elements, but not gold. Attempts to trace this showing were frustrated by deep talus, so its extent and general character are not known.

Future work on the Tasin Anomaly is warranted, but on a lower priority basis. Elevated gold soil geochemistry found downslope from the Tasin Showing has not been followed up. Limited geological mapping of the property has indentified a bedrock showing, and this work should be expanded to other parts of the project area.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton, B.Sc., GIT

REFERENCES

Abbott, G.
1990 Geology Map of Mount Westman map area (106D/1); Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1990-1.

Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.

Chakungal, J. and Bennett, V.
2011 New bedrock geology of the Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project; Yukon Geological Survey, Yukon Exploration and Geology 2010, pp. 55-87.

Colpron, M.
2012 Preliminary Observations on the Geology of the Rackla Belt, Mount Ferrell Map Area (NTS 106C/03), Central Yukon; Yukon Geological Survey, Yukon Exploration and Geology 2011, pp. 27-43.

Colpron, M., Moynihan, D., Israel, S. and Abbott, G.
2013 Bedrock geology of the Rackla belt (106D/1 and 106C/1 - 4), southern Nadaleen map area; Yukon Geological Survey, poster.

Dumala, M.
2009 Assessment Report describing Geological Mapping, Prospecting, Soil Geochemistry, Diamond Drilling and Geophysical Surveys at the Rau Property; prepared for ATAC Resources Ltd.

Green, L.C.
1972 Geology of Nash Creek, Larsen and Dawson map areas, Yukon Territory; Geological Survey of Canada, Memoir 364, p.157.

Héon, D. (compiler)
2003 Yukon regional geochemical database 2003 – Stream sediment analyses; Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Roots, C.F., Abbott, J.G., Cecile, M.P. and Gordey, S.P.
1995 Bedrock geology of Lansing Range map area (105N) east half, Hess Mountains, Yukon; Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1995-7 (G); Natural Resources Canada, Geological Survey of Canada, Cordilleran Division, Open File 3171.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.

2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia, and Northwest Territories

3. I am a Geoscientist in Training (G.I.T.) with the Association of Professional Engineers and Geoscientists of British Columbia.

4. I supervised the field program and have interpreted all data resulting from this work.



J. Morton, B.Sc., GIT

APPENDIX II

STATEMENTS OF EXPENDITURES

Statement of Expenditures
Crag East Property
March 11, 2014

Labour

J. Morton – geologist – 8 days August at $544/day	$ 4,569.60
J. McArthur – field assistant – 8 days August at $552/day	4,636.80
M. Van Loon – field assistant – 8 days August at $392/day	3,292.80
M. Crapper – field assistant – 8 days August at $340/day	2,856.00
	15,355.20

Expenses (incl. management)

Field room and board – 32 mandays @ $135/day	4,898.88
Horizon Helicopters – 2.45 hrs AStar 350 @ 1650/hr plus fuel	4,584.20
ALS Chemex	10,493.86
	19,976.94

Total	$ 35,332.14

Total 310 soil and rock samples = $113.97/sample

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: Crag East 2

Sample Number:	M896078	UTM:	611199	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098053	mN	

Comments: Outcrop grab of weathering orange-brown and with a rusty tarnish, fresh black, phyllite with blebs of fine grained arsenopyrite up to 1.5cm in diameter.

Sample Number:	M896080	UTM:	610998	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098355	mN	

Comments: Float grab of sheared and powdery, weathering tan to brown to orange, fresh dark grey, brecciated and decarbonatized rock.

Sample Number:	M896081	UTM:	610996	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098300	mN	

Comments: Float grab of weathering tan, fresh light grey, silicified limestone with thin dark stringers and masses of very fine to medium grained dark sooty pyrite.

Sample Number:	M896082	UTM:	610992	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098342	mN	

Comments: Float grab of weathering yellow to orange to brown, fresh light grey, silicified and very hard decarbonatized rudstone, with fine to medium grained realgar disseminated throughout.

Sample Number:	M896083	UTM:	611027	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098031	mN	

Comments: Outcrop grab of weathering tan to brown, fresh medium grey, sheared and silicified limestone with trace amounts of fine grained pyrite within the shear fabric.

Sample Number:	M896084	UTM:	611000	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098120	mN	

Comments: Composite float grab of weathering orange to brown to black, fresh light grey, strongly sheared shale with large (> 2 cm) unmineralized cavities.

Rock Sample Descriptions Property: Crag East 2

Sample Number:	M896085	UTM:	611005	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098149	mN	

Comments: Composite float grab of weathering orange-brown and with a rusty tarnish, fresh dark grey, brecciated and silicified limestone.

Sample Number:	M896086	UTM:	611003	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098274	mN	

Comments: Float grab of weathering maroon, fresh black, strongly altered rock comprised of about 80% medium to coarse grained sulphides (pyrite, chalcopyrite, arsenopyrite).

Sample Number:	M896087	UTM:	611007	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098234	mN	

Comments: Float grab of a rock with the same lithology as M896082.

Sample Number:	M896088	UTM:	611013	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098168	mN	

Comments: Outcrop grab of weathering orange to maroon and limonitic, fresh light grey, decalcified (?) limestone.

Sample Number:	M896089	UTM:	611109	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097971	mN	

Comments: Outcrop chip sample of black sooty and powdery rock from a narrow (about 20 cm) seam.

Sample Number:	M896090	UTM:	611128	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097992	mN	

Comments: Outcrop grab of weathering green, fresh medium grey to black, punky and sooty, decarbonatized rudstone with fine to medium grained realgar disseminated throughout.

Sample Number:	M896091	UTM:	611197	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097944	mN	

Comments: Outcrop grab of weathering orange-brown, fresh light grey, strongly altered and sheared rudstone.

Rock Sample Descriptions Property: Crag East 2

Sample Number:	M896092	UTM:	611194	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097943	mN	
Comments:	Outcrop grab of a weathering orange-brown, fresh medium grey, silicified (and decalcified?) limestone.				

Sample Number:	M896093	UTM:	611381	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097942	mN	
Comments:	Outcrop sample of strongly altered and brecciated sooty black declacified limestone.				

Sample Number:	M896094	UTM:	611377	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097939	mN	
Comments:	Outcrop grab of weathering orange to brown to maroonk, powdery and strongly altered, brecciated and decalcified limestone.				

Sample Number:	M896095	UTM:	611381	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097935	mN	
Comments:	Outcrop grab of weathering dark grey to brown, fresh medium grey, limey siltstone with stringers of dolomite weathering orange brown.				

Sample Number:	M896096	UTM:	611121	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097995	mN	
Comments:	Trench outcrop sample of dark black sheared limestone, with calcite on fracture surfaces.				

Sample Number:	M896097	UTM:	611124	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098003	mN	
Comments:	Trench chip sample of weathering maroon-orange, fresh sooty black, strongly altered shale(?)				

Sample Number:	M896098	UTM:	611126	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098000	mN	
Comments:	Trench chip sample of rock with the same lithology as sample M896097.				

Rock Sample Descriptions Property: Crag East 2

Sample Number:	M896099	UTM:	611124	mE	Nad83, Zone 8
Elevation:	m	UTM:	7098000	mN	

Comments: Trench chip sample of rock with the same lithology as sample M896097.

Sample Number:	M896100	UTM:	611120	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097996	mN	

Comments: Trench outcrop sample of weathering green-black, strongly altered and decalcified limestone with disseminated medium grains of realgar throughout.

Sample Number:	M896101	UTM:	611124	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097995	mN	

Comments: Trench outcrop sample of strongly altered and sheared, black and sooty phyllite, with a rusty tarnish.

Sample Number:	M896102	UTM:	611155	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097915	mN	

Comments: Outcrop grab of rock with the same lithology as sample M896086.

Sample Number:	M896103	UTM:	611198	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097948	mN	

Comments: Trench outcrop sample of weathering brown and white, fresh medium grey, sheared limestone.

Sample Number:	M896104	UTM:	611198	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097954	mN	

Comments: Trench outcrop sample of weathering medium grey to tan, fresh black, limestone.

Sample Number:	M896105	UTM:	611199	mE	Nad83, Zone 8
Elevation:	m	UTM:	7097950	mN	

Comments: Trench chip sample of weathering orange-brown, fresh black and sooty, strongly altered and sheared limestone.

APPENDIX IV

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

CERTIFICATE WH13150599

Project: Crag East 2

P.O. No.:

This report is for 284 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88474		0.33	0.001	0.06	1.06	10.3	<0.2	<10	60	0.46	0.34	0.03	0.13	12.35	12.3	20
ZZ88475		0.37	0.003	0.03	2.07	9.2	<0.2	<10	50	1.16	0.41	0.02	0.12	11.95	21.2	32
ZZ88508		0.30	0.002	0.09	1.32	5.9	<0.2	<10	60	0.85	0.34	0.04	0.12	10.50	32.0	25
ZZ88509		0.33	0.002	0.04	1.65	8.1	<0.2	<10	70	0.84	0.32	0.04	0.07	12.15	24.4	28
ZZ88510		0.20	0.001	0.05	2.05	9.5	<0.2	<10	50	0.88	0.39	0.05	0.19	11.20	19.0	32
ZZ88511		0.32	0.001	0.05	1.81	9.7	<0.2	<10	50	1.23	0.44	0.03	0.08	22.0	23.2	33
ZZ88512		0.24	0.010	0.14	1.25	8.9	<0.2	<10	80	0.55	0.31	0.06	0.15	10.40	12.7	23
ZZ88513		0.22	0.006	0.06	1.06	9.1	<0.2	<10	80	0.95	0.35	0.04	0.10	11.85	14.0	20
ZZ88514		0.32	0.001	0.04	1.77	7.7	<0.2	<10	70	1.37	0.41	0.02	0.06	18.20	19.8	30
ZZ88515		0.30	0.007	0.05	1.39	10.8	<0.2	<10	50	0.65	0.43	0.02	0.09	7.19	14.7	26
ZZ88516		0.35	0.003	0.07	1.01	7.1	<0.2	<10	70	0.78	0.41	0.02	0.11	9.09	23.5	23
ZZ88517		0.33	<0.001	0.03	1.89	6.9	<0.2	<10	80	1.34	0.39	0.06	0.05	19.90	17.9	31
ZZ88518		0.20	<0.001	0.07	2.00	6.5	<0.2	<10	70	1.36	0.40	0.15	0.06	21.1	18.2	33
ZZ88519		0.25	0.008	0.06	2.80	9.7	<0.2	<10	50	0.59	0.15	0.40	0.20	26.2	27.5	60
ZZ88520		0.26	0.010	0.16	2.34	29.3	<0.2	<10	110	0.72	0.17	0.96	0.18	26.4	28.9	52
ZZ88521		0.15	0.010	0.86	1.24	60.0	<0.2	<10	230	0.74	0.20	1.13	0.76	21.1	15.8	23
ZZ88522		0.28	0.004	0.41	0.71	62.0	<0.2	<10	250	0.44	0.19	0.17	0.88	28.1	13.2	13
ZZ88523		0.26	0.003	0.30	0.89	31.0	<0.2	<10	110	0.28	0.18	0.04	0.21	19.30	6.7	15
ZZ88524		0.35	0.006	0.63	0.76	43.3	<0.2	<10	120	0.52	0.22	0.09	0.80	29.4	19.4	15
ZZ88525		0.31	0.007	1.36	0.59	18.5	<0.2	<10	160	0.50	0.16	1.41	2.58	22.0	11.0	11
ZZ88526		0.43	0.003	0.38	0.58	23.3	<0.2	<10	90	0.61	0.24	0.18	1.82	38.4	16.0	13
ZZ88527		0.38	0.004	0.63	0.58	46.9	<0.2	<10	200	0.75	0.21	0.21	0.93	43.3	17.3	14
ZZ88528		0.17	0.002	1.10	0.48	13.6	<0.2	<10	280	0.55	0.13	1.79	0.58	23.5	9.2	8
ZZ88529		0.24	0.006	0.82	0.51	12.1	<0.2	<10	230	0.33	0.15	1.96	0.37	16.20	7.1	8
ZZ88530		0.28	0.010	2.07	0.85	21.4	<0.2	<10	430	0.50	0.18	0.71	0.86	29.7	8.3	14
ZZ88531		0.28	0.002	0.10	0.48	34.3	<0.2	<10	120	0.34	0.18	0.05	0.29	46.8	13.4	10
ZZ88532		0.36	0.012	0.52	0.51	111.0	<0.2	<10	240	0.44	0.20	1.20	1.65	26.0	26.2	13
ZZ88533		0.34	0.002	0.11	1.32	13.2	<0.2	<10	100	2.43	0.35	0.04	0.09	32.1	13.8	28
ZZ88534		0.20	0.001	0.10	1.10	16.4	<0.2	<10	70	0.33	0.30	0.03	0.12	12.75	7.3	25
ZZ88535		0.23	<0.001	0.04	0.88	11.0	<0.2	<10	50	0.19	0.27	0.02	0.08	12.35	5.0	22
ZZ88536		0.24	0.001	0.02	0.49	5.7	<0.2	<10	30	0.12	0.26	0.01	0.05	6.81	3.1	20
ZZ88537		0.21	0.001	0.02	0.43	1.4	<0.2	<10	30	0.09	0.26	0.01	0.04	8.07	1.2	20
ZZ88538		0.19	0.001	0.06	0.49	2.7	<0.2	<10	30	0.12	0.25	0.01	0.03	7.09	1.2	18
ZZ88539		0.36	0.001	0.07	0.45	69.1	<0.2	<10	100	0.41	0.33	0.03	0.09	43.1	14.2	17
ZZ88540		0.26	0.015	0.42	1.60	19.6	<0.2	<10	180	0.45	0.24	0.03	0.67	26.0	14.4	26
ZZ88541		0.28	0.002	0.12	1.43	19.7	<0.2	<10	120	0.35	0.25	0.07	0.39	23.0	12.9	27
ZZ88542		0.29	0.003	0.12	0.84	32.2	<0.2	<10	190	0.37	0.27	0.02	0.14	19.65	14.2	15
ZZ88543		0.29	0.005	0.10	0.84	73.0	<0.2	<10	270	0.44	0.28	0.19	0.51	34.8	23.2	18
ZZ88544		0.27	0.013	0.63	0.71	44.9	<0.2	<10	250	0.44	0.28	0.22	1.39	46.7	23.8	14
ZZ88545		0.21	0.010	0.64	0.84	39.2	<0.2	<10	380	0.69	0.24	0.60	0.58	37.2	24.8	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88474		2.49	29.7	3.65	4.36	<0.05	<0.02	0.05	0.017	0.06	5.3	12.5	0.20	834	1.11	<0.01
ZZ88475		2.75	45.8	4.74	7.36	<0.05	0.06	0.04	0.031	0.05	4.9	38.6	0.45	1060	1.06	<0.01
ZZ88508		2.49	31.5	4.75	9.16	<0.05	0.03	0.05	0.022	0.08	4.6	16.3	0.21	2020	0.96	<0.01
ZZ88509		2.65	32.9	3.96	7.23	<0.05	0.03	0.06	0.018	0.07	4.2	36.0	0.43	2100	1.24	<0.01
ZZ88510		2.67	24.0	5.00	7.30	<0.05	0.03	0.05	0.029	0.06	4.8	28.8	0.38	946	0.90	<0.01
ZZ88511		2.98	38.6	4.42	7.08	<0.05	0.04	0.02	0.029	0.06	8.9	32.8	0.46	1260	0.90	<0.01
ZZ88512		2.14	22.8	3.80	6.38	<0.05	<0.02	0.05	0.019	0.11	4.7	16.4	0.22	763	0.85	<0.01
ZZ88513		3.80	27.6	4.33	5.96	<0.05	0.02	0.05	0.023	0.08	5.2	14.0	0.15	879	0.66	<0.01
ZZ88514		2.64	32.0	4.15	7.20	<0.05	0.04	0.01	0.030	0.06	7.8	34.4	0.46	981	0.57	<0.01
ZZ88515		3.98	25.5	6.36	7.00	<0.05	0.03	0.04	0.022	0.07	3.4	17.3	0.22	964	0.52	<0.01
ZZ88516		3.75	28.7	4.39	4.81	<0.05	0.03	0.05	0.024	0.06	3.8	7.7	0.13	1720	0.71	<0.01
ZZ88517		2.58	32.8	4.24	7.26	<0.05	0.05	0.01	0.029	0.05	8.6	35.3	0.53	720	0.55	<0.01
ZZ88518		2.97	35.9	4.42	7.55	0.05	0.04	0.02	0.029	0.06	9.4	35.5	0.55	781	0.51	0.01
ZZ88519		1.67	228	5.53	8.55	<0.05	0.10	0.09	0.037	0.04	8.8	26.5	0.99	741	1.03	0.01
ZZ88520		3.24	235	4.87	8.04	0.06	0.06	0.13	0.038	0.06	14.3	20.2	1.01	857	1.70	0.01
ZZ88521		6.59	115.0	3.81	3.75	0.06	0.08	0.39	0.026	0.10	13.0	12.4	0.46	476	3.87	0.01
ZZ88522		5.45	77.1	3.63	2.52	0.05	0.07	0.29	0.027	0.10	15.2	5.9	0.13	493	7.36	<0.01
ZZ88523		3.65	35.3	2.61	4.03	<0.05	<0.02	0.12	0.018	0.06	10.7	6.4	0.12	141	4.05	<0.01
ZZ88524		5.21	68.5	3.54	2.66	0.06	<0.02	0.12	0.025	0.07	16.3	8.0	0.19	773	9.16	0.01
ZZ88525		4.51	67.7	2.68	1.70	0.06	0.17	0.24	0.025	0.06	13.0	5.2	0.26	325	9.54	<0.01
ZZ88526		6.05	62.1	3.54	1.97	0.07	<0.02	0.09	0.028	0.07	21.0	8.1	0.20	629	10.15	<0.01
ZZ88527		7.09	64.8	3.81	1.96	0.07	0.02	0.22	0.028	0.08	24.1	8.0	0.17	449	8.37	<0.01
ZZ88528		4.97	57.6	1.84	1.46	<0.05	0.17	0.31	0.020	0.06	13.1	3.5	0.18	402	4.53	0.01
ZZ88529		4.78	34.7	1.73	1.68	<0.05	0.11	0.14	0.016	0.06	9.5	5.3	0.21	285	3.69	0.01
ZZ88530		10.40	64.6	2.32	2.74	0.05	0.11	0.39	0.022	0.08	15.8	5.8	0.18	239	6.60	0.01
ZZ88531		7.70	70.1	3.69	3.44	0.05	<0.02	0.06	0.027	0.10	27.2	3.3	0.06	141	7.98	<0.01
ZZ88532		5.03	126.0	4.03	2.07	0.05	0.15	0.72	0.033	0.12	13.7	8.3	0.54	891	7.64	<0.01
ZZ88533		8.45	67.3	3.81	5.37	0.06	0.02	0.05	0.022	0.05	10.3	19.8	0.27	881	1.75	0.01
ZZ88534		4.49	26.3	4.72	6.66	<0.05	<0.02	0.04	0.022	0.05	6.0	11.3	0.17	470	2.04	<0.01
ZZ88535		2.08	17.4	3.78	5.99	<0.05	<0.02	0.03	0.016	0.04	6.4	4.7	0.11	321	1.97	<0.01
ZZ88536		2.84	12.9	3.21	3.74	<0.05	<0.02	0.03	0.009	0.04	3.5	3.1	0.07	179	1.49	<0.01
ZZ88537		4.55	6.2	2.95	3.73	<0.05	<0.02	0.01	0.007	0.04	4.0	1.5	0.03	19	0.69	<0.01
ZZ88538		2.45	4.9	2.66	4.75	<0.05	<0.02	0.02	0.006	0.04	3.6	1.8	0.04	41	0.71	<0.01
ZZ88539		1.45	43.9	3.11	2.23	<0.05	<0.02	0.02	0.023	0.05	24.1	1.3	0.03	224	3.15	<0.01
ZZ88540		6.08	85.6	4.00	7.49	<0.05	0.02	0.08	0.031	0.12	14.7	11.0	0.40	790	7.45	<0.01
ZZ88541		4.14	46.6	3.76	5.92	<0.05	<0.02	0.05	0.027	0.10	12.0	10.7	0.37	626	4.13	<0.01
ZZ88542		4.53	89.4	3.83	4.40	<0.05	<0.02	0.05	0.032	0.10	11.5	3.6	0.09	409	6.56	<0.01
ZZ88543		5.02	109.0	4.02	4.70	0.09	0.03	0.14	0.042	0.17	18.7	7.6	0.27	986	10.20	<0.01
ZZ88544		4.27	128.0	4.43	2.72	0.13	0.07	0.38	0.042	0.15	25.6	7.6	0.31	643	12.80	<0.01
ZZ88545		5.72	122.5	3.95	3.28	0.11	0.13	0.38	0.041	0.15	20.1	12.5	0.34	1200	7.83	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88474		0.43	19.8	610	22.7	9.2	<0.001	0.05	0.60	0.9	0.4	0.5	7.9	<0.01	0.04	0.4
ZZ88475		0.55	29.4	940	32.4	9.6	<0.001	0.04	0.41	2.5	0.6	0.5	8.5	<0.01	0.03	1.4
ZZ88508		0.72	14.1	740	20.3	15.8	<0.001	0.02	0.35	2.4	0.5	0.6	7.8	<0.01	0.03	2.3
ZZ88509		0.52	24.3	640	30.4	12.0	<0.001	0.03	0.33	2.7	0.4	0.6	8.5	<0.01	0.03	2.2
ZZ88510		0.61	22.7	1240	24.2	11.6	<0.001	0.06	0.42	1.3	0.7	0.5	7.3	<0.01	0.04	0.6
ZZ88511		0.42	27.1	820	32.4	9.3	<0.001	0.03	0.22	3.0	0.6	0.5	9.9	<0.01	0.02	2.0
ZZ88512		0.58	15.6	970	20.6	14.7	<0.001	0.04	0.34	1.5	0.4	0.6	7.0	<0.01	0.03	0.6
ZZ88513		0.54	17.9	720	32.4	14.2	<0.001	0.04	0.23	2.1	0.5	0.6	8.3	<0.01	0.03	2.1
ZZ88514		0.36	26.9	490	27.8	8.7	<0.001	0.03	0.15	3.3	0.5	0.5	9.8	<0.01	0.02	2.8
ZZ88515		0.46	16.2	890	31.4	12.3	<0.001	0.03	0.25	2.1	0.7	0.5	6.9	<0.01	0.05	2.0
ZZ88516		0.32	15.4	1370	29.3	10.0	<0.001	0.06	0.24	1.2	0.5	0.4	7.2	<0.01	0.04	0.5
ZZ88517		0.35	29.3	450	25.7	7.3	<0.001	0.02	0.13	3.4	0.3	0.5	11.6	<0.01	0.02	3.3
ZZ88518		0.40	28.3	470	27.3	8.5	<0.001	0.02	0.13	3.5	0.4	0.5	13.0	<0.01	0.01	3.1
ZZ88519		1.87	44.7	640	8.4	8.7	<0.001	0.07	0.49	7.7	1.0	0.7	10.9	<0.01	0.03	1.3
ZZ88520		1.15	38.6	1120	12.1	12.7	<0.001	0.08	0.56	9.9	1.5	0.5	22.9	<0.01	0.04	0.9
ZZ88521		0.47	36.5	1160	15.4	15.3	<0.001	0.07	1.23	5.5	3.0	0.3	46.4	<0.01	0.06	1.1
ZZ88522		0.21	32.9	1610	12.7	11.4	<0.001	0.06	1.38	2.4	1.8	0.3	17.2	<0.01	0.07	0.6
ZZ88523		0.18	17.3	1220	9.8	9.8	<0.001	0.04	0.89	0.4	1.0	0.4	8.8	<0.01	0.04	<0.2
ZZ88524		0.21	37.8	1370	15.5	8.2	<0.001	0.05	2.16	1.6	2.2	0.3	19.2	<0.01	0.06	0.5
ZZ88525		0.25	42.5	1330	10.9	5.6	0.001	0.09	4.29	3.4	3.2	0.2	41.2	<0.01	0.05	1.3
ZZ88526		0.18	43.4	790	21.7	6.5	<0.001	0.01	3.01	2.9	2.1	0.2	16.6	<0.01	0.04	2.2
ZZ88527		0.16	45.9	980	17.5	6.6	<0.001	0.02	2.14	4.1	2.2	0.2	26.4	<0.01	0.05	2.1
ZZ88528		0.19	28.5	1180	10.3	6.8	<0.001	0.13	1.86	3.1	2.6	0.2	61.2	<0.01	0.05	1.2
ZZ88529		0.26	17.6	1050	8.7	6.8	<0.001	0.11	1.18	2.2	1.2	0.2	58.9	<0.01	0.05	1.0
ZZ88530		0.30	28.6	1680	9.0	10.0	<0.001	0.11	1.49	3.1	2.5	0.4	33.6	<0.01	0.05	0.8
ZZ88531		0.26	29.8	910	11.0	10.0	<0.001	0.02	1.67	1.9	1.6	0.5	13.8	<0.01	0.07	0.6
ZZ88532		0.12	51.5	1330	16.9	7.6	0.008	0.42	1.94	5.1	3.0	0.3	75.8	<0.01	0.10	3.2
ZZ88533		0.61	17.8	770	26.8	9.6	<0.001	0.02	0.41	3.5	1.4	0.5	6.4	<0.01	0.03	1.7
ZZ88534		1.13	13.4	760	19.3	11.1	<0.001	0.03	0.71	1.6	0.7	0.6	5.2	<0.01	0.05	0.8
ZZ88535		0.61	9.0	550	14.5	7.4	<0.001	0.01	0.49	1.0	0.6	0.6	4.6	<0.01	0.03	0.4
ZZ88536		0.39	5.2	410	12.9	5.0	<0.001	0.01	0.26	0.8	0.3	0.6	3.5	<0.01	0.02	0.4
ZZ88537		0.37	2.8	240	10.3	5.5	<0.001	<0.01	0.15	0.8	0.3	0.7	3.3	<0.01	0.02	0.7
ZZ88538		0.39	2.6	330	8.3	5.0	<0.001	0.01	0.15	1.0	0.3	0.6	3.7	<0.01	0.01	1.0
ZZ88539		0.17	32.7	530	16.2	8.3	<0.001	0.01	0.87	2.2	0.8	0.3	13.6	<0.01	0.04	1.5
ZZ88540		0.34	21.0	1650	17.7	18.3	<0.001	0.08	2.76	0.8	2.3	0.6	10.7	<0.01	0.11	0.2
ZZ88541		0.38	22.2	1240	14.0	14.2	<0.001	0.05	1.30	0.8	1.3	0.5	10.8	<0.01	0.06	<0.2
ZZ88542		0.15	31.4	1670	14.6	12.9	<0.001	0.07	1.07	0.7	1.4	0.6	22.6	<0.01	0.10	<0.2
ZZ88543		0.18	45.0	1730	18.9	13.6	0.001	0.04	2.52	2.0	1.6	0.6	23.4	<0.01	0.17	0.4
ZZ88544		0.13	51.7	1480	21.7	10.0	0.004	0.04	3.98	4.0	3.2	0.3	35.4	<0.01	0.15	1.9
ZZ88545		0.26	47.9	1300	17.8	12.9	0.003	0.09	2.24	4.9	3.2	0.3	53.9	0.01	0.14	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88474		0.016	0.07	0.69	34	0.10	3.55	78	<0.5
ZZ88475		0.011	0.08	0.86	31	0.07	4.96	92	1.9
ZZ88508		0.015	0.08	0.58	38	0.06	4.07	63	1.0
ZZ88509		0.013	0.10	0.64	31	0.06	4.23	74	0.9
ZZ88510		0.017	0.06	0.67	34	0.09	3.39	86	0.9
ZZ88511		0.012	0.07	1.17	32	0.06	5.24	93	0.9
ZZ88512		0.014	0.07	0.62	33	0.08	2.62	92	<0.5
ZZ88513		0.011	0.07	0.81	31	0.05	3.38	82	0.7
ZZ88514		0.007	0.05	1.03	27	<0.05	5.03	90	1.1
ZZ88515		0.009	0.06	0.54	25	<0.05	2.43	87	1.1
ZZ88516		0.008	0.06	0.80	24	0.05	2.68	74	0.6
ZZ88517		0.006	0.05	1.04	25	<0.05	5.29	95	1.4
ZZ88518		0.008	0.05	1.06	27	<0.05	5.51	91	1.0
ZZ88519		0.295	0.10	0.56	174	0.15	9.83	85	3.9
ZZ88520		0.128	0.16	0.83	117	0.10	20.5	85	2.0
ZZ88521		0.020	0.23	2.45	46	0.06	17.95	146	2.6
ZZ88522		0.006	0.34	1.44	38	<0.05	11.85	134	1.8
ZZ88523		0.007	0.21	0.88	42	0.10	3.01	79	<0.5
ZZ88524		0.008	0.23	1.46	33	0.05	7.50	191	<0.5
ZZ88525		0.006	0.23	1.66	31	<0.05	17.15	269	5.4
ZZ88526		0.005	0.23	1.38	31	<0.05	7.62	289	0.7
ZZ88527		<0.005	0.26	1.33	29	<0.05	12.40	224	0.7
ZZ88528		<0.005	0.20	1.46	23	<0.05	12.85	72	5.7
ZZ88529		0.005	0.13	1.10	19	<0.05	6.47	73	3.7
ZZ88530		0.005	0.31	1.81	36	<0.05	13.55	113	2.8
ZZ88531		0.007	0.16	0.72	58	0.05	3.51	171	<0.5
ZZ88532		<0.005	0.30	1.88	44	<0.05	13.40	181	8.7
ZZ88533		0.015	0.09	1.19	41	0.11	14.05	55	<0.5
ZZ88534		0.022	0.08	0.57	51	0.17	2.58	56	<0.5
ZZ88535		0.017	0.09	0.54	49	0.13	1.88	38	<0.5
ZZ88536		0.014	0.06	0.50	36	0.10	1.48	20	<0.5
ZZ88537		0.016	0.05	0.46	32	0.07	1.17	10	<0.5
ZZ88538		0.012	0.07	0.46	31	0.08	1.21	10	<0.5
ZZ88539		<0.005	0.15	0.65	28	<0.05	4.23	93	<0.5
ZZ88540		0.011	0.23	1.73	100	0.09	4.41	138	0.5
ZZ88541		0.021	0.18	0.98	65	0.13	3.72	112	<0.5
ZZ88542		0.007	0.35	1.14	59	0.08	3.45	143	<0.5
ZZ88543		0.007	0.37	1.25	67	0.08	7.80	161	0.7
ZZ88544		<0.005	0.33	2.54	45	0.05	15.60	208	2.3
ZZ88545		0.008	0.29	2.92	40	0.07	19.35	132	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88546		0.21	0.036	1.62	1.20	73.0	<0.2	<10	440	1.04	0.34	0.52	16.10	45.0	55.7	20
ZZ88547		0.29	0.014	0.65	0.56	133.5	<0.2	<10	300	0.57	0.27	0.99	2.00	30.2	31.3	15
ZZ88548		0.27	0.018	0.78	0.32	57.1	<0.2	<10	380	0.54	0.29	0.18	1.28	53.7	32.7	10
ZZ88549		0.23	0.001	0.08	0.64	35.3	<0.2	<10	130	0.30	0.31	0.02	0.25	24.4	11.4	15
ZZ88550		0.26	0.003	0.06	0.88	30.3	<0.2	<10	120	0.32	0.32	0.03	0.27	26.0	11.4	19
ZZ88551		0.27	0.003	0.07	0.39	73.2	<0.2	<10	110	0.25	0.28	0.03	0.28	17.35	12.0	13
ZZ88552		0.33	0.003	0.18	0.38	65.0	<0.2	<10	130	0.24	0.25	0.01	0.33	23.3	15.0	11
ZZ88553		0.34	0.008	0.36	0.48	76.3	<0.2	<10	180	0.54	0.25	0.04	0.79	31.3	20.0	13
ZZ88554		0.26	0.009	0.46	0.44	67.4	<0.2	<10	180	0.49	0.30	0.05	0.94	41.6	20.5	10
ZZ88555		0.27	0.002	0.12	0.41	47.5	<0.2	<10	80	0.19	0.24	0.02	0.23	24.3	8.7	13
ZZ88556		0.28	0.008	0.60	0.45	61.5	<0.2	<10	170	0.42	0.24	0.12	0.80	41.4	20.6	12
ZZ88557		0.25	0.003	0.15	0.28	61.8	<0.2	<10	180	0.30	0.24	0.04	2.64	26.0	21.3	9
ZZ88558		0.36	0.004	0.20	0.30	41.8	<0.2	<10	110	0.33	0.23	0.02	1.06	36.9	15.8	7
ZZ88559		0.37	0.006	0.34	0.62	27.9	<0.2	<10	110	0.30	0.23	0.09	0.66	38.8	16.9	12
ZZ88560		0.35	0.001	0.07	1.65	5.0	<0.2	<10	170	3.10	0.63	0.08	0.05	16.35	32.2	30
ZZ88561		0.27	0.011	0.28	1.63	16.6	<0.2	<10	170	2.28	0.61	0.20	0.06	24.0	61.6	27
ZZ88562		0.33	0.017	0.32	3.45	20.5	<0.2	10	110	0.84	0.11	1.22	0.53	45.8	70.7	103
ZZ88563		0.37	0.008	0.14	3.32	5.7	<0.2	10	50	0.75	0.11	1.18	0.34	38.2	61.2	91
ZZ88564		0.30	0.005	0.12	3.07	4.3	<0.2	10	50	0.66	0.09	1.37	0.31	32.1	50.7	85
ZZ88566		0.14	0.003	0.05	1.20	11.0	<0.2	<10	60	0.17	0.27	0.16	0.11	21.5	9.3	29
ZZ88567		0.30	0.003	0.11	1.51	15.3	<0.2	<10	70	0.42	0.33	0.07	0.27	23.5	12.2	33
ZZ88568		0.20	0.002	0.08	1.03	14.2	<0.2	<10	100	0.24	0.32	0.06	0.22	22.6	8.5	24
ZZ88569		0.28	0.003	0.15	1.32	22.7	<0.2	<10	80	0.72	0.27	0.21	0.67	40.4	24.4	28
ZZ88570		0.20	0.007	0.17	0.89	21.5	<0.2	<10	80	0.38	0.25	0.08	0.55	29.5	14.1	21
ZZ88571		0.25	0.003	0.36	0.68	24.2	<0.2	<10	80	0.80	0.36	0.09	1.33	35.4	17.5	16
ZZ88572		0.24	0.005	0.85	0.97	39.7	<0.2	<10	90	0.96	0.28	0.05	1.77	53.4	18.7	15
ZZ88573		0.31	0.009	0.39	0.73	46.6	<0.2	<10	90	0.62	0.33	0.04	0.76	34.9	23.3	12
ZZ88574		0.33	0.002	0.10	0.76	8.8	<0.2	<10	80	0.91	0.49	0.04	0.09	12.55	26.0	18
ZZ88575		0.37	0.002	0.06	1.26	6.5	<0.2	<10	100	1.05	0.36	0.07	0.10	13.20	15.4	29
ZZ88576		0.41	0.001	0.06	1.09	6.0	<0.2	<10	140	2.05	0.54	0.21	0.06	18.95	45.2	21
ZZ88577		0.41	0.001	0.06	1.80	8.5	<0.2	<10	140	2.39	0.56	0.07	0.07	15.20	32.3	28
ZZ88578		0.46	0.001	0.06	0.80	22.3	<0.2	<10	130	1.45	0.52	0.04	0.07	27.6	28.4	17
ZZ88579		0.55	0.023	0.44	0.35	138.0	<0.2	<10	130	0.60	0.26	1.03	1.25	34.7	29.7	10
ZZ88580		0.48	0.007	0.40	0.84	103.0	<0.2	<10	100	0.81	0.24	2.50	0.68	30.2	23.2	17
ZZ88581		0.57	0.024	0.93	0.30	562	<0.2	<10	200	0.60	0.39	2.28	1.54	14.10	40.6	9
ZZ88582		0.49	0.021	1.16	0.57	63.7	<0.2	<10	220	0.64	0.37	0.63	3.55	32.4	49.3	11
ZZ88583		0.35	0.015	0.78	0.57	25.0	<0.2	<10	230	0.42	0.30	0.47	2.10	43.1	28.1	9
ZZ88584		0.33	0.010	0.35	0.50	38.0	<0.2	<10	170	0.43	0.25	0.15	0.68	35.8	17.1	10
ZZ88585		0.33	0.004	0.31	0.62	42.8	<0.2	<10	140	0.60	0.32	0.10	0.56	27.6	19.3	15
ZZ88586		0.35	0.007	0.40	0.64	47.5	<0.2	<10	170	0.44	0.25	0.06	0.70	31.9	19.9	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88546		18.10	355	6.07	4.45	0.21	0.12	0.47	0.052	0.19	24.5	20.5	0.87	1990	15.55	<0.01
ZZ88547		7.59	143.0	4.24	2.81	0.13	0.20	0.75	0.042	0.14	15.7	10.1	0.60	864	9.69	<0.01
ZZ88548		5.39	111.0	4.96	1.76	0.14	0.04	0.78	0.045	0.12	28.1	3.2	0.08	787	12.15	<0.01
ZZ88549		6.30	57.3	3.58	4.66	0.08	<0.02	0.12	0.029	0.07	13.3	2.6	0.07	511	5.94	<0.01
ZZ88550		9.66	53.5	3.25	6.14	0.08	<0.02	0.09	0.030	0.09	13.8	4.1	0.10	506	4.98	<0.01
ZZ88551		4.30	64.8	3.07	3.67	0.07	<0.02	0.27	0.029	0.08	9.6	1.7	0.05	382	7.88	<0.01
ZZ88552		7.66	81.4	3.56	2.80	0.07	<0.02	0.29	0.035	0.09	13.3	2.2	0.05	444	10.30	<0.01
ZZ88553		4.21	93.7	4.19	2.52	0.09	0.02	0.59	0.044	0.10	17.3	3.5	0.09	551	11.10	<0.01
ZZ88554		8.13	111.0	4.57	1.78	0.11	0.04	0.39	0.045	0.08	22.9	3.0	0.06	571	11.50	<0.01
ZZ88555		7.42	45.3	2.65	3.82	0.06	<0.02	0.15	0.024	0.07	13.5	2.2	0.06	142	5.76	<0.01
ZZ88556		8.35	111.5	4.58	1.90	0.12	0.04	0.43	0.039	0.10	22.4	3.7	0.10	843	10.20	<0.01
ZZ88557		9.13	97.0	3.98	1.75	0.08	0.04	0.30	0.038	0.10	14.5	2.4	0.05	1280	9.84	<0.01
ZZ88558		9.56	89.3	3.90	1.47	0.09	0.03	0.14	0.037	0.09	20.3	2.5	0.05	356	10.35	<0.01
ZZ88559		10.95	68.7	3.85	2.25	0.10	0.03	0.18	0.033	0.09	20.5	5.6	0.17	611	8.01	<0.01
ZZ88560		10.45	70.4	4.61	6.52	0.09	0.05	0.04	0.027	0.09	5.5	33.0	0.55	1300	1.02	<0.01
ZZ88561		9.93	54.8	4.36	6.64	0.09	0.09	0.13	0.027	0.11	6.9	33.0	0.41	1990	1.17	<0.01
ZZ88562		2.83	437	8.68	15.55	0.24	0.27	0.05	0.071	0.07	22.2	33.2	2.30	2530	1.50	<0.01
ZZ88563		1.93	323	7.55	15.05	0.23	0.33	0.03	0.057	0.06	15.6	31.8	2.33	1580	1.54	<0.01
ZZ88564		1.70	302	6.73	13.35	0.22	0.29	0.04	0.046	0.08	12.7	27.3	2.22	1420	1.18	<0.01
ZZ88566		1.76	40.9	3.20	10.50	0.07	0.02	0.15	0.024	0.05	10.8	2.6	0.20	332	1.83	<0.01
ZZ88567		2.46	44.4	4.16	7.36	0.08	<0.02	0.05	0.032	0.06	11.6	13.2	0.32	690	2.19	<0.01
ZZ88568		1.73	32.3	3.03	8.02	0.06	<0.02	0.06	0.024	0.05	11.6	3.2	0.12	460	2.23	<0.01
ZZ88569		2.75	95.5	4.43	4.95	0.12	0.02	0.08	0.040	0.07	19.7	17.1	0.49	645	4.80	<0.01
ZZ88570		2.28	66.6	4.38	3.92	0.08	<0.02	0.14	0.036	0.05	15.0	6.5	0.14	318	6.04	<0.01
ZZ88571		5.00	76.2	3.98	2.72	0.09	0.03	0.10	0.040	0.08	19.4	5.2	0.11	453	10.40	<0.01
ZZ88572		4.15	92.6	4.35	2.45	0.12	0.06	0.22	0.050	0.06	27.9	9.5	0.12	586	17.10	<0.01
ZZ88573		1.96	121.5	4.94	2.68	0.10	0.03	0.45	0.046	0.05	19.4	3.2	0.06	714	10.95	<0.01
ZZ88574		4.25	46.5	4.03	3.38	0.07	0.02	0.08	0.023	0.07	5.1	8.6	0.19	1140	1.05	<0.01
ZZ88575		13.15	42.4	4.00	5.86	0.08	0.02	0.06	0.026	0.07	6.1	22.4	0.43	540	1.28	<0.01
ZZ88576		10.70	74.6	4.70	4.20	0.10	0.04	0.06	0.029	0.07	7.0	23.8	0.36	1600	1.14	<0.01
ZZ88577		10.45	65.4	4.67	6.61	0.09	0.04	0.04	0.028	0.07	5.9	47.3	0.73	1380	1.29	<0.01
ZZ88578		5.08	49.5	4.16	4.09	0.09	0.02	0.10	0.038	0.07	11.6	14.0	0.20	1120	1.03	<0.01
ZZ88579		7.02	127.0	5.15	1.86	0.13	0.26	0.63	0.047	0.13	17.5	3.7	0.45	907	8.09	<0.01
ZZ88580		21.2	131.0	2.62	3.80	0.07	0.18	0.26	0.037	0.12	15.5	13.2	1.22	947	2.96	<0.01
ZZ88581		6.15	171.5	6.85	1.30	0.06	0.35	1.13	0.054	0.08	7.8	5.7	0.95	1180	17.45	<0.01
ZZ88582		7.85	192.5	6.08	2.18	0.09	0.26	0.55	0.053	0.15	16.7	9.4	0.35	1130	14.60	<0.01
ZZ88583		3.57	136.0	4.65	1.87	0.08	0.04	0.34	0.039	0.09	22.9	8.2	0.31	855	7.66	<0.01
ZZ88584		3.26	102.0	3.96	1.58	0.07	0.03	0.25	0.034	0.08	18.9	6.3	0.12	522	7.51	<0.01
ZZ88585		3.88	91.6	4.20	2.18	0.05	<0.02	0.36	0.037	0.07	14.3	5.8	0.15	638	7.29	<0.01
ZZ88586		2.81	83.2	4.09	1.93	0.05	0.05	0.48	0.035	0.08	16.6	5.2	0.12	664	8.47	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88546		0.19	117.0	1410	29.8	14.8	0.006	0.31	6.86	7.2	9.6	0.4	82.6	0.01	0.21	4.0
ZZ88547		0.12	61.0	1370	19.8	9.8	0.008	0.54	2.97	6.0	3.9	0.4	86.9	<0.01	0.14	4.2
ZZ88548		0.14	62.3	1250	27.3	8.6	0.006	0.04	3.44	5.1	3.0	0.3	27.4	<0.01	0.16	2.2
ZZ88549		0.14	24.8	1050	14.5	11.4	0.001	0.03	1.51	0.4	1.1	0.6	9.6	<0.01	0.09	<0.2
ZZ88550		0.22	24.1	1010	12.4	14.5	<0.001	0.04	1.55	0.6	1.1	0.7	10.0	<0.01	0.10	<0.2
ZZ88551		0.10	31.3	1310	11.5	10.7	0.001	0.05	1.72	0.4	1.2	0.6	10.9	<0.01	0.10	<0.2
ZZ88552		0.10	37.4	1130	18.8	9.0	0.001	0.04	2.23	0.9	1.5	0.4	14.9	<0.01	0.11	<0.2
ZZ88553		0.18	43.2	1420	18.6	9.0	0.002	0.02	2.56	2.7	1.9	0.4	24.0	<0.01	0.12	0.6
ZZ88554		0.09	46.8	1550	20.3	7.8	0.002	0.04	3.55	2.5	2.4	0.3	21.8	<0.01	0.13	0.7
ZZ88555		0.11	22.3	1290	12.8	9.3	0.001	0.06	1.52	0.4	1.0	0.5	10.8	<0.01	0.08	<0.2
ZZ88556		0.11	46.9	1790	19.4	7.7	0.002	0.06	2.50	2.9	2.1	0.3	29.1	<0.01	0.11	0.6
ZZ88557		0.11	40.7	1540	20.7	7.6	0.001	0.05	2.34	2.4	1.3	0.3	14.4	<0.01	0.12	0.5
ZZ88558		0.11	40.0	1230	15.5	7.6	0.002	0.04	2.14	2.5	1.5	0.2	8.9	<0.01	0.11	0.6
ZZ88559		0.16	31.1	1830	18.1	7.2	0.002	0.04	1.96	1.8	1.7	0.2	11.5	<0.01	0.10	0.5
ZZ88560		0.32	33.8	910	40.2	14.4	<0.001	0.04	0.44	2.9	0.6	0.7	10.3	<0.01	0.08	2.8
ZZ88561		0.33	31.3	2080	57.9	17.3	<0.001	0.13	0.43	2.1	0.9	0.6	20.1	0.01	0.05	2.0
ZZ88562		1.29	84.0	790	12.1	14.3	0.001	0.05	0.30	27.5	1.6	0.9	26.1	0.01	0.08	2.3
ZZ88563		0.94	78.3	640	11.0	9.9	0.001	0.02	0.26	21.0	1.3	0.9	18.2	0.01	0.06	2.6
ZZ88564		2.41	70.1	830	8.4	10.8	<0.001	0.06	0.19	17.0	1.2	0.8	18.8	0.01	0.04	1.5
ZZ88566		1.26	12.8	510	11.9	7.4	<0.001	0.03	0.69	3.1	0.5	1.1	7.1	<0.01	0.07	0.3
ZZ88567		0.59	22.6	840	15.7	14.3	<0.001	0.06	0.90	1.7	0.8	0.7	9.1	<0.01	0.07	0.3
ZZ88568		0.75	14.4	740	13.2	13.5	<0.001	0.05	0.95	1.4	0.7	0.9	7.0	<0.01	0.06	0.2
ZZ88569		0.47	45.1	870	19.7	7.6	0.001	0.05	2.16	3.1	1.5	0.5	20.1	<0.01	0.06	0.8
ZZ88570		0.34	34.6	1400	17.3	11.7	0.001	0.07	2.61	0.8	1.9	0.4	11.9	<0.01	0.09	0.2
ZZ88571		0.12	43.4	1670	23.1	9.7	0.002	0.08	5.08	0.9	2.6	0.4	10.3	<0.01	0.09	0.3
ZZ88572		0.20	54.3	1310	19.0	8.5	0.003	0.04	8.14	2.0	5.1	0.4	8.4	<0.01	0.09	1.0
ZZ88573		0.14	55.2	1460	20.2	7.6	0.002	0.05	3.95	1.2	2.3	0.4	10.2	<0.01	0.15	0.3
ZZ88574		0.40	28.0	540	23.6	8.3	<0.001	0.04	0.46	2.4	0.4	0.5	9.9	<0.01	0.05	1.6
ZZ88575		0.42	26.4	800	30.8	12.0	<0.001	0.05	0.69	1.4	0.5	0.7	7.7	<0.01	0.07	0.6
ZZ88576		0.16	45.1	1330	49.6	9.8	<0.001	0.02	0.36	4.1	0.7	0.4	20.1	<0.01	0.05	3.1
ZZ88577		0.22	41.5	550	58.0	10.1	<0.001	0.02	0.38	4.0	0.5	0.5	9.8	<0.01	0.06	3.6
ZZ88578		0.14	36.3	570	34.9	8.4	<0.001	0.02	0.28	4.7	0.5	0.4	19.1	<0.01	0.05	3.9
ZZ88579		0.10	61.3	960	19.2	8.6	0.004	0.75	2.72	6.1	3.8	0.4	43.8	<0.01	0.10	4.3
ZZ88580		<0.05	44.4	1120	18.5	10.4	0.010	0.21	1.43	4.5	1.5	0.4	146.5	<0.01	0.08	4.3
ZZ88581		0.09	90.8	840	29.1	5.8	0.015	1.15	4.94	8.1	7.9	0.3	130.0	<0.01	0.20	2.9
ZZ88582		0.08	109.5	1310	29.4	10.6	0.011	0.72	3.47	7.1	5.1	0.3	50.9	<0.01	0.19	4.4
ZZ88583		0.07	59.2	1240	19.6	6.5	0.004	0.31	1.96	5.1	3.5	0.2	43.2	<0.01	0.12	2.4
ZZ88584		0.09	42.9	1360	16.0	6.6	0.002	0.04	1.92	3.2	2.0	0.2	19.7	<0.01	0.10	1.1
ZZ88585		0.10	40.1	1320	19.9	8.0	0.002	0.07	2.16	1.3	2.0	0.3	18.8	<0.01	0.10	0.2
ZZ88586		0.09	38.1	1610	20.9	8.1	0.002	0.07	2.39	2.1	2.2	0.2	14.8	<0.01	0.09	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88546		0.005	0.64	6.37	66	0.06	28.8	720	5.0
ZZ88547		<0.005	0.38	2.39	52	0.05	15.45	182	12.7
ZZ88548		<0.005	0.60	1.99	34	0.06	16.35	171	1.4
ZZ88549		0.007	0.31	0.92	53	0.11	3.22	96	<0.5
ZZ88550		0.011	0.25	0.95	57	0.14	4.27	101	<0.5
ZZ88551		0.005	0.19	0.77	56	0.10	2.62	131	<0.5
ZZ88552		0.007	0.44	1.12	49	0.07	4.72	131	<0.5
ZZ88553		0.006	0.42	1.55	45	0.07	8.40	151	<0.5
ZZ88554		<0.005	0.42	1.91	35	<0.05	10.70	196	0.7
ZZ88555		0.006	0.28	0.99	44	0.14	2.50	83	<0.5
ZZ88556		<0.005	0.41	1.73	33	0.05	13.25	146	1.0
ZZ88557		0.005	0.53	0.91	31	<0.05	3.87	155	1.1
ZZ88558		<0.005	0.41	1.19	25	<0.05	7.44	135	0.7
ZZ88559		0.007	0.25	1.23	27	0.05	7.74	102	0.7
ZZ88560		0.014	0.10	1.89	33	0.07	9.12	77	1.0
ZZ88561		0.010	0.14	2.20	27	0.06	11.60	70	2.2
ZZ88562		0.360	0.14	0.56	239	0.12	41.1	109	9.6
ZZ88563		0.394	0.10	0.51	209	0.11	27.7	98	12.2
ZZ88564		0.395	0.09	0.46	191	0.12	22.1	90	9.9
ZZ88566		0.123	0.13	0.36	163	0.08	2.46	44	1.0
ZZ88567		0.052	0.14	0.85	76	0.12	4.32	81	<0.5
ZZ88568		0.068	0.13	0.60	110	0.13	2.45	57	<0.5
ZZ88569		0.055	0.13	1.26	58	0.10	8.92	154	0.6
ZZ88570		0.014	0.16	1.19	54	0.13	4.22	160	<0.5
ZZ88571		0.005	0.21	2.01	41	<0.05	5.53	278	0.7
ZZ88572		0.005	0.37	2.25	48	0.06	11.00	420	1.7
ZZ88573		0.006	0.29	1.74	38	0.06	7.73	201	0.7
ZZ88574		0.014	0.09	1.13	30	0.08	5.27	84	<0.5
ZZ88575		0.021	0.10	1.02	40	0.14	5.47	69	<0.5
ZZ88576		0.005	0.08	1.44	24	0.05	11.25	99	0.7
ZZ88577		0.007	0.09	1.34	24	0.05	8.84	95	1.3
ZZ88578		<0.005	0.08	1.32	23	<0.05	7.68	93	<0.5
ZZ88579		<0.005	0.54	1.10	24	0.05	10.70	150	13.6
ZZ88580		<0.005	0.08	1.06	50	<0.05	13.25	134	6.3
ZZ88581		<0.005	0.40	2.08	37	<0.05	15.70	304	17.7
ZZ88582		<0.005	0.56	4.57	41	<0.05	20.0	299	15.9
ZZ88583		<0.005	0.28	2.78	23	<0.05	17.05	155	1.6
ZZ88584		<0.005	0.28	1.87	27	<0.05	13.30	138	0.7
ZZ88585		0.006	0.25	1.58	40	<0.05	8.27	169	<0.5
ZZ88586		<0.005	0.28	1.65	30	<0.05	8.31	157	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88587		0.39	0.006	0.24	0.63	26.3	<0.2	<10	180	0.36	0.30	0.08	3.36	27.1	18.3	12
ZZ88588		0.35	0.015	0.90	1.66	49.9	<0.2	<10	240	0.79	0.37	0.26	0.87	48.1	68.8	30
ZZ88589		0.48	0.016	1.01	0.49	78.8	<0.2	<10	430	0.65	0.35	1.74	1.14	21.1	40.9	12
ZZ88590		0.41	0.010	0.70	1.28	26.0	<0.2	<10	270	0.68	0.28	0.26	0.64	41.1	24.2	21
ZZ88591		0.43	0.023	1.37	1.09	36.5	<0.2	<10	290	0.78	0.41	0.34	1.46	46.6	38.7	20
ZZ88592		0.40	<0.001	0.07	0.86	4.8	<0.2	<10	170	1.64	0.56	0.05	0.05	12.50	26.7	20
ZZ88593		0.41	0.011	0.98	0.42	47.6	<0.2	<10	280	0.52	0.35	0.63	1.51	46.8	32.3	11
ZZ88594		0.40	0.016	1.27	0.36	87.0	<0.2	<10	270	0.65	0.37	0.33	2.05	42.6	25.7	11
ZZ88595		0.44	0.005	0.43	0.29	84.7	<0.2	<10	170	1.06	0.50	0.15	0.66	38.5	25.1	11
ZZ88596		0.38	0.004	0.33	0.66	41.1	<0.2	<10	100	1.01	0.46	0.09	0.59	36.9	23.3	17
ZZ88597		0.35	0.004	0.69	0.97	99.7	<0.2	<10	90	0.91	0.34	0.08	1.41	32.6	23.7	25
ZZ88598		0.32	0.003	0.13	0.77	53.1	<0.2	<10	60	0.40	0.20	0.03	0.22	38.1	14.7	15
ZZ88599		0.31	0.004	0.13	1.35	14.0	<0.2	<10	100	0.38	0.29	0.05	0.24	21.8	7.4	24
ZZ88600		0.28	0.003	0.09	1.07	20.5	<0.2	<10	90	0.31	0.31	0.05	0.29	23.3	10.6	23
ZZ88601		0.34	<0.001	0.04	1.81	7.8	<0.2	<10	50	0.71	0.46	0.03	0.10	12.10	16.2	31
ZZ88602		0.37	<0.001	0.03	1.49	11.1	<0.2	<10	50	0.73	0.52	0.01	0.06	16.75	14.5	27
ZZ88603		0.30	0.002	0.03	1.57	11.4	<0.2	<10	90	1.23	0.50	0.04	0.05	14.00	18.9	25
ZZ88604		0.36	0.001	0.06	1.05	10.7	<0.2	<10	70	1.05	0.52	0.02	0.07	18.05	14.0	20
ZZ88605		0.53	0.012	0.15	3.08	8.8	<0.2	<10	70	0.75	0.17	1.08	0.39	33.1	58.6	92
ZZ88606		0.43	0.004	0.23	1.04	32.4	<0.2	<10	90	0.35	0.28	0.10	0.44	26.3	13.2	26
ZZ88607		0.43	0.010	0.39	0.48	122.5	<0.2	<10	220	0.59	0.25	0.14	0.77	40.1	20.2	12
ZZ88608		0.43	0.006	0.31	0.78	56.8	<0.2	<10	130	0.48	0.26	0.11	0.67	35.2	18.6	16
ZZ88609		0.48	0.005	1.21	1.20	27.9	<0.2	<10	90	0.70	0.30	0.14	1.83	48.4	21.0	21
ZZ88610		0.55	0.006	0.70	0.69	55.7	<0.2	<10	160	0.63	0.29	0.14	1.40	40.1	22.0	12
ZZ88611		0.32	0.003	0.24	0.58	62.2	<0.2	<10	100	0.31	0.26	0.06	0.88	29.2	11.0	13
ZZ88612		0.39	0.007	1.15	0.44	67.3	<0.2	<10	270	0.51	0.23	0.29	1.41	58.4	24.2	9
ZZ88613		0.41	0.010	0.72	0.50	46.4	<0.2	<10	250	0.55	0.25	0.22	0.81	80.3	25.3	9
ZZ88614		0.45	0.013	0.79	0.70	56.5	<0.2	<10	410	0.57	0.30	0.52	1.27	60.5	24.3	14
ZZ88615		0.36	0.016	0.30	0.73	60.6	<0.2	<10	380	0.51	0.34	0.15	1.71	38.4	17.5	18
ZZ88616		0.36	0.028	1.12	1.09	69.8	<0.2	<10	510	0.78	0.32	0.19	1.61	40.2	15.0	25
ZZ88617		0.38	0.016	0.55	0.58	170.5	<0.2	<10	360	0.78	0.30	0.55	1.50	33.3	29.6	14
ZZ88618		0.31	0.004	0.10	1.22	22.4	<0.2	<10	180	0.85	0.32	0.11	0.21	17.65	15.7	22
ZZ88619		0.38	0.004	0.08	1.48	18.6	<0.2	<10	190	1.57	0.35	0.09	0.32	24.2	20.0	27
ZZ88620		0.44	0.004	0.08	1.52	20.0	<0.2	<10	140	1.12	0.40	0.11	0.45	21.8	19.5	27
ZZ88621		0.35	0.003	0.33	0.86	34.4	<0.2	<10	60	0.36	0.26	0.04	0.67	24.2	10.9	18
ZZ88622		0.39	0.005	0.10	0.42	362	<0.2	<10	50	0.44	0.26	0.01	0.88	33.6	14.5	16
ZZ88623		0.39	0.003	0.30	0.95	23.5	<0.2	<10	70	0.60	0.36	0.02	0.74	23.2	12.2	20
ZZ88624		0.32	0.003	0.31	1.18	18.1	<0.2	<10	390	0.51	0.29	0.14	0.38	17.95	12.9	21
ZZ88625		0.36	0.002	0.11	1.30	24.9	<0.2	<10	100	0.39	0.33	0.04	0.25	20.2	12.4	27
ZZ88626		0.43	0.006	0.18	0.89	57.8	<0.2	<10	150	0.51	0.28	0.07	0.42	24.7	18.8	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88587		3.40	97.8	3.80	2.72	<0.05	0.06	0.13	0.033	0.11	15.0	5.3	0.18	891	7.87	<0.01
ZZ88588		6.59	224	6.42	5.40	0.10	0.07	0.33	0.051	0.17	25.6	22.2	0.98	2490	9.00	<0.01
ZZ88589		6.66	207	6.12	1.82	0.07	0.20	0.56	0.054	0.16	12.0	8.6	0.60	1380	11.60	<0.01
ZZ88590		3.34	131.5	4.21	3.94	0.08	0.07	0.22	0.042	0.19	22.3	19.8	0.72	1080	9.04	<0.01
ZZ88591		5.33	215	6.09	3.76	0.10	0.05	0.42	0.050	0.17	24.6	16.8	0.65	1720	10.75	<0.01
ZZ88592		4.78	56.4	4.71	3.60	<0.05	0.03	0.04	0.027	0.07	4.7	16.2	0.26	1120	0.71	<0.01
ZZ88593		8.24	159.0	5.09	1.69	0.07	0.09	0.67	0.045	0.12	25.0	5.9	0.16	1040	8.68	<0.01
ZZ88594		3.23	138.5	5.26	1.45	0.07	0.03	2.61	0.046	0.09	23.3	5.4	0.08	904	12.75	0.01
ZZ88595		3.80	70.7	4.41	1.29	0.05	0.06	0.83	0.034	0.07	18.3	2.8	0.05	1040	3.67	<0.01
ZZ88596		4.27	70.5	4.82	2.44	0.06	<0.02	0.51	0.035	0.07	16.7	7.9	0.16	933	3.50	<0.01
ZZ88597		2.47	91.5	5.25	2.83	0.06	<0.02	0.59	0.040	0.07	16.3	11.3	0.25	782	7.26	<0.01
ZZ88598		4.23	42.1	5.03	3.24	0.05	<0.02	0.33	0.034	0.06	19.4	3.2	0.04	284	4.96	<0.01
ZZ88599		2.79	25.3	2.93	5.37	<0.05	<0.02	0.07	0.025	0.06	11.2	8.4	0.21	449	2.55	<0.01
ZZ88600		2.28	35.2	3.69	5.00	<0.05	<0.02	0.09	0.027	0.06	11.8	8.9	0.25	410	3.11	<0.01
ZZ88601		2.69	30.0	4.59	6.78	<0.05	0.03	0.04	0.031	0.05	5.1	29.5	0.41	1040	0.97	0.01
ZZ88602		1.86	34.4	4.62	5.94	<0.05	0.03	0.02	0.034	0.05	7.7	23.8	0.33	528	0.91	<0.01
ZZ88603		4.74	32.2	4.23	5.65	<0.05	0.05	0.06	0.029	0.08	5.6	27.7	0.32	480	0.65	0.01
ZZ88604		4.23	35.1	3.32	4.19	<0.05	0.05	0.04	0.033	0.05	8.0	13.1	0.18	728	0.85	<0.01
ZZ88605		1.98	338	7.19	12.75	0.15	0.31	0.05	0.068	0.06	14.8	30.7	2.13	1780	1.52	0.01
ZZ88606		4.14	50.4	3.64	4.37	0.05	<0.02	0.08	0.028	0.08	13.7	10.6	0.36	567	3.88	<0.01
ZZ88607		2.81	107.0	4.00	1.75	0.06	0.03	0.77	0.032	0.10	21.9	4.9	0.10	778	8.78	<0.01
ZZ88608		4.72	84.4	4.24	2.64	0.05	0.02	0.24	0.035	0.08	18.8	7.7	0.19	694	7.65	<0.01
ZZ88609		4.68	77.4	4.41	3.34	0.08	0.05	0.18	0.036	0.07	26.9	19.4	0.54	616	10.80	0.01
ZZ88610		10.25	94.8	4.88	2.23	0.06	<0.02	0.17	0.049	0.09	21.2	4.1	0.09	868	14.95	0.02
ZZ88611		5.72	77.9	3.31	3.06	0.05	<0.02	0.09	0.030	0.07	16.3	3.0	0.07	208	10.95	0.01
ZZ88612		8.28	129.0	6.28	1.24	0.08	0.02	0.25	0.037	0.09	30.9	3.3	0.08	454	11.70	0.01
ZZ88613		9.09	110.0	6.54	1.82	0.10	0.02	0.22	0.046	0.10	42.7	4.0	0.07	678	7.84	0.01
ZZ88614		16.30	129.5	5.56	2.26	0.08	0.05	0.24	0.050	0.12	31.1	11.5	0.22	448	7.08	<0.01
ZZ88615		15.60	168.0	4.45	3.82	0.06	0.02	0.13	0.044	0.12	23.8	11.1	0.17	355	13.30	<0.01
ZZ88616		20.8	251	4.99	4.17	0.07	0.04	0.33	0.049	0.17	24.7	15.0	0.31	311	15.40	0.01
ZZ88617		8.14	144.5	4.72	2.17	0.06	0.05	0.56	0.038	0.12	17.6	11.3	0.32	1030	7.85	<0.01
ZZ88618		9.00	42.5	3.66	4.93	<0.05	<0.02	0.06	0.025	0.07	9.0	18.8	0.29	1340	2.89	0.01
ZZ88619		7.22	51.7	4.18	4.75	<0.05	<0.02	0.05	0.029	0.07	11.4	29.9	0.45	1310	2.57	0.01
ZZ88620		9.90	52.6	4.22	5.10	<0.05	<0.02	0.05	0.032	0.08	10.7	27.9	0.45	1370	2.88	0.01
ZZ88621		2.77	46.9	3.90	3.36	<0.05	<0.02	0.07	0.034	0.05	13.0	3.3	0.09	244	10.20	<0.01
ZZ88622		1.84	102.0	5.78	1.63	0.07	<0.02	0.12	0.039	0.04	19.2	1.7	0.04	158	21.6	<0.01
ZZ88623		4.83	36.1	4.05	3.51	<0.05	<0.02	0.04	0.027	0.06	12.5	10.5	0.18	448	3.10	<0.01
ZZ88624		3.61	27.8	3.27	4.33	<0.05	<0.02	0.10	0.024	0.07	8.9	14.9	0.28	1080	2.21	<0.01
ZZ88625		3.39	38.0	4.81	4.90	<0.05	<0.02	0.05	0.029	0.07	10.9	13.6	0.29	658	2.68	<0.01
ZZ88626		3.53	53.8	4.38	3.20	<0.05	<0.02	0.16	0.032	0.07	13.6	11.7	0.23	730	5.54	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88587		0.10	32.8	1740	20.7	9.2	0.002	0.08	2.16	1.9	1.5	0.3	13.6	<0.01	0.13	0.7
ZZ88588		0.11	71.2	1930	37.9	13.6	0.002	0.07	3.07	5.5	2.6	0.4	26.1	<0.01	0.17	1.8
ZZ88589		0.08	82.7	780	25.3	10.9	0.005	0.45	3.47	8.5	4.0	0.4	120.0	<0.01	0.19	3.5
ZZ88590		0.13	50.7	1280	20.0	16.6	0.001	0.06	2.30	4.9	2.2	0.4	23.1	<0.01	0.14	1.8
ZZ88591		0.09	72.8	1640	33.0	12.1	0.003	0.16	3.50	7.2	4.1	0.3	46.3	<0.01	0.22	3.2
ZZ88592		0.12	40.4	430	33.1	6.6	<0.001	0.03	0.26	4.4	0.6	0.5	9.5	<0.01	0.04	4.9
ZZ88593		0.08	65.1	1680	28.4	8.9	0.003	0.12	3.33	5.1	3.2	0.3	55.5	<0.01	0.18	1.8
ZZ88594		0.06	63.4	1530	33.5	6.5	0.005	0.08	4.88	5.5	4.4	0.3	64.4	<0.01	0.17	3.7
ZZ88595		<0.05	45.3	610	38.4	5.3	0.001	0.03	1.18	4.7	1.4	0.2	30.4	<0.01	0.05	6.6
ZZ88596		0.19	43.2	660	28.8	6.3	0.001	0.03	1.33	4.3	1.3	0.3	18.0	<0.01	0.06	2.9
ZZ88597		0.21	56.3	950	22.5	6.6	0.001	0.06	2.57	4.9	1.7	0.3	15.9	<0.01	0.06	1.5
ZZ88598		0.31	34.8	1450	15.8	8.9	<0.001	0.07	1.20	1.8	0.9	0.4	6.7	<0.01	0.03	0.4
ZZ88599		0.34	15.2	850	12.3	12.9	<0.001	0.07	0.84	0.4	0.8	0.6	7.1	<0.01	0.05	<0.2
ZZ88600		0.44	20.7	730	17.6	11.1	<0.001	0.06	1.09	0.9	1.0	0.5	7.6	<0.01	0.05	0.2
ZZ88601		0.40	22.8	960	28.2	10.5	<0.001	0.07	0.43	1.3	0.5	0.5	7.4	<0.01	0.03	0.7
ZZ88602		0.40	24.5	610	27.3	8.2	<0.001	0.04	0.31	1.9	0.4	0.5	9.5	<0.01	0.04	1.3
ZZ88603		0.36	25.8	540	34.0	13.2	<0.001	0.05	0.30	3.3	0.4	0.7	15.4	<0.01	0.03	5.3
ZZ88604		0.20	18.4	550	23.6	11.7	<0.001	0.05	0.23	3.2	0.5	0.4	11.0	<0.01	0.03	2.6
ZZ88605		1.21	77.1	800	13.2	7.6	0.002	0.06	0.41	21.8	1.2	0.8	20.6	0.01	0.05	2.8
ZZ88606		0.36	28.0	1170	17.7	8.9	0.001	0.05	1.58	1.3	1.5	0.4	14.4	<0.01	0.05	0.3
ZZ88607		0.10	42.6	1360	17.4	6.9	0.001	0.03	1.96	4.8	1.7	0.3	29.3	<0.01	0.10	2.4
ZZ88608		0.34	34.6	1620	19.6	7.9	0.002	0.04	2.16	3.2	2.0	0.3	24.6	<0.01	0.08	2.0
ZZ88609		0.24	54.9	1190	20.6	6.1	0.001	0.04	3.54	4.1	2.4	0.3	20.3	<0.01	0.06	3.4
ZZ88610		0.13	55.7	1930	21.9	9.9	0.002	0.11	5.78	2.1	3.5	0.3	32.8	<0.01	0.10	0.7
ZZ88611		0.14	43.0	1070	13.8	9.6	0.001	0.05	4.19	1.0	2.5	0.4	12.8	<0.01	0.08	0.3
ZZ88612		0.07	73.3	2170	22.9	7.2	0.003	0.11	3.02	4.7	2.6	0.2	73.1	<0.01	0.06	3.3
ZZ88613		0.10	51.8	2400	27.0	7.5	0.002	0.09	2.55	4.6	2.9	0.2	56.4	<0.01	0.09	2.8
ZZ88614		0.12	57.2	1540	24.1	9.8	0.002	0.06	2.56	6.4	3.1	0.3	72.5	<0.01	0.10	3.4
ZZ88615		0.12	50.8	2210	21.5	13.1	0.003	0.06	4.11	2.7	2.8	0.4	89.7	<0.01	0.17	1.0
ZZ88616		0.14	57.9	3850	24.3	15.2	0.004	0.11	5.73	2.4	4.9	0.4	85.3	<0.01	0.16	0.9
ZZ88617		0.09	58.1	1540	47.4	8.2	0.005	0.40	2.38	5.1	3.1	0.3	59.8	<0.01	0.10	3.6
ZZ88618		0.40	20.9	740	23.7	10.3	<0.001	0.05	0.87	1.0	0.5	0.5	12.3	<0.01	0.04	0.3
ZZ88619		0.42	29.2	710	30.8	10.1	<0.001	0.03	0.85	2.3	0.8	0.5	12.0	<0.01	0.03	1.3
ZZ88620		0.51	28.6	940	28.0	11.2	<0.001	0.05	0.99	1.9	1.0	0.5	12.8	<0.01	0.05	0.9
ZZ88621		0.50	40.3	700	17.1	7.1	0.001	0.05	3.88	1.0	2.1	0.4	7.9	<0.01	0.04	0.3
ZZ88622		0.05	58.1	940	22.1	6.5	0.002	0.03	9.95	2.6	16.6	0.3	15.5	<0.01	0.06	1.5
ZZ88623		0.29	22.0	710	22.8	11.4	<0.001	0.04	0.78	1.1	0.6	0.4	5.2	<0.01	0.04	0.6
ZZ88624		0.24	19.4	1110	16.9	12.2	<0.001	0.07	0.55	0.7	0.5	0.5	11.8	<0.01	0.02	0.2
ZZ88625		0.33	22.8	1230	20.3	11.1	<0.001	0.06	0.88	0.8	0.8	0.5	9.2	<0.01	0.04	0.3
ZZ88626		0.27	32.6	1290	19.6	8.1	0.001	0.05	1.36	1.7	1.1	0.4	18.8	<0.01	0.05	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88587		<0.005	0.27	1.23	36	<0.05	5.63	169	1.4
ZZ88588		0.005	0.34	2.38	60	<0.05	18.40	220	1.9
ZZ88589		<0.005	0.30	3.57	38	<0.05	18.40	279	13.9
ZZ88590		0.007	0.31	2.47	53	<0.05	18.90	170	2.1
ZZ88591		<0.005	0.34	2.67	47	<0.05	19.25	229	2.0
ZZ88592		<0.005	0.05	1.22	21	<0.05	8.09	112	1.1
ZZ88593		<0.005	0.39	2.02	37	<0.05	21.6	209	3.1
ZZ88594		<0.005	0.44	2.57	46	<0.05	18.20	298	2.0
ZZ88595		<0.005	0.24	1.61	24	<0.05	12.55	158	3.3
ZZ88596		0.015	0.15	1.34	37	<0.05	12.10	156	0.5
ZZ88597		0.023	0.42	1.34	47	<0.05	15.45	269	0.6
ZZ88598		0.008	0.51	0.71	41	0.06	4.48	135	<0.5
ZZ88599		0.014	0.18	0.90	54	0.17	3.23	76	<0.5
ZZ88600		0.025	0.15	0.91	53	0.18	3.62	89	<0.5
ZZ88601		0.011	0.07	0.79	33	0.07	3.77	83	0.8
ZZ88602		0.008	0.06	1.01	31	0.07	3.64	88	0.8
ZZ88603		0.006	0.14	1.02	25	<0.05	5.56	107	2.4
ZZ88604		<0.005	0.07	1.34	25	<0.05	4.48	79	1.1
ZZ88605		0.403	0.11	0.62	217	0.14	24.3	118	9.9
ZZ88606		0.025	0.18	1.09	52	0.21	4.85	122	<0.5
ZZ88607		<0.005	0.32	1.53	38	<0.05	14.70	166	1.3
ZZ88608		0.012	0.28	1.77	39	0.07	7.67	156	0.6
ZZ88609		0.013	0.33	1.66	37	<0.05	11.35	338	1.2
ZZ88610		0.006	0.61	2.33	42	0.06	11.45	357	<0.5
ZZ88611		0.005	0.48	1.23	65	0.07	6.08	335	<0.5
ZZ88612		<0.005	0.93	2.69	27	<0.05	17.40	226	1.1
ZZ88613		<0.005	0.50	1.82	34	<0.05	16.60	200	0.6
ZZ88614		<0.005	0.39	2.35	41	<0.05	17.55	215	1.9
ZZ88615		0.005	0.36	2.57	97	<0.05	10.90	336	0.5
ZZ88616		<0.005	0.46	5.73	135	<0.05	18.25	409	1.2
ZZ88617		<0.005	0.39	2.23	43	<0.05	14.55	194	3.1
ZZ88618		0.017	0.13	0.78	46	0.16	4.07	87	<0.5
ZZ88619		0.016	0.12	1.20	44	0.13	6.64	107	<0.5
ZZ88620		0.021	0.12	1.10	46	0.19	5.13	114	<0.5
ZZ88621		0.010	0.30	1.21	43	0.12	5.05	264	<0.5
ZZ88622		<0.005	0.22	1.82	84	<0.05	4.35	413	<0.5
ZZ88623		0.009	0.13	0.95	34	0.07	4.74	97	<0.5
ZZ88624		0.007	0.16	0.85	40	0.10	4.90	88	<0.5
ZZ88625		0.012	0.14	0.84	45	0.11	4.05	92	<0.5
ZZ88626		0.011	0.26	1.07	42	0.10	4.92	116	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88627		0.41	0.002	0.07	1.09	16.2	<0.2	<10	70	0.34	0.35	0.02	0.28	13.65	10.3	24
ZZ88628		0.45	0.003	0.05	1.61	19.9	<0.2	<10	130	0.54	0.29	0.06	0.33	24.0	10.7	27
ZZ88629		0.50	0.005	0.14	1.16	46.9	<0.2	<10	140	0.42	0.27	0.05	0.42	21.7	15.9	22
ZZ88630		0.45	0.013	0.49	0.41	101.5	<0.2	<10	250	0.43	0.23	0.06	0.49	34.7	21.4	14
ZZ88631		0.40	0.005	0.15	1.23	67.0	<0.2	<10	150	0.96	0.36	0.07	0.30	32.6	19.9	22
ZZ88632		0.43	0.018	0.75	0.61	171.5	<0.2	<10	370	0.55	0.29	0.64	2.12	33.2	33.3	16
ZZ88633		0.32	0.023	0.61	0.93	57.6	<0.2	<10	360	0.67	0.32	0.10	1.97	39.0	20.5	19
ZZ88634		0.43	0.031	0.89	0.52	101.5	<0.2	<10	540	0.63	0.25	0.22	1.42	37.6	13.6	18
ZZ88635		0.33	0.024	1.15	0.66	90.0	<0.2	<10	470	0.73	0.30	0.17	1.67	32.1	17.2	17
ZZ88636		0.37	0.012	0.64	0.60	58.8	<0.2	<10	190	0.79	0.44	0.08	1.16	42.9	18.9	18
ZZ88637		0.35	0.005	0.18	0.80	30.5	<0.2	<10	240	0.35	0.25	0.12	0.72	24.7	7.6	16
ZZ88638		0.40	0.013	0.40	1.48	48.3	<0.2	<10	260	0.67	0.27	0.19	1.06	34.2	16.7	26
ZZ88639		0.34	0.008	0.12	0.57	46.8	<0.2	<10	110	0.28	0.25	0.03	0.34	24.1	9.5	13
ZZ88640		0.31	0.011	0.11	1.42	30.9	<0.2	<10	150	0.39	0.31	0.05	0.52	26.4	9.7	28
ZZ88641		0.38	0.006	0.19	0.79	78.1	<0.2	<10	120	0.46	0.21	0.11	0.52	39.3	18.0	14
ZZ88642		0.36	0.015	0.19	1.32	57.3	<0.2	<10	230	0.78	0.33	0.16	0.25	55.9	35.6	25
ZZ88643		0.33	0.005	0.19	1.75	25.3	<0.2	<10	120	0.56	0.25	0.07	0.28	26.9	9.1	28
ZZ88644		0.39	0.006	0.17	0.75	63.0	<0.2	<10	210	0.46	0.24	0.02	0.52	31.2	12.1	14
ZZ88645		0.41	0.003	0.05	1.65	4.6	<0.2	<10	60	1.14	0.51	0.02	0.09	17.70	16.5	34
ZZ88646		0.37	0.009	0.03	0.89	10.4	<0.2	<10	50	0.91	0.46	0.02	0.07	17.80	16.9	20
ZZ88647		0.40	0.002	0.05	0.60	7.8	<0.2	<10	90	1.21	0.53	0.06	0.03	27.2	18.4	13
ZZ88648		0.46	0.002	0.12	2.11	9.2	<0.2	<10	100	2.08	0.54	0.07	0.05	16.05	31.2	33
ZZ88649		0.42	0.002	0.05	1.68	18.9	<0.2	<10	70	1.35	0.46	0.03	0.09	32.8	22.7	24
ZZ88650		0.48	0.011	0.13	3.64	8.9	<0.2	<10	40	0.59	0.11	1.91	0.42	26.3	62.1	102
ZZ88651		0.25	0.003	0.08	2.28	14.7	<0.2	<10	130	1.80	0.63	0.14	0.01	19.90	60.5	33
ZZ88652		0.29	0.005	0.08	2.31	9.7	<0.2	<10	180	2.46	0.84	0.16	0.02	41.4	55.2	34
ZZ88653		0.24	0.009	0.05	1.89	1.7	<0.2	<10	230	2.13	0.59	0.14	0.02	30.4	24.6	37
ZZ88654		0.23	0.008	0.06	2.04	6.7	<0.2	<10	90	1.72	0.48	0.15	0.08	25.5	24.2	33
ZZ88655		0.20	0.002	0.12	0.70	7.0	<0.2	<10	100	0.99	0.40	0.08	0.06	16.95	18.8	13
ZZ88656		0.17	0.002	0.12	1.07	9.4	<0.2	<10	70	0.81	0.42	0.05	0.11	13.85	14.4	23
ZZ88657		0.21	0.002	0.10	1.12	15.1	<0.2	<10	90	0.79	0.47	0.06	0.13	14.10	15.5	22
ZZ88658		0.18	0.003	0.03	1.54	10.1	<0.2	<10	70	1.07	0.51	0.04	0.07	17.85	16.0	27
ZZ88659		0.25	0.003	0.04	1.94	8.3	<0.2	<10	220	2.83	0.51	0.10	0.01	16.60	39.4	26
ZZ88660		0.14	0.015	0.06	1.10	8.2	<0.2	<10	100	0.95	0.45	0.11	0.14	17.95	19.4	21
ZZ88661		0.17	0.009	0.04	1.51	4.7	<0.2	<10	60	0.77	0.59	0.02	0.06	12.50	12.7	26
ZZ88662		0.19	0.007	0.09	1.81	7.7	<0.2	<10	50	0.81	0.44	0.01	0.05	13.15	14.5	26
ZZ88663		0.18	0.011	0.02	1.97	8.4	<0.2	<10	70	0.73	0.54	0.01	0.07	15.45	20.1	28
ZZ88664		0.17	0.007	0.12	0.90	3.6	<0.2	<10	40	0.23	0.34	0.02	0.04	15.15	3.3	12
ZZ88665		0.15	0.078	0.06	1.44	7.9	<0.2	<10	60	0.55	0.44	0.04	0.07	13.05	9.5	27
ZZ88666		0.14	0.006	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88627		3.08	31.3	4.46	5.18	<0.05	<0.02	0.04	0.022	0.06	7.1	9.8	0.21	501	1.87	0.01
ZZ88628		2.58	30.9	3.31	5.55	<0.05	<0.02	0.07	0.027	0.07	12.1	18.7	0.33	510	2.68	0.01
ZZ88629		2.38	46.5	3.94	4.58	<0.05	<0.02	0.21	0.030	0.08	11.4	9.4	0.22	907	5.40	<0.01
ZZ88630		4.76	104.0	5.56	1.40	0.05	<0.02	0.38	0.036	0.09	18.6	2.6	0.06	566	9.33	0.01
ZZ88631		9.62	77.7	4.59	3.73	<0.05	<0.02	0.08	0.031	0.08	16.5	25.6	0.41	885	4.46	0.01
ZZ88632		6.57	159.5	5.28	2.23	0.06	0.06	0.80	0.041	0.14	17.9	9.3	0.41	1160	9.45	<0.01
ZZ88633		14.05	212	4.80	3.57	0.06	0.02	0.16	0.046	0.16	22.5	11.5	0.25	698	15.80	0.01
ZZ88634		6.28	241	4.68	2.08	0.06	0.04	0.28	0.039	0.13	22.0	7.0	0.10	257	11.85	<0.01
ZZ88635		13.75	225	5.15	2.68	0.05	0.02	0.29	0.038	0.13	18.8	7.6	0.14	330	12.90	<0.01
ZZ88636		17.00	206	6.32	3.07	0.07	<0.02	0.06	0.044	0.14	28.6	9.0	0.11	274	9.69	<0.01
ZZ88637		15.00	63.1	2.70	4.29	<0.05	<0.02	0.10	0.026	0.09	14.2	4.3	0.11	200	6.17	0.01
ZZ88638		11.40	114.5	4.26	4.07	0.05	0.03	0.16	0.037	0.13	18.8	19.2	0.44	540	6.27	0.01
ZZ88639		3.73	77.9	3.30	3.84	<0.05	<0.02	0.12	0.025	0.08	14.1	2.6	0.07	143	8.99	<0.01
ZZ88640		9.42	40.0	4.09	6.03	<0.05	<0.02	0.09	0.031	0.09	13.4	11.9	0.32	375	4.45	0.01
ZZ88641		4.21	87.7	5.00	2.63	0.05	0.03	0.22	0.039	0.09	21.3	6.2	0.13	452	8.26	0.01
ZZ88642		10.50	185.0	6.51	4.10	0.07	0.03	0.51	0.047	0.16	29.5	16.0	0.50	1760	5.85	<0.01
ZZ88643		4.11	36.4	3.22	5.05	<0.05	<0.02	0.10	0.031	0.07	13.8	17.3	0.38	268	2.78	<0.01
ZZ88644		11.60	68.2	3.33	2.55	<0.05	0.02	0.38	0.039	0.12	17.2	7.7	0.11	509	6.80	<0.01
ZZ88645		3.56	36.7	4.71	6.45	<0.05	0.03	0.02	0.030	0.06	7.6	25.5	0.40	915	0.65	0.01
ZZ88646		3.78	36.6	3.69	3.62	<0.05	0.02	0.02	0.031	0.06	7.9	10.9	0.16	949	0.67	0.01
ZZ88647		2.83	54.4	3.15	2.11	<0.05	<0.02	0.02	0.027	0.06	11.3	7.9	0.13	1130	0.49	0.01
ZZ88648		13.95	50.3	5.22	6.88	<0.05	0.05	0.11	0.036	0.11	5.8	45.3	0.48	3050	0.86	0.01
ZZ88649		3.11	45.9	5.10	4.66	<0.05	0.02	0.03	0.029	0.09	12.8	26.7	0.38	1080	0.95	0.01
ZZ88650		1.39	258	7.91	13.55	0.18	0.73	0.02	0.051	0.05	11.3	38.5	2.70	1520	1.16	0.01
ZZ88651		5.46	84.2	4.83	7.22	0.05	0.22	0.01	0.021	0.09	6.5	79.0	0.96	2040	0.90	0.01
ZZ88652		5.33	93.0	4.97	8.99	0.07	0.13	0.02	0.040	0.07	13.1	61.7	0.78	2270	1.28	<0.01
ZZ88653		2.70	51.6	4.30	8.75	0.05	0.04	0.02	0.035	0.05	12.4	37.5	0.64	740	0.38	<0.01
ZZ88654		2.78	39.7	4.58	8.71	0.05	0.05	0.05	0.035	0.08	11.2	49.3	0.64	1220	0.63	<0.01
ZZ88655		3.48	27.6	3.33	2.96	<0.05	0.02	0.03	0.025	0.08	6.4	10.1	0.14	761	0.52	<0.01
ZZ88656		1.27	29.4	4.17	5.33	<0.05	0.02	0.06	0.033	0.06	5.9	11.5	0.19	1080	0.67	<0.01
ZZ88657		3.23	29.0	4.17	6.06	<0.05	<0.02	0.04	0.027	0.08	6.1	16.1	0.22	823	0.80	<0.01
ZZ88658		3.27	30.6	4.56	7.18	<0.05	0.03	0.04	0.031	0.07	8.0	21.2	0.29	811	0.71	<0.01
ZZ88659		3.95	76.7	5.36	6.15	0.05	0.06	0.07	0.023	0.07	4.3	55.0	0.79	1400	0.94	<0.01
ZZ88660		2.74	33.6	3.67	4.77	<0.05	0.02	0.03	0.027	0.07	7.7	18.9	0.32	792	0.53	<0.01
ZZ88661		4.05	26.3	4.79	5.48	<0.05	0.03	0.05	0.019	0.06	4.9	28.8	0.39	380	0.99	<0.01
ZZ88662		2.09	29.9	4.37	6.38	<0.05	0.05	0.03	0.022	0.05	5.3	40.8	0.47	456	0.70	<0.01
ZZ88663		2.28	43.2	5.81	8.24	<0.05	0.04	0.02	0.028	0.05	6.6	33.0	0.46	757	0.68	<0.01
ZZ88664		1.59	12.7	1.67	7.90	<0.05	<0.02	0.04	0.012	0.05	6.6	2.6	0.06	130	1.03	<0.01
ZZ88665		2.41	22.2	4.85	6.24	<0.05	<0.02	0.07	0.022	0.07	5.4	18.9	0.31	554	1.04	<0.01
ZZ88666		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88627		0.38	17.5	890	20.3	12.0	<0.001	0.06	0.61	0.9	0.5	0.5	6.4	<0.01	0.02	0.3
ZZ88628		0.35	22.0	710	16.9	12.9	<0.001	0.05	0.91	0.7	0.8	0.6	10.1	<0.01	0.03	0.2
ZZ88629		0.24	27.3	990	18.1	10.7	0.001	0.05	1.28	0.7	1.3	0.5	13.4	<0.01	0.05	<0.2
ZZ88630		0.10	47.1	1950	21.3	7.0	0.001	0.06	2.27	3.9	1.9	0.2	52.4	<0.01	0.08	1.5
ZZ88631		0.34	42.5	740	33.2	8.8	<0.001	0.04	1.43	3.0	1.1	0.4	17.5	<0.01	0.06	2.2
ZZ88632		0.09	70.5	1470	24.0	9.0	0.008	0.42	2.79	5.8	3.7	0.3	70.2	<0.01	0.11	3.6
ZZ88633		0.08	54.2	2580	27.5	13.7	0.004	0.11	5.77	1.3	4.6	0.4	57.7	<0.01	0.16	0.5
ZZ88634		0.08	51.6	1760	20.4	9.2	0.003	0.06	4.24	4.5	4.5	0.3	91.8	<0.01	0.14	2.4
ZZ88635		0.08	61.9	2070	21.4	11.6	0.002	0.07	5.04	1.5	3.2	0.4	64.5	<0.01	0.14	0.3
ZZ88636		0.07	68.5	1960	25.8	11.3	0.001	0.04	4.38	4.4	2.2	0.4	26.8	<0.01	0.21	2.0
ZZ88637		0.10	24.0	1540	12.3	13.5	0.001	0.07	1.52	0.3	1.0	0.6	25.4	<0.01	0.06	<0.2
ZZ88638		0.38	42.7	1960	19.3	12.7	0.001	0.06	2.08	2.4	2.3	0.4	37.2	<0.01	0.08	0.9
ZZ88639		0.12	32.3	1100	14.7	9.8	<0.001	0.05	2.37	0.5	2.2	0.5	11.2	<0.01	0.08	<0.2
ZZ88640		0.58	24.4	860	17.6	13.5	0.001	0.05	1.47	1.4	1.2	0.6	11.6	<0.01	0.04	0.3
ZZ88641		0.14	42.5	2300	20.5	8.9	0.002	0.06	2.11	1.7	1.7	0.3	24.9	<0.01	0.07	0.6
ZZ88642		0.16	52.3	2090	24.2	13.7	<0.001	0.05	3.18	6.3	2.0	0.4	26.8	<0.01	0.17	2.6
ZZ88643		0.91	22.8	580	15.3	11.1	<0.001	0.04	0.96	2.2	0.8	0.5	10.9	<0.01	0.04	1.0
ZZ88644		0.10	32.9	1290	12.6	14.4	0.001	0.05	1.37	1.9	1.3	0.4	10.4	<0.01	0.08	0.3
ZZ88645		0.31	24.4	930	24.6	10.0	<0.001	0.06	0.23	1.9	0.3	0.5	9.8	<0.01	0.01	1.4
ZZ88646		0.21	20.0	520	32.8	10.5	<0.001	0.04	0.19	2.7	0.2	0.4	11.8	<0.01	0.02	2.4
ZZ88647		0.05	24.3	450	19.8	6.2	<0.001	0.04	0.13	2.9	0.3	0.3	17.9	<0.01	0.01	2.6
ZZ88648		0.27	28.2	1040	76.0	17.8	<0.001	0.08	0.45	3.6	0.7	0.6	13.6	<0.01	0.03	2.5
ZZ88649		0.38	29.4	730	43.7	9.8	<0.001	0.08	0.60	2.6	0.7	0.4	12.4	<0.01	0.03	2.6
ZZ88650		0.64	88.1	590	12.3	6.5	0.001	0.09	0.37	20.2	1.1	0.9	18.5	<0.01	0.02	2.8
ZZ88651		<0.05	55.8	370	66.0	10.2	<0.001	0.03	0.43	4.3	0.5	0.6	21.8	<0.01	0.01	8.1
ZZ88652		0.06	48.0	420	67.0	9.1	0.001	0.02	0.39	7.1	0.6	0.7	21.0	<0.01	0.03	9.9
ZZ88653		0.28	37.5	380	17.8	6.2	<0.001	0.02	0.14	5.1	0.4	0.6	19.9	<0.01	0.02	6.7
ZZ88654		0.27	38.1	560	57.7	8.3	<0.001	0.03	0.25	4.5	0.4	0.7	14.8	<0.01	0.01	5.1
ZZ88655		0.14	23.1	630	37.6	9.9	<0.001	0.03	0.24	1.6	0.2	0.4	14.8	<0.01	0.02	1.4
ZZ88656		0.30	20.5	960	32.2	8.8	<0.001	0.06	0.31	1.6	0.2	0.5	10.8	<0.01	0.03	0.9
ZZ88657		0.36	19.6	750	28.8	12.3	<0.001	0.05	0.39	1.5	0.2	0.6	11.7	<0.01	0.03	0.6
ZZ88658		0.40	21.2	760	30.0	15.1	<0.001	0.04	0.30	2.0	0.5	0.6	12.6	<0.01	0.02	1.3
ZZ88659		0.09	42.8	410	80.7	6.5	<0.001	0.01	0.39	4.2	0.6	0.4	16.2	<0.01	0.01	9.1
ZZ88660		0.22	22.3	540	28.6	10.2	<0.001	0.03	0.22	2.5	<0.2	0.4	16.9	<0.01	0.02	2.6
ZZ88661		0.48	22.7	880	23.7	10.4	<0.001	0.06	0.45	1.7	0.4	0.4	6.0	<0.01	0.01	2.7
ZZ88662		0.31	24.1	540	21.7	9.5	<0.001	0.03	0.33	2.1	0.2	0.5	7.1	<0.01	0.02	3.4
ZZ88663		0.34	24.1	650	21.6	11.1	<0.001	0.03	0.32	2.7	0.4	0.6	7.9	<0.01	0.03	3.1
ZZ88664		0.26	4.6	590	9.3	10.8	<0.001	0.04	0.35	0.9	<0.2	0.7	7.5	<0.01	0.02	1.1
ZZ88665		0.53	16.2	840	21.0	16.8	<0.001	0.05	0.51	1.8	0.2	0.5	6.8	<0.01	0.02	2.3
ZZ88666		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88627		0.014	0.09	0.70	44	0.09	2.82	79	<0.5
ZZ88628		0.015	0.17	0.84	53	0.20	4.31	86	<0.5
ZZ88629		0.012	0.25	0.95	52	0.15	3.96	101	<0.5
ZZ88630		<0.005	0.43	1.92	40	<0.05	9.05	151	<0.5
ZZ88631		0.014	0.15	1.28	39	0.07	7.59	139	<0.5
ZZ88632		<0.005	0.43	2.73	53	<0.05	15.35	234	4.1
ZZ88633		0.005	0.39	3.68	93	<0.05	11.25	393	0.8
ZZ88634		<0.005	0.36	3.24	82	<0.05	16.65	334	1.2
ZZ88635		0.005	0.35	3.90	80	<0.05	14.40	360	<0.5
ZZ88636		<0.005	0.40	2.86	80	<0.05	14.70	316	<0.5
ZZ88637		<0.005	0.27	1.40	68	0.13	5.33	136	<0.5
ZZ88638		0.016	0.32	2.14	64	0.15	10.90	202	0.8
ZZ88639		0.005	0.37	1.07	58	0.09	3.31	172	<0.5
ZZ88640		0.027	0.29	1.20	65	0.21	5.14	125	<0.5
ZZ88641		0.006	0.28	1.47	41	<0.05	6.71	173	0.7
ZZ88642		0.006	0.26	1.69	46	<0.05	18.55	155	1.0
ZZ88643		0.027	0.21	1.06	52	0.21	4.99	96	<0.5
ZZ88644		<0.005	0.44	1.61	39	0.05	10.45	142	0.5
ZZ88645		0.008	0.07	1.32	33	0.06	4.75	87	0.9
ZZ88646		<0.005	0.06	1.04	23	<0.05	3.29	84	0.6
ZZ88647		<0.005	0.05	1.10	17	<0.05	4.27	80	<0.5
ZZ88648		0.007	0.19	1.03	31	<0.05	8.71	97	1.5
ZZ88649		0.016	0.10	0.97	27	0.07	6.02	88	0.6
ZZ88650		0.547	0.10	0.48	240	0.18	19.10	113	22.6
ZZ88651		0.009	0.12	1.48	23	<0.05	12.65	118	9.7
ZZ88652		0.005	0.12	2.39	24	<0.05	15.20	102	7.6
ZZ88653		0.008	0.05	1.63	28	<0.05	6.25	101	1.5
ZZ88654		0.008	0.08	1.39	26	<0.05	10.60	116	1.7
ZZ88655		<0.005	0.08	0.99	19	<0.05	4.09	90	0.5
ZZ88656		0.006	0.07	0.91	27	0.05	2.93	87	0.5
ZZ88657		0.009	0.07	0.88	30	0.07	3.67	78	<0.5
ZZ88658		0.007	0.08	0.99	29	0.06	3.95	93	0.7
ZZ88659		0.008	0.08	2.42	20	<0.05	12.30	119	3.2
ZZ88660		0.005	0.05	0.94	21	<0.05	3.65	111	0.6
ZZ88661		0.012	0.07	0.84	26	0.08	4.16	65	1.2
ZZ88662		0.006	0.07	0.76	26	0.05	4.04	75	1.6
ZZ88663		0.006	0.09	0.76	34	<0.05	4.42	95	1.2
ZZ88664		0.005	0.10	0.42	34	0.06	2.18	23	0.5
ZZ88665		0.012	0.09	0.63	33	0.07	3.18	57	0.6
ZZ88666		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88667		0.15	0.004	0.56	1.14	19.9	<0.2	<10	110	0.70	0.31	0.11	0.28	16.35	10.7	22
ZZ88668		0.17	0.010	0.57	1.00	35.6	<0.2	<10	130	0.70	0.25	0.38	0.79	32.8	12.2	19
ZZ88669		0.22	0.009	0.48	1.00	27.2	<0.2	<10	200	0.93	0.27	0.74	1.19	25.2	12.1	18
ZZ88670		0.19	0.014	0.19	0.54	35.1	<0.2	<10	90	0.56	0.27	0.02	0.73	43.5	16.4	12
ZZ88671		0.13	0.004	0.11	0.61	13.3	<0.2	<10	80	0.40	0.25	0.15	0.51	33.1	14.2	15
ZZ88672		0.16	0.011	0.03	1.70	24.5	<0.2	<10	100	0.97	0.44	0.20	0.19	19.45	16.4	30
ZZ88673		0.22	0.002	0.04	1.01	8.0	<0.2	<10	80	0.95	0.42	0.05	0.11	14.00	15.9	28
ZZ88674		0.17	0.008	0.09	0.97	22.9	<0.2	<10	90	0.66	0.36	0.05	0.50	40.7	14.5	19
ZZ88675		0.17	0.004	0.12	1.21	20.1	<0.2	<10	70	0.77	0.37	0.07	0.28	22.3	17.9	27
ZZ88676		0.24	0.005	0.04	1.25	19.9	<0.2	<10	70	3.89	0.53	0.11	0.04	19.80	23.2	37
ZZ88677		0.21	0.010	0.06	1.28	11.2	<0.2	<10	70	0.78	0.46	0.03	0.10	9.34	21.5	34
ZZ88678		0.19	NSS	0.06	1.16	8.3	<0.2	<10	40	0.38	0.60	0.03	0.10	5.13	16.0	34
ZZ88679		0.14	0.006	0.04	2.24	14.8	<0.2	<10	110	0.65	0.27	0.12	0.15	23.4	11.7	34
ZZ88680		0.16	0.025	0.04	1.44	8.8	<0.2	<10	40	0.66	0.46	0.03	0.07	7.53	19.5	34
ZZ88681		0.16	0.012	0.03	1.11	8.6	<0.2	<10	50	0.59	0.38	0.04	0.04	6.41	21.5	30
ZZ88682		0.22	0.012	0.03	1.17	10.4	<0.2	<10	40	0.57	0.42	0.01	0.04	5.11	13.5	29
ZZ88683		0.16	NSS	0.06	1.37	10.8	<0.2	<10	60	1.30	0.49	0.02	0.03	10.15	18.7	32
ZZ88684		0.19	0.018	0.78	1.34	38.0	<0.2	<10	230	0.72	0.26	0.18	2.20	43.4	26.6	24
ZZ88685		0.20	0.009	0.40	1.58	34.1	<0.2	<10	190	0.74	0.29	0.06	1.18	32.2	18.9	24
ZZ88686		0.21	0.018	0.30	1.67	45.7	<0.2	<10	500	0.58	0.29	0.06	1.01	31.7	19.1	26
ZZ88687		0.16	0.019	0.31	0.80	44.6	<0.2	<10	340	0.39	0.28	0.08	0.61	26.2	14.7	16
ZZ88688		0.17	0.005	0.04	0.99	42.4	<0.2	<10	170	0.27	0.30	0.04	0.25	22.3	10.2	21
ZZ88689		0.23	0.012	0.57	0.88	36.1	<0.2	<10	250	0.52	0.25	0.15	1.17	45.2	16.4	15
ZZ88690		0.17	0.012	0.57	0.75	50.1	<0.2	<10	310	0.59	0.35	0.33	1.44	31.0	13.9	15
ZZ88691		0.18	0.014	0.67	0.73	71.2	<0.2	<10	270	0.65	0.31	0.25	1.01	40.6	25.8	17
ZZ88692		0.16	0.017	0.78	0.32	77.3	<0.2	<10	610	0.58	0.26	0.42	0.49	50.0	35.3	10
ZZ88693		0.15	0.012	0.67	0.49	53.3	<0.2	<10	420	0.49	0.30	0.25	0.83	37.2	20.8	13
ZZ88694		0.20	0.006	0.40	0.30	119.0	<0.2	<10	220	0.43	0.28	0.07	0.77	31.3	19.1	10
ZZ88695		0.18	0.001	0.05	1.38	22.2	<0.2	<10	130	0.36	0.30	0.04	0.22	25.4	7.9	24
ZZ88696		0.19	0.005	0.06	1.11	37.6	<0.2	<10	120	0.42	0.32	0.04	0.48	26.4	15.3	24
ZZ88697		0.20	0.003	0.08	1.57	21.0	<0.2	<10	150	0.55	0.31	0.08	0.53	30.0	10.9	27
ZZ88698		0.20	0.003	0.11	1.14	143.5	<0.2	<10	100	0.41	0.28	0.03	0.51	21.9	14.1	24
ZZ88699		0.16	0.003	0.16	0.59	44.9	<0.2	<10	90	0.20	0.27	0.02	0.31	23.7	9.4	15
ZZ88700		0.22	0.008	0.39	0.43	64.4	<0.2	<10	210	0.64	0.34	0.21	0.95	31.8	18.0	13
ZZ88701		0.23	0.004	0.10	1.16	29.8	<0.2	<10	120	0.41	0.28	0.07	0.33	27.3	10.4	22
ZZ88702		0.20	0.003	0.27	0.66	48.5	<0.2	<10	110	0.31	0.27	0.03	0.55	30.8	12.4	13
ZZ88703		0.18	0.005	0.13	0.96	32.5	<0.2	<10	100	0.41	0.24	0.06	0.36	30.0	11.5	18
ZZ88704		0.20	0.005	0.25	0.65	80.1	<0.2	<10	120	0.39	0.27	0.06	0.54	33.2	17.2	15
ZZ88705		0.20	0.007	0.09	1.03	35.1	<0.2	<10	130	0.51	0.26	0.11	0.78	37.2	20.9	18
ZZ88706		0.20	0.003	0.06	3.86	4.6	<0.2	<10	60	0.68	0.10	0.99	0.17	20.1	45.1	103

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88667		3.73	31.7	2.73	4.23	<0.05	<0.02	0.08	0.022	0.06	8.2	12.0	0.30	351	1.90	<0.01
ZZ88668		7.38	43.2	3.04	3.20	0.05	0.08	0.26	0.029	0.09	18.0	21.6	0.36	344	3.98	<0.01
ZZ88669		14.35	44.3	2.61	3.12	0.05	0.06	0.14	0.025	0.08	13.8	18.1	0.34	1320	4.46	<0.01
ZZ88670		6.47	43.5	3.49	2.30	0.05	<0.02	0.08	0.031	0.08	24.8	5.1	0.08	452	10.10	<0.01
ZZ88671		6.39	26.3	2.85	2.64	<0.05	0.02	0.04	0.018	0.07	18.7	12.3	0.25	411	4.81	<0.01
ZZ88672		6.33	27.5	4.43	6.93	<0.05	0.02	0.01	0.027	0.06	9.2	55.3	0.54	918	1.75	<0.01
ZZ88673		6.25	26.5	4.46	4.85	<0.05	<0.02	0.03	0.023	0.06	6.5	18.6	0.27	989	1.29	<0.01
ZZ88674		8.35	43.8	3.92	4.35	0.05	<0.02	0.04	0.027	0.08	22.5	17.7	0.26	576	5.36	<0.01
ZZ88675		4.68	45.2	4.54	4.68	<0.05	<0.02	0.07	0.030	0.07	11.0	20.8	0.30	1100	2.85	<0.01
ZZ88676		15.30	55.0	5.23	4.23	0.05	<0.02	0.04	0.029	0.06	5.1	42.2	0.56	1780	1.21	<0.01
ZZ88677		6.20	27.3	4.87	4.54	<0.05	<0.02	0.04	0.026	0.06	4.0	34.2	0.44	1030	1.15	<0.01
ZZ88678		6.77	12.1	5.11	4.30	<0.05	0.02	0.04	0.025	0.05	2.2	27.2	0.37	574	0.99	<0.01
ZZ88679		3.84	21.3	3.13	5.15	<0.05	0.05	0.05	0.032	0.06	12.1	26.3	0.48	514	1.65	<0.01
ZZ88680		9.23	27.8	4.81	5.53	<0.05	0.04	0.05	0.035	0.05	3.2	23.6	0.37	1180	1.26	<0.01
ZZ88681		8.75	21.9	3.99	4.54	<0.05	0.02	0.04	0.026	0.05	2.6	20.4	0.33	1450	1.80	<0.01
ZZ88682		5.77	22.2	4.29	4.08	<0.05	0.03	0.03	0.025	0.04	2.2	21.5	0.34	641	1.05	<0.01
ZZ88683		5.64	53.6	4.42	4.12	<0.05	0.02	0.05	0.029	0.05	2.6	36.8	0.45	1020	1.08	<0.01
ZZ88684		7.82	132.0	4.45	4.18	0.07	0.06	0.12	0.043	0.17	23.2	16.6	0.44	1300	10.20	0.01
ZZ88685		6.37	64.1	3.55	5.57	<0.05	0.02	0.12	0.033	0.10	17.1	15.8	0.31	952	7.87	<0.01
ZZ88686		16.60	104.5	4.57	6.54	0.05	<0.02	0.14	0.038	0.11	17.0	14.3	0.44	402	11.30	0.01
ZZ88687		20.1	123.5	3.84	4.82	<0.05	0.02	0.10	0.038	0.14	15.4	7.5	0.12	228	10.70	0.01
ZZ88688		5.91	55.1	3.64	5.86	<0.05	<0.02	0.17	0.030	0.08	11.6	4.7	0.13	628	4.67	<0.01
ZZ88689		4.00	100.5	3.68	2.80	0.07	0.04	0.37	0.036	0.14	24.3	10.0	0.34	549	9.58	<0.01
ZZ88690		5.66	108.0	3.46	2.98	0.05	0.04	0.27	0.038	0.12	17.9	11.1	0.30	557	8.29	<0.01
ZZ88691		5.56	139.0	4.54	2.68	0.06	0.05	0.46	0.038	0.10	21.8	11.3	0.29	902	7.13	<0.01
ZZ88692		7.72	110.0	7.27	1.41	0.07	0.08	0.72	0.046	0.10	25.9	3.6	0.12	668	6.29	<0.01
ZZ88693		9.06	120.5	4.56	1.86	0.05	0.04	0.35	0.037	0.11	20.9	6.8	0.14	593	12.25	<0.01
ZZ88694		11.15	103.0	4.35	1.48	<0.05	<0.02	0.46	0.034	0.09	17.9	3.6	0.06	506	10.75	<0.01
ZZ88695		4.88	40.6	3.22	5.93	<0.05	<0.02	0.07	0.028	0.07	13.8	10.6	0.26	244	4.41	<0.01
ZZ88696		7.00	68.5	4.49	4.54	<0.05	<0.02	0.07	0.038	0.08	14.1	9.2	0.26	483	6.18	<0.01
ZZ88697		6.22	31.9	3.43	5.44	<0.05	<0.02	0.07	0.030	0.07	14.8	16.8	0.36	498	3.09	<0.01
ZZ88698		4.74	65.6	4.37	4.42	<0.05	<0.02	0.20	0.034	0.07	11.7	9.9	0.27	512	5.59	<0.01
ZZ88699		6.72	53.8	3.49	4.29	<0.05	<0.02	0.12	0.024	0.07	13.5	3.5	0.11	203	6.42	<0.01
ZZ88700		3.75	86.0	3.87	1.92	0.06	0.02	0.73	0.033	0.09	16.7	7.2	0.16	665	6.92	<0.01
ZZ88701		6.35	48.7	3.07	4.65	<0.05	<0.02	0.11	0.027	0.09	14.3	10.1	0.24	425	4.68	<0.01
ZZ88702		7.88	71.9	3.93	2.66	<0.05	<0.02	0.28	0.032	0.08	17.0	5.2	0.11	318	7.81	<0.01
ZZ88703		3.85	54.3	3.02	3.43	<0.05	<0.02	0.17	0.026	0.07	15.5	9.7	0.21	412	4.38	<0.01
ZZ88704		4.81	80.0	3.96	2.53	<0.05	<0.02	0.39	0.036	0.09	17.8	5.7	0.14	776	6.73	<0.01
ZZ88705		6.64	73.8	3.98	2.74	0.05	0.05	0.13	0.032	0.08	19.5	11.4	0.29	581	6.18	<0.01
ZZ88706		1.38	224	7.12	13.10	0.08	0.29	0.03	0.043	0.04	7.0	32.1	2.65	1240	0.49	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88667		0.19	16.9	1050	17.0	10.8	<0.001	0.08	0.51	0.6	0.2	0.4	9.6	<0.01	0.04	<0.2
ZZ88668		0.26	31.5	830	12.1	10.2	0.002	0.03	1.17	4.0	1.0	0.3	30.1	<0.01	0.03	2.9
ZZ88669		0.31	28.7	970	14.7	11.6	0.002	0.07	1.27	3.0	1.2	0.3	49.6	<0.01	0.03	1.4
ZZ88670		0.09	35.6	1110	19.4	9.6	0.001	0.03	2.48	1.6	1.3	0.3	11.8	<0.01	0.04	0.9
ZZ88671		0.28	23.0	490	13.8	7.7	0.002	0.03	1.40	1.8	0.8	0.3	12.4	<0.01	0.04	2.4
ZZ88672		0.34	25.9	540	33.7	6.7	0.001	0.04	0.37	3.0	0.3	0.5	31.7	<0.01	0.04	4.9
ZZ88673		0.32	15.2	440	27.7	8.8	<0.001	0.01	0.38	2.1	<0.2	0.6	7.7	<0.01	0.02	3.9
ZZ88674		0.30	30.4	870	21.8	9.2	0.001	0.03	1.47	2.4	0.9	0.4	14.8	<0.01	0.06	2.3
ZZ88675		0.45	20.7	890	28.0	9.3	<0.001	0.03	0.93	1.9	0.5	0.5	8.3	<0.01	0.03	1.1
ZZ88676		0.25	27.2	620	65.3	8.0	<0.001	0.02	0.45	4.2	0.4	0.6	10.5	<0.01	0.05	3.8
ZZ88677		0.56	23.5	610	31.5	10.6	<0.001	0.03	0.51	1.8	0.3	0.6	5.4	<0.01	0.03	1.8
ZZ88678		0.46	22.8	830	22.6	7.0	<0.001	0.04	0.41	1.5	0.3	0.6	3.8	<0.01	0.05	1.9
ZZ88679		1.61	21.3	690	18.6	10.1	<0.001	0.03	0.86	3.1	0.9	0.6	10.0	0.01	0.04	4.3
ZZ88680		0.41	18.3	1100	32.3	8.0	<0.001	0.04	0.39	1.9	0.2	0.6	4.5	<0.01	0.04	1.9
ZZ88681		0.35	18.1	960	33.1	7.4	<0.001	0.04	0.38	1.4	0.2	0.6	4.3	<0.01	0.03	1.3
ZZ88682		0.39	17.0	830	27.8	7.5	<0.001	0.04	0.39	1.4	0.3	0.5	3.3	<0.01	0.02	1.7
ZZ88683		0.36	24.0	660	35.2	6.9	<0.001	0.03	0.41	3.2	0.5	0.5	5.4	<0.01	0.03	3.9
ZZ88684		0.22	45.1	2120	20.2	14.4	0.002	0.06	3.48	2.3	2.6	0.4	32.2	<0.01	0.15	1.0
ZZ88685		0.22	23.5	1630	18.9	15.4	0.001	0.06	2.22	0.6	1.8	0.6	19.4	<0.01	0.08	0.3
ZZ88686		0.39	32.9	1230	22.5	13.0	0.001	0.12	3.02	1.1	3.7	0.6	49.3	<0.01	0.13	0.3
ZZ88687		0.09	28.9	2470	19.5	15.7	0.002	0.14	3.19	0.5	2.6	0.4	38.5	<0.01	0.14	<0.2
ZZ88688		0.30	20.3	1650	17.8	15.9	<0.001	0.07	1.31	0.3	1.4	0.7	12.6	<0.01	0.09	<0.2
ZZ88689		0.15	38.2	1500	17.9	10.8	0.003	0.04	2.36	2.6	2.5	0.3	26.0	<0.01	0.15	1.0
ZZ88690		0.12	34.1	1780	17.6	11.5	0.003	0.06	2.20	2.2	2.7	0.4	40.9	<0.01	0.11	0.6
ZZ88691		0.14	46.1	1380	21.5	7.4	0.002	0.02	2.19	5.1	2.0	0.3	35.8	<0.01	0.12	2.3
ZZ88692		0.10	55.8	1420	32.3	6.9	0.001	0.11	2.74	5.1	2.8	0.3	44.0	<0.01	0.10	2.4
ZZ88693		0.09	46.6	1210	20.0	7.9	0.003	0.06	2.96	3.8	1.9	0.3	56.9	<0.01	0.14	1.3
ZZ88694		0.05	43.6	1430	19.0	7.5	0.001	0.05	2.60	1.9	1.6	0.2	27.1	<0.01	0.08	0.3
ZZ88695		0.25	18.8	900	12.8	12.6	<0.001	0.04	1.17	0.4	1.0	0.7	9.6	<0.01	0.06	<0.2
ZZ88696		0.22	31.4	1310	18.2	11.1	0.002	0.05	2.06	0.7	1.5	0.5	13.9	<0.01	0.08	<0.2
ZZ88697		0.38	21.1	940	13.8	10.8	<0.001	0.03	1.13	0.8	0.9	0.6	11.3	<0.01	0.05	0.2
ZZ88698		0.23	27.0	950	16.8	9.2	0.001	0.05	1.78	0.9	1.5	0.5	13.6	<0.01	0.06	<0.2
ZZ88699		0.18	22.7	960	14.5	9.4	<0.001	0.03	1.67	0.5	1.1	0.5	10.3	<0.01	0.06	<0.2
ZZ88700		0.09	35.9	1020	22.1	5.8	0.006	0.05	1.77	3.9	2.1	0.3	42.7	<0.01	0.06	3.7
ZZ88701		0.14	23.6	1400	11.6	12.5	0.001	0.05	1.34	0.5	0.9	0.5	14.3	<0.01	0.09	<0.2
ZZ88702		0.09	30.3	1720	16.5	8.4	0.001	0.06	1.79	0.6	1.4	0.3	11.9	<0.01	0.09	0.2
ZZ88703		0.11	24.8	1050	11.0	8.7	0.001	0.03	1.26	0.6	1.1	0.4	9.6	<0.01	0.06	<0.2
ZZ88704		0.14	32.3	1560	18.3	8.2	0.001	0.03	1.77	1.2	1.5	0.3	13.6	<0.01	0.11	0.2
ZZ88705		0.46	35.6	980	17.3	8.4	0.002	0.06	1.66	3.4	1.8	0.3	13.0	<0.01	0.07	2.7
ZZ88706		1.29	70.3	440	6.3	5.1	<0.001	0.03	0.21	14.1	0.7	0.8	16.2	<0.01	0.03	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88667		0.009	0.14	0.83	43	<0.05	3.84	64	<0.5
ZZ88668		0.010	0.14	2.25	29	<0.05	10.95	170	2.7
ZZ88669		0.011	0.16	3.09	28	0.09	11.65	153	1.9
ZZ88670		<0.005	0.36	1.08	31	<0.05	4.15	206	<0.5
ZZ88671		0.009	0.11	0.67	27	0.06	3.21	137	0.7
ZZ88672		0.009	0.07	0.75	28	0.05	4.65	101	0.7
ZZ88673		0.012	0.07	0.78	36	0.06	3.56	61	<0.5
ZZ88674		0.009	0.15	1.00	34	0.06	5.17	156	<0.5
ZZ88675		0.015	0.10	1.05	41	0.10	5.11	92	<0.5
ZZ88676		0.013	0.06	1.41	40	0.09	11.15	89	<0.5
ZZ88677		0.014	0.07	0.81	39	0.12	3.57	80	<0.5
ZZ88678		0.011	0.05	0.79	36	0.10	3.42	75	0.5
ZZ88679		0.038	0.13	0.84	46	0.33	4.03	67	1.6
ZZ88680		0.009	0.06	0.86	38	0.08	4.09	61	1.1
ZZ88681		0.010	0.06	0.79	36	0.10	4.05	56	0.7
ZZ88682		0.010	0.06	0.81	33	0.10	3.77	60	0.7
ZZ88683		0.009	0.06	0.90	28	0.07	5.64	72	0.6
ZZ88684		0.011	0.35	2.85	68	0.07	13.20	275	1.6
ZZ88685		0.009	0.32	2.26	74	0.13	6.30	155	0.5
ZZ88686		0.016	0.35	2.78	81	0.15	9.32	213	<0.5
ZZ88687		<0.005	0.35	1.77	77	0.06	4.89	216	<0.5
ZZ88688		0.007	0.26	0.88	70	0.14	3.08	104	<0.5
ZZ88689		0.005	0.29	2.12	42	<0.05	14.10	159	1.1
ZZ88690		0.005	0.26	2.23	50	<0.05	13.90	189	1.1
ZZ88691		0.011	0.29	2.12	48	<0.05	16.55	169	1.5
ZZ88692		<0.005	0.56	1.25	47	<0.05	16.45	208	3.0
ZZ88693		<0.005	0.45	1.80	43	<0.05	14.20	187	1.5
ZZ88694		<0.005	0.50	1.54	35	<0.05	6.92	166	<0.5
ZZ88695		0.011	0.21	0.88	60	0.16	3.17	87	<0.5
ZZ88696		0.011	0.20	1.24	51	0.11	5.09	138	<0.5
ZZ88697		0.020	0.17	1.08	53	0.20	5.55	101	<0.5
ZZ88698		0.015	0.18	1.22	52	0.09	4.20	133	<0.5
ZZ88699		0.012	0.19	0.80	54	0.13	2.60	114	<0.5
ZZ88700		<0.005	0.33	1.46	34	<0.05	10.55	141	1.2
ZZ88701		0.009	0.22	1.08	49	0.14	4.61	106	<0.5
ZZ88702		0.005	0.37	1.35	37	0.06	5.12	121	0.6
ZZ88703		0.008	0.20	1.07	39	0.11	6.45	98	<0.5
ZZ88704		0.009	0.32	1.33	38	0.08	7.23	130	<0.5
ZZ88705		0.017	0.25	1.26	34	0.13	7.31	124	2.0
ZZ88706		0.491	0.06	0.42	225	0.11	10.80	94	11.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88707		0.18	<0.001	0.10	1.70	9.3	<0.2	<10	120	1.76	0.57	0.08	0.09	17.05	30.4	29
ZZ88708		0.18	<0.001	0.08	1.92	7.7	<0.2	<10	140	2.48	0.62	0.07	0.05	13.65	34.1	32
ZZ88709		0.19	<0.001	0.05	2.16	9.1	<0.2	<10	130	2.43	0.64	0.02	0.06	15.00	42.6	36
ZZ88710		0.19	0.002	0.16	3.27	3.3	<0.2	<10	90	0.77	0.10	1.25	0.24	30.0	55.3	89
ZZ88711		0.20	0.006	0.02	4.75	4.6	<0.2	<10	170	0.76	0.12	1.04	0.29	32.4	70.0	123
ZZ88712		0.18	0.003	0.07	3.73	6.1	<0.2	<10	50	0.67	0.10	0.77	0.21	27.3	62.5	107
ZZ88713		0.20	0.001	0.10	1.53	21.5	<0.2	<10	130	0.40	0.33	0.07	0.19	25.7	12.3	29
ZZ88714		0.21	0.003	0.11	1.11	30.6	<0.2	<10	80	0.33	0.29	0.06	0.38	27.1	14.0	25
ZZ88715		0.21	0.006	0.39	1.11	37.7	<0.2	<10	100	0.66	0.28	0.17	0.72	44.2	21.9	16
ZZ88716		0.19	0.004	0.14	1.34	22.0	<0.2	<10	90	0.36	0.30	0.06	0.30	27.2	12.9	23
ZZ88717		0.18	0.016	0.23	0.93	17.5	<0.2	<10	110	0.30	0.27	0.02	0.28	33.0	14.0	15
ZZ88718		0.19	0.013	1.62	0.53	42.1	<0.2	<10	350	0.65	0.43	0.41	2.00	59.9	33.5	12
ZZ88719		0.22	0.020	2.04	0.85	46.5	<0.2	<10	250	0.71	0.40	0.44	3.91	60.1	35.7	15
ZZ88720		0.20	0.007	0.65	0.28	186.5	<0.2	<10	310	0.44	0.29	0.40	2.47	32.3	14.6	10
ZZ88721		0.18	0.008	0.63	0.32	104.5	<0.2	<10	270	0.34	0.26	0.30	1.65	44.5	25.4	9
ZZ88722		0.19	0.006	0.51	0.42	171.0	<0.2	<10	210	0.35	0.27	0.04	0.29	32.4	12.3	16
ZZ88723		0.18	0.004	0.23	0.34	74.5	<0.2	<10	140	0.33	0.27	0.02	0.55	38.2	19.8	12
ZZ88724		0.27	0.004	0.43	0.62	71.9	<0.2	<10	150	0.47	0.33	0.02	0.54	31.9	22.5	15
ZZ88725		0.23	0.001	0.05	2.20	10.4	<0.2	<10	110	1.00	0.33	0.13	0.23	38.9	17.8	39
ZZ88726		0.23	0.003	0.04	1.90	9.6	<0.2	<10	110	1.01	0.29	0.25	0.22	45.6	23.7	41
ZZ88727		0.19	0.006	0.13	3.00	18.0	<0.2	<10	70	1.01	0.24	0.72	0.23	51.6	62.8	81
ZZ88728		0.40	0.008	0.43	0.59	24.5	<0.2	<10	140	0.33	0.28	0.13	0.90	40.4	17.6	10
ZZ88729		0.44	0.009	0.61	0.41	36.2	<0.2	<10	120	0.31	0.30	0.13	1.87	52.1	21.2	8
ZZ88730		0.48	0.009	0.62	0.26	92.7	<0.2	<10	180	0.42	0.32	0.11	1.40	42.1	21.7	9
ZZ88731		0.37	0.015	0.97	0.38	78.3	<0.2	<10	240	0.59	0.33	0.31	0.62	53.1	20.0	11
ZZ88732		0.47	0.007	0.34	0.25	103.5	<0.2	<10	190	0.38	0.31	0.08	0.87	35.6	20.1	9
ZZ88733		0.42	0.008	0.54	0.35	55.3	<0.2	<10	190	0.41	0.34	0.10	0.91	34.6	19.2	9
ZZ88734		0.41	0.009	0.65	0.22	58.9	<0.2	<10	210	0.40	0.29	0.09	1.71	35.7	21.2	7
ZZ88735		0.34	0.009	0.60	0.27	85.7	<0.2	<10	210	0.46	0.32	0.09	0.79	31.7	19.9	11
ZZ88736		0.48	0.009	0.48	0.30	66.4	<0.2	<10	180	0.47	0.29	0.04	1.14	39.7	19.5	10
ZZ88737		0.33	0.002	0.07	1.23	24.8	<0.2	<10	100	0.56	0.44	0.05	0.30	20.4	16.0	24
ZZ88738		0.32	0.002	0.06	1.57	17.8	<0.2	<10	100	0.44	0.34	0.06	0.31	24.9	10.6	27
ZZ88739		0.24	0.002	0.04	1.53	11.5	<0.2	<10	90	0.62	0.35	0.07	0.28	30.8	11.8	30
ZZ88740		0.27	0.007	0.05	1.52	10.2	<0.2	<10	90	0.65	0.37	0.08	0.34	29.0	14.7	32
ZZ88741		0.26	0.002	0.04	1.77	12.0	<0.2	<10	80	0.51	0.32	0.07	0.25	26.8	11.8	31
ZZ88742		0.30	0.003	0.07	1.40	9.6	<0.2	<10	90	0.51	0.37	0.05	0.19	24.6	9.9	29
ZZ88743		0.31	0.001	0.06	1.30	11.4	<0.2	<10	90	0.37	0.38	0.06	0.20	23.2	9.4	26
ZZ88744		0.28	0.002	0.05	1.92	12.2	<0.2	<10	80	0.56	0.38	0.06	0.21	25.6	9.6	31
ZZ88745		0.34	0.001	0.10	1.46	12.2	<0.2	<10	80	0.85	0.41	0.03	0.24	15.45	13.4	25
ZZ88746		0.43	0.002	0.04	0.43	4.6	<0.2	<10	210	1.38	0.47	0.03	0.04	13.75	29.6	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88707		6.70	57.9	4.21	6.59	<0.05	0.03	0.03	0.029	0.08	6.0	36.5	0.47	2050	0.92	0.01
ZZ88708		7.93	67.2	4.92	7.01	<0.05	0.04	0.04	0.032	0.08	4.5	50.0	0.59	1920	1.22	0.01
ZZ88709		12.15	70.9	5.27	7.91	<0.05	0.04	0.02	0.031	0.09	4.8	51.3	0.60	2460	1.17	0.01
ZZ88710		1.39	312	6.60	12.15	0.09	0.19	0.04	0.042	0.06	10.5	29.3	2.23	1700	0.63	0.01
ZZ88711		2.62	433	8.95	17.25	0.08	0.22	0.01	0.055	0.07	13.7	39.8	3.28	2290	0.69	0.01
ZZ88712		1.36	251	8.33	13.40	0.06	0.13	0.05	0.054	0.03	7.1	28.2	2.24	1770	0.85	0.01
ZZ88713		4.00	48.4	3.69	6.56	<0.05	<0.02	0.08	0.029	0.06	13.5	9.0	0.22	541	3.81	<0.01
ZZ88714		3.24	53.8	5.35	5.05	0.05	<0.02	0.10	0.032	0.07	14.7	7.2	0.28	738	5.42	<0.01
ZZ88715		3.09	87.3	4.67	2.61	0.06	0.02	0.22	0.036	0.07	23.2	13.2	0.23	445	8.63	0.01
ZZ88716		3.55	49.6	4.61	5.19	0.05	<0.02	0.11	0.030	0.06	14.3	7.7	0.21	658	5.45	<0.01
ZZ88717		3.27	76.5	4.68	4.36	<0.05	0.02	0.10	0.035	0.07	19.5	2.9	0.08	134	5.90	0.01
ZZ88718		6.31	152.0	6.71	1.72	0.09	0.03	0.55	0.053	0.07	30.4	5.5	0.12	1210	13.70	0.01
ZZ88719		7.66	207	6.34	2.89	0.08	0.03	0.48	0.055	0.10	31.7	11.1	0.32	1430	19.30	0.02
ZZ88720		4.74	96.5	3.81	1.35	0.05	0.23	1.88	0.033	0.11	17.8	3.6	0.08	472	16.15	<0.01
ZZ88721		4.10	83.1	4.04	1.33	0.06	0.02	0.54	0.032	0.10	24.1	4.8	0.07	417	14.25	<0.01
ZZ88722		4.06	100.0	5.02	1.67	0.05	<0.02	0.56	0.038	0.10	18.5	1.8	0.04	228	13.35	0.01
ZZ88723		4.23	91.8	4.51	1.89	<0.05	<0.02	0.20	0.037	0.10	22.3	2.2	0.04	413	10.45	<0.01
ZZ88724		3.39	77.2	4.47	2.52	<0.05	<0.02	0.32	0.035	0.08	17.1	4.6	0.09	778	8.43	<0.01
ZZ88725		2.01	51.9	4.24	7.06	<0.05	0.02	0.04	0.034	0.06	17.7	22.7	0.58	980	1.42	<0.01
ZZ88726		1.80	101.0	4.16	6.69	0.06	0.04	0.04	0.037	0.05	20.1	21.6	0.74	788	1.71	<0.01
ZZ88727		2.64	293	6.69	12.55	0.09	0.09	0.05	0.074	0.06	25.5	34.9	1.57	1270	3.61	0.01
ZZ88728		8.62	95.4	4.32	1.91	0.06	<0.02	0.33	0.037	0.07	20.9	5.7	0.17	524	8.59	<0.01
ZZ88729		11.45	102.0	4.63	1.48	0.07	0.02	0.25	0.035	0.07	26.7	4.3	0.10	677	10.50	<0.01
ZZ88730		8.61	109.0	5.04	1.31	0.05	<0.02	1.44	0.042	0.08	21.3	2.7	0.05	654	9.87	<0.01
ZZ88731		7.43	133.5	5.62	1.80	0.07	0.04	1.00	0.049	0.11	29.6	5.1	0.09	450	9.71	<0.01
ZZ88732		6.82	99.4	4.56	1.20	<0.05	<0.02	0.48	0.038	0.08	18.7	2.3	0.04	500	12.20	<0.01
ZZ88733		9.66	112.5	4.64	1.48	<0.05	0.03	0.35	0.043	0.07	18.8	2.7	0.06	513	11.50	<0.01
ZZ88734		7.30	103.5	4.01	1.14	0.05	<0.02	0.57	0.036	0.07	18.9	2.3	0.04	814	10.55	<0.01
ZZ88735		5.58	112.5	4.15	1.58	<0.05	0.02	1.04	0.047	0.09	17.6	2.4	0.05	501	13.60	0.02
ZZ88736		5.15	107.5	4.05	1.76	0.05	<0.02	0.63	0.042	0.09	21.8	2.8	0.05	581	13.40	0.02
ZZ88737		3.26	52.9	4.23	5.40	<0.05	<0.02	0.13	0.036	0.06	10.2	14.3	0.26	619	3.33	0.02
ZZ88738		2.56	30.3	3.31	6.38	<0.05	<0.02	0.07	0.033	0.05	12.2	17.7	0.37	381	2.72	0.02
ZZ88739		1.86	35.4	3.71	7.04	<0.05	<0.02	0.05	0.033	0.07	14.4	11.3	0.28	716	1.78	0.02
ZZ88740		1.76	35.2	4.53	7.31	<0.05	<0.02	0.05	0.035	0.08	13.9	11.0	0.27	795	1.58	0.02
ZZ88741		1.81	26.3	3.32	6.77	<0.05	<0.02	0.04	0.034	0.06	12.2	17.1	0.38	473	1.72	0.02
ZZ88742		2.01	35.0	3.67	6.75	<0.05	<0.02	0.05	0.033	0.06	11.6	8.2	0.19	593	1.86	0.02
ZZ88743		2.11	23.3	3.39	6.46	<0.05	<0.02	0.05	0.028	0.06	11.1	11.5	0.27	455	1.87	0.02
ZZ88744		4.23	37.0	3.03	7.52	<0.05	<0.02	0.04	0.036	0.06	12.5	17.8	0.44	334	1.92	0.02
ZZ88745		5.25	45.4	3.74	7.07	<0.05	<0.02	0.07	0.031	0.08	6.9	13.9	0.28	611	1.74	0.02
ZZ88746		5.41	54.4	4.19	2.31	<0.05	<0.02	0.03	0.032	0.06	5.7	5.0	0.09	1300	0.80	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88707		0.24	29.5	940	50.2	10.6	<0.001	0.08	0.38	2.3	0.6	0.5	13.0	<0.01	0.03	1.5
ZZ88708		0.28	33.1	640	46.6	12.3	<0.001	0.05	0.44	3.4	0.8	0.6	12.9	<0.01	0.03	3.6
ZZ88709		0.28	32.4	760	60.4	14.7	<0.001	0.06	0.46	3.2	0.6	0.7	11.6	<0.01	0.04	2.9
ZZ88710		2.03	61.4	780	7.6	7.6	<0.001	0.08	0.19	16.8	0.9	0.7	18.0	<0.01	0.03	0.8
ZZ88711		0.88	98.1	420	8.8	11.2	<0.001	0.02	0.18	25.5	1.2	1.0	21.6	<0.01	0.02	1.8
ZZ88712		1.61	74.0	680	8.6	4.4	<0.001	0.07	0.22	16.6	0.8	0.8	15.0	<0.01	0.03	0.8
ZZ88713		0.32	22.4	870	12.6	13.8	<0.001	0.05	1.11	1.1	1.0	0.7	9.0	<0.01	0.06	<0.2
ZZ88714		0.47	29.1	1500	15.9	10.5	0.001	0.07	1.70	1.6	1.3	0.4	11.5	<0.01	0.07	0.4
ZZ88715		0.27	45.1	1490	19.3	5.9	0.002	0.06	2.72	2.4	2.2	0.3	28.0	<0.01	0.07	1.3
ZZ88716		0.49	23.6	1460	19.1	8.5	0.001	0.09	1.66	0.8	1.6	0.5	12.2	<0.01	0.06	0.2
ZZ88717		0.18	34.4	2250	25.2	10.5	0.001	0.13	1.52	0.8	1.5	0.4	31.9	<0.01	0.06	0.3
ZZ88718		<0.05	80.0	1880	33.6	4.9	0.003	0.12	4.84	4.7	4.6	0.3	71.5	<0.01	0.13	3.7
ZZ88719		0.05	81.5	1870	37.7	6.5	0.005	0.16	7.03	4.6	5.0	0.3	71.9	<0.01	0.14	2.7
ZZ88720		0.06	33.2	1280	21.1	6.3	0.005	0.05	3.00	5.3	2.1	0.3	67.2	<0.01	0.08	3.9
ZZ88721		0.06	56.1	1330	23.6	6.1	0.007	0.10	2.81	3.8	3.2	0.3	36.3	<0.01	0.12	1.7
ZZ88722		<0.05	36.0	3420	20.2	6.8	0.003	0.13	2.48	2.1	3.8	0.3	43.4	<0.01	0.09	0.4
ZZ88723		0.05	43.4	1490	19.8	7.1	0.002	0.04	2.16	1.7	2.7	0.4	16.1	<0.01	0.10	0.4
ZZ88724		0.09	39.7	1360	22.7	7.7	0.001	0.03	1.73	1.4	1.9	0.4	18.0	<0.01	0.06	0.3
ZZ88725		0.60	26.3	830	20.1	10.8	<0.001	0.07	0.71	2.7	0.8	0.7	8.1	<0.01	0.05	0.5
ZZ88726		1.07	42.9	670	17.1	8.6	<0.001	0.02	0.62	5.9	0.8	0.6	11.5	<0.01	0.03	2.4
ZZ88727		1.60	69.3	940	19.7	13.0	<0.001	0.07	0.51	15.6	1.8	0.8	18.2	<0.01	0.05	1.2
ZZ88728		0.12	38.8	1320	19.6	6.2	0.001	0.04	1.69	1.7	2.2	0.2	17.4	<0.01	0.10	0.4
ZZ88729		0.08	43.9	1630	21.1	5.9	0.002	0.02	1.92	3.0	2.7	0.2	16.3	<0.01	0.08	1.2
ZZ88730		0.06	45.5	1420	21.1	6.0	0.002	0.04	2.66	4.1	2.4	0.3	30.1	<0.01	0.11	1.1
ZZ88731		0.12	54.8	2040	22.0	7.6	0.002	0.02	2.36	6.7	2.8	0.3	54.3	<0.01	0.13	3.9
ZZ88732		0.09	44.6	1640	22.2	7.1	0.003	0.05	2.29	3.2	2.0	0.3	47.5	<0.01	0.12	1.1
ZZ88733		0.08	45.6	1730	21.0	7.4	0.002	0.05	2.76	2.1	2.3	0.3	23.4	<0.01	0.12	0.7
ZZ88734		0.07	50.2	1140	19.5	6.0	0.003	0.02	2.08	3.0	2.0	0.2	26.7	<0.01	0.08	0.9
ZZ88735		0.09	47.4	1340	20.6	7.4	0.003	0.05	2.63	3.4	2.0	0.3	42.2	<0.01	0.14	0.6
ZZ88736		0.08	48.7	1300	19.3	7.2	0.002	0.04	2.64	2.9	2.2	0.3	19.4	<0.01	0.14	0.7
ZZ88737		0.37	29.4	750	22.0	10.7	0.001	0.04	0.89	1.0	0.9	0.6	10.7	<0.01	0.06	0.2
ZZ88738		0.77	23.7	520	18.0	9.3	<0.001	0.03	1.02	1.2	1.1	0.7	8.3	<0.01	0.05	0.3
ZZ88739		0.65	18.7	740	17.6	14.1	<0.001	0.06	0.72	1.1	0.8	0.8	7.8	<0.01	0.04	0.2
ZZ88740		0.73	18.6	820	21.4	13.1	<0.001	0.06	0.75	1.2	0.6	0.7	8.2	<0.01	0.05	0.2
ZZ88741		0.99	20.7	490	15.2	11.4	<0.001	0.04	0.81	1.4	0.8	0.8	8.2	<0.01	0.03	0.3
ZZ88742		0.80	17.2	650	15.7	13.5	0.001	0.06	0.76	1.3	0.6	0.9	6.9	<0.01	0.03	0.2
ZZ88743		0.90	18.7	550	18.0	11.9	<0.001	0.05	0.85	1.0	0.7	0.8	7.6	<0.01	0.03	0.2
ZZ88744		0.94	23.6	580	17.6	13.5	<0.001	0.05	0.77	1.6	0.8	0.8	9.3	<0.01	0.03	0.3
ZZ88745		0.51	20.5	990	20.9	14.3	<0.001	0.09	0.67	0.8	0.8	0.7	5.7	<0.01	0.05	0.2
ZZ88746		0.22	38.3	410	30.6	6.5	<0.001	0.01	0.21	4.4	0.6	0.5	10.5	<0.01	0.02	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88707		0.008	0.08	1.29	26	<0.05	7.90	94	1.0
ZZ88708		0.010	0.09	1.04	30	0.05	8.63	85	1.1
ZZ88709		0.010	0.10	1.11	34	<0.05	9.42	96	1.3
ZZ88710		0.369	0.08	0.36	202	0.10	18.65	87	6.4
ZZ88711		0.464	0.11	0.57	258	0.09	23.1	116	8.5
ZZ88712		0.346	0.07	0.39	236	0.07	11.40	99	4.8
ZZ88713		0.022	0.21	1.00	75	0.13	4.44	86	<0.5
ZZ88714		0.039	0.18	1.11	59	0.11	3.98	126	0.5
ZZ88715		0.012	0.22	1.60	37	0.06	9.93	199	0.8
ZZ88716		0.016	0.20	1.51	55	0.14	4.24	89	0.8
ZZ88717		<0.005	0.24	0.96	45	0.05	3.46	150	0.8
ZZ88718		<0.005	0.32	2.27	38	<0.05	22.8	356	1.6
ZZ88719		<0.005	0.48	3.57	52	<0.05	23.4	406	1.7
ZZ88720		<0.005	0.48	1.50	38	<0.05	12.00	169	11.8
ZZ88721		<0.005	0.34	1.46	33	<0.05	12.75	158	0.7
ZZ88722		<0.005	0.47	3.58	42	<0.05	7.80	151	<0.5
ZZ88723		<0.005	0.30	1.21	43	<0.05	5.37	166	<0.5
ZZ88724		0.005	0.30	1.29	41	0.05	7.23	156	<0.5
ZZ88725		0.059	0.13	0.93	80	0.13	8.92	93	0.5
ZZ88726		0.106	0.11	0.90	88	0.14	10.90	88	1.7
ZZ88727		0.136	0.18	0.56	175	0.10	31.2	97	2.7
ZZ88728		0.008	0.29	1.33	25	<0.05	11.45	109	<0.5
ZZ88729		<0.005	0.41	1.71	21	<0.05	13.95	128	0.5
ZZ88730		<0.005	0.66	1.67	29	<0.05	12.70	131	<0.5
ZZ88731		<0.005	0.43	2.10	35	<0.05	17.65	165	2.4
ZZ88732		<0.005	0.62	2.12	30	<0.05	10.35	140	0.5
ZZ88733		<0.005	0.37	1.61	31	<0.05	10.85	185	0.7
ZZ88734		<0.005	0.89	1.81	25	<0.05	9.52	132	<0.5
ZZ88735		<0.005	0.53	1.61	42	<0.05	14.10	173	<0.5
ZZ88736		<0.005	0.45	1.75	39	<0.05	14.10	173	<0.5
ZZ88737		0.016	0.17	1.00	46	0.12	5.26	95	<0.5
ZZ88738		0.026	0.17	0.80	56	0.27	3.94	84	<0.5
ZZ88739		0.031	0.16	0.67	68	0.17	4.70	81	<0.5
ZZ88740		0.039	0.12	0.70	68	0.13	4.07	88	0.6
ZZ88741		0.050	0.14	0.75	58	0.24	4.51	86	0.5
ZZ88742		0.037	0.16	0.70	69	0.17	4.90	71	0.5
ZZ88743		0.036	0.14	0.74	57	0.22	3.41	78	<0.5
ZZ88744		0.034	0.21	0.92	59	0.25	5.40	83	<0.5
ZZ88745		0.017	0.12	0.89	42	0.13	4.52	76	<0.5
ZZ88746		0.007	0.07	1.43	26	<0.05	7.78	106	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88747		0.41	0.003	0.06	1.21	10.5	<0.2	<10	220	2.43	1.16	0.09	0.04	17.20	42.2	20
ZZ88748		0.47	0.013	0.66	0.45	39.6	<0.2	<10	190	0.48	0.25	1.16	1.68	41.3	21.5	12
ZZ88749		0.40	0.008	0.32	0.69	89.6	<0.2	<10	80	0.67	0.20	1.53	0.45	30.0	21.6	16
ZZ88750		0.46	0.003	0.19	0.41	89.6	<0.2	<10	200	0.47	0.16	1.82	0.94	14.10	17.8	10
ZZ88751		0.21	0.004	0.21	2.23	14.4	<0.2	<10	100	1.29	0.35	0.46	0.29	64.7	49.4	50
ZZ88752		0.26	0.007	0.18	2.40	25.3	<0.2	<10	60	0.85	0.26	0.56	0.27	53.6	65.4	64
ZZ88753		0.23	0.003	0.04	1.81	8.4	<0.2	<10	90	1.00	0.38	0.09	0.21	42.0	15.6	30
ZZ88754		0.26	0.002	0.11	1.70	10.7	<0.2	<10	90	1.30	0.43	0.21	0.17	79.3	39.7	27
ZZ88755		0.23	0.003	0.06	1.90	11.8	<0.2	<10	110	0.91	0.31	0.10	0.26	35.8	19.5	34
ZZ88756		0.22	0.003	0.02	1.89	10.3	<0.2	<10	80	0.66	0.36	0.07	0.30	33.2	12.0	31
ZZ88757		0.22	0.003	0.09	1.95	3.4	<0.2	<10	450	1.99	0.50	0.35	0.10	38.8	28.3	38
ZZ88758		0.30	0.008	0.17	2.03	13.0	<0.2	<10	620	1.19	0.43	0.49	0.14	96.4	39.6	41
ZZ88759		0.20	0.002	0.14	1.45	3.4	<0.2	<10	260	2.39	0.60	0.13	0.08	71.4	30.4	25
ZZ88760		0.22	0.001	0.10	1.80	2.4	<0.2	<10	140	2.04	0.58	0.04	0.09	47.0	27.4	28
ZZ88761		0.19	0.001	0.06	1.09	107.5	<0.2	<10	150	0.85	0.34	0.12	0.09	65.0	19.2	20
ZZ88762		0.22	0.004	0.15	3.01	8.8	<0.2	<10	170	0.83	0.21	0.81	0.18	43.0	39.1	74
ZZ88763		0.24	0.005	0.09	3.21	2.7	<0.2	<10	120	0.62	0.07	0.91	0.19	24.9	48.1	105
ZZ88764		0.30	0.006	0.13	3.09	10.8	<0.2	<10	40	0.72	0.10	1.51	0.33	32.3	68.3	93
ZZ88765		0.29	0.008	0.18	3.36	5.3	<0.2	<10	60	0.60	0.10	1.35	0.31	22.8	53.7	87
ZZ88766		0.29	0.019	0.17	3.38	5.2	<0.2	<10	60	0.57	0.10	1.35	0.30	22.6	54.7	88
ZZ88767		0.25	0.005	0.10	3.16	3.3	<0.2	<10	100	0.60	0.08	0.84	0.17	24.6	48.3	108
ZZ88768		0.20	<0.001	0.07	1.64	99.4	<0.2	<10	100	0.54	0.22	0.05	0.14	37.8	17.6	37
ZZ88769		0.24	0.002	0.19	1.16	120.0	<0.2	<10	340	0.74	0.33	0.28	0.16	53.9	23.1	22
ZZ88770		0.20	0.003	0.18	0.98	96.6	<0.2	<10	230	0.76	0.31	0.23	0.15	54.9	22.4	21
ZZ88771		0.19	0.001	0.05	0.75	33.5	<0.2	<10	60	0.24	0.24	0.03	0.13	31.9	9.1	21
ZZ88772		0.27	<0.001	0.06	0.77	5.4	<0.2	<10	120	0.85	0.45	0.09	0.15	8.45	16.5	19
ZZ88773		0.23	0.003	0.10	1.72	5.6	<0.2	<10	300	1.95	0.49	0.09	0.06	12.10	34.9	29
ZZ88774		0.22	0.002	0.03	1.70	14.0	<0.2	<10	170	1.88	0.48	0.11	0.05	19.15	24.6	24
ZZ88775		0.17	0.001	0.07	1.43	12.4	<0.2	<10	60	0.65	0.37	0.04	0.10	15.60	13.7	24
ZZ88776		0.27	0.001	0.11	0.41	28.8	<0.2	<10	70	0.84	0.54	0.05	0.02	28.4	13.6	13
ZZ88777		0.23	0.001	0.08	1.12	16.5	<0.2	<10	70	1.31	0.49	0.07	0.07	20.7	21.6	21
ZZ88778		0.60	0.018	0.99	0.75	66.9	<0.2	<10	460	0.54	0.25	0.30	1.21	51.7	19.5	17
ZZ88779		0.41	0.025	1.46	1.06	86.9	<0.2	<10	560	0.74	0.28	0.20	1.21	41.1	19.8	20
ZZ88780		0.51	0.005	1.75	0.22	42.9	<0.2	<10	180	0.59	0.24	3.29	5.08	26.8	20.5	9
ZZ88781		0.44	0.003	0.54	0.34	56.9	<0.2	<10	110	0.72	0.10	0.34	1.31	91.4	21.6	13
ZZ88782		0.57	0.013	0.56	0.65	60.4	<0.2	<10	160	0.45	0.20	1.06	1.31	16.00	15.5	19
ZZ88783		0.48	0.007	0.22	0.44	124.0	<0.2	<10	210	0.57	0.21	1.77	0.40	26.4	33.2	13
ZZ88784		0.38	0.009	0.34	0.51	86.4	<0.2	<10	100	0.34	0.21	0.91	0.63	25.6	26.3	16
ZZ88785		0.30	0.007	0.89	0.58	138.5	<0.2	<10	80	0.47	0.20	0.62	3.83	25.9	21.2	16
ZZ88786		0.52	0.015	0.68	0.43	53.0	<0.2	<10	150	0.34	0.26	4.39	0.91	18.60	20.4	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88747		6.56	111.5	4.70	4.27	<0.05	0.03	0.04	0.027	0.07	4.6	21.5	0.38	1700	1.05	0.02
ZZ88748		9.99	107.5	3.90	1.96	0.06	0.27	0.53	0.038	0.12	20.1	5.6	0.39	367	8.23	0.02
ZZ88749		13.50	120.5	2.89	2.51	0.05	0.14	0.34	0.039	0.10	14.1	6.4	0.74	1280	4.89	0.02
ZZ88750		9.80	80.7	1.93	1.63	<0.05	0.10	0.40	0.028	0.06	8.1	4.7	0.72	1600	3.87	0.02
ZZ88751		2.83	190.0	5.17	8.25	0.08	0.08	0.06	0.052	0.12	30.4	23.7	0.99	1440	1.21	0.03
ZZ88752		1.38	232	6.70	9.81	0.09	0.16	0.10	0.057	0.08	23.6	26.2	1.38	1500	2.92	0.02
ZZ88753		1.88	42.6	3.74	6.29	0.05	0.02	0.03	0.031	0.06	18.7	23.4	0.46	764	1.47	0.02
ZZ88754		2.08	96.1	3.95	6.14	0.09	0.18	0.03	0.034	0.12	35.4	22.7	0.73	1100	0.67	0.02
ZZ88755		2.02	61.2	3.38	6.23	0.05	<0.02	0.04	0.037	0.07	14.3	21.7	0.53	719	1.52	0.02
ZZ88756		1.98	30.6	3.38	6.87	<0.05	<0.02	0.02	0.030	0.06	15.2	21.6	0.49	448	1.69	0.02
ZZ88757		6.38	106.0	4.42	6.92	0.06	0.05	0.03	0.029	0.08	16.5	50.3	0.96	1050	0.84	0.03
ZZ88758		3.99	161.0	4.59	7.71	0.12	0.14	0.06	0.030	0.10	45.1	47.2	1.06	1860	1.31	0.03
ZZ88759		3.99	55.1	4.01	5.13	0.08	0.02	0.04	0.023	0.10	36.2	19.1	0.39	1210	0.89	0.02
ZZ88760		7.12	43.9	4.44	6.83	0.05	0.04	0.02	0.025	0.08	19.6	46.4	0.57	1520	0.70	0.02
ZZ88761		1.88	63.1	3.45	3.96	0.07	0.04	0.49	0.031	0.14	30.9	14.6	0.43	483	0.49	0.02
ZZ88762		1.55	210	6.08	9.58	0.09	0.22	0.07	0.043	0.10	19.6	25.9	2.10	1540	0.53	<0.01
ZZ88763		1.19	245	8.00	11.80	0.12	0.28	0.03	0.050	0.07	9.9	24.2	2.55	1550	0.27	<0.01
ZZ88764		2.23	279	8.68	12.55	0.14	0.24	0.05	0.063	0.03	13.9	26.9	2.10	2530	0.65	<0.01
ZZ88765		1.88	457	6.86	12.00	0.12	0.37	0.03	0.037	0.06	9.5	28.1	2.40	1520	1.07	<0.01
ZZ88766		1.86	447	6.91	12.25	0.13	0.40	0.03	0.038	0.06	9.5	28.4	2.43	1540	1.29	<0.01
ZZ88767		1.11	271	7.94	11.50	0.11	0.22	0.05	0.049	0.06	10.1	23.5	2.44	1540	0.31	<0.01
ZZ88768		1.00	47.2	4.36	5.27	0.05	<0.02	0.32	0.032	0.08	17.1	13.4	0.53	610	0.68	<0.01
ZZ88769		2.54	82.2	4.44	4.03	0.07	0.02	0.71	0.039	0.17	26.1	11.9	0.34	1110	0.67	<0.01
ZZ88770		2.43	79.0	4.38	3.21	0.07	0.04	0.67	0.036	0.17	25.8	8.1	0.34	1090	0.51	<0.01
ZZ88771		1.28	43.7	3.19	5.43	<0.05	<0.02	0.08	0.027	0.08	15.5	1.4	0.08	323	0.67	<0.01
ZZ88772		4.80	42.3	4.23	3.01	<0.05	<0.02	0.03	0.019	0.08	3.5	9.0	0.17	520	0.71	<0.01
ZZ88773		7.00	56.3	4.79	5.13	<0.05	0.08	0.04	0.025	0.08	3.8	33.7	0.49	1430	0.83	0.01
ZZ88774		8.83	56.9	4.47	5.37	<0.05	0.07	0.02	0.026	0.07	5.5	44.5	0.43	1400	0.96	<0.01
ZZ88775		5.45	34.6	4.33	6.22	<0.05	0.04	0.04	0.023	0.07	7.3	27.4	0.28	646	1.18	<0.01
ZZ88776		2.21	37.8	2.65	2.24	<0.05	0.06	0.62	0.031	0.06	14.1	2.5	0.05	227	0.39	<0.01
ZZ88777		6.32	36.8	4.05	4.30	<0.05	0.05	0.05	0.026	0.07	8.8	18.4	0.27	835	0.87	<0.01
ZZ88778		14.10	179.0	5.58	2.66	0.08	0.03	0.38	0.042	0.13	28.6	8.0	0.18	444	10.50	0.01
ZZ88779		15.95	234	5.77	3.40	0.07	0.03	0.26	0.044	0.13	22.5	12.4	0.21	370	13.30	<0.01
ZZ88780		20.1	109.0	4.45	0.93	0.06	0.58	0.49	0.044	0.07	15.4	1.8	0.50	317	36.3	<0.01
ZZ88781		6.22	83.0	7.89	1.21	0.15	0.03	0.58	0.036	0.06	39.2	3.8	0.07	557	10.00	<0.01
ZZ88782		4.89	141.5	3.07	2.34	<0.05	0.23	0.52	0.038	0.10	8.9	6.0	0.52	787	6.36	<0.01
ZZ88783		12.25	107.0	2.76	2.14	0.05	0.14	0.62	0.039	0.10	14.0	6.9	1.05	1030	3.61	<0.01
ZZ88784		5.26	88.6	4.27	2.21	0.06	0.18	0.83	0.039	0.08	12.6	2.9	0.23	607	11.20	<0.01
ZZ88785		5.60	92.1	4.95	2.21	0.06	0.26	1.10	0.037	0.10	12.9	3.9	0.23	452	16.75	<0.01
ZZ88786		3.85	170.5	3.69	1.81	<0.05	0.29	0.95	0.041	0.10	9.9	3.4	1.96	1900	12.35	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88747		0.12	48.5	510	58.5	8.2	0.001	0.04	0.33	4.0	1.0	0.5	8.1	<0.01	0.06	4.9
ZZ88748		0.06	53.5	2020	20.5	9.3	0.007	0.88	1.78	5.7	4.4	0.3	53.2	<0.01	0.09	5.2
ZZ88749		<0.05	40.3	1320	14.4	8.8	0.011	0.33	1.54	4.7	1.2	0.4	58.5	<0.01	0.06	4.1
ZZ88750		<0.05	35.4	550	12.2	5.1	0.007	0.07	1.17	3.7	1.5	0.3	105.0	<0.01	0.08	2.3
ZZ88751		0.66	52.9	720	36.8	13.3	<0.001	0.06	0.55	12.2	1.7	0.6	17.4	<0.01	0.04	3.9
ZZ88752		0.58	71.4	620	23.3	7.9	0.001	0.04	0.58	16.5	1.7	0.7	12.0	<0.01	0.05	4.2
ZZ88753		0.55	28.7	630	19.8	10.3	<0.001	0.04	0.68	1.6	0.9	0.6	8.5	<0.01	0.03	0.6
ZZ88754		0.09	40.4	450	38.9	9.2	0.001	0.02	0.33	5.1	0.9	0.5	12.7	<0.01	0.03	8.8
ZZ88755		0.83	31.7	660	17.2	12.4	<0.001	0.05	0.83	3.3	1.1	0.7	9.9	<0.01	0.03	0.7
ZZ88756		0.80	25.7	460	17.0	11.0	<0.001	0.03	0.73	2.0	0.7	0.8	9.1	<0.01	0.03	0.7
ZZ88757		0.72	40.4	530	39.1	10.0	<0.001	0.04	0.29	5.8	0.8	0.7	14.9	<0.01	0.04	6.6
ZZ88758		0.76	44.6	520	49.2	11.0	<0.001	0.05	0.39	9.6	1.1	0.7	28.4	<0.01	0.04	10.9
ZZ88759		0.21	26.5	1320	41.1	12.4	<0.001	0.11	0.29	0.8	0.7	0.5	9.9	<0.01	0.02	0.7
ZZ88760		0.24	30.0	760	46.0	12.9	<0.001	0.03	0.25	1.8	0.6	0.6	7.5	<0.01	0.03	2.9
ZZ88761		0.14	30.0	430	26.4	10.2	<0.001	0.04	0.76	4.9	0.8	0.4	10.3	<0.01	0.08	6.3
ZZ88762		0.39	62.8	550	18.1	7.2	0.001	0.04	0.25	12.2	0.9	0.5	23.2	<0.01	0.03	3.4
ZZ88763		0.09	84.1	560	4.6	5.7	0.001	0.02	0.09	20.1	0.8	0.6	13.1	<0.01	0.02	1.6
ZZ88764		0.76	85.9	520	12.8	5.8	0.001	0.05	0.28	25.6	1.1	0.7	17.0	<0.01	0.02	1.8
ZZ88765		1.67	73.4	710	9.1	9.5	0.001	0.05	0.19	14.7	0.9	0.7	13.3	<0.01	0.03	1.6
ZZ88766		1.72	75.5	710	9.6	9.6	0.001	0.04	0.18	14.8	1.0	0.8	13.5	<0.01	0.04	1.7
ZZ88767		0.37	82.4	530	5.4	5.7	<0.001	0.03	0.11	20.6	0.9	0.6	12.3	<0.01	0.03	1.5
ZZ88768		0.36	29.0	490	18.7	10.1	<0.001	0.05	1.22	2.7	0.3	0.4	8.8	<0.01	0.05	0.6
ZZ88769		0.16	32.7	630	32.6	13.0	<0.001	0.04	1.03	5.8	0.7	0.4	18.9	<0.01	0.06	2.8
ZZ88770		0.10	32.8	590	31.1	11.2	<0.001	0.04	0.83	7.1	0.7	0.3	16.9	<0.01	0.06	5.2
ZZ88771		0.18	15.1	590	12.5	14.9	<0.001	0.05	0.49	1.0	0.2	0.5	3.8	<0.01	0.04	<0.2
ZZ88772		0.21	28.8	670	20.9	8.6	<0.001	0.04	0.39	1.1	0.3	0.5	8.3	<0.01	0.03	0.5
ZZ88773		0.24	31.3	1500	44.5	11.1	<0.001	0.09	0.29	2.1	0.5	0.4	9.8	<0.01	0.03	1.4
ZZ88774		0.23	34.1	620	46.6	14.4	<0.001	0.03	0.33	2.8	0.3	0.5	13.1	<0.01	0.04	3.3
ZZ88775		0.83	19.2	470	32.7	13.9	<0.001	0.03	0.55	2.2	0.4	0.6	6.8	<0.01	0.04	3.4
ZZ88776		<0.05	27.9	220	19.2	5.1	<0.001	0.02	0.09	5.0	0.2	0.4	39.7	<0.01	0.02	6.4
ZZ88777		0.10	29.2	850	63.0	8.4	<0.001	0.05	0.24	1.7	0.4	0.5	9.3	<0.01	0.03	1.7
ZZ88778		0.08	62.2	2250	24.2	10.1	0.003	0.09	3.34	3.8	2.9	0.3	82.4	<0.01	0.10	1.7
ZZ88779		0.16	59.0	3090	25.4	12.5	0.003	0.08	4.71	2.7	3.6	0.4	68.6	<0.01	0.16	1.0
ZZ88780		<0.05	102.0	510	21.7	5.1	0.008	0.12	10.75	5.7	4.5	0.2	94.7	<0.01	0.08	5.5
ZZ88781		0.11	64.6	3210	17.0	4.1	0.001	0.06	1.70	8.2	2.2	0.2	41.9	<0.01	0.02	4.6
ZZ88782		<0.05	33.4	1670	14.2	7.2	0.019	0.60	1.65	4.0	3.0	0.4	68.7	<0.01	0.14	2.4
ZZ88783		<0.05	65.4	1110	13.0	7.1	0.009	0.50	1.62	5.4	1.3	0.4	104.5	<0.01	0.12	3.3
ZZ88784		<0.05	56.8	2220	24.7	6.0	0.012	0.71	2.13	4.9	4.8	0.5	56.9	<0.01	0.10	3.3
ZZ88785		<0.05	56.3	1390	20.7	6.7	0.015	1.10	3.01	5.1	8.0	0.4	35.6	<0.01	0.06	3.9
ZZ88786		<0.05	47.5	1750	18.4	7.0	0.011	0.94	1.35	5.6	4.1	0.4	142.5	<0.01	0.18	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88747		<0.005	0.11	1.86	19	<0.05	16.40	88	1.1
ZZ88748		<0.005	0.46	2.48	32	<0.05	16.95	155	13.1
ZZ88749		<0.005	0.42	1.00	39	<0.05	13.80	95	6.9
ZZ88750		<0.005	0.54	0.75	31	<0.05	8.37	92	4.1
ZZ88751		0.075	0.17	0.90	99	0.08	24.7	99	2.6
ZZ88752		0.145	0.18	0.50	137	0.07	25.7	97	5.1
ZZ88753		0.030	0.13	0.94	49	0.15	7.91	83	<0.5
ZZ88754		0.023	0.15	1.03	36	<0.05	14.40	88	8.9
ZZ88755		0.059	0.16	0.93	68	0.21	9.01	96	0.5
ZZ88756		0.039	0.17	0.80	56	0.23	5.58	82	<0.5
ZZ88757		0.067	0.09	1.12	56	0.06	15.40	92	2.0
ZZ88758		0.171	0.19	1.17	88	0.11	20.5	76	5.6
ZZ88759		0.012	0.08	1.45	27	<0.05	9.55	66	0.6
ZZ88760		0.012	0.08	1.21	30	<0.05	7.58	82	1.2
ZZ88761		0.007	0.31	0.69	26	<0.05	11.00	69	2.2
ZZ88762		0.165	0.09	0.57	127	0.05	18.00	94	7.2
ZZ88763		0.184	0.04	0.24	201	<0.05	18.15	105	8.9
ZZ88764		0.275	0.13	0.32	229	0.06	26.7	118	6.9
ZZ88765		0.455	0.09	0.50	191	0.13	18.90	108	11.7
ZZ88766		0.458	0.10	0.52	189	0.14	19.10	104	12.1
ZZ88767		0.179	0.05	0.26	206	0.05	21.0	103	6.9
ZZ88768		0.026	0.28	0.46	67	0.07	3.95	72	<0.5
ZZ88769		0.010	0.37	1.05	40	<0.05	12.80	93	0.7
ZZ88770		0.010	0.35	1.12	38	<0.05	12.45	89	1.9
ZZ88771		0.020	0.11	0.37	87	0.05	2.61	68	<0.5
ZZ88772		0.012	0.06	0.89	26	0.07	5.25	86	<0.5
ZZ88773		0.010	0.08	1.43	22	0.06	7.15	92	2.2
ZZ88774		0.006	0.12	2.33	25	0.05	10.70	98	2.2
ZZ88775		0.020	0.10	1.09	38	0.13	4.54	81	1.8
ZZ88776		<0.005	0.04	0.97	20	<0.05	5.42	80	2.8
ZZ88777		<0.005	0.07	1.77	21	<0.05	4.91	109	1.2
ZZ88778		<0.005	0.35	2.91	66	<0.05	14.55	293	1.0
ZZ88779		0.006	0.42	4.51	99	0.05	17.90	347	1.0
ZZ88780		<0.005	0.87	3.15	40	<0.05	13.70	656	27.4
ZZ88781		<0.005	0.95	3.55	27	<0.05	22.2	146	1.7
ZZ88782		<0.005	0.12	2.84	85	<0.05	16.20	207	7.8
ZZ88783		<0.005	0.19	1.34	34	<0.05	12.30	116	6.5
ZZ88784		<0.005	0.30	1.92	46	<0.05	17.15	136	7.9
ZZ88785		<0.005	0.38	2.08	55	<0.05	12.10	209	11.0
ZZ88786		<0.005	0.17	1.90	40	<0.05	18.50	178	12.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ88787		0.45	0.010	0.46	0.33	68.3	<0.2	<10	250	0.24	0.30	2.10	1.19	10.50	27.3	15
ZZ88788		0.39	0.014	0.50	0.23	51.3	<0.2	<10	120	0.21	0.22	0.83	1.54	22.1	18.8	13
ZZ88789		0.37	0.022	1.59	0.53	89.6	<0.2	<10	170	0.48	0.30	1.12	4.18	23.7	22.4	18
ZZ88790		0.56	0.015	0.47	0.29	46.2	<0.2	<10	200	0.44	0.45	1.04	1.60	18.95	28.9	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ88787		3.40	112.0	3.36	1.61	<0.05	0.31	1.20	0.042	0.08	5.4	2.2	0.75	936	6.77	<0.01
ZZ88788		2.80	114.5	3.35	1.26	<0.05	0.29	1.70	0.035	0.07	11.3	1.4	0.22	408	11.00	<0.01
ZZ88789		6.64	197.5	2.80	2.48	0.06	0.28	2.82	0.040	0.09	12.3	5.6	0.51	555	9.20	<0.01
ZZ88790		2.97	223	4.57	1.41	<0.05	0.30	0.88	0.048	0.12	9.5	3.3	0.35	1720	6.95	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ88787		<0.05	45.1	1740	19.4	5.7	0.014	0.76	1.68	5.8	3.4	0.4	146.0	<0.01	0.26	1.9
ZZ88788		<0.05	44.5	1570	15.9	4.7	0.010	1.02	1.96	4.7	4.0	0.4	55.7	<0.01	0.10	3.2
ZZ88789		<0.05	52.7	1450	23.1	7.3	0.019	0.68	2.73	3.9	8.6	0.5	94.6	<0.01	0.14	5.4
ZZ88790		0.08	79.2	1560	19.6	8.5	0.004	0.82	1.90	5.8	2.3	0.3	59.4	<0.01	0.21	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ88787		<0.005	0.27	1.58	51	<0.05	18.45	134	12.0
ZZ88788		<0.005	0.35	2.02	41	<0.05	10.45	133	12.3
ZZ88789		<0.005	0.25	4.24	81	<0.05	15.55	263	10.5
ZZ88790		<0.005	0.44	2.27	23	<0.05	19.25	212	12.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150599

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

	NSS is non-sufficient sample.
Applies to Method:	ALL METHODS
	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
Applies to Method:	ME-MS41

LABORATORY ADDRESSES

	Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.		
Applies to Method:	LOG-22	SCR-41	WEI-21
	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.		
Applies to Method:	Au-ICP21	ME-MS41	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

CERTIFICATE WH13150594

Project: Crag East 2

P.O. No.:

This report is for 27 Rock samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70%<2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85%<75 um


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
As-OG46	Ore Grade As - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150594

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M896078		0.77	0.006	0.29	1.12	15.5	<0.2	10	530	0.54	0.19	0.31	0.52	33.4	18.1	20
M896080		1.28	0.005	0.20	0.86	73.0	<0.2	10	530	0.62	0.15	0.03	0.02	21.8	3.8	13
M896081		0.81	0.001	0.08	0.22	4	<0.2	<10	910	0.37	0.03	16.30	0.03	14.65	1.9	4
M896082		1.32	0.003	0.28	0.46	>10000	<0.2	<10	1720	0.29	0.10	10.95	0.61	6.72	4.0	15
M896083		1.41	0.001	0.03	0.38	40	<0.2	<10	440	0.46	0.06	11.60	0.08	31.6	2.2	6
M896084		0.85	0.008	0.22	0.79	177.5	<0.2	10	700	0.42	0.21	0.10	0.18	19.10	18.4	19
M896085		1.17	0.006	0.35	1.25	108.0	<0.2	10	660	0.61	0.12	0.87	0.12	75.3	13.4	13
M896086		1.81	0.004	0.21	0.27	53.0	<0.2	<10	10	0.14	0.03	1.63	0.40	4.99	4.1	8
M896087		1.26	0.004	0.41	0.67	>10000	<0.2	<10	1890	0.26	0.21	8.18	1.17	9.49	7.2	17
M896088		1.25	0.001	0.05	1.60	49.1	<0.2	10	350	0.42	0.12	0.55	0.12	37.5	6.5	19
M896089		0.98	0.004	0.19	0.91	89.8	<0.2	10	1230	0.59	0.14	2.03	0.39	27.5	17.2	18
M896090		1.87	0.004	0.19	0.79	9870	<0.2	<10	2540	0.28	0.19	1.30	2.19	8.40	20.2	24
M896091		1.59	0.001	0.03	0.52	46.0	<0.2	<10	1060	0.23	0.06	9.29	0.13	5.59	5.1	14
M896092		0.98	<0.001	0.03	0.41	40	<0.2	<10	360	0.34	0.05	12.60	0.04	11.20	3.3	7
M896093		1.35	0.007	0.38	0.66	87.0	<0.2	10	1740	0.25	0.15	0.15	0.04	14.30	4.5	16
M896094		1.29	0.007	0.26	0.59	149.0	<0.2	<10	680	0.22	0.13	0.15	0.25	7.81	5.9	19
M896095		1.05	0.001	0.01	0.57	18.0	<0.2	10	420	0.40	0.11	1.78	0.15	7.82	3.6	9
M896096		0.94	<0.001	0.33	0.75	61.6	<0.2	10	440	0.54	0.09	3.73	1.42	36.4	4.3	18
M896097		1.75	0.005	0.54	0.72	198.0	<0.2	10	360	0.49	0.14	1.84	1.13	21.7	10.1	15
M896098		1.30	0.005	0.58	0.79	381	<0.2	10	470	0.46	0.15	1.06	0.64	24.2	10.8	15
M896099		1.50	0.006	0.35	0.72	724	<0.2	10	540	0.51	0.16	1.09	1.74	16.15	11.7	15
M896100		1.52	0.003	0.16	0.81	6680	<0.2	<10	2370	0.36	0.15	1.25	0.65	10.25	15.7	25
M896101		1.60	0.004	0.26	0.98	287	<0.2	<10	200	0.87	0.22	1.03	1.73	29.9	15.5	20
M896102		1.33	0.013	0.84	0.23	233	<0.2	10	10	0.14	0.05	0.20	0.39	4.35	6.3	8
M896103		1.32	<0.001	0.21	0.62	18.9	<0.2	10	340	0.37	0.08	3.91	1.05	25.7	4.9	16
M896104		1.09	0.001	0.16	0.86	20.5	<0.2	10	500	0.50	0.10	6.17	0.86	41.4	4.4	23
M896105		1.28	0.003	0.10	0.56	13	<0.2	10	740	0.40	0.07	10.65	0.80	33.8	3.6	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150594

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M896078		8.24	81.6	4.24	3.74	0.06	0.08	0.16	0.035	0.45	18.1	15.6	0.26	215	4.30	<0.01
M896080		3.42	49.6	4.57	3.47	0.05	0.16	0.87	0.030	0.40	13.0	8.3	0.10	114	0.70	<0.01
M896081		1.76	19.8	2.07	1.00	<0.05	0.07	0.07	0.010	0.11	9.5	4.1	7.78	5710	0.55	0.01
M896082		0.89	39.5	4.50	1.35	0.08	0.12	59.2	0.014	0.05	3.6	3.4	4.79	1360	3.78	0.03
M896083		1.40	20.3	2.48	1.40	0.05	0.15	0.15	0.011	0.20	20.4	5.4	5.63	2140	0.30	0.01
M896084		1.48	122.5	4.57	2.91	0.05	0.19	1.56	0.030	0.27	11.1	11.8	0.12	392	7.15	<0.01
M896085		2.82	104.0	6.30	3.90	0.10	0.06	0.38	0.047	0.37	38.5	28.1	0.12	158	1.40	<0.01
M896086		0.62	35.4	28.0	0.80	0.10	0.28	0.49	0.010	0.12	2.2	3.3	0.31	90	62.6	0.01
M896087		1.01	71.9	3.71	1.95	0.06	0.14	20.5	0.019	0.09	5.1	3.7	3.71	1280	1.36	0.02
M896088		2.27	74.7	3.17	5.24	0.07	0.13	0.26	0.027	0.29	20.7	20.7	1.01	513	0.38	0.02
M896089		4.09	66.5	2.32	3.50	0.05	0.25	0.36	0.027	0.24	14.1	16.9	1.18	833	1.63	<0.01
M896090		0.96	84.4	2.34	2.11	0.10	0.14	22.9	0.023	0.06	4.5	7.3	0.80	790	1.08	<0.01
M896091		0.95	34.7	3.90	1.65	<0.05	0.10	0.53	0.015	0.10	3.0	4.9	3.52	2010	0.92	0.01
M896092		0.58	22.2	3.23	1.64	<0.05	0.12	0.23	0.014	0.21	7.0	4.6	5.88	6510	0.26	<0.01
M896093		1.40	39.8	2.19	2.40	<0.05	0.24	4.09	0.023	0.24	7.0	4.4	0.09	97	8.32	<0.01
M896094		1.07	65.2	3.09	1.83	<0.05	0.19	3.42	0.029	0.16	4.4	4.8	0.09	142	4.94	<0.01
M896095		2.49	41.1	1.92	1.83	<0.05	0.11	0.23	0.021	0.28	4.5	8.2	0.94	558	0.22	<0.01
M896096		3.20	56.0	1.65	2.82	0.07	0.29	0.54	0.022	0.33	19.0	10.3	1.49	440	3.12	0.01
M896097		3.34	61.2	2.76	2.77	<0.05	0.31	1.04	0.031	0.32	11.7	11.0	0.76	348	8.88	<0.01
M896098		3.21	61.6	3.31	2.96	0.05	0.18	1.42	0.027	0.31	12.9	10.9	0.38	223	19.60	<0.01
M896099		2.76	63.1	3.21	2.51	<0.05	0.28	1.11	0.029	0.31	8.4	9.6	0.51	308	8.58	<0.01
M896100		1.09	102.5	2.26	2.26	0.07	0.15	14.00	0.026	0.07	5.7	8.5	0.88	766	0.62	<0.01
M896101		2.97	117.5	2.31	3.56	0.05	0.31	0.51	0.041	0.23	16.1	18.7	0.55	627	2.21	<0.01
M896102		0.44	58.9	29.5	0.71	0.11	0.16	1.55	0.007	0.07	2.0	5.2	0.06	39	56.0	<0.01
M896103		1.19	40.4	1.86	2.39	<0.05	0.30	0.49	0.023	0.28	14.3	6.2	1.35	759	3.41	0.01
M896104		1.54	67.8	2.44	3.24	0.07	0.27	0.37	0.025	0.38	21.8	9.5	2.32	966	3.60	0.01
M896105		1.11	39.7	3.53	2.18	<0.05	0.20	0.38	0.018	0.24	20.8	5.8	4.55	1960	2.08	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150594

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M896078		0.15	30.2	2410	15.3	19.0	0.013	0.35	1.15	5.2	2.3	0.4	47.3	<0.01	0.08	4.6
M896080		0.10	10.9	250	5.1	17.5	0.001	0.03	0.64	5.8	2.2	0.3	48.6	<0.01	0.05	2.1
M896081		0.11	3.8	150	1.7	5.5	<0.001	0.07	0.45	2.0	0.8	<0.2	982	<0.01	0.01	1.7
M896082		0.09	13.0	1950	12.5	2.5	0.008	0.36	2.87	6.6	4.3	0.2	698	<0.01	0.05	1.1
M896083		0.09	5.0	490	1.0	8.4	0.001	0.11	0.10	4.6	0.6	<0.2	444	<0.01	0.01	1.9
M896084		0.11	26.6	390	12.6	11.1	0.008	0.11	2.69	4.5	1.3	0.4	148.5	<0.01	0.14	2.2
M896085		0.13	19.0	5500	19.1	15.1	0.007	0.16	1.66	7.7	3.1	0.4	110.5	<0.01	0.06	5.7
M896086		0.17	16.0	210	9.4	4.6	0.004	>10.0	2.87	1.4	15.9	0.2	70.3	<0.01	0.01	0.9
M896087		0.10	17.2	2480	7.9	4.1	0.007	0.41	1.97	4.5	2.4	0.3	797	<0.01	0.08	1.3
M896088		0.09	22.8	600	1.9	12.9	<0.001	0.44	0.15	4.5	1.5	0.4	32.0	<0.01	0.02	3.5
M896089		0.09	29.3	1120	11.9	12.6	0.010	0.23	1.02	5.0	1.6	0.4	149.5	<0.01	0.08	3.8
M896090		0.08	43.4	2070	15.3	2.9	0.037	0.25	1.69	4.4	3.6	0.4	976	<0.01	0.08	1.5
M896091		0.09	11.7	700	3.9	5.1	0.002	0.09	0.46	5.4	0.8	0.2	206	<0.01	0.04	0.6
M896092		0.08	4.8	150	0.9	8.8	<0.001	0.07	0.17	4.5	0.5	<0.2	344	<0.01	0.03	0.9
M896093		0.11	12.4	1010	13.0	10.1	0.014	0.02	1.85	4.0	3.2	0.3	316	<0.01	0.06	1.9
M896094		0.10	17.7	350	9.4	7.0	0.011	0.05	3.45	3.9	5.0	0.3	93.4	<0.01	0.06	1.5
M896095		0.10	11.4	140	2.3	11.7	0.001	0.07	0.18	3.8	0.5	0.2	88.5	<0.01	0.02	1.3
M896096		0.10	13.0	2070	2.7	15.7	0.009	0.15	0.61	5.2	1.7	0.3	139.5	<0.01	0.02	2.9
M896097		0.10	28.5	1230	12.4	15.3	0.020	0.33	1.52	5.5	2.9	0.3	135.5	<0.01	0.06	2.6
M896098		0.11	32.6	2240	13.0	14.8	0.016	0.25	1.93	5.1	4.2	0.4	136.0	<0.01	0.05	2.6
M896099		0.10	25.3	630	13.1	13.4	0.020	0.37	1.98	4.7	3.4	0.3	154.0	<0.01	0.08	2.0
M896100		0.08	32.1	1630	10.3	3.4	0.020	0.19	1.26	4.5	2.8	0.4	767	<0.01	0.07	1.7
M896101		0.14	38.3	1250	18.9	11.5	0.014	0.12	1.29	4.8	2.1	0.5	135.0	<0.01	0.09	4.2
M896102		0.12	18.1	500	33.7	3.2	0.005	>10.0	20.7	1.0	17.3	0.2	27.6	<0.01	0.06	0.8
M896103		0.11	15.3	960	2.9	12.2	0.009	0.18	0.52	5.6	1.3	0.3	101.0	<0.01	0.02	2.6
M896104		0.12	15.9	3460	3.0	16.6	0.009	0.14	0.46	5.8	1.3	0.4	163.0	<0.01	0.03	3.3
M896105		0.12	10.3	1450	2.5	10.2	0.006	0.10	0.31	5.2	1.2	0.3	290	<0.01	0.02	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	As- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	As
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
M896078		0.007	0.27	1.67	54	<0.05	13.30	91	7.4	
M896080		0.005	0.15	0.39	45	<0.05	6.48	74	5.1	
M896081		<0.005	0.03	0.45	6	<0.05	7.45	14	2.6	
M896082		<0.005	0.87	1.77	142	<0.05	13.50	73	4.2	2.52
M896083		<0.005	0.05	0.97	11	<0.05	18.70	22	6.5	
M896084		<0.005	0.19	1.06	58	<0.05	4.67	81	7.2	
M896085		<0.005	0.28	1.39	79	<0.05	23.9	120	3.3	
M896086		<0.005	0.40	0.85	17	<0.05	4.01	25	10.1	
M896087		<0.005	0.41	1.58	113	<0.05	12.75	92	4.8	0.95
M896088		0.009	0.09	0.41	35	<0.05	6.67	70	4.3	
M896089		<0.005	0.10	1.56	57	<0.05	11.40	85	8.6	
M896090		<0.005	1.26	1.28	110	<0.05	6.23	259	4.7	
M896091		<0.005	0.08	0.24	54	<0.05	8.82	30	3.4	
M896092		<0.005	0.06	0.31	21	<0.05	12.05	23	3.6	
M896093		<0.005	0.17	1.30	47	<0.05	5.46	61	9.0	
M896094		<0.005	0.23	0.74	49	<0.05	3.17	84	6.7	
M896095		<0.005	0.08	0.30	13	<0.05	3.81	46	4.3	
M896096		0.005	0.14	4.04	108	<0.05	21.4	98	11.4	
M896097		<0.005	0.22	1.94	70	<0.05	10.55	130	11.9	
M896098		<0.005	0.27	2.79	70	<0.05	13.45	160	9.4	
M896099		<0.005	0.31	1.29	47	<0.05	6.86	137	10.6	
M896100		<0.005	0.47	1.00	112	<0.05	5.83	135	5.4	
M896101		<0.005	0.19	1.22	150	<0.05	10.15	135	11.5	
M896102		<0.005	0.31	2.58	28	<0.05	4.05	39	5.3	
M896103		0.005	0.18	2.29	85	<0.05	14.35	65	10.7	
M896104		0.006	0.21	2.75	67	<0.05	25.3	77	11.1	
M896105		<0.005	0.17	1.30	48	<0.05	22.4	60	7.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2013
Account: MTT

Project: Crag East 2

CERTIFICATE OF ANALYSIS WH13150594

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Interference: Samples with Ca>10%on ICP-MS As. ICP-AES As results reported (2 ppm DL)
ME-MS41

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

As-OG46	Au-ICP21	ME-MS41	ME-OG46