AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 27, 2013
Report Date: October 22, 2013

CERTIFICATE OF ANALYSIS WHI13000470.1

CLIENT JOB INFORMATION

Project: VBW
Shipment ID: VBWSOIL13-002
P.O. Number
Number of Samples: 38

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	38	Dry at 60C			WHI
SS80	37	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	37	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Sample 1332881 was received empty - no material

Invoice To: Victoria Gold Corp.
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9
CANADA

CC: Paul D. Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
Country Manager - Canada

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com
Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 22, 2013

CERTIFICATE OF ANALYSIS WHI13000470.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1340370	Silt	0.1	7.7	6.7	39	<0.1	11.4	4.6	103	1.03	3.3	0.5	3.6	3.4	14	0.2	1.2	<0.1	15	0.22	0.053
1340371	Silt	0.3	9.7	7.4	43	<0.1	11.4	4.8	176	1.18	5.0	0.6	11.4	3.7	14	0.3	0.9	<0.1	18	0.20	0.051
1340369	Silt	0.4	17.8	16.4	101	<0.1	28.5	10.9	387	2.42	12.2	1.0	1.2	8.0	13	0.2	3.2	0.2	17	0.12	0.032
1340368	Silt	0.7	17.1	14.1	80	<0.1	23.6	9.6	304	2.30	8.7	0.9	6.6	7.0	10	0.3	2.2	0.2	16	0.09	0.030
1340367	Silt	1.1	15.3	20.3	75	0.2	19.7	14.1	1754	1.85	10.7	1.3	4.2	2.2	18	0.5	11.4	0.2	25	0.09	0.044
1332838	Silt	0.5	17.2	37.7	90	0.4	19.2	8.6	410	1.64	5.6	0.7	4.8	4.5	28	0.9	4.5	0.2	19	0.29	0.046
1332836	Silt	0.7	21.2	41.5	108	0.3	24.0	14.8	1410	2.55	22.9	1.2	1.3	6.2	14	0.7	21.2	0.2	16	0.13	0.032
1332839	Silt	0.4	16.4	38.3	91	0.3	19.6	9.2	430	1.67	6.1	0.6	3.2	4.4	27	0.8	4.5	0.1	17	0.30	0.043
1332837	Silt	0.5	13.3	32.6	48	0.2	15.3	5.6	166	1.75	9.9	0.8	77.7	1.5	9	0.4	9.6	0.2	22	0.09	0.036
1332835	Silt	0.5	13.2	35.8	69	0.3	16.2	8.4	286	1.70	7.8	0.9	1.7	5.4	16	0.4	7.9	0.2	17	0.14	0.036
1332833	Silt	0.7	15.0	20.2	118	0.1	24.9	10.2	383	2.42	12.7	0.9	6.8	3.9	26	0.7	7.5	0.2	21	0.22	0.049
1332834	Silt	0.9	15.2	64.1	64	0.5	14.9	6.5	261	1.66	9.3	0.8	1.2	3.8	21	0.5	7.6	0.2	17	0.19	0.045
1332780	Silt	0.5	20.9	16.2	74	<0.1	23.6	12.0	307	2.16	4.8	1.0	1.0	3.0	25	0.2	0.4	0.2	19	0.26	0.049
1332882	Silt	2.4	52.9	3.5	49	0.2	37.6	13.6	404	3.22	4.2	0.3	4.6	1.2	33	<0.1	0.3	<0.1	66	0.73	0.048
1332776	Silt	0.6	15.3	9.5	36	<0.1	12.9	5.9	223	1.60	50.0	0.8	3.5	1.8	14	0.2	3.1	0.7	26	0.08	0.042
1332777	Silt	0.8	32.9	23.6	78	0.3	37.2	14.3	695	2.45	152.8	2.0	22.1	2.4	24	0.6	9.8	1.6	29	0.17	0.055
1332781	Silt	0.5	18.5	13.4	64	0.1	21.6	10.1	291	2.01	5.5	1.1	6.9	4.8	26	0.2	0.6	0.2	19	0.22	0.047
1332779	Silt	0.5	11.5	19.6	63	0.1	20.0	9.0	280	1.64	7.7	0.8	6.2	1.4	30	0.2	2.8	0.2	24	0.22	0.056
1332778	Silt	0.8	19.4	25.0	65	0.3	22.4	10.6	311	2.15	42.0	1.1	11.9	2.8	14	0.3	6.3	0.7	22	0.10	0.040
1332881 STD-VIT	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1332903	Silt	0.6	22.0	17.7	60	0.1	22.5	9.0	334	2.12	6.3	1.3	16.1	3.5	28	0.2	0.8	0.2	18	0.23	0.047
1332904	Silt	0.6	13.3	10.2	35	<0.1	13.3	4.1	82	1.59	6.4	0.7	4.0	1.0	8	<0.1	0.5	0.2	23	0.06	0.033
1332907	Silt	0.7	23.9	16.7	92	<0.1	28.3	13.4	348	2.78	4.4	1.0	<0.5	6.3	21	0.2	0.5	0.2	16	0.18	0.031
1332906	Silt	0.7	14.8	16.3	54	0.1	17.4	8.6	175	1.90	5.5	1.1	<0.5	1.9	19	<0.1	0.5	0.2	25	0.16	0.045
1332901	Silt	1.6	17.9	16.9	66	0.1	21.9	12.9	516	2.24	15.5	2.1	18.9	1.9	27	0.2	3.9	0.3	27	0.23	0.049
1332902	Silt	0.7	12.8	13.7	61	<0.1	19.7	11.0	369	2.05	5.6	1.5	6.3	3.2	27	0.2	1.5	0.2	23	0.21	0.047
1332830	Silt	0.5	11.9	9.3	51	<0.1	17.4	7.7	299	1.71	4.4	0.7	5.2	4.0	18	0.2	0.5	0.1	20	0.20	0.044
1332828	Silt	0.5	20.7	17.0	59	<0.1	23.1	10.3	281	2.50	5.7	1.0	0.8	6.8	17	0.2	0.5	0.2	18	0.13	0.034
1332826	Silt	1.0	20.3	20.3	60	0.2	20.6	11.3	487	2.60	6.5	1.3	1.3	3.4	19	0.2	0.6	0.3	26	0.13	0.048
1332831	Silt	0.6	19.5	14.0	66	<0.1	28.4	10.5	374	2.23	5.1	1.1	4.5	4.5	20	0.2	0.4	0.2	20	0.22	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com
Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 22, 2013

CERTIFICATE OF ANALYSIS WHI13000470.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1340370	Silt	13	9	0.23	113	0.015	1	0.58	0.005	0.02	0.1	0.02	1.2	<0.1	<0.05	2	0.6	<0.2
1340371	Silt	15	10	0.24	122	0.015	1	0.63	0.004	0.02	0.6	0.04	1.4	<0.1	<0.05	2	<0.5	0.2
1340369	Silt	34	14	0.20	75	0.008	<1	0.58	0.002	0.03	0.2	0.02	1.2	<0.1	<0.05	2	<0.5	<0.2
1340368	Silt	38	11	0.19	64	0.007	<1	0.60	0.002	0.02	0.2	0.03	1.0	<0.1	<0.05	2	<0.5	<0.2
1340367	Silt	17	14	0.19	132	0.007	1	0.98	0.003	0.04	0.2	0.14	1.5	0.3	<0.05	3	0.6	<0.2
1332838	Silt	16	13	0.29	93	0.010	1	0.72	0.004	0.03	0.4	0.05	1.6	<0.1	<0.05	2	0.7	<0.2
1332836	Silt	31	12	0.19	115	0.004	1	0.58	0.002	0.03	0.1	0.06	1.8	<0.1	<0.05	2	<0.5	<0.2
1332839	Silt	15	13	0.30	91	0.009	1	0.73	0.004	0.03	0.2	0.05	1.6	<0.1	<0.05	2	0.6	<0.2
1332837	Silt	17	15	0.30	105	0.008	1	0.99	0.003	0.02	0.3	0.04	1.2	<0.1	<0.05	3	<0.5	<0.2
1332835	Silt	30	11	0.21	109	0.005	1	0.63	0.002	0.03	0.2	0.06	1.3	<0.1	<0.05	2	<0.5	<0.2
1332833	Silt	18	13	0.28	112	0.009	1	0.91	0.002	0.03	0.4	0.25	1.4	0.2	<0.05	2	<0.5	<0.2
1332834	Silt	15	11	0.23	90	0.009	<1	0.61	0.002	0.05	0.6	0.08	1.3	<0.1	<0.05	2	<0.5	<0.2
1332780	Silt	15	15	0.29	111	0.007	1	0.98	0.004	0.03	0.1	0.05	1.5	<0.1	<0.05	3	0.6	<0.2
1332882	Silt	5	73	0.66	92	0.108	3	1.70	0.068	0.11	8.9	0.02	6.9	<0.1	<0.05	6	<0.5	<0.2
1332776	Silt	17	13	0.20	147	0.013	<1	0.66	0.003	0.05	0.5	0.10	1.3	0.3	<0.05	2	0.5	<0.2
1332777	Silt	27	18	0.24	170	0.013	1	1.01	0.004	0.09	0.2	0.97	2.4	0.5	<0.05	3	0.5	<0.2
1332781	Silt	21	15	0.32	142	0.009	<1	0.89	0.004	0.03	0.2	0.08	1.8	<0.1	<0.05	3	0.5	<0.2
1332779	Silt	12	16	0.28	208	0.008	<1	1.11	0.004	0.05	0.3	0.07	1.6	0.1	<0.05	3	<0.5	<0.2
1332778	Silt	23	16	0.23	99	0.010	<1	0.89	0.003	0.06	0.2	0.11	1.6	0.7	<0.05	2	<0.5	<0.2
1332881 STD-VIT	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1332903	Silt	21	12	0.23	121	0.007	<1	0.70	0.003	0.03	0.1	0.09	1.4	<0.1	<0.05	2	0.5	<0.2
1332904	Silt	16	12	0.21	72	0.009	<1	0.74	0.002	0.02	0.3	0.05	0.9	<0.1	<0.05	3	<0.5	<0.2
1332907	Silt	22	15	0.29	76	0.005	<1	0.99	0.002	0.03	<0.1	0.06	1.4	<0.1	<0.05	3	<0.5	<0.2
1332906	Silt	16	16	0.30	148	0.007	<1	1.04	<0.001	0.03	0.2	0.12	1.4	<0.1	<0.05	3	0.6	<0.2
1332901	Silt	18	17	0.27	177	0.009	<1	1.09	0.003	0.04	0.3	0.24	1.8	0.2	<0.05	3	<0.5	<0.2
1332902	Silt	17	16	0.34	181	0.005	<1	1.22	0.003	0.03	<0.1	0.07	1.7	<0.1	<0.05	3	<0.5	<0.2
1332830	Silt	23	12	0.26	134	0.012	<1	0.76	0.003	0.03	0.3	0.08	1.6	<0.1	<0.05	2	<0.5	<0.2
1332828	Silt	31	13	0.25	83	0.008	<1	0.71	0.002	0.02	0.2	0.05	1.3	<0.1	<0.05	2	<0.5	<0.2
1332826	Silt	19	18	0.33	189	0.006	<1	1.30	0.004	0.04	0.2	0.06	1.9	<0.1	<0.05	4	<0.5	<0.2
1332831	Silt	15	15	0.33	110	0.009	<1	0.94	0.003	0.03	0.2	0.03	1.5	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company

www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 22, 2013

CERTIFICATE OF ANALYSIS WHI13000470.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1332832	Silt	0.5	18.1	13.0	59	<0.1	20.6	9.5	406	1.99	5.6	0.8	1.2	4.6	22	0.2	0.5	0.2	20	0.19	0.040
1332827	Silt	0.9	19.6	17.9	68	0.1	22.6	14.6	542	2.46	5.1	1.2	1.1	4.9	25	0.2	0.4	0.2	19	0.21	0.043
1332829	Silt	0.7	13.8	12.3	43	<0.1	18.9	10.2	340	1.80	5.0	0.8	1.7	4.5	21	0.1	0.4	0.2	20	0.18	0.044
1332878	Silt	0.3	22.2	16.9	71	<0.1	28.3	11.7	548	2.32	5.5	1.5	<0.5	4.1	31	0.1	0.3	0.2	18	0.27	0.038
1332877	Silt	0.4	10.8	11.0	49	<0.1	19.4	8.0	216	1.73	3.4	0.6	2.8	3.0	18	0.1	0.2	0.1	18	0.15	0.027
1332880	Silt	0.4	19.4	55.3	89	0.3	21.5	8.6	355	2.05	10.1	1.5	10.7	4.4	24	0.5	22.5	0.2	19	0.31	0.041
1332879	Silt	0.6	17.2	199.1	285	0.8	21.9	9.3	398	2.17	22.5	1.2	3.0	5.2	21	2.2	68.4	0.2	19	0.19	0.034
1332876	Silt	0.4	14.5	11.0	42	0.1	18.1	6.3	157	1.69	5.1	0.9	8.7	3.4	23	<0.1	0.3	0.3	23	0.22	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com
Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 22, 2013

CERTIFICATE OF ANALYSIS WHI13000470.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1332832	Silt	19	15	0.28	116	0.012	<1	0.75	0.003	0.03	0.2	0.04	1.5	<0.1	<0.05	2	<0.5	<0.2
1332827	Silt	22	16	0.35	136	0.006	<1	1.13	0.003	0.03	0.1	0.05	1.6	<0.1	<0.05	3	<0.5	<0.2
1332829	Silt	19	13	0.25	100	0.014	<1	0.79	0.003	0.03	0.3	0.03	1.6	<0.1	<0.05	2	<0.5	<0.2
1332878	Silt	17	17	0.40	103	0.007	<1	1.15	0.003	0.03	0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1332877	Silt	15	14	0.29	83	0.010	<1	0.89	0.003	0.02	0.3	0.04	1.3	<0.1	<0.05	3	<0.5	<0.2
1332880	Silt	31	14	0.25	82	0.008	1	0.69	0.003	0.03	0.2	0.04	1.7	<0.1	<0.05	2	0.8	<0.2
1332879	Silt	33	13	0.27	79	0.006	3	0.76	0.003	0.03	0.1	0.10	1.3	<0.1	<0.05	2	0.7	<0.2
1332876	Silt	15	15	0.32	159	0.015	2	0.85	0.005	0.04	0.2	0.03	1.4	<0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 22, 2013

QUALITY CONTROL REPORT WHI13000470.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1332835	Silt	0.5	13.2	35.8	69	0.3	16.2	8.4	286	1.70	7.8	0.9	1.7	5.4	16	0.4	7.9	0.2	17	0.14	0.036
REP 1332835	QC	0.6	13.1	37.6	66	0.3	15.9	8.7	280	1.79	7.8	0.9	1.5	5.5	17	0.3	8.0	0.2	17	0.14	0.036
Reference Materials																					
STD DS10	Standard	15.8	145.2	146.4	344	2.0	74.4	12.8	906	2.69	41.3	2.6	102.8	7.3	68	2.9	8.8	11.8	44	0.99	0.069
STD DS10	Standard	15.6	154.6	146.2	328	1.9	74.7	12.4	821	2.82	42.6	2.4	113.2	7.1	63	2.1	9.2	11.1	41	1.08	0.064
STD OXC109	Standard	1.2	35.2	11.3	42	<0.1	73.4	18.6	432	2.76	<0.5	0.6	237.4	1.5	149	0.2	<0.1	<0.1	48	0.74	0.104
STD OXC109	Standard	1.4	34.3	10.4	37	<0.1	74.4	20.0	381	2.90	1.0	0.6	223.5	1.4	137	0.1	<0.1	<0.1	48	0.64	0.102
STD DS10 Expected		14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	2.59	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	0.073
STD OXC109 Expected													201								
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 22, 2013

QUALITY CONTROL REPORT WHI13000470.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1332835	Silt	30	11	0.21	109	0.005	1	0.63	0.002	0.03	0.2	0.06	1.3	<0.1	<0.05	2	<0.5	<0.2
REP 1332835	QC	31	12	0.20	114	0.005	<1	0.71	0.002	0.03	0.2	0.06	1.4	<0.1	<0.05	2	<0.5	<0.2
Reference Materials																		
STD DS10	Standard	17	53	0.76	346	0.077	7	1.06	0.071	0.34	3.3	0.31	2.6	5.0	0.24	4	1.1	4.4
STD DS10	Standard	18	53	0.71	361	0.077	5	1.10	0.073	0.31	3.3	0.33	2.9	5.0	0.27	4	2.4	4.4
STD OXC109	Standard	12	56	1.42	56	0.360	3	1.50	0.667	0.40	0.3	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	12	57	1.36	54	0.365	2	1.51	0.657	0.39	0.2	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89
STD OXC109 Expected																		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.