AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 27, 2013
Report Date: October 10, 2013

CERTIFICATE OF ANALYSIS WHI13000469.1

CLIENT JOB INFORMATION

Project: VBW
Shipment ID: VBWSOIL13-002
P.O. Number
Number of Samples: 7

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	7	Dry at 60C			WHI
SS80	7	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	7	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Victoria Gold Corp.
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9
CANADA

CC: Paul D. Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
Country Manager - Canada

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com
Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 10, 2013

CERTIFICATE OF ANALYSIS WHI13000469.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1333616	Soil		1.0	15.6	13.0	44	0.2	14.2	6.1	153	2.35	140.6	0.47475	7.8	1.8	7	0.3	2.1	2.3	45	0.06	0.036
1333592	Soil		0.7	13.6	28.2	62	0.1	11.7	7.7	315	2.12	47.4	2.29174	24.7	8.8	46	0.2	11.2	0.3	30	0.42	0.040
1333596	Soil		1.0	20.4	55.9	107	0.3	18.5	11.7	300	2.62	83.3	4.27236	36.7	6.5	63	0.6	15.3	1.2	37	0.25	0.051
1333612	Soil		1.1	50.5	16.8	56	0.3	19.0	8.6	240	2.27	473.5	0.84945	66.4	5.7	9	0.3	7.9	3.1	34	0.09	0.034
1333609	Soil		1.1	43.7	12.5	45	<0.1	14.7	6.5	157	2.31	608.2	1.04682	42.0	0.8	9	<0.1	2.8	2.8	41	0.10	0.049
1333608	Soil		1.1	66.9	14.6	62	<0.1	19.3	8.9	282	2.80	498.5	1.91806	33.5	5.4	12	<0.1	2.8	4.8	49	0.11	0.041
1333621	Soil		1.2	22.1	11.6	49	<0.1	15.5	6.6	165	2.30	115.1	0.87779	9.0	2.5	10	0.2	3.0	1.6	42	0.11	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company

www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 10, 2013

CERTIFICATE OF ANALYSIS WHI13000469.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1333616	Soil	13	22	0.31	210	0.024	2	1.16	0.004	0.04	0.3	0.02	1.6	0.2	<0.05	4	<0.5	<0.2
1333592	Soil	27	24	0.55	134	0.012	<1	1.54	0.006	0.04	0.4	0.06	3.2	0.1	<0.05	5	<0.5	<0.2
1333596	Soil	27	26	0.47	148	0.024	<1	1.55	0.009	0.04	0.1	0.06	2.9	0.1	<0.05	5	0.5	<0.2
1333612	Soil	13	22	0.38	115	0.030	1	1.14	0.005	0.05	0.3	0.05	2.0	0.5	<0.05	3	1.1	0.2
1333609	Soil	15	25	0.37	122	0.020	1	1.38	0.005	0.04	0.2	0.05	1.5	0.2	<0.05	5	0.7	0.3
1333608	Soil	20	32	0.52	193	0.038	3	1.70	0.006	0.05	0.2	0.04	3.8	0.2	<0.05	5	<0.5	<0.2
1333621	Soil	13	23	0.34	198	0.023	<1	1.23	0.004	0.04	0.2	0.04	2.1	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 10, 2013

QUALITY CONTROL REPORT WHI13000469.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1333621	Soil	1.2	22.1	11.6	49	<0.1	15.5	6.6	165	2.30	115.1	0.87779	9.0	2.5	10	0.2	3.0	1.6	42	0.11	0.034
REP 1333621	QC	1.0	22.1	11.4	50	<0.1	15.4	7.0	175	2.35	115.6	0.84946	7.1	2.5	9	0.2	2.8	1.4	43	0.11	0.033
Reference Materials																					
STD DS10	Standard	14.1	155.8	153.7	355	2.1	73.5	12.5	832	2.80	44.6	2.71287	66.1	7.5	57	2.7	8.3	9.8	42	0.99	0.073
STD OXC109	Standard	1.2	35.5	11.2	39	<0.1	71.7	19.0	361	2.88	0.8	0.52839	216.7	1.4	121	<0.1	<0.1	<0.1	48	0.64	0.099
STD DS10 Expected		14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	2.59	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	0.073
STD OXC109 Expected													201								
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs™
A Bureau Veritas Group Company
www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Victoria Gold Corp.**
Suite 302-309 Strickland Street
Whitehorse YT Y1A 2J9 CANADA

Project: VBW
Report Date: October 10, 2013

QUALITY CONTROL REPORT WHI13000469.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1333621	Soil	13	23	0.34	198	0.023	<1	1.23	0.004	0.04	0.2	0.04	2.1	0.2	<0.05	4	<0.5	<0.2
REP 1333621	QC	13	25	0.35	203	0.024	<1	1.24	0.004	0.04	0.3	0.04	2.1	0.2	<0.05	4	1.1	<0.2
Reference Materials																		
STD DS10	Standard	17	55	0.78	361	0.077	7	1.06	0.049	0.31	3.4	0.34	2.6	5.0	0.28	4	2.4	4.5
STD OXC109	Standard	12	59	1.63	56	0.391	<1	1.43	0.645	0.39	0.2	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89
STD OXC109 Expected																		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.