ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

PROSPECTING AND GEOCHEMICAL SAMPLING

Field work performed between August 18 and August 30, 2014

at the

STAFF PROPERTY

Staff 1-326	YD111681-YD112006
327-342	YE13253-YE13268
343-346	YE55201-YE55204

NTS 106D/02, 03, 06 and 07
Latitude 64°16´N; Longitude 134°54´W

in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton, B.Sc., GIT

February 2014

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	4
MINERALIZATION	5
SOIL GEOCHEMISTRY	6
DISCUSSION AND CONCLUSIONS	8
REFERENCES	9

APPENDICES

I STATEMENT OF QUALIFICATIONS

II STATEMENT OF EXPENDITURES

III ROCK SAMPLE DESCRIPTIONS

IV CERTIFICATES OF ANALYSIS

TABLES

I	Regional Lithological Units	3
II	Threshold Values for Soil Samples	6

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	4
6	Central Area Detailed Geology	In Pocket
7	South Area Detailed Geology	In Pocket
8	Rock Sample Locations	In Pocket
9	Rock Geochemistry (Au, Cu, As, Ag, Pb & Zn)	In Pocket
10	Soil Sample Locations	In Pocket
11	Gold Soil Geochemistry	6
12	Copper Soil Geochemistry	6
13	Arsenic Soil Geochemistry	6
14	Silver Soil Geochemistry	6
15	Lead Soil Geochemistry	6
16	Zinc Soil Geochemistry	6

INTRODUCTION

The Staff property covers three zones of strongly elevated gold geochemistry. It is located in central Yukon, within a district of precious metal enriched, replacement style, volcanogenic massive sulphide and vein occurrences, which include ATAC Resources Ltd.'s Tiger and Conrad deposits, Xstrata's Craig deposit, Golden Predator Mining Corp.'s Marg deposit, Blind Creek Resources Ltd.'s Blende deposit, Victoria Gold Corp.'s Dublin Gulch deposit and Alexco Resource Corp.'s Keno Hill deposits. The Staff property is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes prospecting and geochemical sampling conducted between August 18 and August 30, 2014 by a three person crew working for Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised the program and interpreted all resulting data. His Statement of Qualifications is in Appendix I, a Statement of Expenditures is located in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Staff property comprises 346 mineral claims, which are located in central Yukon at latitude 64°16′ north and longitude 134°54′ west on NTS map sheets 106D/02, 03, 06 and 07 (Figure 1). The property covers an area of approximately 7000 ha (70 km^2). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, and the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date*
Staff 1-326	YD111681-YD112006	March 15, 2018
327-342	YE13253-YE13268	March 15, 2018
343-346	YE55201-YE55204	March 15, 2018

* Expiry date includes 2014 work which has been filed for assessment credit, but not yet accepted.

The Staff property lies 90 km northeast of the town of Mayo, the nearest supply centre. The closest road access is at McQuesten Lake, which is situated 30 km southwest of the property.

The 2014 exploration program was conducted from two fly camps located on the property. Mobilization of camp gear, personnel and supplies was done from a staging area near McQuesten Lake, by a Bell 206B helicopter operated by Fireweed Helicopters from a seasonal base in Mayo.

HISTORY AND PREVIOUS WORK

In 1977, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 106D (Friske et al., 1990). Eleven samples were taken from creeks draining the property. The best sample was collected in the southern part of the property area, and it yielded 6 ppb gold, 66 ppm copper, 148 ppm arsenic and 98 ppm zinc.

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION


STAFF PROPERTY

0 250 km

UTM ZONE 8, NAD 83, 106D/02. 03, 06, 07

FILE: ../2014/Staff/Figures/F_1-Property_Location.wor | DATE: February 2015





STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../2014/Staff/Figures/F_2-Claim_Location.wor | DATE: February 2015

In 2008, ATAC followed up one of the GSC gold anomalies and discovered the Tiger deposit, a significant carbonate-hosted gold prospect located 20 km west of the Staff property (Dumala, 2009). In 2009, ATAC explored an area of GSC arsenic anomalies located 100 km east of the Tiger deposit and identified moderately to very strongly anomalous gold-in-soil results. Drilling in this new area since 2010 has outlined several Carlin-type gold deposits, collectively referred to as the Nadaleen Trend.

In November 2009, after ATAC had staked a very large claim block connecting the Tiger deposit to the Nadaleen Trend, Strategic Metals purchased ATAC's regional exploration data base. Starting in 2010, Strategic Metals staked the Staff property and several other properties in the hanging wall of the stratigraphy that hosts ATAC's discoveries, looking for leakage anomalies that could indicate buried deposits.

In 2011, Strategic Metals completed reconnaissance-scale geochemical sampling, prospecting and geological mapping on the Staff property. Encouraging results were obtained from stream sediment and soil samples within three zones of interest for gold and a separate zone of interest for zinc and copper (Mitchell, 2012).

In 2012, Strategic Metals conducted a three-day exploration program involving prospecting and grid soil sampling within two of the previously identified gold zones, in the east-central and southern portions of the property. The program successfully expanded the size and tenor of the two anomalous zones (Morton and Drechsler, 2013).

In 2013, Strategic Metals performed another eleven days of detailed geological mapping, prospecting and geochemical sampling on the property. This work expanded the size of one of the previously identified gold zones, and discovered gold-enriched vein float (Morton, 2014).

Results from all of the work performed by Strategic Metals to date is described in the appropriate sections of this report.

GEOMORPHOLOGY

The Staff property is situated on the southwestern flank of the Selwyn Mountains. Creeks draining the property flow northeasterly and southwesterly into the Beaver River, which connects to the Pacific Ocean via the Stewart and Yukon rivers.

The northern part of the property covers a series of isolated peaks, while the central and southern parts encompass northeasterly trending ridges and valleys. Elevations on the property range from about 915 m above sea level (asl) on the valley floors to 1800 m asl on the highest ridge. Treeline is at approximately 1400 m asl and about 25% of the property lies above that elevation. Grass, moss, talus slopes and cliffs characterize alpine terrain, while sub-alpine areas are typically devoid of outcrop and vegetated with dwarf birch, wild blueberry, hellebore and stands of stunted black spruce and willow. Valley bottoms are densely treed with mature spruce.

The climate in the vicinity of the Staff property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although

summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Staff property straddles the Dawson Thrust Fault, a crustal break that probably formed the northern edge of Selwyn Basin in Cambrian time and later reactivated as a north-directed thrust (Pyle et al., 2007). The Dawson Thrust Fault juxtaposes rocks of Selwyn Basin to the south against Mackenzie Platform to the north (Figure 3). Selwyn Basin stratigraphy consists of regionally metamorphosed, basinal sediments of Neoproterozoic to Paleozoic age. Mackenzie Platform stratigraphy comprises dominantly shallow water carbonate and clastic sediments that were deposited from Mid-Proterozoic through Paleozoic times. Both packages of sediments were deposited on the western margin of ancestral North America.

In the early 1990s, the Geological Survey of Canada performed geological mapping in the vicinity of the Staff property at 1:250,000 scale (Wheeler and McFeely, 1991). The Yukon Geological Survey has incorporated this work into a Yukon-wide geological compilation and updated the lithological unit names in the Staff property area (Yukon Geological Survey, 2013).

Stratigraphy in the area comprises a southeasterly trending package of clastic sedimentary rocks with lesser volcanic and carbonate units (Figure 4). This package consists of Upper Proterozoic to Lower Cambrian Hyland Group, which is juxtaposed by the Dawson Thrust Fault against Upper Cambrian to Lower Devonian Bouvette Formation and Mississippian Keno Hill Quartzite to the northeast. This package is locally blanketed by Quaternary sediments. The lithological units that occur in the immediate vicinity of the Staff property are described in Table I.

Table I – Lithological Units (*after Yukon Geological Survey, 2013*)

Map Suite	Age	Map Unit	Description
Quaternary	Quaternary	Q	Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits.
Galena Suite	Triassic	TrG	Massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone (diorite, gabbro and altered equivalents) sills; minor occurences of possible Mid- to Late Paleozoic age.
Keno Hill Quartzite	Mississippian	MK	Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.
Marmot Group	Cambrian to Silurian	CSM6	Grey- to dark grey weathering, dark volcanic rocks, many partly seperentinize, brown-weathering grey-

STRATEGIC METALS LTD.

FIGURE 3


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

STAFF PROPERTY

FILE: P:/2014/Staff.cdr | DATE: February 2015

After Colpron, M. and Nelson, J.L., 2011



Legend

Outboard

- CG Chugach
- YA Yakutat

Insular

- WR Wrangellia
- AX Alexander
- KS Kluane schist

Arctic


- AA Arctic Alaska

Intermontane

- CC Cache Creek
- ST Stikinia
- QN Quesnellia
- YT Yukon-Tanana
- SM Slide Mountain

Ancestral North America

- CA Cassiar
- NAb basinal facies
- NAp shelf facies
- NAc craton & cover



TRIASSIC

TrG — Galena Suite - Massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone (diorite, gabbro, and altered equivalents) sills; minor occurrences of possible mid- to Late Paleozoic age.

MISSISSIPPIAN

MK — Keno Hill Quartzite - Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.

CAMBRIAN TO SILURIAN

CSM6 — Marmot Group - Grey- to dark grey weathering, dark volcanic rocks, many partly serpentinized, brown-weathering grey-green limy tuff and argillite, and thin-bedded brown limestone.

UPPER CAMBRIAN TO LOWER DEVONIAN

CDB1 — Bouvette Formation - Grey-and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate, and black shale; massive bluish-grey weathering dolostone.

UPPER PROTEROZOIC TO LOWER CAMBRIAN

PCH2 — Hyland Group - Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.

PCH — Undifferentiaed Hyland Group - Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5).

MIDDLE PROTEROZOIC

mPH2 — Hart River Sills - Resistant dark weathering diorite and gabbro sills and dikes.

LOWER PROTEROZOIC

IPG — Gillespie Lake Group - Dolostone and silty dolostone, locally stromatolitic, locally with chert nodules and sparry karst infillings, interbedded with lesser black siltstone and shale, laminated mudstone, and quartzose sandstone; local dolomite boulder conglomerate.

IPQ — Quartet Group - Black weathering shale, finely laminated dark grey weathering siltstone, and thin to thickly interbedded planar to cross laminated light grey weathering siltstone and fine grained sandstone; minor interbeds of orange weathering dolostone in upper part.

After Yukon Geological Survey, 2013

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

STAFF PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ../Staff/Figures/F_4-Regional_Geology.wor

DATE: February 2015

			green limy tuff and argillite, and thin-bedded brown limestone.
Bouvette Formation	Upper Cambrian to Lower Devonian	CDB1	Grey and buff weathering; medium to thick bedded dolomite and limestone; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate, and black shale; and massive bluish-grey weathering dolostone.
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5).
		PCH2	Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.
Hart River	Middle Proterozoic	mPH2	Resistant dark weathering diorite and gabbro sills and dikes.
Gillespie Lake Group	Lower Proterozoic	lPG	Dolostone and silty dolostone, locally stromatolitic, locally with chert nodules and sparry karts infillings, interbedded with lesser black siltstone and shale, laminated mudstone, and quartzose sandstone; locale dolomite boulder conglomerate.
Quartet Group	Lower Proterozoic	lPQ	Black weathering shale, finely laminated dark grey weathering siltstone, and thin to thickly interbedded planar to cross laminated light grey weathering siltstone and fine grained sandstone; minor interbeds of orange weather dolostone in upper part.

PROPERTY GEOLOGY

In 2011, Strategic Metals conducted cursory geological mapping of the entire property (Figure 5). Detailed mapping of the central part of the property at 1:2500 scale was completed in 2013. In 2014, Strategic Metals performed geological mapping of a southern portion of the property, at the same scale. The detailed maps are reproduced as Figures 6 and 7, respectively. Geological features mapped by Strategic Metals are discussed below.

The property is bisected by the Dawson Thrust Fault, which separates Hyland Group stratigraphy to the southwest from younger rocks to the northeast.

Three sub-units were identified within Hyland Group – Algae Lake Formation carbonate (PCHa), Yusezyu Formation siliciclastics (PCHy) and Hyland Group volcanic (PCHv). Lenses of Algae Lake Formation are surrounded by grits and shales that are interpreted to belong to Yusezyu Formation. Algae Lake Formation is a grey, thinly bedded limestone to silty limestone unit, while Yusezyu Formation comprises tan to light grey, medium-grained arenite and arkose sandstone, rare quartz-rich pebble conglomerate and abundant dark green and dark purple

T.N.
0°14'
22° 21'
Grid north
Magnetic north
Annual change decreasing 26.4'

500000 mE
505000 mE
510000 mE
7130000 mN
7125000 mN

PROPERTY BOUNDARY

CENTRAL AREA OF DETAILED MAPPING (SEE FIGURE 6)

DAWSON THRUST FAULT

SOUTH AREA OF DETAILED MAPPING (SEE FIGURE 7)

3200 ft
3700 ft
4000 ft

Q	Quaternary
MKs?	Dark grey siltstone and shale
MKv?	Deformed, calcareous, green-grey, fine grained volcaniclastic rock; deformed, chloritized volcanic breccia
MK	White weathered, fine to medium grained arenite, thin bedded, light to dark grey and grey-brown, fine grained very siliceous sandstone to siltstone, and grey-green to dark grey shale
PCHy	Tan to light grey, medium-grained arenite and arkose sandstone, rare quartz-rich pebble conglomerate and abundant dark green and dark purple siltstone and shale
PCHa	Grey, thinly bedded limestone to silty limestone
PCHv	Green, fine to medium grained volcaniclastic sandstone and laminated siltstone interlayered with fine to medium grained basalt

- bedding
- upright bedding
- overturned bedding
- foliation
- fold axis
- vein
- defined contact
- approximate contact
- inferred contact
- synform hinge line
- antiform hinge line
- fault

STRATEGIC METALS LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../Figures/F_5-Property_Geology.wor DATE: February 2015

siltstone and shale. The southwestern corner of the claim block hosts a package of volcanics and re-cemented volcaniclastic rocks that are assigned to Hyland Group volcanic. This unit consists of green, fine to medium grained volcaniclastic sandstone and laminated siltstone interlayered with lesser, fine to medium grained basalt. Hyland Group volcanic is bound to the north by a steeply dipping fault that strikes west-northwesterly. This fault separates the volcaniclastic rocks from Algae Lake and Yusezyu formations.

A quartz-rich sedimentary package that has been mapped regionally as Keno Hill Quartzite (MK) lies immediately northeast of the Dawson Thrust Fault. Within the property, this unit is broadly typified by fine to medium grained arenite, thin bedded sandstone, siltstone, and shale. Locally, this unit has been divided into two sub-units – MK1 and MK2. MK1 comprises tan to brown weathering, dark grey, siliceous and variably carbonaceous, thin bedded shale, slate and phyllite. MK2 consists of light grey resistive- and blocky-weathering, dark grey, fine to medium grained, quartz arenite to siltstone.

Further to the northeast, deformed, calcareous, green-grey volcanic breccia (MKv?) is interbedded with a dark grey siltstone and shale (MKs?) that may correlate with MK1. These horizons have been interpreted as sub-units of Keno Hill Quartzite, which includes minor volcanic rocks elsewhere in the region.

Bedding and foliation on the property generally strike southeasterly and dip steeply to the southwest. Quartz and quartz-carbonate veins, as well as gullies and linears observed along ridge-tops, are aligned sub-parallel to bedding and foliation. Stratigraphy has been deformed by a number of tight folds with shallow southeasterly plunging hinges. These folds are best observed in Hyland Group carbonates where fold hinges are evident in ridge-top outcrops. Within Keno Hill Quartzite folding is inferred from periodic changes in the dip of bedding and symmetry of units across strike. Veins observed within Keno Hill Quartzite are typically boudinaged and discontinuous.

MINERALIZATION

In 2011, Strategic Metals collected 28 rock samples in conjunction with geological mapping to characterize a variety of rock types across the Staff property (Mitchell, 2012). In 2012, Strategic Metals performed limited prospecting and collected a total of 17 rock samples within two zones of anomalous soil geochemistry. Most pre-2013 rock samples from the property yielded background to weakly elevated values for the elements of interest. An elevated arsenic value of 3460 ppm was obtained from a sample of rusty-grey weathering, limonitic quartz vein collected as float in the east-central portion of the property (Morton and Drechsler, 2013).

In 2013, Strategic Metals collected 58 rock samples from the property. The majority of samples collected were of rusty weathering and limonitic quartz vein material found in talus, some of which contains residual grains of pyrite, galena, arsenopyrite and/or chalcopyrite. Several rock samples yielded slightly to moderately elevated gold values, with the best sample grading 1.295 g/t. Values for other metals were generally low and show little correlation with gold.

In 2014, another 59 rock samples were collected from the property. The 2014 rock sample locations are plotted on Figure 8, while results from all programs are illustrated thematically for gold, copper, arsenic, silver, lead and zinc on Figure 9. Rock Sample Descriptions and Certificates of Analysis for the 2014 samples are provided in Appendices III and IV.

In 2014, rock sample sites were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals' laboratories in Whitehorse, YT and North Vancouver, BC. Each sample was dried and fine crushed to better than 70% passing 2 mm, and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

The majority of the 2014 samples consisted of limonitic and brecciated quartz vein, found as float and in outcrop. Rare specimens contain medium to coarse grained sphalerite with trace pyrite and chalcopyrite, the best sample of which returned 3.52% zinc. Values for gold, and all other elements of interest, were generally low.

SOIL GEOCHEMISTRY

In 2011, Strategic Metals collected 104 stream sediment and 484 contour samples from the property. This work identified three main areas of interest for gold – Zones A to C – as defined by stream sediment values ranging from 134 to 164 ppb and soil values between 20 and 101 ppb. Stream sediment sampling also detected a fourth zone that is principally anomalous for zinc and copper (Zone D) in a drainage to the northwest of the gold-bearing zones (Mitchell, 2012).

In 2012, a total of 551 soil samples were taken from two grids in Zones A and B. The 2012 sampling expanded the size of the two anomalous zones and identified higher gold (597 ppb), copper (849 ppm), arsenic (358 ppm) and silver (5.32 ppm) values than were obtained from previous work (Morton and Drechsler, 2013).

In 2013, Strategic Metals collected 345 soil samples, chiefly to extend the Zone A soil grid to the southeast. This work successfully expanded the size of Zone A, but geochemical values did not exceed the previous results reported (Morton, 2014).

In 2014, an additional 373 grid soil samples were collected to increase coverage across the Dawson Thrust Fault near Zones A and B, and uphill from a tributary drainage that had previously produced strongly elevated silt values. The 2014 sample locations are illustrated on Figure 10, while results from all programs for gold, copper, silver, arsenic, lead and zinc are illustrated thematically on Figures 11 to 16, respectively. Certificates of Analysis for the 2014 samples are provided in Appendix IV.

The 2014 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
3900 ft
4000 ft
3500 ft
0
1000 m
510000 mE
ZONE C
ZONE D
SEE INSET I
DAWSON THRUST FAULT
3700 ft
3300 ft
SEE INSET II
ZONE B
5200 ft
5000 ft
INSET II

Gold Soil (ppb)
- ≥200 ≤ 597
- ≥100 < 200
- ≥50 < 100
- ≥20 < 50
- ≥10 < 20
- 0 < 10

Gold Silt (ppb)
- ≥100 ≤ 164
- ≥50 < 100
- ≥20 < 50
- ≥10 < 20
- 0 < 10

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GOLD SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2014/Staff/Figures/F_11_Au_Soil.wor | DATE: February 2015

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
510000 mE
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
ZONE D
ZONE C
DAWSON THRUST FAULT
SEE INSET I
SEE INSET II
ZONE B
INSET II
0
1000 m
3900 ft
4000 ft
3500 ft
3300 ft
5200 ft
5000 ft

Copper Soil (ppm)
≥ 500 ≤ 849
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100
0 < 50

Copper Silt (ppm)
≥ 200 ≤ 278
≥ 100 < 200
≥ 50 < 100
≥ 20 < 50
0 < 20

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER SOIL GEOCHEMISTRY

STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2014/Staff/Figures/F_12_Cu_Soil.wor | DATE: February 2015

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
3900 ft
4000 ft
3500 ft
0
1000 m
510000 mE
ZONE C
ZONE D
DAWSON THRUST FAULT
SEE INSET I
SEE INSET II
3700 ft
3300 ft
ZONE B
5200 ft
5000 ft
INSET II

Arsenic Soil (ppm)
- ≥ 500 ≤ 527
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 20 < 50
- 0 < 20

Arsenic Silt (ppm)
- ≥ 50 ≤ 59
- ≥ 20 < 50
- 0 < 20

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ARSENIC SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2014/Staff/Figures/F_13_As_Soil.wor | DATE: February 2015

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
510000 mE
3900 ft
4000 ft
3500 ft
3300 ft
3700 ft
5200 ft
5000 ft
0
1000 m

ZONE A
CLUSTER I
CLUSTER II
CLUSTER III
ZONE E
PROPERTY BOUNDARY
ZONE D
ZONE C
SEE INSET I
DAWSON THRUST FAULT
SEE INSET II
ZONE B
INSET II

Silver Soil (ppm)
≥ 5 ≤ 5.32
≥ 2 < 5
≥ 1 < 2
≥ 0.5 < 1
0 < 0.5

Silver Silt (ppm)
≥ 1 ≤ 1.44
≥ 0.5 < 1
≥ 0.2 < 0.5
0 < 0.2

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILVER SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2014/Staff/Figures/F_14_Ag_Soil.wor | DATE: February 2015

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
510000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
ZONE D
ZONE C
DAWSON THRUST FAULT
SEE INSET I
SEE INSET II
ZONE B
INSET II
0
1000 m
3900 ft
4000 ft
3500 ft
3700 ft
3300 ft
5200 ft
5000 ft

Lead Soil (ppm)
≥ 200 ≤ 1120
≥ 100 < 200
≥ 50 < 100
≥ 20 < 50
≥ 10 < 20
0 < 10

Lead Silt (ppm)
≥ 50 ≤ 58.9
≥ 20 < 50
≥ 10 < 20
0 < 10

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LEAD SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2014/Staff/Figures/F_15_Pb_Soil.wor | DATE: February 2014

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
510000 mE
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
ZONE D
ZONE C
DAWSON THRUST FAULT
SEE INSET I
SEE INSET II
ZONE B
INSET II
0
1000 m
3500 ft
4000 ft
3900 ft
4700 ft
3300 ft
5200 ft
5000 ft

Zinc Soil (ppm)
≥ 2000 ≤ 3860
≥ 1000 < 2000
≥ 500 < 1000
≥ 200 < 500
≥ 100 < 200
0 < 100

Zinc Silt (ppm)
≥ 1,000 ≤ 1,670
≥ 500 < 1,000
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 16
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2014/Staff/Figures/F_16_Zn_Soil.wor | DATE: February 2015

that were driven into the ground. Soil samples were collected from 5 to 75 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals' laboratory in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver where they were analysed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for the metals of interest are listed in Table II.

Table II – Threshold Values for Soil Samples

Element	Anomalous Thresholds				
	Weak	**Moderate**	**Strong**	**Very Strong**	**Peak Values**
Gold (ppb)	≥ 20 < 50	≥ 50 < 100	≥ 100 < 200	≥ 200	597
Copper (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	-	849
Arsenic (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	527*
Silver (ppm)	≥2 < 5	≥ 5	-	-	5.32
Lead (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	1120*
Zinc (ppm)	≥ 200 < 500	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000	3860*

* 2014 soil sample value.

To date, soil sampling has identified three anomalous zones of interest for gold (Zones A to C), one zone of interest for zinc and copper (Zone D), and a zone of interest for lead and zinc (Zone E).

Zone A comprises three relatively linear, sub-parallel, southeasterly trending clusters with moderate to very strong gold-in-soil and moderate to strong copper-in-soil support (Clusters I, II, and III). Cluster I also has moderate to strong arsenic and silver signatures and weak to moderate zinc and lead response. The peak values for gold, copper and silver were obtained within Zone A. The clusters of anomalous values cross a northeasterly trending ridge and an adjacent steep north-facing slope. Geochemical response is subdued on the south side of the ridge where the slope is shallower and soil cover is thicker. All of the anomalous values comprising Zone A are underlain by clastic rocks of Keno Hill Quartzite.

Zone B lies 4000 m southeast of Zone A. It comprises several moderately to very strongly anomalous gold values that form a southwesterly trending band in the immediate hanging wall of the Dawson Thrust Fault, as it is mapped by Strategic Metals. The anomaly is approximately 400 by 1300 m and is supported by weak, sporadic, moderately elevated copper, arsenic and silver values. Scattered, strong to very strong gold-in-soil values obtained to the northwest along the surface trace of the Dawson Thrust Fault may be an extension of Zone B.

Zone C lies 1500 m northeast of Zone A and consists of two very strongly elevated gold values obtained from stream sediment samples collected 400 m apart. In 2013, limited grid soil sampling within this zone returned a weak response for lead geochemistry and background values for all other elements of interest, including gold.

Zone D lies about 3500 m northwest of Zone A and comprises several stream sediment samples from two adjoining creeks that yielded elevated zinc values (200 to 1670 ppm) and copper (up to 278 ppm) with weak lead support. This zone is hosted within Keno Hill Quartzite, near the junction of the Dawson Thrust Fault and a southwesterly trending high angle fault of unknown movement.

Zone E lies about 1000 m west of Zone A, and is located in the immediate footwall of the Dawson Thrust Fault, as it is mapped by Strategic Metals. The anomaly covers moderately to very strongly anomalous lead values as well as a very strongly anomalous zinc point value. In 2014, soil sampling within this zone returned the property's strongest response for lead (1120 ppm) and zinc (3860 ppm). A single strong gold-in-soil value is located at the northern edge of the anomalous area.

DISCUSSION AND CONCLUSIONS

The Staff property is located in a district of advanced exploration projects, including the nearby Tiger carbonate replacement-style gold deposit, Dublin Gulch stockwork gold vein deposit, and Keno Hill silver-bearing vein deposit.

Strategic Metal's 2014 exploration program dicovered Zone E, an area of elevated zinc and lead soil geochemistry. Continued sampling and prospecting in Zones A and B failed to significantly expand those targets and did not adequately explain their elevated soil responses. No follow up work was performed in Zones C and D.

Future work on the property is warranted, but on a lower priority basis. Some areas of the property with strong soil geochemical response have not been systematically prospected, and no prospecting has been performed in Zones D and E. Hand trenching should be conducted uphill of strongly anomalous soil sites in order to target in-situ mineralization that may have weathered recessively.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton, B.Sc., GIT

REFERENCES

Colpron, M. and Nelson, J. L.

2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).

Dumala, M.

2009 Assessment report describing geological mapping, prospecting, soil geochemistry, diamond drilling and geophysical surveys at the Rau property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C., Durham, C.C.

1990 National Geochemical Reconnaissance stream sediment and water geochemical data, east central Yukon (NTS 106D; parts of 106C, 106E and 106F); Geological Survey of Canada, Open File 2175.

Mitchell, A.

2012 Assessment report describing prospecting, mapping, and geochemical sampling on the Staff property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Morton, J.

2014 Assessment report describing geological mapping, prospecting and geochemical sampling, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Morton, J. and Drechsler, S.

2013 Assessment report describing geochemical sampling and prospecting at the Staff property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Pyle, L., Roots, C., Allen, T., Fraser, T., Bond, J., Jones, A. and Gal, L.

2007 Roadside Geology of the Dempster Highway, Northwest Territories and Yukon: A traveller's guide to the Geology of Canada's most north-western road; Yukon Geological Survey; Department of Energy, Mines and Resources, YGS Open File 2007-10 (http://www.geology.gov.yk.ca/pdf/of2007_10.pdf).

Wheeler, J.O. and McFeely, P.

1991 Bedrock geology (including structure) and mineral occurrences are briefly described and taken largely from the referenced, most recent 1:250,000 geological map with additional contributions from Wheeler and McFeely (1991), and Yukon MINFILE (1993).

Yukon Geological Survey
2013 MapMaker Online; available at: http://mapservices.gov.yk.ca/YGS/WebMap.aspx

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.

2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia, and Northwest Territories

3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia.

4. I supervised the field program and have interpreted all data resulting from this work.



J. Morton, B.Sc., GIT

APPENDIX II

STATEMENT OF EXPENDITURES

Statement of Expenditures
Staff 1-346 Mineral Claims
January 19, 2015

Labour

D. Eaton (geologist) 21 hours March to December at $120/hr	$ 2,646.00
H. Burrell (geologist) 19 hours March to December at $96/hr	1,915.20
J. Morton (geologist) 25 5/8 days March to December at $592/day	15,928.50
J. Thomson-Gladish (field assistant) 12 days March to December at $440/day	5,544.00
L. Arnonld-Wallinger (field assistant) 12 days March to December at $424/day	5,342.40
J. Mariacher (office) 7 ½ hours March to December at $90/hr	708.75
S. Newman office) 5 days March to December at $496/day	2,604.00
L. Smith (office) 75 1/2 hours March to December at $62/hr	4,915.05
D. Huston expedite) 8 hours March to December at $92/hr	772.80
L. Corbett (expedite) 20 hours March to December at $81/hr	1,701.00
	42,077.70

Expenses (including management)

Field room and board – 49 5/8 mandays @ $180/manday	10,129.46
Fireweed Helicopters – 8.1 hours Bell 206LR at $1,250/hr plus fuel	13,069.06
ALS Chemex	13,703.05
	36,901.57

Total $78,979.27

432 samples at $78,979.27 = 182.82/sample

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: Staff Year: 2014

Sample Number:	M898899	UTM:	506110	mE	Nad83, Zone 8
Elevation:	1555 m	UTM:	7126000	mN	

Comments: Specimen sample of weathering orange to black, sericite-altered brecciated quartz vein, with small limonitic pits throughout, manganese staining on fractures, and sparse masses of fine granied pyrite in quartz seams. Collected from a 40 x 20 x 15 cm boulder.

Sample Number:	M898900	UTM:	506038	mE	Nad83, Zone 8
Elevation:	1519 m	UTM:	7126009	mN	

Comments: Specimen sample of blocky and weathering choclate brown, fresh pale blue-grey exhalative silica(?) with mm-scale laminations and cross-cutting sawtooth hairline stringers throughout that weather brown. Collected from a 20 x 20 x 10 cm boulder.

Sample Number:	M898901	UTM:	506114	mE	Nad83, Zone 8
Elevation:	1563 m	UTM:	7125970	mN	

Comments: Specimen sample of flaggy and weathering orange to brown, quartz vein with sparse blebs of fine grained pyrite and chalcopyrite. Collected from a 25 x 10 x 4 cm boulder, with a sheared surface.

Sample Number:	M898902	UTM:	506118	mE	Nad83, Zone 8
Elevation:	1567 m	UTM:	7125970	mN	

Comments: Specimen sample of weathering orange, brecciated drusy quartz vein with dark grey shale clasts that appear streched and wavy, trace fine grained pyrite and very fine grained limonitic pits throughout. Collected from a 40 cm deep pit.

Sample Number:	M898903	UTM:	506167	mE	Nad83, Zone 8
Elevation:	1583 m	UTM:	7125958	mN	

Comments: Specimen sample of weathering orange, brecciated quartz vein with abundant angular and cm-scale clasts of dark grey shale, pockets of limonite within the quartz matrix and masses of fine grained sphalerite.

Sample Number:	M898904	UTM:	506407	mE	Nad83, Zone 8
Elevation:	1723 m	UTM:	7126038	mN	

Comments: Specimen sample of dark grey quartz-sericite altered shale crackle breccia, with hairline stringers throughout that weather dark brown and a sugary and pitted texture on fracture surfaces.

Rock Sample Descriptions Property: Staff Year: 2014

Sample Number:	M898905	UTM:	506409	mE	Nad83, Zone 8
Elevation:	1724 m	UTM:	7126036	mN	

Comments: Specimen sample of weathering orange, brecciated quartz vein with clasts of dark grey shale and small vugs with limonite and goethite throughout. Collected from a 1 metre wide quartz vein.

Sample Number:	M898906	UTM:	506318	mE	Nad83, Zone 8
Elevation:	1685 m	UTM:	7125883	mN	

Comments: Specimen sample of orange weathering, brecciated quartz vein with clasts of mediumg grey shale, abundant pockets of limonite and goethite, and sparse encrusing yellow oxide. Vein appears to be 10 to 30 cm wide.

Sample Number:	M898907	UTM:	506314	mE	Nad83, Zone 8
Elevation:	1688 m	UTM:	7125886	mN	

Comments: Specimen sample of brecciated quartz from the same vein as sample M898906, with vugs filled with chocolate-brown oxide and metallic specular haematite.

Sample Number:	M898908	UTM:	506411	mE	Nad83, Zone 8
Elevation:	1738 m	UTM:	7126018	mN	

Comments: Specimen sample of quartrz vein with the same lithology as sample M898905. Possibly collected from the same vein. No rep.

Sample Number:	M898909	UTM:	506455	mE	Nad83, Zone 8
Elevation:	1717 m	UTM:	7126075	mN	

Comments: Subcrop grab of weathering orange, dark grey shale with a 1.5 cm wide seam of limonite/oxide.

Sample Number:	M898910	UTM:	505347	mE	Nad83, Zone 8
Elevation:	1721 m	UTM:	7124680	mN	

Comments: Specimen sample of vuggy quartz vein with few pale green clasts of shale, botryoidal masses of malachite and limonite, and coarse grained dull grey-black metallic mineralization with a brown streak and one direction of cleavage. Collected from a 30 x 30 x 30 cm boulder.

Sample Number:	M898912	UTM:	505343	mE	Nad83, Zone 8
Elevation:	1722 m	UTM:	7124691	mN	

Comments: Specimen sample of weathering orange drusy quartz vein with encrusting limonite and haematite on fracture surfaces and sparse powdery malachite.

Sample Number:	M898913	UTM:	505556	mE	Nad83, Zone 8
Elevation:	1755 m	UTM:	7125138	mN	

Comments: Specimen sample of weathering brown to maroon and manganese stained brecciated shale with cm-scale limonitic quartz veinlets and very fine grained pits filled with limonite throughout.

Sample Number:	M898914	UTM:	505731	mE	Nad83, Zone 8
Elevation:	1674 m	UTM:	7125274	mN	

Comments: Specimen sample of weathering dark grey and limonitic quartz vein breccia with dark clasts of shale(?) and sparse masses of limonite and haematite(?) on fracture surfaces.

Sample Number:	M898915	UTM:	505970	mE	Nad83, Zone 8
Elevation:	1562 m	UTM:	7125551	mN	

Comments: Specimen sample of orange weathering brecciated quartz with clasts of dark grey shale, a powdery yellow oxide and fine grained pits filled with limonite throughout.

Sample Number:	M898916	UTM:	506245	mE	Nad83, Zone 8
Elevation:	1668 m	UTM:	7125886	mN	

Comments: Specimen sample of quartz vein breccia with silicified clasts of medium grey shale, limonite and a pale yellow oxide on fracture surfaces, and trace very fine grained chalcopyrite within the quartz.

Sample Number:	M898917	UTM:	506249	mE	Nad83, Zone 8
Elevation:	1663 m	UTM:	7125885	mN	

Comments: Specimen sample of a rock with the same lithology as sample M898900, with small pockets of live limonite.

Sample Number:	M898918	UTM:	506433	mE	Nad83, Zone 8
Elevation:	1719 m	UTM:	7126070	mN	

Comments: Specimen sample of weathering orange brecciated quartz vein, with clasts of dark grey shale, abundant masses of goethite, haematite(?) and earthy brown oxide, trace encrusting malachite and pale yellow oxide on fracture surfaces, and very fine grained pits throughout.

Sample Number:	M898919	UTM:	506532	mE	Nad83, Zone 8
Elevation:	1655 m	UTM:	7125998	mN	

Comments: Specimen sample of brick-red weathering drusy quartz vein, with sparse vugs filled with earthy chocolate-brown oxide and a pale yellow powdery oxide on fracture surfaces.

Sample Number:	M898920	UTM:	506522	mE	Nad83, Zone 8
Elevation:	1678 m	UTM:	7126013	mN	

Comments: Specimen sample of a rock with the same lithology as sample M898919, with trace fine grained pyrite.

Sample Number:	M898921	UTM:	506520	mE	Nad83, Zone 8
Elevation:	1677 m	UTM:	7126019	mN	

Comments: Composite sample of weathering chocolate-brown, earthy and vuggy, quartz vein oxide. No rep.

Sample Number:	M898922	UTM:	506501	mE	Nad83, Zone 8
Elevation:	1690 m	UTM:	7126033	mN	

Comments: Composite sample of weathering red to brown to orange and limonitic shale breccia.

Sample Number:	M898923	UTM:	505357	mE	Nad83, Zone 8
Elevation:	1729 m	UTM:	7124674	mN	

Comments: Specimen sample of drusy quartz vein breccia, with clasts of pale green shale, druses filled with masses of forest green powdery mineralization, and sparse coarse grained black sphalerite. Collected from a 60 x 30 x 30 cm boulder.

Sample Number:	M898924	UTM:	505362	mE	Nad83, Zone 8
Elevation:	1730 m	UTM:	7124658	mN	
Comments:	Specimen sample of weathering orange and limonitic, quartz vein breccia with clasts of dark grey shale. Collected from a 20 x 20 x 15 cm boulder.				

Sample Number:	M898925	UTM:	505982	mE	Nad83, Zone 8
Elevation:	1594 m	UTM:	7125538	mN	
Comments:	Specimen sample, excavated from a 50 cm deep pit, of grey-black powdery shale with abundant medium to coarse grained pyrite casts.				

Sample Number:	M898926	UTM:	505982	mE	Nad83, Zone 8
Elevation:	1593 m	UTM:	7125539	mN	
Comments:	Specimen sample, excavated from a 50 cm deep pit, of weathering orange-red drusy quartz with sparse limonite on fracture surfaces.				

Sample Number:	M898927	UTM:	505995	mE	Nad83, Zone 8
Elevation:	1594 m	UTM:	7125554	mN	
Comments:	Specimen sample, excavated from a 30 cm deep pit, of a rock with the sample lithology as sample M898926. No rep.				

Sample Number:	M898928	UTM:	508180	mE	Nad83, Zone 8
Elevation:	1631 m	UTM:	7121662	mN	
Comments:	Specimen sample of buff to brown weathering, medium to dark grey rudstone.				

Sample Number:	M898929	UTM:	508189	mE	Nad83, Zone 8
Elevation:	1630 m	UTM:	7121653	mN	
Comments:	Specimen sample of a rock with the same lithology as sample M898298.				

Sample Number:	M898930	UTM:	508444	mE	Nad83, Zone 8
Elevation:	1589 m	UTM:	7121841	mN	

Comments: Specimen sample of buff to orange weathering quartz vein breccia, with clasts of medium grained shale, and large vugs filled with chocolate brown oxide, limonite, goethtie and ankerite-siderite(?). Collected from a 40 x 30 x 30 cm boulder.

Sample Number:	M898931	UTM:	508445	mE	Nad83, Zone 8
Elevation:	1591 m	UTM:	7121836	mN	

Comments: Specimen sample of brown to tan weathering, medium grey-green micaceous phyllite with fine grained limonite disseminated throughout.

Sample Number:	M898932	UTM:	508734	mE	Nad83, Zone 8
Elevation:	1554 m	UTM:	7121986	mN	

Comments: Specimen sample of tan weathering, drusy quartz vein with wavy banded druses filled with chocolate-brown oxide and ankerite-siderite(?)

Sample Number:	M898933	UTM:	508768	mE	Nad83, Zone 8
Elevation:	1519 m	UTM:	7121936	mN	

Comments: Specimen sample of dark brown weathering, pale grey siltstone with black stringers a mm-scale styolites(?) of carbon throughout.

Sample Number:	M898934	UTM:	508845	mE	Nad83, Zone 8
Elevation:	1492 m	UTM:	7122007	mN	

Comments: Specimen sample of a rock with the same lithology as sample M898937. Collected from a 50 x 25 x 15 cm boulder.

Sample Number:	M898935	UTM:	508837	mE	Nad83, Zone 8
Elevation:	1472 m	UTM:	7121921	mN	

Comments: Specimen sample of bull white drusy quartz vein. Collected from a 50 x 30 x 10 cm boulder.

Rock Sample Descriptions Property: Staff Year: 2014

Sample Number:	M898936	UTM:	508926	mE	Nad83, Zone 8
Elevation:	1413 m	UTM:	7121917	mN	
Comments:	Specimen sample of a rock with the same lithology as sample M898937. No rep.				

Sample Number:	M898937	UTM:	508918	mE	Nad83, Zone 8
Elevation:	1437 m	UTM:	7121940	mN	
Comments:	Specimen sample of grey to tan weathering, drusy quartz vein with druses filled with sooty black powder, goethite and limonite, as well as on fracture surfaces.				

Sample Number:	M898938	UTM:	508963	mE	Nad83, Zone 8
Elevation:	1417 m	UTM:	7121939	mN	
Comments:	Specimen sample of weathering black to brown, pale green clay-altered shale with disseminate medium grained and cubic limonite throughout.				

Sample Number:	M898939	UTM:	508997	mE	Nad83, Zone 8
Elevation:	1385 m	UTM:	7121917	mN	
Comments:	Composite sample of an earthy, black to brown and altered shale with disseminated medium grained cubic limonite throughout and sparse blebs of fine grained pyrite.				

Sample Number:	M898940	UTM:	508998	mE	Nad83, Zone 8
Elevation:	1395 m	UTM:	7121911	mN	
Comments:	Composite sample of orange weathering quartz vein with limonitic hairline fractures and trace very fine grained pyrite. No rep.				

Sample Number:	M898941	UTM:	509034	mE	Nad83, Zone 8
Elevation:	1341 m	UTM:	7121856	mN	
Comments:	Specimen sample of grey to orange weathering, drusy quartz vein breccia with clasts of pale green shale, small pits filled with limonite/goethite throughout and trace fine grained pyrite. Collected from a 20 x 20 x 20 cm boulder.				

Rock Sample Descriptions Property: Staff Year: 2014

Sample Number:	M898942	UTM:	509037	mE	Nad83, Zone 8
Elevation:	1340 m	UTM:	7121858	mN	

Comments: Composite sample of a blocky, brown to dark grey weathering altered shale(?), with small vugs filled with limonite and cross-cutting hairline black and limonitic stringers throughout.

Sample Number:	M898943	UTM:	509364	mE	Nad83, Zone 8
Elevation:	1436 m	UTM:	7122567	mN	

Comments: Composite sample, exacavated from a shallow pit, of black shale.

Sample Number:	M898944	UTM:	508686	mE	Nad83, Zone 8
Elevation:	1487 m	UTM:	7122197	mN	

Comments: Composite sample of a ~4.5 cm thick drusy quartz vein through green shale, with druses filled with sooty black oxide, limonite and goethite. Collected in a boulder field.

Sample Number:	M898945	UTM:	508463	mE	Nad83, Zone 8
Elevation:	1553 m	UTM:	7121916	mN	

Comments: Specimen sample of medium to dark brown and limonitic rudstone, with limonite and specular haematite(?) on fracture surfaces and cm-scale lenses of dolomite.

Sample Number:	M898946	UTM:	508478	mE	Nad83, Zone 8
Elevation:	1531 m	UTM:	7121944	mN	

Comments: Specimen sample of orange weathering vuggy quartz breccia, with clasts of green shale and large vugs filled with dark black oxide and limonite. No rep.

Sample Number:	M898947	UTM:	508490	mE	Nad83, Zone 8
Elevation:	1543 m	UTM:	7121947	mN	

Comments: Specimen sample of orange weathering quartz vein with sparse limonitic vugs and sparse coarse grained pyrite.

Sample Number:	M898948	UTM:	508503	mE	Nad83, Zone 8
Elevation:	1565 m	UTM:	7121920	mN	
Comments:	Composite sample of weathering maroon to orange, and limonitic, punky shale breccia. No rep.				

Sample Number:	M898949	UTM:	508499	mE	Nad83, Zone 8
Elevation:	1559 m	UTM:	7121922	mN	
Comments:	Specimen sample of pale yellow to orange, strongly altered siltstone, with large cubic vugs, limonite on fracture surfaces and rare coarse grained galena.				

Sample Number:	M898950	UTM:	508498	mE	Nad83, Zone 8
Elevation:	1559 m	UTM:	7121927	mN	
Comments:	Specimen sample of orange weathering quartz vein, with fine grained limonitic pits throughout and sparse coarse grained pyrite.				

Sample Number:	M898951	UTM:	508493	mE	Nad83, Zone 8
Elevation:	1554 m	UTM:	7121931	mN	
Comments:	Specimen sample of ~4 cm thick white quartz vein through green shale, with disseminated chocolate brown oxide throughout, rare live limonite and trace medium grained chalcopyrite.				

Sample Number:	M898952	UTM:	508493	mE	Nad83, Zone 8
Elevation:	1556 m	UTM:	7121934	mN	
Comments:	Specimen sample of pale yellow to orange, strongly altered siltstone with fine to coarse grained cubic vugs, limonite on fracture surfaces and sparse coarse grained pyrite.				

Sample Number:	M898953	UTM:	508493	mE	Nad83, Zone 8
Elevation:	1557 m	UTM:	7121938	mN	
Comments:	Specimen sample of a rock with the same lithology as sample M898950.				

Rock Sample Descriptions Property: Staff Year: 2014

Sample Number:	M898954	UTM:	508864	mE	Nad83, Zone 8
Elevation:	1447 m	UTM:	7121808	mN	

Comments: Specimen sample of tan to brown weathering, silicified sandstone with disseminated very fine grained limonite throughout. Margin material of a ~50 cm thick quartz vein.

Sample Number:	M898955	UTM:	508998	mE	Nad83, Zone 8
Elevation:	1404 m	UTM:	7121929	mN	

Comments: Specimen sample, excavated from a 1 metre deep pit, of orange to dark grey weathering, quartz breccia with clasts of green shale, sericite and chocolate-brown oxide on fracture surfaces, and trace fine grained pyrite. Collected from a 50 x 25 x 25 cm boulder.

Sample Number:	M898956	UTM:	509001	mE	Nad83, Zone 8
Elevation:	1400 m	UTM:	7121928	mN	

Comments: Specimen sample, excavated from a 1 metre deep pit, of a rock with the same lithology as sample M898955. No rep.

Sample Number:	M898957	UTM:	509000	mE	Nad83, Zone 8
Elevation:	1403 m	UTM:	7121927	mN	

Comments: Specimen sample, excavated from a 1 metre deep pit, of a rock with the same lithology as sample M898955. No rep.

Sample Number:	M898958	UTM:	508999	mE	Nad83, Zone 8
Elevation:	1407 m	UTM:	7121926	mN	

Comments: Specimen sample, excavated from a 1 metre deep pit, of orange weathering quartz vein, with fine grained brick-red limonite, scaley pyrite, and trace chalcopyrite on fracture surfaces. Collected from a fist-sized boulder. No rep, and rock on site is not representative.

APPENDIX IV

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21-SEP-2014
Account: MTT

CERTIFICATE WH14121968

Project: STAFF

P.O. No.: Aug 30

This report is for 31 Rock samples submitted to our lab in Whitehorse, YT, Canada on 1-SEP-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121968

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M898928		1.42	0.001	0.09	0.01	12.4	<0.2	<10	10	<0.05	0.28	>25.0	0.11	2.02	0.5	1
M898929		1.13	0.001	0.07	0.01	14.5	<0.2	<10	<10	<0.05	0.15	>25.0	0.09	4.41	1.0	1
M898930		2.00	0.002	1.85	0.05	12.6	<0.2	<10	10	<0.05	24.3	0.31	0.22	1.64	1.9	11
M898931		1.58	<0.001	0.12	0.45	17.4	<0.2	<10	40	0.11	0.43	0.05	0.17	27.2	4.0	13
M898932		1.13	<0.001	0.07	0.07	2.8	<0.2	<10	40	<0.05	0.36	0.03	0.05	1.50	1.4	13
M898933		1.13	<0.001	0.03	0.12	2.9	<0.2	<10	30	0.05	0.06	0.81	0.16	18.05	3.4	9
M898934		1.64	0.072	0.05	0.08	35.2	<0.2	<10	10	<0.05	0.40	0.19	0.12	1.91	9.2	14
M898935		1.43	0.001	0.02	0.04	2.2	<0.2	<10	<10	<0.05	0.12	0.01	0.03	1.08	0.6	16
M898936		1.59	<0.001	0.01	0.51	1.7	<0.2	<10	810	0.14	0.03	0.05	0.22	2.39	18.4	18
M898937		1.32	0.003	0.02	0.11	12.2	<0.2	<10	20	0.05	0.05	0.03	0.09	3.00	7.8	17
M898938		1.24	0.038	0.76	1.53	31.1	<0.2	<10	100	0.28	0.69	0.03	0.03	41.3	9.6	18
M898939		1.44	0.383	0.38	0.51	11.7	0.4	<10	90	0.23	0.07	0.01	0.02	30.4	14.0	5
M898940		1.40	0.136	0.47	0.47	44.5	0.6	<10	90	0.20	0.56	0.04	0.04	25.1	10.5	9
M898941		1.64	0.081	0.90	0.14	10.6	<0.2	<10	40	0.09	1.56	0.03	0.04	5.29	6.9	15
M898942		1.20	0.003	1.24	0.22	35.0	<0.2	<10	90	0.19	2.09	0.01	0.03	26.0	4.9	7
M898943		1.16	0.005	0.11	0.35	8.4	<0.2	<10	170	0.23	0.11	0.24	0.10	7.50	1.6	16
M898944		1.85	0.011	0.02	1.34	2.0	<0.2	<10	60	0.40	0.32	0.04	0.11	20.5	26.8	28
M898945		1.31	<0.001	0.01	0.36	2.1	<0.2	<10	60	0.36	0.08	10.90	0.26	28.1	53.8	42
M898946		1.23	0.001	0.09	0.90	0.9	<0.2	<10	30	0.36	0.24	0.07	2.61	17.95	34.6	17
M898947		1.28	<0.001	0.05	0.16	5.7	<0.2	<10	<10	<0.05	0.38	0.11	1.25	7.94	9.4	13
M898948		1.26	0.002	0.58	0.75	16.1	<0.2	<10	30	0.65	0.20	0.13	1.79	14.45	11.6	24
M898949		1.31	<0.001	1.34	0.70	4.5	<0.2	<10	10	0.09	15.35	0.02	0.13	19.65	4.6	31
M898950		0.84	<0.001	0.24	0.27	5.4	<0.2	<10	<10	0.05	1.86	0.03	3.25	12.60	25.2	12
M898951		1.14	<0.001	0.03	0.33	0.9	<0.2	<10	10	0.07	0.05	0.26	3.06	7.75	10.2	16
M898952		1.43	0.001	0.91	0.35	1.5	<0.2	<10	30	0.17	9.94	0.01	0.24	26.1	5.9	13
M898953		1.56	<0.001	0.50	0.94	20.3	<0.2	<10	<10	0.19	3.13	0.03	7.98	29.7	48.3	42
M898954		1.57	<0.001	0.03	0.16	22.8	<0.2	<10	30	0.07	0.11	0.02	0.07	20.0	2.0	12
M898955		1.65	0.010	0.59	0.18	58.4	<0.2	<10	20	0.06	0.75	0.06	0.03	3.77	14.1	17
M898956		1.46	0.005	0.06	0.12	18.6	<0.2	<10	30	0.08	0.08	0.05	0.08	4.40	7.5	17
M898957		1.30	0.076	0.07	0.05	4.4	<0.2	<10	10	<0.05	0.05	0.05	0.02	1.22	2.2	15
M898958		0.83	0.223	0.50	0.19	42.6	0.3	<10	30	0.08	0.28	0.02	0.02	4.92	12.0	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 21-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121968

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M898928		<0.05	3.5	0.44	0.06	<0.05	<0.02	0.01	0.010	<0.01	1.1	0.4	0.24	997	<0.05	0.01
M898929		<0.05	0.8	0.47	0.07	<0.05	0.02	0.02	0.013	<0.01	2.3	0.3	0.21	507	<0.05	0.01
M898930		0.18	17.1	1.11	0.17	<0.05	0.02	<0.01	0.017	0.01	0.6	0.4	0.01	1040	0.31	0.01
M898931		0.35	8.3	1.65	1.31	<0.05	0.13	<0.01	0.013	0.10	13.0	9.5	0.11	1000	0.35	0.02
M898932		0.10	3.5	0.70	0.20	<0.05	<0.02	<0.01	<0.005	0.01	0.7	0.9	0.01	620	0.60	0.01
M898933		0.10	4.1	0.55	0.38	<0.05	0.05	<0.01	0.010	0.02	7.9	1.1	0.15	5670	0.17	0.06
M898934		0.22	1.3	1.57	0.33	<0.05	<0.02	<0.01	0.032	0.03	0.9	0.6	0.01	9720	0.26	0.02
M898935		0.06	2.9	0.56	0.15	<0.05	0.02	<0.01	<0.005	0.01	0.6	0.4	0.01	123	1.23	0.01
M898936		0.62	3.4	1.88	1.77	<0.05	<0.02	<0.01	0.018	0.04	1.0	16.0	0.36	19700	0.17	0.02
M898937		0.36	1.6	1.19	0.77	<0.05	<0.02	<0.01	0.016	0.03	1.6	2.1	0.03	14550	0.27	0.02
M898938		0.53	365	3.86	4.05	0.05	0.13	0.01	0.049	0.26	20.9	34.7	0.50	1000	0.19	0.04
M898939		0.49	101.5	3.19	1.21	<0.05	0.13	0.01	0.018	0.19	14.8	3.5	0.03	269	0.10	0.06
M898940		0.45	44.9	3.60	1.30	<0.05	0.09	0.01	0.019	0.18	12.6	5.9	0.09	1050	0.29	0.04
M898941		0.18	21.8	1.34	0.43	<0.05	0.02	<0.01	0.009	0.07	2.4	1.0	0.01	706	3.36	0.02
M898942		0.30	10.7	1.63	0.73	<0.05	0.25	<0.01	0.016	0.11	12.6	1.1	0.01	4020	1.55	0.02
M898943		0.22	72.8	1.06	1.16	<0.05	<0.02	0.01	0.015	0.13	5.8	3.2	0.08	100	3.19	0.01
M898944		1.05	12.0	3.26	3.70	<0.05	0.02	<0.01	0.014	0.13	11.9	47.8	0.73	7970	0.21	0.04
M898945		0.54	3.2	4.85	1.12	0.06	0.13	<0.01	0.041	0.15	13.6	1.9	0.29	4030	0.10	0.04
M898946		0.35	328	2.11	2.28	<0.05	0.13	0.02	0.013	0.09	8.6	34.6	0.50	4000	0.64	0.02
M898947		<0.05	28.7	0.98	0.28	<0.05	0.02	<0.01	0.010	<0.01	3.3	1.2	0.03	1700	25.0	0.08
M898948		0.84	472	8.67	1.16	0.08	0.04	0.03	0.047	0.08	7.3	11.5	0.06	460	23.4	0.01
M898949		0.10	102.5	1.74	3.68	0.05	0.07	<0.01	0.026	0.02	9.2	14.3	0.32	153	101.5	0.09
M898950		<0.05	82.1	1.54	0.41	<0.05	0.08	<0.01	0.013	<0.01	5.2	4.1	0.01	3310	7.74	0.07
M898951		0.13	185.0	1.29	1.12	<0.05	0.03	0.01	0.012	0.03	3.2	8.5	0.22	3960	0.60	0.02
M898952		0.27	175.0	3.63	1.32	<0.05	0.08	0.01	0.028	0.09	12.5	2.3	0.03	187	70.2	0.18
M898953		<0.05	227	3.64	2.98	0.07	0.55	0.02	0.037	<0.01	13.8	18.2	0.25	1540	38.8	0.11
M898954		0.18	4.5	0.93	0.53	<0.05	0.04	<0.01	0.005	0.06	9.2	1.0	0.01	847	0.47	0.03
M898955		0.12	34.8	1.62	0.60	<0.05	0.04	0.01	0.007	0.03	1.7	4.9	0.06	2180	0.60	0.01
M898956		0.19	4.1	1.52	0.38	<0.05	<0.02	0.01	0.006	0.04	1.9	1.5	0.01	1280	0.46	0.02
M898957		0.09	1.6	1.29	0.19	<0.05	<0.02	<0.01	<0.005	0.02	0.6	0.5	0.01	729	0.26	0.01
M898958		0.19	146.5	2.70	0.58	<0.05	0.04	0.01	0.013	0.06	2.5	4.7	0.03	269	0.22	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 21-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121968

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M898928		<0.05	1.4	70	8.9	0.1	<0.001	0.02	1.36	0.4	<0.2	<0.2	2010	<0.01	0.02	<0.2
M898929		<0.05	2.2	150	19.9	0.2	<0.001	0.01	1.49	0.8	<0.2	0.2	2110	<0.01	0.01	0.5
M898930		<0.05	5.9	1030	1050	0.7	<0.001	0.03	4.16	1.0	0.9	0.4	19.9	<0.01	1.03	0.2
M898931		<0.05	8.4	190	30.8	5.1	<0.001	0.01	2.96	0.8	<0.2	0.4	7.5	<0.01	0.02	6.5
M898932		<0.05	2.3	30	11.3	0.7	<0.001	0.01	0.68	0.4	<0.2	<0.2	2.3	<0.01	0.05	0.6
M898933		<0.05	4.1	220	6.7	0.9	<0.001	0.01	1.23	1.3	<0.2	0.2	25.9	<0.01	0.03	4.8
M898934		<0.05	9.5	880	7.3	1.6	<0.001	0.01	1.21	0.8	<0.2	0.3	16.1	<0.01	0.18	0.3
M898935		<0.05	2.0	50	15.7	0.7	<0.001	0.01	0.55	0.2	<0.2	<0.2	0.9	<0.01	<0.01	0.4
M898936		<0.05	24.3	270	1.7	2.2	<0.001	0.01	0.35	1.9	<0.2	<0.2	14.3	<0.01	0.01	0.7
M898937		<0.05	8.9	230	2.5	1.5	<0.001	0.01	1.30	1.0	<0.2	<0.2	18.2	<0.01	0.02	0.4
M898938		<0.05	27.1	370	5.6	10.7	<0.001	0.02	0.54	2.0	0.2	0.3	6.7	<0.01	0.41	6.9
M898939		<0.05	21.2	320	2.9	7.9	<0.001	0.20	0.44	1.6	1.0	<0.2	5.6	<0.01	0.24	4.9
M898940		<0.05	20.3	350	6.3	7.5	<0.001	0.02	1.09	1.3	0.3	0.2	6.9	<0.01	0.20	4.4
M898941		<0.05	9.3	200	76.5	2.9	<0.001	0.03	0.30	0.6	0.3	<0.2	3.1	<0.01	0.36	1.2
M898942		<0.05	20.7	200	61.4	4.8	<0.001	0.01	0.19	1.9	0.5	<0.2	6.7	<0.01	0.54	4.7
M898943		0.06	11.4	2070	5.8	5.3	0.005	0.02	0.83	0.7	6.3	0.2	35.8	<0.01	0.11	0.5
M898944		<0.05	41.6	270	3.6	5.8	<0.001	0.01	0.97	1.8	<0.2	0.2	22.9	<0.01	0.08	3.8
M898945		0.05	149.5	2770	28.2	7.1	<0.001	<0.01	0.16	9.1	0.8	<0.2	145.5	<0.01	0.03	1.8
M898946		<0.05	37.5	370	6.8	4.1	<0.001	0.01	0.16	2.5	<0.2	<0.2	19.2	<0.01	0.09	2.3
M898947		<0.05	16.9	220	64.9	0.2	<0.001	0.22	0.23	2.6	0.3	<0.2	24.3	<0.01	0.07	1.2
M898948		<0.05	71.7	3570	37.8	3.6	0.002	0.12	1.83	2.1	16.0	0.2	48.6	<0.01	0.10	3.6
M898949		<0.05	19.2	280	838	1.2	0.002	0.08	0.17	3.1	1.3	0.2	17.0	<0.01	1.20	4.3
M898950		<0.05	41.9	200	234	0.1	<0.001	0.53	0.26	3.5	0.6	<0.2	12.4	<0.01	0.23	2.0
M898951		<0.05	15.6	210	6.5	1.4	<0.001	0.01	0.17	1.2	<0.2	<0.2	17.2	<0.01	0.01	1.2
M898952		<0.05	13.0	300	819	4.0	<0.001	0.50	0.15	2.5	1.1	0.2	49.7	<0.01	0.78	5.7
M898953		<0.05	102.0	210	434	0.1	0.008	0.32	0.58	7.2	3.0	<0.2	8.8	<0.01	0.52	5.4
M898954		<0.05	4.8	110	9.7	2.5	<0.001	<0.01	0.43	0.4	<0.2	<0.2	4.4	<0.01	0.01	5.7
M898955		<0.05	16.0	380	11.3	1.5	<0.001	<0.01	0.61	0.7	<0.2	<0.2	4.7	<0.01	0.12	0.6
M898956		<0.05	10.2	310	5.4	2.1	<0.001	<0.01	0.38	0.7	<0.2	<0.2	3.9	<0.01	0.05	0.7
M898957		<0.05	4.6	270	1.2	1.0	<0.001	0.01	0.38	0.3	<0.2	<0.2	4.4	<0.01	0.06	0.2
M898958		<0.05	17.5	230	6.8	2.8	<0.001	0.22	1.49	0.6	1.1	<0.2	2.9	<0.01	0.14	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121968

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
M898928		<0.005	<0.02	0.23	2	<0.05	2.15	8	<0.5
M898929		<0.005	<0.02	0.47	1	0.10	2.39	10	0.6
M898930		<0.005	0.03	1.22	1	<0.05	3.59	12	1.3
M898931		<0.005	0.03	0.50	3	<0.05	1.45	33	4.5
M898932		<0.005	<0.02	0.38	1	<0.05	0.50	6	<0.5
M898933		<0.005	<0.02	0.19	1	<0.05	2.10	12	1.9
M898934		<0.005	<0.02	0.15	1	<0.05	2.09	27	<0.5
M898935		<0.005	<0.02	0.51	<1	<0.05	0.22	4	1.5
M898936		<0.005	<0.02	0.48	4	<0.05	0.86	77	0.9
M898937		<0.005	<0.02	0.13	1	<0.05	0.69	23	<0.5
M898938		<0.005	0.08	0.82	12	<0.05	1.75	83	6.9
M898939		<0.005	0.05	1.10	4	<0.05	1.39	93	6.1
M898940		<0.005	0.06	0.53	4	<0.05	1.47	86	3.9
M898941		<0.005	<0.02	0.28	1	<0.05	0.78	30	1.3
M898942		<0.005	0.03	1.13	5	<0.05	3.18	27	9.8
M898943		0.006	0.08	3.64	38	0.06	6.37	45	<0.5
M898944		0.019	0.03	0.82	13	<0.05	1.21	106	1.2
M898945		0.006	0.03	2.52	16	0.05	14.25	50	12.4
M898946		<0.005	0.06	4.90	6	<0.05	3.98	93	5.7
M898947		<0.005	<0.02	0.89	1	<0.05	2.37	30	0.8
M898948		<0.005	0.09	20.1	42	0.05	8.03	370	4.3
M898949		<0.005	<0.02	1.29	14	<0.05	1.12	42	2.3
M898950		<0.005	0.02	2.75	1	<0.05	3.47	45	2.4
M898951		<0.005	<0.02	0.80	3	<0.05	2.00	54	1.4
M898952		<0.005	0.04	0.97	6	<0.05	1.62	28	2.8
M898953		<0.005	0.02	7.41	39	<0.05	6.38	216	17.1
M898954		<0.005	0.02	0.29	1	<0.05	0.90	16	1.7
M898955		<0.005	<0.02	0.53	1	<0.05	0.76	36	2.1
M898956		<0.005	<0.02	0.41	1	<0.05	0.74	23	0.7
M898957		<0.005	<0.02	0.10	<1	<0.05	0.73	13	<0.5
M898958		<0.005	0.02	0.36	2	<0.05	0.62	62	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 21-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121968

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 SPL-21
WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41 PUL-31 PUL-QC

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

CERTIFICATE WH14121969

Project: STAFF

This report is for 187 Soil samples submitted to our lab in Whitehorse, YT, Canada on 1-SEP-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 15-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD011801		0.27	0.002	0.03	1.25	10.8	<0.2	<10	70	0.17	0.31	0.06	0.10	22.7	4.1	21
DD011802		0.22	0.003	0.06	1.41	11.4	<0.2	<10	60	0.17	0.30	0.05	0.06	23.6	4.4	23
DD011803		0.16	0.002	0.13	1.53	13.1	<0.2	<10	80	0.34	0.39	0.09	0.11	25.6	9.7	26
DD011804		0.20	0.003	0.07	1.49	15.1	<0.2	<10	110	0.36	0.37	0.13	0.06	25.1	7.1	25
DD011805		0.22	0.003	0.10	1.42	14.3	<0.2	<10	130	0.34	0.34	0.57	0.08	19.75	9.4	25
DD011806		0.35	0.019	0.35	1.14	23.0	<0.2	<10	160	0.28	0.30	0.53	0.26	25.4	10.9	20
DD011807		0.22	0.010	0.29	1.17	21.1	<0.2	<10	190	0.30	0.29	0.38	0.27	25.9	8.3	23
DD011808		0.18	0.005	0.19	1.23	18.2	<0.2	<10	190	0.32	0.29	0.46	0.47	30.0	12.7	23
DD011809		0.22	0.004	0.14	0.94	16.2	<0.2	<10	100	0.21	0.31	0.09	0.31	24.5	9.4	13
DD011810		0.32	0.003	0.18	1.63	31.3	<0.2	<10	210	0.28	0.50	0.20	0.26	18.40	18.9	18
DD011811		0.26	0.004	0.06	1.50	25.3	<0.2	<10	110	0.25	0.38	0.10	0.15	31.9	22.5	21
DD011812		0.22	0.002	0.11	1.21	22.3	<0.2	<10	100	0.19	0.41	0.10	0.13	28.1	11.5	15
DD011813		0.24	0.010	0.31	1.40	13.2	<0.2	<10	210	0.34	0.44	0.87	0.71	22.1	15.9	24
DD011814		0.37	0.029	0.26	1.77	15.8	<0.2	<10	130	0.37	0.36	0.44	0.63	27.6	19.2	29
DD011815		0.30	0.006	0.16	1.31	15.6	<0.2	<10	160	0.27	0.35	0.34	0.29	27.8	9.9	19
DD011816		0.30	0.005	0.05	1.57	15.0	<0.2	<10	110	0.36	0.28	0.10	0.30	25.1	8.0	25
DD011817		0.18	0.016	0.24	1.13	12.2	<0.2	<10	100	0.31	0.59	0.40	0.57	27.9	21.6	24
DD011818		0.36	0.003	0.42	0.79	9.0	<0.2	<10	90	0.11	0.24	0.06	0.14	36.6	5.8	12
DD011819		0.32	0.051	0.23	0.84	15.6	<0.2	<10	70	0.32	0.49	0.35	0.06	20.9	10.2	17
DD011820		0.33	0.003	0.05	1.58	16.7	<0.2	<10	110	0.46	0.36	0.09	0.10	34.5	12.8	25
DD011821		0.22	0.003	0.03	1.42	14.7	<0.2	<10	100	0.39	0.33	0.08	0.17	31.8	15.9	26
DD011822		0.29	0.002	0.05	1.77	11.5	<0.2	<10	80	0.29	0.48	0.06	0.17	28.3	17.5	29
DD011823		0.30	0.003	0.09	1.51	21.9	<0.2	<10	80	0.31	0.47	0.05	0.11	27.1	11.1	26
DD011824		0.30	0.001	0.06	1.47	15.5	<0.2	<10	130	0.39	0.73	0.29	0.15	25.8	21.2	21
DD011825		0.32	0.001	0.10	1.16	15.0	<0.2	<10	100	0.24	0.49	0.05	0.10	27.3	10.5	21
DD011826		0.36	0.002	0.06	1.78	16.0	<0.2	<10	90	0.33	0.44	0.06	0.11	28.1	13.5	29
DD011827		0.36	0.003	0.02	1.44	11.7	<0.2	<10	70	0.24	0.51	0.07	0.09	26.2	9.3	27
DD011828		0.41	0.003	0.04	1.91	14.5	<0.2	<10	190	0.56	0.40	0.13	0.14	34.6	14.1	30
DD011829		0.24	0.003	0.03	1.03	12.1	<0.2	<10	80	0.18	0.42	0.09	0.06	29.2	13.0	19
DD011830		0.27	0.003	0.09	1.43	12.7	<0.2	<10	80	0.27	0.39	0.07	0.23	28.2	7.4	22
DD011831		0.26	0.006	0.03	1.23	12.5	<0.2	<10	70	0.17	0.40	0.06	0.08	29.2	5.0	21
DD011832		0.17	0.002	0.04	1.63	10.0	<0.2	<10	80	0.28	0.54	0.08	0.10	25.4	10.3	28
DD011833		0.34	0.036	0.04	1.42	10.2	<0.2	<10	90	0.43	0.36	0.10	0.08	26.7	15.8	27
DD011834		0.14	0.010	0.05	1.19	10.9	<0.2	<10	90	0.44	0.32	0.18	0.17	27.3	17.3	25
DD011943		0.25	0.015	0.81	1.48	81.7	<0.2	<10	380	0.45	0.50	0.15	0.71	30.9	20.4	32
DD011944		0.36	0.008	0.49	1.68	20.5	<0.2	<10	260	0.58	0.28	0.45	0.43	39.7	14.9	45
DD011945		0.29	0.016	1.07	1.96	24.6	<0.2	<10	490	0.69	0.39	0.64	0.53	39.9	18.5	49
DD011946		0.28	0.009	0.58	1.53	21.2	<0.2	<10	390	0.59	0.28	0.94	0.62	38.8	16.0	45
DD011947		0.31	0.008	0.54	1.54	19.2	<0.2	<10	450	0.54	0.27	1.09	0.75	36.2	16.0	42
DD011948		0.39	0.007	0.37	1.58	17.1	<0.2	<10	280	0.57	0.29	0.58	0.59	44.0	14.5	44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD011801		1.38	10.2	2.12	6.42	<0.05	<0.02	0.02	0.019	0.03	12.0	7.6	0.21	233	1.43	<0.01
DD011802		1.41	14.5	2.63	6.30	<0.05	<0.02	0.02	0.022	0.04	12.3	12.2	0.27	191	1.65	<0.01
DD011803		1.59	28.4	3.18	5.18	<0.05	<0.02	0.02	0.024	0.04	13.2	22.3	0.39	578	1.61	<0.01
DD011804		1.80	18.5	2.98	4.88	<0.05	<0.02	0.02	0.027	0.04	13.0	16.1	0.35	217	1.26	<0.01
DD011805		2.57	22.0	2.72	4.64	<0.05	0.02	0.03	0.023	0.04	11.4	21.1	0.41	478	1.04	<0.01
DD011806		1.92	115.5	2.90	3.03	<0.05	<0.02	0.02	0.022	0.08	14.6	12.0	0.49	920	4.96	<0.01
DD011807		1.68	73.0	2.73	3.61	<0.05	<0.02	0.01	0.020	0.08	14.5	14.0	0.49	644	3.04	<0.01
DD011808		1.77	89.0	2.90	3.85	0.05	0.02	0.03	0.025	0.09	16.8	13.7	0.45	1290	4.37	0.02
DD011809		0.70	48.5	2.76	2.62	0.05	<0.02	0.02	0.016	0.05	12.9	13.3	0.33	855	2.54	0.01
DD011810		1.20	80.0	3.37	4.13	<0.05	0.03	0.04	0.018	0.09	9.7	16.4	0.58	1340	2.96	0.01
DD011811		4.49	69.7	3.52	4.56	0.05	<0.02	0.03	0.020	0.19	15.8	15.5	0.45	1450	3.00	0.01
DD011812		1.20	40.7	3.11	4.77	<0.05	<0.02	0.02	0.019	0.07	14.2	7.6	0.29	1140	3.37	0.01
DD011813		2.42	208	2.90	3.89	0.06	0.03	0.10	0.038	0.13	14.5	16.2	0.50	890	4.90	0.02
DD011814		3.34	108.0	3.70	5.17	0.06	0.02	0.05	0.035	0.10	15.1	23.7	0.76	1220	8.40	0.01
DD011815		1.57	87.5	2.98	3.74	0.05	<0.02	0.04	0.019	0.08	15.9	13.0	0.51	644	4.18	0.01
DD011816		1.00	38.2	2.85	5.05	<0.05	0.02	0.04	0.028	0.05	13.3	12.6	0.34	580	2.39	0.01
DD011817		0.79	104.0	3.89	3.77	0.06	0.06	0.04	0.038	0.05	15.4	8.9	0.32	1520	12.15	0.01
DD011818		0.91	17.9	1.87	3.79	0.05	<0.02	0.03	0.015	0.04	19.1	4.1	0.12	457	2.06	0.01
DD011819		2.76	35.0	2.78	2.78	<0.05	0.02	0.02	0.020	0.03	10.8	15.6	0.31	501	0.84	0.02
DD011820		2.56	54.0	3.06	4.59	<0.05	0.03	0.03	0.023	0.04	16.1	24.7	0.45	695	1.57	0.01
DD011821		3.13	31.1	3.63	3.85	0.05	0.02	0.03	0.023	0.04	16.5	24.3	0.48	1200	1.41	0.01
DD011822		2.04	31.7	4.19	6.11	0.05	<0.02	0.03	0.026	0.05	14.4	30.2	0.49	1440	1.93	0.01
DD011823		2.07	31.3	3.83	5.87	<0.05	<0.02	0.03	0.027	0.04	14.3	24.2	0.40	554	1.99	0.01
DD011824		1.24	48.0	4.43	4.27	<0.05	0.02	0.03	0.036	0.04	12.3	21.3	0.37	2010	1.93	0.02
DD011825		3.05	24.5	2.96	6.90	<0.05	<0.02	0.03	0.022	0.05	14.3	12.6	0.24	906	1.81	0.01
DD011826		2.11	22.9	3.55	6.32	<0.05	<0.02	0.04	0.031	0.05	14.2	24.9	0.42	686	1.74	0.01
DD011827		1.65	29.9	3.41	5.41	<0.05	<0.02	0.02	0.026	0.04	13.5	23.2	0.45	514	1.77	0.01
DD011828		1.74	37.5	3.38	5.65	0.05	0.02	0.05	0.032	0.05	17.0	25.9	0.54	723	1.47	0.01
DD011829		1.19	24.3	3.04	4.95	<0.05	<0.02	0.05	0.020	0.04	15.1	17.5	0.30	988	1.31	0.01
DD011830		1.46	18.2	2.87	6.20	<0.05	<0.02	0.04	0.021	0.05	15.0	19.3	0.28	480	1.55	0.01
DD011831		1.88	13.8	2.59	7.16	<0.05	<0.02	0.02	0.017	0.04	15.6	10.3	0.21	336	1.50	0.01
DD011832		1.83	31.9	3.80	6.00	<0.05	<0.02	0.03	0.025	0.04	13.0	33.2	0.49	511	1.80	0.01
DD011833		4.44	36.8	3.58	4.41	<0.05	<0.02	0.01	0.019	0.04	14.0	37.3	0.59	832	1.06	0.01
DD011834		1.94	43.6	3.53	3.73	<0.05	<0.02	0.02	0.020	0.04	14.1	28.4	0.57	1400	1.62	0.02
DD011943		1.36	70.5	4.01	5.14	<0.05	0.02	0.05	0.039	0.11	15.8	12.2	0.41	1190	4.01	0.02
DD011944		0.96	58.0	3.67	5.70	0.06	0.03	0.05	0.039	0.09	21.0	18.3	0.81	724	1.92	0.02
DD011945		1.30	87.3	4.37	6.14	0.05	0.03	0.06	0.054	0.11	20.5	21.3	0.82	1170	4.54	0.02
DD011946		1.15	72.2	3.69	5.17	0.07	0.05	0.06	0.042	0.12	20.6	15.1	0.99	782	1.76	0.02
DD011947		0.92	61.9	3.64	5.05	0.06	0.05	0.06	0.038	0.09	19.0	14.3	0.86	1520	1.90	0.02
DD011948		1.03	66.4	3.64	5.30	0.06	0.07	0.06	0.042	0.09	22.7	15.0	0.81	475	2.15	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD011801		0.96	8.1	390	15.1	7.3	<0.001	0.02	0.45	1.0	0.8	0.7	7.6	<0.01	0.03	0.3
DD011802		1.28	11.5	380	16.0	7.2	<0.001	0.02	0.54	1.5	0.5	0.6	7.2	<0.01	0.05	0.7
DD011803		0.92	20.1	690	48.9	7.7	<0.001	0.03	0.54	1.5	0.9	0.4	9.1	<0.01	0.05	0.7
DD011804		0.97	18.2	550	20.4	7.4	<0.001	0.02	0.48	1.5	0.5	0.4	12.1	<0.01	0.05	0.8
DD011805		0.85	19.4	760	18.8	7.7	<0.001	0.04	0.72	1.6	0.6	0.4	31.5	<0.01	0.04	0.8
DD011806		0.25	35.0	2940	17.1	12.2	<0.001	0.05	1.04	0.9	2.7	0.2	77.4	<0.01	0.18	0.4
DD011807		0.40	25.3	1850	15.7	13.7	<0.001	0.04	0.72	0.9	2.1	0.3	54.8	<0.01	0.12	0.3
DD011808		0.30	32.1	2950	18.8	13.4	0.001	0.05	0.96	1.1	1.7	0.3	73.8	<0.01	0.12	0.8
DD011809		0.15	25.3	930	16.5	6.7	<0.001	0.04	0.72	0.8	0.9	<0.2	19.4	<0.01	0.08	1.1
DD011810		0.23	39.4	1090	25.2	13.8	<0.001	0.04	0.79	1.2	1.1	0.2	47.7	<0.01	0.10	1.5
DD011811		0.45	33.1	1030	18.2	34.9	<0.001	0.03	0.81	0.9	0.9	0.3	28.4	<0.01	0.11	0.8
DD011812		0.31	22.4	1060	19.0	16.6	0.001	0.03	0.94	0.7	1.0	0.4	27.5	<0.01	0.16	0.5
DD011813		0.26	49.2	4060	31.0	21.6	0.004	0.09	1.67	0.9	3.9	0.3	209	<0.01	0.20	0.4
DD011814		0.36	42.3	3580	21.9	22.1	0.001	0.04	1.52	1.2	2.0	0.3	86.2	<0.01	0.17	0.5
DD011815		0.25	30.4	2120	19.1	12.0	<0.001	0.04	1.19	1.0	1.2	0.3	67.1	<0.01	0.13	0.7
DD011816		0.52	18.0	1170	14.2	10.9	<0.001	0.03	0.87	1.3	1.6	0.5	15.9	<0.01	0.06	0.8
DD011817		0.43	51.0	4840	37.4	7.3	<0.001	0.04	1.93	1.4	3.3	0.3	62.5	<0.01	0.31	1.2
DD011818		0.33	9.7	1140	9.7	10.5	<0.001	0.03	0.46	0.8	0.8	0.4	9.0	<0.01	0.04	1.0
DD011819		0.19	22.7	760	7.2	5.4	<0.001	0.06	0.70	1.0	0.9	0.3	19.7	<0.01	0.12	0.9
DD011820		0.45	27.6	610	16.9	6.9	<0.001	0.03	0.69	2.0	0.9	0.4	11.5	<0.01	0.05	1.9
DD011821		0.32	29.3	700	11.3	5.0	<0.001	0.03	0.93	1.5	0.9	0.3	9.4	<0.01	0.06	1.6
DD011822		0.50	26.5	780	16.8	8.2	<0.001	0.03	0.71	1.4	0.8	0.4	8.0	<0.01	0.06	1.2
DD011823		0.68	22.4	610	16.9	8.3	<0.001	0.04	0.80	1.6	0.7	0.4	7.1	<0.01	0.08	1.4
DD011824		0.36	39.4	670	37.2	7.2	<0.001	0.04	0.79	3.0	0.6	0.3	21.5	<0.01	0.08	1.3
DD011825		0.60	14.7	560	16.0	10.2	<0.001	0.04	0.76	1.2	0.4	0.6	7.3	<0.01	0.06	0.5
DD011826		0.68	20.7	550	22.0	10.7	<0.001	0.03	0.80	1.6	0.8	0.5	8.1	<0.01	0.06	0.9
DD011827		0.79	21.4	520	28.9	7.8	<0.001	0.03	0.64	1.6	0.6	0.5	7.9	<0.01	0.06	1.3
DD011828		0.61	30.1	650	23.0	9.9	<0.001	0.03	0.74	2.4	0.7	0.5	15.8	<0.01	0.05	1.3
DD011829		0.45	19.2	450	17.5	7.3	<0.001	0.03	0.61	1.0	0.4	0.4	8.5	<0.01	0.04	0.7
DD011830		0.92	13.6	640	15.1	9.5	<0.001	0.03	0.66	1.5	0.6	0.6	8.3	<0.01	0.06	1.3
DD011831		0.41	10.5	650	15.0	7.2	<0.001	0.03	0.61	0.9	0.4	0.7	8.5	<0.01	0.05	0.3
DD011832		0.67	24.4	770	24.9	6.7	<0.001	0.04	0.66	1.5	0.7	0.4	9.6	<0.01	0.07	1.1
DD011833		0.31	30.6	570	9.8	5.7	<0.001	0.02	0.67	1.7	0.6	0.4	11.1	<0.01	0.06	1.5
DD011834		0.41	34.7	770	10.3	3.8	<0.001	0.03	0.98	1.7	0.7	0.3	16.8	<0.01	0.04	3.0
DD011943		0.66	37.5	1620	32.3	17.0	0.002	0.08	1.32	2.3	1.6	0.4	27.3	<0.01	0.14	0.9
DD011944		2.05	40.2	1410	24.5	10.0	0.001	0.03	1.06	3.7	1.3	0.4	36.7	<0.01	0.07	3.1
DD011945		1.35	52.9	1380	31.6	16.1	<0.001	0.06	1.39	4.0	1.7	0.5	38.3	<0.01	0.12	1.7
DD011946		2.89	45.3	1370	26.3	12.5	<0.001	0.04	1.26	4.2	1.2	0.4	38.6	<0.01	0.09	3.5
DD011947		2.14	41.2	1240	28.2	11.1	0.001	0.06	1.31	3.7	2.2	0.4	36.1	<0.01	0.06	2.3
DD011948		2.43	43.5	1320	25.8	10.4	0.001	0.03	1.31	4.6	1.2	0.4	34.8	<0.01	0.06	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD011801		0.035	0.15	0.55	52	0.25	1.96	31	<0.5
DD011802		0.034	0.14	0.53	51	0.22	1.86	38	<0.5
DD011803		0.037	0.10	0.88	45	0.22	3.28	64	<0.5
DD011804		0.032	0.11	0.80	43	0.22	2.88	58	<0.5
DD011805		0.027	0.11	1.19	40	0.18	5.30	61	0.5
DD011806		0.023	0.16	5.15	46	0.16	11.65	120	<0.5
DD011807		0.025	0.14	2.97	46	0.21	9.54	92	<0.5
DD011808		0.031	0.13	3.61	49	0.25	10.95	125	0.5
DD011809		0.013	0.07	1.64	18	0.11	3.88	77	0.5
DD011810		0.008	0.09	2.59	23	0.08	6.01	100	1.0
DD011811		0.043	0.28	1.79	44	0.15	3.68	98	<0.5
DD011812		0.018	0.10	1.36	37	0.16	2.61	67	<0.5
DD011813		0.017	0.22	15.35	93	0.10	20.3	185	0.8
DD011814		0.037	0.23	4.74	78	0.48	9.86	155	0.5
DD011815		0.022	0.12	3.90	44	0.17	8.38	108	<0.5
DD011816		0.028	0.12	1.42	47	0.25	3.85	73	0.6
DD011817		0.033	0.08	4.84	46	0.28	9.72	156	2.0
DD011818		0.020	0.10	0.85	28	0.18	2.36	38	<0.5
DD011819		0.024	0.04	1.29	22	0.10	3.30	59	0.5
DD011820		0.024	0.08	2.00	36	0.19	6.19	72	0.7
DD011821		0.051	0.04	1.12	34	0.16	3.92	91	0.5
DD011822		0.037	0.08	0.89	43	0.19	2.59	85	<0.5
DD011823		0.037	0.08	0.89	45	0.21	2.72	73	<0.5
DD011824		0.022	0.07	1.00	34	0.14	6.99	92	<0.5
DD011825		0.044	0.11	0.69	53	0.22	3.05	54	<0.5
DD011826		0.037	0.12	0.90	53	0.24	2.65	75	<0.5
DD011827		0.033	0.10	0.76	47	0.23	2.22	73	<0.5
DD011828		0.036	0.12	1.32	52	0.25	6.35	90	0.6
DD011829		0.032	0.08	0.60	39	0.17	1.89	58	<0.5
DD011830		0.035	0.12	0.77	52	0.27	2.89	69	<0.5
DD011831		0.033	0.13	0.59	58	0.25	1.94	45	<0.5
DD011832		0.033	0.08	1.00	44	0.22	3.22	74	<0.5
DD011833		0.047	0.05	1.68	37	0.13	3.58	86	<0.5
DD011834		0.057	0.04	1.26	37	0.28	3.90	98	<0.5
DD011943		0.028	0.13	1.45	52	0.20	5.47	141	0.6
DD011944		0.090	0.10	0.87	62	0.23	8.20	133	1.0
DD011945		0.049	0.14	1.90	65	0.24	10.85	162	0.8
DD011946		0.110	0.12	0.84	61	0.27	10.85	151	1.9
DD011947		0.074	0.12	1.57	59	0.20	9.91	142	1.5
DD011948		0.110	0.12	0.89	62	0.36	11.55	151	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD011949		0.38	0.007	0.39	1.52	16.1	<0.2	<10	290	0.46	0.26	0.27	0.41	38.9	11.5	35
DD011950		0.26	0.061	0.06	1.35	17.6	<0.2	<10	90	0.29	0.34	0.17	0.20	32.7	15.6	27
DD011951		0.29	0.009	0.24	1.34	12.8	<0.2	<10	150	0.48	0.20	0.29	0.41	39.2	10.2	28
DD011952		0.36	0.004	0.19	1.42	12.0	<0.2	<10	100	0.37	0.31	0.13	0.20	32.9	16.8	26
DD011953		0.36	0.005	0.18	1.43	12.8	<0.2	<10	190	0.45	0.27	0.21	0.21	35.1	11.7	30
DD011954		0.31	0.004	0.23	1.29	12.3	<0.2	<10	170	0.50	0.23	0.55	0.52	33.5	15.4	32
DD011955		0.44	0.006	0.25	1.81	12.5	<0.2	<10	270	0.75	0.25	1.09	0.62	40.5	18.5	51
DD011956		0.28	0.006	0.34	0.97	10.2	<0.2	<10	110	0.22	0.24	0.33	0.24	27.5	8.0	25
DD011957		0.21	0.004	0.06	0.92	23.1	<0.2	<10	100	0.29	0.25	0.14	0.19	25.6	11.8	22
DD011958		0.39	0.006	0.21	2.00	16.4	<0.2	<10	160	0.59	0.36	0.31	0.38	35.7	17.4	33
DD011959		0.28	0.002	0.08	1.18	11.8	<0.2	<10	80	0.24	0.28	0.09	0.12	31.2	4.8	19
DD011960		0.30	0.003	0.13	1.54	17.7	<0.2	<10	170	0.31	0.42	0.12	0.15	21.7	10.6	27
DD011961		0.25	0.002	0.04	1.37	15.7	<0.2	<10	100	0.27	0.42	0.07	0.10	18.80	9.3	24
DD011962		0.25	0.002	0.14	1.52	30.8	<0.2	<10	130	0.49	0.47	0.63	0.18	21.2	18.6	28
DD011963		0.32	0.004	0.14	1.53	18.1	<0.2	<10	150	0.51	0.37	0.40	0.27	32.9	12.9	28
DD011964		0.34	0.003	0.11	1.65	22.4	<0.2	<10	170	0.45	0.45	0.30	0.19	24.4	13.2	29
DD011965		0.22	0.002	0.11	1.38	16.7	<0.2	<10	100	0.41	0.40	0.59	0.19	24.6	15.4	24
DD011966		0.24	0.003	0.05	1.49	12.1	<0.2	<10	100	0.36	0.34	0.20	0.06	25.6	7.3	24
DD011967		0.38	0.003	0.08	1.48	15.2	<0.2	<10	120	0.36	0.29	0.10	0.16	28.9	15.2	26
DD011968		0.25	0.005	0.02	2.01	14.4	<0.2	<10	200	0.76	0.27	0.16	0.31	41.6	16.5	33
DD011969		0.24	0.002	0.10	1.62	11.3	<0.2	<10	80	0.34	0.30	0.07	0.19	26.4	5.7	24
DD011970		0.32	0.005	0.16	1.28	14.9	<0.2	<10	120	0.25	0.24	0.18	0.18	24.9	6.7	23
DD011971		0.22	0.004	0.22	1.42	11.3	<0.2	<10	170	0.38	0.23	0.30	0.29	28.8	11.1	26
DD011972		0.27	0.003	0.31	1.66	10.9	<0.2	<10	250	0.48	0.29	0.32	0.23	26.1	12.5	28
DD011973		0.36	0.003	0.09	1.29	9.7	<0.2	<10	160	0.35	0.25	0.22	0.17	32.3	11.6	27
DD011974		0.34	0.013	0.13	1.53	13.7	<0.2	<10	150	0.42	0.30	0.13	0.20	30.5	14.7	29
DD011975		0.35	0.006	0.12	1.41	18.6	<0.2	<10	150	0.39	0.37	0.11	0.23	30.8	15.1	27
DD011976		0.33	0.006	0.17	1.31	15.3	<0.2	<10	140	0.37	0.31	0.31	0.35	29.6	15.2	26
DD011977		0.39	0.005	0.34	1.36	12.1	<0.2	<10	210	0.35	0.24	0.23	0.36	32.4	10.1	31
DD011978		0.35	0.007	0.29	1.18	15.8	<0.2	<10	180	0.33	0.22	0.16	0.35	32.8	12.5	27
DD011979		0.33	0.010	0.56	1.28	13.5	<0.2	<10	410	0.37	0.23	0.28	0.49	33.5	10.9	30
DD011980		0.19	0.011	0.47	1.48	15.6	<0.2	<10	330	0.59	0.24	0.75	0.45	33.6	11.3	39
DD011981		0.32	0.005	0.69	1.58	22.2	<0.2	<10	310	0.57	0.28	1.03	0.62	30.7	12.6	44
DD011982		0.23	0.011	0.60	2.13	55.3	<0.2	<10	520	0.71	0.38	0.59	0.47	31.2	14.6	48
DD011983		0.24	0.006	0.22	0.91	14.5	<0.2	<10	120	0.16	0.26	0.05	0.16	30.3	3.3	18
DD011984		0.47	0.012	0.68	1.54	55.5	<0.2	<10	260	0.42	0.37	0.20	0.53	39.9	13.3	33
DD011985		0.42	0.009	0.12	1.94	38.3	<0.2	<10	260	0.63	0.32	0.20	0.33	43.1	13.5	37
DD011986		0.36	0.085	0.18	0.77	17.2	<0.2	<10	80	0.13	0.39	0.04	0.15	31.7	4.5	16
DD011987		0.32	0.015	0.39	1.49	28.1	<0.2	<10	300	0.63	0.24	0.50	0.47	44.7	15.8	45
DD011988		0.33	0.016	0.58	1.36	14.3	<0.2	<10	260	0.30	0.35	0.25	0.69	37.0	11.9	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD011949		1.33	60.5	3.16	5.12	0.06	<0.02	0.05	0.034	0.08	20.2	14.1	0.61	743	2.09	0.02
DD011950		1.27	39.7	3.80	4.37	<0.05	<0.02	0.02	0.033	0.05	16.8	20.6	0.45	900	2.43	0.01
DD011951		0.70	48.4	2.63	3.61	0.05	0.05	0.04	0.027	0.04	21.1	12.1	0.45	436	1.07	0.02
DD011952		0.96	37.6	3.40	4.84	0.06	<0.02	0.03	0.026	0.04	16.4	34.6	0.52	888	1.26	<0.01
DD011953		1.00	36.6	2.96	4.93	0.06	<0.02	0.04	0.032	0.05	18.5	22.4	0.54	656	1.31	<0.01
DD011954		0.90	35.7	2.89	4.38	0.06	0.02	0.05	0.027	0.07	16.7	18.5	0.59	989	2.04	0.01
DD011955		1.20	49.0	3.72	6.45	0.07	0.02	0.06	0.039	0.15	20.3	22.0	1.28	910	1.30	0.01
DD011956		0.75	32.6	2.52	3.30	0.05	0.02	0.04	0.019	0.04	14.3	14.0	0.40	475	2.06	<0.01
DD011957		1.04	33.7	2.68	4.44	0.05	<0.02	0.02	0.032	0.05	12.7	8.6	0.28	1260	2.19	<0.01
DD011958		1.38	88.0	3.44	5.97	0.07	0.03	0.04	0.042	0.08	17.8	24.8	0.59	764	2.54	<0.01
DD011959		0.88	28.1	2.28	4.78	<0.05	<0.02	0.03	0.022	0.03	15.7	13.1	0.28	172	2.62	<0.01
DD011960		2.38	47.9	2.80	5.28	<0.05	0.02	0.05	0.024	0.05	11.5	28.7	0.48	487	3.62	<0.01
DD011961		3.56	31.7	2.68	5.55	<0.05	<0.02	0.03	0.024	0.05	10.5	24.4	0.36	522	1.53	<0.01
DD011962		2.37	55.3	3.36	4.88	0.05	0.05	0.05	0.028	0.04	12.2	33.7	0.54	809	1.40	<0.01
DD011963		2.20	44.0	3.18	4.96	0.05	<0.02	0.06	0.025	0.05	16.8	24.7	0.47	744	1.54	0.01
DD011964		2.41	41.5	3.19	5.22	<0.05	0.02	0.04	0.032	0.05	13.2	26.4	0.51	556	1.60	<0.01
DD011965		1.60	44.2	3.08	4.40	0.05	0.03	0.05	0.024	0.04	13.0	28.3	0.45	701	1.38	0.01
DD011966		1.71	25.0	2.69	5.59	<0.05	<0.02	0.04	0.025	0.04	13.2	17.4	0.34	255	1.24	<0.01
DD011967		0.95	48.7	3.11	4.34	<0.05	0.03	0.03	0.027	0.05	13.7	21.9	0.51	622	2.04	<0.01
DD011968		1.12	46.1	3.50	4.49	0.05	0.07	0.04	0.034	0.06	17.3	19.9	0.59	1080	1.68	<0.01
DD011969		1.63	22.4	2.61	6.32	<0.05	<0.02	0.04	0.028	0.04	13.3	17.6	0.29	191	2.44	<0.01
DD011970		1.23	21.5	2.22	5.36	<0.05	<0.02	0.05	0.021	0.04	12.4	11.0	0.34	588	2.68	0.01
DD011971		1.07	35.5	2.60	4.84	0.05	<0.02	0.05	0.025	0.06	14.8	15.9	0.51	570	1.95	0.01
DD011972		1.43	39.0	2.77	5.28	<0.05	<0.02	0.08	0.029	0.06	13.7	18.9	0.53	666	2.14	0.01
DD011973		1.08	25.3	2.57	4.63	<0.05	<0.02	0.03	0.022	0.05	15.9	19.5	0.49	602	1.68	0.01
DD011974		1.46	30.3	2.97	5.28	<0.05	<0.02	0.03	0.028	0.05	14.9	21.7	0.47	574	1.91	0.01
DD011975		2.22	42.8	3.40	4.76	0.05	<0.02	0.02	0.028	0.05	15.6	24.2	0.45	1060	2.64	<0.01
DD011976		1.25	53.7	3.53	4.31	0.06	0.02	0.03	0.023	0.04	15.2	30.7	0.57	938	1.92	0.01
DD011977		1.28	67.9	2.67	4.60	0.05	<0.02	0.07	0.029	0.06	16.7	14.0	0.57	534	2.62	<0.01
DD011978		1.14	62.1	2.88	4.06	0.05	<0.02	0.05	0.028	0.07	16.4	12.2	0.46	994	2.28	<0.01
DD011979		1.64	77.1	2.88	4.33	0.07	<0.02	0.06	0.029	0.08	17.4	11.9	0.57	652	2.24	0.01
DD011980		1.29	61.7	3.37	4.92	0.06	0.02	0.06	0.039	0.07	17.7	14.6	0.73	671	1.79	0.01
DD011981		1.04	78.1	3.64	5.12	0.05	0.03	0.08	0.044	0.09	16.3	15.5	0.90	607	1.82	0.01
DD011982		1.47	83.1	4.47	6.34	0.05	0.03	0.09	0.057	0.13	17.2	18.3	0.87	782	2.72	0.01
DD011983		1.06	24.3	1.53	5.05	<0.05	<0.02	0.03	0.018	0.05	16.0	4.7	0.16	79	3.19	<0.01
DD011984		1.11	86.1	3.98	5.05	0.07	<0.02	0.06	0.036	0.08	20.3	13.7	0.56	520	4.27	0.01
DD011985		1.19	57.7	3.59	5.76	0.06	0.03	0.06	0.032	0.07	20.3	16.7	0.65	482	2.36	0.01
DD011986		1.02	29.0	2.91	6.86	<0.05	0.02	0.02	0.023	0.04	16.3	3.1	0.13	171	2.66	<0.01
DD011987		0.90	61.2	3.49	5.30	0.07	0.06	0.07	0.036	0.07	23.8	15.5	0.87	921	1.71	0.01
DD011988		2.75	94.8	3.68	4.47	0.05	0.04	0.06	0.028	0.16	18.5	13.6	0.75	617	3.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 15-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD011949		1.25	36.6	960	20.5	12.2	<0.001	0.04	1.10	3.0	1.2	0.4	24.3	<0.01	0.06	1.4
DD011950		1.04	29.1	1070	23.1	8.4	<0.001	0.04	1.04	1.5	1.0	0.3	21.5	<0.01	0.07	1.4
DD011951		1.13	35.9	990	16.3	5.8	0.001	0.03	0.75	3.4	0.8	0.3	23.0	<0.01	0.04	3.7
DD011952		0.65	33.4	700	20.6	5.8	<0.001	<0.01	0.58	2.3	0.6	0.3	11.8	<0.01	0.05	2.2
DD011953		1.38	30.5	700	21.2	8.1	<0.001	<0.01	0.73	3.3	0.6	0.4	18.2	<0.01	0.07	2.7
DD011954		1.24	32.1	1250	21.6	8.0	0.004	0.02	0.83	3.2	1.7	0.3	36.7	<0.01	0.04	1.8
DD011955		2.55	42.4	1390	25.1	13.5	<0.001	<0.01	0.99	5.1	0.7	0.5	50.7	<0.01	0.05	3.6
DD011956		0.58	21.8	1230	13.7	6.0	<0.001	0.01	0.61	1.9	0.4	0.3	29.8	<0.01	0.06	1.7
DD011957		0.27	23.4	1070	18.4	8.0	<0.001	0.01	1.05	0.8	0.6	0.4	15.7	<0.01	0.08	0.2
DD011958		0.76	39.5	2000	26.0	12.6	<0.001	0.01	0.90	2.6	1.2	0.5	30.6	<0.01	0.10	1.3
DD011959		0.90	13.6	520	17.6	6.8	<0.001	0.01	0.51	1.0	0.8	0.4	11.2	<0.01	0.10	0.6
DD011960		0.70	26.3	810	27.2	9.7	<0.001	0.03	0.47	2.4	0.6	0.4	17.3	<0.01	0.11	1.3
DD011961		0.77	19.0	830	22.5	7.4	<0.001	0.03	0.42	1.7	0.6	0.4	11.1	<0.01	0.07	0.8
DD011962		0.70	38.3	810	38.3	6.9	<0.001	0.03	0.64	3.0	0.8	0.3	36.4	<0.01	0.08	2.0
DD011963		0.66	31.5	920	23.9	8.4	<0.001	0.01	0.69	3.0	0.9	0.4	25.5	<0.01	0.06	1.4
DD011964		0.83	31.2	720	28.2	8.7	<0.001	0.01	0.64	2.7	0.6	0.4	20.9	<0.01	0.07	1.2
DD011965		0.81	30.9	860	22.9	7.5	<0.001	0.02	0.62	2.4	0.5	0.3	33.5	<0.01	0.06	1.6
DD011966		0.84	17.6	460	17.5	7.4	<0.001	0.01	0.51	1.6	0.6	0.5	15.2	<0.01	0.05	0.7
DD011967		1.12	28.9	620	19.5	7.1	<0.001	0.01	0.67	2.2	0.6	0.3	13.8	<0.01	0.13	3.0
DD011968		1.16	43.1	800	21.2	8.8	<0.001	<0.01	0.86	3.8	0.8	0.4	14.4	0.01	0.07	4.0
DD011969		0.84	14.4	630	19.9	10.1	<0.001	0.01	0.61	1.2	1.0	0.6	9.1	<0.01	0.08	0.5
DD011970		0.41	19.1	820	14.9	8.2	<0.001	0.02	0.70	0.9	0.9	0.5	20.2	<0.01	0.06	0.2
DD011971		0.63	26.8	820	16.0	8.6	<0.001	0.01	0.70	2.5	0.7	0.4	27.6	<0.01	0.04	0.7
DD011972		0.54	25.1	960	18.7	10.0	<0.001	0.03	0.60	2.0	0.6	0.4	29.3	<0.01	0.06	0.4
DD011973		0.93	22.9	770	18.8	9.5	<0.001	0.01	0.52	2.4	0.5	0.4	19.4	<0.01	0.06	1.7
DD011974		0.60	24.8	870	20.0	10.5	<0.001	0.02	0.60	1.8	0.7	0.4	14.2	<0.01	0.08	0.6
DD011975		0.46	29.8	910	18.8	9.7	<0.001	0.01	0.69	1.5	0.9	0.4	16.2	<0.01	0.10	0.8
DD011976		0.63	37.5	910	18.9	6.0	<0.001	0.01	0.72	2.3	0.8	0.3	25.5	<0.01	0.09	2.1
DD011977		0.95	30.4	1180	17.2	13.4	<0.001	0.02	0.89	2.2	1.0	0.4	26.4	<0.01	0.09	0.6
DD011978		1.00	32.2	890	17.2	12.1	<0.001	0.02	1.03	2.3	0.9	0.3	18.5	<0.01	0.07	1.2
DD011979		1.40	38.4	890	17.1	13.3	<0.001	0.04	1.26	2.8	1.2	0.3	26.2	<0.01	0.09	1.2
DD011980		2.04	36.5	1030	23.6	11.7	<0.001	0.03	1.16	3.6	1.1	0.4	29.1	<0.01	0.09	1.6
DD011981		2.29	46.8	1170	26.3	10.7	<0.001	0.04	1.21	3.9	1.0	0.4	41.9	<0.01	0.12	2.0
DD011982		1.57	51.6	1150	29.7	16.5	<0.001	0.04	1.54	4.9	1.2	0.5	40.9	<0.01	0.16	1.6
DD011983		1.17	14.1	480	11.5	8.9	<0.001	0.02	0.65	1.2	0.4	0.6	11.7	<0.01	0.08	0.3
DD011984		1.14	45.7	990	27.8	10.2	<0.001	0.03	1.25	2.9	1.3	0.4	30.8	<0.01	0.13	1.6
DD011985		1.74	38.9	760	23.2	10.2	<0.001	0.01	1.13	4.5	0.9	0.5	20.0	<0.01	0.09	3.6
DD011986		3.00	17.6	440	18.6	7.7	<0.001	0.01	0.86	1.4	0.7	0.7	7.7	<0.01	0.10	1.5
DD011987		2.11	43.5	1340	28.9	7.8	<0.001	<0.01	1.15	5.5	0.8	0.4	38.8	<0.01	0.07	4.7
DD011988		1.50	42.0	970	23.8	20.2	<0.001	0.11	1.57	2.9	1.3	0.3	31.3	<0.01	0.13	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD011949		0.072	0.14	1.35	55	0.29	9.13	119	<0.5
DD011950		0.042	0.08	1.08	41	0.27	3.89	101	<0.5
DD011951		0.055	0.07	1.00	43	0.27	12.30	80	1.6
DD011952		0.040	0.07	0.79	33	0.15	4.39	86	<0.5
DD011953		0.056	0.11	0.77	45	0.27	6.37	90	<0.5
DD011954		0.051	0.10	1.49	44	0.23	9.31	105	0.6
DD011955		0.142	0.14	0.70	71	0.30	10.90	135	1.0
DD011956		0.032	0.08	1.61	35	0.28	5.61	74	0.6
DD011957		0.025	0.09	0.92	40	0.27	4.31	72	<0.5
DD011958		0.036	0.13	2.20	52	0.26	11.35	124	1.1
DD011959		0.022	0.09	0.74	32	0.19	2.44	45	<0.5
DD011960		0.023	0.11	1.69	39	0.21	4.48	78	0.5
DD011961		0.030	0.09	0.99	40	0.19	4.18	61	<0.5
DD011962		0.024	0.08	1.46	33	0.20	8.40	92	1.6
DD011963		0.035	0.09	1.19	43	0.33	9.05	91	<0.5
DD011964		0.036	0.10	1.33	41	0.24	6.05	90	0.5
DD011965		0.035	0.07	1.48	34	0.18	6.28	84	1.0
DD011966		0.038	0.12	0.80	45	0.20	3.27	56	<0.5
DD011967		0.038	0.10	0.91	36	0.18	3.53	80	1.1
DD011968		0.048	0.12	1.07	46	0.22	6.55	103	2.2
DD011969		0.025	0.17	1.10	47	0.24	3.33	50	<0.5
DD011970		0.026	0.14	1.22	43	0.22	4.35	53	<0.5
DD011971		0.042	0.12	1.01	45	0.28	6.40	80	<0.5
DD011972		0.029	0.14	1.66	47	0.23	7.66	83	<0.5
DD011973		0.045	0.11	0.87	42	0.21	4.62	77	<0.5
DD011974		0.038	0.14	1.08	48	0.22	3.95	89	<0.5
DD011975		0.028	0.12	1.63	40	0.17	4.31	103	<0.5
DD011976		0.035	0.06	1.53	33	0.17	6.15	112	0.5
DD011977		0.053	0.17	1.72	50	0.22	7.05	102	<0.5
DD011978		0.056	0.13	1.17	43	0.28	5.28	107	<0.5
DD011979		0.065	0.15	1.37	46	0.19	9.37	116	0.6
DD011980		0.067	0.14	1.15	55	0.20	9.78	129	0.9
DD011981		0.067	0.13	0.88	56	0.23	8.88	159	1.4
DD011982		0.046	0.17	1.22	67	0.28	10.70	184	1.0
DD011983		0.029	0.11	0.68	43	0.21	2.13	48	<0.5
DD011984		0.046	0.15	2.00	48	0.25	7.01	147	<0.5
DD011985		0.064	0.15	2.04	58	0.29	8.90	108	1.1
DD011986		0.076	0.12	0.61	63	0.23	2.33	59	0.7
DD011987		0.121	0.10	1.08	60	0.28	12.95	127	2.7
DD011988		0.105	0.25	1.79	55	0.19	5.18	136	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD011989		0.22	0.009	1.05	1.77	17.5	<0.2	<10	470	0.42	0.35	0.30	0.32	34.7	13.5	42
DD011990		0.29	0.006	0.18	1.30	15.2	<0.2	<10	150	0.26	0.25	0.14	0.22	27.9	7.4	29
DD011991		0.50	0.011	0.41	1.65	16.1	<0.2	<10	210	0.35	0.30	0.22	0.35	31.0	9.0	31
DD011992		0.33	0.005	0.19	1.33	17.1	<0.2	<10	160	0.26	0.26	0.26	0.34	23.5	11.3	27
DD011993		0.23	0.009	0.46	1.01	11.1	<0.2	<10	170	0.27	0.23	0.30	0.48	33.3	8.5	25
DD011994		0.28	0.028	0.77	1.48	13.7	1.4	<10	280	0.40	0.29	0.32	0.39	35.3	11.9	32
DD011995		0.40	0.002	0.11	1.20	11.2	<0.2	<10	90	0.15	0.32	0.04	0.11	28.5	6.1	22
DD011996		0.30	0.003	0.16	1.29	10.2	<0.2	<10	120	0.28	0.29	0.14	0.19	26.0	10.0	26
DD011997		0.34	0.006	0.05	1.40	10.7	<0.2	<10	120	0.31	0.30	0.14	0.20	36.0	13.1	28
DD011998		0.41	0.003	0.09	1.36	7.5	<0.2	<10	150	0.30	0.28	0.14	0.15	27.6	8.7	27
DD011999		0.40	0.005	0.09	1.39	10.5	<0.2	<10	140	0.41	0.32	0.20	0.21	31.9	12.0	27
DD012000		0.43	0.003	0.07	1.93	12.5	<0.2	<10	160	0.40	0.33	0.12	0.18	29.4	10.7	29
CC148111		0.32	0.005	0.13	1.60	12.1	<0.2	<10	170	0.42	0.32	0.38	0.13	28.3	10.8	29
CC148112		0.37	0.004	0.07	1.28	7.8	<0.2	<10	130	0.29	0.23	0.42	0.19	32.2	9.4	26
CC148113		0.41	0.005	0.12	1.36	14.4	<0.2	<10	100	0.34	0.36	0.33	0.13	25.7	13.3	26
CC148114		0.41	0.004	0.11	1.16	10.6	<0.2	<10	120	0.40	1.07	0.20	0.15	35.7	13.9	26
CC148115		0.39	0.004	0.19	1.29	12.3	<0.2	<10	140	0.39	0.48	0.33	0.29	36.1	17.5	27
CC148116		0.30	0.006	0.63	2.24	22.1	<0.2	<10	320	0.63	0.55	0.34	0.61	36.6	24.0	41
CC148117		0.36	0.007	0.37	1.90	26.4	<0.2	<10	290	0.45	0.36	0.23	0.31	33.9	12.0	39
CC148118		0.40	0.008	0.14	1.16	10.8	<0.2	<10	140	0.26	0.25	0.30	0.35	35.3	10.6	23
CC148119		0.40	0.008	0.21	1.31	7.7	<0.2	<10	140	0.34	0.23	0.30	0.36	37.6	9.0	29
CC148120		0.45	0.018	0.16	1.53	9.9	<0.2	<10	160	0.38	0.27	0.30	0.30	38.5	12.8	38
CC148121		0.32	0.008	0.24	1.45	10.2	<0.2	<10	180	0.44	0.27	0.69	0.26	31.6	12.2	37
CC148122		0.42	0.006	0.18	1.49	11.1	<0.2	<10	220	0.42	0.26	0.40	0.31	38.5	11.8	38
CC148123		0.41	0.008	0.17	1.55	11.4	<0.2	<10	200	0.39	0.26	0.24	0.30	34.8	11.1	32
CC148124		0.40	0.007	0.08	1.51	10.3	<0.2	<10	150	0.36	0.22	0.31	0.22	39.3	10.4	36
CC148125		0.27	0.015	0.38	1.47	15.1	<0.2	<10	340	0.45	0.30	0.49	0.22	35.7	12.1	38
CC148126		0.20	0.005	0.39	1.27	9.8	<0.2	<10	360	0.41	0.22	1.22	0.44	26.9	10.8	36
CC148127		0.44	0.006	0.39	1.55	17.6	<0.2	<10	290	0.52	0.29	0.75	0.48	38.6	15.4	45
CC148128		0.40	0.011	0.49	0.82	18.9	<0.2	<10	160	0.27	0.34	0.34	0.66	44.2	17.5	24
CC148129		0.42	0.008	0.44	1.48	16.7	<0.2	<10	290	0.51	0.27	0.91	0.63	38.1	16.5	45
CC148130		0.27	0.010	0.67	1.48	30.1	<0.2	<10	240	0.54	0.32	0.86	0.51	40.4	16.6	45
CC148131		0.39	0.018	0.53	1.33	20.3	<0.2	<10	190	0.38	0.25	0.50	0.48	41.1	13.6	44
CC148132		0.32	0.004	0.17	1.89	24.8	<0.2	<10	170	0.45	0.50	0.71	0.09	24.9	13.9	28
CC148133		0.36	0.003	0.07	1.36	14.3	<0.2	<10	90	0.35	0.31	0.14	0.23	30.7	12.6	26
CC148134		0.31	0.003	0.03	2.34	16.8	<0.2	<10	90	0.48	0.30	0.07	0.19	25.5	20.7	34
CC148135		0.26	0.003	0.04	0.63	9.2	<0.2	<10	30	0.11	0.30	0.04	0.04	18.20	4.4	14
CC148136		0.31	0.004	0.05	1.23	10.7	<0.2	<10	80	0.39	0.37	0.11	0.15	26.9	12.1	23
CC148137		0.41	0.004	0.07	1.56	13.9	<0.2	<10	140	0.53	0.34	0.14	0.19	31.5	13.1	27
CC148138		0.40	0.006	0.11	1.31	11.8	<0.2	<10	130	0.42	0.33	0.16	0.24	38.0	16.2	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD011989		2.44	94.2	3.76	6.25	0.05	0.02	0.07	0.039	0.11	18.1	17.5	0.79	473	2.35	0.01
DD011990		1.02	48.7	2.82	4.31	<0.05	<0.02	0.05	0.025	0.06	15.0	10.8	0.46	405	1.86	0.01
DD011991		1.96	97.3	3.24	5.39	<0.05	<0.02	0.08	0.029	0.08	16.4	16.5	0.70	406	2.72	0.01
DD011992		2.00	109.5	2.82	4.26	<0.05	<0.02	0.07	0.019	0.08	13.8	15.3	0.68	675	3.70	0.01
DD011993		0.69	63.8	2.65	3.30	<0.05	<0.02	0.11	0.026	0.06	17.5	10.3	0.43	363	3.33	0.01
DD011994		1.28	68.6	3.01	4.49	<0.05	0.04	0.10	0.027	0.08	19.2	16.1	0.60	669	2.39	0.01
DD011995		1.84	16.6	2.72	5.28	<0.05	<0.02	0.02	0.017	0.04	14.9	11.5	0.26	307	1.74	<0.01
DD011996		1.10	28.1	2.89	4.38	<0.05	<0.02	0.03	0.019	0.05	13.5	16.9	0.45	701	1.19	0.01
DD011997		1.15	29.5	2.97	4.83	<0.05	<0.02	0.02	0.022	0.04	17.7	19.1	0.47	715	1.17	0.01
DD011998		1.98	22.0	2.53	4.72	<0.05	<0.02	0.03	0.018	0.05	14.1	17.2	0.46	463	1.10	0.01
DD011999		2.37	41.9	2.97	4.42	<0.05	<0.02	0.08	0.023	0.04	16.5	24.1	0.53	964	1.74	0.01
DD012000		1.48	23.9	3.02	6.04	<0.05	0.02	0.03	0.022	0.05	14.8	17.3	0.45	468	1.64	0.01
CC148111		1.31	34.8	2.88	5.23	<0.05	<0.02	0.04	0.025	0.05	15.0	19.2	0.50	440	1.23	0.01
CC148112		0.77	26.2	2.37	4.13	<0.05	0.04	0.03	0.018	0.04	16.4	18.4	0.52	419	0.86	0.01
CC148113		2.47	34.2	3.07	4.25	<0.05	0.05	0.06	0.022	0.04	13.5	29.8	0.51	764	1.28	0.01
CC148114		1.28	134.5	3.26	3.45	<0.05	0.02	0.02	0.021	0.05	18.2	22.2	0.51	1000	1.86	0.01
CC148115		1.37	101.5	3.24	3.91	0.05	0.02	0.04	0.026	0.06	19.1	23.9	0.60	1500	2.59	0.01
CC148116		1.47	146.5	4.81	6.26	0.06	0.04	0.10	0.055	0.11	20.7	28.3	0.70	1180	4.93	0.01
CC148117		1.23	92.7	3.84	5.81	<0.05	<0.02	0.06	0.036	0.09	19.2	18.1	0.69	504	2.97	0.01
CC148118		0.67	68.1	2.66	3.43	<0.05	0.03	0.03	0.019	0.04	18.6	12.9	0.42	610	2.47	0.01
CC148119		0.76	37.9	2.47	3.99	<0.05	0.04	0.03	0.021	0.05	18.9	15.3	0.53	411	1.34	0.01
CC148120		0.88	30.3	2.97	4.88	<0.05	0.06	0.03	0.026	0.06	19.5	19.0	0.64	590	1.74	0.01
CC148121		0.80	32.1	3.02	4.60	<0.05	0.04	0.04	0.030	0.07	16.5	17.0	0.70	618	1.52	0.01
CC148122		0.93	38.0	3.23	4.96	<0.05	0.02	0.03	0.030	0.08	20.0	15.9	0.74	533	1.19	0.01
CC148123		0.97	36.6	3.00	4.74	<0.05	<0.02	0.03	0.025	0.06	17.7	16.4	0.59	409	1.31	0.01
CC148124		0.81	32.4	2.86	4.72	<0.05	<0.02	0.03	0.022	0.05	19.8	14.1	0.65	521	1.08	0.01
CC148125		1.20	43.4	3.26	5.06	<0.05	0.02	0.05	0.035	0.07	18.7	14.1	0.69	773	1.78	0.01
CC148126		0.64	40.1	2.80	3.88	<0.05	0.05	0.05	0.032	0.07	14.0	10.8	0.73	622	1.05	0.01
CC148127		0.89	45.1	3.67	5.16	<0.05	0.06	0.06	0.042	0.08	20.2	14.3	0.82	499	1.50	0.01
CC148128		0.60	103.0	4.01	2.78	0.05	0.13	0.03	0.029	0.06	22.6	7.7	0.44	429	3.00	0.01
CC148129		0.91	60.0	3.95	4.87	<0.05	0.09	0.05	0.036	0.09	20.1	13.3	0.93	949	1.37	0.01
CC148130		0.84	66.6	3.73	4.85	0.05	0.07	0.07	0.042	0.09	20.2	12.9	0.84	1390	2.66	0.01
CC148131		1.01	55.5	3.58	4.46	0.06	0.10	0.03	0.032	0.08	21.4	11.6	0.83	469	1.87	0.01
CC148132		5.64	41.0	3.79	5.36	<0.05	0.05	0.04	0.031	0.06	16.5	25.1	0.43	893	1.12	0.01
CC148133		1.01	24.0	3.14	3.85	<0.05	0.03	0.02	0.029	0.04	14.9	17.2	0.43	661	1.23	0.01
CC148134		1.51	29.1	3.45	5.22	0.05	0.12	0.08	0.036	0.05	12.1	29.4	0.49	1080	1.66	0.01
CC148135		1.64	16.5	1.75	4.52	<0.05	<0.02	0.04	0.011	0.04	9.5	7.7	0.15	196	1.46	0.01
CC148136		2.22	56.9	2.82	4.74	0.05	<0.02	0.03	0.019	0.04	13.4	22.5	0.43	719	1.64	0.01
CC148137		2.19	43.3	3.25	5.07	0.05	<0.02	0.05	0.026	0.05	16.0	23.8	0.51	689	1.35	0.01
CC148138		1.27	47.4	3.48	4.21	0.07	<0.02	0.04	0.022	0.05	19.0	26.4	0.51	1060	1.57	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 15-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD011989		2.05	50.4	880	23.9	20.0	0.001	0.05	1.04	3.7	1.0	0.5	28.0	<0.01	0.09	1.5
DD011990		1.09	27.2	830	15.6	10.0	<0.001	0.04	0.76	1.7	1.0	0.4	14.9	<0.01	0.05	0.5
DD011991		0.79	34.1	1390	17.4	18.5	0.001	0.06	0.93	1.9	1.4	0.4	29.3	<0.01	0.10	0.4
DD011992		0.58	35.5	1540	15.3	16.5	<0.001	0.05	0.92	1.7	1.5	0.3	39.5	<0.01	0.11	0.5
DD011993		1.01	29.7	1400	14.0	6.7	0.001	0.04	0.98	2.6	1.2	0.3	31.5	<0.01	0.11	2.1
DD011994		0.96	35.4	1600	17.0	12.4	0.001	0.03	0.78	3.3	1.1	0.3	37.0	<0.01	0.09	2.5
DD011995		1.33	14.7	380	13.6	8.7	<0.001	0.02	0.40	1.3	0.3	0.5	6.8	<0.01	0.05	0.9
DD011996		0.63	22.7	800	17.0	6.9	<0.001	0.03	0.50	1.5	0.4	0.3	11.5	<0.01	0.05	0.5
DD011997		0.97	25.8	640	17.0	7.5	<0.001	0.01	0.67	2.1	0.6	0.4	12.4	<0.01	0.04	1.5
DD011998		0.63	20.7	740	13.9	9.1	<0.001	0.03	0.51	1.6	0.4	0.4	12.8	<0.01	0.05	0.5
DD011999		0.64	26.8	830	14.7	7.1	<0.001	0.02	0.56	2.7	0.8	0.4	17.4	<0.01	0.05	1.8
DD012000		1.11	21.2	690	32.8	10.3	<0.001	0.02	0.51	2.3	0.5	0.5	12.9	0.01	0.09	1.2
CC148111		0.71	27.7	890	18.9	8.3	<0.001	0.03	0.52	2.3	0.4	0.4	23.1	<0.01	0.05	0.8
CC148112		1.06	27.2	790	12.9	6.1	<0.001	0.02	0.44	2.8	0.3	0.3	25.0	<0.01	0.04	3.4
CC148113		0.58	28.2	820	19.1	6.7	<0.001	0.03	0.44	2.8	0.6	0.3	20.1	<0.01	0.05	2.1
CC148114		0.84	27.7	860	17.1	5.5	0.001	0.01	0.44	2.9	0.4	0.3	15.9	<0.01	0.13	4.8
CC148115		0.90	40.6	1320	24.6	7.0	<0.001	0.02	0.57	3.2	0.7	0.3	30.3	<0.01	0.12	4.6
CC148116		0.93	58.5	2260	33.8	14.3	<0.001	0.04	0.78	3.9	1.8	0.5	33.9	<0.01	0.17	1.6
CC148117		0.85	43.1	1310	21.5	11.5	<0.001	0.03	0.91	3.0	1.4	0.4	30.7	<0.01	0.09	0.6
CC148118		0.71	26.8	1450	17.7	5.7	<0.001	0.02	0.67	2.7	0.9	0.3	34.4	<0.01	0.07	3.1
CC148119		1.00	27.3	1180	13.6	6.6	0.001	0.02	0.55	3.0	0.4	0.3	23.1	<0.01	0.04	3.3
CC148120		1.39	27.9	1350	20.9	8.3	0.001	0.02	0.61	3.5	0.6	0.4	22.2	<0.01	0.03	2.9
CC148121		1.31	28.7	1440	21.2	8.5	0.003	0.05	0.66	3.3	1.8	0.4	42.0	<0.01	0.04	2.0
CC148122		2.07	31.8	1100	19.7	8.6	0.001	0.01	0.79	4.3	0.5	0.4	27.7	<0.01	0.04	3.8
CC148123		1.13	30.1	910	17.6	7.6	<0.001	0.02	0.64	3.1	0.7	0.4	18.3	<0.01	0.04	1.7
CC148124		1.90	28.8	1000	15.3	6.8	<0.001	0.01	0.63	2.9	0.7	0.4	21.5	<0.01	0.03	2.2
CC148125		1.82	33.8	1120	22.9	13.3	<0.001	0.03	0.83	3.4	0.8	0.4	27.0	<0.01	0.08	1.9
CC148126		1.81	30.2	1110	19.7	8.2	<0.001	0.07	0.85	3.0	1.1	0.3	32.5	0.01	0.05	1.6
CC148127		2.81	35.7	1140	27.1	10.1	0.001	0.03	0.91	4.5	1.1	0.4	30.4	<0.01	0.08	3.3
CC148128		1.91	56.2	920	18.8	5.5	<0.001	0.02	1.34	2.8	1.3	0.2	28.2	<0.01	0.13	6.0
CC148129		3.08	41.7	1330	27.2	9.7	0.001	0.03	1.01	4.6	2.0	0.4	38.7	<0.01	0.08	3.8
CC148130		2.63	43.0	1440	32.6	9.7	<0.001	0.04	1.05	4.5	1.4	0.4	45.3	<0.01	0.12	3.3
CC148131		2.61	35.8	1510	23.4	8.2	<0.001	0.02	0.96	3.7	0.9	0.3	38.1	<0.01	0.09	4.9
CC148132		0.74	29.6	1090	27.2	9.4	<0.001	0.06	0.64	2.9	1.0	0.4	34.3	<0.01	0.06	1.1
CC148133		1.30	25.8	710	19.7	6.6	<0.001	0.02	0.62	2.2	0.6	0.3	12.2	<0.01	0.04	3.0
CC148134		1.43	27.0	660	26.9	8.1	<0.001	0.02	0.90	3.1	1.0	0.4	9.2	0.01	0.05	3.5
CC148135		0.21	10.2	580	10.1	5.2	<0.001	0.03	0.47	0.3	0.3	0.4	5.6	<0.01	0.05	<0.2
CC148136		0.48	24.1	710	16.1	5.7	<0.001	0.01	0.58	1.6	0.5	0.4	10.8	<0.01	0.07	0.8
CC148137		0.82	27.8	800	18.9	7.8	<0.001	0.01	0.67	3.3	0.7	0.4	14.3	<0.01	0.05	2.0
CC148138		0.77	30.7	850	17.0	5.4	<0.001	<0.01	0.69	3.0	0.5	0.3	15.7	<0.01	0.05	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD011989		0.082	0.22	1.31	63	0.26	6.71	135	0.9
DD011990		0.052	0.11	1.05	48	0.27	4.61	92	<0.5
DD011991		0.051	0.19	2.14	60	0.25	8.31	115	<0.5
DD011992		0.045	0.17	2.38	55	0.18	6.60	113	<0.5
DD011993		0.045	0.10	2.37	40	0.29	8.30	100	0.5
DD011994		0.042	0.15	1.99	46	0.28	8.89	129	1.2
DD011995		0.038	0.11	0.59	44	0.19	1.55	51	<0.5
DD011996		0.039	0.09	0.81	40	0.18	3.62	81	<0.5
DD011997		0.055	0.10	0.84	43	0.21	3.90	83	<0.5
DD011998		0.039	0.10	0.82	43	0.19	3.74	71	<0.5
DD011999		0.044	0.08	1.45	40	0.22	5.56	85	<0.5
DD012000		0.038	0.14	0.82	52	0.23	4.38	76	<0.5
CC148111		0.033	0.11	0.90	44	0.26	5.83	80	<0.5
CC148112		0.045	0.08	0.74	37	0.21	5.14	77	1.4
CC148113		0.028	0.06	1.52	33	0.16	5.81	83	1.5
CC148114		0.061	0.06	1.68	36	0.15	5.73	91	0.8
CC148115		0.053	0.06	2.19	35	0.15	9.16	120	0.8
CC148116		0.027	0.15	5.48	60	0.26	17.60	186	1.2
CC148117		0.037	0.14	2.40	56	0.29	12.55	134	<0.5
CC148118		0.036	0.08	2.01	36	0.25	8.51	94	1.1
CC148119		0.050	0.11	1.39	40	0.24	7.42	90	1.1
CC148120		0.058	0.11	1.71	46	0.19	6.90	104	1.7
CC148121		0.052	0.10	1.76	48	0.20	8.30	106	1.2
CC148122		0.100	0.12	0.75	56	0.25	8.50	113	0.9
CC148123		0.063	0.12	1.12	48	0.23	6.44	99	<0.5
CC148124		0.094	0.11	0.89	51	0.22	6.31	86	0.5
CC148125		0.063	0.13	1.04	55	0.26	7.03	124	0.8
CC148126		0.052	0.10	1.12	46	0.16	6.71	130	1.8
CC148127		0.076	0.12	1.05	59	0.23	9.17	151	2.1
CC148128		0.069	0.07	1.23	33	0.15	6.18	169	6.9
CC148129		0.094	0.11	1.04	59	0.37	9.95	154	3.1
CC148130		0.083	0.11	1.01	57	0.23	9.99	141	2.6
CC148131		0.150	0.12	0.80	60	0.22	6.99	139	4.7
CC148132		0.025	0.13	2.07	46	0.23	13.90	86	1.4
CC148133		0.048	0.07	0.78	38	0.26	4.03	81	0.8
CC148134		0.040	0.13	1.05	46	0.26	3.24	82	3.4
CC148135		0.016	0.07	0.54	31	0.16	1.19	35	<0.5
CC148136		0.038	0.07	0.96	37	0.19	3.86	71	<0.5
CC148137		0.048	0.09	1.33	45	0.23	6.80	92	<0.5
CC148138		0.058	0.07	1.21	37	0.17	6.28	97	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148139		0.36	0.004	0.05	1.59	12.0	<0.2	<10	100	0.41	0.27	0.11	0.18	35.7	11.1	30
CC148140		0.46	0.004	0.03	1.35	9.9	<0.2	<10	80	0.25	0.29	0.12	0.13	28.8	10.2	27
CC148141		0.38	0.003	0.14	1.49	13.4	<0.2	<10	70	0.31	0.30	0.15	0.17	25.4	16.4	25
CC148142		0.47	0.008	0.44	1.06	17.1	<0.2	<10	240	0.30	0.25	0.34	0.35	25.9	9.0	23
CC148143		0.46	0.009	0.20	1.44	20.6	<0.2	<10	220	0.37	0.29	0.18	0.33	32.2	12.2	28
CC148144		0.38	0.010	1.16	1.09	19.0	<0.2	<10	100	0.27	0.30	0.10	0.35	27.8	11.0	20
CC148145		0.28	0.005	0.12	1.11	4.3	<0.2	<10	120	0.14	0.16	0.04	0.20	14.15	2.9	25
CC148146		0.40	0.010	0.42	1.46	13.0	<0.2	<10	210	0.34	0.28	0.80	0.40	29.6	10.4	25
CC148147		0.28	0.005	0.26	1.34	14.1	<0.2	<10	170	0.33	0.23	0.13	0.31	24.6	6.6	27
CC148148		0.41	0.012	0.28	1.22	16.5	<0.2	<10	140	0.30	0.36	0.15	0.31	27.6	7.9	27
CC148149		0.45	0.020	0.72	1.36	18.6	<0.2	<10	240	0.40	0.26	0.27	0.42	36.6	10.5	32
CC148150		0.33	0.005	0.11	1.67	14.7	<0.2	<10	100	0.39	0.24	0.09	0.19	27.9	8.8	36
CC148151		0.39	0.016	0.96	1.48	22.6	<0.2	<10	250	0.41	0.29	0.20	0.36	35.6	10.6	33
CC148152		0.44	0.008	0.24	1.61	18.6	<0.2	<10	270	0.56	0.25	0.31	0.33	38.9	11.7	36
CC148153		0.42	0.007	0.07	1.81	17.3	<0.2	<10	180	0.48	0.25	0.11	0.28	33.0	10.1	36
CC148154		0.39	0.008	0.79	1.50	14.9	<0.2	<10	250	0.39	0.32	0.17	0.14	36.4	5.9	29
CC148155		0.37	0.011	0.37	1.96	19.0	<0.2	<10	300	0.73	0.28	0.14	0.26	42.8	13.3	36
CC148156		0.43	0.010	0.35	1.77	18.7	<0.2	<10	200	0.54	0.26	0.23	0.28	36.7	11.5	36
CC148157		0.38	0.005	0.25	1.52	16.0	<0.2	<10	170	0.35	0.24	0.16	0.19	26.1	7.9	27
CC148158		0.43	0.015	0.22	1.51	16.0	<0.2	<10	130	0.39	0.25	0.38	0.36	35.4	10.3	29
CC148159		0.35	0.004	0.15	1.12	14.5	<0.2	<10	90	0.20	0.21	0.06	0.20	19.80	5.2	21
CC148160		0.32	0.008	0.12	1.71	15.3	<0.2	<10	150	0.41	0.27	0.31	0.15	22.1	6.2	40
CC148161		0.36	0.014	0.58	1.97	15.2	<0.2	<10	230	0.42	0.38	1.44	0.35	24.3	10.5	32
CC148162		0.28	0.008	0.51	1.58	21.1	<0.2	<10	290	0.44	0.29	0.15	0.45	28.7	12.2	30
CC148163		0.43	0.014	0.63	0.91	20.4	<0.2	<10	180	0.32	0.21	0.48	0.75	29.6	11.5	20
CC148164		0.38	0.010	0.46	1.20	20.5	<0.2	<10	200	0.34	0.29	0.19	0.45	28.4	11.0	22
CC148165		0.46	0.007	0.17	1.28	13.5	<0.2	<10	170	0.43	0.32	0.27	0.24	38.3	15.9	27
CC148166		0.29	0.001	0.05	1.92	16.0	<0.2	<10	110	0.48	0.40	0.11	0.09	20.9	19.9	34
CC148167		0.30	0.008	0.06	1.40	9.9	<0.2	<10	90	0.28	0.26	0.11	0.14	27.5	8.8	26
CC148168		0.36	0.003	0.06	1.44	11.4	<0.2	<10	80	0.28	0.32	0.07	0.12	20.7	6.2	25
CC148169		0.40	0.003	0.03	1.54	10.7	<0.2	<10	80	0.51	0.34	0.08	0.17	29.7	15.0	29
CC148170		0.27	0.003	0.05	1.37	26.0	<0.2	<10	90	0.36	0.64	0.04	0.13	17.85	15.7	22
CC148171		0.32	0.005	0.16	0.83	18.8	<0.2	<10	50	0.12	0.45	0.05	0.09	21.1	6.0	17
CC148172		0.33	0.003	0.04	1.29	17.7	<0.2	<10	60	0.20	0.30	0.06	0.12	24.3	6.2	24
CC148173		0.41	0.003	0.03	1.39	12.2	<0.2	<10	120	0.36	0.26	0.23	0.11	32.7	9.7	22
CC148174		0.35	0.002	0.04	1.63	11.1	<0.2	<10	110	0.42	0.52	0.06	0.18	22.5	15.5	27
CC148175		0.33	0.003	0.04	1.43	22.7	<0.2	<10	80	0.36	0.50	0.08	0.11	28.4	16.2	25
CC148176		0.39	0.003	0.04	1.19	9.3	<0.2	<10	90	0.21	0.46	0.05	0.07	26.4	7.8	20
CC148177		0.38	0.004	0.09	1.78	17.4	<0.2	<10	130	0.43	0.46	0.08	0.14	28.1	12.1	29
CC148178		0.37	0.001	0.07	1.33	23.2	<0.2	<10	70	0.19	0.64	0.04	0.12	23.8	8.1	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148139		1.14	33.8	3.06	5.24	0.05	<0.02	0.03	0.029	0.05	17.6	23.4	0.50	484	1.43	0.01
CC148140		1.17	22.9	2.89	4.98	<0.05	<0.02	0.02	0.022	0.04	14.8	25.2	0.45	387	1.30	0.01
CC148141		1.10	38.3	3.70	4.64	0.07	0.02	0.02	0.023	0.03	13.1	43.4	0.60	698	1.50	0.01
CC148142		0.97	55.1	2.77	3.36	0.05	0.04	0.05	0.022	0.06	14.2	12.3	0.45	580	2.72	0.01
CC148143		1.35	62.3	3.34	4.81	0.06	<0.02	0.06	0.033	0.08	16.5	16.2	0.51	974	2.74	0.01
CC148144		1.06	75.4	3.08	3.63	0.05	<0.02	0.12	0.033	0.06	14.7	11.3	0.28	473	5.88	0.01
CC148145		1.97	68.8	1.88	5.15	<0.05	<0.02	0.03	0.013	0.05	8.2	11.8	0.42	107	1.59	0.01
CC148146		3.18	113.5	2.92	4.46	0.08	0.02	0.12	0.029	0.19	17.4	19.9	0.90	565	4.83	0.01
CC148147		1.15	49.1	2.49	4.76	<0.05	<0.02	0.06	0.027	0.06	12.9	13.1	0.44	298	2.16	0.01
CC148148		0.99	43.1	2.69	4.70	<0.05	<0.02	0.04	0.030	0.06	14.3	11.2	0.40	600	2.33	0.01
CC148149		1.27	70.9	3.31	4.66	0.06	<0.02	0.17	0.032	0.07	18.5	14.4	0.56	413	2.76	0.01
CC148150		1.16	16.3	3.47	6.15	0.05	0.02	0.03	0.033	0.05	13.8	18.5	0.42	395	1.81	0.01
CC148151		0.96	60.4	3.37	4.82	0.06	<0.02	0.07	0.033	0.06	18.0	15.7	0.56	624	2.67	0.01
CC148152		0.88	45.0	3.31	4.85	0.06	<0.02	0.05	0.033	0.06	19.5	15.2	0.63	710	1.80	0.01
CC148153		1.06	27.6	3.34	5.54	0.06	<0.02	0.03	0.038	0.05	15.4	19.2	0.47	443	2.03	0.01
CC148154		1.23	36.7	2.78	5.65	0.05	<0.02	0.07	0.034	0.06	19.3	13.5	0.39	223	2.22	0.01
CC148155		1.08	55.5	3.64	5.09	0.07	0.04	0.08	0.038	0.06	20.1	18.4	0.60	634	2.28	0.01
CC148156		1.16	54.1	3.44	5.07	0.06	0.02	0.09	0.034	0.06	17.5	16.1	0.58	475	2.21	0.01
CC148157		1.69	97.6	2.75	4.64	0.05	<0.02	0.05	0.028	0.05	14.1	15.9	0.49	406	3.00	0.01
CC148158		1.79	86.1	3.10	4.65	0.07	<0.02	0.09	0.030	0.10	18.7	17.7	0.62	663	4.08	0.01
CC148159		1.21	36.4	2.29	4.21	<0.05	<0.02	0.04	0.024	0.05	10.4	9.9	0.36	266	1.80	0.01
CC148160		2.43	119.5	4.48	5.64	0.06	0.03	0.09	0.037	0.10	12.7	14.9	0.54	359	3.80	0.01
CC148161		11.90	223	3.32	5.33	0.15	0.12	0.21	0.033	0.67	15.1	37.6	1.62	594	7.08	0.01
CC148162		1.28	61.5	3.26	4.74	0.06	<0.02	0.11	0.034	0.09	16.7	14.1	0.48	1380	2.71	0.01
CC148163		0.87	76.9	3.03	2.75	0.06	0.05	0.07	0.026	0.07	15.4	10.4	0.44	1040	2.95	0.02
CC148164		1.06	77.1	3.02	3.66	0.05	<0.02	0.06	0.026	0.07	14.6	12.9	0.42	1140	3.10	0.01
CC148165		0.85	58.5	3.67	3.96	0.06	<0.02	0.03	0.022	0.04	19.7	24.7	0.58	1010	1.63	0.01
CC148166		3.20	38.9	4.54	5.95	<0.05	<0.02	0.02	0.028	0.04	11.0	49.5	0.69	1130	1.21	0.01
CC148167		1.19	26.4	2.69	4.94	<0.05	<0.02	0.03	0.021	0.04	14.3	19.4	0.46	349	1.28	0.01
CC148168		2.85	20.8	2.87	5.92	<0.05	<0.02	0.03	0.026	0.05	10.9	17.3	0.38	248	1.37	0.01
CC148169		6.14	31.8	3.47	4.90	0.05	<0.02	0.03	0.023	0.05	14.2	23.7	0.43	988	1.37	0.01
CC148170		2.16	41.9	3.70	4.92	<0.05	<0.02	0.02	0.027	0.04	9.0	21.0	0.39	591	1.22	0.01
CC148171		1.84	21.5	2.22	4.76	<0.05	<0.02	0.05	0.017	0.04	10.7	7.4	0.16	256	1.58	0.01
CC148172		1.42	15.2	2.86	6.51	<0.05	<0.02	0.05	0.023	0.04	12.4	10.3	0.29	323	1.72	0.01
CC148173		0.87	25.1	2.91	4.11	<0.05	0.04	0.02	0.022	0.03	16.7	24.3	0.44	399	0.66	0.01
CC148174		2.39	32.1	3.68	5.83	<0.05	0.03	0.03	0.029	0.04	11.7	40.7	0.43	660	1.20	0.01
CC148175		1.23	38.6	3.52	4.59	<0.05	0.02	0.03	0.028	0.04	14.0	24.5	0.46	770	1.59	0.01
CC148176		1.87	27.1	3.14	5.58	<0.05	<0.02	0.02	0.020	0.04	14.0	22.9	0.33	483	1.24	<0.01
CC148177		1.75	33.7	3.21	5.73	<0.05	<0.02	0.04	0.028	0.05	14.2	25.1	0.46	571	1.59	<0.01
CC148178		3.14	23.3	4.08	8.26	<0.05	<0.02	0.02	0.022	0.04	12.4	17.4	0.27	601	1.80	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148139		1.15	25.5	660	16.7	8.8	<0.001	0.01	0.66	2.4	0.5	0.5	11.3	<0.01	0.05	1.7
CC148140		0.54	22.3	550	14.1	7.5	<0.001	0.01	0.44	1.3	0.4	0.4	11.7	<0.01	0.03	0.6
CC148141		0.43	33.6	790	18.3	4.1	<0.001	0.02	0.45	1.8	0.6	0.2	14.0	<0.01	0.06	1.7
CC148142		0.67	27.7	1360	14.9	8.9	<0.001	0.02	1.01	2.1	1.1	0.3	31.6	<0.01	0.08	1.7
CC148143		0.86	31.4	1090	20.0	13.4	<0.001	0.03	1.02	2.1	1.0	0.4	25.4	<0.01	0.10	1.0
CC148144		0.73	30.9	1580	22.2	10.7	<0.001	0.06	1.36	1.0	1.1	0.3	30.4	<0.01	0.15	0.5
CC148145		0.47	14.3	670	8.2	10.9	<0.001	0.03	0.38	0.5	0.5	0.3	14.8	<0.01	0.07	<0.2
CC148146		0.60	29.0	4210	22.0	22.0	<0.001	0.07	1.36	1.8	2.1	0.3	121.5	<0.01	0.18	1.5
CC148147		0.64	23.2	900	15.0	13.2	<0.001	0.04	0.73	1.1	0.7	0.4	16.4	<0.01	0.07	0.2
CC148148		0.98	22.7	860	16.7	11.1	<0.001	0.03	0.80	1.2	0.8	0.4	18.1	<0.01	0.07	0.3
CC148149		1.81	41.6	1010	21.2	12.3	<0.001	0.02	1.14	2.6	1.5	0.4	24.0	<0.01	0.09	1.7
CC148150		3.89	17.2	540	21.1	12.4	<0.001	0.01	0.70	2.4	0.8	0.6	9.6	0.01	0.06	2.0
CC148151		1.60	32.2	870	23.3	10.6	<0.001	0.02	0.99	3.2	1.2	0.4	18.9	<0.01	0.08	2.0
CC148152		1.70	33.7	1050	21.5	8.1	<0.001	0.01	0.87	3.3	0.9	0.4	24.1	<0.01	0.05	2.1
CC148153		2.76	23.5	590	18.9	11.8	<0.001	0.01	0.71	2.7	0.8	0.5	11.1	0.01	0.06	2.1
CC148154		1.31	22.9	650	23.9	12.6	<0.001	0.02	0.86	1.9	0.9	0.6	14.8	<0.01	0.08	0.5
CC148155		1.96	43.7	710	22.8	11.1	<0.001	0.01	1.08	4.2	1.1	0.5	15.0	<0.01	0.09	2.8
CC148156		1.77	34.2	910	25.7	11.4	<0.001	0.02	0.98	3.2	1.3	0.5	19.1	<0.01	0.07	2.0
CC148157		0.61	26.4	1120	16.2	14.0	0.001	0.04	0.77	1.3	1.2	0.4	21.2	<0.01	0.08	0.3
CC148158		0.89	28.3	2130	16.4	16.0	<0.001	0.03	1.07	2.1	1.3	0.4	48.1	<0.01	0.11	1.3
CC148159		0.78	18.6	650	11.8	11.2	<0.001	0.04	0.70	0.9	0.8	0.4	10.1	<0.01	0.06	0.2
CC148160		1.25	24.6	5560	19.6	14.1	<0.001	0.07	1.25	2.0	3.0	0.3	75.2	<0.01	0.31	1.4
CC148161		0.47	34.3	7880	29.3	63.4	<0.001	0.06	1.67	2.4	2.9	0.2	274	<0.01	0.31	2.9
CC148162		0.91	33.9	1090	20.4	15.8	<0.001	0.04	1.01	2.4	1.3	0.5	21.1	<0.01	0.09	0.6
CC148163		1.05	39.2	1360	17.6	7.4	<0.001	0.03	1.35	2.5	1.2	0.2	38.9	<0.01	0.09	2.7
CC148164		0.33	33.5	1260	17.5	9.6	<0.001	0.03	0.97	1.3	0.8	0.3	27.0	<0.01	0.10	0.4
CC148165		0.93	35.5	970	16.2	5.0	<0.001	0.01	0.74	2.9	0.8	0.3	22.3	<0.01	0.05	4.4
CC148166		0.36	37.3	650	20.9	5.7	<0.001	0.02	0.43	2.4	0.5	0.3	9.5	<0.01	0.04	1.0
CC148167		0.82	22.1	580	14.8	6.0	<0.001	0.02	0.53	1.7	0.5	0.4	11.3	<0.01	0.04	0.7
CC148168		0.72	15.9	530	13.5	7.9	<0.001	0.03	0.53	1.3	0.5	0.5	9.3	<0.01	0.05	0.3
CC148169		0.74	22.7	660	12.5	8.7	<0.001	0.01	0.55	1.8	0.5	0.5	9.0	<0.01	0.04	1.2
CC148170		0.50	29.1	550	36.7	4.4	<0.001	0.03	0.78	1.8	0.5	0.4	7.0	<0.01	0.06	1.0
CC148171		0.36	14.7	670	31.2	4.1	<0.001	0.05	0.73	0.8	0.5	0.4	6.9	<0.01	0.06	0.3
CC148172		1.03	15.9	410	16.8	6.8	<0.001	0.03	0.93	1.5	0.9	0.6	8.0	<0.01	0.06	1.0
CC148173		0.46	25.2	570	13.4	6.0	<0.001	0.02	0.56	2.1	0.5	0.3	15.8	<0.01	0.03	2.6
CC148174		0.90	24.3	480	21.6	8.0	<0.001	0.02	0.51	2.1	0.5	0.5	11.3	<0.01	0.05	2.3
CC148175		0.73	29.1	540	25.8	5.1	<0.001	0.02	0.74	1.9	0.6	0.3	8.8	<0.01	0.06	2.3
CC148176		0.55	18.3	450	14.8	6.9	0.001	0.01	0.47	1.4	0.4	0.4	6.5	<0.01	0.04	1.5
CC148177		0.77	25.6	620	20.8	10.0	<0.001	0.02	0.77	2.0	0.7	0.5	11.2	<0.01	0.06	1.6
CC148178		0.81	15.3	600	22.6	7.8	<0.001	0.01	0.79	1.3	0.4	0.6	5.7	<0.01	0.07	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148139		0.050	0.10	0.94	46	0.24	4.01	88	<0.5
CC148140		0.037	0.08	0.76	40	0.18	2.68	72	<0.5
CC148141		0.025	0.05	1.06	25	0.09	3.42	97	0.7
CC148142		0.031	0.11	1.48	38	0.18	6.27	125	1.3
CC148143		0.040	0.12	1.52	50	0.24	5.86	125	<0.5
CC148144		0.025	0.11	3.20	38	0.19	3.98	109	0.5
CC148145		0.022	0.14	0.79	44	0.09	2.13	61	<0.5
CC148146		0.064	0.29	6.44	75	0.20	15.75	121	0.9
CC148147		0.031	0.12	1.25	48	0.22	5.33	84	<0.5
CC148148		0.044	0.10	1.01	50	0.22	4.64	82	<0.5
CC148149		0.069	0.14	1.35	52	0.22	5.83	126	0.5
CC148150		0.078	0.13	0.60	64	0.47	2.67	67	0.7
CC148151		0.052	0.11	1.24	52	0.21	6.32	115	0.5
CC148152		0.067	0.11	1.24	54	0.22	7.97	112	0.5
CC148153		0.064	0.12	0.85	57	0.28	4.01	91	0.6
CC148154		0.033	0.16	1.03	53	0.20	5.05	85	<0.5
CC148155		0.054	0.14	1.72	53	0.23	8.86	117	1.4
CC148156		0.065	0.13	1.49	56	0.22	6.49	115	0.6
CC148157		0.034	0.14	1.94	53	0.21	8.08	93	<0.5
CC148158		0.061	0.14	2.60	59	0.31	8.59	118	0.6
CC148159		0.039	0.10	0.93	42	0.20	2.89	67	<0.5
CC148160		0.058	0.19	2.83	88	0.16	7.66	88	1.3
CC148161		0.116	0.83	11.50	147	0.08	26.2	161	10.4
CC148162		0.033	0.12	1.59	49	0.24	9.79	140	<0.5
CC148163		0.046	0.10	1.74	37	0.19	8.09	144	2.2
CC148164		0.026	0.09	1.97	37	0.20	6.52	112	<0.5
CC148165		0.078	0.06	1.07	40	0.24	7.49	105	0.6
CC148166		0.021	0.06	0.96	34	0.12	3.33	92	<0.5
CC148167		0.045	0.10	0.81	44	0.21	3.09	73	<0.5
CC148168		0.034	0.10	0.74	49	0.22	2.41	59	<0.5
CC148169		0.052	0.08	0.85	48	0.21	3.31	84	<0.5
CC148170		0.024	0.08	1.05	37	0.20	2.94	83	<0.5
CC148171		0.024	0.10	0.92	37	0.17	1.67	43	<0.5
CC148172		0.048	0.14	0.61	58	0.25	2.06	55	<0.5
CC148173		0.028	0.06	0.77	32	0.18	4.41	75	1.0
CC148174		0.029	0.09	1.02	44	0.19	2.84	76	0.8
CC148175		0.033	0.07	0.89	39	0.21	2.94	80	0.5
CC148176		0.024	0.06	0.62	35	0.16	2.56	63	<0.5
CC148177		0.033	0.11	1.13	50	0.26	3.77	75	<0.5
CC148178		0.032	0.09	0.59	60	0.24	1.93	61	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148179		0.32	0.003	0.04	1.93	12.6	<0.2	<10	60	0.35	0.64	0.05	0.09	24.5	14.5	29
CC148180		0.40	0.009	0.06	1.57	7.5	<0.2	<10	90	0.37	0.48	0.05	0.12	19.50	10.8	25
CC148181		0.33	0.010	0.25	1.03	10.2	<0.2	<10	80	0.34	0.32	0.05	0.13	31.4	15.1	24
CC148182		0.40	0.009	0.61	1.54	26.4	<0.2	<10	130	0.49	0.33	0.15	0.24	36.3	22.8	22
CC148183		0.38	0.011	0.20	1.08	13.2	<0.2	<10	80	0.24	0.39	0.35	0.30	25.2	7.6	24
CC148184		0.28	0.002	0.49	1.26	7.9	<0.2	<10	80	0.17	0.30	0.04	0.21	25.8	2.4	16
CC148185		0.35	0.003	0.19	1.06	10.7	<0.2	<10	90	0.16	0.28	0.06	0.17	23.0	4.8	19
CC148186		0.40	0.006	0.16	1.34	16.0	<0.2	<10	180	0.31	0.30	0.20	0.28	24.6	14.9	18
CC148187		0.42	0.004	0.33	2.01	20.5	<0.2	<10	130	0.55	0.34	0.12	0.38	26.7	12.3	33
CC148188		0.35	0.004	0.38	1.22	14.7	<0.2	<10	240	0.33	0.34	0.30	0.30	22.7	13.8	20
CC148189		0.42	0.002	0.08	1.84	14.2	<0.2	<10	140	0.38	0.35	0.06	0.35	27.9	8.1	31
CC148190		0.34	0.004	0.10	1.60	12.2	<0.2	<10	150	0.31	0.32	0.07	0.25	32.1	6.4	24
ZZ63731		0.37	0.005	0.20	1.53	11.5	<0.2	<10	210	0.33	0.34	0.21	0.25	24.8	10.2	23
ZZ63732		0.44	0.013	0.19	1.17	18.1	<0.2	<10	160	0.31	0.29	0.15	0.29	27.1	11.5	17
ZZ63733		0.36	0.004	0.21	1.49	30.9	<0.2	<10	200	0.34	0.34	0.18	0.60	36.4	14.6	29
ZZ63734		0.35	0.004	0.59	1.30	22.6	<0.2	<10	220	0.35	0.27	0.26	0.56	33.5	10.6	29
ZZ63735		0.28	0.007	0.37	1.35	18.1	<0.2	<10	180	0.33	0.27	0.36	0.34	28.6	7.6	23
ZZ63736		0.35	0.006	0.45	1.47	22.8	<0.2	<10	230	0.22	0.38	0.16	0.14	21.4	8.3	15
ZZ63737		0.42	0.006	0.10	1.01	17.7	<0.2	<10	80	0.18	0.36	0.06	0.19	25.6	10.5	16
ZZ63738		0.33	0.004	0.27	1.23	13.8	<0.2	<10	120	0.25	0.31	0.08	0.13	26.9	6.2	16
ZZ63739		0.36	0.006	0.49	1.56	18.4	<0.2	<10	200	0.35	0.37	0.77	0.34	23.8	13.7	24
ZZ63740		0.32	0.005	0.16	1.62	13.6	<0.2	<10	200	0.41	0.32	0.18	0.26	28.2	9.1	26
ZZ63741		0.42	0.006	0.14	1.46	17.0	<0.2	<10	190	0.36	0.34	0.28	0.34	28.8	17.0	20
ZZ63742		0.31	0.002	0.04	0.60	8.9	<0.2	<10	40	0.08	0.17	0.03	0.06	17.00	2.2	11
ZZ63743		0.34	0.002	0.11	0.84	13.2	<0.2	<10	60	0.13	0.26	0.05	0.19	20.5	5.6	17
ZZ63744		0.35	0.008	0.40	0.92	12.7	<0.2	<10	110	0.24	0.37	0.31	0.20	50.4	7.2	17
ZZ63745		0.37	0.004	0.51	1.41	11.6	<0.2	<10	110	0.24	0.29	0.07	0.27	24.6	4.2	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148179		1.70	39.1	4.09	5.97	<0.05	0.04	0.03	0.026	0.04	12.7	43.6	0.60	599	1.44	<0.01
CC148180		2.45	52.8	3.09	5.07	<0.05	<0.02	0.05	0.018	0.04	10.2	26.5	0.48	583	1.88	0.01
CC148181		2.13	20.6	3.67	3.71	0.05	<0.02	0.05	0.018	0.03	14.6	21.5	0.42	961	0.94	0.01
CC148182		0.93	88.1	3.02	3.89	0.05	0.03	0.07	0.029	0.05	18.5	17.1	0.36	1040	4.55	0.01
CC148183		1.39	84.6	3.69	4.87	0.07	<0.02	0.04	0.031	0.06	15.1	9.1	0.33	409	6.84	<0.01
CC148184		1.07	22.2	1.73	6.63	<0.05	<0.02	0.03	0.016	0.03	13.3	4.8	0.12	108	1.77	<0.01
CC148185		1.35	51.9	2.06	5.13	<0.05	<0.02	0.05	0.020	0.06	12.5	8.0	0.26	302	2.09	0.01
CC148186		1.16	62.7	2.64	3.89	<0.05	<0.02	0.06	0.023	0.05	12.7	13.0	0.36	1380	2.92	<0.01
CC148187		1.18	57.7	3.91	5.53	<0.05	0.02	0.07	0.034	0.08	13.7	20.7	0.54	583	2.49	0.01
CC148188		0.91	74.3	2.71	3.83	<0.05	0.04	0.07	0.023	0.07	11.8	15.5	0.45	1220	2.14	0.01
CC148189		1.30	23.8	3.52	5.79	<0.05	0.02	0.03	0.024	0.07	14.4	19.3	0.42	443	2.80	0.01
CC148190		1.24	53.5	2.47	5.24	<0.05	0.03	0.03	0.019	0.07	15.9	14.2	0.45	232	2.76	0.01
ZZ63731		1.28	49.9	2.49	4.88	<0.05	<0.02	0.04	0.020	0.07	12.6	15.7	0.46	594	4.09	0.01
ZZ63732		1.24	57.5	2.84	3.49	<0.05	<0.02	0.03	0.020	0.07	13.9	13.5	0.39	1370	3.06	0.01
ZZ63733		1.58	78.8	3.22	5.34	0.06	<0.02	0.04	0.029	0.10	18.3	13.1	0.45	1260	4.86	0.01
ZZ63734		1.62	59.8	3.07	4.88	0.05	<0.02	0.03	0.024	0.08	17.4	12.5	0.48	932	3.54	0.01
ZZ63735		1.92	83.7	2.61	4.05	0.06	<0.02	0.03	0.025	0.09	15.6	14.2	0.50	688	3.22	0.01
ZZ63736		1.83	67.0	2.96	3.70	<0.05	0.02	0.03	0.014	0.08	11.3	13.6	0.58	549	3.29	<0.01
ZZ63737		0.91	45.5	3.11	3.25	<0.05	0.02	0.02	0.015	0.05	13.1	9.4	0.34	716	4.29	0.01
ZZ63738		0.95	54.7	2.86	3.52	<0.05	0.02	0.03	0.019	0.06	13.7	13.2	0.43	382	3.69	0.01
ZZ63739		2.46	107.0	3.06	4.74	0.05	0.02	0.05	0.027	0.08	13.6	20.7	0.85	1400	2.97	0.01
ZZ63740		1.05	69.6	3.08	5.04	<0.05	0.02	0.08	0.027	0.08	14.5	16.0	0.49	534	2.41	0.01
ZZ63741		1.95	88.2	3.02	4.10	0.05	0.02	0.05	0.023	0.08	15.4	15.3	0.53	1990	4.60	0.01
ZZ63742		0.80	13.6	1.09	3.63	<0.05	<0.02	0.01	0.011	0.03	8.9	3.1	0.11	167	1.37	0.01
ZZ63743		1.01	26.5	2.29	4.53	<0.05	<0.02	0.03	0.020	0.04	10.6	4.8	0.16	500	2.41	<0.01
ZZ63744		0.71	46.0	3.61	3.44	0.06	0.02	0.02	0.022	0.07	28.9	7.2	0.26	383	4.68	0.02
ZZ63745		1.03	14.5	3.02	6.87	<0.05	<0.02	0.04	0.020	0.04	12.9	7.2	0.23	266	1.76	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148179		0.63	27.2	610	30.0	5.8	<0.001	0.01	0.64	1.8	0.6	0.3	6.7	<0.01	0.09	2.4
CC148180		0.29	23.3	900	10.6	5.4	<0.001	0.04	0.60	0.9	0.7	0.4	6.4	<0.01	0.06	0.2
CC148181		0.07	27.1	640	8.0	4.9	<0.001	0.02	0.86	0.6	0.5	0.4	7.8	<0.01	0.05	0.5
CC148182		0.58	34.0	1330	17.0	10.6	<0.001	0.02	1.05	1.7	1.5	0.3	23.3	<0.01	0.14	2.3
CC148183		0.15	30.3	3770	22.5	10.9	<0.001	0.04	1.47	0.4	2.1	0.4	59.9	<0.01	0.25	0.2
CC148184		0.74	8.1	440	13.2	7.1	<0.001	0.01	0.60	0.8	0.4	0.8	7.3	<0.01	0.03	0.2
CC148185		0.23	14.8	890	12.2	12.7	<0.001	0.03	0.64	0.4	1.1	0.5	12.5	<0.01	0.09	<0.2
CC148186		0.22	24.7	1130	16.3	11.2	0.002	0.03	0.77	0.9	1.5	0.3	31.6	<0.01	0.10	0.4
CC148187		1.23	30.0	890	18.3	16.9	<0.001	0.03	1.18	2.3	1.3	0.5	20.4	0.01	0.08	2.3
CC148188		0.39	24.8	1230	18.7	12.1	0.004	0.04	0.81	1.6	2.8	0.3	53.3	<0.01	0.10	1.3
CC148189		1.36	16.2	560	19.1	16.5	<0.001	0.02	0.85	1.9	0.8	0.5	12.8	<0.01	0.07	2.9
CC148190		0.76	22.5	560	16.7	12.5	<0.001	0.02	0.81	1.8	0.7	0.4	17.1	<0.01	0.09	2.5
ZZ63731		0.40	23.8	1010	18.0	12.7	0.001	0.02	0.66	1.4	1.0	0.4	38.2	<0.01	0.11	0.9
ZZ63732		0.17	26.6	1330	15.4	11.9	<0.001	0.04	0.78	0.6	1.3	0.2	30.3	<0.01	0.10	0.4
ZZ63733		0.77	31.2	1500	17.8	18.8	<0.001	0.03	0.90	1.6	1.3	0.4	30.7	<0.01	0.12	0.7
ZZ63734		0.60	28.9	1460	14.8	16.9	<0.001	0.03	0.88	1.0	1.6	0.4	37.2	<0.01	0.08	0.3
ZZ63735		0.15	26.5	2180	14.4	15.1	0.001	0.04	0.83	0.6	1.8	0.3	53.4	<0.01	0.15	0.3
ZZ63736		0.28	26.0	940	18.6	13.3	<0.001	0.03	0.73	1.0	1.1	0.2	31.2	<0.01	0.13	1.5
ZZ63737		0.41	19.7	870	20.0	7.9	<0.001	0.05	0.99	0.8	1.1	0.2	23.2	<0.01	0.15	1.9
ZZ63738		0.27	17.6	1060	15.4	9.6	0.001	0.04	0.93	0.9	1.1	0.2	25.7	<0.01	0.13	1.6
ZZ63739		0.28	29.6	2770	21.1	19.8	0.003	0.04	0.79	1.5	2.2	0.3	141.5	<0.01	0.16	0.6
ZZ63740		0.56	27.3	1270	16.1	11.7	0.002	0.04	1.04	1.5	1.8	0.4	47.4	<0.01	0.07	1.0
ZZ63741		0.14	30.3	2150	19.3	15.0	<0.001	0.04	1.17	0.8	1.5	0.3	56.2	<0.01	0.14	0.4
ZZ63742		0.21	7.8	310	5.0	5.8	<0.001	0.01	0.43	0.4	0.3	0.4	5.1	<0.01	0.05	<0.2
ZZ63743		0.16	14.2	880	11.2	10.0	<0.001	0.02	0.69	0.3	0.7	0.4	8.2	<0.01	0.08	<0.2
ZZ63744		0.43	20.8	3440	22.8	8.9	<0.001	0.09	1.13	1.1	1.6	0.2	64.0	<0.01	0.16	2.9
ZZ63745		0.89	10.5	1100	14.6	9.6	<0.001	0.02	0.54	1.3	0.7	0.7	8.8	<0.01	0.05	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14121969

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148179		0.024	0.07	1.00	35	0.16	3.29	86	1.2
CC148180		0.027	0.07	1.36	36	0.19	4.16	70	<0.5
CC148181		0.047	0.07	1.38	37	0.15	2.80	71	<0.5
CC148182		0.025	0.11	2.48	39	0.21	5.54	87	0.8
CC148183		0.016	0.12	4.30	68	0.17	8.34	116	<0.5
CC148184		0.035	0.14	0.52	56	0.28	2.21	38	<0.5
CC148185		0.019	0.11	1.18	43	0.22	4.14	54	<0.5
CC148186		0.017	0.10	2.76	33	0.16	6.91	78	0.6
CC148187		0.039	0.12	1.30	53	0.27	3.82	110	0.7
CC148188		0.016	0.11	3.34	33	0.37	5.59	73	1.3
CC148189		0.034	0.15	1.02	59	0.28	2.11	104	0.7
CC148190		0.021	0.13	1.58	37	0.22	3.09	75	0.6
ZZ63731		0.017	0.13	3.15	37	0.16	3.93	79	<0.5
ZZ63732		0.017	0.10	2.12	31	0.14	5.23	84	<0.5
ZZ63733		0.048	0.13	2.94	58	0.21	7.06	121	<0.5
ZZ63734		0.047	0.11	2.26	54	0.26	6.40	124	<0.5
ZZ63735		0.024	0.14	3.32	48	0.17	8.87	95	<0.5
ZZ63736		0.012	0.15	2.77	29	0.07	4.43	79	0.5
ZZ63737		0.018	0.08	1.66	26	0.14	2.31	76	0.5
ZZ63738		0.012	0.10	2.30	29	0.12	3.07	73	0.5
ZZ63739		0.030	0.17	6.72	71	0.11	12.75	116	0.5
ZZ63740		0.026	0.11	2.41	44	0.21	4.38	86	<0.5
ZZ63741		0.020	0.15	5.14	48	0.14	9.49	105	<0.5
ZZ63742		0.022	0.07	0.41	30	0.18	1.36	31	<0.5
ZZ63743		0.017	0.11	0.99	43	0.18	2.43	55	<0.5
ZZ63744		0.024	0.07	2.17	35	0.14	7.04	79	<0.5
ZZ63745		0.038	0.14	0.66	69	0.28	2.94	50	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 15-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14121969

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

CERTIFICATE WH14128256

Project: STAFF

This report is for 28 Rock samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128256

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M898899		1.58	0.005	0.26	0.12	3.8	<0.2	<10	60	<0.05	0.02	0.52	0.81	3.39	3.9	13
M898900		1.48	0.001	0.02	0.17	6.6	<0.2	<10	170	0.10	0.02	1.84	0.15	8.04	4.0	8
M898901		1.07	0.005	1.08	0.16	27.1	<0.2	<10	40	<0.05	1.09	0.03	0.11	1.19	30.2	16
M898902		1.49	0.002	0.17	0.80	11.4	<0.2	<10	150	0.14	0.17	0.11	0.06	19.95	19.8	17
M898903		1.00	0.018	1.49	0.16	15.5	<0.2	<10	80	0.07	0.15	0.11	249	4.26	23.0	12
M898904		1.35	0.004	0.09	0.16	24.2	<0.2	<10	150	0.10	0.20	2.83	0.50	17.25	19.1	6
M898905		1.45	0.001	0.05	0.33	1.4	<0.2	<10	120	0.10	0.03	0.07	1.23	9.24	7.1	12
M898906		1.38	0.003	0.33	0.30	2.4	<0.2	<10	160	0.15	0.27	0.06	1.12	19.85	26.9	11
M898907		1.11	0.006	0.29	0.12	0.9	<0.2	<10	50	<0.05	0.29	0.28	0.22	3.50	4.8	10
M898908		1.50	0.017	0.18	0.29	1.6	<0.2	<10	70	0.06	0.28	0.11	0.26	4.61	9.1	17
M898909		1.40	0.006	0.89	0.48	12.2	<0.2	<10	460	0.27	0.10	<0.01	0.12	15.15	3.5	34
M898910		1.34	0.001	0.13	0.32	2.9	<0.2	<10	20	0.13	2.77	0.37	0.06	4.89	16.2	11
M898912		1.06	0.001	0.01	0.04	0.8	<0.2	<10	10	<0.05	0.02	0.01	0.05	0.79	5.5	14
M898913		1.47	0.001	0.03	1.59	0.3	<0.2	<10	340	0.23	0.07	0.04	0.05	46.0	14.0	22
M898914		1.37	0.001	0.04	0.25	3.7	<0.2	<10	50	0.08	0.05	0.13	0.13	6.76	4.1	17
M898915		1.22	0.038	0.75	0.37	7.3	<0.2	<10	360	0.28	0.12	<0.01	0.10	29.1	1.3	18
M898916		1.54	0.001	0.05	0.23	84.3	<0.2	<10	30	<0.05	0.04	0.22	0.20	5.56	2.4	13
M898917		0.93	0.001	0.03	0.09	14.9	<0.2	<10	90	<0.05	0.02	0.01	0.05	3.24	1.3	11
M898918		1.77	0.291	0.38	0.17	4.3	0.3	<10	100	<0.05	0.09	0.29	0.49	2.71	7.8	17
M898919		0.97	0.002	0.13	0.10	0.6	<0.2	<10	40	<0.05	0.14	0.04	0.09	1.27	1.2	14
M898920		1.44	0.001	0.11	0.06	0.4	<0.2	<10	30	<0.05	0.06	0.58	0.30	1.01	4.0	17
M898921		1.09	0.002	0.24	0.12	5.7	<0.2	<10	340	0.13	0.10	4.03	13.35	6.97	12.6	18
M898922		0.96	0.009	1.08	1.60	5.3	<0.2	<10	470	0.64	0.21	0.01	1.04	28.8	9.0	50
M898923		1.41	<0.001	0.07	0.69	3.0	<0.2	<10	30	0.13	1.13	0.12	0.14	8.32	15.0	13
M898924		1.45	0.001	0.13	0.55	5.0	<0.2	<10	50	0.17	0.10	0.32	0.04	15.35	4.6	18
M898925		1.25	0.012	0.49	0.57	5.0	<0.2	<10	550	0.34	0.16	0.01	0.27	46.7	2.0	8
M898926		1.23	0.003	0.02	0.06	1.2	<0.2	<10	40	<0.05	0.01	<0.01	0.05	1.83	2.0	10
M898927		1.20	0.003	0.15	0.20	32.1	<0.2	<10	140	0.16	0.02	0.01	0.24	9.47	2.0	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 7-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14128256

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M898899		0.07	29.1	0.92	0.34	<0.05	0.09	0.05	<0.005	0.03	2.3	0.5	0.02	1800	1.44	0.01
M898900		0.07	4.0	0.64	0.60	<0.05	0.12	0.02	<0.005	0.11	4.3	1.5	0.44	2920	4.75	<0.01
M898901		0.10	166.5	2.28	0.59	<0.05	<0.02	0.02	<0.005	0.02	0.6	1.5	0.10	438	0.44	<0.01
M898902		0.29	40.5	2.48	2.66	<0.05	0.02	0.02	<0.005	0.13	9.2	6.7	0.38	462	0.37	0.04
M898903		0.18	75.2	1.65	13.10	0.18	0.10	31.6	0.148	0.06	2.1	0.8	0.06	1360	0.97	0.01
M898904		0.12	35.9	1.83	0.77	<0.05	0.12	0.07	0.009	0.10	7.0	1.6	1.01	11950	1.21	0.01
M898905		0.16	60.3	1.52	1.12	<0.05	0.14	0.11	0.006	0.09	4.2	2.9	0.11	459	2.53	0.03
M898906		0.19	44.3	1.50	0.93	<0.05	0.02	0.04	0.005	0.12	8.6	2.8	0.06	1760	0.78	0.02
M898907		0.06	7.8	1.28	0.38	<0.05	<0.02	0.03	<0.005	0.02	1.5	1.1	0.05	1700	0.20	0.02
M898908		0.14	44.1	1.97	0.44	<0.05	0.06	0.01	<0.005	0.04	2.0	2.5	0.04	296	0.65	0.02
M898909		0.69	94.5	7.57	2.50	0.06	0.20	0.12	0.017	0.17	7.7	2.6	0.06	189	2.09	<0.01
M898910		0.15	4.8	2.93	0.97	<0.05	0.08	0.01	0.006	0.06	2.0	25.6	0.07	1850	1.53	<0.01
M898912		0.06	246	0.74	0.18	<0.05	<0.02	0.01	<0.005	0.01	0.4	2.9	<0.01	796	0.35	<0.01
M898913		0.39	130.5	6.14	4.76	0.07	<0.02	0.03	0.021	0.16	17.0	11.8	0.86	2430	0.54	<0.01
M898914		0.09	10.8	1.00	0.81	<0.05	0.08	0.02	<0.005	0.06	3.3	2.2	0.11	1720	0.45	<0.01
M898915		0.33	89.2	3.16	1.33	<0.05	0.15	0.05	0.016	0.18	14.6	2.3	0.04	97	0.45	0.01
M898916		0.08	30.7	0.78	0.49	<0.05	0.03	0.04	0.019	0.02	2.3	0.7	0.06	1210	0.23	<0.01
M898917		0.06	21.6	0.75	0.38	<0.05	0.02	<0.01	<0.005	0.03	1.7	0.6	0.01	496	0.12	<0.01
M898918		0.13	39.0	1.45	0.33	<0.05	0.03	<0.01	0.005	0.03	1.2	1.3	0.09	694	0.31	0.01
M898919		<0.05	14.9	1.33	0.15	<0.05	<0.02	<0.01	<0.005	0.01	0.5	0.5	0.01	147	0.19	0.01
M898920		<0.05	9.4	1.06	0.11	<0.05	<0.02	<0.01	0.005	<0.01	0.4	0.3	0.10	712	0.23	0.02
M898921		0.23	32.4	4.07	0.33	<0.05	0.21	0.03	0.007	0.03	4.8	0.8	1.72	1300	5.60	<0.01
M898922		3.29	310	17.75	4.31	0.08	0.21	0.12	0.031	0.27	14.1	7.6	0.23	125	5.90	0.01
M898923		0.22	5.7	2.74	1.94	<0.05	0.03	<0.01	0.007	0.09	4.0	18.7	0.23	1140	0.29	<0.01
M898924		0.19	49.7	1.20	1.32	<0.05	0.14	0.03	0.011	0.12	10.2	9.0	0.22	99	0.50	<0.01
M898925		0.40	37.4	1.74	1.67	0.09	0.53	0.16	0.020	0.26	23.1	3.5	0.03	68	12.60	0.03
M898926		0.09	11.5	2.53	0.18	<0.05	0.02	0.01	<0.005	0.02	0.9	0.4	0.01	118	0.44	<0.01
M898927		0.16	43.5	1.60	0.57	<0.05	0.07	0.02	0.007	0.08	4.7	1.1	0.02	63	0.44	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 7-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14128256

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M898899		0.08	28.5	2470	2.2	1.4	0.001	0.05	0.77	0.8	2.1	<0.2	143.0	<0.01	0.12	0.4
M898900		0.10	9.0	2600	3.4	3.5	<0.001	0.01	0.27	0.8	<0.2	<0.2	216	<0.01	0.04	1.2
M898901		0.48	44.7	50	71.5	1.1	0.001	0.56	0.29	0.3	3.0	<0.2	6.1	<0.01	0.16	0.5
M898902		0.10	41.5	370	14.7	6.2	0.001	0.10	1.10	1.3	0.6	<0.2	34.9	<0.01	0.03	3.0
M898903		0.07	26.7	100	68.5	2.7	0.001	1.81	1.35	1.1	68.5	0.5	24.2	<0.01	0.07	0.8
M898904		0.07	29.6	520	13.9	4.3	0.001	0.02	1.14	0.9	0.2	<0.2	544	<0.01	0.12	1.5
M898905		0.07	27.7	520	4.7	4.0	<0.001	0.09	0.38	0.8	0.7	<0.2	39.3	<0.01	0.03	0.9
M898906		0.08	26.0	400	21.1	5.3	<0.001	0.04	0.62	1.8	0.8	<0.2	60.1	<0.01	0.05	2.5
M898907		0.28	11.1	300	19.5	1.0	<0.001	0.01	0.32	1.7	<0.2	<0.2	51.5	<0.01	0.05	0.3
M898908		0.08	36.8	880	19.2	2.3	<0.001	0.16	0.83	0.6	0.8	<0.2	101.5	<0.01	0.07	0.9
M898909		0.10	41.0	240	8.0	8.3	0.003	0.15	3.28	1.4	7.5	0.2	4.4	<0.01	0.07	2.2
M898910		0.07	27.5	1810	169.5	2.6	<0.001	0.01	0.09	0.8	0.2	<0.2	56.6	<0.01	0.29	0.7
M898912		0.06	3.0	20	1.4	0.7	<0.001	0.01	0.32	0.2	<0.2	<0.2	7.6	<0.01	<0.01	<0.2
M898913		0.12	16.0	400	7.2	6.3	<0.001	0.04	0.44	2.2	0.5	<0.2	18.6	<0.01	0.11	2.7
M898914		0.07	10.1	410	6.5	2.5	<0.001	0.01	0.17	0.7	0.2	<0.2	35.3	<0.01	0.05	0.8
M898915		0.08	9.7	190	4.7	7.8	<0.001	0.03	1.38	1.6	2.7	0.2	10.1	<0.01	0.26	4.3
M898916		0.07	7.8	810	2.5	0.7	<0.001	0.01	0.15	0.6	<0.2	<0.2	59.6	<0.01	0.05	0.4
M898917		0.07	5.2	50	1.3	1.1	<0.001	0.01	0.12	0.5	<0.2	<0.2	4.2	<0.01	0.01	0.3
M898918		0.07	67.3	160	4.5	1.5	<0.001	0.03	0.27	1.5	0.2	<0.2	110.0	<0.01	0.08	0.3
M898919		0.07	14.7	280	5.6	0.6	<0.001	0.03	0.12	0.6	<0.2	<0.2	36.3	<0.01	0.02	<0.2
M898920		0.06	27.3	150	5.7	0.2	<0.001	0.02	0.15	1.5	<0.2	<0.2	166.5	<0.01	0.01	<0.2
M898921		0.12	103.5	1260	14.9	1.5	0.001	0.02	4.80	1.2	1.7	<0.2	502	<0.01	0.04	0.5
M898922		0.12	191.5	1260	11.4	17.2	0.002	0.19	4.93	2.5	5.3	0.3	21.2	<0.01	0.09	4.6
M898923		0.06	16.3	490	98.7	3.7	<0.001	0.01	0.09	0.8	<0.2	<0.2	19.0	<0.01	0.13	1.3
M898924		0.06	14.0	1920	13.1	4.6	0.001	0.02	0.42	0.7	0.6	<0.2	62.2	<0.01	0.06	2.1
M898925		0.08	12.6	240	10.8	10.6	0.001	0.08	1.53	1.6	2.2	0.2	21.4	<0.01	0.12	6.5
M898926		0.08	12.2	80	0.9	0.9	<0.001	<0.01	0.92	0.2	0.2	<0.2	5.5	<0.01	0.01	0.2
M898927		0.08	15.1	160	1.8	3.5	<0.001	0.02	0.77	0.9	1.1	<0.2	13.1	<0.01	0.03	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128256

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
M898899		<0.005	0.02	0.95	9	0.05	9.79	110	4.5	
M898900		<0.005	0.02	0.91	4	0.09	5.53	21	5.7	
M898901		0.133	<0.02	1.56	3	0.05	0.45	41	<0.5	
M898902		0.011	0.04	1.37	9	<0.05	2.37	77	0.8	
M898903		<0.005	0.03	1.42	6	0.05	2.73	>10000	4.3	3.52
M898904		<0.005	0.03	0.51	6	0.08	3.33	107	6.6	
M898905		<0.005	0.04	1.49	10	0.06	2.71	132	6.3	
M898906		<0.005	0.04	0.62	3	0.05	2.50	39	1.0	
M898907		0.046	<0.02	0.22	1	0.05	3.86	28	<0.5	
M898908		<0.005	<0.02	0.86	5	<0.05	3.75	65	4.4	
M898909		0.006	0.07	1.00	59	0.06	2.62	416	13.3	
M898910		<0.005	0.02	2.27	4	<0.05	6.87	61	5.0	
M898912		<0.005	<0.02	0.39	1	0.05	0.24	17	1.1	
M898913		0.023	0.04	0.40	22	0.12	2.52	54	0.5	
M898914		<0.005	<0.02	0.21	6	0.05	2.96	27	3.0	
M898915		<0.005	0.05	0.91	12	<0.05	1.51	70	7.6	
M898916		<0.005	<0.02	0.18	2	0.05	3.57	33	1.3	
M898917		<0.005	<0.02	0.13	3	<0.05	0.52	14	0.8	
M898918		<0.005	0.02	0.14	2	0.05	2.60	146	1.3	
M898919		<0.005	<0.02	0.15	1	<0.05	1.36	19	<0.5	
M898920		<0.005	<0.02	0.05	<1	<0.05	2.48	31	0.6	
M898921		<0.005	0.06	1.75	32	0.07	11.95	362	15.1	
M898922		0.011	0.13	4.13	95	0.07	6.40	1230	17.2	
M898923		<0.005	0.02	0.77	5	<0.05	2.02	48	1.6	
M898924		<0.005	0.04	3.00	11	0.05	7.70	42	7.0	
M898925		<0.005	0.07	3.83	17	0.07	6.71	94	24.1	
M898926		<0.005	<0.02	0.34	1	<0.05	0.44	17	2.6	
M898927		<0.005	0.03	2.04	4	<0.05	0.99	73	4.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 7-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14128256

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-21	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP21	ME-MS41	ME-OG46	Zn-OG46

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

CERTIFICATE WH14128259

Project: STAFF

This report is for 186 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD027072		0.35	0.012	0.19	1.77	39.5	<0.2	<10	150	0.29	0.52	0.14	0.10	43.2	29.7	23
DD027073		0.22	0.011	0.15	1.21	14.3	<0.2	<10	120	0.22	0.33	0.09	0.18	27.4	25.1	19
DD027074		0.20	0.010	0.20	1.01	15.5	<0.2	<10	110	0.17	0.33	0.24	0.08	17.90	54.7	16
DD027075		0.24	0.007	0.13	1.06	15.6	<0.2	<10	130	0.32	0.30	0.25	0.04	14.10	17.0	20
DD027076		0.24	0.017	0.35	0.92	57.5	<0.2	<10	140	0.25	0.56	0.14	0.48	35.1	88.1	13
DD027077		0.31	0.002	0.02	0.17	11.8	<0.2	<10	40	0.06	0.10	0.04	0.05	4.26	5.0	5
DD027078		0.27	0.004	0.15	0.51	11.2	<0.2	<10	100	0.12	0.21	0.06	0.17	25.7	24.6	9
DD027079		0.24	0.008	0.18	1.57	14.0	<0.2	<10	110	0.37	0.32	0.07	0.31	26.3	36.1	23
DD027080		0.30	0.008	0.26	1.74	24.6	<0.2	<10	170	0.29	0.35	0.14	0.27	40.6	49.3	27
DD027081		0.23	0.018	0.70	1.93	11.5	<0.2	<10	180	0.28	0.34	0.22	0.55	30.1	23.8	27
DD027082		0.18	0.020	0.22	2.10	13.7	<0.2	<10	190	0.28	0.36	0.34	0.16	33.7	25.4	31
DD027083		0.28	0.009	0.24	1.64	26.5	<0.2	<10	100	0.40	0.48	0.17	0.23	30.1	28.5	25
DD027084		0.19	0.016	0.22	1.28	25.6	<0.2	<10	130	0.32	0.40	0.26	0.33	16.90	11.3	23
DD027085		0.30	0.006	0.08	1.01	17.5	<0.2	<10	120	0.34	0.29	0.08	0.12	22.4	12.5	18
DD027086		0.29	0.003	0.02	1.95	15.0	<0.2	<10	100	0.40	0.30	0.07	0.16	22.5	9.0	30
DD027087		0.29	0.002	0.03	1.10	17.7	<0.2	<10	30	0.29	0.59	0.04	0.03	29.8	17.8	19
DD027088		0.34	0.019	0.12	1.45	11.2	<0.2	<10	150	0.30	0.27	0.17	0.12	25.2	11.6	23
DD027089		0.26	0.006	0.14	1.05	15.7	<0.2	<10	140	0.45	0.35	0.12	0.18	13.90	9.8	21
DD027090		0.14	0.010	0.10	1.98	10.7	<0.2	<10	180	0.29	0.29	0.17	0.08	27.0	13.4	29
DD027091		0.26	0.012	0.54	2.49	9.7	<0.2	<10	300	0.37	0.35	0.47	0.24	29.7	24.6	35
DD027092		0.41	0.005	0.05	1.58	12.3	<0.2	<10	130	0.36	0.25	0.04	0.19	27.6	19.5	26
DD027093		0.16	0.012	0.55	1.64	40.0	<0.2	<10	220	0.26	0.41	0.22	0.62	38.1	66.9	30
DD027094		0.27	0.008	0.24	1.16	9.0	<0.2	<10	170	0.20	0.33	0.23	0.33	21.4	26.7	24
DD027095		0.27	0.002	0.06	0.47	7.1	<0.2	<10	80	0.10	0.18	0.01	0.08	9.04	10.9	8
DD027096		0.19	0.006	0.14	0.36	30.6	<0.2	<10	80	0.12	0.24	0.05	0.09	13.65	18.9	10
DD027097		0.26	0.003	0.04	0.28	25.7	<0.2	<10	50	0.09	0.13	0.03	0.04	8.43	16.7	5
DD027098		0.18	0.009	0.15	1.33	12.1	<0.2	<10	160	0.24	0.24	0.07	0.24	19.40	25.7	28
DD027099		0.31	0.010	0.25	0.99	21.3	<0.2	<10	120	0.23	0.34	0.13	0.16	25.3	25.8	17
DD027100		0.23	0.018	0.10	1.78	20.5	<0.2	<10	170	0.43	0.78	0.22	0.12	39.6	26.2	23
DD027349		0.33	0.005	0.07	1.95	12.7	<0.2	<10	70	0.48	0.36	0.10	0.14	35.0	21.2	28
DD027350		0.24	0.003	0.11	1.35	17.4	<0.2	<10	50	0.45	0.40	0.18	0.09	53.4	50.3	22
DD027351		0.20	0.001	0.05	1.88	15.6	<0.2	<10	30	0.41	0.44	0.12	0.05	50.4	25.6	26
DD027352		0.29	0.002	0.05	1.92	19.0	<0.2	<10	40	0.41	0.37	0.07	0.06	42.6	24.9	28
DD027353		0.22	0.002	0.04	1.14	48.2	<0.2	<10	40	0.33	0.78	0.13	0.02	66.9	30.6	19
DD027354		0.33	0.001	0.03	1.48	2.9	<0.2	<10	40	0.50	0.51	0.09	0.02	29.1	27.5	31
DD027355		0.30	0.001	0.05	1.55	2.0	<0.2	<10	50	0.31	0.66	0.05	0.05	18.15	26.1	38
DD027356		0.25	0.007	0.06	0.80	12.8	<0.2	<10	70	0.29	0.24	0.04	0.13	17.05	18.9	17
DD027357		0.14	0.013	0.18	0.44	16.3	<0.2	<10	100	0.18	0.24	0.04	0.79	25.6	14.4	13
DD027358		0.22	0.012	0.29	0.51	14.5	<0.2	<10	170	0.23	0.31	0.13	1.73	43.3	19.1	13
DD027359		0.17	0.011	0.25	0.43	10.1	<0.2	<10	120	0.13	0.19	0.03	1.19	22.4	15.8	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD027072		4.86	163.5	5.47	5.39	0.10	0.02	0.22	0.019	0.28	18.0	17.0	0.85	3530	7.85	<0.01
DD027073		4.16	147.0	3.94	4.18	0.08	<0.02	0.12	0.021	0.19	12.6	13.1	0.64	3110	6.58	<0.01
DD027074		1.01	168.5	3.63	2.87	<0.05	0.03	0.23	0.039	0.06	6.9	5.7	0.39	7550	2.12	<0.01
DD027075		0.93	76.7	2.56	3.35	<0.05	0.02	0.08	0.025	0.04	7.3	11.7	0.33	1550	1.44	<0.01
DD027076		2.81	288	6.44	3.61	0.08	0.04	0.34	0.034	0.15	13.1	12.4	0.46	15250	15.05	<0.01
DD027077		0.23	20.5	1.03	1.12	<0.05	<0.02	0.03	0.009	0.01	1.7	1.6	0.03	1300	0.54	<0.01
DD027078		1.25	115.5	2.57	2.01	0.05	<0.02	0.09	0.020	0.08	11.3	5.3	0.26	4940	2.22	<0.01
DD027079		2.27	176.0	4.26	4.36	0.05	<0.02	0.12	0.031	0.10	12.1	23.4	0.57	2940	7.12	<0.01
DD027080		8.44	221	6.47	5.98	0.11	0.03	0.15	0.035	0.33	15.3	20.5	0.98	9550	8.25	<0.01
DD027081		6.03	356	4.23	6.00	0.09	0.03	0.16	0.028	0.21	15.4	29.6	1.27	2970	3.17	<0.01
DD027082		8.18	197.0	4.21	6.88	0.13	0.04	0.17	0.029	0.42	17.5	31.4	1.62	3710	3.55	<0.01
DD027083		3.59	134.5	4.10	5.22	0.07	<0.02	0.07	0.026	0.09	14.8	38.6	0.74	2670	3.09	<0.01
DD027084		3.52	100.5	3.03	4.33	<0.05	<0.02	0.06	0.028	0.08	9.8	23.5	0.57	1160	4.11	<0.01
DD027085		1.40	57.9	2.68	3.66	<0.05	<0.02	0.04	0.022	0.04	11.4	17.2	0.33	1460	2.62	<0.01
DD027086		1.47	24.6	3.18	6.54	<0.05	<0.02	0.05	0.027	0.04	11.4	21.1	0.39	400	1.92	<0.01
DD027087		1.15	32.1	3.60	3.64	0.06	0.03	0.02	0.019	0.02	14.5	43.1	0.48	626	0.71	<0.01
DD027088		3.33	98.8	3.08	4.75	0.06	<0.02	0.06	0.021	0.16	13.4	21.7	0.78	1400	2.12	<0.01
DD027089		6.50	69.2	2.20	3.51	<0.05	<0.02	0.06	0.023	0.05	8.0	17.4	0.32	890	2.23	<0.01
DD027090		5.82	129.5	3.58	6.44	0.08	<0.02	0.09	0.023	0.32	14.4	30.0	1.35	1340	2.25	<0.01
DD027091		10.40	291	4.47	7.94	0.16	0.05	0.22	0.029	0.64	16.3	40.1	1.95	2320	2.84	<0.01
DD027092		1.60	78.5	2.85	5.67	0.05	<0.02	0.09	0.027	0.05	12.7	18.5	0.57	2250	1.64	<0.01
DD027093		4.15	252	5.44	6.12	0.10	0.03	0.34	0.030	0.29	15.2	20.4	0.93	13650	8.23	<0.01
DD027094		3.63	215	3.63	4.15	0.06	0.02	0.15	0.024	0.21	11.0	13.9	0.72	4210	2.35	<0.01
DD027095		0.52	39.7	1.39	2.00	<0.05	<0.02	0.08	0.015	0.03	3.9	3.7	0.08	3000	0.86	<0.01
DD027096		0.48	87.5	2.04	1.54	<0.05	0.02	0.08	0.019	0.04	6.4	2.8	0.08	3470	2.11	<0.01
DD027097		0.31	49.4	1.16	1.21	<0.05	<0.02	0.04	0.012	0.02	3.6	2.7	0.07	2290	0.49	<0.01
DD027098		2.80	180.0	3.49	4.46	0.05	<0.02	0.09	0.022	0.08	9.4	16.3	0.61	4480	1.97	<0.01
DD027099		1.56	159.0	3.75	3.51	0.06	<0.02	0.24	0.028	0.08	11.1	12.1	0.42	5410	4.70	<0.01
DD027100		6.29	133.5	4.71	5.08	0.07	0.02	0.24	0.015	0.36	18.3	22.3	0.65	2660	6.00	<0.01
DD027349		1.25	44.7	4.28	5.78	0.07	0.08	0.03	0.019	0.04	17.2	68.1	0.69	1020	0.82	<0.01
DD027350		1.50	57.0	3.65	4.54	0.10	0.15	0.02	0.020	0.03	25.7	53.4	0.56	1510	0.90	<0.01
DD027351		0.76	46.8	4.31	5.62	0.10	0.11	0.01	0.018	0.02	25.1	67.3	0.75	1080	0.70	<0.01
DD027352		1.45	42.8	4.53	5.75	0.08	0.04	0.02	0.018	0.03	21.1	76.0	0.78	1060	0.66	<0.01
DD027353		1.01	70.8	4.14	3.78	0.10	0.11	<0.01	0.022	0.02	33.3	46.4	0.49	978	0.80	<0.01
DD027354		1.64	58.3	4.88	4.99	0.06	0.04	<0.01	0.016	0.02	14.2	62.1	0.75	1540	1.08	<0.01
DD027355		1.58	66.0	5.18	4.93	0.05	0.02	0.02	0.011	0.03	8.8	54.2	0.88	1680	0.80	<0.01
DD027356		0.94	43.8	3.00	2.76	<0.05	0.02	0.04	0.011	0.04	8.1	18.3	0.35	3160	1.47	<0.01
DD027357		0.53	93.5	2.50	1.93	<0.05	0.02	0.13	0.019	0.06	12.0	3.8	0.07	2490	3.53	<0.01
DD027358		0.68	127.0	3.27	2.40	0.05	0.02	0.47	0.021	0.06	17.8	6.1	0.13	4880	6.69	<0.01
DD027359		0.72	92.8	2.17	2.07	<0.05	<0.02	0.13	0.020	0.05	10.2	2.3	0.06	5820	2.32	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD027072		1.15	52.9	990	43.1	37.9	<0.001	0.08	1.61	2.4	1.2	0.2	53.8	<0.01	0.37	3.8
DD027073		0.49	54.1	800	20.9	28.1	<0.001	0.11	1.69	1.5	2.0	<0.2	65.2	<0.01	0.30	0.6
DD027074		0.17	131.5	960	10.6	5.5	0.001	0.01	0.65	4.3	1.1	0.2	72.4	<0.01	0.19	1.5
DD027075		0.44	40.1	1050	11.5	8.7	<0.001	0.04	0.93	1.6	0.8	0.2	41.6	<0.01	0.11	0.4
DD027076		0.26	150.0	1190	51.3	18.1	<0.001	0.10	3.01	2.5	2.1	<0.2	92.5	<0.01	0.76	2.6
DD027077		0.28	9.5	250	4.6	2.2	<0.001	0.01	0.23	0.5	0.3	<0.2	7.3	<0.01	0.06	0.2
DD027078		0.20	58.9	480	12.5	9.7	<0.001	0.02	0.91	1.3	1.1	<0.2	30.6	<0.01	0.17	2.3
DD027079		0.60	74.1	1030	20.6	16.3	<0.001	0.05	1.99	1.7	1.5	0.2	27.6	<0.01	0.23	0.8
DD027080		0.74	111.5	890	27.8	47.8	<0.001	0.06	1.59	3.9	1.8	0.2	48.0	<0.01	0.44	2.9
DD027081		0.56	53.6	1590	24.4	25.2	<0.001	0.07	1.08	3.2	2.9	0.2	82.2	<0.01	0.38	2.8
DD027082		0.90	51.8	1880	26.3	54.7	<0.001	0.05	1.00	3.5	1.8	0.2	103.5	<0.01	0.36	2.9
DD027083		0.46	50.5	1240	42.9	12.6	<0.001	0.01	0.84	2.3	1.3	0.2	37.8	<0.01	0.19	1.3
DD027084		0.25	31.1	2090	22.8	15.8	<0.001	0.05	0.88	0.6	1.1	0.2	55.9	<0.01	0.24	<0.2
DD027085		0.37	26.7	860	17.3	7.3	<0.001	0.02	0.70	1.0	0.6	0.3	18.4	<0.01	0.12	0.4
DD027086		1.32	20.0	500	20.4	8.5	<0.001	0.02	0.79	1.5	0.8	0.6	8.8	<0.01	0.05	0.5
DD027087		0.18	35.9	400	19.6	2.2	<0.001	<0.01	0.56	1.8	0.3	<0.2	5.4	<0.01	0.03	3.0
DD027088		0.57	30.8	1130	15.2	21.0	<0.001	0.03	0.81	1.1	1.1	0.2	44.2	<0.01	0.16	0.3
DD027089		0.20	25.1	1590	16.7	8.6	<0.001	0.06	0.54	0.3	0.8	0.3	30.1	<0.01	0.11	<0.2
DD027090		1.05	38.1	1160	16.6	40.8	<0.001	0.05	0.89	1.6	1.0	0.3	49.6	<0.01	0.22	0.4
DD027091		1.04	56.3	2450	25.7	77.8	<0.001	0.07	1.28	4.3	2.9	0.2	136.5	<0.01	0.36	3.3
DD027092		0.87	47.4	460	12.6	11.4	0.001	0.02	0.88	2.2	1.0	0.3	11.1	<0.01	0.09	0.8
DD027093		0.60	187.0	1460	32.1	31.4	0.001	0.08	2.81	3.1	2.2	0.2	97.4	<0.01	0.60	2.7
DD027094		0.57	68.8	1110	18.5	28.7	<0.001	0.04	1.14	2.6	1.8	<0.2	81.1	<0.01	0.23	2.0
DD027095		0.42	16.9	470	8.2	5.2	<0.001	0.02	0.49	0.7	0.4	0.2	3.3	<0.01	0.07	0.3
DD027096		0.19	44.5	580	9.9	4.4	<0.001	0.02	0.77	1.1	0.7	<0.2	22.3	<0.01	0.13	0.4
DD027097		0.26	30.8	200	4.8	2.5	<0.001	<0.01	0.51	1.1	0.4	<0.2	6.1	<0.01	0.07	0.7
DD027098		0.61	63.8	750	12.8	11.8	<0.001	0.04	1.10	2.5	0.9	0.2	28.4	<0.01	0.12	1.2
DD027099		0.35	53.3	950	25.0	11.5	<0.001	0.07	1.39	1.8	1.6	0.2	48.2	<0.01	0.32	0.9
DD027100		1.27	43.8	1550	65.0	47.9	<0.001	0.11	1.74	1.4	1.1	0.2	101.5	<0.01	0.37	2.7
DD027349		0.25	40.5	750	39.4	3.9	<0.001	0.02	0.64	1.7	0.4	<0.2	15.2	<0.01	0.04	2.8
DD027350		0.25	40.8	710	48.1	2.4	<0.001	<0.01	1.57	2.3	0.5	<0.2	24.2	<0.01	0.04	9.4
DD027351		0.11	40.0	620	47.5	1.8	<0.001	<0.01	0.45	2.0	0.3	<0.2	17.1	<0.01	0.05	8.9
DD027352		0.12	43.4	560	38.3	3.1	<0.001	0.01	0.60	1.7	0.3	<0.2	10.6	<0.01	0.03	3.7
DD027353		0.10	45.5	790	41.1	1.5	<0.001	<0.01	1.19	2.3	<0.2	<0.2	12.7	<0.01	0.07	12.5
DD027354		0.11	50.7	520	24.3	1.7	<0.001	<0.01	0.29	2.2	<0.2	0.2	6.9	<0.01	0.06	5.1
DD027355		0.16	48.7	460	13.9	2.6	<0.001	0.01	0.21	1.7	<0.2	0.2	4.5	<0.01	0.05	1.8
DD027356		0.13	30.0	700	23.2	3.9	<0.001	0.02	0.42	0.6	<0.2	<0.2	7.9	<0.01	0.09	0.4
DD027357		0.19	41.9	840	61.9	5.4	<0.001	0.04	1.10	1.3	0.4	<0.2	25.1	<0.01	0.19	0.8
DD027358		0.30	53.2	760	172.0	4.5	<0.001	0.06	1.99	2.1	0.8	0.2	58.2	<0.01	0.28	3.0
DD027359		0.13	44.7	840	120.0	4.5	<0.001	0.03	0.78	1.0	0.9	0.2	16.2	<0.01	0.09	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD027072		0.064	0.31	2.88	31	0.12	5.98	96	0.9
DD027073		0.042	0.24	2.04	31	0.07	4.86	90	<0.5
DD027074		0.006	0.07	0.88	16	0.06	7.14	49	1.0
DD027075		0.016	0.07	0.70	26	0.14	4.95	54	0.7
DD027076		0.034	0.23	2.68	19	0.14	7.45	141	2.5
DD027077		0.010	0.02	0.11	8	0.06	0.54	19	<0.5
DD027078		0.017	0.11	0.69	11	<0.05	3.68	78	0.8
DD027079		0.037	0.13	2.19	35	0.16	4.92	126	<0.5
DD027080		0.095	0.44	1.50	45	0.11	5.29	125	2.3
DD027081		0.055	0.32	2.89	51	0.12	10.35	141	1.6
DD027082		0.095	0.37	2.52	64	0.11	9.97	108	2.2
DD027083		0.032	0.09	3.28	33	0.11	7.60	111	<0.5
DD027084		0.013	0.08	3.57	40	0.09	6.99	108	<0.5
DD027085		0.022	0.06	1.96	30	0.16	4.32	66	<0.5
DD027086		0.035	0.17	0.96	57	0.32	2.81	67	<0.5
DD027087		0.012	0.02	0.75	15	0.06	2.70	88	0.8
DD027088		0.043	0.14	1.75	45	0.12	5.20	80	<0.5
DD027089		0.008	0.08	2.89	26	0.12	6.72	60	<0.5
DD027090		0.065	0.23	1.48	61	0.14	5.18	87	<0.5
DD027091		0.133	0.48	3.32	82	0.13	12.90	126	3.4
DD027092		0.043	0.10	0.68	40	0.19	3.93	75	<0.5
DD027093		0.069	0.32	2.43	39	0.17	9.05	176	2.0
DD027094		0.053	0.23	1.22	39	0.09	6.62	120	1.2
DD027095		0.013	0.05	0.26	13	0.09	1.08	32	<0.5
DD027096		0.006	0.04	0.54	8	0.07	3.49	52	<0.5
DD027097		0.008	0.03	0.21	8	0.06	1.41	24	<0.5
DD027098		0.045	0.19	0.95	41	0.15	4.79	85	0.5
DD027099		0.025	0.10	1.86	28	0.11	6.47	85	<0.5
DD027100		0.061	0.44	2.95	34	0.10	6.19	98	0.5
DD027349		0.010	0.04	1.36	19	0.09	4.88	103	2.2
DD027350		0.022	0.04	1.77	21	0.10	5.91	93	9.0
DD027351		0.008	0.03	1.04	16	<0.05	4.15	101	7.0
DD027352		0.009	0.04	1.22	16	<0.05	3.78	108	1.0
DD027353		<0.005	0.02	1.19	11	<0.05	4.92	108	7.1
DD027354		0.019	0.02	0.99	24	0.06	3.36	110	2.1
DD027355		0.034	0.03	0.95	36	0.10	2.53	105	0.7
DD027356		0.016	0.04	0.96	17	0.08	2.04	87	0.5
DD027357		0.007	0.06	1.60	18	0.08	3.96	209	0.5
DD027358		0.016	0.13	1.80	22	0.13	5.25	230	0.8
DD027359		0.006	0.10	1.09	18	0.08	5.49	187	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD027360		0.35	0.008	0.09	1.00	11.0	<0.2	<10	210	0.30	0.24	0.06	0.38	26.5	27.8	17
DD027361		0.14	0.018	0.37	0.90	24.1	<0.2	<10	170	0.24	0.36	0.23	0.64	33.0	43.6	20
DD027362		0.26	0.002	0.06	0.27	6.3	<0.2	<10	70	0.10	0.12	0.02	0.81	11.20	10.7	5
DD027363		0.12	0.039	0.98	0.89	8.6	<0.2	<10	210	0.40	0.73	0.08	3.23	47.1	36.2	15
DD027364		0.23	0.030	0.86	1.46	29.0	<0.2	<10	190	0.22	0.51	0.06	0.93	31.2	78.2	27
DD027365		0.23	0.009	0.04	0.54	6.2	<0.2	<10	140	0.14	0.17	0.03	0.15	15.30	15.1	10
DD027366		0.15	0.011	0.52	1.93	44.2	<0.2	<10	180	0.31	0.32	0.08	0.44	40.2	41.7	20
DD027367		0.29	0.006	0.02	1.28	3.9	<0.2	<10	110	0.22	0.14	0.05	0.08	15.90	4.8	35
DD027368		0.18	0.002	0.03	0.88	4.2	<0.2	<10	120	0.15	0.15	0.03	0.14	18.85	11.2	17
DD027369		0.29	0.021	0.26	1.53	1.2	<0.2	<10	290	0.17	0.13	0.25	0.26	16.25	6.0	38
DD027370		0.15	0.015	0.57	1.35	8.8	1.7	<10	200	0.22	0.21	0.12	0.29	21.2	14.5	30
DD027371		0.26	0.016	0.22	1.37	13.4	<0.2	<10	190	0.22	0.27	0.22	0.20	28.9	16.7	28
DD027372		0.18	NSS	0.99	0.84	8.0	<0.2	<10	190	0.31	0.43	0.13	1.90	57.0	22.8	16
DD011906		0.24	0.010	0.17	1.31	2.4	<0.2	<10	180	0.16	0.12	0.11	0.27	13.15	5.6	39
DD011907		0.22	0.012	0.15	1.56	9.4	<0.2	<10	140	0.32	0.19	0.14	0.10	23.6	9.3	28
DD011908		0.30	0.008	0.14	1.87	14.3	<0.2	<10	140	0.30	0.24	0.43	0.04	33.6	13.8	28
DD011909		0.20	0.002	0.05	0.39	7.8	<0.2	<10	80	0.09	0.15	0.04	0.11	12.95	4.0	12
DD011910		0.26	0.013	0.52	1.30	9.3	<0.2	<10	240	0.27	0.32	0.04	0.23	35.5	13.2	25
DD011911		0.21	0.015	0.37	0.91	12.3	<0.2	<10	220	0.26	0.38	0.05	2.77	30.3	81.6	17
DD011912		0.17	0.011	0.19	0.88	16.4	<0.2	<10	160	0.27	0.31	0.04	1.51	29.6	16.4	18
DD011913		0.21	0.018	0.22	0.52	23.7	<0.2	<10	160	0.17	0.31	0.10	0.25	37.8	28.4	9
DD011914		0.18	0.004	0.13	0.23	16.1	<0.2	<10	90	0.08	0.18	0.06	0.15	19.45	10.2	7
DD011915		0.17	0.004	0.08	1.31	26.4	<0.2	<10	70	0.38	0.29	0.05	0.17	21.6	20.0	24
DD011916		0.27	0.005	0.08	1.05	19.9	<0.2	<10	70	0.31	0.44	0.12	0.24	33.9	22.3	21
DD011917		0.34	0.002	0.04	1.34	13.6	<0.2	<10	30	0.35	0.48	0.10	0.02	30.5	20.7	24
DD011918		0.30	0.002	0.05	1.07	41.9	<0.2	<10	50	0.28	0.45	0.04	0.05	20.1	22.2	20
DD011919		0.21	0.003	0.03	1.00	40.9	<0.2	<10	40	0.35	0.43	0.07	0.04	28.3	20.6	18
DD011920		0.24	0.004	0.05	0.45	107.0	<0.2	<10	30	0.18	0.46	0.04	0.08	24.3	11.2	10
DD011921		0.20	0.006	0.04	1.00	26.7	<0.2	<10	80	0.38	0.35	0.05	0.11	28.4	21.9	20
DD011922		0.19	0.006	0.07	1.68	28.2	<0.2	<10	70	0.52	0.40	0.08	0.10	48.9	24.7	25
DD011923		0.26	0.002	0.05	1.81	13.3	<0.2	<10	50	0.45	0.29	0.04	0.09	29.9	21.4	27
DD011924		0.30	0.002	0.07	1.78	13.9	<0.2	<10	30	0.49	0.38	0.09	0.05	61.2	23.8	25
DD011925		0.26	0.003	0.07	0.79	42.8	<0.2	<10	70	0.30	0.31	0.11	0.12	44.9	22.2	15
DD011926		0.26	0.001	0.06	1.87	8.4	<0.2	<10	50	0.29	0.30	0.05	0.10	35.8	22.7	32
DD011927		0.19	0.004	0.04	1.78	29.6	<0.2	<10	60	0.55	0.38	0.10	0.10	45.0	26.3	25
DD011928		0.28	0.002	0.03	1.95	18.3	<0.2	<10	50	0.47	0.36	0.06	0.11	24.9	17.5	27
DD011929		0.20	0.002	0.05	0.90	54.6	<0.2	<10	40	0.29	0.37	0.08	0.05	26.6	17.5	17
DD011930		0.24	0.002	0.03	1.07	49.2	<0.2	<10	30	0.28	0.36	0.04	0.04	26.6	18.1	17
DD011931		0.46	0.002	0.07	1.40	12.8	<0.2	<10	30	0.43	0.49	0.09	0.02	16.30	21.4	22
DD011932		0.26	0.001	0.04	1.03	2.4	<0.2	<10	40	0.33	0.40	0.08	0.06	12.80	20.8	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD027360		0.61	101.0	2.38	3.27	<0.05	<0.02	0.17	0.024	0.04	11.9	9.6	0.24	5550	2.16	<0.01
DD027361		1.26	253	3.95	3.35	0.05	0.02	0.25	0.032	0.10	14.7	12.5	0.43	6700	9.32	0.01
DD027362		0.32	49.2	1.67	1.18	<0.05	<0.02	0.05	0.010	0.02	5.1	2.5	0.07	2480	0.75	<0.01
DD027363		2.91	214	5.79	3.14	0.09	0.14	0.52	0.036	0.17	22.4	7.1	0.31	2630	11.95	0.01
DD027364		4.82	413	5.74	4.66	0.06	0.11	0.16	0.027	0.13	13.6	16.2	0.66	1980	3.58	<0.01
DD027365		0.43	65.5	1.74	1.73	<0.05	<0.02	0.10	0.018	0.03	7.0	5.3	0.14	4010	0.68	<0.01
DD027366		6.19	294	4.22	5.86	0.07	0.03	0.12	0.027	0.38	17.2	27.6	1.21	6150	1.45	<0.01
DD027367		2.01	66.5	3.10	5.35	<0.05	<0.02	0.03	0.016	0.08	9.6	13.7	0.61	441	1.04	<0.01
DD027368		0.69	35.6	1.93	3.48	<0.05	<0.02	0.03	0.015	0.06	8.4	12.4	0.45	1220	0.76	<0.01
DD027369		4.33	180.5	3.14	5.08	0.09	0.02	0.09	0.013	0.30	11.7	20.1	0.93	427	0.84	<0.01
DD027370		2.72	142.5	3.13	4.06	0.06	<0.02	0.13	0.018	0.18	11.4	15.3	0.61	2200	2.51	<0.01
DD027371		3.39	152.5	3.61	4.61	0.07	<0.02	0.23	0.019	0.25	14.7	16.9	0.78	3470	4.20	<0.01
DD027372		2.15	166.0	4.88	2.76	0.10	0.04	0.24	0.025	0.17	28.1	5.0	0.28	2190	7.26	<0.01
DD011906		4.16	95.6	2.95	4.66	0.05	<0.02	0.03	0.015	0.17	8.5	11.8	0.68	867	1.14	<0.01
DD011907		2.36	101.5	3.04	5.05	0.05	<0.02	0.06	0.022	0.13	13.3	18.1	0.83	884	1.24	<0.01
DD011908		6.28	113.5	3.85	5.88	0.07	<0.02	0.08	0.021	0.28	17.6	24.4	1.22	1620	1.49	<0.01
DD011909		0.44	23.0	1.98	2.95	<0.05	<0.02	0.04	0.011	0.04	6.0	1.5	0.05	884	1.04	<0.01
DD011910		3.60	87.7	3.34	4.31	0.05	<0.02	0.14	0.024	0.17	17.0	11.6	0.44	1640	3.60	<0.01
DD011911		1.34	215	4.57	2.73	0.05	0.05	0.28	0.024	0.07	13.8	8.7	0.27	5260	9.00	0.01
DD011912		0.79	74.5	2.89	3.29	<0.05	<0.02	0.08	0.025	0.05	13.2	7.7	0.13	3760	2.95	<0.01
DD011913		0.51	107.0	3.25	1.98	0.05	<0.02	0.30	0.025	0.06	15.9	4.5	0.13	7130	5.98	0.01
DD011914		0.30	59.4	1.95	1.37	<0.05	<0.02	0.07	0.013	0.06	7.5	1.4	0.03	3710	2.38	<0.01
DD011915		0.92	63.2	3.37	4.30	<0.05	0.03	0.03	0.015	0.03	10.2	28.2	0.48	2170	1.40	<0.01
DD011916		0.78	70.6	3.85	3.52	0.06	<0.02	0.04	0.014	0.04	15.9	30.1	0.55	1980	2.42	<0.01
DD011917		1.01	38.8	4.36	4.26	0.05	0.03	<0.01	0.022	0.02	15.0	50.4	0.59	877	0.62	<0.01
DD011918		2.22	38.7	3.78	3.32	<0.05	0.02	0.01	0.024	0.04	10.1	40.6	0.41	1410	0.68	<0.01
DD011919		1.73	39.7	3.91	3.21	0.05	0.02	0.01	0.021	0.03	14.1	40.8	0.42	921	0.50	<0.01
DD011920		1.03	28.9	2.94	1.84	<0.05	<0.02	0.02	0.021	0.03	12.0	8.2	0.11	431	0.60	<0.01
DD011921		1.16	37.4	3.43	3.07	<0.05	0.02	0.02	0.018	0.04	13.5	34.7	0.32	1900	0.88	<0.01
DD011922		1.22	50.6	4.34	5.04	0.07	0.03	0.02	0.018	0.03	26.3	70.1	0.65	930	0.71	<0.01
DD011923		0.81	34.0	4.29	5.31	<0.05	0.06	0.04	0.020	0.03	14.8	64.1	0.66	1260	0.69	<0.01
DD011924		0.98	47.6	3.99	5.05	0.07	0.03	0.02	0.019	0.03	30.9	66.3	0.71	744	0.54	<0.01
DD011925		1.30	43.1	3.62	2.53	0.05	0.03	0.03	0.026	0.03	23.9	24.5	0.30	813	0.74	<0.01
DD011926		0.80	36.4	4.15	5.68	0.05	0.04	0.04	0.020	0.04	18.1	62.2	0.64	1500	1.27	<0.01
DD011927		1.18	44.4	3.98	4.96	0.05	0.05	0.03	0.019	0.03	24.0	64.4	0.63	994	0.67	<0.01
DD011928		1.05	36.9	4.50	5.65	<0.05	0.06	0.03	0.018	0.04	13.0	62.7	0.61	864	0.65	<0.01
DD011929		1.13	35.8	3.54	2.68	<0.05	0.03	0.02	0.022	0.03	14.1	28.2	0.35	640	0.69	<0.01
DD011930		1.54	31.9	3.36	3.28	<0.05	0.04	0.02	0.020	0.03	13.8	33.9	0.38	747	0.54	<0.01
DD011931		2.38	41.9	3.82	4.12	<0.05	0.08	0.01	0.019	0.03	9.1	50.7	0.55	743	0.64	<0.01
DD011932		2.19	38.4	4.39	3.36	<0.05	<0.02	0.02	0.010	0.03	6.5	40.1	0.71	872	0.33	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD027360		0.44	54.2	640	20.2	6.0	<0.001	0.03	0.77	1.9	0.5	0.2	17.2	<0.01	0.10	0.8
DD027361		0.32	110.5	1420	24.2	9.4	<0.001	0.09	2.20	2.5	1.8	0.2	105.0	<0.01	0.24	3.2
DD027362		0.24	22.2	320	117.5	2.6	<0.001	<0.01	0.48	1.2	<0.2	<0.2	6.9	<0.01	0.07	0.9
DD027363		0.12	93.0	950	127.5	15.2	<0.001	0.20	3.09	2.8	3.6	0.2	115.5	<0.01	0.32	6.7
DD027364		0.26	126.5	660	42.0	17.2	<0.001	0.04	2.60	2.7	3.4	0.2	46.4	<0.01	0.25	4.4
DD027365		0.32	30.8	340	8.3	4.5	<0.001	0.02	0.47	1.2	<0.2	<0.2	7.6	<0.01	0.06	0.6
DD027366		0.41	110.0	550	32.6	54.9	<0.001	0.03	1.14	3.1	0.6	0.2	32.9	<0.01	0.21	3.4
DD027367		1.05	17.8	480	6.8	12.6	<0.001	0.03	0.50	1.5	0.2	0.2	22.5	<0.01	0.07	0.4
DD027368		0.37	27.0	320	6.7	8.2	<0.001	0.02	0.43	1.0	<0.2	0.2	5.5	<0.01	0.03	0.4
DD027369		1.26	30.3	1200	5.2	39.9	<0.001	0.04	0.45	2.9	1.2	<0.2	78.1	<0.01	0.10	1.5
DD027370		0.43	31.3	1150	13.4	23.9	<0.001	0.11	0.91	0.9	1.5	0.2	49.3	<0.01	0.15	0.2
DD027371		0.68	38.3	1400	18.9	32.2	0.001	0.13	1.15	2.0	1.5	0.2	86.4	<0.01	0.28	1.2
DD027372		0.19	71.7	940	71.6	13.5	0.001	0.12	1.91	2.2	2.5	0.2	77.5	<0.01	0.20	5.0
DD011906		0.70	27.2	780	5.2	29.4	<0.001	0.05	0.41	1.1	0.4	0.2	33.6	<0.01	0.08	0.2
DD011907		0.39	22.9	1170	9.9	20.7	<0.001	0.06	0.70	1.2	1.0	0.3	35.2	<0.01	0.12	0.3
DD011908		0.69	31.3	1760	14.2	44.4	<0.001	0.05	0.72	1.6	0.8	0.2	89.5	<0.01	0.22	0.5
DD011909		0.59	9.9	500	6.1	5.1	<0.001	0.02	0.52	0.6	<0.2	0.3	5.6	<0.01	0.05	0.2
DD011910		0.42	36.2	620	18.5	21.1	<0.001	0.06	1.22	1.3	1.3	0.3	26.7	<0.01	0.16	0.8
DD011911		0.33	218	930	37.4	6.7	<0.001	0.07	2.24	2.6	1.2	0.2	52.2	<0.01	0.20	3.9
DD011912		0.32	37.7	690	152.0	8.1	<0.001	0.03	1.11	0.9	0.3	0.3	17.2	<0.01	0.17	0.3
DD011913		0.25	58.4	750	23.6	4.5	<0.001	0.04	1.58	1.7	0.7	<0.2	52.0	<0.01	0.35	1.5
DD011914		0.18	23.3	660	11.9	4.4	<0.001	0.04	0.57	0.5	<0.2	<0.2	20.0	<0.01	0.15	0.3
DD011915		0.16	35.7	790	20.3	3.2	<0.001	0.02	0.42	0.6	<0.2	<0.2	11.1	<0.01	0.07	0.6
DD011916		0.12	38.5	690	33.1	2.3	<0.001	0.01	0.39	1.3	0.3	<0.2	22.5	<0.01	0.07	4.7
DD011917		0.11	42.5	530	26.5	1.5	<0.001	<0.01	0.45	2.1	<0.2	<0.2	7.9	<0.01	0.03	5.4
DD011918		0.17	37.9	530	25.4	2.9	<0.001	0.01	0.70	1.6	<0.2	<0.2	4.5	<0.01	0.04	1.3
DD011919		0.16	38.1	520	19.3	2.3	<0.001	<0.01	0.90	1.9	<0.2	<0.2	7.0	<0.01	0.05	3.2
DD011920		0.15	23.6	690	19.1	3.2	<0.001	0.02	1.53	0.6	<0.2	<0.2	4.4	<0.01	0.03	0.6
DD011921		0.21	32.0	670	28.0	4.1	<0.001	0.02	0.70	1.2	<0.2	0.2	6.2	<0.01	0.05	1.3
DD011922		0.19	45.5	550	38.6	3.2	<0.001	0.01	0.61	2.0	0.2	<0.2	12.6	<0.01	0.04	7.5
DD011923		0.22	34.7	720	41.5	3.5	<0.001	0.04	0.92	1.3	0.2	<0.2	7.4	<0.01	0.04	1.9
DD011924		0.17	38.6	520	39.2	2.6	<0.001	0.01	0.78	2.0	<0.2	<0.2	14.7	<0.01	0.04	8.2
DD011925		0.32	39.8	710	25.7	3.0	<0.001	0.02	0.91	2.2	0.5	<0.2	13.9	<0.01	0.03	4.5
DD011926		0.33	37.8	660	40.5	4.5	<0.001	0.03	0.40	1.7	<0.2	0.2	8.1	<0.01	0.04	3.3
DD011927		0.25	38.1	590	45.8	3.4	<0.001	0.02	0.57	1.6	0.4	<0.2	12.6	<0.01	0.03	5.1
DD011928		0.22	33.2	700	39.2	5.1	<0.001	0.04	0.46	1.3	0.2	0.2	8.2	<0.01	0.04	1.8
DD011929		0.12	37.0	590	26.7	2.7	<0.001	0.02	1.00	1.5	<0.2	<0.2	8.5	<0.01	0.03	2.1
DD011930		0.14	35.2	620	24.1	3.2	<0.001	0.03	0.98	1.4	<0.2	<0.2	5.9	<0.01	0.04	2.4
DD011931		0.11	42.5	530	38.5	2.8	<0.001	0.02	0.43	2.1	<0.2	<0.2	8.8	<0.01	0.06	2.3
DD011932		0.11	41.1	600	9.7	3.0	<0.001	0.03	0.22	0.6	<0.2	0.2	4.8	<0.01	0.05	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD027360		0.027	0.10	1.01	30	0.18	4.87	93	<0.5
DD027361		0.024	0.15	1.84	30	0.13	8.45	175	1.3
DD027362		0.009	0.05	0.43	9	0.08	2.34	159	0.5
DD027363		0.015	0.30	3.37	27	<0.05	7.23	425	10.7
DD027364		0.051	0.52	2.09	36	0.11	5.37	227	7.9
DD027365		0.015	0.05	0.47	14	0.08	2.74	51	<0.5
DD027366		0.114	0.45	0.84	31	0.07	6.75	142	1.5
DD027367		0.055	0.13	0.50	56	0.08	2.21	65	<0.5
DD027368		0.029	0.06	0.25	22	0.10	1.40	49	<0.5
DD027369		0.093	0.31	1.24	59	<0.05	8.64	99	1.4
DD027370		0.036	0.20	1.57	42	0.08	6.34	82	<0.5
DD027371		0.063	0.24	1.88	46	0.10	7.29	96	0.6
DD027372		0.012	0.22	2.72	22	<0.05	9.65	336	2.1
DD011906		0.042	0.21	0.69	53	<0.05	3.07	95	<0.5
DD011907		0.043	0.17	1.21	47	0.14	4.60	81	<0.5
DD011908		0.072	0.25	1.14	48	0.08	7.40	84	0.5
DD011909		0.033	0.04	0.32	28	0.15	1.04	45	<0.5
DD011910		0.035	0.20	1.53	37	0.09	3.17	110	<0.5
DD011911		0.031	0.17	2.61	27	0.17	8.72	311	3.1
DD011912		0.014	0.08	1.08	31	0.19	2.83	323	<0.5
DD011913		0.013	0.06	1.44	14	0.13	5.40	83	<0.5
DD011914		0.007	0.04	0.66	10	0.08	1.20	44	<0.5
DD011915		0.011	0.03	0.98	22	0.09	2.35	86	0.7
DD011916		0.018	0.02	1.45	19	0.07	3.78	124	0.5
DD011917		0.008	0.02	0.79	17	0.05	3.02	103	1.3
DD011918		0.007	0.03	0.76	15	0.05	2.61	93	0.5
DD011919		0.009	0.02	0.89	15	0.06	3.43	96	0.6
DD011920		<0.005	0.03	0.68	10	0.05	1.57	71	<0.5
DD011921		0.012	0.04	0.80	16	0.09	3.08	87	<0.5
DD011922		0.009	0.04	1.37	16	<0.05	4.88	109	1.9
DD011923		0.009	0.04	0.71	18	0.06	2.55	85	1.6
DD011924		0.008	0.03	0.93	16	<0.05	4.64	93	1.6
DD011925		0.013	0.04	1.36	18	0.14	5.92	100	1.3
DD011926		0.013	0.06	0.78	23	0.08	3.57	94	1.0
DD011927		0.011	0.04	1.20	18	0.07	4.85	99	1.7
DD011928		0.008	0.05	0.85	20	0.05	2.96	92	1.7
DD011929		<0.005	0.03	1.04	9	<0.05	2.83	94	0.9
DD011930		<0.005	0.02	0.95	11	<0.05	2.62	88	1.1
DD011931		<0.005	<0.02	0.83	13	<0.05	3.60	95	2.3
DD011932		0.026	0.02	1.04	39	0.11	1.68	93	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD011933		0.39	0.003	0.10	1.31	29.3	<0.2	<10	60	0.35	0.42	0.07	0.22	48.3	25.1	18
DD011934		0.15	0.006	0.08	0.37	22.3	<0.2	<10	130	0.10	0.11	0.02	0.18	10.30	8.6	16
DD011935		0.16	0.003	0.11	0.20	6.6	<0.2	<10	110	0.07	0.11	0.02	0.11	8.13	7.3	7
DD011936		0.15	0.008	0.08	0.52	8.1	<0.2	<10	120	0.17	0.13	0.03	0.30	11.10	14.4	13
DD011937		0.27	0.023	1.42	0.45	36.7	<0.2	<10	140	0.22	0.33	0.17	21.2	51.6	44.1	9
DD011938		0.16	0.013	0.22	0.65	41.9	<0.2	<10	240	0.28	0.45	0.02	0.18	47.0	26.1	13
DD011939		0.22	0.002	0.19	0.54	10.7	<0.2	<10	400	0.18	0.21	0.05	0.34	17.80	20.2	13
DD011940		0.24	0.010	0.22	2.31	18.3	<0.2	<10	200	0.29	0.28	0.71	0.16	39.4	29.5	30
DD011941		0.18	0.014	0.23	1.35	9.0	<0.2	<10	220	0.25	0.21	0.22	0.22	23.9	13.3	29
DD011942		0.25	0.016	0.20	1.38	7.1	<0.2	<10	230	0.22	0.20	0.15	0.13	23.1	10.7	26
CC148015		0.45	0.027	0.30	1.02	22.2	<0.2	<10	160	0.17	0.41	0.22	0.48	26.3	46.6	18
CC148016		0.51	0.120	0.13	0.83	11.9	<0.2	<10	190	0.13	0.28	0.03	0.22	23.1	31.9	15
CC148017		0.42	0.010	0.15	1.60	13.3	<0.2	<10	140	0.28	0.30	0.03	0.23	32.1	37.9	23
CC148018		0.37	0.004	0.04	2.05	1.0	<0.2	<10	240	0.24	0.12	0.12	0.05	15.10	17.0	29
CC148019		0.45	0.008	0.26	1.36	17.8	<0.2	<10	240	0.30	0.34	0.10	0.86	24.6	60.4	21
CC148020		0.48	0.019	0.44	2.07	7.4	<0.2	<10	210	0.46	0.45	0.13	1.58	25.4	66.1	32
CC148021		0.40	0.002	0.08	0.26	6.6	<0.2	<10	120	0.06	0.14	0.03	0.18	7.55	17.8	5
CC148022		0.38	0.002	0.15	1.14	7.1	<0.2	<10	150	0.15	0.15	0.03	0.14	15.15	16.1	18
CC148023		0.35	0.003	0.06	1.09	10.4	<0.2	<10	170	0.28	0.18	0.09	0.24	24.6	18.6	20
CC148024		0.43	0.025	0.25	1.57	4.7	<0.2	<10	190	0.24	0.20	0.20	0.13	19.70	12.6	35
CC148025		0.36	0.011	0.13	1.36	11.5	<0.2	<10	160	0.24	0.24	0.07	0.15	28.2	16.9	26
CC148026		0.38	0.005	0.12	1.06	11.7	<0.2	<10	150	0.22	0.21	0.05	0.19	21.7	12.5	22
CC148027		0.49	0.005	0.08	1.03	11.6	<0.2	<10	120	0.28	0.20	0.06	0.16	21.6	10.0	20
CC148028		0.30	0.004	0.08	1.49	27.7	<0.2	<10	40	0.36	0.41	0.10	0.11	30.3	24.7	20
CC148029		0.36	0.001	0.03	1.23	17.7	<0.2	<10	30	0.38	0.45	0.05	0.02	31.2	22.9	22
CC148030		0.35	0.002	0.02	1.17	12.2	<0.2	<10	30	0.23	0.37	0.04	0.01	28.4	14.0	19
CC148031		0.45	0.008	0.10	0.80	9.6	<0.2	<10	100	0.32	0.41	0.06	0.13	28.1	14.7	13
CC148032		0.30	0.006	0.25	0.93	8.9	<0.2	<10	150	0.20	0.23	0.08	0.21	20.5	9.9	17
CC148033		0.44	0.010	0.20	1.71	9.8	<0.2	<10	200	0.26	0.30	0.24	0.13	28.6	14.8	24
CC148034		0.37	0.008	0.26	1.66	7.1	<0.2	<10	200	0.27	0.28	0.18	0.14	23.3	12.0	29
CC148035		0.43	0.015	0.78	2.65	9.6	<0.2	<10	350	0.37	0.39	0.53	0.26	26.2	30.0	37
CC148036		0.40	0.003	0.04	1.41	8.3	<0.2	<10	160	0.27	0.20	0.07	0.22	24.4	16.5	21
CC148037		0.40	0.007	0.28	1.20	16.1	<0.2	<10	150	0.20	0.30	0.11	0.11	32.7	24.6	17
CC148038		0.50	0.006	0.11	1.20	12.8	<0.2	<10	190	0.18	0.31	0.16	0.30	19.05	34.7	27
CC148039		0.44	0.015	0.30	1.33	19.1	<0.2	<10	160	0.22	0.42	0.22	0.31	32.1	33.4	16
CC148040		0.40	0.006	0.05	0.50	19.3	<0.2	<10	70	0.13	0.28	0.04	0.05	11.05	11.7	7
CC148041		0.33	0.027	0.50	1.89	25.6	<0.2	<10	260	0.36	0.58	0.18	1.76	37.2	126.5	20
CC148042		0.28	0.009	0.09	0.91	16.7	<0.2	<10	110	0.22	0.30	0.04	0.10	18.95	18.0	16
CC148043		0.36	0.024	0.23	0.66	27.0	<0.2	<10	110	0.20	0.57	0.06	0.17	32.1	32.5	10
CC148044		0.34	0.008	0.20	1.12	24.8	<0.2	<10	160	0.26	0.63	0.37	0.24	41.4	41.7	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD011933		1.08	63.7	3.79	3.86	0.07	0.02	0.06	0.012	0.05	24.8	33.3	0.56	1600	3.62	<0.01
DD011934		0.48	38.7	1.39	1.60	<0.05	<0.02	0.07	0.013	0.03	4.4	2.2	0.05	2120	1.86	<0.01
DD011935		0.27	30.7	1.33	0.93	<0.05	<0.02	0.04	0.015	0.02	3.3	1.5	0.03	2720	1.13	<0.01
DD011936		0.53	50.2	1.56	1.66	<0.05	<0.02	0.13	0.014	0.02	4.6	5.2	0.10	2710	1.07	<0.01
DD011937		0.88	152.5	4.36	2.09	0.06	0.02	0.44	0.040	0.09	22.8	3.1	0.08	14250	8.07	<0.01
DD011938		0.84	129.5	5.11	3.08	0.06	<0.02	0.17	0.032	0.10	19.0	3.2	0.08	9010	9.30	<0.01
DD011939		0.56	56.7	2.47	2.80	<0.05	<0.02	0.07	0.022	0.06	8.2	1.6	0.05	7340	2.00	<0.01
DD011940		9.08	207	4.95	6.24	0.12	0.02	0.21	0.023	0.45	21.3	29.2	1.65	4340	4.24	<0.01
DD011941		4.72	177.0	3.24	4.16	0.05	<0.02	0.22	0.021	0.26	13.7	15.7	0.74	1580	3.36	<0.01
DD011942		3.46	186.5	3.26	3.92	0.06	<0.02	0.16	0.020	0.26	14.0	13.8	0.71	1200	2.58	<0.01
CC148015		2.69	222	5.16	3.20	0.06	0.04	0.32	0.027	0.16	12.4	12.7	0.68	8030	5.99	0.01
CC148016		0.54	131.5	2.72	2.63	<0.05	<0.02	0.11	0.025	0.06	10.6	8.9	0.34	5790	2.19	<0.01
CC148017		6.58	165.0	4.33	4.70	0.07	0.02	0.15	0.022	0.22	15.4	24.8	0.87	5850	4.45	<0.01
CC148018		13.15	111.5	3.63	5.57	0.08	0.04	0.05	0.013	0.52	8.3	26.7	1.45	1190	8.66	<0.01
CC148019		1.92	239	3.78	3.82	<0.05	<0.02	0.20	0.032	0.12	12.1	15.4	0.43	9120	5.35	0.01
CC148020		9.29	374	7.58	4.97	0.09	0.23	0.84	0.037	0.43	14.4	24.5	1.12	3690	28.8	0.01
CC148021		0.29	73.6	1.73	1.09	<0.05	<0.02	0.09	0.015	0.03	3.4	2.5	0.10	6270	1.03	<0.01
CC148022		1.41	73.9	2.39	3.60	<0.05	<0.02	0.12	0.018	0.08	7.3	12.3	0.61	2550	1.44	<0.01
CC148023		0.86	74.3	2.59	3.27	<0.05	<0.02	0.06	0.021	0.05	11.9	11.7	0.39	2490	1.48	<0.01
CC148024		5.83	215	3.28	4.94	0.06	<0.02	0.17	0.021	0.29	12.8	21.9	0.95	1120	2.50	<0.01
CC148025		3.83	136.0	3.25	4.44	<0.05	<0.02	0.13	0.024	0.17	14.8	15.2	0.63	3360	3.28	<0.01
CC148026		1.29	66.7	3.18	4.09	<0.05	<0.02	0.07	0.024	0.07	10.4	7.2	0.25	2770	3.11	<0.01
CC148027		0.89	61.8	2.63	3.48	<0.05	<0.02	0.06	0.023	0.05	11.0	9.5	0.25	2100	2.14	<0.01
CC148028		0.79	80.2	3.72	4.00	0.05	0.03	0.04	0.018	0.04	15.4	39.5	0.58	1260	2.17	<0.01
CC148029		1.72	44.2	4.24	3.83	0.05	0.02	0.01	0.020	0.02	16.7	47.1	0.57	824	0.74	<0.01
CC148030		1.25	21.5	3.41	3.21	<0.05	0.03	0.01	0.014	0.03	13.7	40.7	0.52	272	0.41	<0.01
CC148031		1.05	87.5	2.59	2.74	<0.05	<0.02	0.06	0.016	0.05	13.4	11.7	0.29	2460	2.49	<0.01
CC148032		1.80	76.9	2.43	3.47	<0.05	<0.02	0.09	0.018	0.09	10.4	7.8	0.35	1900	2.26	<0.01
CC148033		5.11	152.0	3.49	4.80	0.07	<0.02	0.13	0.023	0.35	15.4	21.8	1.11	2010	2.52	0.01
CC148034		6.20	142.0	3.33	5.89	0.06	<0.02	0.08	0.026	0.37	13.1	21.3	1.05	1190	2.09	<0.01
CC148035		11.95	387	5.31	7.67	0.12	0.07	0.29	0.030	0.89	15.2	36.1	2.11	2520	3.81	0.01
CC148036		2.10	61.1	2.55	4.50	<0.05	<0.02	0.04	0.021	0.12	10.7	16.0	0.66	1650	1.05	<0.01
CC148037		3.08	128.0	3.90	3.65	0.05	<0.02	0.24	0.032	0.21	13.8	10.4	0.58	4640	4.49	0.01
CC148038		1.49	163.0	3.53	3.52	<0.05	<0.02	0.13	0.023	0.11	9.1	10.6	0.63	4700	1.47	<0.01
CC148039		4.37	260	5.03	3.68	0.07	0.02	0.15	0.024	0.30	14.6	13.0	0.83	3890	4.99	0.01
CC148040		0.68	106.5	2.18	1.67	<0.05	<0.02	0.05	0.017	0.03	5.3	4.1	0.11	2240	0.86	<0.01
CC148041		5.31	475	7.08	4.93	0.07	0.02	0.33	0.025	0.26	14.5	30.3	0.80	20300	17.95	0.01
CC148042		0.87	90.8	2.65	3.64	<0.05	<0.02	0.12	0.025	0.04	9.1	7.2	0.14	3320	3.52	<0.01
CC148043		0.65	151.5	4.06	2.16	<0.05	0.03	0.52	0.029	0.08	13.2	5.8	0.28	6060	7.71	0.01
CC148044		2.53	166.0	4.19	3.32	0.06	0.06	0.17	0.022	0.16	19.4	11.1	0.65	5770	4.02	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD011933		0.10	39.0	490	79.9	4.3	<0.001	0.02	0.31	1.3	0.3	<0.2	14.7	<0.01	0.07	4.8
DD011934		0.21	19.8	710	14.0	4.0	<0.001	0.06	0.40	0.3	0.3	<0.2	4.7	<0.01	0.08	<0.2
DD011935		0.21	13.9	320	7.6	2.9	<0.001	0.03	0.33	0.5	<0.2	<0.2	4.4	<0.01	0.06	0.3
DD011936		0.28	24.2	540	10.9	3.7	<0.001	0.05	0.58	0.7	<0.2	<0.2	6.7	<0.01	0.06	0.2
DD011937		0.18	90.3	1500	1120	5.8	0.001	0.06	1.98	2.5	1.9	0.3	104.5	<0.01	0.30	3.1
DD011938		0.12	51.3	1360	39.5	10.0	<0.001	0.10	1.96	0.6	2.0	0.2	19.7	<0.01	0.51	0.2
DD011939		0.12	30.7	1270	15.9	7.2	<0.001	0.10	0.71	0.2	0.5	0.2	15.5	<0.01	0.11	<0.2
DD011940		0.71	56.5	2970	24.7	68.2	<0.001	0.08	0.89	3.2	1.6	0.2	162.0	<0.01	0.32	2.6
DD011941		0.68	33.8	1400	15.5	34.0	<0.001	0.12	0.98	1.8	2.7	0.2	73.0	<0.01	0.25	0.6
DD011942		0.43	33.0	1180	14.1	31.2	0.001	0.18	1.01	1.4	2.4	0.2	74.4	<0.01	0.19	0.5
CC148015		0.26	102.0	1210	34.0	19.9	0.001	0.17	1.97	2.5	2.5	<0.2	102.0	<0.01	0.45	3.1
CC148016		0.16	70.1	770	15.3	7.0	<0.001	0.07	1.09	1.1	1.1	<0.2	25.6	<0.01	0.15	0.7
CC148017		0.67	71.3	650	22.0	37.4	<0.001	0.05	1.31	2.5	1.7	0.2	17.2	<0.01	0.34	2.1
CC148018		0.79	46.4	370	12.0	87.2	<0.001	0.02	0.35	2.9	<0.2	0.2	21.0	<0.01	0.18	1.8
CC148019		0.34	134.0	900	23.1	15.7	<0.001	0.13	1.48	2.1	2.5	0.2	52.6	<0.01	0.21	0.9
CC148020		0.28	162.5	870	42.7	50.1	0.002	0.17	4.72	3.0	7.3	0.2	72.6	<0.01	0.64	3.4
CC148021		0.14	40.7	320	6.9	3.0	<0.001	0.02	0.37	1.1	<0.2	<0.2	16.7	<0.01	0.08	0.7
CC148022		0.22	38.7	590	9.0	11.3	<0.001	0.06	0.73	1.2	0.7	<0.2	16.9	<0.01	0.09	0.3
CC148023		0.52	52.0	600	11.3	6.6	0.001	0.04	0.84	1.9	0.7	0.2	17.1	<0.01	0.07	1.2
CC148024		0.78	37.9	1440	14.4	35.7	<0.001	0.08	0.91	2.3	2.4	0.2	74.5	<0.01	0.30	0.7
CC148025		0.45	40.2	870	17.5	23.5	0.001	0.08	0.98	1.3	1.6	0.2	35.1	<0.01	0.26	0.3
CC148026		0.30	29.2	930	13.2	10.4	<0.001	0.08	0.96	0.4	0.9	0.3	14.9	<0.01	0.16	<0.2
CC148027		0.24	27.6	820	11.1	8.5	<0.001	0.06	0.75	0.5	1.0	0.3	16.0	<0.01	0.12	<0.2
CC148028		0.15	41.2	840	33.2	3.8	<0.001	0.02	0.37	1.4	0.6	<0.2	16.6	<0.01	0.10	2.3
CC148029		0.13	41.8	360	24.8	2.0	<0.001	0.02	0.54	2.0	<0.2	<0.2	5.5	<0.01	0.06	3.8
CC148030		0.12	33.8	300	17.5	2.1	<0.001	0.01	0.49	1.5	0.3	<0.2	4.1	<0.01	0.02	3.3
CC148031		0.13	30.9	840	18.4	5.6	<0.001	0.03	0.68	0.6	1.1	0.2	18.5	<0.01	0.12	0.3
CC148032		0.20	29.2	870	11.4	13.4	<0.001	0.07	0.93	0.3	1.2	0.2	23.9	<0.01	0.12	<0.2
CC148033		0.51	44.8	1520	19.2	39.0	<0.001	0.06	1.11	1.8	1.6	0.2	65.9	<0.01	0.23	0.7
CC148034		0.66	35.6	1440	16.7	52.3	<0.001	0.10	0.99	1.1	2.1	0.2	66.0	<0.01	0.24	0.2
CC148035		0.69	77.8	2770	34.6	93.5	<0.001	0.11	1.78	5.0	3.9	0.2	181.5	<0.01	0.46	3.7
CC148036		1.06	49.1	430	9.4	17.0	<0.001	0.02	0.62	2.3	0.7	0.2	11.3	<0.01	0.05	1.7
CC148037		0.48	65.1	780	21.0	25.7	<0.001	0.11	1.52	2.4	1.4	0.2	51.1	<0.01	0.31	1.4
CC148038		0.40	78.6	760	17.7	14.1	<0.001	0.02	1.08	2.6	0.8	<0.2	38.5	<0.01	0.14	1.6
CC148039		0.29	77.1	1290	33.0	37.0	0.001	0.22	2.01	2.2	2.4	<0.2	110.0	<0.01	0.31	2.9
CC148040		0.24	28.4	570	10.7	5.1	<0.001	0.04	0.85	0.7	0.8	<0.2	14.8	<0.01	0.12	0.2
CC148041		0.70	273	1550	63.5	38.4	<0.001	0.23	3.38	3.1	3.1	0.2	99.9	<0.01	0.64	2.4
CC148042		0.35	38.7	810	10.1	7.7	<0.001	0.06	1.08	0.8	1.3	0.3	10.4	<0.01	0.13	0.2
CC148043		0.15	63.3	930	41.5	7.3	0.001	0.11	2.09	1.6	2.0	<0.2	52.0	<0.01	0.58	1.4
CC148044		0.32	64.3	1520	55.0	18.8	<0.001	0.04	1.44	2.1	1.5	<0.2	97.6	<0.01	0.17	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD011933		0.009	0.03	1.22	12	<0.05	3.81	143	0.6
DD011934		0.006	0.06	0.50	12	0.13	0.79	36	<0.5
DD011935		0.007	0.04	0.28	8	0.06	0.47	32	<0.5
DD011936		0.016	0.05	0.38	18	0.18	1.48	47	<0.5
DD011937		0.007	0.10	3.01	20	0.11	9.23	3860	0.7
DD011938		0.008	0.11	1.46	27	0.19	3.34	87	<0.5
DD011939		0.005	0.14	0.67	20	0.07	1.53	61	<0.5
DD011940		0.125	0.49	1.76	50	0.10	15.10	117	1.0
DD011941		0.064	0.27	1.76	50	0.10	6.06	102	0.6
DD011942		0.051	0.25	1.59	41	0.06	7.12	89	<0.5
CC148015		0.040	0.19	1.81	26	0.07	7.05	133	3.8
CC148016		0.009	0.07	0.67	15	0.05	3.51	87	0.5
CC148017		0.091	0.29	1.73	35	0.07	6.37	112	1.1
CC148018		0.181	0.78	0.47	45	0.07	3.01	131	2.1
CC148019		0.027	0.19	1.70	31	0.10	9.33	160	<0.5
CC148020		0.080	0.55	6.50	73	0.09	8.28	313	16.3
CC148021		0.005	0.04	0.26	6	<0.05	2.62	39	<0.5
CC148022		0.026	0.10	0.57	24	0.08	2.96	72	<0.5
CC148023		0.031	0.08	0.75	32	0.16	4.40	83	<0.5
CC148024		0.071	0.27	2.08	63	0.15	7.83	98	0.7
CC148025		0.043	0.20	1.46	49	0.13	5.57	83	<0.5
CC148026		0.019	0.08	0.92	38	0.19	2.41	67	<0.5
CC148027		0.015	0.07	1.12	32	0.19	3.40	68	<0.5
CC148028		0.008	0.04	2.27	19	<0.05	5.67	102	0.9
CC148029		0.013	0.02	0.83	16	<0.05	3.13	100	0.7
CC148030		0.012	0.02	0.54	15	<0.05	2.23	79	1.0
CC148031		0.016	0.05	1.66	21	0.13	4.17	69	<0.5
CC148032		0.016	0.11	1.15	36	0.13	4.16	63	<0.5
CC148033		0.070	0.23	1.93	52	0.13	7.81	96	<0.5
CC148034		0.057	0.25	1.57	63	0.10	4.81	95	<0.5
CC148035		0.167	0.58	3.68	97	0.11	13.70	158	6.4
CC148036		0.060	0.13	0.43	35	0.17	2.59	69	<0.5
CC148037		0.049	0.17	1.19	28	0.08	5.99	87	<0.5
CC148038		0.030	0.11	0.62	27	0.07	5.31	111	0.5
CC148039		0.059	0.32	1.98	31	0.05	7.40	131	1.6
CC148040		0.015	0.05	0.41	15	0.08	2.14	45	<0.5
CC148041		0.075	0.47	4.43	38	0.13	14.80	213	1.2
CC148042		0.020	0.08	0.64	31	0.26	3.15	58	<0.5
CC148043		0.010	0.06	2.09	14	0.11	4.72	79	1.2
CC148044		0.033	0.22	3.61	22	0.05	8.77	128	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148045		0.35	0.004	0.13	1.56	9.5	<0.2	<10	160	0.42	0.32	0.07	0.19	24.9	10.4	29
CC148046		0.41	0.003	0.08	0.65	6.3	<0.2	<10	220	0.08	0.15	0.02	0.40	17.85	26.4	6
CC148047		0.34	0.025	0.36	2.04	8.1	<0.2	<10	240	0.34	0.28	0.38	0.19	27.0	14.5	36
CC148048		0.31	0.007	0.11	1.34	7.1	<0.2	<10	150	0.22	0.28	0.07	0.12	21.1	6.3	23
CC148049		0.39	0.029	1.43	1.22	11.6	<0.2	<10	210	0.27	0.45	0.05	0.53	27.6	14.0	21
CC148050		0.35	0.012	0.17	1.62	20.6	<0.2	<10	180	0.34	0.40	0.15	0.22	39.2	16.9	26
CC148051		0.43	0.003	0.06	0.32	5.1	<0.2	<10	80	0.10	0.14	0.03	0.43	16.10	10.9	5
CC148052		0.39	0.019	0.31	0.53	10.6	<0.2	<10	180	0.23	0.26	0.13	0.57	25.4	13.9	10
CC148053		0.34	0.020	0.35	1.25	11.7	<0.2	<10	160	0.27	0.27	0.17	0.28	29.6	24.6	22
CC148054		0.39	0.008	0.20	1.23	9.0	<0.2	<10	160	0.26	0.23	0.18	0.28	20.0	19.1	22
CC148055		0.50	0.026	0.43	1.18	35.1	<0.2	<10	120	0.28	0.43	0.28	0.65	29.4	22.2	21
CC148056		0.32	0.003	0.06	1.68	14.1	<0.2	<10	170	0.42	0.31	0.06	0.15	26.4	19.5	27
CC148057		0.32	0.003	0.07	0.48	12.2	<0.2	<10	40	0.08	0.14	0.02	0.07	8.72	6.4	10
CC148058		0.37	0.002	0.03	1.49	21.5	<0.2	<10	30	0.32	0.44	0.07	0.02	33.2	19.3	23
CC148059		0.31	0.002	0.06	1.33	26.8	<0.2	<10	40	0.42	0.49	0.13	0.05	21.9	20.4	19
CC148060		0.44	0.002	0.04	1.87	12.7	<0.2	<10	30	0.33	0.41	0.03	0.02	28.6	15.5	24
CC148061		0.44	0.002	0.05	1.85	14.2	<0.2	<10	30	0.40	0.40	0.05	0.03	24.8	17.4	25
CC148062		0.40	0.003	0.04	1.34	13.3	<0.2	<10	40	0.40	0.45	0.10	0.06	55.4	23.1	20
CC148063		0.45	0.006	0.04	1.49	11.4	<0.2	<10	60	0.40	0.31	0.08	0.16	32.1	13.4	24
CC148064		0.33	0.004	0.11	1.54	15.5	<0.2	<10	150	0.52	0.29	0.21	0.25	37.6	18.2	25
CC148065		0.39	0.003	0.07	0.66	38.2	<0.2	<10	70	0.29	0.40	0.19	0.08	49.2	20.3	12
CC148066		0.42	0.002	0.05	1.49	17.5	<0.2	<10	40	0.46	0.49	0.11	0.05	54.4	21.1	21
CC148067		0.49	0.003	0.06	1.44	18.3	<0.2	<10	60	0.54	0.58	0.15	0.10	55.7	24.0	22
CC148068		0.33	0.003	0.03	1.70	14.4	<0.2	<10	40	0.33	0.46	0.05	0.03	23.0	19.6	23
CC148069		0.31	0.002	0.04	1.22	32.1	<0.2	<10	40	0.30	0.53	0.06	0.01	19.35	14.7	19
CC148070		0.50	0.002	0.04	1.23	4.8	<0.2	<10	70	0.44	0.47	0.10	0.08	28.1	25.7	33
CC148071		0.38	0.006	0.13	1.10	42.9	<0.2	<10	110	0.25	0.44	0.04	0.41	36.1	22.4	17
CC148072		0.48	0.042	0.58	0.86	63.0	<0.2	<10	110	0.26	0.55	0.42	1.54	39.2	36.8	16
CC148073		0.36	0.008	0.25	1.47	26.8	<0.2	<10	170	0.39	0.28	0.22	0.37	31.7	65.5	26
CC148074		0.40	0.008	0.23	1.20	12.8	<0.2	<10	220	0.31	0.33	0.12	0.16	24.6	14.9	27
CC148075		0.43	0.004	0.18	0.35	12.4	<0.2	<10	130	0.13	0.24	0.02	1.16	20.1	21.2	5
CC148076		0.35	0.002	0.12	0.30	9.0	<0.2	<10	200	0.08	0.23	0.02	0.76	17.30	24.4	4
CC148077		0.30	0.017	0.32	1.27	16.1	<0.2	<10	170	0.47	0.38	0.16	0.36	29.4	15.6	26
CC148078		0.50	0.006	0.16	0.21	14.0	<0.2	<10	100	0.11	0.20	0.05	0.24	19.65	15.5	6
CC148079		0.45	0.006	0.13	0.25	26.1	<0.2	<10	100	0.11	0.25	0.09	0.25	20.7	15.9	7
CC148080		0.51	0.004	0.17	0.33	18.9	<0.2	<10	100	0.10	0.22	0.03	1.04	13.10	8.5	7
CC148081		0.52	0.002	0.05	1.05	5.0	<0.2	<10	130	0.67	0.33	0.14	0.09	29.9	20.6	34
CC148082		0.41	0.004	0.05	1.63	6.7	<0.2	<10	60	0.51	0.59	0.08	0.08	33.2	19.7	28
CC148083		0.42	0.003	0.03	1.12	37.9	<0.2	<10	30	0.31	0.49	0.06	0.06	31.7	16.2	17
CC148084		0.39	0.003	0.05	1.50	43.7	<0.2	<10	40	0.40	0.59	0.12	0.03	30.0	17.3	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148045		1.54	56.0	2.94	6.15	<0.05	<0.02	0.11	0.030	0.08	11.9	13.8	0.43	1260	2.02	0.01
CC148046		0.47	71.8	1.43	2.28	<0.05	<0.02	0.20	0.017	0.04	6.3	3.2	0.13	9270	0.90	<0.01
CC148047		7.52	226	4.23	6.51	0.10	0.03	0.19	0.024	0.49	17.1	28.9	1.50	1180	2.48	0.01
CC148048		3.45	82.6	3.19	5.21	0.05	<0.02	0.07	0.018	0.22	12.4	9.9	0.71	959	2.00	<0.01
CC148049		2.75	126.5	3.92	3.42	<0.05	0.02	0.25	0.032	0.16	14.3	5.5	0.34	1240	8.84	0.01
CC148050		3.76	111.0	4.18	5.36	0.05	<0.02	0.19	0.028	0.22	18.0	12.0	0.84	2790	4.18	0.01
CC148051		0.33	44.6	1.32	1.16	<0.05	<0.02	0.10	0.012	0.02	7.1	2.5	0.08	2780	0.71	<0.01
CC148052		0.57	141.0	2.72	1.92	<0.05	0.03	0.17	0.024	0.05	13.8	4.3	0.12	2170	2.21	<0.01
CC148053		1.67	171.0	3.08	3.83	<0.05	<0.02	0.14	0.031	0.09	14.9	18.6	0.57	2800	2.63	<0.01
CC148054		2.24	110.5	2.87	3.80	<0.05	<0.02	0.11	0.021	0.08	10.7	24.1	0.62	1980	3.09	<0.01
CC148055		1.02	201	3.67	3.54	0.05	0.04	0.18	0.025	0.06	14.8	18.6	0.54	2720	5.51	<0.01
CC148056		1.14	66.4	2.96	5.06	<0.05	<0.02	0.09	0.026	0.05	11.8	21.0	0.50	3040	1.41	<0.01
CC148057		0.43	37.7	1.29	1.83	<0.05	<0.02	0.05	0.007	0.02	3.7	5.7	0.14	1320	0.80	<0.01
CC148058		1.01	42.0	4.09	4.03	0.05	0.03	0.01	0.018	0.02	16.2	56.2	0.66	983	0.48	<0.01
CC148059		1.78	36.9	3.45	3.91	<0.05	0.07	0.04	0.021	0.03	11.1	47.2	0.54	745	0.56	<0.01
CC148060		0.99	31.6	4.28	5.05	<0.05	0.07	0.02	0.017	0.03	14.1	61.8	0.71	588	0.42	<0.01
CC148061		1.22	38.3	4.09	4.94	<0.05	0.04	0.02	0.019	0.03	12.4	59.1	0.71	600	0.47	<0.01
CC148062		0.81	47.1	4.26	3.96	0.07	0.04	0.01	0.028	0.02	27.2	45.8	0.56	1140	0.61	<0.01
CC148063		1.23	26.3	3.29	4.60	<0.05	<0.02	0.04	0.020	0.04	15.9	31.2	0.41	884	1.38	<0.01
CC148064		1.10	40.0	3.28	4.29	0.05	0.06	0.04	0.023	0.05	19.2	29.1	0.50	718	1.09	<0.01
CC148065		1.20	39.6	3.21	2.13	0.05	0.14	0.02	0.024	0.03	24.3	17.1	0.27	863	0.70	<0.01
CC148066		0.97	45.8	4.27	4.50	0.08	0.07	0.01	0.025	0.02	29.0	54.6	0.58	866	0.69	<0.01
CC148067		1.27	60.7	3.77	4.53	0.08	0.02	0.02	0.018	0.03	28.9	54.2	0.55	1100	0.89	<0.01
CC148068		1.62	35.0	3.80	4.83	<0.05	0.06	0.02	0.013	0.03	11.7	68.2	0.70	528	0.33	<0.01
CC148069		1.88	34.2	3.31	3.55	<0.05	0.07	0.02	0.016	0.03	10.3	47.5	0.50	416	0.41	<0.01
CC148070		1.75	61.0	5.23	4.06	0.07	<0.02	0.02	0.011	0.03	12.7	45.2	0.77	1860	0.66	<0.01
CC148071		0.81	81.7	3.58	3.85	0.05	0.03	0.09	0.020	0.07	16.2	16.3	0.31	2990	3.58	<0.01
CC148072		0.81	227	3.68	3.21	0.08	0.02	0.32	0.026	0.06	20.1	14.5	0.39	4230	10.70	<0.01
CC148073		1.18	197.5	3.31	4.05	0.05	0.03	0.10	0.025	0.07	14.9	21.9	0.46	2840	3.30	0.01
CC148074		1.21	75.9	2.71	4.94	<0.05	<0.02	0.14	0.025	0.06	12.1	15.0	0.37	2220	2.46	<0.01
CC148075		0.49	84.2	1.68	1.65	<0.05	0.03	0.11	0.020	0.03	8.9	3.3	0.07	5270	0.95	<0.01
CC148076		0.29	76.3	1.61	1.72	<0.05	<0.02	0.13	0.018	0.03	7.3	2.0	0.05	8080	1.36	<0.01
CC148077		1.57	182.5	3.21	4.27	0.05	<0.02	0.10	0.034	0.07	15.6	15.9	0.33	1390	2.78	<0.01
CC148078		0.35	98.2	2.12	1.34	<0.05	0.02	0.14	0.013	0.05	9.2	2.1	0.03	3780	1.87	0.01
CC148079		0.30	115.0	2.06	1.34	<0.05	0.02	0.11	0.015	0.04	9.9	2.9	0.07	2980	1.81	<0.01
CC148080		0.77	48.9	1.72	1.72	<0.05	<0.02	0.05	0.017	0.04	6.0	2.7	0.05	3030	2.36	<0.01
CC148081		3.37	22.8	4.72	3.71	0.05	<0.02	0.03	0.012	0.03	15.5	33.7	0.57	1800	0.53	<0.01
CC148082		1.96	61.2	3.71	5.15	0.05	0.04	0.03	0.018	0.03	17.1	50.8	0.62	1140	2.42	<0.01
CC148083		1.49	36.6	3.42	3.47	0.05	0.05	0.02	0.019	0.03	17.3	44.4	0.42	661	0.40	<0.01
CC148084		1.86	37.3	3.87	4.59	0.05	0.09	0.02	0.020	0.04	16.3	59.1	0.60	538	0.48	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148045		0.36	30.2	1450	12.6	13.0	<0.001	0.14	0.91	0.5	1.1	0.5	19.9	<0.01	0.10	<0.2
CC148046		0.19	22.1	680	9.9	6.0	<0.001	0.04	0.43	1.0	0.7	<0.2	5.7	<0.01	0.06	0.3
CC148047		1.40	46.7	2150	17.2	66.4	<0.001	0.12	1.18	3.8	2.9	0.2	116.5	<0.01	0.26	2.3
CC148048		0.37	21.6	1270	14.8	37.0	<0.001	0.14	0.90	0.3	1.7	0.2	39.0	<0.01	0.17	<0.2
CC148049		0.15	39.3	1670	43.8	20.5	<0.001	0.15	2.13	0.5	3.8	0.2	45.2	<0.01	0.21	0.2
CC148050		0.47	38.5	1420	66.7	30.4	<0.001	0.11	1.11	1.4	2.0	0.3	59.4	<0.01	0.31	0.3
CC148051		0.28	20.3	340	32.0	3.0	<0.001	0.01	0.38	1.4	0.4	<0.2	7.5	<0.01	0.05	1.2
CC148052		0.19	37.5	1090	101.0	6.1	<0.001	0.04	1.14	1.6	2.1	0.2	50.7	<0.01	0.20	1.1
CC148053		0.21	76.6	1470	15.4	13.3	0.001	0.05	1.15	1.3	2.0	0.2	63.7	<0.01	0.17	0.5
CC148054		0.28	76.1	830	21.4	15.4	<0.001	0.05	1.00	1.4	1.5	0.2	48.6	<0.01	0.11	0.4
CC148055		0.18	56.2	1850	42.6	6.9	0.001	0.05	1.47	1.6	3.0	<0.2	81.0	<0.01	0.28	1.6
CC148056		0.60	36.8	700	15.8	8.7	<0.001	0.05	0.72	1.9	0.8	0.4	11.4	<0.01	0.07	0.8
CC148057		0.23	9.2	570	6.5	3.2	<0.001	0.03	0.28	0.5	0.7	<0.2	3.7	<0.01	0.05	0.3
CC148058		0.09	41.0	450	26.1	2.0	<0.001	0.01	0.58	1.8	0.3	<0.2	7.1	<0.01	0.04	5.1
CC148059		0.16	37.0	540	36.1	3.7	<0.001	0.03	0.75	1.8	0.4	<0.2	14.9	<0.01	0.04	2.4
CC148060		0.11	38.3	410	26.2	3.5	<0.001	0.02	0.39	1.8	0.2	<0.2	5.2	<0.01	0.03	3.5
CC148061		0.15	37.0	420	35.8	3.4	<0.001	0.02	0.55	1.9	0.4	<0.2	8.2	<0.01	0.02	3.2
CC148062		0.19	40.9	630	39.8	2.2	<0.001	0.01	0.81	2.7	0.6	<0.2	13.4	<0.01	0.04	10.0
CC148063		0.58	24.1	740	29.5	6.6	<0.001	0.03	0.76	1.6	0.7	0.3	10.4	<0.01	0.03	1.5
CC148064		0.76	34.2	950	32.7	6.1	<0.001	0.02	0.89	3.3	0.9	0.3	18.3	<0.01	0.04	5.5
CC148065		0.25	37.8	780	29.1	2.5	<0.001	0.01	1.45	2.9	0.6	0.2	22.8	<0.01	0.03	10.7
CC148066		0.18	37.8	610	35.6	2.5	0.001	0.01	0.64	2.4	0.4	<0.2	14.4	<0.01	0.03	9.4
CC148067		0.33	37.1	780	42.8	3.0	<0.001	0.02	0.59	2.1	0.4	0.2	15.6	<0.01	0.07	7.9
CC148068		0.14	38.1	380	27.9	3.8	<0.001	0.02	0.41	1.7	0.3	<0.2	7.9	<0.01	0.04	2.9
CC148069		0.12	36.8	430	22.6	3.4	<0.001	0.02	0.61	1.8	0.2	<0.2	6.4	<0.01	0.04	2.6
CC148070		0.19	43.5	510	14.1	2.1	<0.001	<0.01	0.31	1.6	0.4	0.2	12.2	<0.01	0.05	6.0
CC148071		0.19	37.8	1040	64.8	7.5	<0.001	0.06	0.92	0.9	0.7	<0.2	12.7	<0.01	0.18	1.1
CC148072		0.24	64.2	2300	73.1	4.5	0.001	0.05	2.20	1.9	2.8	<0.2	117.5	<0.01	0.34	3.6
CC148073		0.65	165.0	1290	14.1	8.9	<0.001	0.06	1.42	2.3	1.7	0.3	75.4	<0.01	0.10	2.0
CC148074		0.38	39.1	1050	16.2	10.3	<0.001	0.07	0.87	0.9	0.9	0.4	35.0	<0.01	0.11	0.2
CC148075		0.30	42.0	330	42.2	3.8	<0.001	0.01	1.15	1.7	0.5	<0.2	9.1	<0.01	0.10	1.2
CC148076		0.18	31.8	380	20.7	3.7	<0.001	0.02	0.43	1.4	0.4	<0.2	9.7	<0.01	0.09	1.2
CC148077		0.32	48.7	1340	22.9	9.5	<0.001	0.06	1.21	1.1	2.1	0.4	65.8	<0.01	0.22	0.3
CC148078		0.15	30.2	570	23.9	3.6	<0.001	0.03	0.83	1.1	1.1	<0.2	21.7	<0.01	0.15	0.7
CC148079		0.17	36.6	570	13.9	3.0	<0.001	0.03	0.97	1.2	1.0	<0.2	37.5	<0.01	0.18	1.6
CC148080		0.17	18.4	880	240	4.5	<0.001	0.05	0.76	0.4	0.6	0.2	8.7	<0.01	0.08	0.2
CC148081		0.34	45.7	730	13.4	3.3	<0.001	0.01	0.36	1.7	0.2	0.3	13.8	<0.01	0.04	2.2
CC148082		0.53	41.0	540	36.0	3.8	<0.001	0.02	0.48	2.1	0.3	0.2	7.4	<0.01	0.05	3.2
CC148083		0.15	32.5	570	23.5	3.1	<0.001	0.02	0.70	1.5	0.4	<0.2	6.5	<0.01	0.04	2.9
CC148084		0.14	37.6	650	29.0	2.8	<0.001	0.02	1.00	1.8	0.4	<0.2	14.0	<0.01	0.04	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148045		0.017	0.16	0.95	57	0.17	4.73	80	<0.5
CC148046		0.015	0.11	0.55	14	0.07	3.45	42	<0.5
CC148047		0.124	0.38	2.04	65	0.07	11.40	132	2.0
CC148048		0.023	0.18	0.90	49	0.08	2.60	66	<0.5
CC148049		0.010	0.23	3.90	39	0.05	4.18	165	0.5
CC148050		0.038	0.20	1.52	48	0.09	4.15	152	<0.5
CC148051		0.014	0.04	0.33	12	0.07	2.59	90	<0.5
CC148052		0.008	0.09	1.50	21	0.07	7.36	295	1.0
CC148053		0.029	0.15	1.49	36	0.08	6.75	131	<0.5
CC148054		0.032	0.11	1.13	34	0.08	6.92	165	<0.5
CC148055		0.011	0.08	3.70	31	0.08	9.43	154	1.1
CC148056		0.029	0.09	0.89	41	0.19	4.17	72	<0.5
CC148057		0.011	0.03	0.65	14	0.05	1.38	24	<0.5
CC148058		0.009	0.02	0.79	15	<0.05	3.25	95	1.1
CC148059		0.006	0.03	0.94	13	<0.05	3.75	82	2.4
CC148060		<0.005	0.02	0.97	14	<0.05	3.03	95	1.9
CC148061		<0.005	0.03	0.98	15	<0.05	3.38	93	1.3
CC148062		0.014	0.03	1.19	18	0.06	5.06	99	2.5
CC148063		0.028	0.07	0.89	38	0.18	3.44	77	<0.5
CC148064		0.044	0.08	1.29	38	0.24	8.74	90	2.3
CC148065		0.025	0.04	1.23	19	0.08	6.36	93	9.2
CC148066		0.010	0.03	1.26	16	0.06	4.88	100	4.0
CC148067		0.019	0.03	1.36	21	0.08	5.62	98	1.2
CC148068		0.007	0.02	0.72	14	<0.05	2.88	93	1.6
CC148069		<0.005	0.02	0.72	11	<0.05	3.30	84	2.3
CC148070		0.049	0.02	1.39	34	0.13	2.90	106	0.5
CC148071		0.007	0.06	1.48	18	0.10	2.80	117	0.8
CC148072		0.012	0.13	6.52	28	0.10	11.85	198	0.9
CC148073		0.038	0.11	1.46	38	0.19	7.71	161	0.7
CC148074		0.017	0.12	0.93	42	0.21	3.42	90	<0.5
CC148075		0.012	0.07	0.68	11	0.10	3.59	162	1.1
CC148076		0.006	0.09	0.41	7	0.05	3.00	85	<0.5
CC148077		0.020	0.11	2.09	46	0.19	7.89	114	<0.5
CC148078		0.005	0.08	0.77	9	0.05	4.40	73	0.5
CC148079		0.005	0.05	1.46	10	0.05	3.67	76	0.8
CC148080		0.006	0.06	0.90	11	0.05	1.33	254	<0.5
CC148081		0.053	0.03	1.02	43	0.18	3.48	85	<0.5
CC148082		0.022	0.03	0.87	27	0.10	3.28	94	1.1
CC148083		<0.005	0.02	0.88	11	<0.05	2.62	86	1.4
CC148084		<0.005	0.02	1.28	13	<0.05	3.37	101	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148085		0.50	0.003	0.05	0.42	102.5	<0.2	<10	20	0.19	0.40	0.09	0.02	51.6	23.8	6
CC148086		0.43	0.003	0.06	1.76	19.7	<0.2	<10	70	0.39	0.48	0.07	0.21	28.1	12.1	31
CC148087		0.38	0.002	0.06	1.39	6.6	<0.2	<10	40	0.21	0.38	0.03	0.14	35.9	10.1	21
CC148088		0.44	0.006	0.06	1.51	10.4	<0.2	<10	70	0.44	0.49	0.22	0.10	55.9	17.6	23
CC148089		0.33	0.003	0.07	1.77	20.9	<0.2	<10	80	0.72	0.43	0.12	0.17	39.6	26.0	26
CC148090		0.42	0.003	0.03	0.49	527	<0.2	<10	50	0.22	0.34	0.03	0.02	51.2	14.1	7
CC148091		0.35	0.003	0.07	0.92	30.4	<0.2	<10	80	0.26	0.52	0.18	0.09	14.05	19.1	15
CC148092		0.53	0.004	0.03	1.19	5.6	<0.2	<10	50	0.55	0.78	0.09	0.02	34.6	28.9	24
CC148093		0.40	0.002	0.03	1.06	5.0	<0.2	<10	50	0.23	0.45	0.02	0.06	12.00	17.0	28
CC148094		0.38	0.002	0.05	1.70	2.9	<0.2	<10	60	0.30	1.18	0.01	0.07	12.30	25.4	35
CC148095		0.40	0.029	0.47	0.52	49.2	<0.2	<10	80	0.19	0.45	0.33	0.73	37.8	23.7	10
CC148096		0.39	0.004	0.04	0.32	12.2	<0.2	<10	80	0.10	0.19	0.05	0.20	17.60	16.5	6
CC148097		0.44	0.002	0.04	0.67	9.1	<0.2	<10	90	0.14	0.28	0.03	0.09	22.0	7.4	13
CC148098		0.34	0.005	0.04	0.94	9.0	<0.2	<10	100	0.25	0.38	0.06	0.21	19.45	10.1	18
CC148099		0.39	0.008	0.25	1.49	7.6	<0.2	<10	140	0.39	0.30	0.16	0.27	21.8	10.3	27
CC148100		0.35	0.002	0.27	1.21	4.8	<0.2	<10	180	0.29	0.27	0.02	0.32	23.3	4.4	19
CC148101		0.46	0.014	0.41	1.44	4.6	<0.2	<10	240	0.25	0.36	0.01	0.13	44.0	6.7	23
CC148102		0.36	0.003	0.04	1.07	10.0	<0.2	<10	500	0.37	0.29	0.09	0.08	16.75	17.3	18
CC148103		0.30	0.011	0.36	2.26	18.5	<0.2	<10	240	0.46	0.40	0.49	0.19	27.7	14.7	34
CC148104		0.36	0.012	0.20	2.41	22.9	<0.2	<10	330	0.51	0.35	0.43	0.06	46.0	20.9	38
CC148105		0.34	0.014	0.25	1.60	9.0	<0.2	<10	230	0.28	0.23	0.24	0.13	27.0	11.7	31
CC148106		0.33	0.013	0.22	1.41	12.7	<0.2	<10	180	0.24	0.25	0.16	0.16	28.4	15.8	27
CC148107		0.36	0.005	0.08	0.82	13.3	<0.2	<10	140	0.25	0.25	0.04	0.09	23.3	10.4	15
CC148108		0.41	0.022	0.55	1.26	7.5	<0.2	<10	200	0.34	0.45	0.05	0.25	47.8	18.8	21
CC148109		0.41	0.015	0.24	0.91	20.6	<0.2	<10	230	0.36	0.39	0.06	0.25	49.4	34.0	11
CC148110		0.49	0.013	0.35	0.57	13.9	<0.2	<10	150	0.38	0.37	0.15	0.34	22.2	17.8	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148085		1.03	33.9	2.60	1.53	0.07	0.14	0.01	0.020	0.02	27.5	14.6	0.16	790	0.33	<0.01
CC148086		1.59	27.6	4.85	7.87	0.05	<0.02	0.09	0.030	0.06	14.1	32.9	0.39	1080	1.64	<0.01
CC148087		1.02	20.3	3.51	6.17	0.05	<0.02	0.06	0.016	0.04	17.3	29.5	0.34	638	1.18	<0.01
CC148088		0.97	42.1	3.57	4.65	0.10	0.08	0.02	0.017	0.03	30.1	50.5	0.59	709	0.78	<0.01
CC148089		1.54	45.5	3.64	5.38	0.06	0.02	0.05	0.020	0.05	20.9	44.2	0.54	1460	0.97	<0.01
CC148090		1.05	22.1	2.56	1.80	0.06	<0.02	0.01	0.017	0.02	26.3	14.5	0.15	909	0.38	<0.01
CC148091		0.78	31.4	3.07	3.67	<0.05	0.05	0.08	0.021	0.04	7.4	27.0	0.28	932	0.65	<0.01
CC148092		2.03	52.6	4.46	3.83	0.07	0.02	0.02	0.020	0.02	17.9	49.8	0.53	1590	0.70	<0.01
CC148093		1.70	29.3	3.93	4.95	<0.05	<0.02	0.05	0.015	0.04	6.2	29.5	0.44	1240	0.63	<0.01
CC148094		1.29	55.3	4.68	5.80	<0.05	0.03	0.05	0.016	0.04	6.7	51.4	0.78	2070	0.55	<0.01
CC148095		0.69	156.5	3.51	2.47	0.07	0.02	0.34	0.029	0.06	20.1	6.6	0.14	3550	7.16	<0.01
CC148096		0.45	72.7	1.35	1.37	<0.05	<0.02	0.07	0.016	0.03	8.1	3.4	0.08	3050	0.74	<0.01
CC148097		1.05	29.3	1.80	5.08	<0.05	<0.02	0.04	0.018	0.04	11.1	3.6	0.09	922	1.66	<0.01
CC148098		0.76	40.2	2.12	3.26	<0.05	<0.02	0.08	0.020	0.04	9.8	10.2	0.23	1450	1.46	<0.01
CC148099		6.42	113.0	3.90	5.05	0.06	<0.02	0.12	0.028	0.16	13.1	16.0	0.62	1460	2.92	<0.01
CC148100		1.53	47.5	2.70	5.10	0.05	<0.02	0.13	0.016	0.12	13.0	5.0	0.25	303	2.45	<0.01
CC148101		3.12	71.7	3.42	4.97	0.07	<0.02	0.10	0.020	0.20	22.6	9.2	0.44	340	7.59	0.01
CC148102		1.20	54.8	2.24	4.12	<0.05	<0.02	0.06	0.028	0.06	7.7	13.5	0.23	1820	1.04	<0.01
CC148103		11.40	198.5	4.19	7.89	0.14	0.04	0.18	0.024	0.64	16.9	32.8	1.85	1080	2.56	<0.01
CC148104		12.15	169.5	3.85	8.71	0.15	0.02	0.08	0.034	0.64	28.4	38.0	1.70	1600	1.16	<0.01
CC148105		5.68	155.0	3.12	5.59	0.09	<0.02	0.13	0.020	0.33	16.6	20.6	0.93	1080	1.74	<0.01
CC148106		5.10	174.0	3.24	5.03	0.08	<0.02	0.26	0.023	0.25	15.4	18.2	0.80	2770	4.99	<0.01
CC148107		0.73	47.3	2.06	3.76	<0.05	<0.02	0.07	0.022	0.04	10.5	8.4	0.17	1880	1.34	<0.01
CC148108		2.49	118.0	3.55	4.58	0.08	0.02	0.18	0.029	0.17	24.0	11.8	0.34	1140	10.65	0.01
CC148109		0.72	133.5	3.53	3.45	0.07	<0.02	0.40	0.035	0.08	21.7	12.3	0.19	7010	4.19	<0.01
CC148110		0.63	154.5	4.02	2.46	0.06	0.04	0.21	0.037	0.09	13.0	4.2	0.10	3520	1.85	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148085		0.09	35.7	510	29.5	1.7	<0.001	<0.01	1.10	1.7	0.4	<0.2	10.7	<0.01	0.02	10.8
CC148086		0.77	23.8	1110	36.1	8.8	<0.001	0.07	0.88	1.1	0.9	0.6	9.2	<0.01	0.06	0.4
CC148087		0.34	20.0	750	22.2	8.0	<0.001	0.06	0.52	0.6	0.5	0.3	7.8	<0.01	0.04	0.3
CC148088		0.41	34.2	900	36.8	3.2	<0.001	<0.01	0.63	2.3	0.6	0.2	23.7	<0.01	0.05	9.9
CC148089		0.44	34.8	900	46.6	6.7	<0.001	0.03	0.70	1.6	0.8	0.3	14.2	<0.01	0.04	1.5
CC148090		0.11	26.8	330	27.7	1.9	<0.001	<0.01	1.80	1.5	0.3	<0.2	7.7	<0.01	0.02	8.1
CC148091		0.24	22.0	1560	38.7	4.4	<0.001	0.11	0.93	0.9	0.3	0.2	17.4	<0.01	0.04	0.7
CC148092		0.13	48.8	540	13.6	2.0	<0.001	<0.01	0.39	2.2	<0.2	<0.2	6.7	<0.01	0.08	5.3
CC148093		0.23	28.1	610	9.9	6.0	<0.001	0.04	0.37	0.6	0.2	0.3	3.4	<0.01	0.05	<0.2
CC148094		0.22	41.5	550	8.9	5.8	<0.001	0.03	0.24	1.0	0.3	0.3	3.0	<0.01	0.09	0.5
CC148095		0.20	50.5	2220	71.6	4.8	0.001	0.03	2.20	1.8	2.6	<0.2	101.5	<0.01	0.26	3.0
CC148096		0.28	33.6	290	9.3	2.9	<0.001	0.01	0.63	1.3	0.5	<0.2	13.6	<0.01	0.06	1.5
CC148097		0.61	21.8	430	9.4	7.6	<0.001	0.02	0.66	0.7	0.3	0.6	6.1	<0.01	0.06	<0.2
CC148098		0.43	23.6	420	8.8	5.8	<0.001	0.03	0.63	1.0	0.6	0.3	9.4	<0.01	0.04	0.2
CC148099		0.74	28.0	1440	12.0	26.3	<0.001	0.10	0.93	1.4	2.1	0.3	67.2	<0.01	0.18	0.3
CC148100		0.27	14.2	1650	10.8	16.8	<0.001	0.17	0.82	0.3	0.7	0.3	29.4	<0.01	0.07	<0.2
CC148101		0.24	20.9	950	17.8	25.5	<0.001	0.15	1.35	0.8	2.0	0.2	67.1	<0.01	0.16	0.5
CC148102		0.53	31.0	650	14.4	9.2	<0.001	0.03	0.59	1.7	0.6	0.5	20.6	<0.01	0.08	0.5
CC148103		1.96	38.4	2500	30.1	79.3	<0.001	0.16	1.08	3.7	2.3	0.4	145.0	<0.01	0.33	1.7
CC148104		1.17	42.5	2240	20.8	97.3	<0.001	0.06	0.82	3.3	1.4	0.5	122.0	<0.01	0.28	0.9
CC148105		0.94	32.7	1310	12.7	49.1	<0.001	0.07	0.80	2.0	1.8	0.3	77.2	<0.01	0.19	0.6
CC148106		0.80	34.6	1230	16.2	35.4	<0.001	0.10	1.05	2.5	1.7	0.3	66.2	<0.01	0.26	0.9
CC148107		0.33	22.9	580	10.6	7.4	<0.001	0.05	0.59	0.8	0.3	0.4	8.8	<0.01	0.08	0.2
CC148108		0.26	39.1	980	27.2	18.3	<0.001	0.16	1.97	1.3	1.9	0.3	65.8	<0.01	0.25	1.0
CC148109		0.26	74.2	680	28.6	8.0	<0.001	0.06	1.35	2.1	1.6	0.3	29.7	<0.01	0.21	1.2
CC148110		0.09	44.5	1980	47.8	9.0	<0.001	0.08	1.62	1.7	2.3	0.2	49.2	<0.01	0.26	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-SEP-2014
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH14128259

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148085		<0.005	0.02	0.98	4	<0.05	4.21	88	7.3
CC148086		0.030	0.15	0.96	51	0.20	3.20	84	<0.5
CC148087		0.015	0.08	0.60	33	0.12	2.07	63	<0.5
CC148088		0.030	0.04	1.37	25	0.21	7.03	87	4.2
CC148089		0.024	0.07	1.43	31	0.13	5.73	100	0.5
CC148090		<0.005	0.02	1.57	5	0.10	3.28	74	<0.5
CC148091		0.007	0.06	0.84	15	0.05	1.73	74	1.5
CC148092		0.016	0.02	0.84	19	0.07	3.53	103	0.9
CC148093		0.025	0.06	0.74	39	0.15	1.30	68	<0.5
CC148094		0.026	0.05	1.08	36	0.11	1.48	96	0.8
CC148095		0.008	0.17	3.68	25	0.07	11.00	189	<0.5
CC148096		0.011	0.05	0.78	11	0.13	2.64	73	<0.5
CC148097		0.026	0.16	0.48	45	0.17	1.66	54	<0.5
CC148098		0.026	0.08	0.57	32	0.18	2.92	57	<0.5
CC148099		0.053	0.29	1.88	62	0.12	6.74	96	0.5
CC148100		0.008	0.15	1.24	33	0.07	1.99	62	<0.5
CC148101		0.023	0.22	2.72	34	0.06	3.16	86	<0.5
CC148102		0.015	0.13	0.49	33	0.15	2.67	57	<0.5
CC148103		0.160	0.55	2.00	76	0.10	12.15	125	2.2
CC148104		0.128	0.70	1.82	77	0.06	13.70	102	1.0
CC148105		0.084	0.35	1.56	55	0.06	7.21	94	0.7
CC148106		0.074	0.28	2.21	48	0.12	7.46	88	0.6
CC148107		0.018	0.07	0.49	30	0.14	2.50	46	<0.5
CC148108		0.022	0.28	3.72	39	0.12	4.66	115	0.5
CC148109		0.013	0.13	2.24	23	0.17	9.84	95	<0.5
CC148110		0.006	0.11	1.43	20	0.11	11.55	110	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 7-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14128259

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.
Applies to Method: ALL METHODS

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
Applies to Method: ME-MS41

LABORATORY ADDRESSES

Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
Applies to Method: LOG-22 SCR-41 WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Applies to Method: Au-ICP21 ME-MS41

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change decreasing 26.7'


504,000 mE

505,000 mE

506,000 mE

7,127,000 mN

7,126,000 mN



MK2 — Resistive and blocky, weathering light grey, fresh dark grey, fine to medium-grained quartz arenite to siltstone.

MK1 — Weathering tan to brown, fresh dark grey, siliceous and variably carbonaceous, thin bedded shale, slate and phyllite.

PCHy — Thin-bedded and fissile green and maroon shale.

- shear zone (intense shear fabric)
- outcrop
- scree margin
- linear
- synform hinge line
- antiform hinge line
- fault
- cleavage (strike and dip)
- vein (strike, dip and type)
- bedding
- foliation
- fold axis
- vein

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CENTRAL AREA DETAILED GEOLOGY

STAFF PROPERTY

0 400 m

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../Figures/F_6-Central_Detailed_Geology.wor DATE: February 2015

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change decreasing 26.7'

508,500 mE

509,000 mE

7,122,000 mN

4,300

4,400

4,500

4,600

5,000

4,900

81

65

76

76

90

67


66

63

69

qtz

qtz



MISSISSIPPIAN

MK1 Weathering tan to brown, fresh dark grey, siliceous and variably carbonaceous, thin bedded shale, slate and phyllite.

UPPER PROTEROZOIC TO LOWER CAMBRIAN

PCHa Weathering buff to medium grey dolostone, thinly bedded limestone to silty limestine, and lesser rudstone.

PCHy Tan to light grey, medium grained arenite and arkose sandstone, rare cuartz-rich pebble conglomerate and abundant dark green and dark purple silstone and shale.

contact (measured, inferred)

outcrop

linear

thrust fault (inferred)

subcrop

vein (strike, dip and type)

bedd ng

foliation

vein

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOUTH AREA DETAILED GEOLOGY

STAFF PROPERTY

0 100 m

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../Staff/Figures/F_7-South_Detailed_Geology.wor DATE: February 2015

MAP INSET - ZONE B

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

508000 mE
509000 mE
510000 mE
7123000 mN
7122000 mN
7126000 mN
7125000 mN
PROPERTY BOUNDARY
0 1000 m

M898943
M898944
M898946
M898951
M898947
M898934
M898953
M898937
M898938
M898949
M898932
M898955
M898933
M898945
M898935
M898939
M898936
M898957
M898954
M898956
M898940
M898958
M898928
M898950
M898948
M898941
M898931
M898952
M898942
M898929
M898930

M898902
M898901
M898909
M898903
M898918
M898922
M898899
M898920
M898900
M898921
M898917
M898919
M898916
M898906
M898904
M898905
M898907
M898908
M898927
M898915
M898926
M898925

M898914
M898913

M898912
M898910
M898923
M898924

AREA OF MAP
AREA OF INSET
0 5 km


PROPERTY BOUNDARY
504000 mE
505000 mE
506000 mE

STRATEGIC METALS LTD.


FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ROCK SAMPLE LOCATIONS
STAFF PROPERTY

0 500 m
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet


FILE: ../2014/Staff/Figures/F_8-Rock_Locations.wor
DATE: February 2015




GOLD-IN-ROCK GEOCHEMISTRY




COPPER-IN-ROCK GEOCHEMISTRY




ARSENIC-IN-ROCK GEOCHEMISTRY




SILVER-IN-ROCK GEOCHEMISTRY



LEAD-IN-ROCK GEOCHEMISTRY



ZINC-IN-ROCK GEOCHEMISTRY



Thrust fault

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK GEOCHEMISTRY
(Au, Cu, As, Ag, Pb & Zn)

STAFF PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ../2014/Staff/Figures/F-9_Rock_Geochem.wor | DATE: February 2015

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change
decreasing 26.7'

504,000 mE

506,000 mE

7,124,000 mN

7,122,000 mN

7,120,000 mN

AREA OF MAP

0 5 km

PROPERTY BOUNDARY

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS

STAFF PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../2014/Staff/Figures/F_10-Soil_Locations.wor

DATE: February 2015