ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND GEOCHEMICAL SAMPLING

Field work performed between August 9 and 18, 2014

at the

WAND PROPERTY

Wand 1-126 YD109171-YD109296

NTS 106C/04
Latitude 64º01' N; Longitude 133º52' W

in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton, B.Sc., GIT

February 2015

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	4
MINERALIZATION	5
SOIL GEOCHEMISTRY	6
TYPE DEPOSIT	7
DISCUSSION AND CONCLUSIONS	8
REFERENCES	10

APPENDICES

I STATEMENT OF QUALIFICATIONS

II STATEMENT OF EXPENDITURES

III ROCK SAMPLE DESCRIPTIONS

IV CERTIFICATES OF ANALYSIS

TABLES

I	Regional Lithological Units	4
II	Significant Rock Sample Results	6
III	Threshold Values for Soil Samples	7

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	1
3	Regional Geology	3
4	Idealized Regional Cross-Section	4
5	Property Geology	5
6	Detailed Property Geology	In Pocket
7	2014 Rock Sample Locations	In Pocket
8	2014 Rock Geochemistry (Au, Cu, As, Ag, Pb & Zn)	In Pocket
9	2014 Soil Sample Locations	In Pocket
10	Copper Soil Geochemistry	6
11	Cobalt Soil Geochemistry	6
12	Gold Soil Geochemistry	6
13	Arsenic Soil Geochemistry	6
14	Silver Soil Geochemistry	6
15	Lead Soil Geochemistry	6
16	Zinc Soil Geochemistry	6

INTRODUCTION

The Wand property lies within a district of precious metal enriched, replacement style, volcanogenic massive sulphide and vein occurrences, such as ATAC Resources Ltd.'s Tiger and Conrad deposits, Xstrata's Craig deposit, Golden Predator Mining Corp.'s Marg deposit, Victoria Gold Corp.'s Dublin Gulch deposit and Alexco Resource Corp.'s Keno Hill deposits. The Wand property covers strong multi-element soil geochemical anomalies and is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes geological mapping, prospecting and geochemical sampling conducted between August 9 and August 18, 2014 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised the program and interpreted all results from this work, his Statement of Qualifications is in Appendix I. A Statement of Expenditures is located in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Wand property comprises 126 contiguous mineral claims, which are located in east-central Yukon at latitude 64º01' north and longitude 133º52' west on NTS map sheet 106C/04 (Figure 1). The property covers an area of approximately 2500 ha (25 km^2). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, and the locations of individual claims are shown on Figure 2.

Claim Name	Grant Numbers	Expiry Date*
Wand 1-126	YD109171-YD109296	March 27, 2023

* Expiry date includes 2014 work which has been filed for assessment credit but not yet accepted.

The Wand property lies 110 km northeast of the town of Mayo, the nearest supply centre. The closest road access is at the community of Keno City, which is situated about 49 km by road northeast of Mayo and 70 km by air west of the property.

The 2014 exploration program was conducted from a fly camp located on the property. Mobilization of camp gear, personnel and supplies was provided by a Bell 206B helicopter operated by Fireweed Helicopters from a seasonal base in Mayo.

HISTORY AND PREVIOUS WORK

In 1964, the Geological Survey of Canada (GSC) conducted a low-density stream sediment survey in the areas of Rackla River and Mayo Lake (McIntyre, 1966). The following spring, a number of operators staked claims in order to cover anomalous drainages, including Canadian Superior Exploration Ltd., Arivaca Explorations Ltd. and United Keno Hill Mines Ltd.

In 1974, Union Oil Company of Canada Ltd. collected 14 contour soil samples across the area of the current Wand property at 500 m spacings, as part of a its Pelly Project, a reconnaissance

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION

WAND PROPERTY

0 200 km

FILE: ../F_1-Location.wor | DATE: February 2015





STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

WAND PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet

FILE: .../F_2-Claim_Locations.wor | DATE: February 2015

exploration program targeting specific areas in Yukon (Cathro, 1975). One sample collected from the property area yielded 323 ppm copper, 50 ppm lead and 950 ppm zinc.

In 1976 and 1977, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey in areas of eastern and central Yukon on NTS map sheet 106D and portions of 106C, 106E and 106F (Hornbrook et al., 1990). One sample taken from a creek draining the central part of the current Wand property returned 62 ppm for copper, 400 ppm for zinc, 27 ppm for cobalt and background values for gold, silver and lead.

In 2010, Strategic Metals staked the Wand property as part of its Midas Touch Project in order to cover the anomalous soil geochemistry reported by Union Oil in 1975. In 2011, Strategic Metals conducted a two-day exploration program involving soil and stream sediment geochemical sampling on the property. This work outlined two areas of anomalous multi-element geochemistry.

In 2013, Strategic Metals performed another five days of prospecting and contour soil sampling within the two previously identified areas of anomalous geochemistry. The program successfully expanded the size and tenor of the two anomalous zones (Morton, 2014). Peak soil sampling results included: very strongly anomalous gold (351 ppb), arsenic (1210 ppm), copper (815 ppm) and zinc (4820 ppm) values; and strongly anomalous silver (7.89 ppm), and lead (154 ppm) values. Results from all work performed by Strategic Metals is described in the appropriate sections of this report.

GEOMORPHOLOGY

The Wand property is located on the southwestern flank of the Nadaleen Range and is drained by creeks that flow into the Beaver and Nadaleen rivers, which are both part of the Yukon River watershed.

The property covers a series spurs and drainages along the north side of an east trending ridge. Elevations on the property range from 1090 to 1700 m above sea level (asl), and treeline is approximately 1500 m asl. Grass, moss, talus slopes and cliffs characterize alpine terrain, while sub-alpine areas are typically devoid of outcrop and vegetated with stunted black spruce, willow and alder. Valley bottoms are densely treed with mature spruce. There are a number of avalanche chutes with downed trees on the property. Creeks on the property have sufficient water for camp and drilling purposes throughout the summer and early fall.

The climate in the vicinity of the Wand property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Wand property is located at the southwestern corner of the Rackla Belt, which is an 18 by 120 km belt that hosts a range of mineralization types, including various styles of base metal and gold occurrences (Colpron et al, 2013).

The Rackla Belt spans the southern portion of the Nadaleen map sheet (106C) and southeastern corner of the Nash Creek (106D) map sheet. The GSC published 1:250,000 scale geological maps of the Nash Creek and Nadaleen map sheets in 1972 (Green) and 1974 (Blusson), respectively. In 1990, Indian and Northern Affairs Canada (predecessor to the Yukon Geological Survey) released a 1:50,000 scale geological map of NTS map sheet 106D/01 (Abbott, 1990).

In 2010, the Yukon Geological Survey (YGS) initiated a project to better understand the geology of the Rackla Belt, as a result of the recent discoveries in the area. Work to date has included 1:50,000 scale mapping of the: 1) Mount Mervyn map area (106C/04) in 2010 (Chakungal and Bennett, 2011); 2) Mount Ferrell map area (106C/03) in 2011 (Colpron, 2012); and 3) Ortell Lake and Mount Stenbraten map areas (106C/02 and 01) in 2012 (Colpron et al, 2013). It also included integrating structures and stratigraphic units across map sheets 106C/01 to 106C/04 and 106D/01 (Colpron et al, 2013).

Geology of the Rackla Belt presented in the following paragraphs is primarily summarized from the YGS's recent work (Colpron et al, 2013).


The Rackla Belt straddles the boundary between deep water, dominantly clastic rocks of the Selwyn Basin to the south and shallower water shelf strata of the Mackenzie Platform to the north.

The Rackla Belt is divided into three main structural panels – Richardson fault array, Mackenzie fold belt and Selwyn fold belt (Figure 3). Both the north-trending Richardson fault array and the northern edge of the northwest-trending Selwyn fold belt have prolonged histories of Proterozoic and Paleozoic faulting (mainly extensional and strike-slip) that were reactivated during Mesozoic compression.


The three main structural panels are separated by the Dawson Thrust and Kathleen Lakes faults (Figure 3). The Dawson Thrust Fault is a crustal break that may date back to late Neoproterozoic rifting and was subsequently reactivated as a north-directed thrust fault during Paleozoic extension and Mesozoic compression. The direction of movement along Mesozoic thrust faults in the region is generally towards the north. The Kathleen Lakes Fault is an enigmatic structure with uncertain kinematics. It likely has a long history that may have begun as a normal fault in the Neoproterozoic and has since been reactivated, possibly accommodating strike-slip and normal movement.

Both extensional and apparent sinistral strike-slip faults cross-cut structures associated with compression represent some of the youngest deformation in the Rackla Belt. Some strike-slip


RACKLA BELT STRATIGRAPHIC AND FACIES DOMAINS



LOWER CAMBRIAN PALEOGEOGRAPHY



MINERALIZATION ALONG RACKLA BELT



Note: Underlined showings are held by Strategic Metals Ltd.

After Colpron et al, 2013

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RACKLA BELT REGIONAL GEOLOGY

WAND PROPERTY

FILE: .../Wand/Figures/F_3-Regional_Domains.wor	DATE: FEBRUARY 2015

reactivation may have occurred along both the Kathleen Lakes and Dawson Thrust faults; however, the amount of motion is probably very small and appears to die out to the east.

The Rackla Belt can be divided into five stratigraphic and facies domains that are generally bounded by the Dawson Thrust and Kathleen Lakes faults (Figure 3).

1) Neoproterozoic to Paleozoic Selwyn Basin: The southern part of the belt (hanging wall of the Dawson Thrust Fault) comprises Neoproterozoic to Upper Paleozoic predominantly off-shelf clastic sedimentary rocks of Selwyn Basin;
2) Paleozoic Off-shelf: To the north of the Selwyn Basin, Ordovician to Permian off-shelf carbonate and shale (including abundant debris flow and turbidite deposits) are bound by the Dawson Thrust and Kathleen Lakes faults;
3) Neoproterozoic Off-shelf (Windermere Supergroup?): In the northeastern part of the belt, rocks in the footwall of the Dawson Thrust Fault consist of fine-grained siliciclastic and carbonate rocks. Ediacaran fossils in this sequence suggest correlation with the upper part of the Neoproterozoic Windermere Supergroup;
4) Paleozoic Platform: Platformal carbonate rocks of Ordovician to Devonian age occur mainly north of the Kathleen Lakes Fault in the central part of the belt. A notable exception is a window of this package at the west end of the belt; and,
5) Proterozoic: Older Proterozoic rocks of the Wernecke Supergroup and Pinguicula Group occupy the region north of the Kathleen Lakes Fault in the northwestern part of the belt.


The transition between platformal and basinal facies varies around Selwyn Basin. Its eastern boundary exhibits a more typical facies transition that migrates through time. By contrast, the northern boundary of Selwyn Basin is strongly localized and was apparently controlled by the Dawson Thrust Fault. Figure 4 illustrates an idealized cross-section through Rackla Belt stratigraphy, along the northern boundary of Selwyn Basin. The lithological units that occur in the immediate vicinity of the Wand property are described in Table I.

Table I – Regional Lithological Units (*after Colpron et al, 2013*)

Map Suite	Age	Map Unit	Description
Galena Suite	Middle Triassic	TrG	Massive, dark grey weathering, medium grained hornblende gabbro sills and dykes (ca. 234-228 Ma).
Earn Group	Devonian to Mississippian	DME	Brown weathering, dark grey to black shale, chert and siltstone; minor limestone, chert-pebble conglomerate and sandstone; locally bedded barite and mafic volcanic rocks.

PROPERTY GEOLOGY

Mapping at a 1:50,000 scale by the YGS (Colpron et al, 2013) indicates that the Wand property is underlain by undifferentiated Earn Group shale, chert, sandstone and siltstone, which are



Unknown occurence

Carlin-type Au (epigenetic) occurrence

VMS occurrence

MVT occurrence

Rapitan iron occurrence

TJ - Jones Lake Fm
MPMC - Mount Christie Fm
MT - Tsichu Fm
DMBR - Besa River Fm
DME - Earn Gp
DMP - Prevost Fm
DPL - Portrait Lake Fm
DO - Ogilvie Fm
DF - Funeral Fm
DGB - Grizzly Bear Fm
DN - Nahanni Fm
DH - Headless Fm
DL - Landry Fm
DNA - Natla Fm
DA - Arnica Fm

DS - Sombre Fm
DC - Camsell Fm
SDD - Delorme Fm
SDS - Sapper Fm
SS - Steele Fm
OSW - Whittaker Fm
CDB - Bouvette Fm
CSH - Haywire Fm
OBS - Broken Skull Fm
OSD - Duo Lakes Fm
COR - Rabbitkettle Fm
CSC - Slats Creek Fm
CA - Avalanche Fm
CRS - Rockslide Fm
CG - Gull Lake Fm

CS - Sekwi Fm
PCV - Vampire Fm
PCBR - Backbone Ranges Fm
PCI - Ingta Fm
PCHN - Narchilla Fm
PHA - Algae Fm
PHY - Yusezu Fm
PB - Blueflower Fm
PSH - Sheepbed Fm
PIB - Icebrook Fm
PK - Keele Fm
PT - Twitya Fm
PSZ - Shezal Fm
PSA - Sayunei Fm
PCL - Coates Lake Gp

Unnamed units have lower case identifiers

Chert conglomerate, grit sandstone, and siltstone
Chert, shale
Shale
Siltstone, shale
Sandstone, siltstone, shale
Shale, sandstone
Grit, sandstone, shale (turbidites)

Mafic volcanic rocks
Diabase sills and dikes
Diamictite
Quartzite
Silty and argillaceous limestone
Dolostone
Limestone

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

IDEALIZED REGIONAL CROSS-SECTION

WAND PROPERTY

FILE: .../Wand/Figures/F_4-Regional_X-section.wor

DATE: February 2015

intruded by Galena Suite (TrG) mafic sills and dykes with a prevalent northwest to southeast orientation (Figure 5). Surface expression of sills and dykes on the property suggests that the units have been folded.

In 2014, Strategic Metals performed detailed 1:2500 scale mapping in the north-central part of the property (Figure 6). Earn Group strata in the mapped area are subdivided into two interbedded or structurally repeated units: a dark grey to black and variably carbonaceous shale, with rare chert concretions (DME1); and a medium brown to dark grey siltstone (DME2). These sub-units are typically hornfelsed at the contact with Galena Suite sills and dykes. Locally, Galena Suite exhibits a compositional range from diorite to gabbro, and is commonly gossanous, manganese-stained and pyrrhotite-bearing. The range of compositions may represent multiple intrusive phases.

Bedding in the mapped area dips steeply to the north and south, suggesting tightly folded stratigraphy. Fractures and linears, best observed in Galena Suite, generally strike northerly and dip sub-vertically. A number of narrow quartz-carbonate veins cross-cut all units, with orientations similar to observed fractures.

MINERALIZATION

In 2013, Strategic Metals collected 21 rock samples from the Wand property. The best rock sample consisted of a silica-flooded gabbro with encrusting malachite, which yielded elevated values for copper (849 ppm), lead (2130 ppm), zinc (3170 ppm) and silver (7.58 ppm), but background values for all other elements of interest.

In 2014, another 68 rock samples were collected from the property. The 2014 rock sample locations are plotted on Figure 7, while results are illustrated thematically for gold, copper, arsenic, silver, lead and zinc on Figure 8. Rock Sample Descriptions and Certificates of Analysis for the 2014 samples are provided in Appendices III and IV respectively.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals laboratories in Whitehorse, Yukon and North Vancouver, BC. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

Rock samples collected in 2014 included: gossanous and manganese-stained, pyrite and pyrrhotite-bearing gabbro; quartz-carbonate veins with banded sulphide (pyrite, chalcopyrite, sphalerite) and oxide (magnetite and malachite) mineralization; pyrite-bearing chert concretions; and, brecciated and limonitic shale. Four of the rock samples returned values for zinc that were greater than one percent. The highest zinc value (5.25%) came from a 70 by 40 by 35 cm quartz-carbonate boulder containing abundant bands of pyrite, magnetite, chalcopyrite and sphalerite.

551000 mE

553000 mE

555000 mE

557000 mE

T.N.

2°03'

22°24'

Grid north

Magnetic north

Annual change
decreasing 26.4'

7101000 mN

AREA OF DETAILED MAPPING (SEE FIGURE 6)

7099000 mN

PROPERTY BOUNDARY

IGNEOUS ROCKS

Middle Triassic

TrG — Galena Suite - Massive, dark grey weathering, medium grained hornblende gabbro sills and dykes (ca. 234-228 Ma).

PALEOZOIC OFFSHELF ROCKS

Upper Devonian to Lower Mississippian

DME — Earn Group (undivided) - Brown weathering, dark grey to black shale, chert, and siltstone; minor limestone, chert-pebble conglomerate and sandstone.

MAP AFTER COLPRON ET AL, 2013

STRATEGIC METALS LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

WAND PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet

FILE: .../Wand/Figures/F_5-Property_Geology.wor

DATE: FEBRUARY 2015

Other elevated zinc results were obtained from similar material. An outcrop sample collected from a strongly oxidized quartz-carbonate vein, containing fine-grained malachite and chalcopyrite, returned strongly elevated values for silver (20.4 g/t) and copper (1.055%). The best rock sample results are summarized in Table II.

Table II – Significant Rock Sample Results

Sample	Type	Gold (g/t)	Arsenic (%)	Silver (g/t)	Copper (%)	Lead (%)	Zinc (%)
M898895	Outcrop specimen	0.007	0.002	20.4	1.055	0.155	0.383
M898894	Outcrop specimen	0.001	0.001	6.29	0.256	0.0833	0.698
M898846	Outcrop specimen	0.177	0.453	1.62	0.0771	0.00545	1.11
M898878	Float specimen	0.176	0.515	5.81	0.229	0.0326	5.25
M898855	Float specimen	0.015	0.02	9.53	0.392	0.0307	1.12
M898850	Float composite	0.303	0.77	5.86	0.156	0.0876	1.6


SOIL GEOCHEMISTRY


In 2011, Strategic Metals collected a total of 35 silt and 194 contour soils samples on the Wand property. This work identified two areas of anomalous multi-element geochemistry, Anomalies A and B.


In 2013, an additional 139 contour soil samples were collected to better define the tenor and extent of Anomalies A and B. This work expanded the size of the two soil anomalies and identified higher gold, silver, arsenic, lead and zinc values than were obtained from previous geochemical sampling.


In 2014, Strategic Metals collected 72 contour samples to provide infill data within Anomaly A, and 229 grid and contour soil samples south of that anomaly. The 2014 soil sample locations are plotted on Figure 9, while results from all years for copper, cobalt, gold, arsenic, silver, lead and zinc are illustrated thematically on Figures 10 to 16, respectively.


All 2014 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 80 cm deep holes dug by mattock or hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to the ALS Minerals laboratory in Whitehorse, where they were dried and screened to -180 microns. The samples were then shipped to the ALS Minerals laboratory in North Vancouver where they were analysed for 51 elements using aqua regia digestion followed by inductively coupled plasma and atomic emission spectroscopy technique (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Certificates of Analysis are in Appendix IV, while anomalous thresholds values for the elements of interest are listed in Table III.



ANOMALY B
ANOMALY A
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
7101000 mN
553000 mE
555000 mE
5,500
5,000
Copper Soil (ppm)
≥500 <815
≥200 <500
≥100 <200
≥50 <100
≥20 <50
≥0 <20
Historical Soil (ppm)
≥200 <500
≥100 <200
≥50 <100
≥20 <50
≥0 <20
Copper Silt (ppm)
≥500 <1,150
≥200 <500
≥100 <200
≥50 <100
≥20 <50
STRATEGIC METALS LTD.
FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: ../F_11-Cu_Geochem.wor
DATE: FEBRUARY 2015


ANOMALY B
ANOMALY A
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
7101000 mN
553000 mE
555000 mE
3,000
5,500
5,000
Cobalt Soil (ppm)
≥100 <185
≥50 <100
≥20 <50
≥10 <20
≥5 <10
≥0 <5
Cobalt Silt (ppm)
≥100 <340
≥50 <100
≥20 <50
≥10 <20
≥5 <10
≥0 <5
STRATEGIC METALS LTD.
FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COBALT SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: .../F_14-Co_Geochem.wor
DATE: FEBRUARY 2015


ANOMALY B
ANOMALY A
3,000
5,500
5,000
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
7101000 mN
553000 mE
555000 mE
Gold Soil (ppb)
≥100 <351
≥20 <50
≥10 <20
≥5 <10
≥0 <5
Gold Silt (ppb)
≥0 <5
STRATEGIC METALS LTD.
FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GOLD SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: .../F_10-Au_Geochem.wor
DATE: FEBRUARY 2015


ANOMALY B
ANOMALY A
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
7101000 mN
553000 mE
555000 mE
Arsenic Soil (ppm)
≥500 <1,210
≥200 <500
≥100 <200
≥50 <100
≥20 <50
≥0 <20
Arsenic Silt (ppm)
≥0 <13.2
STRATEGIC METALS LTD.
FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ARSENIC SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: .../F_12-As_Geochem.wor
DATE: FEBRUARY 2015


ANOMALY B
ANOMALY A
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
3,000
5,500
5,000
7101000 mN
553000 mE
555000 mE
Silver Soil (ppm)
≥5 <7.89
≥2 <5
≥1 <2
≥0.5 <1
≥0.2 <0.5
≥0 <0.2
Silver Silt (ppm)
≥0.5 <0.6
≥0.2 <0.5
≥0 <0.2
STRATEGIC METALS LTD.
FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILVER SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: .../F_13-Ag_Geochem.wor
DATE: FEBRUARY 2015


ANOMALY B
ANOMALY A
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
7101000 mN
553000 mE
555000 mE
3,000
5,500
5,000
Lead Soil (ppm)
≥100 <154
≥50 <100
≥20 <50
≥10 <20
≥0 <10
Historical Soil (ppm)
≥50
≥20 <50
≥10 <20
≥0 <10
Lead Silt(ppm)
≥10 <19.5
≥0 <10
STRATEGIC METALS LTD.
FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LEAD SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: .../F_15-Pb_Geochem.wor
DATE: FEBRUARY 2015



ANOMALY B
ANOMALY A
T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change
decreasing 26.4'
3,000
5,000
5,500
7101000 mN
553000 mE
555000 mE
Zinc Soil (ppm)
≥2,000 <4,820
≥1,000 <2,000
≥500 <1,000
≥200 <500
≥100 <200
≥0 <100
Zinc Historical Soil (ppm)
≥500 <950
≥200 <500
≥100 <200
≥0 <100
Zinc Silt (ppm)
≥1,000 <1,760
≥500 <1,000
≥200 <500
≥100 <200
≥0 <100
STRATEGIC METALS LTD.
FIGURE 16
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC SOIL GEOCHEMISTRY
WAND PROPERTY
0
1 km
UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet
FILE: .../F_16-Zn_Geochem.wor
DATE: FEBRUARY 2015

Table III - Threshold Values for Soil Samples

Element	Anomalous Thresholds				
	Weak	Moderate	Strong	Very Strong	Peak
Gold (ppb)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	351
Arsenic (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	1210
Silver (ppm)	≥ 1 < 2	≥ 2 < 5	≥ 5 < 10		7.89
Copper (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	815
Lead (ppm)	≥ 20 < 50	≥ 50 < 100	≥ 100 < 500		154
Zinc (ppm)	≥ 200 < 500	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000	4,820
Cobalt (ppm)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	185

Sampling in 2014 expanded the size of Anomaly A, but results from this work did not exceed the peak geochemical values reported previously.

Anomaly A is mainly characterized by moderately to very strongly elevated copper and cobalt geochemistry with more localized strong to very strong arsenic, zinc, silver and lead support. This area has yielded the property's strongest soil geochemical values for copper, arsenic, silver, lead, and zinc. The anomaly lies atop and along the flanks of a steep north-northeast trending ridge, with good talus and bedrock exposures on the adjacent north-facing slope. Geochemical response is subdued on the south side of the ridge where the slope is shallower and soil cover is thicker. The anomaly covers an area of approximately 1500 by 330 m.

Anomaly B includes the single highest gold-in-soil value on the property and features strong to very strong response for copper with moderate cobalt support. Geochemical response for silver, lead, zinc and arsenic is weak. This anomaly is located below tree line and has limited rock exposure. It covers an area of approximately 980 by 410 m.

In addition to the two main geochemical anomalies there are many isolated sample sites that produced strongly elevated values for one or more metal. The best silt results are from two drainages in the eastern part of the property, which have received only cursory soil sampling. None of the geochemically anomalous areas have been systematically prospected.

TYPE DEPOSIT

The geological setting and geochemical response of the Wand property closely resemble those at the Marg volcanogenic massive sulphide deposit, located 30 km west of the Wand claims. The Marg deposit has a long history of exploration by a number of operators, attesting to the difficulty of its discovery and the importance of perseverance.

The deposit is hosted within Earn Group metasedimentary and metavolcanic rocks that have recorded multiple episodes of strain and deformation. Felsic metavolcanic rocks are the primary host of the massive sulphide mineralization and occur in repeated sequences of quartzite, quartz-sericite phyllite and black graphic phyllite. Ages obtained from the fission-track dating of

zircons in the mineralized sequence yield a poorly constrained age date of Middle to Late Devonian (Carne and Giroux, 2007).

Mineralization in the Marg deposit occurs as a series of discontinuous stacked sheets that have been structurally dismembered from one or more originally deposited layers. The mineralized horizons are individually up to 23 m thick, averaging 3 m to 4 m. They and the enclosing metavolcanic rocks are recessive and not exposed at surface. Mineralogy consists of fine grained pyrite with interstitial sphalerite, chalcopyrite, galena and minor tetrahedrite with rare arsenopyrite in a gangue of quartz, ferroan carbonate, muscovite and rare barite. Magnetite is notably absent (Carne and Giroux, 2007).

The Marg area was first staked in 1965 by Canadian Superior Exploration Ltd. to cover a 1964 GSC stream sediment anomaly of 300 ppm lead, 2400 ppm zinc and 240 ppm copper (Cathro and Main, 1982). Intermittent exploration between 1967 and 1984 outlined strong multi-element geochemical anomalies but failed to uncover in-situ mineralization.

The main portion of the deposit was discovered in 1988 by drilling beneath a 120 m wide gold and arsenic anomaly, with arsenic-in-soil response of up to 300 ppm and gold-in-soil response of up to 143 ppb. There is no anomalous copper and zinc response in the soil directly above the deposit. Hydromorphically dispersed lead anomalies occur a considerable distance downhill from the deposit, and a much stronger multi-element anomaly is present about 1200 m to the west where a relatively narrow sulphide zone is blanketed by thin overburden. The surface geochemistry on the Marg deposit is muted, because the mineralization is deeply weathered and is capped by a thick layer of glacial drift (Cathro, 1988).

In 2012 Redtail Metals Corp. acquired a 100% undivided interest in the Marg property. In April 2014, the merger of Redtail Metals Corp. and Northern Tiger Resources Inc. resulted in the formation of Golden Predator Mining Corp., the current owner of the Marg deposit. Redtail recalculated the resource in 2011 and announced an indicated resource of 3.96 Mt of 1.57% copper, 1.92% lead, 3.90% zinc, 49.40 g/t silver and 0.79 g/t gold, and an inferred resource of 7.78 Mt of 1.12% copper, 1.36% lead, 2.89% zinc, 34.88 g/t silver and 0.52 g/t gold (Burgoyne and Giroux, 2011).

DISCUSSION AND CONCLUSIONS

The Wand property lies within the Rackla Belt, a district containing a number of advanced exploration prospects.

Strategic Metals' 2014 exploration program successfully expanded the size of Anomaly A, an area of strongly elevated multi-element geochemistry that was first detected in 2011. Limited prospecting has identified zinc-rich float boulders and mineralized quartz-carbonate vein exposures that are enriched in copper and zinc, but has not adequately explained the elevated metal response in soil. Exploration of Anomaly A has proven difficult due to the steepness of the terrain.

Future work on the property is warranted due to the size and tenor of the geochemical anomalies and the discovery of metal-enriched rocks. Areas of in-situ mineralization should be hand trenched, and geological mapping should be expanded to cover ground outside of the 2014 mapping area. In addition, reconnaissance prospecting and contour soil sampling should be performed in other parts of the property where geochemical data is sparse or non-existent.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton, B.Sc., GIT

REFERENCES

Abbott, G.
1990 Geology Map of Mount Westman Map Area (106D/1); Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1990-1.

Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.

Burgoyne, A.A. and Giroux, G.H.
2011 Technical report and mineral resource estimate on Marg volcanogenic massive sulphide deposit, Mayo Mining District, Y.T.; prepared for Redtail Metals Corp.

Carne, R.C. and Giroux, G.
2007 Technical report describing geology, geochemistry, geophysics, diamond drilling and resource estimation at the Marg project; prepared for Yukon Gold Corporation Inc. by Archer, Cathro & Associates (1981) Limited.

Cathro, R.J.
1975 Final report on Pelly project; prepared for Union Oil Company of Canada Ltd. by Archer, Cathro & Associates Ltd.

1988 Summary report of the 1988 field season at the Marg property, Mayo Mining District, Y.T.; prepared for NDU Resources Ltd., Assessment Report # 092862.

Cathro, R.J. and Main, C.A.
1982 Report on geological, geochemical and petrographic surveys at the Marg Target, Mayo Mining District, Y.T.; prepared for Z-X Sentinel Joint Venture, Assessment Report # 091452.

Chakungal, J. and Bennett, V.
2011 New bedrock geology of the Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project; Yukon Geological Survey, Yukon Exploration and Geology 2010, p. 55-87.

Colpron, M.
2012 Preliminary Observations on the Geology of the Rackla Belt, Mount Ferrell Map Area (NTS 106C/03), Central Yukon; Yukon Geological Survey, Yukon Exploration and Geology 2011, p. 27-43.

Colpron, M., Moynihan, D., Israel, S. and Abbott, G.
2013 Bedrock geology of the Rackla belt (106D/1 and 106C/1-4), southern Nadaleen map area; Yukon Geological Survey, poster.

Green, L.C.
1972 Geology of Nash Creek, Larsen and Dawson Map Areas, Yukon Territory; Geological Survey of Canada, Memoir 364, pp 157.

Hornbrook, E.H.W., Friske, P.W.B., Lynch. J.J., McCurdy, M.W., Gross, H., Galletta, A.C., Durham, C.C.
1990 National geochemical reconnaissance stream sediment and water geochemical data, East Central Yukon (106D, parts of 106C, 106E and 106F); Geological Survey of Canada, Open File 2175,

McIntyre, J.F.
1966 Assessment report for the A, B, C, MK and JAB claims, Mayo Mining District, Y.T.; prepared for Arivaca Explorations Limited, Assessment Report # 017476.

Morton, J.
2014 Assessment report describing prospecting and geochemical sampling on the Wand property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.

2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia, and Northwest Territories

3. I am a Geoscientist in Training (G.I.T.) with the Association of Professional Engineers and Geoscientists of British Columbia.

4. I supervised the field program and have interpreted all data resulting from this work.



J. Morton, B.Sc., GIT

APPENDIX II

STATEMENTS OF EXPENDITURES

Statement of Expenditures
Wand 1-126 Mineral Claims
January 21, 2015

Labour

D. Eaton (geologist) 19 hours March to December at $120/hr	$ 2,394.00
H. Burrell (geologist) 15 5/8 days March to December at $768/day	12,600.00
J. Morton (geologist) 26 1/8 days March to December at $592/day	16,239.30
J. Thomson-Gladish (field assistant) 9 days March to December at $440/day	4,158.00
S. Newman (office) 4 3/4 days March to December at $496/day	2,473.80
L. Smith (office) 6 7/8 days March to December at $496/day	3,580.50
	41,445.60

Expenses (including management)

Field room and board – 31 mandays @ $180/manday	6,327.72
Fireweed Helicopters – 1.6 hours Bell 206LR at $1,250/hr plus fuel	8,030.73
Alkan Air	1,636.36
ALS Chemex	11,867.63
	27,862.44

Total $69,308.04

369 samples at $69,308.04 = 187.83/sample

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: Wand Year: 2014

Sample Number:	M898831	UTM:	554106	mE	Nad83, Zone 8
Elevation:	1593 m	UTM:	7101136	mN	

Comments: Specimen sample (20x20x10 cm) from talus schute beside 1210 ppm arsenic-in-soil. Manganese stained silicified volcanic altered with limonite, disseminated pyrite (fresh and tarnished). Angular white quartz phenocrysts.

Sample Number:	M898832	UTM:	554104	mE	Nad83, Zone 8
Elevation:	1596 m	UTM:	7101129	mN	

Comments: Specimin grab of weathering maroon to brown, altered medium grained feldspar-hornblende gabbro with disseminated fine grained pyrrhotite throughout.

Sample Number:	M898833	UTM:	554093	mE	Nad83, Zone 8
Elevation:	1590 m	UTM:	7101113	mN	

Comments: Specimen grab of weathering maroon to brown and manganese stained, powdery and pitted quartz-gabbro breccia, with narrow (< 1 mm) harline veinlets that weather maroon-brown.

Sample Number:	M898834	UTM:	554099	mE	Nad83, Zone 8
Elevation:	1615 m	UTM:	7101112	mN	

Comments: Chip sample (1.5 m) of dark green matrix gabbro with pale green stained feldspar laths < 3mm. About <5% disseminated pyrrhotite. Sample forms horizon within larger outcrop.

Sample Number:	M898835	UTM:	554097	mE	Nad83, Zone 8
Elevation:	1604 m	UTM:	7101120	mN	

Comments: Specimen sample 50 x 30 x 20 cm. Manganese and limonite stained gabbro with < 5% wispy, banded pyrite and non-magnetic pyrrhotite. Abundant in gully.

Sample Number:	M898836	UTM:	554087	mE	Nad83, Zone 8
Elevation:	1615 m	UTM:	7101113	mN	

Comments: Specimin grab of weathering orange to brown to maroon and managese stained, silicified gabbro with disseminated very fine grained pyrrhotite throughout.

Rock Sample Descriptions Property: Wand Year: 2014

Sample Number:	M898837	UTM:	554085	mE	Nad83, Zone 8
Elevation:	1620 m	UTM:	7101111	mN	
Comments:	Specimin grab of white bull quartz vein.				

Sample Number:	M898838	UTM:	554027	mE	Nad83, Zone 8
Elevation:	1605 m	UTM:	7101133	mN	
Comments:	Specimin grab of rock with the same lithology as sample M898836, with trace fine grained chalcopyrite in blebs and as stringers.				

Sample Number:	M898839	UTM:	554054	mE	Nad83, Zone 8
Elevation:	1624 m	UTM:	7101119	mN	
Comments:	Specimen (20x30x20 cm) from talus slope. Slightly nubbly weathering surface with brown to grey coat. Fresh surface is pale grey, homogeneous with abundant fractures. Deep orange limonite (live) and dark to irridescent purple stain. Rare manganese dendrites. Possibly siltstone or exhalite(?).				

Sample Number:	M898840	UTM:	554065	mE	Nad83, Zone 8
Elevation:	1621 m	UTM:	7101104	mN	
Comments:	Specimen sample off 1.2x1x0.75 m block. Orange, very nubbly volcaniclastic (?). Pale brown to light grey matrix with black phenocrysts of ?? (rounded). Abundand mm-scale quartz veinlets. Rare orange tarnish within freshly broken surfaces				

Sample Number:	M898841	UTM:	553997	mE	Nad83, Zone 8
Elevation:	1615 m	UTM:	7101113	mN	
Comments:	Chip sample (70 cm) across quartz vein cutting marginal phase of gabbro. Extremely pitted and limonitic. Dark grey bands of sulphide (?). Quartz vein continues to ridge through shale, but is not mineralized in the seds. Orientation of the vein is 004/72E.				

Sample Number:	M898842	UTM:	553934	mE	Nad83, Zone 8
Elevation:	1600 m	UTM:	7101133	mN	
Comments:	Specimen grab of weathering brown, feldspar-hornblende gabbro, with disseminated fine grained pyrrhotite throughout. Collected from a 40 x 30 x 30 cm boulder.				

Rock Sample Descriptions Property: Wand Year: 2014

Sample Number:	M898843	UTM:	553890	mE	Nad83, Zone 8
Elevation:	1603 m	UTM:	7101157	mN	
Comments:	Specimin grab of orange-brown weathering and manganese stained, punky and oxidized, black quartz-carbonate-gabbro breccia. Collected from a 15 cm thick seam.				

Sample Number:	M898844	UTM:	553890	mE	Nad83, Zone 8
Elevation:	1604 m	UTM:	7101157	mN	
Comments:	Specimin grab of vuggy and orange weathering, white carbonate with vugs filled with earthy black goethite. Collected from a 15 cm thick seam.				

Sample Number:	M898845	UTM:	553902	mE	Nad83, Zone 8
Elevation:	1512 m	UTM:	7101255	mN	
Comments:	Specimen sample from talus (20x20x30 cm) silicified, pale green volcanic rock with rare white quartz (angular). Mineralization comprises 5 to 10% disseminated pyrite and pyrrhotite. Rusty weathering surface.				

Sample Number:	M898846	UTM:	554358	mE	Nad83, Zone 8
Elevation:	1616 m	UTM:	7101070	mN	
Comments:	Specimen grab of orange-brown brecciated oxide, collected out of a narrow cm-scale quartz-carbonate seam through gabbro country rock. The carbonate exhibits wispy mm-scale laminations.				

Sample Number:	M898847	UTM:	554374	mE	Nad83, Zone 8
Elevation:	1610 m	UTM:	7101067	mN	
Comments:	Specimen sample - 20 x 30 x 30 cm. Rusty weathering surfaces. Altered gabbro with few feldspar crystals. Blebby disseminated pyrrhotite and stringers of pyrrhotite.				

Sample Number:	M898848	UTM:	554342	mE	Nad83, Zone 8
Elevation:	1605 m	UTM:	7101099	mN	
Comments:	Specimen sample - 10 x 15 x 20 cm. Rusty surfaces. Altered gabbro with disseminated pyrrhotite, stringers of pyrrhotite, wisps (< 1 mm) of pyrite and bands (< 5 mm) of vuggy limonite.				

Sample Number:	M898849	UTM:	554338	mE	Nad83, Zone 8
Elevation:	1591 m	UTM:	7101085	mN	

Comments: Specimen grab of weathering maroon-brown,managese stained and with a pale grey clay on fracture surfaces, dark grey-green gabbro with disseminated fine grained pyrrhotite throughout, and lesser disseminated fine grained pyrite and hairline stringers of pyrite. Collected from a 15 x 15 x 10 cm boulder.

Sample Number:	M898850	UTM:	554310	mE	Nad83, Zone 8
Elevation:	1606 m	UTM:	7101111	mN	

Comments: Composite grab sample of 18 pieces (all < 4cm3) of intense limonite-goethite (no residual sulphides). Yellow-orange-red-purple with banded textures. Traced to bottom of gabbro outcrop (steep). Gossanous stain on outcrop wall 10 m south.

Sample Number:	M898851	UTM:	554261	mE	Nad83, Zone 8
Elevation:	1540 m	UTM:	7101203	mN	

Comments: Specimen sample (10 x 6 x 6 cm) - rare. Bright orange with rare red patches. Almost ferrocrete with angular grey siltstone fragments.

Sample Number:	M898852	UTM:	554228	mE	Nad83, Zone 8
Elevation:	1534 m	UTM:	7101196	mN	

Comments: Specimen grab of punky dark black brecciated shale, with narrow (<1 cm) quartz veinlets that weather limonitic. Collected in a talus chute.

Sample Number:	M898853	UTM:	554243	mE	Nad83, Zone 8
Elevation:	1560 m	UTM:	7101152	mN	

Comments: Specimen from talus chute. Size - 10 cm2, nubbly and sooty black shale with orange disseminations.

Sample Number:	M898854	UTM:	554235	mE	Nad83, Zone 8
Elevation:	1568 m	UTM:	7101134	mN	

Comments: Composite grab of rock with the same lithology as sample M898852. Collected in a talus chute.

Sample Number:	M898855	UTM:	554244	mE	Nad83, Zone 8
Elevation:	1589 m	UTM:	7101118	mN	

Comments: Specimen grab of managese stained, punky and limonitic, dark grey-green gabbro, with sparse very fine grained chalcopyrite and trace fine grained malachite.

Sample Number:	M898856	UTM:	554254	mE	Nad83, Zone 8
Elevation:	1625 m	UTM:	7101080	mN	

Comments: Specimen sample (4 x 10 x 15 cm) - quartz-flooded shale with pyrite casts, thin goethite bands, bright white to orange oxidation and minor manganese stain.

Sample Number:	M898857	UTM:	554243	mE	Nad83, Zone 8
Elevation:	1615 m	UTM:	7101087	mN	

Comments: Specimen sample (6 x 15 x 15 cm) within dominantly gabbro talus. Vuggy quartz vein with abundant limonite bands. Pockets with clorite alteration or clots, rare calcite stringers, 'burnt' honeycomb limonite and trace pyrrhotite.

Sample Number:	M898858	UTM:	554255	mE	Nad83, Zone 8
Elevation:	1619 m	UTM:	7101087	mN	

Comments: Composite grab of maroon to orange, punky oxide with masses of coarse grained pyrite. No rep.

Sample Number:	M898859	UTM:	554431	mE	Nad83, Zone 8
Elevation:	1603 m	UTM:	7101024	mN	

Comments: Specimen grab of weathering brown to orange, quartz-shale breccia with clasts of well laminated black shale.

Sample Number:	M898860	UTM:	554458	mE	Nad83, Zone 8
Elevation:	1559 m	UTM:	7101064	mN	

Comments: Specimen grab of rock with the same lithology as sample M898860. Collected in a steep scree slope.

Rock Sample Descriptions Property: Wand Year: 2014

Sample Number:	M898861	UTM:	554513	mE	Nad83, Zone 8
Elevation:	1515 m	UTM:	7101088	mN	

Comments: Specimen sample (20 cm3) from talus field quartz brecciated siltstone to volcaniclasic. Abundant limonite, veinlets and open space fillings. No visible sulphides.

Sample Number:	M898862	UTM:	554492	mE	Nad83, Zone 8
Elevation:	1519 m	UTM:	7101091	mN	

Comments: Specimen sample (20 x 10 x 10 cm). Limonitic, altered gabbro. Feldspars are brown, almost clay altered with bands of well defined live limonite. Definitely the most interesting stuff in the area.

Sample Number:	M898863	UTM:	554529	mE	Nad83, Zone 8
Elevation:	1535 m	UTM:	7101063	mN	

Comments: Composite grab of weathering brick-red, strongly altered black gabbro with rare fine granied brassy and prismatic mineralization.

Sample Number:	M898864	UTM:	554526	mE	Nad83, Zone 8
Elevation:	1548 m	UTM:	7101047	mN	

Comments: Specimen sample (10x20x20 cm). Crackle quartz breccia of black shale. Limonite stringers and disseminated clots of limonite.

Sample Number:	M898865	UTM:	553169	mE	Nad83, Zone 8
Elevation:	1274 m	UTM:	7102200	mN	

Comments: Subcrop sample (70 cm) from 1 by 3 m exposure near 346 ppb gold-in-soil sample. Brown to grey chert with <3 cm rusty quartz veins and cross-cutting 2 mm vuggy veins (all limonite-filled).

Sample Number:	M898866	UTM:	553173	mE	Nad83, Zone 8
Elevation:	1273 m	UTM:	7102195	mN	

Comments: Specimen sample, excavated from a shallow pit, of punky brick-red weathering, well healed breccia with clasts of shale and chert in a matrix of quartz, and with sparse very fine grained powdery dark green mineralization.

Sample Number:	M898867	UTM:	552857	mE	Nad83, Zone 8
Elevation:	1192 m	UTM:	7102371	mN	

Comments: Specimen sample 15 cm3 - blocky from vegetated talus chute. Silica flooded gabbro (?). Few relict textures remain. Disseminated chalcopyrite and black to grey sulphide (?) with rare black oxide and pale green scorodite. Minot limonite fractures. Moderately abundant in talus within vegetation below cliffs.

Sample Number:	M898868	UTM:	552865	mE	Nad83, Zone 8
Elevation:	1201 m	UTM:	7102367	mN	

Comments: Specimen sample of a rock with the same lithology as sample M898867, but with an increased abundance of chalcopyrite. Collected from a 30 x 20 x 15 cm boulder.

Sample Number:	M898869	UTM:	554729	mE	Nad83, Zone 8
Elevation:	1457 m	UTM:	7100661	mN	

Comments: Specimen sample from talus in avi chute. West of camp 30 x 40 x 20 cm sample of very heavy, silicified siltstone (pale blue with concentric laths that form almost circular prism). Coarse <5 mm pyrite cubes with tarnished surface. Heavy.

Sample Number:	M898870	UTM:	554747	mE	Nad83, Zone 8
Elevation:	1447 m	UTM:	7100686	mN	

Comments: Specimen sample (40 x 30 x 30 cm) from beneath shale scree/soil in avi path west of camp. Near '871. Block is very silicified, contains laths of dark grey silica. Limonitic/rusty fractures and coarse pyrite cubes. If I was ever going to label something as a "silica cap" this sample would be it!

Sample Number:	M898871	UTM:	554694	mE	Nad83, Zone 8
Elevation:	1448 m	UTM:	7100638	mN	

Comments: Specimen sample of intensly orange and limonitic shale breccia, with euhedral fine to coarse grained pyrite and pyrite casts and quartz veinlets (< 1 cm thick). Collected in a steep talus slope from a 15 x 10 x 10 cm boulder.

Sample Number:	M898872	UTM:	554246	mE	Nad83, Zone 8
Elevation:	1602 m	UTM:	7101089	mN	

Comments: Specimen sample (15x10x30 cm). Rough surface weathering, orange to brown siltstone with abundant hairline fractures filled with limonite plus black speckles. One surface has goethite and honeycomb limonite textures. Specimen from shale slope.

Sample Number:	M898873	UTM:	554261	mE	Nad83, Zone 8
Elevation:	1618 m	UTM:	7101082	mN	

Comments: Specimen sample of brecciated quartz vein with a sheared surface and clasts of dark green shale(?) with masses of very fine grained dark steel coloured specular haematite(?) and sparse fien grained chalcopyrite. Collected from a 40 x 40 x 30 cm boulder on a steep talus slope.

Sample Number:	M898874	UTM:	554262	mE	Nad83, Zone 8
Elevation:	1615 m	UTM:	7101080	mN	

Comments: Composite sample of weathering maroon-brown and manganese stained, silica-flooded gabbro with rounded grains of quartz, masses of fine to medium grained pyrite and earthy black goethite. Mostly collected from a fist sized piece of float on a steep talus slope. (Note: rep contains no visible mineralization).

Sample Number:	M898875	UTM:	554237	mE	Nad83, Zone 8
Elevation:	1484 m	UTM:	7101278	mN	

Comments: Composite grab sample from talus. Twenty pieces (<5 cm3) of limonite and glassy goethite. No rep sample.

Sample Number:	M898876	UTM:	554195	mE	Nad83, Zone 8
Elevation:	1439 m	UTM:	7101315	mN	

Comments: Specimen grab of orange to brown weathering, punky and limonitic shale breccia with very fine grained pits throughout. Collected in a steep talus chute.

Rock Sample Descriptions Property: Wand Year: 2014

Sample Number:	M898877	UTM:	554188	mE	Nad83, Zone 8
Elevation:	1405 m	UTM:	7101397	mN	

Comments: Specimen sample (40x50x30 cm). Angular, very rusty weathering surface. Silicified volcanic (?) with quartz phenocrysts. Pale to medium green colour. Disseminated and fracture filling pyrite and tarnished pyrite with trace pyrrhotite. Total sulphides less than 3%.

Sample Number:	M898878	UTM:	554167	mE	Nad83, Zone 8
Elevation:	1400 m	UTM:	7101396	mN	

Comments: Specimen sample (70x35x40 cm). Quartz vein with brecciated shale clasts. Differentially weathered surface. Chalcopyrite coarsely disseminated in quartz. Edge of vein/boulder is a 7 cm thick band of limonite with calcite crystals and abundant fine bands of magnetite, sphalerite, pyrite and chalcopyrite. Total sulphides approximately 10%. Best sample yet. Large rep taken.

Sample Number:	M898879	UTM:	554095	mE	Nad83, Zone 8
Elevation:	1406 m	UTM:	7101417	mN	

Comments: Specimen grab of weathering orange to brown and managese stained, very fine grained pale grey-green intrusive with large masses of fine grained pyrite on fracture surfaces and hairline stringers of pyrite.

Sample Number:	M898880	UTM:	553934	mE	Nad83, Zone 8
Elevation:	1547 m	UTM:	7101215	mN	

Comments: Specimen sample (10x10x15 cm) below outcrop in talus chute. Rusty, limonitic silicified volcanic (?) trace disseminated pyrrhotite and pyrite. Rusty to bleached white 'rind' on edge - possibly remnants of quartz vein?

Sample Number:	M898881	UTM:	553927	mE	Nad83, Zone 8
Elevation:	1549 m	UTM:	7101202	mN	

Comments: Composite grab sample of 12 pieces < 5 cm3 of punky limointe to clay (white) with bands of glassy goethite and dark green volcanic with quartz eyes. Continuing up talus from '880.

Rock Sample Descriptions Property: Wand Year: 2014

Sample Number:	M898882	UTM:	553939	mE	Nad83, Zone 8
Elevation:	1570 m	UTM:	7101182	mN	

Comments: Specimen sample of weathering orange to maroon, limonitic and managese stained, chlorite-quartz altered gabbro(?) with disseminated fine grained pyrite and pyrrhotite throughout. Collected in a steep talus chute.

Sample Number:	M898883	UTM:	553911	mE	Nad83, Zone 8
Elevation:	1587 m	UTM:	7101139	mN	

Comments: Specimen sample of a rock with the same lithology as sample M898882. Collected near the top of a talus chute.

Sample Number:	M898884	UTM:	553908	mE	Nad83, Zone 8
Elevation:	1597 m	UTM:	7101141	mN	

Comments: Specimen sample of selected intensly punky, orange to brown to maroon and strongly limonitic and managese stained rock from a boulder of rock with the same lithology as sample M898882. The boulder is approximately 50 x 60 x 30 cm in size.

Sample Number:	M898885	UTM:	553908	mE	Nad83, Zone 8
Elevation:	1597 m	UTM:	7101141	mN	

Comments: Specimen sample of intensly punky, limonitic and managese stained oxide removed from seam through gabbro country rock about 40cm wide.

Sample Number:	M898886	UTM:	553920	mE	Nad83, Zone 8
Elevation:	1556 m	UTM:	7101180	mN	

Comments: Composite grab sample of four pieces from talus chute. All pieces <10 cm2. Pale grey siliceous rock with trace chlorite blebs and disseminated pyrite with rare chalcopyrite. Punky, pale white to grey zones.

Sample Number:	M898887	UTM:	553891	mE	Nad83, Zone 8
Elevation:	1561 m	UTM:	7101173	mN	

Comments: Specimen sample (10x15x30 cm) of blocky, rusty weathering silica flooded dark green volcanic with quartz eyes. Disseminated fresh and tarnished pyrite. Irregular stringers and masses of tarnished pyrite. Total sulphides ~5%.

Sample Number:	M898888	UTM:	554144	mE	Nad83, Zone 8
Elevation:	1630 m	UTM:	7101080	mN	

Comments: Composite chip sample of four pieces over three metres in talus. Ferrocrete cementing sub-rounded (<1 cm) pieces of siltstone. Minor goethite. No visible sulphides. No rep taken.

Sample Number:	M898889	UTM:	554153	mE	Nad83, Zone 8
Elevation:	1636 m	UTM:	7101084	mN	

Comments: Specimen sample of orange to brown weathering and limonitic quartz breccia, with clasts of siltstone, a sugary and pitted texture, and a pale yellow-green staining.

Sample Number:	M898890	UTM:	554194	mE	Nad83, Zone 8
Elevation:	1651 m	UTM:	7101048	mN	

Comments: Specimen sample from shale slope within 20 m of ridge. Rock is 20x35x15 cfm of silicified shale with 4 mm cross-cutting quartz veinlets and fractures coated in pyrite casts with white-yellow-orange-green (almost scorodite) alteration.

Sample Number:	M898891	UTM:	554526	mE	Nad83, Zone 8
Elevation:	1581 m	UTM:	7100755	mN	

Comments: Specimen sample (35 x 30 x 25 cm). Dark grey radiating silica crystals. Disseminated fine grained pyrite. Heavy - found within shale scree slope.

Sample Number:	M898892	UTM:	554587	mE	Nad83, Zone 8
Elevation:	1544 m	UTM:	7100918	mN	

Comments: Specimen sample of a blocky and dark black, carbonaceous shale with limonitic pits throughout and narrow mm-scale quartz veinlets. Excavated out of a shallow pit.

Sample Number:	M898893	UTM:	554634	mE	Nad83, Zone 8
Elevation:	1512 m	UTM:	7100870	mN	

Comments: Specimen sample from shale scree (10 x 20 x 20 cm). Silicified siltstone with weak breccia textures (crackle). Limonitic cross-cutting fractures with speckles of limonite throughout.

Sample Number:	M898894	UTM:	554465	mE	Nad83, Zone 8
Elevation:	1567 m	UTM:	7101055	mN	

Comments: Specimen sample of a narrow (~10 cm) seam of quartz-carbonate vein through gabbro country rock with dark green chloritized selvages of gabbro and trace very fine granied pyrite and malachite in the selvages. Orientation of the vein is 216/60W.

Sample Number:	M898895	UTM:	554465	mE	Nad83, Zone 8
Elevation:	1570 m	UTM:	7101045	mN	

Comments: Specimen sample of earthy, limonitic and vuggy orange-brown, strongly oxidized quartz vein with very sparse fine grained malachite and chalcopyrite.

Sample Number:	M898896	UTM:	554640	mE	Nad83, Zone 8
Elevation:	1488 m	UTM:	7100776	mN	

Comments: Specimen sample (8 x 10 x 15 cm). Punky, limonitic vein (?) with <2 mm goethite patches. Rare siltstone clasts 'fried' looking with brown to maroon 'live limonite'.

Sample Number:	M898897	UTM:	554616	mE	Nad83, Zone 8
Elevation:	1516 m	UTM:	7100770	mN	

Comments: Specimen sample (20x20x15 cm). Grey, silicified prismatic crystals with coarse tarnished pyrite and silvery, concoidally fractured fresh sulphides. Large voids with powdery black oxide (?). Possibly a concretion? One edge may be rounded with radiating crystals outwards.

Sample Number:	M898898	UTM:	554584	mE	Nad83, Zone 8
Elevation:	1547 m	UTM:	7100419	mN	

Comments: Specimen sample of quartz vein breccia through siltstone, with vugs filled with limonite and earthy chocolate-brown masses. Collected on a steep talus slope.

APPENDIX IV

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

CERTIFICATE WH14125430

Project: WAND

This report is for 68 Rock samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M898831		2.01	0.005	0.36	1.96	1.5	<0.2	<10	40	0.22	0.49	0.63	0.36	28.6	13.3	<1
M898832		0.56	0.008	2.05	1.98	3.7	<0.2	<10	20	0.24	0.53	0.72	9.80	31.4	53.0	<1
M898833		1.17	0.005	0.98	2.09	4.3	<0.2	<10	30	0.23	0.86	0.47	0.40	20.8	2.9	<1
M898834		1.32	0.007	0.20	3.57	0.7	<0.2	<10	100	0.18	0.27	0.97	0.36	17.65	70.9	<1
M898835		2.01	0.008	1.04	2.01	1.5	<0.2	<10	30	0.17	0.66	0.99	3.20	36.4	31.3	<1
M898836		1.73	0.071	0.22	3.39	1.5	<0.2	<10	40	0.18	0.27	0.93	0.32	12.80	76.5	1
M898837		1.12	0.001	0.02	0.28	1.4	<0.2	<10	20	<0.05	0.19	7.57	0.17	1.62	3.0	5
M898838		1.38	0.003	0.40	2.42	11.8	<0.2	<10	20	0.17	0.34	0.69	1.12	36.1	28.8	<1
M898839		1.19	0.002	0.14	1.68	5.2	<0.2	<10	350	0.33	0.25	0.15	9.69	42.9	40.6	25
M898840		1.58	0.001	0.01	0.17	0.5	<0.2	<10	20	0.08	0.13	2.84	0.06	0.81	80.4	224
M898841		1.77	0.003	0.35	3.14	17.1	<0.2	<10	120	0.59	0.23	0.53	7.12	40.0	35.8	44
M898842		2.15	0.004	0.28	3.35	0.5	<0.2	<10	100	0.17	0.21	0.81	0.60	23.1	58.6	<1
M898843		1.49	0.080	0.66	6.12	4530	<0.2	<10	90	0.66	0.59	1.35	29.8	17.20	49.0	39
M898844		1.24	0.007	0.29	0.13	334	<0.2	<10	40	0.05	0.22	>25.0	70.7	35.7	4.2	<1
M898845		2.22	0.008	0.86	1.63	41.6	<0.2	<10	30	0.41	0.37	0.43	2.49	22.2	14.3	11
M898846		1.06	0.177	1.62	6.72	4530	0.2	<10	50	0.38	1.67	0.95	110.0	43.6	49.6	<1
M898847		1.69	0.051	0.22	4.45	8.1	<0.2	<10	60	0.19	0.05	1.00	0.35	11.55	53.6	1
M898848		1.23	0.019	0.33	4.70	53.6	<0.2	<10	30	0.42	0.26	1.22	3.25	13.65	69.4	5
M898849		1.71	0.072	0.85	4.02	600	<0.2	<10	50	0.21	1.33	0.73	13.35	14.30	56.3	3
M898850		1.04	0.303	5.86	4.37	7700	0.4	<10	110	0.31	11.30	1.06	98.8	12.25	63.2	25
M898851		0.41	0.004	0.57	0.70	28.0	<0.2	<10	180	0.48	0.12	0.05	1.68	14.30	3.7	9
M898852		1.00	0.008	1.80	1.48	98.0	<0.2	<10	590	0.69	0.25	2.99	5.92	37.1	2.0	60
M898853		0.56	0.009	1.89	0.48	33.1	<0.2	<10	190	0.15	0.12	0.06	0.85	16.45	0.8	11
M898854		0.95	0.004	1.33	0.76	16.7	<0.2	<10	230	0.22	0.09	2.02	2.41	17.15	0.8	34
M898855		0.55	0.015	9.53	8.53	195.5	<0.2	<10	60	1.00	2.17	1.34	81.6	16.85	76.9	22
M898856		0.85	0.006	2.58	0.36	84.5	<0.2	<10	250	0.30	0.09	0.02	3.77	13.00	1.0	21
M898857		1.29	0.020	4.49	1.20	1480	<0.2	<10	20	0.07	0.52	1.39	66.5	2.00	19.7	3
M898858		0.70	0.004	0.52	3.07	22.7	<0.2	<10	130	0.31	0.16	0.99	1.03	24.7	31.1	1
M898859		0.89	0.003	0.31	0.72	16.9	<0.2	<10	220	0.18	0.24	0.04	0.74	14.70	1.6	11
M898860		1.00	0.003	0.44	1.03	27.5	<0.2	<10	200	0.34	0.44	0.04	1.52	15.85	3.6	12
M898861		1.27	<0.001	0.19	0.56	4.1	<0.2	<10	150	0.10	0.11	0.01	0.18	14.65	1.0	19
M898862		0.72	0.014	0.61	5.43	367	<0.2	<10	70	0.44	0.20	0.69	10.50	23.5	29.4	2
M898863		0.96	0.010	0.19	2.58	12.8	<0.2	<10	630	0.25	0.04	1.01	1.33	16.05	30.4	1
M898864		0.57	0.004	0.15	0.71	4.5	<0.2	<10	120	0.16	0.12	0.17	1.26	9.17	1.2	11
M898865		1.18	0.002	0.03	0.44	9.2	<0.2	<10	10	<0.05	0.35	0.02	0.18	4.84	2.8	15
M898866		0.77	<0.001	0.01	0.06	2.6	<0.2	<10	80	0.05	0.02	8.88	0.15	1.29	47.2	112
M898867		1.46	0.001	0.32	2.07	4.9	<0.2	<10	60	0.17	0.12	0.64	3.24	23.1	20.0	4
M898868		1.43	0.002	0.47	2.56	3.4	<0.2	<10	100	0.13	0.17	0.82	8.10	28.9	37.5	2
M898869		1.48	0.002	0.12	0.20	0.9	<0.2	<10	1230	0.13	0.18	0.02	0.03	8.55	1.0	5
M898870		2.89	0.003	0.13	0.13	0.8	<0.2	<10	980	<0.05	0.10	0.01	0.04	3.49	2.3	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M898831		0.38	177.0	8.80	19.10	0.15	0.22	0.01	0.088	0.02	10.9	17.1	1.63	570	1.60	0.04
M898832		0.34	969	20.8	13.25	0.33	0.08	0.04	0.274	0.02	11.6	20.7	1.88	468	5.54	0.02
M898833		0.16	97.5	10.30	19.35	0.27	0.16	0.10	0.434	0.01	8.3	19.3	1.82	416	4.54	0.02
M898834		2.74	364	13.85	16.05	0.28	0.40	<0.01	0.033	0.02	7.0	19.8	2.17	919	0.65	0.02
M898835		0.54	615	9.16	17.35	0.22	0.23	0.01	0.083	0.02	13.5	18.4	1.68	574	2.56	0.04
M898836		8.23	409	14.15	17.20	0.25	0.42	<0.01	0.038	0.05	4.7	12.8	1.95	898	0.74	0.02
M898837		0.05	12.6	0.83	1.38	<0.05	<0.02	<0.01	0.011	<0.01	0.6	3.6	0.18	273	0.10	0.01
M898838		0.27	312	8.97	12.95	0.19	0.21	0.01	0.091	0.01	13.9	16.6	1.08	745	1.04	0.03
M898839		1.03	273	3.17	5.31	0.06	0.26	0.02	0.017	0.17	14.5	28.8	0.89	757	4.24	0.02
M898840		0.07	5.9	3.18	0.44	<0.05	<0.02	0.02	0.005	0.01	0.3	4.6	19.20	430	0.09	0.01
M898841		0.26	191.0	6.33	10.65	0.17	0.24	0.05	0.053	0.01	16.9	25.5	1.87	683	0.59	0.02
M898842		1.33	479	12.30	14.05	0.23	0.32	<0.01	0.030	0.01	9.2	12.2	2.07	874	0.85	0.02
M898843		0.33	531	16.85	28.9	0.32	0.08	1.07	7.04	<0.01	6.9	48.4	5.98	2390	5.63	0.01
M898844		<0.05	92.1	0.87	1.41	0.08	<0.02	0.45	2.92	<0.01	16.7	0.9	0.16	3730	0.17	0.01
M898845		0.29	214	7.33	13.95	0.21	0.19	0.06	0.131	0.02	8.7	16.9	1.65	505	1.75	0.04
M898846		0.16	771	23.2	24.6	0.50	0.19	0.53	2.45	<0.01	18.9	39.8	4.52	1800	1.67	<0.01
M898847		0.28	306	14.30	18.10	0.34	0.35	0.01	0.036	0.01	4.4	17.4	2.46	1100	0.43	0.01
M898848		0.88	295	15.45	22.8	0.31	0.45	0.01	0.078	0.01	4.7	20.2	2.82	982	0.67	0.01
M898849		1.16	348	12.60	22.4	0.25	0.24	0.03	0.194	0.01	5.2	16.3	2.05	846	0.64	0.01
M898850		0.32	1560	19.25	18.30	0.45	0.13	0.90	2.87	0.01	4.7	34.8	3.50	1280	0.94	<0.01
M898851		1.53	93.4	4.53	2.23	0.06	0.24	0.04	0.054	0.13	8.3	4.7	0.21	57	11.35	0.01
M898852		0.64	187.0	3.84	4.59	0.17	0.04	0.58	0.065	0.06	29.9	37.1	0.40	62	9.74	<0.01
M898853		0.79	21.3	1.29	1.64	0.07	0.08	0.07	0.027	0.06	10.2	5.7	0.20	55	10.60	0.01
M898854		0.38	29.9	2.15	2.11	0.08	0.08	0.07	0.037	0.07	11.9	6.3	0.18	30	9.43	<0.01
M898855		0.34	3920	17.85	32.7	0.40	0.20	0.60	0.783	<0.01	7.0	104.5	6.26	1680	0.92	<0.01
M898856		0.38	39.7	2.52	1.74	0.08	0.04	0.05	0.015	0.08	8.6	2.2	0.06	29	9.38	<0.01
M898857		0.07	1365	9.30	5.75	0.13	<0.02	0.65	3.21	<0.01	1.0	9.0	0.68	396	0.59	<0.01
M898858		0.39	286	11.15	15.90	0.17	0.27	0.04	0.093	0.04	9.8	22.9	1.69	801	1.48	0.02
M898859		0.24	27.3	2.14	1.99	<0.05	0.20	0.06	0.034	0.08	9.5	8.5	0.34	148	9.93	0.01
M898860		0.41	58.8	3.60	2.38	0.07	0.25	0.05	0.018	0.07	8.6	14.7	0.47	278	17.40	0.01
M898861		0.11	57.7	1.20	0.97	<0.05	0.15	0.11	0.042	0.06	8.4	3.6	0.07	26	4.93	<0.01
M898862		0.22	485	15.20	24.9	0.35	0.42	0.03	0.470	0.01	9.2	42.0	3.66	1100	0.85	0.01
M898863		2.26	233	7.59	10.45	0.15	0.24	<0.01	0.037	0.07	6.3	11.2	1.52	715	0.42	0.02
M898864		0.38	24.3	1.03	2.03	<0.05	0.24	0.05	0.032	0.09	4.6	9.3	0.28	89	12.20	<0.01
M898865		<0.05	30.4	1.13	2.61	<0.05	0.05	0.01	0.013	<0.01	2.8	7.3	0.31	123	0.95	0.01
M898866		0.13	1.7	3.19	0.19	<0.05	<0.02	0.27	<0.005	<0.01	0.6	1.0	7.39	834	0.14	0.01
M898867		0.14	324	6.25	12.05	0.21	0.38	0.02	0.139	0.01	8.9	13.7	1.48	574	1.30	0.02
M898868		0.16	658	7.04	12.15	0.19	0.32	0.04	0.227	0.01	11.5	17.2	1.79	580	1.38	0.03
M898869		0.15	45.1	0.67	0.39	<0.05	0.06	0.01	0.005	0.02	3.5	1.7	0.05	14	0.26	<0.01
M898870		0.11	24.9	0.45	0.40	<0.05	0.04	0.01	<0.005	0.01	1.7	0.9	0.04	46	0.47	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M898831		0.45	4.9	2490	6.8	0.9	0.001	2.98	<0.05	12.7	8.1	3.0	7.3	<0.01	0.03	1.4
M898832		0.23	10.9	3580	35.5	0.8	<0.001	>10.0	0.91	10.3	70.0	2.2	6.9	<0.01	0.12	0.2
M898833		1.40	2.2	3400	22.9	0.3	0.001	0.38	0.10	14.5	41.7	3.4	3.8	<0.01	0.06	0.4
M898834		0.18	64.6	1160	2.5	1.3	0.002	2.54	0.08	12.0	19.6	0.5	28.0	<0.01	0.02	0.3
M898835		0.61	6.9	4390	23.4	1.1	0.001	6.06	0.64	14.5	28.9	2.5	9.5	<0.01	0.07	1.5
M898836		0.18	80.3	900	2.9	4.1	0.002	2.98	0.09	12.9	18.6	0.4	26.6	<0.01	0.02	0.2
M898837		0.13	3.1	100	1.1	0.2	<0.001	0.05	<0.05	2.3	0.3	<0.2	94.9	<0.01	<0.01	<0.2
M898838		0.54	12.3	2410	13.0	0.8	0.001	1.36	0.08	15.2	11.6	1.0	6.9	0.01	0.02	1.2
M898839		0.15	111.5	300	4.6	9.3	0.001	0.03	0.16	3.3	2.1	0.6	3.8	<0.01	0.02	5.4
M898840		0.13	1855	40	0.9	0.3	<0.001	0.02	0.09	3.5	0.2	<0.2	63.4	<0.01	<0.01	<0.2
M898841		0.24	181.0	720	12.5	0.5	<0.001	0.03	0.05	13.6	2.8	0.5	12.5	<0.01	0.03	0.8
M898842		0.18	20.3	1610	2.2	0.8	0.001	2.57	<0.05	10.4	20.6	0.4	21.1	<0.01	0.01	0.4
M898843		0.10	38.6	680	4.1	0.1	0.001	1.61	39.1	29.5	17.5	1.9	16.9	<0.01	1.40	0.2
M898844		0.08	4.8	20	7.1	<0.1	<0.001	0.33	4.04	1.8	7.7	<0.2	749	<0.01	0.09	<0.2
M898845		0.67	6.0	960	45.7	0.8	0.001	3.64	1.18	10.0	26.4	1.8	3.8	0.01	0.08	1.7
M898846		0.06	164.0	1200	54.5	0.2	0.004	0.21	14.35	21.9	56.2	0.8	11.9	0.01	1.08	0.5
M898847		0.14	50.2	850	2.0	0.4	0.002	1.66	0.34	11.0	16.3	0.4	19.0	<0.01	0.02	0.2
M898848		0.14	86.8	840	6.1	0.4	0.002	1.64	0.46	22.7	15.6	1.2	7.7	<0.01	0.03	0.3
M898849		0.12	65.9	900	147.5	0.7	0.001	0.98	3.40	16.8	15.2	0.9	5.1	<0.01	0.29	0.3
M898850		0.15	36.2	580	876	0.4	0.001	1.63	49.7	19.2	73.9	1.2	24.3	<0.01	1.66	0.3
M898851		0.22	39.9	560	11.3	7.7	0.001	0.03	23.2	2.3	10.8	<0.2	18.7	<0.01	0.05	5.0
M898852		0.09	33.7	>10000	26.1	4.2	0.023	0.11	4.16	3.6	24.7	0.3	115.5	<0.01	0.08	1.6
M898853		0.07	5.0	1930	8.7	3.9	0.020	0.05	0.89	1.2	16.3	0.2	10.1	<0.01	0.05	2.1
M898854		0.08	20.3	>10000	15.7	4.2	0.018	0.03	5.88	1.9	12.0	0.2	80.0	<0.01	0.04	1.5
M898855		0.12	70.3	1040	307	0.1	0.001	0.82	0.52	29.3	22.9	1.3	13.5	<0.01	0.34	0.3
M898856		0.08	19.8	3910	10.7	4.3	0.039	0.06	11.90	1.0	21.2	0.2	11.9	<0.01	0.05	1.2
M898857		0.07	14.6	50	23.0	0.1	<0.001	0.60	10.40	2.4	33.4	<0.2	12.5	<0.01	0.41	<0.2
M898858		0.23	23.3	1580	15.7	2.0	0.001	2.30	8.02	21.2	13.9	1.3	11.6	<0.01	0.02	0.7
M898859		0.11	23.5	300	9.9	4.1	0.008	0.06	1.89	1.3	12.4	0.3	7.5	<0.01	0.03	2.6
M898860		0.25	115.5	410	38.7	3.8	0.014	0.04	1.96	1.5	15.9	0.4	4.3	<0.01	0.06	2.7
M898861		0.08	13.9	150	10.8	1.9	0.001	0.02	0.19	1.9	3.3	0.2	3.5	<0.01	0.01	2.0
M898862		0.24	26.9	1340	8.2	0.4	0.001	0.60	1.56	32.9	15.4	1.5	5.9	<0.01	0.14	0.4
M898863		0.17	22.0	1060	0.9	3.9	<0.001	0.04	0.21	12.0	1.9	0.5	28.8	<0.01	0.01	0.3
M898864		0.21	13.7	180	9.5	5.8	0.007	<0.01	0.30	1.2	4.9	0.2	3.1	<0.01	0.02	2.2
M898865		0.13	11.8	160	1.5	0.3	<0.001	0.02	0.33	2.1	1.0	<0.2	2.9	<0.01	0.08	0.6
M898866		0.12	554	120	0.4	0.3	<0.001	<0.01	0.09	2.8	<0.2	<0.2	241	<0.01	0.01	<0.2
M898867		0.78	13.1	1550	11.7	0.3	<0.001	0.79	0.11	16.6	11.3	0.8	3.7	0.01	0.06	1.1
M898868		0.51	13.7	2330	7.4	0.3	0.001	1.23	0.15	14.3	10.3	0.7	6.4	0.01	0.04	0.8
M898869		0.07	7.9	290	38.7	1.2	<0.001	0.07	0.10	0.7	0.6	<0.2	38.7	<0.01	0.03	0.5
M898870		0.07	4.3	100	8.1	1.0	<0.001	0.08	0.15	0.6	0.8	<0.2	68.9	<0.01	0.03	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Zn-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001
M898831		0.181	0.03	0.11	62	0.07	31.0	112	4.3		
M898832		0.036	0.08	0.05	34	<0.05	32.6	1260	1.4		
M898833		0.328	0.03	0.11	105	0.07	18.90	177	3.0		
M898834		0.562	0.02	0.05	679	0.19	17.60	168	8.8		
M898835		0.154	0.05	0.14	38	0.07	40.5	423	4.1		
M898836		0.619	0.03	<0.05	849	0.18	13.90	180	9.5		
M898837		0.009	<0.02	<0.05	31	<0.05	2.78	23	<0.5		
M898838		0.204	0.04	0.11	92	0.13	36.9	273	3.7		
M898839		0.023	0.18	2.03	122	<0.05	18.75	1840	8.3		
M898840		0.005	<0.02	<0.05	12	<0.05	1.18	14	0.5		
M898841		0.206	<0.02	3.08	192	0.05	46.3	1980	4.3		
M898842		0.319	0.02	0.06	244	0.11	22.4	189	6.4		
M898843		0.065	0.17	0.14	280	<0.05	38.5	4200	1.6		
M898844		<0.005	<0.02	<0.05	3	<0.05	48.8	8380	<0.5		
M898845		0.208	0.03	0.15	97	0.10	25.2	399	4.0		
M898846		0.263	0.09	0.99	400	0.07	93.3	>10000	3.7		1.110
M898847		0.716	0.02	0.05	652	0.31	12.00	220	8.7		
M898848		0.682	0.03	0.06	1240	0.16	18.50	497	10.6		
M898849		0.391	0.02	0.06	1080	0.11	15.45	1320	5.0		
M898850		0.214	0.05	0.05	457	0.09	17.10	>10000	3.2		1.600
M898851		0.022	0.19	2.31	50	<0.05	5.57	418	11.6		
M898852		0.007	0.09	14.20	501	0.26	61.3	626	3.1		
M898853		<0.005	0.11	3.59	138	0.18	4.54	90	4.3		
M898854		<0.005	0.11	8.49	306	0.18	22.8	237	5.0		
M898855		0.373	<0.02	0.22	401	0.10	18.00	>10000	4.2		1.120
M898856		0.005	0.22	4.36	204	0.09	11.65	447	2.1		
M898857		<0.005	<0.02	0.09	89	<0.05	5.60	8550	<0.5		
M898858		0.358	0.06	0.12	430	0.14	26.2	220	5.8		
M898859		0.009	0.09	3.58	100	0.11	6.84	262	9.9		
M898860		0.028	0.06	5.87	108	0.13	15.35	999	11.3		
M898861		0.005	0.03	1.17	98	0.05	2.51	196	6.2		
M898862		0.597	0.02	0.13	638	0.07	24.0	1640	9.0		
M898863		0.346	0.03	0.06	302	0.09	15.10	153	5.7		
M898864		0.019	0.07	4.27	141	0.09	3.89	155	9.5		
M898865		0.015	0.02	0.07	32	<0.05	1.11	36	1.8		
M898866		<0.005	<0.02	0.06	5	<0.05	0.45	21	<0.5		
M898867		0.317	<0.02	0.13	145	0.15	32.5	346	8.0		
M898868		0.324	<0.02	0.11	131	0.16	32.7	791	6.7		
M898869		<0.005	<0.02	0.25	4	<0.05	1.60	18	3.4		
M898870		<0.005	<0.02	0.25	3	<0.05	1.67	28	1.9		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
M898871		0.85	0.012	0.19	0.62	1.4	<0.2	<10	2380	0.34	0.35	0.01	0.08	10.00	4.3	10
M898872		1.07	0.005	0.83	0.81	220	<0.2	<10	1100	0.11	1.20	0.02	3.13	24.7	1.4	42
M898873		1.00	0.001	0.44	1.13	48.9	<0.2	<10	360	0.06	0.15	7.10	31.9	4.01	20.1	3
M898874		1.71	0.108	0.84	3.88	3320	<0.2	<10	110	0.24	0.89	0.56	33.2	17.80	34.6	45
M898875		0.76	0.033	1.65	1.42	34.2	<0.2	<10	220	0.45	0.26	0.12	3.78	16.20	7.3	51
M898876		0.97	0.003	0.31	2.24	42.8	<0.2	<10	270	0.63	0.12	0.08	2.48	34.2	10.5	32
M898877		1.58	0.001	0.39	1.82	2.7	<0.2	<10	100	0.24	0.07	0.60	0.54	31.3	21.4	2
M898878		1.54	0.176	5.81	1.76	5150	0.2	<10	30	0.20	3.71	12.55	299	15.00	104.0	<1
M898879		1.09	0.006	0.76	3.99	35.8	<0.2	<10	60	0.29	0.17	1.48	3.73	8.15	39.3	126
M898880		1.11	0.001	0.41	3.31	16.3	<0.2	<10	30	0.42	0.10	1.11	3.63	20.7	26.3	5
M898881		1.17	0.004	0.78	1.21	27.8	<0.2	<10	280	0.27	0.24	0.15	0.69	19.35	5.3	6
M898882		0.93	0.003	0.52	2.15	24.6	<0.2	<10	40	0.50	0.27	0.70	0.86	27.2	17.4	4
M898883		1.60	0.001	0.38	1.76	29.2	<0.2	<10	30	0.27	0.19	0.58	1.84	24.7	17.5	4
M898884		1.10	0.006	0.45	1.19	43.3	<0.2	<10	100	0.17	0.24	0.27	0.52	19.85	8.5	2
M898885		1.83	0.005	0.95	1.11	148.5	<0.2	<10	1550	0.23	0.13	0.18	6.31	26.5	26.2	6
M898886		1.28	0.002	0.94	0.94	8.3	<0.2	<10	30	0.26	0.07	0.21	3.34	21.7	6.0	8
M898887		0.97	0.001	0.32	1.71	3.1	<0.2	<10	30	0.31	0.07	1.68	0.99	22.5	20.4	8
M898888		0.85	0.001	0.24	0.81	12.8	<0.2	<10	170	0.28	0.53	0.01	0.69	21.0	1.0	18
M898889		1.31	<0.001	0.06	0.30	0.7	<0.2	<10	130	0.06	0.02	0.01	0.07	18.70	0.4	10
M898890		1.27	0.007	0.89	0.72	12.0	<0.2	<10	80	0.05	1.71	0.02	0.58	11.20	0.5	30
M898891		1.27	0.009	0.26	0.25	1.4	<0.2	<10	260	<0.05	0.05	0.35	0.03	5.56	4.0	3
M898892		0.98	0.005	0.11	0.61	9.6	<0.2	<10	1140	0.40	0.18	0.01	1.02	18.35	2.6	12
M898893		1.14	0.002	0.16	1.37	3.6	<0.2	<10	160	0.31	0.12	0.40	1.42	6.04	1.4	33
M898894		1.66	0.001	6.29	3.44	12.2	<0.2	<10	900	0.17	4.97	8.39	43.2	10.10	31.2	5
M898895		1.19	0.007	20.4	6.34	23.9	<0.2	<10	100	0.37	11.85	0.54	17.20	12.45	21.3	<1
M898896		0.96	0.046	0.31	0.47	19.1	<0.2	<10	60	0.16	0.23	0.01	0.11	7.91	1.4	12
M898897		1.32	0.004	0.24	0.27	4.5	<0.2	<10	270	0.07	0.19	0.09	0.21	6.05	2.2	11
M898898		1.12	0.015	0.08	0.75	27.6	<0.2	<10	480	0.08	0.05	0.05	0.39	3.40	11.2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
M898871		0.16	127.5	1.98	1.01	<0.05	0.06	0.01	0.013	0.02	3.9	4.2	0.27	68	0.20	0.01
M898872		0.18	95.6	3.71	6.06	0.11	0.24	0.09	0.403	0.03	14.9	7.7	0.38	81	5.75	0.06
M898873		<0.05	153.0	3.00	4.32	0.05	0.02	0.12	0.261	<0.01	1.8	10.7	0.76	500	0.16	0.01
M898874		0.41	360	10.10	16.35	0.18	0.12	0.18	1.025	0.01	7.0	31.6	3.18	835	0.77	0.02
M898875		0.49	204	20.7	12.80	0.22	0.40	0.30	0.349	0.05	7.7	7.6	0.85	130	10.80	0.03
M898876		0.87	61.8	5.65	5.40	0.07	0.50	0.02	0.052	0.18	20.4	34.5	1.12	269	2.55	0.04
M898877		0.27	260	8.12	11.60	0.15	0.20	0.05	0.090	0.03	12.3	7.0	0.98	594	1.18	0.04
M898878		0.10	2290	16.70	8.55	0.32	0.02	1.02	3.24	<0.01	6.9	13.0	1.01	2080	0.81	0.01
M898879		0.22	199.0	9.78	12.05	0.42	0.32	0.02	0.088	0.01	2.7	33.7	2.72	702	1.30	0.01
M898880		0.65	210	8.76	16.45	0.22	0.15	0.04	0.093	0.01	8.0	33.1	2.57	740	1.50	0.02
M898881		0.36	112.5	9.04	15.05	0.20	0.22	0.44	0.146	0.04	9.7	11.6	0.88	269	2.43	0.11
M898882		0.56	199.5	7.25	20.6	0.22	0.23	0.03	0.074	0.02	10.4	23.1	1.77	670	1.55	0.03
M898883		0.34	256	7.15	12.35	0.16	0.16	0.14	0.073	0.01	9.4	16.9	1.25	446	1.83	0.03
M898884		0.12	105.0	9.86	14.00	0.18	0.17	2.05	0.136	0.01	7.9	11.6	0.86	388	7.37	0.03
M898885		0.23	201	10.85	16.55	0.18	0.35	0.61	0.082	0.01	11.3	6.1	0.61	499	4.99	0.05
M898886		0.17	192.0	3.16	7.18	0.15	0.21	0.10	0.115	<0.01	9.2	12.9	0.91	236	1.65	0.05
M898887		0.40	190.0	6.82	13.25	0.23	0.21	<0.01	0.058	0.01	8.8	9.1	1.04	615	1.18	0.04
M898888		0.34	95.0	5.84	3.72	0.06	0.14	0.01	0.160	0.07	11.1	5.0	0.18	49	4.29	0.02
M898889		0.16	7.6	0.84	0.89	<0.05	0.11	0.02	0.012	0.05	9.4	2.1	0.06	26	2.29	<0.01
M898890		0.06	58.2	1.62	3.97	0.08	0.28	0.01	0.018	<0.01	6.8	14.3	0.54	127	27.9	0.03
M898891		0.11	23.3	0.85	0.37	<0.05	0.07	0.02	0.006	0.01	2.5	0.4	0.08	435	6.41	<0.01
M898892		0.17	54.7	1.77	1.18	<0.05	0.22	0.06	0.048	0.07	10.3	5.2	0.07	53	17.05	<0.01
M898893		0.20	50.1	2.18	4.93	0.13	0.46	0.04	0.063	0.02	2.9	14.2	0.80	315	9.45	0.02
M898894		0.09	2560	7.37	12.25	0.11	0.02	0.26	0.962	<0.01	3.6	30.5	2.52	1380	0.46	<0.01
M898895		0.09	>10000	20.3	28.9	0.40	0.11	0.37	1.115	<0.01	4.8	59.9	4.69	1290	1.26	0.01
M898896		0.24	353	11.10	2.81	0.09	0.06	0.78	0.045	0.02	3.8	1.6	0.03	32	0.64	<0.01
M898897		0.15	89.4	1.32	0.65	<0.05	0.08	0.02	0.019	0.02	2.7	3.1	0.12	117	0.31	0.01
M898898		0.09	45.7	1.72	0.92	<0.05	0.04	0.04	0.008	0.02	1.1	2.4	0.02	574	5.61	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
M898871		0.07	10.3	560	116.0	1.2	<0.001	0.10	0.19	1.9	2.1	<0.2	23.3	<0.01	0.05	0.7
M898872		0.06	13.0	350	254	1.6	0.002	0.16	0.80	2.6	28.0	0.3	9.1	<0.01	0.23	3.6
M898873		0.06	6.4	130	13.0	0.1	<0.001	0.61	1.45	3.2	4.4	<0.2	78.0	<0.01	0.03	<0.2
M898874		0.11	36.9	1270	26.2	0.6	0.001	2.16	12.50	22.7	18.3	0.9	6.5	<0.01	1.55	0.5
M898875		0.42	51.2	740	24.6	2.8	0.001	0.15	18.05	8.3	23.9	1.8	7.0	0.01	0.33	6.2
M898876		0.35	94.0	740	10.1	10.0	<0.001	0.09	3.15	4.8	3.8	1.2	9.1	0.01	0.04	8.9
M898877		0.52	9.2	2100	4.9	1.1	<0.001	3.09	0.71	10.5	16.5	1.0	6.9	0.01	0.02	1.8
M898878		0.07	15.8	40	326	0.1	0.001	>10.0	29.5	4.2	106.5	<0.2	263	<0.01	1.62	0.7
M898879		0.35	83.0	460	11.5	0.4	<0.001	1.86	2.85	14.2	16.8	1.3	4.0	<0.01	0.12	0.3
M898880		0.19	25.5	1480	3.6	0.3	0.001	0.63	0.19	13.5	6.6	2.6	7.4	0.01	0.01	0.8
M898881		0.65	5.7	1110	9.8	1.2	0.001	0.79	6.75	10.5	31.1	2.2	26.6	0.01	0.04	1.2
M898882		0.41	9.2	2350	10.8	0.8	0.002	2.29	0.40	13.3	18.2	2.5	5.0	<0.01	0.04	0.9
M898883		0.44	7.4	1830	23.0	0.6	0.001	3.34	1.61	10.2	18.2	1.2	7.4	<0.01	0.04	1.4
M898884		0.65	5.3	2000	12.2	0.3	0.001	2.02	19.40	10.6	23.3	1.8	3.8	<0.01	0.04	1.6
M898885		0.43	12.0	1450	8.0	0.5	0.001	0.16	18.30	9.3	22.2	2.4	32.8	0.02	0.05	1.3
M898886		0.63	6.5	890	8.0	0.2	0.002	1.37	0.80	5.9	20.4	1.4	1.8	0.01	0.02	3.1
M898887		0.62	10.7	1310	2.3	0.3	0.001	2.46	0.20	9.4	12.5	1.0	17.9	0.01	0.01	1.6
M898888		0.22	10.8	1460	52.9	3.2	0.002	0.12	0.36	2.4	13.2	0.2	2.7	<0.01	0.06	4.1
M898889		0.08	4.8	240	1.6	2.0	0.002	0.03	0.19	0.6	1.8	<0.2	3.7	<0.01	0.01	1.4
M898890		0.10	5.6	120	38.6	0.2	0.009	0.03	0.52	2.3	12.9	0.4	4.1	<0.01	0.11	1.5
M898891		0.07	7.5	240	15.4	0.9	0.002	0.25	0.64	1.2	0.4	<0.2	101.5	<0.01	0.01	0.4
M898892		0.08	64.3	440	26.2	3.5	0.017	0.02	0.38	1.7	1.3	0.2	44.8	<0.01	0.01	2.1
M898893		0.48	17.9	200	5.1	1.1	0.002	<0.01	0.23	4.4	7.2	0.5	2.0	<0.01	0.02	2.9
M898894		0.07	38.3	170	833	0.3	0.001	0.31	0.32	7.3	19.9	0.3	114.0	<0.01	1.30	0.3
M898895		0.17	37.3	470	1550	0.2	0.001	0.58	0.44	17.9	79.6	1.7	7.0	<0.01	1.87	0.3
M898896		0.08	11.1	690	15.2	1.3	0.001	0.06	22.9	1.4	16.2	<0.2	1.1	<0.01	0.15	1.7
M898897		0.07	8.4	190	14.5	1.4	0.002	0.23	0.33	1.1	1.7	<0.2	92.6	<0.01	0.06	0.6
M898898		<0.05	43.5	270	7.6	0.9	<0.001	0.17	0.78	0.8	0.9	<0.2	148.5	<0.01	0.02	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125430

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Zn-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001
M898871		<0.005	<0.02	0.55	12	<0.05	16.00	135	3.4		
M898872		<0.005	0.03	0.83	210	<0.05	3.22	164	9.6		
M898873		0.012	0.03	<0.05	92	<0.05	4.84	3640	<0.5		
M898874		0.131	0.03	0.12	258	<0.05	17.55	3090	2.5		
M898875		0.101	0.15	1.59	176	<0.05	9.31	1040	20.1		
M898876		0.119	0.17	3.48	87	0.11	14.30	777	21.6		
M898877		0.130	0.04	0.13	35	0.09	32.7	213	3.5		
M898878		0.005	0.04	<0.05	106	<0.05	20.5	>10000	<0.5		5.25
M898879		0.299	0.07	0.22	163	0.06	9.59	474	7.0		
M898880		0.200	<0.02	0.08	220	0.08	22.6	523	2.9		
M898881		0.191	0.10	0.13	53	0.06	8.50	208	4.5		
M898882		0.230	<0.02	0.09	77	0.10	28.6	193	4.7		
M898883		0.110	0.04	0.12	23	0.07	27.8	298	3.0		
M898884		0.111	0.12	0.11	23	0.07	22.6	364	3.5		
M898885		0.116	0.10	0.17	59	0.05	37.3	604	6.0		
M898886		0.088	0.02	0.21	27	0.08	15.80	316	2.9		
M898887		0.132	<0.02	0.13	43	0.10	29.4	180	3.8		
M898888		0.009	0.05	1.64	130	<0.05	4.16	103	8.6		
M898889		<0.005	0.03	0.84	35	<0.05	1.34	20	4.5		
M898890		0.008	0.02	1.61	78	0.21	2.22	46	12.0		
M898891		<0.005	<0.02	0.84	3	<0.05	3.16	28	2.9		
M898892		<0.005	0.07	6.43	126	0.16	7.19	587	9.3		
M898893		0.076	<0.02	2.81	408	0.14	3.07	231	12.5		
M898894		<0.005	<0.02	0.29	167	<0.05	9.89	6980	<0.5		
M898895		0.131	0.05	0.35	422	<0.05	11.25	3830	2.0	1.055	
M898896		<0.005	0.03	0.38	32	<0.05	2.12	158	3.7		
M898897		<0.005	<0.02	0.57	9	<0.05	2.80	64	2.9		
M898898		<0.005	0.06	0.18	2	<0.05	8.60	120	1.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: WAND

Finalized Date: 4-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14125430

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-21	SPL-21
WEI-21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP21	Cu-OG46	ME-MS41	ME-OG46
PUL-31	PUL-QC	Zn-OG46	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

CERTIFICATE WH14125431

Project: WAND

This report is for 174 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148001		0.32	<0.001	0.07	1.21	10.9	<0.2	<10	70	0.29	0.30	0.03	0.05	36.3	4.3	18
CC148002		0.27	<0.001	0.06	0.86	12.9	<0.2	<10	60	0.30	0.33	0.02	0.09	64.5	7.1	13
CC148003		0.40	<0.001	0.06	1.59	11.2	<0.2	<10	90	0.52	0.30	0.05	0.15	30.7	8.6	25
CC148004		0.35	0.001	0.08	1.50	9.1	<0.2	<10	100	0.46	0.27	0.08	0.25	26.7	13.8	25
CC148005		0.46	0.001	0.17	0.96	5.3	<0.2	<10	80	1.17	0.45	0.22	0.34	44.1	31.1	18
CC148006		0.27	<0.001	0.13	1.39	14.5	<0.2	<10	60	0.38	0.31	0.05	0.21	19.90	6.7	24
CC148007		0.31	<0.001	0.11	1.23	10.1	<0.2	<10	50	0.29	0.27	0.04	0.14	25.3	7.2	21
CC148008		0.32	0.004	0.09	1.06	9.1	<0.2	<10	60	0.30	0.28	0.03	0.11	12.80	8.8	17
CC148009		0.33	<0.001	0.04	1.51	13.9	<0.2	<10	70	0.32	0.32	0.04	0.14	29.9	7.1	26
CC148010		0.29	<0.001	0.38	1.30	6.0	<0.2	<10	250	0.70	0.25	0.26	0.14	37.0	8.5	21
CC148011		0.36	0.001	0.10	1.98	10.4	<0.2	<10	160	0.84	0.24	0.12	0.15	39.4	18.6	26
CC148012		0.45	0.001	0.12	1.77	15.2	<0.2	<10	80	0.51	0.36	0.01	0.04	17.55	7.3	29
CC148013		0.44	<0.001	0.09	1.75	12.8	<0.2	<10	70	0.82	0.36	0.07	0.10	25.7	16.9	28
CC148014		0.48	<0.001	0.11	1.48	16.7	<0.2	<10	90	0.59	0.37	0.10	0.15	26.5	14.4	27
CC148191		0.35	0.009	0.68	1.57	12.3	<0.2	<10	270	0.23	0.30	0.04	0.16	39.9	5.5	31
CC148192		0.33	<0.001	0.48	1.06	8.2	<0.2	<10	120	0.19	0.26	0.03	0.28	42.7	3.0	24
CC148193		0.39	0.004	0.21	1.55	13.4	<0.2	<10	200	0.35	0.33	0.04	0.17	69.9	7.2	33
CC148194		0.45	0.001	0.20	1.54	14.0	<0.2	<10	200	0.47	0.38	0.06	0.21	78.5	8.8	32
CC148195		0.57	0.043	0.47	1.40	15.3	<0.2	<10	230	0.38	0.36	0.07	0.17	52.1	21.4	33
CC148196		0.38	0.001	0.18	1.44	15.8	<0.2	<10	190	0.28	0.38	0.02	0.10	75.2	4.2	27
CC148197		0.39	0.001	0.14	1.32	15.1	<0.2	<10	170	0.26	0.39	0.02	0.07	92.2	3.5	27
CC148198		0.37	0.003	0.23	1.42	15.4	<0.2	<10	210	0.22	0.31	0.05	0.14	60.1	3.8	29
CC148199		0.31	0.001	0.12	1.32	8.9	<0.2	<10	130	0.25	0.26	0.04	0.17	39.4	4.6	25
CC148200		0.46	0.006	0.14	2.81	6.3	<0.2	<10	300	0.55	0.10	0.70	0.37	20.4	61.1	134
CC148201		0.29	0.017	0.32	1.32	11.6	<0.2	<10	140	0.26	0.26	0.03	0.20	32.1	4.5	29
CC148202		0.32	0.011	0.68	1.47	16.9	<0.2	<10	130	0.36	0.26	0.04	0.22	24.7	6.3	31
CC148203		0.39	0.010	0.51	1.21	15.9	<0.2	<10	190	0.30	0.25	0.07	0.12	43.9	5.4	30
CC148204		0.39	0.028	0.99	1.36	32.7	<0.2	<10	230	0.14	0.34	0.08	0.09	28.5	2.9	51
CC148205		0.38	0.001	0.16	1.96	13.7	<0.2	<10	130	0.52	0.17	0.29	0.45	23.2	24.4	45
CC148206		0.34	0.008	0.26	1.98	26.2	<0.2	<10	140	0.53	0.22	0.32	1.16	20.1	21.2	25
CC148207		0.32	0.005	0.35	1.38	13.0	<0.2	<10	370	0.38	0.21	0.23	0.41	37.1	7.8	30
CC148208		0.37	0.003	0.07	2.04	20.9	<0.2	<10	140	0.48	0.17	0.37	0.53	24.8	22.8	53
CC148209		0.32	0.001	0.46	1.68	16.4	<0.2	<10	80	0.36	0.26	0.07	0.69	27.8	8.5	32
CC148210		0.35	0.002	0.46	1.89	36.3	<0.2	<10	140	0.48	0.30	0.18	2.48	26.7	22.6	37
CC148211		0.31	<0.001	0.16	1.52	11.4	<0.2	<10	70	0.23	0.21	0.12	0.80	25.5	11.7	36
CC148212		0.38	0.004	0.51	1.47	22.5	<0.2	<10	140	0.70	0.54	0.07	1.59	61.1	7.9	27
CC148213		0.46	0.011	0.36	3.64	229	<0.2	<10	270	0.57	0.14	0.83	4.97	34.8	82.4	93
CC148214		0.29	0.005	0.28	2.41	34.8	<0.2	<10	190	0.62	0.35	0.54	1.13	48.8	30.8	60
CC148215		0.30	<0.001	0.25	2.28	12.9	<0.2	<10	120	0.51	0.25	0.07	0.48	31.1	8.9	33
CC148216		0.27	0.004	0.21	1.92	15.1	<0.2	<10	140	0.55	0.19	0.27	0.69	29.5	27.9	44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148001		2.11	16.8	2.56	5.41	<0.05	0.02	0.04	0.024	0.04	17.6	12.0	0.17	46	1.99	<0.01
CC148002		3.64	16.6	2.93	4.52	0.07	0.03	0.04	0.024	0.05	33.5	8.1	0.11	89	1.92	<0.01
CC148003		3.25	36.9	3.42	6.03	<0.05	<0.02	0.05	0.030	0.05	15.7	14.3	0.27	264	1.91	<0.01
CC148004		2.08	53.5	4.33	6.23	<0.05	<0.02	0.04	0.027	0.04	11.9	13.9	0.39	432	1.71	<0.01
CC148005		2.90	82.2	6.26	2.94	0.09	0.05	0.05	0.027	0.06	21.1	13.1	0.31	794	2.38	0.01
CC148006		1.69	18.2	3.96	6.32	<0.05	<0.02	0.06	0.022	0.05	10.1	22.4	0.27	234	1.76	<0.01
CC148007		1.54	23.9	3.13	7.26	<0.05	<0.02	0.04	0.020	0.04	12.6	15.6	0.25	141	1.85	<0.01
CC148008		1.75	22.6	2.84	4.38	<0.05	0.02	0.06	0.022	0.04	6.1	14.5	0.22	205	1.76	<0.01
CC148009		1.92	19.2	4.06	7.82	0.05	<0.02	0.03	0.025	0.05	14.7	24.0	0.30	253	2.21	<0.01
CC148010		2.22	35.0	2.63	4.12	0.05	<0.02	0.34	0.030	0.06	19.5	7.3	0.14	229	1.44	0.01
CC148011		1.48	53.3	4.43	5.16	0.06	0.02	0.24	0.034	0.04	19.7	20.0	0.40	512	1.54	<0.01
CC148012		3.80	36.3	4.76	5.32	0.05	0.03	0.05	0.042	0.08	7.9	40.8	0.67	162	1.16	0.01
CC148013		2.78	38.6	4.82	4.98	0.05	<0.02	0.07	0.033	0.07	12.0	46.0	0.72	344	0.95	<0.01
CC148014		4.36	39.1	5.07	4.68	0.06	0.03	0.16	0.047	0.08	12.9	38.3	0.58	360	1.77	0.01
CC148191		2.07	99.2	3.56	4.17	0.07	0.07	0.06	0.028	0.07	20.6	22.0	0.50	180	2.70	0.01
CC148192		1.16	30.9	2.97	3.91	0.05	<0.02	0.08	0.018	0.04	22.5	7.5	0.24	124	2.71	<0.01
CC148193		1.52	62.5	4.23	4.61	0.10	<0.02	0.05	0.027	0.06	35.3	24.1	0.61	213	3.62	0.02
CC148194		1.58	54.2	4.57	4.62	0.10	<0.02	0.06	0.030	0.07	40.9	20.7	0.60	310	3.92	0.03
CC148195		2.50	162.5	3.81	4.22	0.10	0.02	0.03	0.039	0.05	25.0	22.8	0.55	367	3.83	0.02
CC148196		1.68	32.0	4.50	5.01	0.10	0.04	0.09	0.029	0.10	39.2	18.0	0.61	194	4.72	0.02
CC148197		0.90	26.2	4.37	4.66	0.12	0.05	0.10	0.032	0.09	48.2	19.6	0.75	190	4.45	0.02
CC148198		0.98	37.3	4.15	4.36	0.09	0.05	0.11	0.022	0.07	30.4	18.8	0.63	167	4.37	0.01
CC148199		1.58	31.3	3.09	4.83	0.05	<0.02	0.06	0.024	0.05	20.5	9.2	0.26	171	2.86	0.01
CC148200		4.34	285	5.53	6.63	0.09	0.05	0.03	0.035	0.03	7.6	31.4	2.28	1620	0.81	<0.01
CC148201		1.21	50.6	3.28	4.06	<0.05	<0.02	0.07	0.031	0.04	19.2	14.5	0.32	187	2.86	0.01
CC148202		1.20	69.2	3.63	3.99	0.05	0.02	0.09	0.039	0.04	13.5	14.2	0.31	314	3.02	0.01
CC148203		0.98	56.5	3.53	3.79	0.07	0.02	0.04	0.032	0.05	23.1	17.5	0.45	186	3.58	0.02
CC148204		0.80	101.5	4.19	3.98	0.07	0.02	0.24	0.068	0.04	18.6	19.3	0.57	130	2.27	0.01
CC148205		1.39	135.0	4.52	5.99	0.05	<0.02	0.05	0.032	0.04	10.2	22.5	0.97	754	1.29	<0.01
CC148206		2.06	185.0	5.04	6.70	<0.05	<0.02	0.05	0.067	0.04	9.7	16.9	0.80	560	1.93	<0.01
CC148207		0.98	80.7	3.15	4.16	0.06	0.02	0.04	0.038	0.06	18.9	16.5	0.50	215	4.78	0.01
CC148208		1.15	99.6	4.06	6.04	0.05	0.02	0.02	0.036	0.03	11.5	26.3	1.16	594	1.15	<0.01
CC148209		1.29	50.2	4.20	5.98	<0.05	0.04	0.06	0.028	0.07	14.0	24.9	0.41	286	1.81	<0.01
CC148210		2.16	151.0	4.97	5.73	<0.05	0.02	0.04	0.073	0.04	13.8	22.8	0.98	510	2.83	<0.01
CC148211		1.43	75.8	3.76	5.22	<0.05	<0.02	0.06	0.025	0.03	12.7	26.8	0.59	317	1.35	<0.01
CC148212		2.38	162.0	5.26	4.07	0.06	0.05	0.06	0.076	0.06	33.4	13.2	0.43	177	3.81	<0.01
CC148213		1.65	391	8.73	11.30	0.10	0.15	0.09	0.184	0.03	13.8	29.3	3.33	1710	1.55	<0.01
CC148214		3.47	297	5.20	7.53	<0.05	0.04	0.07	0.060	0.05	21.7	31.1	1.23	713	2.25	<0.01
CC148215		1.21	19.9	3.96	4.98	<0.05	0.06	0.06	0.027	0.03	15.5	49.5	0.59	235	1.40	<0.01
CC148216		1.32	151.5	3.69	5.20	<0.05	0.03	0.03	0.032	0.04	14.7	23.0	0.88	527	2.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148001		0.31	13.7	1110	17.0	8.4	0.001	0.11	0.42	0.9	0.8	0.5	8.4	<0.01	0.04	0.8
CC148002		0.14	14.4	1290	26.0	10.7	0.001	0.13	0.83	0.7	0.7	0.3	17.1	<0.01	0.05	1.4
CC148003		0.27	22.1	1210	16.0	10.7	0.001	0.12	0.69	0.7	1.0	0.6	12.8	<0.01	0.05	0.2
CC148004		0.34	28.3	960	14.5	8.0	0.001	0.12	0.66	1.2	1.1	0.6	12.0	<0.01	0.06	<0.2
CC148005		0.14	63.9	1400	22.5	7.0	0.001	0.13	0.41	4.5	2.1	0.2	20.1	<0.01	0.07	4.1
CC148006		0.80	19.3	600	19.1	9.3	0.001	0.12	0.80	1.4	0.7	0.5	6.1	<0.01	0.05	0.7
CC148007		0.61	19.6	410	14.5	7.3	0.001	0.09	0.67	1.7	0.8	0.6	7.5	<0.01	0.06	1.1
CC148008		0.23	22.6	1450	18.1	11.7	0.001	0.14	0.70	0.7	0.8	0.3	6.9	<0.01	0.05	0.3
CC148009		1.13	19.4	520	18.8	9.5	0.001	0.08	0.90	2.2	0.6	0.7	6.8	<0.01	0.07	1.9
CC148010		0.31	26.6	1900	13.2	13.1	0.001	0.23	1.05	0.8	1.5	0.4	13.7	<0.01	0.05	0.2
CC148011		0.46	40.6	970	15.4	7.2	0.001	0.10	1.04	2.7	1.7	0.4	9.6	<0.01	0.06	0.8
CC148012		<0.05	34.2	880	29.5	10.1	0.001	0.19	0.56	4.3	0.8	0.2	14.4	<0.01	0.08	4.2
CC148013		<0.05	53.7	740	31.8	7.5	0.001	0.12	0.58	4.2	0.8	0.2	16.2	<0.01	0.05	5.2
CC148014		<0.05	44.4	1010	32.5	9.5	0.001	0.21	0.64	4.3	1.1	0.2	20.1	<0.01	0.06	7.7
CC148191		0.15	30.2	860	22.6	7.9	0.001	0.16	0.77	1.2	1.7	0.2	40.7	<0.01	0.10	1.7
CC148192		0.34	13.2	1350	16.6	5.2	<0.001	0.13	0.50	0.2	0.8	0.3	21.2	<0.01	0.06	0.2
CC148193		0.32	30.0	1090	28.4	5.4	<0.001	0.22	0.77	1.4	1.1	0.2	46.2	<0.01	0.08	1.8
CC148194		0.41	30.3	1410	32.1	5.7	0.001	0.27	0.73	1.2	1.6	0.3	47.7	<0.01	0.07	0.9
CC148195		0.30	41.5	1140	41.3	4.7	0.001	0.18	1.35	2.2	2.1	0.2	59.8	<0.01	0.15	3.0
CC148196		0.16	23.0	1420	28.6	8.4	0.001	0.34	0.65	1.2	1.6	0.2	38.6	<0.01	0.09	2.9
CC148197		0.09	21.3	1360	31.5	6.1	0.002	0.35	0.59	1.6	1.5	0.2	46.2	<0.01	0.07	8.5
CC148198		0.21	20.4	1110	21.0	5.5	0.001	0.30	0.81	1.8	1.7	0.2	29.1	<0.01	0.08	6.0
CC148199		0.61	16.8	1000	12.4	7.9	<0.001	0.12	0.71	0.9	1.2	0.4	22.4	<0.01	0.07	0.2
CC148200		0.51	109.5	710	5.5	3.1	<0.001	0.03	0.53	18.4	1.5	0.3	21.2	<0.01	0.03	1.4
CC148201		0.36	22.9	820	15.7	6.8	0.001	0.09	0.95	0.5	1.8	0.3	21.5	<0.01	0.12	0.3
CC148202		0.31	27.7	1000	15.4	6.3	0.001	0.09	1.26	0.6	2.4	0.3	15.6	<0.01	0.15	0.3
CC148203		0.19	25.2	920	17.4	4.4	0.001	0.15	1.14	0.8	2.6	0.2	23.5	<0.01	0.14	0.9
CC148204		0.10	36.2	820	20.4	3.1	0.004	0.14	1.71	2.3	3.6	0.3	15.0	<0.01	0.25	4.6
CC148205		0.51	43.3	850	7.7	6.6	<0.001	0.05	0.79	5.2	0.8	0.4	12.4	<0.01	0.05	0.7
CC148206		0.52	35.9	1120	7.6	6.4	<0.001	0.08	0.80	6.7	2.4	0.4	14.7	<0.01	0.03	0.4
CC148207		0.47	32.9	870	15.6	6.8	<0.001	0.11	1.19	3.0	2.4	0.4	29.9	<0.01	0.09	2.6
CC148208		0.50	57.8	660	8.7	6.6	<0.001	0.02	0.70	6.1	0.8	0.3	14.1	<0.01	0.03	1.6
CC148209		1.12	24.6	880	13.8	7.9	<0.001	0.05	0.79	2.5	0.9	0.5	6.9	<0.01	0.04	3.8
CC148210		0.69	49.3	880	18.8	5.6	<0.001	0.08	1.44	6.3	3.3	0.5	14.0	<0.01	0.08	1.5
CC148211		0.45	35.2	700	11.7	6.1	<0.001	0.05	0.70	1.5	0.9	0.3	9.9	<0.01	0.05	0.4
CC148212		1.65	27.3	980	36.3	7.6	0.001	0.13	1.64	4.1	5.4	0.7	24.5	<0.01	0.11	3.2
CC148213		0.17	148.0	690	9.1	2.0	<0.001	0.03	1.79	30.0	3.3	0.5	24.9	<0.01	0.14	2.5
CC148214		0.55	63.1	1160	19.8	11.0	<0.001	0.06	1.42	9.5	2.3	0.5	26.7	<0.01	0.07	2.0
CC148215		0.80	33.0	500	17.9	8.4	<0.001	0.02	0.69	2.4	1.0	0.3	8.4	<0.01	0.06	4.6
CC148216		0.87	55.4	840	11.6	6.3	<0.001	0.02	0.95	4.7	1.0	0.4	18.6	<0.01	0.04	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148001		0.005	0.21	0.62	31	0.11	2.95	37	0.7
CC148002		<0.005	0.18	0.54	24	<0.05	2.50	47	1.0
CC148003		0.010	0.21	0.75	54	0.18	3.98	68	<0.5
CC148004		0.022	0.15	0.60	72	0.14	4.72	76	<0.5
CC148005		0.005	0.16	1.43	29	<0.05	22.9	121	1.6
CC148006		0.022	0.14	0.49	51	0.25	2.42	60	<0.5
CC148007		0.021	0.13	0.47	61	0.16	2.54	54	<0.5
CC148008		0.006	0.10	0.50	29	0.07	2.45	63	0.5
CC148009		0.024	0.16	0.55	65	0.26	2.54	82	<0.5
CC148010		0.005	0.14	1.04	41	0.08	16.25	69	<0.5
CC148011		0.011	0.13	0.68	67	0.13	10.85	98	0.5
CC148012		<0.005	0.14	0.84	24	<0.05	3.94	96	0.9
CC148013		<0.005	0.14	0.83	24	<0.05	7.20	131	0.6
CC148014		<0.005	0.18	0.87	24	<0.05	6.26	115	2.4
CC148191		<0.005	0.11	1.19	25	<0.05	4.44	83	2.0
CC148192		0.006	0.08	0.88	27	0.06	2.69	60	<0.5
CC148193		0.014	0.13	1.20	26	<0.05	6.43	91	<0.5
CC148194		0.021	0.12	1.27	29	<0.05	6.94	95	0.6
CC148195		0.018	0.13	1.70	30	0.09	8.41	110	0.8
CC148196		<0.005	0.16	1.27	24	<0.05	5.21	76	1.2
CC148197		<0.005	0.13	1.41	20	<0.05	5.70	74	3.4
CC148198		0.012	0.13	1.25	31	<0.05	5.07	85	3.1
CC148199		0.026	0.11	1.17	45	0.15	3.27	58	<0.5
CC148200		0.131	0.05	0.90	131	0.12	23.3	170	1.7
CC148201		0.008	0.11	0.97	38	0.07	3.29	78	<0.5
CC148202		0.009	0.09	1.16	46	0.08	6.54	93	<0.5
CC148203		0.007	0.07	0.94	36	<0.05	7.12	66	0.5
CC148204		<0.005	0.05	1.98	49	<0.05	12.70	54	1.0
CC148205		0.063	0.07	0.49	100	0.55	5.19	145	<0.5
CC148206		0.071	0.09	0.77	168	0.19	10.35	300	0.5
CC148207		0.024	0.18	1.43	71	0.19	8.70	146	0.7
CC148208		0.061	0.07	0.65	89	0.20	7.83	203	0.5
CC148209		0.033	0.11	0.54	67	0.22	3.21	98	1.3
CC148210		0.058	0.10	1.72	96	0.08	10.40	356	1.0
CC148211		0.031	0.10	0.54	70	0.10	3.24	143	<0.5
CC148212		0.094	0.15	2.68	56	0.06	16.75	263	2.5
CC148213		0.135	0.07	0.93	228	<0.05	35.8	912	4.6
CC148214		0.034	0.15	1.87	109	0.13	16.95	271	1.2
CC148215		0.017	0.11	0.52	44	0.15	3.65	88	2.0
CC148216		0.067	0.12	1.13	77	0.27	7.32	161	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148217		0.29	0.002	0.17	2.25	13.9	<0.2	<10	140	0.46	0.34	0.09	0.43	28.3	12.5	39
CC148218		0.35	0.001	0.05	1.17	11.7	<0.2	<10	60	0.15	0.28	0.05	0.14	26.7	4.6	21
CC148219		0.32	0.001	0.11	1.96	12.8	<0.2	<10	140	0.47	0.29	0.05	0.99	38.4	11.4	30
CC148220		0.29	0.002	0.12	1.85	14.1	<0.2	<10	150	0.34	0.33	0.10	0.52	29.2	12.4	35
CC148221		0.44	<0.001	0.17	1.54	12.9	<0.2	<10	100	0.28	0.23	0.23	0.59	32.9	9.0	30
CC148222		0.31	0.001	0.14	2.04	16.6	<0.2	<10	120	0.36	0.36	0.08	0.75	25.8	10.8	37
CC148223		0.44	0.002	0.69	1.42	13.3	<0.2	<10	120	0.31	0.19	0.14	0.54	35.5	8.6	28
CC148224		0.25	0.003	0.46	2.09	20.7	<0.2	<10	260	0.52	0.71	0.05	1.49	55.8	8.7	35
CC148225		0.27	0.003	0.72	2.11	20.6	<0.2	<10	190	0.30	0.33	0.05	1.07	45.1	5.7	33
CC148226		0.35	<0.001	0.35	1.18	16.5	<0.2	<10	70	0.17	0.37	0.04	0.18	28.7	3.4	21
CC148227		0.34	<0.001	0.16	1.28	6.9	<0.2	<10	170	0.39	0.27	0.10	0.20	48.0	8.9	33
CC148228		0.40	0.004	0.55	1.07	11.3	<0.2	<10	170	0.18	0.29	0.02	0.09	33.7	2.9	28
CC148229		0.34	0.005	2.16	1.40	16.5	<0.2	<10	160	0.25	0.18	5.78	3.16	40.9	8.6	62
CC148230		0.28	<0.001	0.06	0.96	16.5	<0.2	<10	110	0.19	0.34	0.04	0.12	29.5	4.1	23
CC148231		0.38	0.003	0.17	1.28	18.3	<0.2	<10	150	0.46	0.34	0.04	0.18	45.5	6.7	22
CC148232		0.47	0.002	0.26	3.80	10.3	<0.2	<10	380	1.70	0.16	0.43	0.94	52.2	66.1	103
CC148233		0.43	<0.001	0.09	1.59	9.5	<0.2	<10	50	0.34	0.32	0.02	0.09	26.9	9.1	27
CC148234		0.37	<0.001	0.07	1.23	12.6	<0.2	<10	60	0.26	0.35	0.05	0.15	29.1	9.8	25
CC148235		0.34	<0.001	0.45	1.31	9.0	<0.2	<10	140	0.67	0.30	0.22	0.13	38.7	12.5	20
CC148236		0.36	<0.001	0.18	1.06	8.6	<0.2	<10	190	0.53	0.34	0.29	0.27	25.6	15.0	15
CC148237		0.44	<0.001	0.11	1.47	15.4	<0.2	<10	90	0.48	0.36	0.08	0.15	33.4	11.4	24
CC148238		0.37	<0.001	0.20	1.44	12.4	<0.2	<10	110	0.45	0.30	0.08	0.25	23.1	10.9	23
CC148239		0.37	0.002	0.10	1.23	11.1	<0.2	<10	110	0.50	0.33	0.13	0.17	27.0	12.3	18
CC148240		0.48	0.001	0.06	1.28	14.9	<0.2	<10	100	0.58	0.29	0.17	0.19	47.5	11.7	24
CC148241		0.36	0.001	0.19	1.47	10.9	<0.2	<10	140	0.57	0.28	0.21	0.20	36.3	8.6	23
CC148242		0.45	0.001	0.11	1.28	10.8	<0.2	<10	100	0.50	0.22	0.22	0.30	46.1	11.3	23
CC148243		0.29	0.001	0.16	1.54	12.5	<0.2	<10	150	0.72	0.33	0.09	0.28	35.1	9.9	22
CC148244		0.37	0.001	0.17	1.73	11.5	<0.2	<10	190	0.67	0.35	0.38	0.13	23.6	10.2	25
CC148245		0.52	0.001	0.13	1.57	12.8	<0.2	<10	110	0.62	0.32	0.19	0.19	46.8	17.6	27
CC148246		0.28	0.001	0.28	1.51	11.0	<0.2	<10	210	0.75	0.36	0.25	0.14	37.0	14.2	21
CC148247		0.27	0.001	0.13	1.33	9.3	<0.2	<10	80	0.37	0.27	0.05	0.18	29.3	6.1	22
CC148248		0.40	<0.001	0.06	1.13	16.9	<0.2	<10	70	0.33	0.51	0.05	0.12	35.1	5.6	28
CC148249		0.37	0.001	0.06	1.55	14.4	<0.2	<10	80	0.73	0.29	0.07	0.23	65.3	12.9	23
CC148250		0.48	0.001	0.08	1.38	11.9	<0.2	<10	70	0.54	0.30	0.03	0.17	38.3	11.0	21
CC148351		0.28	0.004	0.30	1.94	12.5	<0.2	<10	420	0.49	0.24	0.22	0.78	33.0	12.7	36
CC148352		0.29	0.004	0.42	1.93	11.7	<0.2	<10	380	0.45	0.23	0.20	0.63	37.0	14.9	35
CC148353		0.46	0.003	0.36	1.91	11.1	<0.2	<10	430	0.47	0.25	0.34	0.82	34.7	15.2	37
CC148354		0.29	0.003	0.75	1.97	8.6	<0.2	<10	320	0.30	0.25	0.17	0.69	22.9	6.4	33
CC148355		0.50	0.002	0.12	1.68	13.4	<0.2	<10	150	0.62	0.29	0.15	0.41	37.6	23.5	32
CC148356		0.34	<0.001	0.16	1.66	10.7	<0.2	<10	90	0.43	0.23	0.13	0.50	32.2	12.3	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148217		2.20	87.1	4.18	7.05	<0.05	0.03	0.04	0.042	0.04	14.8	34.4	0.63	318	1.88	<0.01
CC148218		1.27	19.4	3.32	7.22	<0.05	<0.02	0.04	0.020	0.03	13.9	10.5	0.24	178	1.79	<0.01
CC148219		1.77	71.5	3.52	5.66	<0.05	0.04	0.04	0.028	0.04	20.1	31.9	0.48	299	2.33	<0.01
CC148220		2.15	79.7	3.77	6.44	<0.05	<0.02	0.03	0.037	0.05	15.6	25.6	0.59	436	2.30	<0.01
CC148221		1.13	35.0	3.55	4.98	<0.05	<0.02	0.02	0.030	0.04	17.3	28.6	0.62	289	2.34	<0.01
CC148222		1.74	72.8	4.18	6.44	<0.05	<0.02	0.04	0.046	0.04	13.2	22.2	0.58	410	1.75	<0.01
CC148223		1.03	44.8	3.08	4.05	0.05	<0.02	0.03	0.028	0.04	18.1	25.5	0.56	280	1.88	<0.01
CC148224		4.56	76.4	4.04	6.69	0.06	0.02	0.04	0.054	0.05	27.9	33.1	0.50	272	3.36	<0.01
CC148225		2.23	51.0	3.94	6.83	<0.05	0.04	0.10	0.047	0.05	24.3	25.1	0.37	204	4.84	<0.01
CC148226		2.12	16.3	3.35	7.43	<0.05	<0.02	0.03	0.021	0.04	15.6	9.7	0.16	175	2.70	<0.01
CC148227		2.46	39.2	3.57	4.69	<0.05	<0.02	0.06	0.024	0.08	27.2	13.2	0.36	241	2.37	0.01
CC148228		2.58	55.7	3.12	4.07	<0.05	0.02	0.09	0.035	0.04	19.1	7.5	0.20	127	2.27	<0.01
CC148229		0.65	55.9	2.96	3.31	0.09	0.30	0.45	0.042	0.03	31.9	28.6	1.26	529	7.93	<0.01
CC148230		1.49	26.5	2.73	5.69	<0.05	<0.02	0.16	0.028	0.04	15.5	5.2	0.15	119	3.12	<0.01
CC148231		2.43	33.3	4.05	4.33	<0.05	0.03	0.04	0.028	0.07	22.9	13.6	0.29	213	3.03	0.03
CC148232		4.15	141.5	3.91	5.96	0.10	0.09	0.08	0.041	0.05	18.8	48.8	1.16	1940	1.22	<0.01
CC148233		2.42	27.9	3.60	4.38	<0.05	0.08	0.04	0.026	0.04	13.5	37.3	0.54	201	0.89	<0.01
CC148234		2.10	23.6	3.45	4.98	<0.05	<0.02	0.05	0.021	0.04	14.5	16.0	0.33	368	1.56	<0.01
CC148235		3.95	39.1	2.58	3.75	<0.05	0.03	0.11	0.027	0.06	19.9	12.6	0.24	219	1.51	<0.01
CC148236		3.22	26.7	2.32	3.27	<0.05	0.06	0.04	0.023	0.05	12.2	10.7	0.17	1720	1.07	<0.01
CC148237		3.89	26.6	3.57	4.45	<0.05	0.05	0.03	0.030	0.07	16.6	31.7	0.50	383	2.57	<0.01
CC148238		2.93	32.1	2.98	3.83	<0.05	0.03	0.04	0.027	0.06	11.4	26.1	0.40	316	1.60	<0.01
CC148239		2.81	25.4	2.73	3.23	<0.05	0.03	0.04	0.028	0.05	13.1	23.7	0.32	313	1.40	<0.01
CC148240		2.57	36.0	3.33	3.89	0.05	<0.02	0.02	0.031	0.06	24.4	25.8	0.45	248	1.78	<0.01
CC148241		2.83	28.1	2.72	4.08	<0.05	0.02	0.04	0.026	0.06	18.4	21.5	0.41	224	1.58	<0.01
CC148242		1.60	28.5	2.69	3.63	<0.05	0.03	0.03	0.023	0.05	22.8	22.8	0.49	295	1.32	<0.01
CC148243		3.42	31.0	2.72	4.17	<0.05	0.02	0.03	0.032	0.06	17.8	22.7	0.34	396	1.60	<0.01
CC148244		4.95	40.1	2.85	4.72	<0.05	0.05	0.04	0.048	0.07	12.5	27.0	0.41	369	1.87	<0.01
CC148245		2.34	49.4	3.60	4.51	0.05	0.03	0.04	0.044	0.05	23.9	37.0	0.56	415	1.78	<0.01
CC148246		3.10	47.2	3.05	4.06	<0.05	0.05	0.07	0.053	0.08	19.2	17.2	0.27	403	1.97	<0.01
CC148247		2.19	20.2	2.33	5.01	<0.05	<0.02	0.05	0.024	0.05	15.2	9.1	0.16	159	1.93	<0.01
CC148248		2.71	22.3	4.05	7.52	<0.05	<0.02	0.03	0.035	0.05	18.8	10.2	0.23	175	2.00	<0.01
CC148249		2.10	27.1	3.15	4.20	0.06	0.03	0.05	0.034	0.06	33.9	36.3	0.50	240	1.48	<0.01
CC148250		1.83	28.0	3.32	3.66	<0.05	0.05	0.03	0.032	0.05	19.3	35.0	0.45	185	1.61	<0.01
CC148351		1.16	83.5	3.39	5.44	<0.05	0.03	0.07	0.041	0.05	18.1	32.1	0.61	340	1.86	<0.01
CC148352		1.26	64.3	3.36	5.69	<0.05	0.03	0.06	0.034	0.04	19.7	35.9	0.66	444	1.98	<0.01
CC148353		1.22	69.5	3.43	5.60	<0.05	0.02	0.08	0.036	0.05	18.3	36.0	0.67	566	2.01	<0.01
CC148354		1.10	47.8	2.90	6.10	<0.05	0.02	0.14	0.033	0.05	13.6	19.2	0.43	124	1.95	<0.01
CC148355		1.99	49.3	3.80	4.85	<0.05	<0.02	0.04	0.032	0.05	18.7	35.1	0.61	758	2.30	<0.01
CC148356		1.57	31.6	3.81	4.72	<0.05	<0.02	0.02	0.026	0.05	16.5	35.4	0.66	348	2.16	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148217		1.16	32.8	520	17.1	8.7	0.001	0.03	0.73	3.7	1.0	0.6	10.6	<0.01	0.06	3.6
CC148218		1.44	13.5	320	10.4	5.0	<0.001	0.02	0.76	1.7	0.6	0.6	6.5	<0.01	0.06	2.2
CC148219		0.81	34.5	360	14.8	11.4	<0.001	0.02	0.91	2.8	1.7	0.4	9.4	<0.01	0.05	4.2
CC148220		0.89	29.0	680	17.1	12.2	<0.001	0.03	0.81	3.2	1.0	0.6	12.3	<0.01	0.06	1.9
CC148221		0.72	30.5	590	13.3	8.2	<0.001	0.03	1.69	2.2	1.6	0.3	15.4	<0.01	0.05	2.7
CC148222		0.89	31.9	790	17.9	8.9	<0.001	0.05	0.90	2.3	1.2	0.5	11.0	<0.01	0.06	0.7
CC148223		0.57	31.2	860	12.7	5.4	<0.001	0.05	2.41	2.0	2.0	0.3	16.3	<0.01	0.05	1.5
CC148224		0.89	33.0	860	24.7	11.8	<0.001	0.05	2.55	3.1	4.4	0.6	18.5	<0.01	0.13	1.6
CC148225		1.57	19.1	580	20.0	12.3	0.001	0.05	3.41	3.4	6.7	0.7	19.0	<0.01	0.07	3.9
CC148226		1.61	9.4	380	15.1	8.7	<0.001	0.02	1.21	1.6	1.2	0.8	9.2	<0.01	0.07	2.4
CC148227		0.55	27.8	1120	17.5	9.2	0.001	0.19	0.56	0.8	1.0	0.4	22.8	<0.01	0.04	0.3
CC148228		0.24	16.3	1030	21.8	8.3	0.001	0.10	1.03	0.7	2.7	0.3	36.7	<0.01	0.08	0.6
CC148229		<0.05	98.8	1660	12.2	2.6	0.021	0.02	1.86	3.0	5.5	0.2	331	<0.01	0.09	5.8
CC148230		0.38	17.8	750	18.9	9.0	<0.001	0.06	1.91	0.5	0.8	0.6	15.5	<0.01	0.06	0.2
CC148231		0.54	19.2	1040	25.8	9.0	0.001	0.23	7.49	1.5	1.4	0.4	60.9	<0.01	0.07	2.7
CC148232		0.72	154.5	1270	10.8	6.5	0.001	0.05	0.71	18.3	4.3	0.3	24.2	0.01	0.04	2.8
CC148233		0.05	35.5	1000	20.5	7.6	<0.001	0.06	0.46	1.9	0.6	<0.2	9.0	<0.01	0.04	3.0
CC148234		0.28	27.9	990	21.2	8.0	<0.001	0.04	0.72	0.7	1.0	0.4	11.9	<0.01	0.05	0.4
CC148235		0.24	29.2	1470	27.2	10.7	<0.001	0.12	0.56	1.9	1.1	0.3	18.1	<0.01	0.04	0.8
CC148236		0.17	22.1	1490	18.8	10.0	<0.001	0.11	0.49	1.3	0.9	0.3	19.5	<0.01	0.04	0.9
CC148237		0.12	36.3	1320	24.0	11.1	0.001	0.09	0.53	1.3	1.1	0.2	26.4	<0.01	0.05	1.7
CC148238		0.25	30.5	1150	18.9	8.7	<0.001	0.08	0.46	1.6	0.9	0.3	17.0	<0.01	0.04	1.0
CC148239		0.16	32.6	850	21.1	9.4	<0.001	0.03	0.40	1.7	0.7	0.3	19.2	<0.01	0.04	1.3
CC148240		0.31	33.9	870	18.6	7.2	0.001	0.07	0.68	2.1	0.7	0.3	30.1	<0.01	0.03	2.2
CC148241		0.28	28.4	1280	17.2	10.8	<0.001	0.10	0.51	1.1	0.8	0.3	22.5	<0.01	0.04	0.6
CC148242		0.53	33.0	900	15.5	5.9	<0.001	0.02	0.68	2.8	1.0	0.3	21.7	<0.01	0.03	4.7
CC148243		0.24	29.1	1380	19.0	14.0	<0.001	0.08	0.52	1.2	0.9	0.4	18.8	<0.01	0.04	0.5
CC148244		0.39	28.5	1170	20.5	13.9	0.001	0.06	0.49	2.3	0.9	0.4	28.5	<0.01	0.04	1.2
CC148245		0.23	44.8	880	26.9	6.8	<0.001	0.03	0.70	3.8	0.7	0.3	22.4	<0.01	0.04	2.9
CC148246		0.25	32.0	1380	27.9	12.2	0.001	0.10	0.66	2.8	1.0	0.4	25.1	<0.01	0.03	1.5
CC148247		0.24	15.5	1250	14.2	9.4	<0.001	0.05	0.57	0.4	0.7	0.5	9.8	<0.01	0.04	<0.2
CC148248		0.21	18.1	1760	26.5	9.1	<0.001	0.08	0.74	0.3	1.2	0.5	9.9	<0.01	0.07	0.2
CC148249		0.30	34.6	640	21.0	8.6	<0.001	0.04	0.57	2.2	0.5	0.3	8.8	<0.01	0.05	2.9
CC148250		0.14	37.7	720	19.8	7.5	<0.001	0.05	0.38	2.2	0.4	0.2	12.3	<0.01	0.03	2.5
CC148351		0.53	45.7	850	13.6	8.8	0.001	0.03	0.55	7.3	1.7	0.4	21.6	<0.01	0.05	1.9
CC148352		0.49	43.0	780	13.5	9.8	<0.001	0.03	0.56	5.2	0.9	0.4	21.6	<0.01	0.05	2.2
CC148353		0.44	44.5	910	14.1	9.5	0.001	0.02	0.61	5.6	1.5	0.3	26.3	<0.01	0.04	1.7
CC148354		0.55	32.0	1140	14.2	7.5	0.001	0.07	0.43	2.6	1.5	0.4	20.3	<0.01	0.03	0.5
CC148355		0.35	43.0	1030	20.9	9.0	<0.001	0.03	0.74	3.3	1.0	0.3	15.8	<0.01	0.04	2.1
CC148356		0.21	37.4	1190	16.2	8.4	<0.001	0.07	0.51	1.4	0.6	0.2	13.2	<0.01	0.04	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148217		0.030	0.18	0.63	81	0.21	3.53	137	1.2
CC148218		0.046	0.15	0.42	75	0.22	1.89	49	<0.5
CC148219		0.019	0.15	0.78	51	0.15	5.32	171	1.3
CC148220		0.029	0.17	0.95	71	0.19	4.24	140	0.5
CC148221		0.041	0.10	0.78	59	0.13	4.13	115	0.6
CC148222		0.032	0.15	0.99	73	0.19	4.47	161	<0.5
CC148223		0.036	0.13	1.07	48	0.27	6.42	115	<0.5
CC148224		0.022	0.23	1.62	71	0.12	11.80	173	0.5
CC148225		0.028	0.41	1.57	79	0.24	7.39	83	1.5
CC148226		0.039	0.17	0.57	88	0.28	2.08	47	0.7
CC148227		0.027	0.09	0.99	47	0.09	4.94	74	0.7
CC148228		0.008	0.17	1.14	35	0.06	2.87	54	0.5
CC148229		<0.005	0.11	2.37	46	<0.05	37.7	300	18.8
CC148230		0.019	0.15	0.79	56	0.20	2.66	54	<0.5
CC148231		0.016	0.14	1.12	36	0.16	4.30	69	1.1
CC148232		0.059	0.09	2.45	85	0.13	125.0	258	3.5
CC148233		<0.005	0.09	1.04	21	<0.05	4.07	90	2.6
CC148234		0.013	0.12	0.72	40	0.14	3.60	76	<0.5
CC148235		<0.005	0.18	1.46	29	0.06	14.45	64	0.9
CC148236		<0.005	0.17	0.73	22	<0.05	8.58	68	1.5
CC148237		<0.005	0.24	1.22	25	<0.05	5.14	92	1.3
CC148238		0.006	0.14	0.94	34	0.09	6.36	81	0.8
CC148239		<0.005	0.14	1.01	23	0.07	6.68	82	0.7
CC148240		0.012	0.12	0.86	35	0.21	6.55	86	<0.5
CC148241		0.007	0.18	1.29	29	0.09	7.58	78	0.5
CC148242		0.026	0.10	1.10	33	0.13	9.37	88	1.1
CC148243		0.005	0.18	1.48	32	0.11	11.45	83	0.5
CC148244		0.005	0.22	1.27	36	0.24	10.40	76	1.4
CC148245		0.009	0.11	1.16	37	0.13	11.95	108	1.0
CC148246		<0.005	0.20	1.45	32	0.07	13.50	76	1.4
CC148247		0.008	0.18	0.71	45	0.15	2.94	46	<0.5
CC148248		0.006	0.17	0.73	54	0.09	3.73	65	<0.5
CC148249		0.007	0.11	0.69	29	0.07	4.40	82	0.8
CC148250		<0.005	0.13	0.88	22	<0.05	4.37	86	1.6
CC148351		0.029	0.10	1.35	72	0.11	16.65	265	0.9
CC148352		0.021	0.11	1.20	62	0.11	12.10	199	0.7
CC148353		0.023	0.11	1.38	65	0.12	12.50	209	0.5
CC148354		0.010	0.14	1.14	64	0.11	6.96	123	0.5
CC148355		0.017	0.12	1.17	44	0.10	8.24	125	<0.5
CC148356		0.012	0.08	0.89	39	0.05	6.00	113	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148357		0.42	0.001	0.22	1.80	14.3	<0.2	<10	220	0.75	0.29	0.21	0.27	49.5	17.6	29
CC148358		0.28	0.003	0.33	2.01	6.7	<0.2	<10	1320	0.66	0.23	0.18	0.53	56.7	20.1	32
CC148359		0.43	0.005	0.26	1.83	8.5	<0.2	<10	520	0.43	0.26	0.15	0.40	33.8	11.0	35
CC148360		0.37	0.007	0.60	1.80	8.8	<0.2	<10	710	0.39	0.26	0.21	0.31	33.5	10.2	36
CC148361		0.42	0.006	0.30	1.78	11.0	<0.2	<10	640	0.45	0.27	0.20	0.45	31.4	16.4	35
CC148362		0.47	0.005	0.35	1.63	11.4	<0.2	<10	240	0.28	0.25	0.08	0.46	31.7	10.6	36
CC148363		0.48	0.007	0.22	1.49	13.7	<0.2	<10	300	0.34	0.28	0.11	0.56	34.0	11.4	35
CC148364		0.30	0.009	0.48	1.74	12.6	<0.2	<10	510	0.43	0.28	0.20	0.22	35.4	7.4	37
CC148365		0.36	0.003	0.20	2.19	10.5	<0.2	<10	310	0.68	0.36	0.23	0.16	36.8	20.6	45
CC148366		0.32	0.003	0.29	1.72	11.5	<0.2	<10	330	0.57	0.34	0.07	0.18	34.7	10.3	34
CC148367		0.33	<0.001	0.05	1.91	10.3	<0.2	<10	170	0.42	0.21	0.15	0.21	24.9	19.7	46
CC148368		0.27	0.001	0.05	0.90	6.5	<0.2	<10	100	0.18	0.27	0.08	0.11	22.1	4.6	24
CC148369		0.44	0.001	0.18	1.11	11.1	<0.2	<10	130	0.23	0.31	0.07	0.14	43.4	3.9	22
CC148370		0.40	0.001	0.11	1.06	11.3	<0.2	<10	120	0.20	0.31	0.05	0.11	31.7	3.9	21
CC148371		0.42	0.003	0.23	1.64	14.1	<0.2	<10	270	0.48	0.32	0.08	0.17	44.4	7.1	32
CC148372		0.42	0.045	0.13	1.52	12.4	<0.2	<10	170	0.42	0.27	0.12	0.24	43.7	9.9	34
CC148373		0.42	0.006	0.60	1.29	13.2	<0.2	<10	190	0.23	0.28	0.06	0.22	34.4	4.5	32
CC148374		0.48	0.004	0.46	1.63	13.6	<0.2	<10	350	0.31	0.28	0.07	0.08	37.1	6.7	34
CC148375		0.54	0.009	0.70	1.47	16.1	<0.2	<10	260	0.28	0.29	0.06	0.16	40.3	8.3	38
CC148376		0.35	0.005	0.60	1.63	11.0	<0.2	<10	350	0.36	0.26	0.05	0.16	37.2	9.1	37
CC148377		0.47	0.001	0.12	1.84	14.1	<0.2	<10	90	0.49	0.30	0.04	0.19	34.6	11.0	32
CC148378		0.35	0.001	0.10	1.60	12.6	<0.2	<10	60	0.34	0.27	0.03	0.15	29.0	8.6	29
CC148379		0.47	0.001	0.19	1.85	7.9	<0.2	<10	110	0.65	0.28	0.57	0.26	28.4	10.3	32
CC148380		0.43	<0.001	0.10	1.70	10.1	<0.2	<10	190	0.59	0.29	0.48	0.17	26.9	11.3	28
CC148381		0.47	0.002	0.31	1.96	7.9	<0.2	<10	270	0.50	0.24	0.28	0.16	37.7	12.0	34
CC148382		0.47	0.002	0.27	1.74	5.1	<0.2	<10	230	0.45	0.19	0.36	0.18	30.6	9.0	34
CC148383		0.37	0.001	0.07	1.80	8.6	<0.2	<10	190	0.54	0.27	0.27	0.13	35.2	10.2	30
CC148384		0.46	0.001	0.19	1.94	6.8	<0.2	<10	260	0.61	0.27	0.27	0.18	36.7	10.9	33
CC148385		0.34	<0.001	0.17	1.92	11.1	<0.2	<10	160	0.68	0.31	0.16	0.21	32.9	17.5	32
CC148386		0.40	0.001	0.12	1.72	14.0	<0.2	<10	140	0.62	0.32	0.16	0.25	34.5	12.4	32
CC148387		0.43	0.002	0.09	1.99	18.5	<0.2	<10	110	0.74	0.33	0.09	0.42	36.7	23.1	35
CC148388		0.45	0.002	0.05	1.73	11.0	<0.2	<10	70	0.61	0.22	0.20	0.32	41.8	20.7	30
CC148389		0.49	<0.001	0.10	1.07	9.5	<0.2	<10	60	0.34	0.27	0.09	0.10	25.9	6.1	22
CC148390		0.36	0.001	0.08	1.80	14.6	<0.2	<10	70	0.72	0.34	0.12	0.25	46.2	11.3	30
CC148391		0.27	<0.001	0.25	2.33	16.5	<0.2	<10	310	1.16	0.41	0.11	0.15	30.1	27.8	37
CC148392		0.36	0.004	0.13	2.21	11.8	<0.2	<10	120	0.65	0.20	0.39	0.24	35.4	39.2	36
CC148393		0.34	<0.001	0.17	1.58	7.3	<0.2	<10	140	0.64	0.29	0.11	0.10	31.8	9.8	29
CC148394		0.27	0.001	0.12	3.49	10.0	<0.2	<10	500	1.54	0.14	0.44	0.91	53.1	74.0	112
CC148395		0.40	0.002	0.14	2.27	8.1	<0.2	<10	230	1.21	0.23	0.14	0.32	44.7	31.8	40
CC148396		0.45	0.001	0.29	4.30	13.3	<0.2	<10	670	1.69	0.26	0.26	1.66	140.5	90.5	69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148357		1.99	46.0	3.81	4.90	0.06	0.04	0.06	0.035	0.05	24.7	40.1	0.74	947	3.43	<0.01
CC148358		1.72	119.0	2.82	5.61	0.12	0.04	0.08	0.036	0.04	37.9	30.8	0.49	1380	1.78	<0.01
CC148359		1.72	57.9	3.16	5.23	<0.05	0.03	0.04	0.033	0.04	18.3	42.4	0.63	351	1.76	<0.01
CC148360		1.91	67.1	2.89	4.91	<0.05	0.03	0.09	0.035	0.04	18.7	34.9	0.59	253	2.24	<0.01
CC148361		1.66	70.6	3.10	5.44	<0.05	<0.02	0.07	0.035	0.05	17.4	27.9	0.52	660	2.58	<0.01
CC148362		1.71	64.7	3.44	4.78	<0.05	<0.02	0.04	0.033	0.04	17.7	25.9	0.57	386	2.71	<0.01
CC148363		1.62	69.9	3.54	4.69	<0.05	<0.02	0.03	0.039	0.04	18.8	18.2	0.50	408	3.21	<0.01
CC148364		2.19	83.6	3.55	4.88	<0.05	<0.02	0.06	0.041	0.04	19.5	26.7	0.55	216	3.12	<0.01
CC148365		3.24	73.1	4.15	6.37	0.05	0.09	0.03	0.038	0.06	18.1	47.1	0.80	591	2.27	<0.01
CC148366		3.25	52.0	3.29	5.59	<0.05	0.02	0.04	0.035	0.06	18.1	23.1	0.44	428	2.49	<0.01
CC148367		1.96	93.3	3.90	7.02	<0.05	<0.02	0.04	0.029	0.04	11.1	26.5	0.53	331	1.76	<0.01
CC148368		1.94	23.9	2.12	5.24	<0.05	<0.02	0.03	0.017	0.04	11.6	3.3	0.13	176	1.89	<0.01
CC148369		1.60	25.1	2.81	5.84	<0.05	<0.02	0.05	0.022	0.05	22.6	6.4	0.19	131	3.18	<0.01
CC148370		1.86	22.1	2.61	5.49	<0.05	<0.02	0.04	0.023	0.05	17.0	5.7	0.19	158	2.43	<0.01
CC148371		2.35	62.4	3.24	5.22	<0.05	<0.02	0.05	0.036	0.06	23.2	17.3	0.43	296	2.87	<0.01
CC148372		1.86	56.7	3.46	4.42	<0.05	<0.02	0.03	0.030	0.05	22.1	20.1	0.53	310	2.37	<0.01
CC148373		1.99	38.2	2.99	5.26	<0.05	<0.02	0.06	0.031	0.05	19.4	11.1	0.28	173	2.77	<0.01
CC148374		2.25	63.0	3.56	5.46	0.05	<0.02	0.04	0.032	0.05	19.8	16.4	0.42	321	2.92	<0.01
CC148375		2.08	71.5	3.21	4.60	0.05	<0.02	0.21	0.035	0.05	22.6	17.8	0.48	305	3.49	<0.01
CC148376		2.26	73.1	3.12	4.65	<0.05	0.02	0.05	0.032	0.05	19.7	20.3	0.53	280	2.62	<0.01
CC148377		2.28	26.1	3.66	5.89	<0.05	<0.02	0.03	0.029	0.05	17.5	33.3	0.46	444	1.60	<0.01
CC148378		2.38	23.1	3.35	5.37	<0.05	<0.02	0.03	0.025	0.05	14.9	25.4	0.41	407	1.74	<0.01
CC148379		3.41	33.4	2.96	4.64	<0.05	0.09	0.08	0.028	0.05	14.4	58.9	0.63	314	1.04	<0.01
CC148380		2.24	29.7	3.21	5.31	<0.05	0.05	0.02	0.028	0.05	13.8	41.3	0.54	471	1.71	<0.01
CC148381		1.69	33.9	3.35	5.32	<0.05	0.10	0.05	0.026	0.04	18.1	51.2	0.73	352	1.30	<0.01
CC148382		0.89	30.6	2.86	4.85	<0.05	0.12	0.06	0.027	0.04	16.1	38.2	0.73	250	1.11	<0.01
CC148383		1.47	29.3	3.44	5.59	<0.05	0.06	0.03	0.023	0.04	18.0	39.6	0.66	369	1.57	<0.01
CC148384		1.54	35.5	3.33	5.43	<0.05	0.13	0.05	0.026	0.05	19.3	45.1	0.76	267	1.33	<0.01
CC148385		2.12	42.6	3.76	5.86	<0.05	0.02	0.04	0.031	0.05	17.0	34.8	0.67	565	2.25	<0.01
CC148386		2.50	44.2	3.73	5.57	<0.05	<0.02	0.03	0.028	0.06	18.1	33.2	0.62	489	3.53	<0.01
CC148387		3.16	60.4	4.30	5.46	<0.05	0.02	0.06	0.044	0.07	18.5	37.4	0.67	673	4.34	0.01
CC148388		1.33	41.5	3.80	4.85	0.05	0.04	0.03	0.026	0.04	20.6	42.7	0.75	595	2.03	<0.01
CC148389		2.72	29.5	2.75	4.40	<0.05	<0.02	0.04	0.020	0.05	13.5	13.5	0.29	158	2.10	<0.01
CC148390		1.93	41.3	3.98	5.03	0.06	0.03	0.03	0.032	0.05	24.0	41.9	0.72	284	3.54	<0.01
CC148391		5.90	67.5	4.15	6.18	<0.05	0.05	0.05	0.045	0.07	15.1	32.5	0.52	1080	3.46	0.01
CC148392		2.52	202	4.78	6.53	0.05	<0.02	0.07	0.030	0.05	15.9	27.3	0.89	1140	1.86	0.01
CC148393		3.70	37.0	3.91	5.72	<0.05	0.02	0.06	0.028	0.06	16.2	21.8	0.42	567	1.80	0.01
CC148394		2.41	153.0	5.21	7.00	0.08	0.07	0.05	0.043	0.04	17.3	47.1	1.65	1940	1.74	0.01
CC148395		5.31	114.5	6.20	6.39	0.06	<0.02	0.03	0.027	0.07	20.5	38.9	0.85	912	6.92	0.04
CC148396		3.60	242	6.06	7.65	0.16	0.12	0.05	0.049	0.08	55.0	59.6	1.43	2500	4.20	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148357		0.30	44.5	1220	21.8	7.9	<0.001	0.08	0.55	3.2	1.5	0.3	25.3	<0.01	0.04	2.4
CC148358		0.42	53.5	1140	12.5	11.2	0.002	0.06	0.41	4.3	3.4	0.4	26.0	<0.01	0.05	0.8
CC148359		0.34	37.8	820	14.4	10.3	0.002	0.03	0.40	3.0	1.5	0.3	21.3	<0.01	0.04	1.3
CC148360		0.35	36.7	890	14.7	8.9	0.003	0.05	0.45	3.4	1.8	0.3	28.6	<0.01	0.07	1.2
CC148361		0.27	33.8	790	13.5	9.7	0.001	0.04	0.59	2.4	1.7	0.4	24.9	<0.01	0.05	0.3
CC148362		0.33	35.0	800	15.4	9.5	0.001	0.06	0.65	1.8	1.4	0.3	20.9	<0.01	0.08	0.7
CC148363		0.29	30.4	1000	18.7	9.3	0.002	0.09	0.89	1.4	2.3	0.3	24.5	<0.01	0.10	0.3
CC148364		0.40	35.8	1050	19.1	8.3	0.001	0.10	0.85	1.8	2.1	0.3	31.0	<0.01	0.11	0.6
CC148365		0.39	50.1	1130	21.2	14.5	0.001	0.09	0.70	6.1	1.5	0.4	30.1	<0.01	0.06	2.1
CC148366		0.27	30.7	1260	21.3	13.6	0.001	0.11	0.74	1.1	1.5	0.4	22.6	<0.01	0.09	0.3
CC148367		1.27	59.5	440	8.5	8.2	0.001	0.03	0.72	4.9	0.6	0.6	9.6	0.01	0.05	1.4
CC148368		0.75	13.2	760	8.5	9.5	<0.001	0.09	0.69	1.0	0.3	0.7	9.1	<0.01	0.04	<0.2
CC148369		0.49	12.6	690	15.6	9.9	<0.001	0.06	0.57	1.1	0.4	0.5	19.7	<0.01	0.04	0.4
CC148370		0.48	12.9	730	18.2	9.3	<0.001	0.08	0.60	0.8	0.5	0.6	17.2	<0.01	0.05	0.2
CC148371		0.38	26.0	930	23.5	10.0	0.001	0.11	0.76	1.4	1.3	0.4	25.8	<0.01	0.10	0.5
CC148372		0.49	30.6	880	18.5	6.5	0.001	0.10	0.77	1.9	1.0	0.3	25.7	<0.01	0.05	1.0
CC148373		0.48	18.7	780	15.9	9.4	0.001	0.06	0.99	1.1	1.7	0.4	17.4	<0.01	0.09	0.4
CC148374		0.29	25.0	920	21.1	11.0	<0.001	0.08	2.14	1.5	1.4	0.4	17.6	<0.01	0.08	0.8
CC148375		0.26	31.5	770	20.9	7.4	0.002	0.08	1.40	1.8	2.9	0.3	20.3	<0.01	0.13	1.7
CC148376		0.26	34.9	850	19.7	8.7	0.001	0.09	0.95	1.9	1.4	0.3	18.6	<0.01	0.09	1.0
CC148377		0.27	31.9	1130	21.9	13.6	0.001	0.04	0.58	0.9	1.0	0.4	10.0	<0.01	0.06	0.5
CC148378		0.22	26.1	1170	16.8	10.4	<0.001	0.06	0.58	0.6	0.8	0.3	9.2	<0.01	0.04	0.4
CC148379		0.26	42.6	1020	15.7	10.5	0.001	0.08	0.39	2.4	1.2	0.2	32.4	<0.01	0.02	1.7
CC148380		0.29	35.5	1010	16.0	11.7	0.001	0.05	0.42	1.9	0.6	0.3	28.2	<0.01	0.04	1.3
CC148381		0.34	43.2	720	13.4	9.0	0.001	0.02	0.39	4.3	0.6	0.3	19.9	<0.01	0.03	3.7
CC148382		0.35	36.8	960	9.1	7.8	0.001	0.02	0.36	4.5	0.8	0.2	23.8	<0.01	0.03	3.1
CC148383		0.25	37.7	1020	14.7	11.1	<0.001	0.04	0.43	2.1	0.5	0.3	21.3	<0.01	0.04	2.0
CC148384		0.27	40.0	660	14.3	9.6	<0.001	0.02	0.28	5.0	0.8	0.3	19.5	<0.01	0.03	4.2
CC148385		0.27	38.9	1030	17.9	12.1	<0.001	0.04	0.41	3.0	0.6	0.3	12.7	<0.01	0.02	1.1
CC148386		0.23	40.7	1150	20.5	12.8	<0.001	0.06	0.56	1.6	0.8	0.3	17.8	<0.01	0.03	0.5
CC148387		0.63	46.2	1070	24.2	11.6	<0.001	0.05	0.72	3.5	1.2	0.4	17.0	<0.01	0.04	2.4
CC148388		0.37	49.8	1080	16.1	5.9	<0.001	0.02	0.62	3.5	0.9	0.2	15.9	<0.01	0.05	5.4
CC148389		0.17	21.1	1080	14.6	10.2	<0.001	0.05	0.50	0.8	0.7	0.3	7.9	<0.01	0.06	0.3
CC148390		0.25	43.4	1110	24.1	8.2	<0.001	0.07	0.47	3.0	0.9	0.2	20.7	<0.01	0.05	3.3
CC148391		0.39	39.0	1420	29.5	18.3	<0.001	0.08	0.48	4.8	1.1	0.5	15.1	<0.01	0.07	1.7
CC148392		0.73	62.6	1310	10.3	7.6	<0.001	0.05	0.76	7.9	1.2	0.4	21.2	<0.01	0.04	1.9
CC148393		0.20	25.9	1580	23.7	10.8	<0.001	0.13	0.53	1.0	0.5	0.3	12.7	<0.01	0.06	0.6
CC148394		0.60	130.0	1000	8.4	6.5	<0.001	0.06	0.53	21.9	2.0	0.3	21.8	<0.01	0.02	2.0
CC148395		0.26	54.9	1860	39.6	8.5	<0.001	0.21	0.96	4.3	1.6	0.2	29.8	<0.01	0.08	1.3
CC148396		0.45	189.0	1820	28.0	8.3	<0.001	0.18	0.47	19.3	5.1	0.3	44.1	0.01	0.06	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148357		0.011	0.16	1.63	34	0.05	15.95	106	1.5
CC148358		0.017	0.14	2.16	50	0.13	67.5	177	0.8
CC148359		0.014	0.11	1.25	48	0.08	8.25	148	0.6
CC148360		0.017	0.13	1.64	48	0.09	9.85	141	0.8
CC148361		0.021	0.13	1.48	62	0.13	11.90	138	<0.5
CC148362		0.025	0.09	1.08	53	0.08	5.48	119	<0.5
CC148363		0.022	0.10	1.37	58	0.08	8.25	108	<0.5
CC148364		0.018	0.15	1.73	49	0.09	9.61	100	<0.5
CC148365		0.015	0.16	1.56	56	0.09	13.20	125	2.4
CC148366		0.008	0.17	1.44	42	0.11	7.82	89	<0.5
CC148367		0.074	0.11	0.46	102	0.22	6.28	112	0.6
CC148368		0.046	0.13	0.60	76	0.21	2.93	45	<0.5
CC148369		0.028	0.19	0.72	58	0.15	2.88	44	<0.5
CC148370		0.026	0.15	0.64	55	0.19	2.88	44	<0.5
CC148371		0.014	0.17	1.27	48	0.14	6.45	68	<0.5
CC148372		0.028	0.12	0.93	46	0.25	5.05	79	<0.5
CC148373		0.021	0.12	1.06	53	0.16	3.78	58	<0.5
CC148374		0.013	0.16	1.20	51	0.07	5.34	73	<0.5
CC148375		0.014	0.12	1.52	41	0.07	6.98	78	<0.5
CC148376		0.011	0.12	1.55	38	0.06	8.34	84	0.5
CC148377		0.008	0.12	0.97	40	0.11	5.14	87	<0.5
CC148378		0.009	0.12	0.86	37	0.08	3.97	76	<0.5
CC148379		0.008	0.09	6.17	27	<0.05	13.00	102	2.7
CC148380		0.007	0.13	1.41	35	0.06	7.86	86	1.6
CC148381		0.010	0.09	1.36	37	0.15	10.60	106	3.1
CC148382		0.020	0.07	1.20	40	<0.05	9.51	102	3.3
CC148383		0.008	0.12	0.72	36	0.05	5.04	93	1.7
CC148384		0.007	0.11	1.30	38	<0.05	9.85	115	3.7
CC148385		0.010	0.16	1.17	50	0.06	9.06	95	0.5
CC148386		0.011	0.15	1.16	45	0.08	8.29	108	<0.5
CC148387		0.018	0.16	1.41	46	0.14	7.19	126	1.0
CC148388		0.023	0.09	0.90	38	0.06	8.38	114	1.5
CC148389		0.007	0.10	0.70	37	0.07	4.28	63	<0.5
CC148390		0.008	0.12	1.31	31	0.05	9.16	101	1.0
CC148391		0.005	0.27	1.79	57	0.10	15.15	96	1.5
CC148392		0.080	0.11	1.00	101	0.29	12.15	131	0.5
CC148393		0.006	0.15	1.11	40	0.07	5.08	71	0.5
CC148394		0.056	0.09	1.97	119	0.12	53.5	257	1.8
CC148395		0.025	0.16	1.95	74	0.11	12.60	152	0.5
CC148396		0.036	0.13	4.16	88	0.08	112.0	349	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148397		0.33	0.002	0.20	2.14	8.0	<0.2	<10	320	1.50	0.23	0.39	0.30	45.8	49.8	38
CC148398		0.42	0.002	0.13	1.80	11.8	<0.2	<10	180	0.41	0.28	0.05	0.26	51.8	13.5	37
CC148399		0.35	0.002	0.15	1.15	13.4	<0.2	<10	90	0.25	0.27	0.02	0.14	46.8	5.0	26
CC148400		0.35	0.002	0.13	1.15	12.9	<0.2	<10	90	0.22	0.29	0.03	0.12	40.6	3.4	22
CC148451		0.50	0.011	0.72	1.48	15.4	<0.2	<10	120	0.30	0.28	0.03	0.21	34.4	7.1	32
CC148452		0.54	0.008	0.40	1.51	13.7	<0.2	<10	140	0.35	0.25	0.15	0.37	45.1	8.4	30
CC148453		0.44	0.005	0.18	1.64	15.4	<0.2	<10	150	0.26	0.29	0.04	0.38	34.1	7.1	33
CC148454		0.38	0.004	0.38	1.63	17.2	<0.2	<10	120	0.37	0.28	0.07	0.47	30.2	6.8	32
CC148455		0.42	0.008	0.50	1.62	15.9	<0.2	<10	110	0.39	0.25	0.06	0.31	46.0	9.3	34
CC148456		0.40	0.007	0.37	1.43	22.6	<0.2	<10	190	0.49	0.30	0.04	0.31	66.5	6.2	31
CC148457		0.39	0.005	0.41	2.16	16.4	<0.2	<10	140	0.54	0.27	0.07	1.07	36.4	14.0	35
CC148458		0.44	0.005	0.25	1.87	13.4	<0.2	<10	220	0.60	0.25	0.12	2.01	30.0	13.9	33
CC148459		0.38	0.001	0.59	1.95	12.5	<0.2	<10	190	0.52	0.19	0.15	3.80	23.6	21.6	28
CC148460		0.31	0.006	0.08	1.90	10.0	<0.2	<10	250	0.48	0.19	0.36	1.67	22.2	27.2	24
CC148461		0.30	0.001	0.12	2.02	10.7	<0.2	<10	160	0.40	0.24	0.15	0.29	23.6	14.0	30
CC148462		0.29	0.004	0.13	1.86	10.0	<0.2	<10	90	0.51	0.18	0.14	0.80	23.4	13.5	27
CC148463		0.31	0.004	0.11	1.94	13.7	<0.2	<10	150	0.51	0.24	0.27	0.77	35.9	20.2	34
CC148464		0.37	0.001	0.16	1.37	14.1	<0.2	<10	120	0.31	0.27	0.12	1.50	22.2	10.4	38
CC148465		0.31	0.002	0.07	1.84	12.9	<0.2	<10	100	0.39	0.23	0.16	0.68	25.4	12.2	45
CC148466		0.38	0.004	0.16	2.45	13.8	<0.2	<10	110	0.42	0.15	0.48	0.55	21.8	32.3	56
CC148467		0.30	0.007	2.96	1.59	40.6	<0.2	<10	170	0.46	0.31	0.55	1.39	26.6	15.9	40
CC148468		0.40	0.002	0.09	1.80	15.0	<0.2	<10	110	0.50	0.26	0.09	1.00	34.4	16.0	33
CC148469		0.36	0.002	0.71	0.84	13.3	<0.2	<10	80	0.16	0.31	0.11	0.80	21.5	4.5	21
CC148470		0.33	0.003	0.19	1.90	28.7	<0.2	<10	120	0.57	0.17	0.32	0.95	29.1	47.0	48
CC148471		0.38	0.004	0.13	2.47	31.3	<0.2	<10	180	0.61	0.17	0.41	0.38	26.7	38.1	65
CC148472		0.43	0.003	0.36	2.21	21.1	<0.2	<10	190	0.64	0.21	0.37	0.37	29.5	31.7	58
CC148473		0.32	0.001	0.15	2.30	20.9	<0.2	<10	110	0.52	0.25	0.19	0.31	29.2	18.3	54
CC148474		0.60	0.009	0.72	1.74	55.3	<0.2	<10	130	0.55	0.56	0.19	3.44	42.2	36.8	39
CC148475		0.49	0.006	0.20	1.87	16.4	<0.2	<10	120	0.66	0.30	0.11	1.13	38.5	20.9	36
CC148476		0.24	0.002	0.89	1.07	14.1	<0.2	<10	140	0.41	0.25	0.39	1.66	39.4	6.0	22
CC148477		0.38	0.007	0.23	1.73	17.6	<0.2	<10	130	0.44	0.16	0.33	0.77	36.8	15.7	37
CC148478		0.24	0.007	0.62	3.36	108.5	<0.2	<10	290	0.78	0.17	1.45	6.91	22.1	56.0	86
CC148479		0.42	0.007	1.21	3.86	33.3	<0.2	<10	350	0.96	0.19	0.78	4.27	53.4	70.2	120
CC148480		0.53	0.007	0.65	3.34	28.7	<0.2	<10	290	1.08	0.26	0.39	10.20	66.7	96.5	94
CC148481		0.34	0.002	0.37	2.73	114.5	<0.2	<10	110	0.47	0.15	0.68	1.05	18.40	48.1	75
CC148482		0.31	0.011	0.32	2.07	36.7	<0.2	<10	120	0.66	0.41	0.29	2.88	48.7	43.0	47
CC148483		0.31	0.004	0.70	2.12	17.1	<0.2	<10	150	0.61	0.26	0.28	0.93	42.6	20.2	42
CC148484		0.33	0.004	0.23	1.88	15.5	<0.2	<10	110	0.54	0.25	0.41	1.03	35.5	28.1	42
CC148485		0.50	0.005	0.64	2.25	17.8	<0.2	<10	130	0.60	0.36	0.30	2.81	49.5	33.2	47
CC148486		0.48	0.015	1.52	3.89	40.9	<0.2	<10	140	0.94	0.53	0.51	8.88	110.5	107.5	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148397		4.15	123.5	5.09	5.73	0.07	0.02	0.08	0.027	0.06	20.4	44.5	0.85	1140	4.79	0.02
CC148398		1.74	72.1	4.22	6.47	<0.05	0.02	0.03	0.035	0.04	25.2	28.0	0.51	380	4.18	0.01
CC148399		1.56	26.3	3.10	4.97	<0.05	0.02	0.08	0.022	0.04	24.2	12.8	0.18	162	4.02	<0.01
CC148400		1.52	33.7	3.15	5.88	<0.05	<0.02	0.08	0.018	0.04	20.8	8.5	0.19	116	3.28	<0.01
CC148451		1.30	56.0	3.35	4.57	<0.05	<0.02	0.10	0.035	0.04	19.4	18.9	0.37	206	3.25	0.01
CC148452		1.34	61.6	3.17	3.86	0.06	0.05	0.03	0.032	0.05	23.3	21.4	0.50	262	2.61	0.01
CC148453		1.52	45.0	3.83	5.52	<0.05	<0.02	0.07	0.032	0.05	18.0	16.2	0.35	303	3.18	0.01
CC148454		1.67	27.5	3.21	6.06	<0.05	<0.02	0.05	0.033	0.06	16.1	16.8	0.32	249	3.53	<0.01
CC148455		1.51	68.8	3.35	4.67	<0.05	<0.02	0.09	0.032	0.05	20.8	18.6	0.34	356	2.43	0.01
CC148456		1.48	105.0	4.85	4.46	0.05	<0.02	0.09	0.077	0.05	38.8	16.5	0.26	227	4.62	0.02
CC148457		1.67	42.1	3.92	5.24	<0.05	0.03	0.07	0.038	0.05	17.8	42.4	0.63	413	3.11	<0.01
CC148458		1.42	67.7	3.48	5.10	<0.05	0.02	0.05	0.043	0.05	14.8	29.4	0.58	427	2.21	<0.01
CC148459		1.42	103.0	4.79	6.39	<0.05	<0.02	0.08	0.044	0.05	11.3	18.1	0.60	721	2.74	<0.01
CC148460		1.93	139.5	4.17	6.69	<0.05	<0.02	0.04	0.038	0.05	10.6	19.7	0.67	825	1.55	<0.01
CC148461		1.76	91.0	4.43	7.68	<0.05	<0.02	0.05	0.036	0.05	11.5	23.3	0.59	612	1.80	<0.01
CC148462		1.23	94.7	4.70	6.17	<0.05	0.02	0.05	0.030	0.04	11.0	22.1	0.60	433	1.55	<0.01
CC148463		1.19	93.4	4.07	5.49	<0.05	0.02	0.02	0.031	0.04	16.0	34.6	0.89	603	1.52	<0.01
CC148464		2.22	55.6	3.85	6.49	<0.05	<0.02	0.04	0.027	0.05	11.6	9.7	0.31	594	3.44	<0.01
CC148465		1.91	58.1	4.50	6.94	<0.05	0.02	0.03	0.034	0.05	12.6	28.7	0.59	363	1.89	<0.01
CC148466		2.03	171.5	4.80	7.08	0.05	0.02	0.02	0.031	0.03	10.2	27.1	1.59	713	1.76	<0.01
CC148467		1.53	104.5	4.44	5.44	0.07	<0.02	0.14	0.071	0.06	16.0	11.6	0.68	449	12.95	0.01
CC148468		1.53	36.4	4.11	5.60	0.06	<0.02	0.09	0.030	0.05	16.1	32.7	0.58	547	1.93	<0.01
CC148469		1.06	41.2	3.09	5.45	<0.05	0.03	0.08	0.031	0.04	11.7	3.3	0.14	120	2.17	0.01
CC148470		1.42	197.5	5.33	5.81	0.05	0.02	0.06	0.035	0.04	13.0	21.3	1.09	710	2.25	0.01
CC148471		1.51	179.5	5.20	7.48	0.06	0.03	0.06	0.033	0.04	11.6	22.4	1.41	778	1.64	0.01
CC148472		2.21	198.5	5.03	6.76	0.07	<0.02	0.09	0.034	0.05	13.3	27.6	1.11	847	1.74	<0.01
CC148473		1.92	76.3	4.60	7.69	0.05	<0.02	0.06	0.034	0.05	14.0	31.9	0.88	493	1.78	<0.01
CC148474		2.34	177.5	6.82	5.80	0.10	0.05	0.07	0.080	0.06	20.5	16.9	0.77	581	3.90	0.01
CC148475		1.97	85.8	4.91	5.60	0.07	<0.02	0.07	0.042	0.05	18.6	25.2	0.67	438	2.91	0.01
CC148476		1.58	77.7	3.22	3.67	0.06	<0.02	0.11	0.052	0.05	26.1	8.0	0.25	147	3.05	0.01
CC148477		0.95	92.4	3.98	5.11	0.08	0.04	0.05	0.031	0.04	18.1	35.4	0.95	357	1.37	<0.01
CC148478		4.39	438	7.65	10.80	0.09	0.08	0.16	0.198	0.04	9.4	35.5	2.67	1820	1.27	0.01
CC148479		5.20	536	9.54	12.70	0.15	0.10	0.15	0.116	0.06	27.9	46.7	3.56	1940	2.84	0.01
CC148480		4.52	377	9.27	10.65	0.16	0.12	0.07	0.101	0.07	27.8	53.8	2.20	1230	5.03	0.03
CC148481		2.33	232	6.39	8.75	0.06	0.02	0.10	0.100	0.04	7.4	19.1	1.89	1240	1.25	0.01
CC148482		2.36	196.5	6.61	6.41	0.07	0.02	0.06	0.078	0.05	20.7	23.4	1.13	720	2.65	0.01
CC148483		1.81	158.5	4.45	6.12	0.06	<0.02	0.07	0.039	0.05	18.5	29.7	0.88	389	1.96	0.01
CC148484		1.75	176.0	4.47	6.01	0.07	0.02	0.06	0.041	0.05	15.8	26.1	0.95	639	1.75	0.01
CC148485		2.45	221	5.86	5.98	0.10	0.02	0.08	0.059	0.05	22.5	35.8	1.09	726	2.02	0.01
CC148486		3.16	388	9.08	8.66	0.18	0.06	0.16	0.171	0.04	19.2	41.8	1.78	2060	1.78	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148397		0.38	70.6	1700	21.9	7.4	<0.001	0.15	0.85	7.3	1.4	0.3	35.4	<0.01	0.07	1.9
CC148398		0.42	43.4	850	18.7	7.5	<0.001	0.06	1.10	4.2	0.7	0.4	30.0	<0.01	0.06	3.1
CC148399		0.61	35.9	540	16.4	8.7	<0.001	0.04	0.70	1.5	1.0	0.4	13.6	<0.01	0.05	3.6
CC148400		0.80	12.8	570	15.8	7.8	<0.001	0.04	0.78	1.6	0.7	0.5	14.5	<0.01	0.05	2.9
CC148451		0.45	26.9	730	15.5	7.9	0.001	0.06	1.02	1.3	2.6	0.3	20.4	<0.01	0.11	1.4
CC148452		0.56	35.3	1180	15.4	6.0	0.001	0.07	1.10	2.2	1.6	0.2	36.5	<0.01	0.11	5.6
CC148453		0.55	24.9	1130	16.9	8.2	<0.001	0.05	1.13	1.2	1.6	0.3	19.9	<0.01	0.06	0.6
CC148454		0.33	21.5	1130	14.2	11.9	<0.001	0.04	1.26	0.6	1.3	0.5	16.9	<0.01	0.06	0.2
CC148455		0.42	31.1	990	14.4	9.0	<0.001	0.06	0.97	1.1	1.8	0.4	16.6	<0.01	0.10	0.4
CC148456		0.38	23.9	1330	23.2	9.4	<0.001	0.12	1.50	1.3	2.2	0.4	30.7	<0.01	0.12	1.1
CC148457		0.65	41.8	1030	18.5	12.3	0.001	0.04	0.96	2.3	1.4	0.3	14.8	<0.01	0.05	2.0
CC148458		0.67	39.9	880	13.7	8.6	<0.001	0.03	0.86	3.2	1.5	0.4	13.4	<0.01	0.05	0.9
CC148459		0.41	37.6	1100	11.9	9.7	<0.001	0.07	0.74	2.5	1.3	0.5	14.5	<0.01	0.04	0.2
CC148460		0.62	31.8	780	9.4	7.9	<0.001	0.04	0.52	5.1	1.0	0.4	15.6	<0.01	0.03	0.6
CC148461		0.86	26.4	650	9.8	9.6	<0.001	0.05	0.64	4.0	0.6	0.6	10.6	<0.01	0.04	0.7
CC148462		0.63	40.2	810	8.8	6.9	<0.001	0.06	0.66	3.6	0.7	0.4	9.1	<0.01	0.02	0.6
CC148463		0.52	53.7	870	14.9	7.1	<0.001	0.02	0.75	4.6	0.8	0.3	15.8	<0.01	0.04	2.9
CC148464		0.65	21.2	990	11.2	12.6	<0.001	0.07	1.10	1.7	1.3	0.6	10.3	<0.01	0.06	0.2
CC148465		1.24	34.3	470	9.3	10.7	<0.001	0.02	0.75	4.1	0.7	0.5	10.3	<0.01	0.02	2.1
CC148466		0.58	73.2	870	26.5	4.9	<0.001	0.02	0.80	6.9	1.4	0.4	18.1	<0.01	0.02	1.9
CC148467		0.27	36.9	2620	32.3	7.0	0.002	0.14	2.73	0.9	6.9	0.5	31.0	<0.01	0.11	<0.2
CC148468		0.46	35.9	850	15.5	9.7	0.001	0.04	0.70	1.5	0.7	0.4	9.0	<0.01	0.06	0.6
CC148469		1.29	15.0	740	12.6	5.2	<0.001	0.06	0.97	1.6	1.2	0.7	9.2	<0.01	0.06	0.6
CC148470		0.86	81.5	510	21.1	5.8	<0.001	0.03	0.96	6.4	1.5	0.4	14.4	<0.01	0.03	1.8
CC148471		0.95	68.7	730	18.0	7.4	<0.001	0.03	0.76	7.0	0.8	0.5	20.3	<0.01	0.05	1.7
CC148472		0.51	55.0	880	11.5	10.0	<0.001	0.05	0.69	6.0	0.9	0.4	13.4	<0.01	0.03	0.8
CC148473		0.56	40.0	680	11.1	10.9	<0.001	0.06	0.67	2.8	0.6	0.6	9.7	<0.01	0.06	0.3
CC148474		1.46	57.6	1280	50.5	7.2	<0.001	0.09	2.35	6.8	5.2	0.6	24.2	<0.01	0.16	5.0
CC148475		0.60	70.3	900	17.8	7.5	<0.001	0.06	1.43	3.1	2.1	0.5	20.0	<0.01	0.06	1.2
CC148476		0.33	24.3	1410	13.0	4.5	<0.001	0.17	0.94	1.5	2.0	0.3	23.3	<0.01	0.06	0.2
CC148477		0.54	49.9	1000	11.1	4.4	<0.001	0.02	0.71	4.7	0.9	0.3	18.3	<0.01	0.03	4.1
CC148478		0.56	106.0	1390	11.2	6.1	<0.001	0.11	0.84	24.8	2.8	0.4	34.9	<0.01	0.05	0.7
CC148479		0.40	141.5	1110	20.8	7.7	<0.001	0.08	0.66	38.5	3.9	0.5	29.8	<0.01	0.07	3.8
CC148480		0.45	212	1380	25.6	6.0	<0.001	0.10	1.28	23.4	5.9	0.6	31.1	<0.01	0.10	8.5
CC148481		0.53	67.9	1110	8.9	6.0	<0.001	0.11	0.80	8.6	1.3	0.4	20.3	<0.01	0.04	0.4
CC148482		0.69	75.8	1050	22.2	5.7	<0.001	0.09	1.64	5.8	2.6	0.4	24.3	<0.01	0.10	2.8
CC148483		0.89	52.4	800	15.4	8.1	<0.001	0.02	0.84	4.1	0.9	0.5	17.9	<0.01	0.06	2.0
CC148484		0.74	60.6	800	15.6	8.5	<0.001	0.03	0.86	4.8	1.0	0.4	17.5	<0.01	0.05	2.2
CC148485		0.53	77.0	1030	29.2	6.5	<0.001	0.06	1.57	7.1	2.2	0.4	19.2	<0.01	0.10	2.5
CC148486		0.65	216	1490	42.9	4.0	<0.001	0.08	1.66	18.5	4.6	0.4	22.3	0.01	0.11	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148397		0.033	0.12	2.28	78	0.12	22.7	160	0.6
CC148398		0.023	0.14	0.84	78	0.07	6.97	150	0.6
CC148399		0.014	0.21	0.70	39	0.12	2.80	50	0.8
CC148400		0.021	0.17	0.63	50	0.17	2.47	54	0.6
CC148451		0.016	0.12	1.19	42	0.13	4.35	85	0.5
CC148452		0.027	0.09	1.37	37	0.12	6.36	110	2.7
CC148453		0.021	0.11	1.05	56	0.17	3.67	90	<0.5
CC148454		0.016	0.14	1.42	66	0.20	4.20	91	<0.5
CC148455		0.024	0.12	1.40	47	0.16	5.85	97	<0.5
CC148456		0.020	0.20	1.77	49	0.09	6.12	72	0.7
CC148457		0.016	0.12	1.15	49	0.17	5.61	141	1.1
CC148458		0.030	0.12	1.16	63	0.31	6.92	258	0.5
CC148459		0.033	0.08	1.24	112	0.13	7.65	339	<0.5
CC148460		0.042	0.11	0.54	96	0.20	7.57	285	<0.5
CC148461		0.055	0.15	0.54	111	0.24	5.04	130	<0.5
CC148462		0.065	0.08	0.61	100	0.21	7.03	304	0.5
CC148463		0.043	0.09	0.71	67	0.33	7.89	300	0.7
CC148464		0.046	0.12	1.01	111	0.20	4.07	159	<0.5
CC148465		0.074	0.11	0.57	108	0.32	4.10	205	0.7
CC148466		0.098	0.07	0.68	115	0.20	8.11	232	0.9
CC148467		0.021	0.15	4.14	169	0.21	11.40	358	<0.5
CC148468		0.023	0.13	0.73	53	0.15	4.37	147	<0.5
CC148469		0.066	0.10	1.02	79	0.15	2.99	122	1.3
CC148470		0.084	0.08	0.72	105	0.58	6.74	440	0.7
CC148471		0.110	0.11	0.54	122	0.40	6.49	148	0.9
CC148472		0.048	0.13	0.65	98	0.19	9.86	176	<0.5
CC148473		0.044	0.16	0.57	89	0.15	4.48	107	<0.5
CC148474		0.126	0.15	1.93	85	0.10	14.60	558	2.5
CC148475		0.041	0.12	1.42	69	0.21	8.73	306	<0.5
CC148476		0.019	0.08	2.13	58	0.07	7.77	150	<0.5
CC148477		0.052	0.07	0.85	65	0.12	9.39	167	1.5
CC148478		0.056	0.10	0.85	196	0.09	32.7	618	1.8
CC148479		0.093	0.15	2.72	218	0.07	54.2	495	3.1
CC148480		0.179	0.16	4.16	180	0.08	39.2	1040	6.3
CC148481		0.090	0.08	0.55	155	0.12	10.20	240	0.5
CC148482		0.080	0.10	1.58	107	0.14	9.71	387	1.1
CC148483		0.053	0.16	0.83	75	0.20	6.47	191	<0.5
CC148484		0.053	0.13	1.01	80	0.20	6.50	269	0.5
CC148485		0.056	0.11	1.24	82	0.09	17.65	466	0.6
CC148486		0.096	0.10	1.05	144	0.12	62.8	2140	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148487		0.43	0.011	1.89	3.21	32.4	<0.2	<10	250	0.96	0.62	0.51	6.16	67.1	62.4	70
CC148488		0.39	0.003	0.27	2.03	13.5	<0.2	<10	150	0.64	0.25	0.36	2.13	43.1	27.9	40
CC148489		0.26	0.004	0.34	2.23	19.1	<0.2	<10	200	0.79	0.41	0.17	3.89	47.0	26.9	44
CC148490		0.35	0.003	0.23	1.85	15.1	<0.2	<10	200	0.57	0.29	0.10	1.29	37.3	9.3	33
CC148491		0.36	0.002	0.49	1.85	17.4	<0.2	<10	190	0.54	0.33	0.10	0.97	37.7	12.7	37
CC148492		0.40	0.003	0.27	1.83	13.4	<0.2	<10	250	0.55	0.23	0.10	0.67	46.1	11.6	34
CC148493		0.40	0.002	0.38	1.72	13.9	<0.2	<10	140	0.42	0.22	0.11	0.53	34.5	8.9	31
CC148494		0.28	0.005	4.38	1.72	23.1	<0.2	<10	220	0.38	0.36	0.18	2.36	48.7	6.3	31
CC148495		0.33	0.002	0.69	0.95	18.0	<0.2	<10	70	0.20	0.27	0.06	0.57	22.2	3.5	22
CC148496		0.36	0.002	0.59	1.62	18.6	<0.2	<10	100	0.35	0.26	0.12	0.70	25.6	7.6	31
CC148497		0.36	0.001	0.28	1.32	16.1	<0.2	<10	100	0.23	0.30	0.06	0.44	26.9	4.9	25
CC148498		0.40	0.003	0.15	1.91	13.7	<0.2	<10	150	0.48	0.25	0.12	0.65	31.4	7.2	29
CC148499		0.28	0.005	0.14	1.98	23.3	<0.2	<10	250	0.41	0.20	0.36	0.58	30.2	14.0	48
CC148500		0.36	0.003	0.38	1.77	17.5	<0.2	<10	190	0.47	0.25	0.15	0.69	29.9	9.7	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148487		3.74	308	7.34	8.25	0.17	0.04	0.15	0.101	0.06	23.2	36.5	1.47	1440	2.17	0.01
CC148488		1.90	128.5	4.70	5.77	0.06	<0.02	0.09	0.050	0.06	15.5	28.9	0.65	723	1.66	0.01
CC148489		2.83	148.5	4.91	6.59	0.07	<0.02	0.08	0.062	0.07	19.7	30.8	0.70	712	2.21	0.01
CC148490		1.68	56.7	4.08	5.26	0.05	<0.02	0.08	0.037	0.06	16.7	32.6	0.45	359	1.90	0.01
CC148491		2.04	64.0	4.29	5.08	0.05	<0.02	0.07	0.044	0.07	18.0	31.5	0.56	384	2.56	0.01
CC148492		0.88	48.9	4.04	4.73	0.07	<0.02	0.06	0.028	0.05	22.5	38.1	0.71	345	1.68	0.01
CC148493		1.12	37.8	4.15	5.06	0.05	<0.02	0.07	0.031	0.06	17.0	29.7	0.52	273	1.75	0.01
CC148494		2.84	90.5	2.89	4.53	0.12	<0.02	0.23	0.062	0.06	22.8	20.1	0.38	95	7.90	0.01
CC148495		1.26	23.3	2.65	3.45	<0.05	<0.02	0.09	0.028	0.04	11.9	9.0	0.24	97	3.60	<0.01
CC148496		1.94	22.6	3.61	4.50	0.05	<0.02	0.09	0.034	0.05	13.3	15.9	0.40	302	4.35	0.01
CC148497		1.87	16.4	3.22	6.13	<0.05	<0.02	0.08	0.025	0.06	13.9	8.5	0.24	212	3.32	<0.01
CC148498		1.27	30.0	3.05	6.10	0.05	<0.02	0.07	0.030	0.04	16.0	15.3	0.40	207	2.33	0.01
CC148499		1.48	98.7	4.61	5.91	0.05	<0.02	0.07	0.034	0.04	15.3	26.0	0.99	335	2.97	0.01
CC148500		1.48	59.3	3.81	5.13	0.05	<0.02	0.07	0.040	0.07	15.5	20.1	0.58	411	2.85	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148487		0.82	154.0	1260	117.5	9.1	<0.001	0.07	1.39	13.9	4.6	0.6	24.8	<0.01	0.08	1.7
CC148488		0.53	64.0	980	13.5	9.0	<0.001	0.07	0.97	3.6	1.0	0.4	15.0	<0.01	0.06	0.6
CC148489		0.67	60.8	1110	21.9	14.3	<0.001	0.10	0.92	3.6	1.5	0.6	16.0	<0.01	0.08	0.4
CC148490		0.68	31.3	650	15.1	10.9	<0.001	0.05	1.13	1.7	1.1	0.5	12.0	<0.01	0.04	0.4
CC148491		0.75	32.7	870	16.7	11.6	0.001	0.06	2.21	2.2	1.9	0.5	14.3	<0.01	0.07	0.7
CC148492		0.39	41.2	560	14.7	6.1	<0.001	0.04	0.84	2.1	0.9	0.3	15.8	<0.01	0.05	2.0
CC148493		0.79	30.1	640	14.7	8.2	0.001	0.04	1.21	2.1	0.9	0.4	13.1	<0.01	0.03	2.0
CC148494		0.30	35.6	1850	23.3	7.6	0.002	0.11	5.91	0.4	6.8	0.5	22.3	<0.01	0.07	<0.2
CC148495		0.39	15.9	890	11.9	6.0	0.001	0.07	3.36	0.4	1.7	0.4	10.5	<0.01	0.05	<0.2
CC148496		0.80	21.0	1180	13.3	8.9	<0.001	0.05	2.56	1.4	2.0	0.5	12.5	<0.01	0.05	0.5
CC148497		0.62	13.5	780	13.5	9.2	<0.001	0.03	1.43	0.9	1.3	0.7	9.8	<0.01	0.06	0.2
CC148498		1.23	22.5	470	12.6	7.3	<0.001	0.02	0.93	2.3	0.8	0.6	11.8	<0.01	0.04	1.5
CC148499		0.67	49.3	760	13.4	6.3	<0.001	0.04	1.78	4.0	0.9	0.4	21.1	<0.01	0.05	1.6
CC148500		1.07	26.0	680	13.2	11.6	<0.001	0.02	1.07	3.0	1.5	0.5	13.4	<0.01	0.04	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125431

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148487		0.075	0.13	1.36	124	0.18	59.9	1160	1.0
CC148488		0.036	0.10	0.94	77	0.13	10.95	282	<0.5
CC148489		0.041	0.16	0.99	91	0.11	11.85	418	<0.5
CC148490		0.031	0.13	0.98	60	0.11	4.95	144	<0.5
CC148491		0.037	0.16	1.14	64	0.10	4.82	145	<0.5
CC148492		0.020	0.10	0.89	44	0.09	6.09	120	<0.5
CC148493		0.033	0.11	0.69	54	0.14	3.96	109	0.5
CC148494		0.008	0.66	3.61	95	0.16	18.15	227	<0.5
CC148495		0.020	0.12	1.25	56	0.11	2.91	92	<0.5
CC148496		0.039	0.18	1.09	71	0.18	3.88	146	<0.5
CC148497		0.032	0.20	0.80	76	0.22	2.76	84	<0.5
CC148498		0.037	0.20	0.90	72	0.23	3.72	95	<0.5
CC148499		0.053	0.13	0.84	93	0.17	5.24	164	0.5
CC148500		0.038	0.17	1.12	71	0.30	4.08	164	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: WAND

Finalized Date: 5-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14125431

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

CERTIFICATE WH14125432

Project: WAND

This report is for 127 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2014.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ89351		0.23	0.002	0.19	1.88	14.5	<0.2	<10	110	0.39	0.24	0.11	0.69	24.0	15.1	45
ZZ89352		0.39	0.002	0.15	1.35	14.9	<0.2	<10	120	0.30	0.29	0.13	1.47	25.1	10.8	35
ZZ89353		0.34	0.003	0.28	1.69	14.7	<0.2	<10	230	0.35	0.26	0.39	0.77	26.7	19.6	37
ZZ89354		0.42	0.007	0.48	1.98	24.0	<0.2	<10	200	0.56	0.30	0.45	1.23	37.7	21.5	40
ZZ89355		0.35	0.004	0.12	1.36	13.8	<0.2	<10	100	0.23	0.24	0.10	0.58	22.4	6.8	29
ZZ89356		0.43	0.003	0.83	1.37	14.6	<0.2	<10	180	0.32	0.28	0.42	1.26	28.7	8.6	29
ZZ89357		0.43	0.003	0.38	1.39	16.8	<0.2	<10	180	0.38	0.24	0.21	1.91	31.9	12.6	30
ZZ89358		0.45	0.003	0.16	1.43	17.8	<0.2	<10	120	0.31	0.29	0.13	0.99	27.6	11.7	33
ZZ89359		0.43	0.008	0.48	1.44	15.1	<0.2	<10	270	0.37	0.33	0.20	1.96	32.5	12.7	30
ZZ89360		0.37	0.004	0.48	1.71	10.6	<0.2	<10	290	0.48	0.24	0.54	1.14	42.6	24.9	32
ZZ89361		0.35	0.005	0.39	1.59	14.7	<0.2	<10	280	0.54	0.23	0.37	1.21	49.0	20.6	27
ZZ89362		0.37	0.003	0.23	1.35	12.2	<0.2	<10	140	0.25	0.20	0.18	0.67	26.0	6.5	27
ZZ89363		0.38	0.008	0.34	1.75	19.7	<0.2	<10	230	0.37	0.31	0.26	0.89	28.2	11.6	37
ZZ89364		0.34	0.005	0.10	1.32	10.8	<0.2	<10	150	0.34	0.20	0.12	0.45	23.1	9.4	30
ZZ89365		0.32	0.006	0.11	1.45	10.8	<0.2	<10	150	0.36	0.19	0.14	0.41	24.6	9.4	32
ZZ89366		0.31	NSS	0.55	3.49	18.8	<0.2	<10	2130	1.05	0.40	1.13	2.11	48.1	51.0	52
ZZ89367		0.45	0.005	0.15	1.80	11.2	<0.2	<10	210	0.41	0.20	0.18	0.38	28.0	9.8	34
ZZ89368		0.32	0.014	1.02	2.11	24.4	<0.2	<10	850	0.62	0.42	0.57	1.37	41.8	13.9	45
ZZ89369		0.31	0.004	0.16	1.93	14.1	<0.2	<10	150	0.42	0.22	0.13	0.40	24.7	11.1	35
ZZ89370		0.37	0.005	0.38	1.52	12.9	<0.2	<10	180	0.23	0.31	0.03	0.15	34.7	3.6	33
ZZ89371		0.43	0.007	0.60	1.57	18.4	<0.2	<10	160	0.25	0.32	0.03	0.12	40.1	4.4	38
ZZ89372		0.46	0.013	0.29	1.38	22.0	<0.2	<10	130	0.23	0.29	0.03	0.14	34.5	3.9	37
ZZ89373		0.42	0.007	0.18	1.69	12.2	<0.2	<10	210	0.34	0.33	0.07	0.19	36.4	8.5	33
ZZ89374		0.48	0.004	0.18	1.82	12.8	<0.2	<10	500	0.59	0.33	0.18	0.22	60.5	15.1	45
ZZ89375		0.49	0.005	0.20	2.67	12.3	<0.2	<10	390	0.90	0.32	0.32	0.30	66.4	34.9	101
ZZ89376		0.32	0.004	0.11	2.22	9.6	<0.2	<10	280	0.67	0.23	0.31	0.30	26.7	21.3	58
ZZ89377		0.47	0.005	0.12	1.67	8.1	<0.2	<10	280	0.48	0.18	0.34	0.27	30.8	11.6	41
ZZ89378		0.27	0.002	0.18	1.84	6.5	<0.2	<10	160	0.49	0.22	0.40	0.15	20.6	14.0	39
ZZ89379		0.40	0.006	0.06	1.73	9.6	<0.2	<10	190	0.51	0.17	0.24	0.41	28.5	20.0	34
ZZ89380		0.48	0.006	0.09	1.69	9.6	<0.2	<10	160	0.50	0.15	0.40	0.30	31.1	26.8	24
ZZ89381		0.39	0.006	0.07	1.76	9.0	<0.2	<10	230	0.37	0.21	0.18	0.19	20.3	15.4	59
ZZ89382		0.47	0.002	0.12	3.81	5.9	<0.2	<10	390	1.50	0.07	1.08	0.46	38.8	87.2	187
ZZ89383		0.41	0.003	0.09	3.13	4.6	<0.2	<10	330	1.26	0.10	0.68	0.36	26.7	60.9	180
ZZ89384		0.43	0.003	0.14	2.76	6.4	<0.2	<10	310	0.91	0.19	0.34	0.42	47.6	41.5	122
ZZ89385		0.42	0.009	0.46	1.64	10.8	<0.2	<10	340	0.30	0.34	0.08	0.17	55.5	8.9	41
ZZ89386		0.48	0.007	0.31	1.63	10.6	<0.2	<10	210	0.29	0.33	0.06	0.14	47.0	8.1	39
ZZ89387		0.42	0.007	0.50	1.48	11.8	<0.2	<10	150	0.27	0.28	0.06	0.21	31.6	6.7	34
ZZ89388		0.44	0.009	0.90	1.55	12.7	<0.2	<10	300	0.31	0.30	0.16	0.15	46.0	7.0	38
ZZ89389		0.42	0.006	0.38	1.76	12.4	<0.2	<10	340	0.50	0.38	0.07	0.16	36.7	10.1	37
ZZ89390		0.42	0.005	0.20	1.83	10.7	<0.2	<10	220	0.55	0.34	0.04	0.20	27.9	12.6	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ89351		1.34	71.2	5.24	7.24	0.05	0.03	0.04	0.038	0.04	12.4	17.7	0.52	641	2.81	<0.01
ZZ89352		1.18	67.9	5.22	7.05	0.07	0.03	0.04	0.029	0.04	13.4	11.9	0.45	384	3.53	<0.01
ZZ89353		1.51	85.0	4.17	6.68	<0.05	<0.02	0.04	0.032	0.06	13.6	15.2	0.55	1030	2.97	0.01
ZZ89354		1.58	270	4.35	6.66	0.11	0.08	0.11	0.045	0.05	28.0	24.6	0.73	736	4.09	0.01
ZZ89355		1.24	34.1	3.26	5.79	<0.05	<0.02	0.03	0.029	0.04	12.1	13.4	0.40	331	3.50	<0.01
ZZ89356		1.51	87.9	3.32	5.47	0.05	<0.02	0.11	0.038	0.04	15.1	14.8	0.43	290	4.38	0.01
ZZ89357		1.12	76.8	3.73	4.57	0.05	<0.02	0.05	0.037	0.04	16.7	18.7	0.56	410	4.03	0.01
ZZ89358		1.33	52.8	3.79	5.70	<0.05	<0.02	0.02	0.038	0.05	14.1	23.1	0.60	388	5.20	0.01
ZZ89359		2.04	97.3	3.27	4.82	0.06	<0.02	0.12	0.043	0.05	16.6	20.3	0.49	423	4.46	0.01
ZZ89360		1.03	115.5	3.51	5.36	0.08	0.04	0.10	0.040	0.05	22.0	26.3	0.64	525	2.40	0.01
ZZ89361		1.07	138.0	3.59	4.60	0.09	0.03	0.09	0.037	0.04	24.8	22.0	0.47	512	3.06	0.01
ZZ89362		0.89	52.1	2.87	4.72	<0.05	<0.02	0.06	0.029	0.03	13.9	17.1	0.52	199	3.37	0.01
ZZ89363		1.24	103.5	3.85	6.24	0.05	0.05	0.07	0.041	0.05	16.0	17.8	0.58	430	4.79	0.01
ZZ89364		0.98	38.1	2.99	4.96	<0.05	<0.02	0.02	0.028	0.04	12.3	20.4	0.48	460	2.55	0.01
ZZ89365		0.98	52.0	3.20	5.09	<0.05	<0.02	0.03	0.030	0.03	13.5	21.2	0.54	530	2.62	0.01
ZZ89366		3.13	307	4.82	9.77	0.08	0.24	0.19	0.070	0.12	20.5	28.3	0.63	4490	5.46	0.02
ZZ89367		1.11	76.5	3.34	5.76	<0.05	<0.02	0.04	0.034	0.03	15.1	21.4	0.62	260	2.18	0.01
ZZ89368		2.05	162.0	4.59	7.40	0.08	0.02	0.21	0.055	0.07	23.8	21.4	0.59	841	4.34	0.01
ZZ89369		1.25	75.6	3.55	6.27	<0.05	<0.02	0.04	0.034	0.04	12.5	17.5	0.58	383	2.29	0.01
ZZ89370		2.37	45.4	3.52	5.61	0.05	<0.02	0.06	0.033	0.05	19.3	13.0	0.40	203	2.53	0.01
ZZ89371		3.02	47.6	3.64	5.85	<0.05	<0.02	0.03	0.042	0.05	23.9	14.4	0.43	250	3.72	0.01
ZZ89372		1.82	55.1	3.89	4.98	0.05	<0.02	0.05	0.048	0.03	20.0	14.6	0.38	195	2.83	0.01
ZZ89373		2.34	49.1	3.39	5.14	<0.05	0.02	0.04	0.031	0.06	18.9	19.2	0.51	298	2.63	0.01
ZZ89374		1.88	77.3	4.68	5.21	0.07	<0.02	0.02	0.037	0.06	32.6	22.7	0.73	407	4.06	0.03
ZZ89375		2.80	182.5	5.50	7.50	0.09	0.03	0.04	0.044	0.06	30.4	40.6	1.41	988	3.57	0.02
ZZ89376		2.15	123.0	4.19	7.11	0.05	<0.02	0.04	0.039	0.05	13.7	23.9	1.01	599	1.55	0.01
ZZ89377		0.92	68.2	3.19	5.28	0.05	0.04	0.04	0.028	0.04	16.8	18.3	0.68	306	1.32	0.01
ZZ89378		1.92	95.4	3.40	6.55	<0.05	0.02	0.05	0.034	0.04	11.0	15.8	0.64	453	1.54	0.02
ZZ89379		1.43	95.1	3.45	5.55	<0.05	0.04	0.03	0.032	0.04	13.2	21.7	0.71	597	1.62	0.01
ZZ89380		2.04	185.0	4.41	5.99	0.06	0.05	0.03	0.034	0.04	15.1	17.2	0.93	803	1.55	0.01
ZZ89381		1.86	61.3	3.73	6.26	<0.05	<0.02	0.04	0.030	0.04	9.9	16.0	0.74	769	1.39	0.01
ZZ89382		1.83	328	7.36	9.11	0.12	0.09	0.03	0.042	0.02	8.7	44.7	4.04	1840	1.02	0.01
ZZ89383		1.53	202	5.71	7.77	0.06	0.04	0.04	0.038	0.03	7.1	35.3	2.46	1550	0.93	0.01
ZZ89384		2.23	146.5	5.45	7.01	0.05	0.04	0.04	0.041	0.06	18.1	32.5	1.66	1020	2.12	0.02
ZZ89385		2.57	70.9	3.51	5.09	0.06	<0.02	0.05	0.031	0.06	28.5	19.6	0.64	301	3.03	0.02
ZZ89386		2.44	62.6	3.46	5.15	0.05	<0.02	0.04	0.030	0.05	24.3	18.9	0.58	293	2.86	0.01
ZZ89387		1.77	41.4	3.26	5.32	<0.05	<0.02	0.06	0.028	0.05	16.7	15.4	0.40	292	2.39	0.01
ZZ89388		2.07	62.2	3.41	4.76	0.05	<0.02	0.07	0.034	0.05	24.6	19.3	0.57	260	3.14	0.02
ZZ89389		3.41	65.2	3.51	5.77	0.05	0.02	0.04	0.034	0.06	18.9	25.7	0.49	407	2.99	0.01
ZZ89390		2.98	49.7	3.88	5.19	<0.05	0.03	0.04	0.033	0.05	14.5	37.2	0.58	437	1.99	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ89351		1.01	29.1	640	13.4	10.1	<0.001	0.06	0.77	3.9	1.4	0.9	11.7	<0.01	0.05	0.9
ZZ89352		0.92	26.3	950	20.2	8.1	<0.001	0.08	0.82	2.7	1.9	0.6	13.8	<0.01	0.08	0.6
ZZ89353		0.50	29.4	860	13.6	12.8	<0.001	0.06	0.86	2.0	1.2	0.6	17.9	<0.01	0.05	0.2
ZZ89354		0.60	61.5	1230	21.8	9.8	0.001	0.06	1.00	6.4	3.8	0.5	23.6	0.01	0.06	1.1
ZZ89355		0.48	22.1	830	12.7	12.4	<0.001	0.04	0.89	0.9	1.4	0.5	12.7	<0.01	0.05	<0.2
ZZ89356		0.32	33.0	930	16.2	9.6	<0.001	0.05	1.26	1.1	2.1	0.5	24.4	<0.01	0.07	<0.2
ZZ89357		0.50	40.1	1060	16.3	8.0	0.001	0.04	2.14	2.3	2.2	0.4	20.1	<0.01	0.07	0.7
ZZ89358		0.66	34.6	800	18.1	9.3	0.001	0.03	1.82	2.4	2.0	0.4	16.5	<0.01	0.07	1.0
ZZ89359		0.44	47.0	1120	19.9	9.6	0.001	0.05	1.88	2.4	2.2	0.4	23.1	<0.01	0.07	0.5
ZZ89360		0.64	80.9	870	17.7	7.8	0.001	0.03	0.95	6.9	2.2	0.3	33.1	<0.01	0.06	2.2
ZZ89361		0.65	81.9	720	17.1	6.1	0.002	0.03	1.15	5.7	3.2	0.3	34.0	<0.01	0.07	2.1
ZZ89362		0.43	30.1	820	12.0	6.1	<0.001	0.03	1.23	1.7	1.4	0.4	16.8	<0.01	0.05	0.4
ZZ89363		0.52	42.1	1130	18.5	9.5	0.002	0.05	1.08	4.5	2.1	0.5	21.3	<0.01	0.07	1.2
ZZ89364		0.28	28.0	810	12.0	9.2	<0.001	0.04	0.86	1.1	1.2	0.4	14.3	<0.01	0.04	0.2
ZZ89365		0.39	34.4	540	11.0	7.5	0.001	0.03	0.88	2.2	1.8	0.4	15.1	<0.01	0.05	0.4
ZZ89366		0.68	92.6	2400	34.1	17.4	0.012	0.14	0.90	13.5	8.4	1.0	56.3	0.01	0.09	1.9
ZZ89367		0.45	37.3	470	11.8	6.3	<0.001	0.02	0.72	2.3	1.8	0.4	15.1	<0.01	0.05	0.4
ZZ89368		0.43	53.3	1420	24.3	14.4	0.005	0.08	1.02	4.2	5.9	0.6	34.7	<0.01	0.11	0.4
ZZ89369		0.53	31.0	640	11.2	8.8	<0.001	0.04	0.79	2.2	1.2	0.5	12.6	<0.01	0.04	0.3
ZZ89370		0.38	21.6	850	18.3	9.5	<0.001	0.09	0.90	0.6	1.7	0.4	26.6	<0.01	0.08	0.3
ZZ89371		0.40	23.1	1160	21.8	11.6	0.001	0.08	1.15	1.1	2.6	0.5	32.2	<0.01	0.10	0.6
ZZ89372		0.38	25.2	840	21.3	6.0	0.001	0.08	1.48	0.7	2.9	0.4	22.3	<0.01	0.15	0.4
ZZ89373		0.53	29.5	870	20.6	9.7	<0.001	0.07	0.83	1.4	1.1	0.3	25.1	<0.01	0.08	1.0
ZZ89374		0.51	44.5	1260	29.1	5.6	<0.001	0.18	1.35	3.6	1.4	0.3	38.1	<0.01	0.08	2.8
ZZ89375		0.99	90.3	1160	24.3	6.8	0.001	0.13	1.03	9.7	1.7	0.4	40.8	<0.01	0.06	4.1
ZZ89376		0.67	50.7	890	11.2	8.8	<0.001	0.05	0.74	7.6	0.9	0.5	22.6	<0.01	0.05	0.7
ZZ89377		0.72	35.7	760	10.1	5.3	<0.001	0.01	0.75	7.8	0.7	0.4	22.6	<0.01	0.03	3.8
ZZ89378		0.68	35.5	1420	10.8	6.6	<0.001	0.14	0.65	3.4	1.3	0.4	16.5	<0.01	0.04	0.2
ZZ89379		0.84	46.3	800	10.6	5.4	<0.001	0.03	0.81	5.2	0.9	0.4	17.6	<0.01	0.03	2.9
ZZ89380		0.63	44.6	1040	8.8	5.2	<0.001	0.02	0.81	9.7	1.2	0.4	26.2	<0.01	0.03	3.8
ZZ89381		0.87	32.0	650	8.4	7.9	<0.001	0.07	0.79	3.4	0.6	0.5	13.2	<0.01	0.04	0.4
ZZ89382		0.61	155.5	610	4.0	2.8	<0.001	0.03	0.49	25.8	1.2	0.4	31.2	<0.01	0.02	1.5
ZZ89383		1.06	114.0	1010	5.0	3.1	<0.001	0.10	0.48	15.1	0.8	0.4	34.5	<0.01	0.03	0.5
ZZ89384		1.03	87.4	1270	20.3	5.5	<0.001	0.18	0.67	8.6	1.0	0.4	45.4	<0.01	0.05	1.2
ZZ89385		0.25	37.9	780	23.5	7.4	<0.001	0.11	0.81	1.8	1.8	0.3	34.4	<0.01	0.09	0.9
ZZ89386		0.30	34.7	860	22.0	8.0	0.001	0.09	0.77	1.2	1.2	0.3	31.8	<0.01	0.08	0.5
ZZ89387		0.47	24.4	810	15.1	10.2	<0.001	0.07	0.90	0.8	1.2	0.4	17.2	<0.01	0.07	0.2
ZZ89388		0.32	33.7	820	20.9	7.6	0.001	0.10	0.90	1.5	2.1	0.3	30.9	<0.01	0.09	1.0
ZZ89389		0.35	33.5	1210	25.5	15.1	<0.001	0.11	0.92	1.3	1.9	0.4	25.7	<0.01	0.10	0.6
ZZ89390		0.39	36.5	1000	23.3	11.7	<0.001	0.07	0.75	1.5	1.4	0.3	17.8	<0.01	0.07	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ89351		0.093	0.11	0.84	124	0.18	5.47	140	1.1
ZZ89352		0.087	0.07	0.94	124	0.12	5.84	143	1.1
ZZ89353		0.040	0.13	0.96	108	0.14	8.82	161	<0.5
ZZ89354		0.030	0.14	2.21	92	0.18	73.5	326	1.7
ZZ89355		0.023	0.11	0.79	69	0.17	4.03	120	<0.5
ZZ89356		0.018	0.11	1.41	70	0.14	9.96	154	<0.5
ZZ89357		0.031	0.09	1.61	63	0.16	10.60	193	<0.5
ZZ89358		0.030	0.11	1.12	73	0.21	5.16	217	<0.5
ZZ89359		0.021	0.13	2.04	59	0.14	10.40	229	<0.5
ZZ89360		0.043	0.07	1.67	70	0.10	24.7	336	1.2
ZZ89361		0.040	0.07	1.78	65	0.10	23.1	308	0.9
ZZ89362		0.024	0.09	1.21	55	0.14	6.75	129	<0.5
ZZ89363		0.024	0.11	1.66	78	0.16	11.40	214	1.3
ZZ89364		0.021	0.09	0.88	55	0.14	4.93	140	<0.5
ZZ89365		0.032	0.08	0.95	61	0.12	6.65	157	<0.5
ZZ89366		0.014	0.39	2.67	112	0.21	41.1	393	5.3
ZZ89367		0.037	0.10	1.01	67	0.11	8.34	129	<0.5
ZZ89368		0.028	0.16	2.08	105	0.18	35.2	298	<0.5
ZZ89369		0.040	0.11	0.96	82	0.16	6.27	131	<0.5
ZZ89370		0.015	0.12	1.26	43	0.12	3.58	62	<0.5
ZZ89371		0.020	0.15	1.37	51	0.14	4.25	69	<0.5
ZZ89372		0.017	0.09	1.17	43	0.09	4.65	61	<0.5
ZZ89373		0.016	0.12	0.97	38	0.12	4.18	82	0.6
ZZ89374		0.036	0.10	1.70	47	0.09	13.15	108	<0.5
ZZ89375		0.094	0.15	2.32	89	0.14	28.0	192	1.1
ZZ89376		0.058	0.13	1.06	95	0.28	13.95	123	<0.5
ZZ89377		0.069	0.08	1.19	67	0.20	12.90	90	1.3
ZZ89378		0.039	0.11	0.97	78	0.19	18.30	78	0.6
ZZ89379		0.073	0.09	0.91	75	0.19	8.82	125	1.5
ZZ89380		0.096	0.07	1.28	95	0.32	15.55	143	1.9
ZZ89381		0.069	0.11	0.62	95	0.28	4.16	85	0.5
ZZ89382		0.200	0.05	0.95	175	0.12	26.5	335	2.6
ZZ89383		0.169	0.05	0.76	158	0.13	14.35	255	1.4
ZZ89384		0.124	0.07	1.11	120	0.13	11.15	208	1.6
ZZ89385		0.017	0.11	1.29	38	0.06	10.70	91	<0.5
ZZ89386		0.017	0.11	1.07	39	0.07	5.64	88	<0.5
ZZ89387		0.021	0.10	0.97	49	0.15	4.01	75	<0.5
ZZ89388		0.016	0.11	1.36	39	0.08	9.18	83	<0.5
ZZ89389		0.009	0.18	1.76	42	0.12	9.49	85	0.5
ZZ89390		0.008	0.14	1.10	38	0.09	4.92	104	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ89391		0.45	0.009	0.56	1.70	12.3	<0.2	<10	260	0.34	0.30	0.03	0.20	38.0	5.7	33
ZZ89392		0.44	0.016	0.51	1.64	14.1	<0.2	<10	340	0.37	0.31	0.15	0.42	44.3	11.5	36
ZZ89393		0.46	0.006	0.26	1.69	14.3	<0.2	<10	380	0.44	0.30	0.17	0.69	34.5	11.6	35
ZZ89394		0.47	0.006	0.11	1.74	11.4	<0.2	<10	120	0.40	0.20	0.10	0.54	31.8	13.1	32
ZZ89395		0.34	0.005	0.19	1.72	13.0	<0.2	<10	320	0.42	0.25	0.06	0.46	36.3	10.1	34
ZZ89396		0.34	0.018	0.87	3.06	21.0	<0.2	<10	890	1.06	0.42	0.32	0.70	60.4	27.1	50
ZZ89397		0.36	0.005	0.24	1.99	13.2	<0.2	<10	810	0.61	0.26	0.41	0.82	33.0	46.6	36
ZZ89398		0.33	0.006	0.29	1.99	12.6	<0.2	<10	390	0.55	0.23	0.16	0.56	34.7	36.0	37
ZZ89399		0.39	0.007	0.14	1.64	12.8	<0.2	<10	180	0.46	0.20	0.14	0.61	29.8	14.9	32
ZZ89400		0.60	0.006	0.16	1.37	11.0	<0.2	<10	160	0.40	0.14	0.30	0.59	33.2	13.9	30
ZZ61576		0.35	0.004	0.20	1.81	22.4	<0.2	<10	170	0.54	0.24	0.30	1.36	25.6	27.2	31
ZZ61577		0.44	0.003	0.83	2.70	43.0	<0.2	<10	290	0.97	0.30	1.00	2.94	30.2	70.5	23
ZZ61578		0.30	0.007	0.35	2.19	8.6	<0.2	<10	170	0.39	0.17	0.16	2.65	21.6	21.6	38
ZZ61579		0.41	0.003	0.13	0.86	11.4	<0.2	<10	70	0.11	0.33	0.03	0.48	28.4	3.0	14
ZZ61580		0.34	0.003	0.18	1.60	17.7	<0.2	<10	110	0.38	0.30	0.09	1.60	24.4	7.8	28
ZZ61581		0.40	0.003	0.13	1.69	44.4	<0.2	<10	160	0.43	0.25	0.14	0.86	25.1	14.2	26
ZZ61582		0.39	0.006	0.21	1.83	134.5	<0.2	<10	190	0.46	0.21	0.18	2.01	24.2	16.5	26
ZZ61583		0.35	0.004	0.23	1.73	115.5	<0.2	<10	190	0.42	0.26	0.18	1.17	21.6	15.5	27
ZZ61584		0.30	0.004	0.20	1.36	204	<0.2	<10	150	0.32	0.27	0.28	3.73	15.95	10.9	23
ZZ61585		0.36	0.007	0.46	1.63	61.2	<0.2	<10	180	0.42	0.22	0.33	2.17	27.4	15.0	30
ZZ61586		0.37	0.005	0.44	1.33	180.0	<0.2	<10	140	0.27	0.27	0.25	2.66	19.00	11.5	27
ZZ61587		0.29	0.009	0.35	1.76	96.8	<0.2	<10	180	0.29	0.33	0.21	1.45	21.0	10.2	28
ZZ61588		0.38	0.005	0.36	1.52	20.5	<0.2	<10	120	0.37	0.27	0.37	1.19	25.6	15.3	29
ZZ61589		0.26	0.003	0.28	1.35	30.6	<0.2	<10	140	0.30	0.22	0.19	1.17	22.0	10.8	29
ZZ61590		0.28	0.004	0.19	1.40	13.4	<0.2	<10	150	0.33	0.24	0.19	0.72	24.1	10.2	33
ZZ61591		0.33	0.003	0.30	1.59	11.0	<0.2	<10	150	0.38	0.22	0.31	1.34	20.6	15.5	40
ZZ61592		0.36	0.005	0.46	1.49	11.4	<0.2	<10	140	0.32	0.22	0.10	3.67	21.9	9.2	27
ZZ61593		0.34	0.003	0.28	0.93	14.1	<0.2	<10	130	0.31	0.31	0.21	2.14	26.5	10.5	24
ZZ61594		0.37	0.002	0.21	1.19	16.8	<0.2	<10	120	0.28	0.30	0.09	2.05	25.1	6.5	28
ZZ61595		0.43	0.003	0.30	1.01	14.4	<0.2	<10	150	0.26	0.26	0.33	1.17	26.6	7.5	25
ZZ61596		0.41	0.004	1.49	1.25	13.4	<0.2	<10	220	0.38	0.23	0.65	1.41	24.8	8.8	26
ZZ61597		0.35	0.006	1.03	1.48	13.2	<0.2	<10	290	0.38	0.27	0.73	2.52	35.6	11.5	30
ZZ61598		0.52	0.005	0.97	1.34	13.6	<0.2	<10	220	0.33	0.25	0.44	2.23	28.2	7.2	28
ZZ61599		0.44	0.004	0.87	1.37	11.8	<0.2	<10	250	0.36	0.26	0.45	2.26	32.0	6.3	27
ZZ61600		0.41	0.003	0.24	0.94	11.2	<0.2	<10	110	0.24	0.25	0.07	1.38	26.8	4.6	21
ZZ61601		0.28	0.002	0.50	1.32	10.6	<0.2	<10	170	0.33	0.21	0.10	1.22	19.25	7.9	29
ZZ61602		0.34	0.005	0.25	1.54	14.9	<0.2	<10	110	0.39	0.21	0.19	1.24	29.8	12.7	32
ZZ61603		0.36	0.004	0.21	1.66	13.3	<0.2	<10	120	0.38	0.23	0.11	0.56	22.8	7.9	33
ZZ61604		0.35	0.006	0.28	1.74	18.7	<0.2	<10	120	0.40	0.26	0.10	0.88	26.9	10.4	35
ZZ61605		0.38	0.009	0.39	1.90	38.8	<0.2	<10	110	0.47	0.33	0.16	0.94	31.3	12.6	42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ89391		2.32	59.3	3.31	4.77	0.05	<0.02	0.09	0.031	0.06	20.1	20.6	0.50	222	2.20	0.02
ZZ89392		1.81	102.0	3.82	4.59	0.06	<0.02	0.08	0.041	0.04	23.7	20.9	0.59	383	3.59	0.02
ZZ89393		1.62	88.5	4.08	5.38	0.05	<0.02	0.04	0.043	0.05	18.5	25.8	0.59	358	3.28	0.01
ZZ89394		1.10	71.0	3.57	5.01	<0.05	<0.02	0.04	0.035	0.03	16.4	22.3	0.53	357	2.32	0.01
ZZ89395		1.67	85.1	3.84	5.50	<0.05	<0.02	0.05	0.041	0.04	20.1	17.7	0.42	321	3.19	0.01
ZZ89396		3.14	232	5.30	7.05	0.09	0.07	0.20	0.064	0.06	33.3	39.3	0.61	1220	4.93	0.01
ZZ89397		1.62	122.5	4.04	5.50	0.06	0.04	0.06	0.037	0.04	18.3	29.5	0.61	1400	2.64	0.01
ZZ89398		1.51	107.0	3.76	5.65	<0.05	<0.02	0.05	0.040	0.05	17.2	27.4	0.55	934	2.81	0.01
ZZ89399		1.10	76.8	3.46	4.73	<0.05	<0.02	0.05	0.032	0.04	15.0	23.7	0.56	405	2.62	0.01
ZZ89400		0.69	77.3	3.29	4.33	<0.05	<0.02	0.04	0.028	0.03	16.7	25.3	0.62	369	2.00	0.01
ZZ61576		2.93	162.0	5.35	7.04	<0.05	<0.02	0.07	0.051	0.04	11.1	23.0	1.05	843	4.42	0.01
ZZ61577		3.81	335	6.24	8.40	0.05	0.03	0.11	0.071	0.04	12.6	21.9	1.07	2960	1.83	0.01
ZZ61578		1.99	117.5	6.39	9.34	<0.05	0.03	0.09	0.061	0.03	9.8	13.8	1.33	732	2.62	0.01
ZZ61579		1.04	17.0	1.97	8.35	<0.05	<0.02	0.05	0.021	0.03	14.9	2.5	0.08	79	8.38	0.01
ZZ61580		1.76	57.0	4.54	6.84	<0.05	0.02	0.09	0.065	0.05	13.0	14.7	0.34	388	4.60	0.01
ZZ61581		1.24	63.4	4.31	6.38	<0.05	<0.02	0.07	0.060	0.04	11.2	18.0	0.47	436	1.65	0.01
ZZ61582		1.50	61.7	4.41	6.29	<0.05	0.02	0.04	0.055	0.04	11.5	20.5	0.59	505	1.51	0.01
ZZ61583		1.28	52.3	4.80	7.39	<0.05	<0.02	0.06	0.057	0.04	10.3	17.1	0.43	878	1.71	0.01
ZZ61584		0.95	37.5	3.62	6.02	<0.05	<0.02	0.05	0.049	0.05	7.9	11.5	0.40	473	1.40	0.01
ZZ61585		1.77	127.0	3.96	5.02	<0.05	0.02	0.05	0.054	0.05	14.5	17.3	0.69	340	4.15	0.01
ZZ61586		1.84	70.6	4.74	7.62	<0.05	0.02	0.06	0.165	0.04	9.9	9.0	0.49	611	2.67	0.01
ZZ61587		1.21	122.5	3.77	6.97	<0.05	<0.02	0.08	0.079	0.04	11.1	13.4	0.61	241	2.07	0.01
ZZ61588		1.19	103.5	3.89	4.63	<0.05	<0.02	0.04	0.044	0.04	13.4	19.9	0.68	403	2.43	0.01
ZZ61589		1.15	72.5	3.17	4.64	<0.05	<0.02	0.05	0.030	0.05	11.0	13.9	0.43	478	1.92	0.01
ZZ61590		1.22	60.1	3.36	4.95	<0.05	<0.02	0.05	0.032	0.06	12.2	15.4	0.47	449	2.56	0.01
ZZ61591		1.45	76.4	3.88	5.63	<0.05	<0.02	0.04	0.038	0.06	11.4	16.9	0.69	670	2.67	0.01
ZZ61592		1.35	85.1	4.54	5.85	<0.05	<0.02	0.03	0.041	0.06	11.6	10.2	0.35	414	3.27	0.01
ZZ61593		1.85	64.5	2.92	4.64	<0.05	<0.02	0.04	0.030	0.06	14.5	6.3	0.26	481	4.46	0.01
ZZ61594		1.23	27.4	3.77	5.86	<0.05	<0.02	0.04	0.034	0.06	13.4	11.8	0.34	243	3.65	0.01
ZZ61595		1.39	31.5	2.91	4.56	<0.05	<0.02	0.04	0.030	0.05	14.7	10.4	0.33	284	3.54	0.01
ZZ61596		1.36	51.0	2.73	3.66	<0.05	<0.02	0.07	0.031	0.05	13.1	15.0	0.40	287	2.89	0.01
ZZ61597		1.77	102.0	3.14	3.91	0.05	0.02	0.11	0.044	0.05	18.7	25.0	0.55	274	3.28	0.01
ZZ61598		1.48	58.7	2.97	4.10	<0.05	<0.02	0.08	0.035	0.05	14.9	17.5	0.44	238	3.66	0.01
ZZ61599		1.84	119.5	2.73	4.22	<0.05	<0.02	0.08	0.033	0.05	18.8	16.6	0.40	212	2.98	0.01
ZZ61600		1.30	31.2	2.62	4.57	<0.05	<0.02	0.04	0.030	0.04	14.6	6.1	0.20	167	3.25	0.01
ZZ61601		1.17	50.4	3.03	4.67	<0.05	<0.02	0.32	0.029	0.05	10.1	9.3	0.29	503	3.11	0.01
ZZ61602		1.09	55.4	3.93	5.22	0.05	<0.02	0.03	0.036	0.05	15.1	18.1	0.56	405	3.28	0.01
ZZ61603		1.08	63.7	3.88	6.25	<0.05	<0.02	0.04	0.034	0.05	12.3	15.4	0.51	321	2.60	0.01
ZZ61604		1.33	72.8	4.18	5.98	<0.05	<0.02	0.04	0.039	0.06	14.3	17.1	0.54	391	3.45	0.01
ZZ61605		1.56	127.0	4.73	6.42	0.06	<0.02	0.05	0.047	0.05	16.6	17.1	0.69	404	3.62	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ89391		0.45	25.5	770	18.3	10.8	0.001	0.10	0.87	1.5	1.6	0.4	27.2	<0.01	0.09	0.8
ZZ89392		0.34	32.6	1010	21.2	6.6	0.002	0.11	1.09	2.0	3.1	0.3	30.7	<0.01	0.12	0.5
ZZ89393		0.50	34.2	780	17.1	8.0	0.003	0.08	1.03	2.3	2.6	0.4	24.6	<0.01	0.10	0.5
ZZ89394		0.52	32.5	680	13.5	6.9	<0.001	0.04	0.84	2.4	1.3	0.4	14.7	<0.01	0.06	0.7
ZZ89395		0.25	31.5	920	17.2	10.3	0.001	0.06	0.92	0.8	1.5	0.4	26.1	<0.01	0.08	<0.2
ZZ89396		0.51	84.7	1670	28.2	13.1	0.005	0.08	1.07	9.0	5.3	0.6	35.9	0.01	0.11	1.1
ZZ89397		0.43	56.2	1050	13.4	8.8	0.004	0.05	0.64	5.4	3.8	0.4	27.3	<0.01	0.06	0.9
ZZ89398		0.41	44.4	940	11.9	9.6	0.001	0.05	0.80	3.7	3.0	0.4	19.0	<0.01	0.06	0.5
ZZ89399		0.34	38.8	750	13.2	7.2	<0.001	0.04	0.99	2.3	1.4	0.3	15.0	<0.01	0.05	0.4
ZZ89400		0.47	38.8	810	10.3	4.2	0.001	0.02	0.83	4.6	1.3	0.3	19.4	<0.01	0.04	2.2
ZZ61576		0.54	46.8	1110	14.1	7.2	0.001	0.08	1.35	5.6	2.6	0.5	17.7	<0.01	0.06	0.5
ZZ61577		0.45	58.8	2000	38.4	6.9	<0.001	0.16	0.95	10.6	2.7	0.4	26.9	0.01	0.07	0.4
ZZ61578		0.90	21.5	750	7.5	6.5	<0.001	0.08	0.70	10.3	1.4	0.8	10.7	<0.01	0.04	0.8
ZZ61579		1.29	9.7	230	11.5	4.8	0.001	0.02	0.93	1.4	1.9	1.0	6.2	<0.01	0.06	1.7
ZZ61580		1.54	25.9	810	16.5	9.1	<0.001	0.07	1.08	2.9	2.7	0.7	10.0	<0.01	0.07	1.4
ZZ61581		1.18	29.5	440	10.7	5.9	<0.001	0.03	0.98	4.2	0.8	0.6	9.8	<0.01	0.07	2.1
ZZ61582		1.06	24.1	390	9.1	6.8	<0.001	0.03	1.09	3.9	0.9	0.5	13.8	<0.01	0.12	1.3
ZZ61583		1.06	20.4	550	11.7	7.7	<0.001	0.05	1.06	3.4	0.8	0.7	12.3	<0.01	0.12	0.7
ZZ61584		0.88	16.3	800	12.7	7.0	<0.001	0.09	1.15	2.1	0.6	0.5	14.1	<0.01	0.17	0.2
ZZ61585		0.72	49.2	1050	17.7	5.8	0.001	0.06	1.00	4.2	2.4	0.4	20.3	<0.01	0.08	1.5
ZZ61586		1.01	21.7	770	10.2	5.6	<0.001	0.08	1.34	3.3	1.5	0.6	13.8	<0.01	0.15	0.6
ZZ61587		0.96	25.9	740	20.8	4.6	<0.001	0.06	0.86	4.3	1.4	0.4	16.7	<0.01	0.12	0.8
ZZ61588		0.58	37.9	920	19.0	6.6	<0.001	0.05	0.89	2.8	1.4	0.3	19.9	<0.01	0.07	1.1
ZZ61589		0.71	25.0	880	13.4	7.9	<0.001	0.07	0.71	2.3	1.0	0.4	13.2	<0.01	0.05	0.5
ZZ61590		0.51	28.9	870	13.7	9.2	<0.001	0.06	0.86	1.8	0.9	0.4	14.2	<0.01	0.06	0.2
ZZ61591		0.36	26.8	980	12.8	10.8	<0.001	0.06	0.64	1.9	0.8	0.4	15.4	<0.01	0.05	0.2
ZZ61592		0.44	19.8	1100	11.6	9.2	<0.001	0.08	0.99	1.2	1.3	0.5	13.0	<0.01	0.06	<0.2
ZZ61593		0.37	17.7	1100	14.7	11.8	<0.001	0.08	1.80	1.0	1.3	0.5	15.5	<0.01	0.07	<0.2
ZZ61594		0.99	19.0	810	14.3	7.4	<0.001	0.04	1.76	1.9	1.1	0.6	12.7	<0.01	0.07	0.9
ZZ61595		0.37	19.0	930	15.1	9.2	0.001	0.04	2.25	0.8	1.5	0.5	22.5	<0.01	0.06	<0.2
ZZ61596		0.24	30.7	1260	12.8	7.0	<0.001	0.06	2.32	0.5	2.0	0.3	28.4	<0.01	0.05	<0.2
ZZ61597		0.47	55.7	1390	16.9	7.1	0.004	0.08	1.86	2.4	5.6	0.3	46.6	<0.01	0.07	0.7
ZZ61598		0.31	30.5	1140	14.7	8.6	0.001	0.07	1.97	0.9	4.2	0.4	28.0	<0.01	0.06	<0.2
ZZ61599		0.28	37.8	990	13.8	11.3	0.001	0.05	1.48	1.0	2.2	0.4	27.7	<0.01	0.06	<0.2
ZZ61600		0.41	13.8	640	13.1	8.7	<0.001	0.04	1.34	0.9	1.0	0.5	12.3	<0.01	0.05	<0.2
ZZ61601		0.23	18.7	1460	12.0	9.3	<0.001	0.10	0.93	0.4	1.2	0.5	12.5	<0.01	0.04	<0.2
ZZ61602		0.52	36.6	1210	13.8	7.7	<0.001	0.04	1.30	2.2	1.6	0.4	17.5	<0.01	0.05	0.5
ZZ61603		0.65	24.4	720	13.6	7.3	<0.001	0.05	0.79	2.3	1.1	0.5	12.6	<0.01	0.05	0.3
ZZ61604		0.53	31.6	810	14.2	10.3	<0.001	0.05	0.97	2.0	1.4	0.5	13.2	<0.01	0.05	0.4
ZZ61605		0.32	43.9	1320	16.8	7.6	0.001	0.09	0.89	1.8	2.1	0.4	14.4	<0.01	0.10	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ89391		0.019	0.14	1.53	40	0.13	6.38	82	<0.5
ZZ89392		0.028	0.13	1.90	61	0.09	13.25	119	<0.5
ZZ89393		0.040	0.10	1.29	74	0.15	9.50	157	<0.5
ZZ89394		0.044	0.09	1.04	69	0.12	6.79	135	<0.5
ZZ89395		0.017	0.13	1.30	69	0.10	7.56	131	<0.5
ZZ89396		0.028	0.22	3.01	106	0.15	56.1	322	1.5
ZZ89397		0.029	0.10	1.37	79	0.11	25.7	261	0.9
ZZ89398		0.028	0.10	1.20	80	0.12	15.55	215	<0.5
ZZ89399		0.027	0.10	1.10	65	0.10	8.03	158	<0.5
ZZ89400		0.063	0.05	1.11	69	0.10	11.20	184	<0.5
ZZ61576		0.048	0.12	1.13	140	0.27	8.30	512	<0.5
ZZ61577		0.040	0.11	0.71	160	0.26	31.7	450	0.6
ZZ61578		0.150	0.11	1.29	254	0.17	5.73	115	1.3
ZZ61579		0.043	0.20	0.93	136	0.31	2.33	59	<0.5
ZZ61580		0.083	0.15	1.24	117	0.25	3.81	258	0.7
ZZ61581		0.063	0.14	0.52	105	0.34	5.03	359	0.5
ZZ61582		0.097	0.12	0.57	120	0.50	4.02	267	0.7
ZZ61583		0.079	0.15	0.59	132	0.29	3.28	209	0.5
ZZ61584		0.061	0.08	0.46	105	0.27	2.81	216	<0.5
ZZ61585		0.051	0.10	1.52	88	0.22	8.03	403	0.6
ZZ61586		0.099	0.12	0.94	152	0.20	4.31	365	0.9
ZZ61587		0.048	0.15	1.07	102	0.19	6.77	212	<0.5
ZZ61588		0.039	0.08	1.06	67	0.10	6.55	244	<0.5
ZZ61589		0.033	0.10	0.84	64	0.17	4.90	117	<0.5
ZZ61590		0.030	0.10	0.94	70	0.15	5.46	134	<0.5
ZZ61591		0.035	0.09	0.93	94	0.10	4.58	168	<0.5
ZZ61592		0.027	0.09	0.96	76	0.13	6.45	213	<0.5
ZZ61593		0.028	0.09	1.46	85	0.13	7.06	130	<0.5
ZZ61594		0.054	0.10	0.90	88	0.18	3.56	151	0.5
ZZ61595		0.028	0.11	0.97	73	0.13	4.27	127	<0.5
ZZ61596		0.012	0.12	1.59	53	0.13	7.70	165	<0.5
ZZ61597		0.017	0.13	2.20	57	0.15	13.95	287	0.5
ZZ61598		0.017	0.13	1.54	61	0.15	7.82	171	<0.5
ZZ61599		0.014	0.13	2.05	57	0.13	14.50	205	<0.5
ZZ61600		0.028	0.10	0.92	69	0.13	3.83	95	<0.5
ZZ61601		0.009	0.10	1.26	68	0.13	4.93	109	<0.5
ZZ61602		0.042	0.09	1.13	72	0.16	6.35	186	<0.5
ZZ61603		0.044	0.11	0.85	88	0.18	4.39	139	<0.5
ZZ61604		0.038	0.12	1.15	79	0.31	6.15	172	<0.5
ZZ61605		0.034	0.10	1.51	99	0.10	15.20	249	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ61606		0.39	0.035	0.19	1.50	16.4	<0.2	<10	130	0.35	0.21	0.12	2.22	21.6	10.2	34
ZZ61607		0.43	0.002	0.16	1.58	23.6	<0.2	<10	190	0.42	0.26	0.12	2.65	24.5	17.0	33
ZZ61608		0.33	0.010	0.35	1.15	13.8	<0.2	<10	80	0.20	0.32	0.06	0.29	22.2	4.1	28
ZZ61609		0.46	0.005	0.17	1.37	15.6	<0.2	<10	100	0.27	0.28	0.07	0.38	28.1	5.1	30
ZZ61610		0.51	0.006	0.90	0.87	21.7	<0.2	<10	100	0.23	0.33	0.06	0.68	32.8	3.8	20
ZZ61611		0.34	0.008	1.58	2.20	24.1	<0.2	<10	370	0.60	0.60	0.81	10.90	46.5	16.9	52
ZZ61612		0.39	0.005	0.56	2.78	14.7	<0.2	<10	200	0.83	0.27	0.48	3.88	38.6	61.1	41
ZZ61613		0.40	0.004	0.70	1.50	9.7	<0.2	<10	220	0.34	0.24	0.37	2.92	19.75	12.1	25
ZZ61614		0.33	0.007	1.00	2.51	18.6	<0.2	<10	230	0.76	0.26	0.43	1.80	40.9	35.7	35
ZZ61615		0.30	0.003	0.57	1.67	13.2	<0.2	<10	200	0.47	0.22	0.22	1.03	19.60	14.5	34
ZZ61616		0.45	0.004	0.32	2.12	11.3	<0.2	<10	150	0.47	0.30	0.17	1.08	23.0	13.5	32
ZZ61617		0.39	0.005	1.07	2.14	18.4	<0.2	<10	270	0.59	0.20	0.25	2.30	27.8	16.6	35
ZZ61618		0.29	0.004	0.23	1.61	14.1	<0.2	<10	120	0.29	0.23	0.13	1.24	21.3	11.5	30
ZZ61619		0.30	0.008	0.25	1.85	22.3	<0.2	<10	160	0.48	0.29	0.13	1.00	29.6	18.0	33
ZZ61620		0.36	0.005	0.16	2.06	35.8	<0.2	<10	170	0.58	0.22	0.23	1.29	23.9	18.0	39
ZZ61621		0.34	0.004	0.21	2.07	13.7	<0.2	<10	220	0.56	0.27	0.19	0.35	31.4	12.8	38
ZZ61622		0.32	0.004	0.21	2.20	16.4	<0.2	<10	170	0.50	0.27	0.14	0.75	27.5	15.4	45
ZZ61623		0.30	0.001	0.30	1.19	13.1	<0.2	<10	110	0.17	0.24	0.13	1.75	17.90	8.6	24
ZZ61624		0.47	0.003	0.20	2.21	20.5	<0.2	<10	230	0.53	0.24	0.33	0.84	24.3	18.8	45
ZZ61625		0.41	0.005	0.38	2.13	25.4	<0.2	<10	270	0.58	0.22	0.60	1.95	28.1	15.6	38
ZZ61626		0.39	0.005	0.28	1.46	29.3	<0.2	<10	110	0.27	0.20	0.08	1.22	21.9	8.0	29
ZZ61627		0.43	0.004	0.17	1.66	14.5	<0.2	<10	140	0.41	0.22	0.15	2.24	24.5	11.5	31
ZZ61628		0.38	0.016	1.05	1.77	16.4	<0.2	<10	170	0.45	0.22	0.11	1.70	22.4	11.0	31
ZZ61629		0.45	0.007	0.73	1.74	19.9	<0.2	<10	190	0.42	0.23	0.20	1.43	30.4	10.5	32
ZZ61630		0.38	0.006	1.54	1.06	30.3	<0.2	<10	140	0.30	0.26	0.15	0.84	24.5	4.6	28
ZZ61631		0.27	0.003	0.53	1.48	10.2	<0.2	<10	210	0.23	0.29	0.16	1.26	18.85	9.2	34
ZZ61632		0.33	0.005	0.08	2.86	6.8	<0.2	<10	340	0.45	0.09	0.76	0.70	16.95	31.9	39
ZZ61633		0.25	0.005	0.23	0.76	13.8	<0.2	<10	60	0.12	0.25	0.04	0.21	21.1	2.7	16
ZZ61634		0.28	0.004	0.32	1.44	13.5	<0.2	<10	100	0.31	0.30	0.11	1.01	25.3	6.8	25
ZZ61635		0.24	0.006	0.20	1.97	11.9	<0.2	<10	220	0.40	0.22	0.44	0.79	23.5	21.2	32
ZZ61636		0.34	0.018	6.47	1.25	79.3	<0.2	<10	250	0.46	0.40	0.17	1.48	57.5	5.0	25
ZZ61637		0.41	0.024	0.25	1.12	31.2	<0.2	<10	100	0.15	0.33	0.04	0.13	27.0	2.5	26
ZZ61638		0.31	0.007	0.31	0.93	12.5	<0.2	<10	70	0.11	0.31	0.03	0.11	21.8	2.9	18
ZZ61639		0.44	0.037	0.65	1.43	39.6	<0.2	<10	140	0.25	0.27	0.07	0.16	52.9	7.2	39
ZZ61640		0.45	0.014	2.03	1.36	31.5	<0.2	<10	170	0.26	0.31	0.07	0.22	45.7	6.8	49
ZZ61641		0.50	0.007	0.89	1.64	20.5	<0.2	<10	170	0.27	0.29	0.06	0.21	58.7	5.4	38
ZZ61642		0.45	0.013	1.91	1.67	20.9	<0.2	<10	260	0.26	0.32	0.05	0.20	60.8	6.9	41
ZZ61643		0.40	0.008	0.70	1.59	16.8	<0.2	<10	190	0.24	0.30	0.04	0.18	44.1	5.4	37
ZZ61644		0.60	0.006	0.22	1.70	15.3	<0.2	<10	180	0.30	0.32	0.05	0.14	57.4	7.3	37
ZZ61645		0.46	0.005	0.09	2.01	8.2	<0.2	<10	200	0.49	0.14	0.35	0.41	25.7	22.2	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ61606		1.28	54.1	4.36	6.05	0.05	<0.02	0.07	0.036	0.06	11.1	14.9	0.49	710	2.14	0.01
ZZ61607		1.61	51.3	4.33	6.83	0.05	<0.02	0.04	0.034	0.06	12.5	16.8	0.44	918	3.59	0.01
ZZ61608		1.80	22.8	2.83	5.83	<0.05	<0.02	0.06	0.033	0.04	12.0	6.8	0.22	148	3.46	0.01
ZZ61609		1.41	25.6	3.24	5.89	0.05	<0.02	0.06	0.035	0.04	15.3	10.6	0.28	175	4.54	0.01
ZZ61610		1.84	72.5	3.33	3.25	0.06	<0.02	0.04	0.059	0.05	21.4	9.0	0.27	117	14.70	0.01
ZZ61611		1.94	209	6.71	6.45	0.12	<0.02	0.24	0.090	0.07	26.5	18.1	0.72	447	14.40	0.03
ZZ61612		1.28	309	8.14	9.96	0.09	0.02	0.09	0.063	0.04	13.1	28.8	1.41	1220	2.58	0.01
ZZ61613		1.20	60.1	4.91	7.93	<0.05	0.02	0.04	0.036	0.06	9.9	15.5	0.50	574	2.13	0.01
ZZ61614		1.92	295	7.30	8.12	0.10	0.02	0.11	0.065	0.04	19.7	26.0	1.14	872	9.74	0.02
ZZ61615		1.84	67.8	4.64	6.47	0.05	<0.02	0.06	0.032	0.07	9.5	15.2	0.48	935	3.50	0.01
ZZ61616		1.83	104.5	5.53	7.79	0.05	<0.02	0.07	0.053	0.05	11.5	15.0	0.59	618	3.67	0.01
ZZ61617		1.50	97.2	5.05	6.58	0.06	<0.02	0.06	0.073	0.06	14.3	17.8	0.74	682	6.23	0.01
ZZ61618		1.12	99.1	5.67	7.40	0.05	0.02	0.08	0.051	0.04	11.8	12.4	0.51	411	3.97	0.01
ZZ61619		1.46	101.5	4.93	6.12	0.06	<0.02	0.05	0.044	0.05	15.5	17.4	0.65	561	4.57	0.01
ZZ61620		1.50	91.8	5.80	7.23	<0.05	0.02	0.04	0.050	0.06	11.1	20.2	0.68	694	2.73	0.01
ZZ61621		1.70	95.7	4.05	6.86	0.06	<0.02	0.04	0.036	0.06	16.4	18.9	0.58	528	2.43	0.01
ZZ61622		1.46	89.0	5.15	6.83	0.05	<0.02	0.05	0.040	0.05	13.9	22.0	0.72	557	2.53	0.01
ZZ61623		1.45	38.5	3.63	7.20	<0.05	<0.02	0.07	0.021	0.07	9.3	7.3	0.27	484	2.76	0.01
ZZ61624		1.75	98.5	5.19	7.69	0.05	<0.02	0.03	0.045	0.06	12.2	21.1	0.79	699	2.84	0.01
ZZ61625		1.89	157.0	4.50	6.78	0.06	0.02	0.08	0.044	0.06	15.4	19.3	0.66	516	3.67	0.01
ZZ61626		1.04	48.1	4.11	5.77	0.05	<0.02	0.05	0.040	0.04	10.9	12.4	0.37	378	2.45	0.01
ZZ61627		1.17	45.0	4.24	5.79	0.05	<0.02	0.05	0.043	0.06	12.1	17.0	0.44	525	3.44	0.01
ZZ61628		1.31	57.9	4.42	6.15	<0.05	<0.02	0.12	0.062	0.05	11.4	11.9	0.50	634	6.06	0.01
ZZ61629		1.37	56.1	4.13	5.54	0.06	<0.02	0.07	0.048	0.06	16.0	18.9	0.53	429	7.97	0.01
ZZ61630		1.14	38.5	3.53	5.03	0.06	<0.02	0.09	0.040	0.05	14.5	6.1	0.21	257	12.60	0.02
ZZ61631		1.64	34.9	4.51	8.58	<0.05	<0.02	0.07	0.033	0.06	9.7	10.5	0.36	707	4.14	0.01
ZZ61632		1.45	138.5	8.55	11.60	0.05	0.03	0.04	0.052	0.03	6.2	23.5	2.45	906	1.11	0.01
ZZ61633		0.94	18.7	2.04	6.56	<0.05	<0.02	0.07	0.016	0.04	11.1	2.1	0.08	85	3.35	<0.01
ZZ61634		1.05	43.7	4.13	6.82	<0.05	0.02	0.04	0.038	0.04	13.2	15.7	0.37	266	6.53	0.01
ZZ61635		2.06	83.5	6.28	9.56	0.05	<0.02	0.04	0.042	0.06	10.3	23.0	1.06	799	2.36	0.01
ZZ61636		1.59	67.9	5.03	4.56	0.12	0.02	0.27	0.093	0.07	34.0	10.7	0.33	210	58.0	0.04
ZZ61637		1.70	52.2	3.97	5.55	0.06	0.02	0.07	0.047	0.04	15.3	9.6	0.21	151	1.97	0.01
ZZ61638		1.18	22.8	2.18	6.61	<0.05	<0.02	0.05	0.015	0.04	11.4	5.0	0.08	102	1.95	<0.01
ZZ61639		2.72	132.0	4.68	4.97	0.10	0.02	0.10	0.061	0.04	27.1	17.2	0.44	494	2.37	0.02
ZZ61640		3.03	62.0	4.07	4.91	0.10	0.04	0.20	0.045	0.06	28.3	12.8	0.45	290	11.10	0.02
ZZ61641		3.04	53.9	4.30	5.41	0.09	<0.02	0.09	0.046	0.06	33.2	15.3	0.49	268	2.61	0.02
ZZ61642		4.49	66.9	4.26	5.44	0.10	<0.02	0.22	0.050	0.07	34.1	16.5	0.49	317	5.56	0.03
ZZ61643		2.76	53.7	3.81	5.52	0.08	<0.02	0.09	0.035	0.05	24.4	15.5	0.46	222	4.11	0.01
ZZ61644		1.96	73.2	4.25	5.09	0.09	0.02	0.04	0.032	0.06	29.0	18.8	0.63	284	3.94	0.02
ZZ61645		1.11	95.5	4.64	6.24	0.07	0.02	0.02	0.032	0.04	11.8	21.3	1.10	663	1.39	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ61606		0.64	24.6	900	11.7	8.1	<0.001	0.07	0.81	2.1	0.9	0.5	10.9	<0.01	0.06	0.2
ZZ61607		1.08	21.3	610	14.0	13.9	<0.001	0.03	0.78	3.2	1.1	0.6	12.5	<0.01	0.06	1.1
ZZ61608		0.58	12.6	920	16.7	6.6	<0.001	0.08	1.24	0.6	1.9	0.6	9.9	<0.01	0.06	<0.2
ZZ61609		0.63	16.7	950	20.2	5.8	0.001	0.07	1.24	0.9	2.1	0.6	13.4	<0.01	0.04	<0.2
ZZ61610		0.36	16.9	1090	31.5	5.4	0.001	0.07	2.44	1.0	3.2	0.5	14.9	<0.01	0.08	0.4
ZZ61611		0.28	69.8	5900	65.8	7.9	0.003	0.20	1.79	2.7	11.8	0.6	51.5	<0.01	0.13	0.2
ZZ61612		0.60	97.5	910	22.5	4.2	0.001	0.05	1.47	15.9	3.0	0.7	16.1	<0.01	0.05	1.5
ZZ61613		1.09	22.5	620	12.0	7.6	0.001	0.06	0.86	4.1	1.1	0.6	15.9	<0.01	0.05	0.9
ZZ61614		0.58	75.9	1850	23.4	4.6	0.001	0.09	1.71	10.7	5.1	0.5	26.7	<0.01	0.10	1.2
ZZ61615		0.49	21.0	1220	10.4	8.5	<0.001	0.11	1.08	1.6	1.5	0.5	13.1	<0.01	0.05	<0.2
ZZ61616		0.39	23.8	1450	41.5	8.6	0.001	0.09	0.89	2.0	2.3	0.6	14.8	<0.01	0.08	<0.2
ZZ61617		0.29	34.8	1580	18.0	7.8	0.001	0.10	1.44	1.7	3.6	0.5	19.6	<0.01	0.06	<0.2
ZZ61618		0.83	30.5	1100	25.8	4.8	<0.001	0.08	0.98	3.1	1.7	0.5	13.3	<0.01	0.06	0.4
ZZ61619		0.52	34.2	1050	25.7	8.7	<0.001	0.07	1.14	2.7	2.2	0.5	17.8	<0.01	0.09	0.4
ZZ61620		0.82	32.9	870	11.8	9.3	0.001	0.08	0.89	3.9	1.3	0.5	14.4	<0.01	0.07	0.4
ZZ61621		0.49	29.7	980	15.2	10.9	0.001	0.07	0.90	1.7	1.4	0.6	13.9	<0.01	0.06	<0.2
ZZ61622		0.69	34.3	1020	19.6	8.8	0.001	0.06	0.79	3.0	1.4	0.5	13.5	<0.01	0.05	0.5
ZZ61623		1.02	14.1	950	8.5	10.7	<0.001	0.10	0.68	1.7	0.7	0.7	9.5	<0.01	0.06	0.2
ZZ61624		0.73	34.1	820	14.0	11.6	<0.001	0.05	0.68	4.3	1.4	0.5	15.6	<0.01	0.05	0.6
ZZ61625		0.87	34.8	1010	12.9	10.9	0.001	0.08	0.75	5.2	2.6	0.5	19.9	<0.01	0.07	0.8
ZZ61626		0.75	19.3	700	9.7	5.9	<0.001	0.06	0.94	1.8	1.0	0.5	9.1	<0.01	0.06	0.2
ZZ61627		0.77	23.4	820	13.6	8.5	0.001	0.05	0.96	1.9	1.4	0.5	12.2	<0.01	0.06	0.3
ZZ61628		0.31	25.5	1460	15.5	8.0	<0.001	0.13	1.28	0.7	2.9	0.5	12.5	<0.01	0.06	<0.2
ZZ61629		0.41	28.1	1570	17.4	9.2	0.001	0.07	1.62	1.3	4.1	0.5	18.8	<0.01	0.06	0.2
ZZ61630		0.16	15.8	2500	18.9	6.6	0.002	0.11	2.43	0.3	6.8	0.5	17.7	<0.01	0.08	<0.2
ZZ61631		1.50	17.9	720	10.6	9.4	<0.001	0.06	0.95	3.3	1.1	0.8	10.9	<0.01	0.05	0.8
ZZ61632		0.82	44.9	700	5.1	2.9	<0.001	0.05	0.53	10.5	0.9	0.4	23.4	<0.01	0.03	1.0
ZZ61633		0.96	8.6	510	11.0	6.4	<0.001	0.05	1.08	0.9	1.2	0.8	7.0	<0.01	0.04	0.2
ZZ61634		1.23	24.4	580	31.3	6.3	0.001	0.05	1.35	2.8	2.4	0.6	12.3	<0.01	0.05	0.9
ZZ61635		0.91	29.6	750	12.3	8.3	<0.001	0.06	1.03	5.8	1.1	0.7	18.6	<0.01	0.05	0.6
ZZ61636		0.40	24.0	2410	40.6	7.3	0.007	0.26	13.70	1.5	22.0	0.7	51.4	<0.01	0.19	1.0
ZZ61637		1.47	13.7	800	19.4	7.9	<0.001	0.07	1.50	1.2	1.3	0.7	9.6	<0.01	0.12	1.2
ZZ61638		1.00	9.9	370	10.8	7.0	<0.001	0.03	0.90	0.9	0.8	0.9	6.3	<0.01	0.05	0.5
ZZ61639		0.90	30.4	1030	24.2	5.7	0.001	0.09	1.80	2.1	4.5	0.5	15.8	<0.01	0.21	2.2
ZZ61640		1.75	30.2	1240	24.4	8.3	0.003	0.12	2.49	2.9	10.3	0.7	23.9	<0.01	0.13	4.1
ZZ61641		0.40	22.5	1180	21.4	9.1	<0.001	0.11	1.25	1.3	4.3	0.4	28.8	<0.01	0.07	0.7
ZZ61642		0.59	24.3	1070	25.4	11.2	0.002	0.16	1.45	1.8	6.6	0.5	31.2	<0.01	0.08	1.0
ZZ61643		0.34	23.3	1080	20.7	8.6	<0.001	0.10	1.10	0.8	3.2	0.4	25.4	<0.01	0.10	0.3
ZZ61644		0.28	30.5	1300	23.9	7.0	<0.001	0.16	0.88	1.4	1.4	0.2	44.9	<0.01	0.06	1.2
ZZ61645		0.64	46.4	710	8.6	4.7	<0.001	0.06	0.65	6.5	0.9	0.4	17.8	<0.01	0.03	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ61606		0.056	0.10	0.84	96	0.13	4.24	161	<0.5
ZZ61607		0.066	0.13	0.81	102	0.20	3.61	150	<0.5
ZZ61608		0.027	0.13	1.33	67	0.23	2.78	66	<0.5
ZZ61609		0.029	0.17	1.27	75	0.26	3.63	97	<0.5
ZZ61610		0.030	0.11	2.94	52	0.08	4.89	141	<0.5
ZZ61611		0.031	0.15	7.22	251	0.26	21.3	653	<0.5
ZZ61612		0.087	0.07	0.98	205	0.18	21.4	816	<0.5
ZZ61613		0.088	0.10	0.62	148	0.18	3.88	170	0.7
ZZ61614		0.067	0.11	2.71	177	0.26	26.7	456	0.5
ZZ61615		0.038	0.11	0.95	127	0.22	4.50	158	<0.5
ZZ61616		0.043	0.11	1.27	151	0.12	7.83	233	<0.5
ZZ61617		0.030	0.12	2.51	159	0.16	10.85	372	<0.5
ZZ61618		0.089	0.09	1.09	157	0.23	5.35	255	0.8
ZZ61619		0.055	0.09	1.47	104	0.17	8.48	248	0.5
ZZ61620		0.071	0.11	0.82	127	0.21	5.70	261	0.5
ZZ61621		0.039	0.15	1.01	94	0.19	10.00	140	<0.5
ZZ61622		0.050	0.13	1.03	110	0.15	5.24	162	<0.5
ZZ61623		0.069	0.14	0.55	121	0.22	2.38	102	0.5
ZZ61624		0.067	0.14	0.89	128	0.18	5.73	257	<0.5
ZZ61625		0.045	0.13	1.63	101	0.25	12.80	271	0.5
ZZ61626		0.052	0.10	0.73	95	0.25	3.45	147	<0.5
ZZ61627		0.047	0.12	0.94	89	0.25	3.65	239	<0.5
ZZ61628		0.017	0.12	2.13	133	0.15	5.93	270	<0.5
ZZ61629		0.030	0.14	2.04	120	0.28	6.19	226	<0.5
ZZ61630		0.006	0.15	2.89	144	0.38	5.71	172	<0.5
ZZ61631		0.098	0.17	0.91	155	0.25	2.60	123	0.7
ZZ61632		0.139	0.09	0.30	215	0.60	5.21	193	0.8
ZZ61633		0.036	0.13	0.81	80	0.32	2.09	49	<0.5
ZZ61634		0.071	0.13	1.32	130	0.33	4.73	221	0.8
ZZ61635		0.090	0.11	0.59	183	0.23	4.44	166	0.5
ZZ61636		0.020	0.29	7.29	192	0.82	10.25	341	0.7
ZZ61637		0.081	0.10	0.74	65	0.13	3.51	44	1.1
ZZ61638		0.034	0.14	0.58	70	0.20	1.76	51	<0.5
ZZ61639		0.064	0.11	1.42	58	0.15	9.37	76	0.6
ZZ61640		0.128	0.24	3.25	49	0.16	9.72	106	2.5
ZZ61641		0.028	0.16	1.99	47	0.18	6.22	82	<0.5
ZZ61642		0.042	0.25	2.65	45	0.14	8.54	81	0.5
ZZ61643		0.024	0.15	1.70	45	0.11	4.96	71	<0.5
ZZ61644		0.018	0.13	1.50	35	0.07	5.26	85	0.6
ZZ61645		0.105	0.06	0.80	104	0.19	6.92	121	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ61646		0.42	0.008	0.24	1.77	12.1	<0.2	<10	240	0.29	0.32	0.07	0.19	37.9	8.0	44
ZZ61647		0.33	0.008	0.60	1.68	15.6	<0.2	<10	260	0.39	0.26	0.18	0.91	36.0	9.1	33
ZZ61648		0.26	0.008	0.46	1.57	13.6	<0.2	<10	220	0.38	0.34	0.10	1.34	30.9	14.7	29
ZZ61649		0.28	0.005	0.26	1.95	14.6	<0.2	<10	230	0.44	0.26	0.19	0.70	28.1	13.2	36
ZZ61650		0.36	0.008	0.23	2.04	20.0	<0.2	<10	300	0.49	0.23	0.28	0.68	29.1	13.9	44
ZZ57207		0.34	0.038	1.09	5.81	770	<0.2	<10	320	1.42	0.23	0.26	14.40	64.3	119.0	47
ZZ57208		0.25	0.007	0.72	1.97	23.0	<0.2	<10	100	0.33	0.30	0.14	1.54	18.85	9.5	39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ61646		2.76	75.9	3.61	5.78	0.07	<0.02	0.05	0.029	0.06	19.1	19.3	0.57	312	2.59	0.01
ZZ61647		1.17	115.0	4.64	5.22	0.08	<0.02	0.06	0.046	0.05	20.2	17.8	0.64	260	5.30	0.01
ZZ61648		1.33	86.4	4.17	5.82	0.05	<0.02	0.06	0.040	0.05	17.4	15.2	0.52	701	4.52	0.01
ZZ61649		1.52	77.7	4.18	7.11	0.05	<0.02	0.03	0.040	0.06	14.7	19.2	0.65	465	2.70	0.01
ZZ61650		1.42	95.3	5.17	7.36	0.08	<0.02	0.04	0.046	0.05	15.8	18.5	0.67	459	3.42	0.01
ZZ57207		1.48	707	20.1	23.6	0.26	0.14	0.64	2.16	0.02	15.7	28.8	2.36	2720	3.24	0.02
ZZ57208		1.61	135.0	5.03	6.49	0.05	<0.02	0.09	0.047	0.04	9.2	14.5	0.43	267	2.16	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ61646		0.24	34.2	1000	19.7	8.9	<0.001	0.09	0.92	1.0	1.0	0.4	31.8	<0.01	0.06	0.3
ZZ61647		0.42	31.8	1360	19.5	5.1	0.001	0.12	1.23	1.5	3.0	0.4	21.6	<0.01	0.10	0.2
ZZ61648		0.34	29.2	1170	30.7	9.8	<0.001	0.11	0.99	1.2	2.1	0.4	18.2	<0.01	0.10	<0.2
ZZ61649		0.57	30.9	740	15.9	10.2	<0.001	0.06	0.82	2.4	1.5	0.6	16.3	<0.01	0.05	0.3
ZZ61650		0.51	34.4	700	13.8	8.2	<0.001	0.06	0.94	3.0	3.0	0.5	19.0	<0.01	0.10	0.3
ZZ57207		0.11	87.3	1750	15.5	1.1	<0.001	0.30	10.10	49.6	14.6	1.4	13.7	0.01	0.42	1.3
ZZ57208		0.87	38.9	870	12.5	6.6	<0.001	0.09	2.95	3.0	3.5	0.7	8.0	<0.01	0.06	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2014
Account: MTT

Project: WAND

CERTIFICATE OF ANALYSIS WH14125432

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ61646		0.017	0.12	1.20	45	0.13	6.87	87	<0.5
ZZ61647		0.038	0.08	2.18	81	0.13	10.25	166	<0.5
ZZ61648		0.027	0.10	1.37	87	0.13	6.61	176	<0.5
ZZ61649		0.044	0.12	1.09	95	0.16	7.80	190	<0.5
ZZ61650		0.050	0.12	1.31	115	0.14	15.55	177	<0.5
ZZ57207		0.079	0.16	0.26	385	0.06	61.9	2500	3.0
ZZ57208		0.049	0.14	0.80	90	0.24	5.37	295	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: WAND

Finalized Date: 5-SEP-2014
Account: MTT

CERTIFICATE OF ANALYSIS WH14125432

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.
Applies to Method: ALL METHODS

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
Applies to Method: ME-MS41

LABORATORY ADDRESSES

Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
Applies to Method: LOG-22 SCR-41 WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Applies to Method: Au-ICP21 ME-MS41

552,000 mE

554,000 mE

556,000 mE

7,102,000 mN

7,101,000 mN

7,100,000 mN

N.

2°03'

22°07'

Grid north

Magnetic north

Annual change decreasing 26.4'

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED PROPERTY GEOLOGY

WAND PROPERTY

0 200 m

UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet

FILE: .../Wand/Figures/F_6-Detailed_Geology.wor

DATE: FEBRUARY 2014

AREA OF INTEREST

PROPERTY BOUNDARY

0 2 km

- Vein
- Bedding
- Fracture (vertical)
- Fracture
- Linear

TrG — MIDDLE TRIASSIC
Galena Suite - Dark grey-green, medium to coarse grained diorite, gabbro and diabase sills and dykes.

DME1 — DEVONIAN TO MISSISSIPPIAN
Earn Group - Dark grey to black and variably carbonaceous shale, with rare chert concretions.

DME2 — Earn Group - Medium brown to dark grey siltstone.

STRATEGIC METALS LTD.

FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK SAMPLE LOCATIONS

WAND PROPERTY

T.N.
2°03'
22°07'
Grid north
Magnetic north
Annual change decreasing 26.4'

0 2 km

UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet

FILE: ../F_7-Rock_Locations.wor | DATE: FEBRAURY 2015

7,102,000 mN

7,101,000 mN


553,000 mE


554,000 mE

555,000 mE


M898867
M898868
M898865
M898866
M898879
M898878
M898877
M898876
M898882
M898846
M898880
M898838
M898849
M898848
M898850
M898847
M898875
M898859
M898831
M898860
M898845
M898851
M898881
M898832
M898852
M898894
M898886
M898862
M898836
M898835
M898853
M898861
M898887
M898837
M898854
M898844
M898855
M898863
M898834
M898843
M898833
M898864
M898885
M898884
M898840
M898895
M898841
M898839
M898888
M898858
M898883
M898889
M898892
M898842
M898890
M898873
M898893
M898874
M898857
M898856
M898896
M898872
M898891
M898897
M898870
M898869
M898871
M898898

5,600
5,500







GOLD-IN-ROCK GEOCHEMISTRY




COPPER-IN-ROCK GEOCHEMISTRY




ARSENIC-IN-ROCK GEOCHEMISTRY




SILVER-IN-ROCK GEOCHEMISTRY



LEAD-IN-ROCK GEOCHEMISTRY



ZINC-IN-ROCK GEOCHEMISTRY



STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK GEOCHEMISTRY
(Au, Cu, As, Ag, Pb & Zn)


WAND PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE:.../Wand/Figures/F-X_Rock_Geochem.wor | DATE: FEBRUARY 2015

553,000 mE
554,000 mE
555,000 mE
7,101,000 mN
7,100,000 mN



STRATEGIC METALS LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS

WAND PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106C/04, Contour interval 100 feet

FILE: ../F_9-Soil_Locations.wor | DATE: FEBRUARY 2015

