

## 2014 Drill assay results - Double Double

Interval (m)	SampleID	Au (ppm)	Interval (m)	SampleID	Au (ppm)	Interval (m)	SampleID	Au (ppm)
<b>Hole CFD0387 Double Double</b>			199 - 200	R276059	0.138	39 - 40	R276126	0.003
<b>OB depth (m) 12</b>			200 - 201	R276061	0.023	40 - 41	R276127	0.004
147 - 148	R276001	-0.001	201 - 202	R276062	0.004	41 - 42	R276128	0.002
148 - 149	R276002	-0.001	202 - 203	R276063	0.027	42 - 43	R276129	0.002
149 - 150	R276003	-0.001	203 - 204	R276064	0.052	43 - 44	R276131	0.11
150 - 151	R276004	0.001	204 - 205	R276065	1.165	44 - 45	R276132	0.016
151 - 152	R276005	0.003	205 - 206	R276066	0.031	45 - 46	R276133	-0.001
152 - 153	R276006	0.24	206 - 207	R276067	0.033	46 - 47	R276134	0.001
153 - 154	R276007	0.048	207 - 208	R276068	0.414	47 - 48	R276135	0.005
154 - 155	R276008	12.3	208 - 209	R276069	0.974	48 - 49	R276136	0.004
155 - 156	R276009	0.044	209 - 210	R276071	0.385	49 - 50	R276137	0.002
156 - 157	R276011	0.004	210 - 211	R276072	0.137	84 - 85	R276118	0.016
157 - 158	R276012	0.009	211 - 212	R276073	0.809	85 - 86	R276119	0.012
158 - 159	R276013	0.009	212 - 213	R276074	0.811	86 - 87	R276121	0.014
159 - 160	R276014	0.005	213 - 214	R276075	1.225	87 - 88	R276122	0.004
160 - 161	R276015	0.005	214 - 215	R276076	0.71	88 - 89	R276123	0.001
161 - 162	R276016	0.006	215 - 216	R276077	0.025	89 - 90	R276124	0.003
162 - 163	R276017	-0.001	216 - 217	R276078	0.004	90 - 91	R276125	0.009
163 - 164	R276018	0.001	217 - 218	R276079	0.009	126 - 127	R276139	-0.001
164 - 165	R276019	0.006	218 - 219	R276081	0.028	127 - 128	R276141	-0.001
165 - 166	R276021	0.003	219 - 220	R276082	0.016	128 - 129	R276142	-0.001
166 - 167	R276022	0.289	220 - 221	R276083	0.01	129 - 130	R276143	-0.001
167 - 168	R276023	2.86	221 - 222	R276084	0.011	130 - 131	R276144	-0.001
168 - 169	R276024	6.45	222 - 223	R276085	0.007	131 - 132	R276145	-0.001
169 - 170	R276025	0.011	223 - 224	R276086	-0.001	132 - 133	R276146	-0.001
170 - 171	R276026	0.019	224 - 225	R276087	-0.001	133 - 134	R276147	-0.001
171 - 172	R276027	0.424	225 - 226	R276088	-0.001	134 - 135	R276148	-0.001
172 - 173	R276028	1.605	226 - 227	R276089	-0.001	135 - 136	R276149	0.003
173 - 174	R276029	6.12	227 - 228	R276091	-0.001	136 - 137	R276151	0.003
174 - 175	R276031	6.31	228 - 229	R276092	-0.001	169 - 170	R276152	0.004
175 - 176	R276032	4.54	229 - 230	R276093	0.001	170 - 171	R276153	0.001
176 - 177	R276033	0.532	230 - 231	R276094	-0.001	171 - 172	R276154	0.001
177 - 178	R276034	0.792	231 - 232	R276095	-0.001	172 - 173	R276155	0.002
178 - 179	R276035	0.078	232 - 233	R276096	-0.001	173 - 174	R276156	0.002
179 - 180	R276036	0.081	233 - 234	R276097	-0.001	174 - 175	R276157	0.954
180 - 181	R276037	0.01	234 - 235	R276098	0.001	175 - 176	R276158	0.027
181 - 182	R276038	0.006	235 - 236	R276099	0.001	176 - 177	R276159	6.7
182 - 183	R276039	0.004	236 - 237	R276101	-0.001	177 - 178	R276161	44.8
183 - 184	R276041	0.108	237 - 238	R276102	-0.001	178 - 179	R276162	1.015
184 - 185	R276042	0.247	238 - 239	R276103	-0.001	179 - 180	R276163	110
185 - 186	R276043	0.053	239 - 240	R276104	-0.001	180 - 181	R276164	25.5
186 - 187	R276044	0.079	240 - 241	R276106	-0.001	181 - 182	R276165	0.143
187 - 188	R276045	0.057	241 - 242	R276107	-0.001	182 - 183	R276166	0.05
188 - 189	R276046	0.067	242 - 243	R276108	0.001	183 - 184	R276167	0.033
189 - 190	R276047	0.243	243 - 244	R276109	-0.001	184 - 185	R276168	0.035
190 - 191	R276048	0.059	244 - 245	R276111	0.001	185 - 186	R276169	0.008
191 - 192	R276049	0.099	245 - 246	R276112	-0.001	186 - 187	R276171	0.003
192 - 193	R276051	0.85	246 - 247	R276113	-0.001	187 - 188	R276172	0.003
193 - 194	R276052	0.008	247 - 248	R276114	-0.001	188 - 189	R276173	0.002
194 - 195	R276053	3.73	248 - 249	R276115	-0.001	189 - 190	R276174	0.003
195 - 196	R276055	0.178	249 - 250	R276116	-0.001	190 - 191	R276175	0.006
196 - 197	R276056	1.11	250 - 251	R276117	-0.001	191 - 192	R276176	0.002
197 - 198	R276057	0.161				192 - 193	R276177	0.003
198 - 199	R276058	0.048	<b>Hole CFD0393 Double Double</b>			193 - 194	R276178	0.003
			<b>OB depth (m) 13.34</b>			194 - 195	R276179	0.002

Interval (m)    SampID    Au (ppm)				Interval (m)    SampID    Au (ppm)				Interval (m)    SampID    Au (ppm)			
195 - 196	R276181	0.717		58 - 59	R277011	0.339		43 - 44	R276264	0.002	
196 - 197	R276182	0.014		59 - 60	R277012	0.081		44 - 45	R276265	0.003	
197 - 198	R276184	0.02		60 - 61	R277013	0.007		45 - 46	R276266	0.001	
198 - 199	R276185	0.007		61 - 62	R277014	0.008		46 - 47	R276267	0.003	
199 - 200	R276186	1.965		62 - 63	R277015	-0.001		47 - 48	R276268	0.002	
200 - 201	R276187	0.018		63 - 64	R277016	0.004		48 - 49	R276269	0.005	
201 - 202	R276188	0.002		64 - 65	R277017	0.007		49 - 50	R276271	0.01	
202 - 203	R276189	0.004		123 - 124	R277019	0.006		50 - 51	R276272	0.027	
203 - 204	R276191	0.001		124 - 125	R277021	0.004		51 - 52	R276273	0.015	
204 - 205	R276192	0.001		125 - 126	R277022	-0.001		52 - 53	R276274	0.014	
205 - 206	R276193	-0.001		126 - 127	R277023	0.008		53 - 54	R276275	0.014	
206 - 207	R276194	0.001		127 - 128	R277024	0.001		54 - 55	R276276	0.008	
207 - 208	R276195	-0.001		128 - 129	R277025	0.012		55 - 56	R276277	0.008	
208 - 209	R276196	-0.001		129 - 130	R277026	-0.001		56 - 57	R276278	0.008	
209 - 210	R276197	0.002		130 - 131	R277027	0.001		57 - 58	R276279	0.01	
210 - 211	R276198	-0.001		131 - 132	R277028	-0.001		58 - 59	R276281	0.023	
211 - 212	R276199	-0.001		132 - 133	R277029	-0.001		59 - 60	R276282	0.017	
212 - 213	R276201	-0.001		133 - 134	R277031	-0.001		60 - 61	R276284	0.002	
213 - 214	R276202	-0.001		134 - 135	R277032	-0.001		61 - 62	R276285	0.003	
214 - 215	R276203	-0.001		139 - 140	R277033	-0.001		62 - 63	R276286	0.001	
215 - 216	R276204	-0.001		140 - 141	R276455	-0.001		63 - 64	R276287	0.004	
216 - 217	R276205	-0.001		141 - 142	R277034	-0.001		64 - 65	R276288	0.009	
217 - 218	R276206	-0.001		142 - 143	R277035	-0.001		65 - 66	R276289	0.004	
218 - 219	R276207	-0.001		143 - 144	R277036	-0.001		66 - 67	R276291	0.004	
219 - 220	R276208	0.002		144 - 145	R277037	0.001		67 - 68	R276292	0.006	
220 - 221	R276209	0.01		145 - 146	R277038	0.001		68 - 69	R276293	0.003	
221 - 222	R276211	0.005		146 - 147	R277039	0.006		69 - 70	R276294	0.375	
222 - 223	R276212	0.005		160 - 161	R277041	-0.001		70 - 71	R276295	0.001	
223 - 224	R276213	0.001		161 - 162	R277042	-0.001		71 - 72	R276296	-0.001	
224 - 225	R276214	0.004		162 - 163	R277043	0.004		72 - 73	R276297	0.001	
225 - 226	R276215	0.004		163 - 164	R277044	0.007		73 - 74	R276298	0.001	
226 - 227	R276216	0.001						74 - 75	R276299	0.003	
227 - 228	R276217	0.021		Hole CFD0401    Double Double				75 - 76	R276301	-0.001	
228 - 229	R276218	0.014		OB depth (m) 17				76 - 77	R276302	0.001	
229 - 230	R276219	0.014		17 - 18	R276235	0.002		77 - 78	R276303	0.007	
230 - 231	R276221	-0.001		18 - 19	R276236	0.002		78 - 79	R276304	0.008	
231 - 232	R276222	0.011		19 - 20	R276237	0.001		79 - 80	R276305	0.003	
250 - 251	R276223	-0.001		20 - 21	R276238	0.003		80 - 81	R276306	0.004	
251 - 252	R276224	-0.001		21 - 22	R276239	0.002		81 - 82	R276307	0.015	
252 - 253	R276225	-0.001		22 - 23	R276241	0.002		82 - 83	R276308	0.002	
253 - 254	R276226	0.001		23 - 24	R276242	0.001		83 - 84	R276309	0.002	
254 - 255	R276227	0.001		24 - 25	R276243	0.001		84 - 85	R276311	0.003	
255 - 256	R276228	0.006		25 - 26	R276244	0.001		85 - 86	R276312	0.004	
256 - 257	R276229	-0.001		26 - 27	R276245	0.004		86 - 87	R276313	0.004	
257 - 258	R276231	0.001		27 - 28	R276246	0.002		87 - 88	R276314	0.006	
258 - 259	R276232	0.001		28 - 29	R276247	0.001		127 - 128	R276315	0.001	
259 - 260	R276233	0.001		29 - 30	R276248	0.002		128 - 129	R276316	-0.001	
260 - 261	R276234	0.001		30 - 31	R276249	0.001		129 - 130	R276317	0.001	
				31 - 32	R276251	0.002		130 - 131	R276318	0.001	
				32 - 33	R276252	0.001		131 - 132	R276319	0.005	
				33 - 34	R276253	0.003		132 - 133	R276321	0.008	
				34 - 35	R276254	0.033		133 - 134	R276322	0.002	
				35 - 36	R276255	0.001		134 - 135	R276323	0.001	
				36 - 37	R276256	0.004		135 - 136	R276324	0.001	
				37 - 38	R276257	0.004		136 - 137	R276325	0.001	
				38 - 39	R276258	0.002		137 - 138	R276326	0.001	
				39 - 40	R276259	0.004		138 - 139	R276327	-0.001	
				40 - 41	R276261	0.003		139 - 140	R276328	0.001	
				41 - 42	R276262	0.002		140 - 141	R276329	0.008	
				42 - 43	R276263	0.002					
Hole CFD0398    Double Double											
OB depth (m) 15.3											
49 - 50	R277001	0.009									
50 - 51	R277002	0.002									
51 - 52	R277003	0.015									
52 - 53	R277004	0.001									
53 - 54	R277005	0.006									
54 - 55	R277006	0.007									
55 - 56	R277007	0.004									
56 - 57	R277008	0.034									
57 - 58	R277009	0.015									



Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)
32	-	33	R276529	0.004	91	-	92	R276596	-0.001	150	-	151	R276663	0.095
33	-	34	R276531	0.003	92	-	93	R276597	0.002	151	-	152	R276664	2.67
34	-	35	R276532	0.002	93	-	94	R276598	0.001	152	-	153	R276665	0.028
35	-	36	R276533	0.003	94	-	95	R276599	0.004	153	-	154	R276666	0.012
36	-	37	R276534	0.003	95	-	96	R276601	-0.001	154	-	155	R276668	0.007
37	-	38	R276535	0.002	96	-	97	R276602	0.002	155	-	156	R276669	0.003
38	-	39	R276536	0.003	97	-	98	R276603	0.001	156	-	157	R276671	0.004
39	-	40	R276537	0.003	98	-	99	R276604	0.003	157	-	158	R276672	0.004
40	-	41	R276538	0.003	99	-	100	R276605	0.001	Hole CFD0413 OB depth (m) 5.1				
41	-	42	R276539	0.004	100	-	101	R276606	0.003					
42	-	43	R276541	0.002	101	-	102	R276608	0.001	5	-	6	R276673	0.046
43	-	44	R276542	0.001	102	-	103	R276609	0.001	6	-	7	R276674	0.004
44	-	45	R276543	0.001	103	-	104	R276611	0.009	7	-	8	R276675	0.003
45	-	46	R276544	0.001	104	-	105	R276612	0.011	8	-	9	R276676	0.009
46	-	47	R276545	0.001	105	-	106	R276613	0.005	9	-	10	R276677	0.002
47	-	48	R276546	0.003	106	-	107	R276614	-0.001	10	-	11	R276678	0.004
48	-	49	R276547	0.002	107	-	108	R276615	0.006	11	-	12	R276679	0.001
49	-	50	R276548	0.003	108	-	109	R276616	0.005	12	-	13	R276681	-0.001
50	-	51	R276549	0.002	109	-	110	R276617	0.001	13	-	14	R276682	0.001
51	-	52	R276551	0.002	110	-	111	R276618	0.002	14	-	15	R276683	0.003
52	-	53	R276552	0.006	111	-	112	R276619	-0.001	15	-	16	R276684	0.002
53	-	54	R276553	0.003	112	-	113	R276621	-0.001	16	-	17	R276685	0.008
54	-	55	R276555	0.003	113	-	114	R276622	0.006	17	-	18	R276686	0.004
55	-	56	R276556	0.002	114	-	115	R276623	0.016	18	-	19	R276687	0.003
56	-	57	R276557	0.001	115	-	116	R276624	0.05	19	-	20	R276688	0.006
57	-	58	R276558	0.002	116	-	117	R276625	0.002	20	-	21	R276689	0.01
58	-	59	R276559	0.001	117	-	118	R276626	-0.001	21	-	22	R276691	0.006
59	-	60	R276561	0.002	118	-	119	R276627	-0.001	22	-	23	R276692	0.338
60	-	61	R276562	0.001	119	-	120	R276628	-0.001	23	-	24	R276693	0.022
61	-	62	R276563	0.001	120	-	121	R276629	0.002	24	-	25	R276694	0.294
62	-	63	R276564	2.76	121	-	122	R276631	0.004	25	-	26	R276695	0.421
63	-	64	R276565	0.306	122	-	123	R276632	0.005	26	-	27	R276696	3.21
64	-	65	R276566	0.003	123	-	124	R276633	0.007	27	-	28	R276697	121
65	-	66	R276567	0.01	124	-	125	R276634	0.018	28	-	29	R276698	51.2
66	-	67	R276568	0.007	125	-	126	R276635	0.013	29	-	30	R276699	0.473
67	-	68	R276569	0.009	126	-	127	R276636	0.002	30	-	31	R276701	0.295
68	-	69	R276571	0.001	127	-	128	R276637	0.006	31	-	32	R276702	0.038
69	-	70	R276572	0.001	128	-	129	R276638	0.461	32	-	33	R276703	0.037
70	-	71	R276573	0.005	129	-	130	R276639	0.071	33	-	34	R276704	0.017
71	-	72	R276574	0.066	130	-	131	R276641	2.3	34	-	35	R276705	0.079
72	-	73	R276575	1.62	131	-	132	R276642	1.985	35	-	36	R276706	0.011
73	-	74	R276576	1.215	132	-	133	R276643	5.53	36	-	37	R276707	0.02
74	-	75	R276577	1.32	133	-	134	R276644	5.98	37	-	38	R276708	0.016
75	-	76	R276578	0.009	134	-	135	R276645	7.38	38	-	39	R276709	0.015
76	-	77	R276579	0.003	135	-	136	R276646	2.62	39	-	40	R276711	0.003
77	-	78	R276581	0.001	136	-	137	R276647	0.644	40	-	41	R276712	0.017
78	-	79	R276582	0.001	137	-	138	R276648	0.16	41	-	42	R276713	0.007
79	-	80	R276583	0.004	138	-	139	R276649	0.055	42	-	43	R276714	0.011
80	-	81	R276584	0.008	139	-	140	R276651	0.004	43	-	44	R276715	0.004
81	-	82	R276585	0.001	140	-	141	R276652	0.018	44	-	45	R276717	0.001
82	-	83	R276586	0.002	141	-	142	R276653	0.014	45	-	46	R276718	0.002
83	-	84	R276587	0.003	142	-	143	R276654	0.079	46	-	47	R276719	0.012
84	-	85	R276588	0.002	143	-	144	R276655	0.009	47	-	48	R276721	0.022
85	-	86	R276589	0.006	144	-	145	R276656	0.011	48	-	49	R276722	0.019
86	-	87	R276591	0.001	145	-	146	R276657	0.006	49	-	50	R276723	0.01
87	-	88	R276592	0.014	146	-	147	R276658	0.016	50	-	51	R276724	0.006
88	-	89	R276593	0.013	147	-	148	R276659	0.005	51	-	52	R276725	0.009
89	-	90	R276594	0.008	148	-	149	R276661	0.002	52	-	53	R276726	0.003
90	-	91	R276595	0.001	149	-	150	R276662	0.002	53	-	54	R276727	0.009

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
54 - 55	R276728	0.002	113 - 114	R276795	0.172	172 - 173	R276862	0.004
55 - 56	R276729	0.004	114 - 115	R276796	0.045	173 - 174	R276863	0.015
56 - 57	R276731	0.005	115 - 116	R276797	0.022	174 - 175	R276864	0.02
57 - 58	R276732	0.002	116 - 117	R276798	0.318	175 - 176	R276865	0.003
58 - 59	R276733	0.002	117 - 118	R276799	0.004	176 - 177	R276866	0.002
59 - 60	R276734	0.002	118 - 119	R276801	0.955	177 - 178	R276867	0.002
60 - 61	R276735	0.001	119 - 120	R276802	1.465	178 - 179	R276868	0.005
61 - 62	R276736	0.001	120 - 121	R276803	0.03	179 - 180	R276869	0.001
62 - 63	R276737	0.006	121 - 122	R276804	0.024	180 - 181	R276871	0.003
63 - 64	R276738	0.002	122 - 123	R276805	0.749	181 - 182	R276872	0.003
64 - 65	R276739	0.002	123 - 124	R276806	1.865	182 - 183	R276874	0.016
65 - 66	R276741	0.002	124 - 125	R276807	0.364	183 - 184	R276875	0.003
66 - 67	R276742	0.002	125 - 126	R276808	0.757	184 - 185	R276876	0.005
67 - 68	R276743	0.006	126 - 127	R276809	10.1	185 - 186	R276877	0.006
68 - 69	R276744	0.006	127 - 128	R276811	5.51	186 - 187	R276878	0.004
69 - 70	R276745	0.016	128 - 129	R276812	0.291	187 - 188	R276879	0.001
70 - 71	R276746	0.005	129 - 130	R276813	0.714	188 - 189	R276881	0.005
71 - 72	R276747	0.003	130 - 131	R276814	7.66	189 - 190	R276882	0.005
72 - 73	R276748	0.006	131 - 132	R276815	0.36	190 - 191	R276883	0.004
73 - 74	R276749	0.031	132 - 133	R276816	0.012	191 - 192	R276884	0.008
74 - 75	R276751	0.092	133 - 134	R276817	0.015	192 - 193	R276885	0.019
75 - 76	R276752	0.004	134 - 135	R276818	0.007	193 - 194	R276886	0.022
76 - 77	R276753	0.007	135 - 136	R276819	0.003	194 - 195	R276887	0.032
77 - 78	R276754	0.009	136 - 137	R276821	3.03	195 - 196	R276888	0.102
78 - 79	R276755	0.003	137 - 138	R276822	9.21	196 - 197	R276889	0.13
79 - 80	R276756	0.001	138 - 139	R276823	9.5	197 - 198	R276891	0.08
80 - 81	R276757	0.001	139 - 140	R276824	12.75	198 - 199	R276892	0.063
81 - 82	R276758	0.003	140 - 141	R276826	21.9	199 - 200	R276893	0.028
82 - 83	R276759	0.002	141 - 142	R276827	21.5	200 - 201	R276894	0.003
83 - 84	R276761	0.004	142 - 143	R276828	13.25	201 - 202	R276895	0.003
84 - 85	R276762	0.006	143 - 144	R276829	17	202 - 203	R276896	0.002
85 - 86	R276763	0.005	144 - 145	R276831	2.11	203 - 204	R276897	0.005
86 - 87	R276764	0.002	145 - 146	R276832	0.501	204 - 205	R276898	0.007
87 - 88	R276765	0.002	146 - 147	R276833	5.64	205 - 206	R276899	0.007
88 - 89	R276766	0.001	147 - 148	R276834	4.93	206 - 207	R276901	0.025
89 - 90	R276767	0.001	148 - 149	R276835	1.31	207 - 208	R276902	0.019
90 - 91	R276768	0.001	149 - 150	R276836	0.046	208 - 209	R276903	0.023
91 - 92	R276769	0.001	150 - 151	R276837	0.468	209 - 210	R276904	0.216
92 - 93	R276771	0.004	151 - 152	R276838	0.766	210 - 211	R276905	2.34
93 - 94	R276772	0.002	152 - 153	R276839	0.009	211 - 212	R276906	2.04
94 - 95	R276774	0.001	153 - 154	R276841	0.007	212 - 213	R276907	0.831
95 - 96	R276775	0.001	154 - 155	R276842	0.002	213 - 214	R276908	0.022
96 - 97	R276776	0.001	155 - 156	R276843	0.012	214 - 215	R276909	7.61
97 - 98	R276777	0.001	156 - 157	R276844	0.002	215 - 216	R276911	5.24
98 - 99	R276778	0.001	157 - 158	R276845	0.001	216 - 217	R276912	0.466
99 - 100	R276779	0.001	158 - 159	R276846	0.003	217 - 218	R276913	1.295
100 - 101	R276781	0.002	159 - 160	R276847	0.014	218 - 219	R276914	1.34
101 - 102	R276782	0.002	160 - 161	R276848	0.028	219 - 220	R276915	1.475
102 - 103	R276783	0.002	161 - 162	R276849	0.024	220 - 221	R276916	0.056
103 - 104	R276784	0.001	162 - 163	R276851	0.035	221 - 222	R276917	0.006
104 - 105	R276785	0.001	163 - 164	R276852	0.01	222 - 223	R276918	0.003
105 - 106	R276786	0.001	164 - 165	R276853	0.011	223 - 224	R276919	0.002
106 - 107	R276787	0.001	165 - 166	R276854	0.017	224 - 225	R276921	0.001
107 - 108	R276788	0.001	166 - 167	R276855	0.019	225 - 226	R276922	0.001
108 - 109	R276789	0.001	167 - 168	R276856	0.005	226 - 227	R276923	0.029
109 - 110	R276791	0.004	168 - 169	R276857	0.007	227 - 228	R276925	0.001
110 - 111	R276792	11.05	169 - 170	R276858	0.005	228 - 229	R276926	0.001
111 - 112	R276793	0.016	170 - 171	R276859	0.002	229 - 230	R276927	0.126
112 - 113	R276794	0.009	171 - 172	R276861	0.001			

Interval (m)					SampID		Au (ppm)		Interval (m)					SampID		Au (ppm)	
Hole	CFD0416	Double Double			69	-	70	R276993	0.006	128	-	129	R277104	0.01			
					70	-	71	R276994	0.018	129	-	130	R277105	0.003			
OB	depth (m)	12	71	-	72	R276995	0.675	130	-	131	R277106	0.006					
			72	-	73	R276996	0.003	131	-	132	R277107	0.004					
12	-	13	R276928	0.006	73	-	74	R276997	0.003	132	-	133	R277108	0.003			
13	-	14	R276929	0.005	74	-	75	R276998	0.001	133	-	134	R277109	0.005			
14	-	15	R276931	0.265	75	-	76	R276999	0.001	134	-	135	R277111	0.005			
15	-	16	R276932	0.073	76	-	77	R277045	0.001	135	-	136	R277112	0.003			
16	-	17	R276933	2.18	77	-	78	R277046	0.118	136	-	137	R277113	0.009			
17	-	18	R276934	0.02	78	-	79	R277047	4.38	137	-	138	R277114	0.002			
18	-	19	R276935	0.01	79	-	80	R277048	0.254	138	-	139	R277115	0.003			
19	-	20	R276936	0.002	80	-	81	R277049	0.052	139	-	140	R277117	0.014			
20	-	21	R276937	0.003	81	-	82	R277051	0.034	140	-	141	R277118	0.004			
21	-	22	R276938	0.002	82	-	83	R277052	0.018	141	-	142	R277119	0.002			
22	-	23	R276939	0.002	83	-	84	R277053	0.051	142	-	143	R277121	0.002			
23	-	24	R276941	5.46	84	-	85	R277054	0.005	143	-	144	R277122	0.004			
24	-	25	R276942	1.785	85	-	86	R277055	0.002	144	-	145	R277123	0.002			
25	-	26	R276943	1.225	86	-	87	R277056	0.001	145	-	146	R277124	0.001			
26	-	27	R276944	1.465	87	-	88	R277057	0.001	146	-	147	R277125	0.001			
27	-	28	R276945	0.093	88	-	89	R277058	0.002	147	-	148	R277126	0.001			
28	-	29	R276946	0.279	89	-	90	R277059	0.005	148	-	149	R277127	0.002			
29	-	30	R276947	0.046	90	-	91	R277061	0.003	149	-	149.5	R277128	0.001			
30	-	31	R276948	9.98	91	-	92	R277062	0.006	Hole CFR0685 Double Double OB depth (m) 4.57							
31	-	32	R276949	5.18	92	-	93	R277063	0.008								
32	-	33	R276951	0.197	93	-	94	R277064	0.013	4.57	-	6.1	R298002	0.008			
33	-	34	R276952	0.033	94	-	95	R277065	0.002	6.1	-	7.62	R298003	0.008			
34	-	35	R276953	0.008	95	-	96	R277066	0.003	7.62	-	9.14	R298004	0.005			
35	-	36	R276954	0.451	96	-	97	R277067	0.002	9.14	-	10.67	R298005	0.003			
36	-	37	R276955	0.143	97	-	98	R277068	0.002	10.67	-	12.19	R298006	0.009			
37	-	38	R276956	0.021	98	-	99	R277069	0.001	12.19	-	13.72	R298007	0.007			
38	-	39	R276957	6.01	99	-	100	R277071	0.002	13.72	-	15.24	R298008	0.008			
39	-	40	R276958	8.22	100	-	101	R277072	0.002	15.24	-	16.76	R298009	0.007			
40	-	41	R276959	58.8	101	-	102	R277073	0.003	16.76	-	18.29	R298011	0.005			
41	-	42	R276961	26.8	102	-	103	R277074	0.005	18.29	-	19.81	R298012	0.005			
42	-	43	R276962	7.58	103	-	104	R277075	0.002	19.81	-	21.34	R298013	0.004			
43	-	44	R276963	6.93	104	-	105	R277077	0.001	21.34	-	22.86	R298014	0.002			
44	-	45	R276964	109	105	-	106	R277078	0.003	22.86	-	24.38	R298015	0.006			
45	-	46	R276965	70.3	106	-	107	R277079	0.007	24.38	-	25.91	R298016	0.006			
46	-	47	R276966	1.93	107	-	108	R277081	0.002	25.91	-	27.43	R298017	0.027			
47	-	48	R276967	0.132	108	-	109	R277082	0.005	27.43	-	28.96	R298018	0.005			
48	-	49	R276968	0.024	109	-	110	R277083	0.002	28.96	-	30.48	R298019	0.004			
49	-	50	R276969	0.016	110	-	111	R277084	0.002	30.48	-	32	R298021	0.004			
50	-	51	R276971	0.011	111	-	112	R277085	0.002	32	-	33.53	R298022	0.008			
51	-	52	R276972	0.114	112	-	113	R277086	0.001	33.53	-	35.05	R298023	0.01			
52	-	53	R276973	0.776	113	-	114	R277087	0.001	35.05	-	36.58	R298024	0.005			
53	-	54	R276974	0.277	114	-	115	R277088	0.005	36.58	-	38.1	R298025	0.004			
54	-	55	R276976	2.39	115	-	116	R277089	0.002	38.1	-	39.62	R298026	0.008			
55	-	56	R276977	0.006	116	-	117	R277091	0.002	39.62	-	41.15	R298027	0.042			
56	-	57	R276978	0.007	117	-	118	R277092	0.009	41.15	-	42.67	R298028	0.032			
57	-	58	R276979	0.005	118	-	119	R277093	0.003	42.67	-	44.2	R298029	0.05			
58	-	59	R276981	0.003	119	-	120	R277094	0.002	44.2	-	45.72	R298031	0.032			
59	-	60	R276982	0.003	120	-	121	R277095	0.002	45.72	-	47.24	R298032	0.04			
60	-	61	R276983	0.005	121	-	122	R277096	0.002	47.24	-	48.77	R298033	0.07			
61	-	62	R276984	0.007	122	-	123	R277097	0.001	48.77	-	50.29	R298034	7.62			
62	-	63	R276985	4.5	123	-	124	R277098	0.008	50.29	-	51.82	R298035	0.038			
63	-	64	R276986	0.375	124	-	125	R277099	0.003	51.82	-	53.34	R298036	0.482			
64	-	65	R276987	2.29	125	-	126	R277101	0.011	53.34	-	54.86	R298037	1.055			
65	-	66	R276988	0.236	126	-	127	R277102	0.002	54.86	-	56.39	R298038	0.041			
66	-	67	R276989	0.904	127	-	128	R277103	0.002	56.39	-	57.91	R298039	0.014			
67	-	68	R276991	4.13													
68	-	69	R276992	0.006													



Interval (m)				SampID		Au (ppm)		Interval (m)				SampID		Au (ppm)			
57.91	-	59.44	R298041	0.009		86.87	-	88.39	R298105	0.001		70.1	-	71.63	R292802	0.101	
59.44	-	60.96	R298042	0.003		88.39	-	89.92	R298106	0.003		71.63	-	73.15	R292803	0.019	
60.96	-	62.48	R298043	0.058		89.92	-	91.44	R298107	0.002		73.15	-	74.68	R292804	0.344	
62.48	-	64.01	R298044	0.387		91.44	-	92.96	R298108	0.007		74.68	-	76.2	R292805	0.04	
64.01	-	65.53	R298045	0.021		92.96	-	94.49	R298109	0.003		76.2	-	77.72	R292806	0.076	
<b>Hole CFR0687</b> <b>OB depth (m) 6.1</b>						94.49	-	96.01	R298111	0.011		77.72	-	79.25	R292807	0.03	
						96.01	-	97.54	R298112	0.006		79.25	-	80.77	R292808	0.009	
						97.54	-	99.06	R298113	0.002		80.77	-	82.3	R292809	0.011	
						99.06	-	100.58	R298114	0.005		82.3	-	83.82	R292811	0.002	
						100.58	-	102.11	R298115	0.002		83.82	-	85.34	R292812	0.005	
						102.11	-	103.63	R298116	0.006		85.34	-	86.87	R292813	0.01	
						<b>Hole CFR0689</b> <b>OB depth (m) 9.14</b>						86.87	-	88.39	R292814	0.023	
												88.39	-	89.92	R292815	0.199	
												89.92	-	91.44	R292816	0.024	
												91.44	-	92.96	R292817	0.009	
92.96	-	94.49	R292818	0.007													
94.49	-	96.01	R292819	0.005													
96.01	-	97.54	R292821	0.005													
97.54	-	99.06	R292822	0.009													
99.06	-	100.58	R292823	0.001													
<b>Hole CFR0691</b> <b>OB depth (m) 3.05</b>												3.05	-	4.57	R298117	0.009	
						4.57	-	6.1	R298118	0.013							
						6.1	-	7.62	R298119	0.006							
						7.62	-	9.14	R298121	0.022							
						9.14	-	10.67	R298122	0.006							
						10.67	-	12.19	R298123	0.005							
						12.19	-	13.72	R298124	0.007							
						13.72	-	15.24	R298125	0.077							
						15.24	-	16.76	R298126	0.001							
						16.76	-	18.29	R298127	0.004							
18.29	-	19.81	R298128	0.012													
19.81	-	21.34	R298129	0.004													
21.34	-	22.86	R298131	0.012													
22.86	-	24.38	R298132	0.01													
24.38	-	25.91	R298133	0.008													
25.91	-	27.43	R298134	0.006													
27.43	-	28.96	R298135	0.011													
28.96	-	30.48	R298136	0.003													
30.48	-	32	R298137	0.002													
32	-	33.53	R298138	0.001													
33.53	-	35.05	R298139	0.005													
35.05	-	36.58	R298141	0.002													
36.58	-	38.1	R298142	0.006													
38.1	-	39.62	R298143	0.007													
39.62	-	41.15	R298144	0.004													
41.15	-	42.67	R298145	0.015													
42.67	-	44.2	R298146	0.002													
44.2	-	45.72	R298147	0.001													
45.72	-	47.24	R298148	0.007													
47.24	-	48.77	R298149	0.001													
48.77	-	50.29	R298151	0.002													
50.29	-	51.82	R298152	0.015													
51.82	-	53.34	R298153	0.002													
53.34	-	54.86	R298154	0.001													
54.86	-	56.39	R298155	0.002													
56.39	-	57.91	R298156	0.001													
57.91	-	59.44	R298157	2.23													

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
59.44 - 60.96	R298158	0.036	48.77 - 50.29	R288161	2.4	10.67 - 12.19	R288225	0.002
60.96 - 62.48	R298159	0.013	50.29 - 51.82	R288162	0.053	12.19 - 13.72	R288226	0.002
62.48 - 64.01	R298161	0.007	51.82 - 53.34	R288163	0.015	13.72 - 15.24	R288227	0.002
64.01 - 65.53	R298162	0.006	53.34 - 54.86	R288164	0.017	15.24 - 16.76	R288228	0.001
65.53 - 67.06	R298163	0.005	54.86 - 56.39	R288165	0.01	16.76 - 18.29	R288229	0.004
67.06 - 68.58	R298164	0.003	56.39 - 57.91	R288166	0.006	18.29 - 19.81	R288231	0.013
68.58 - 70.1	R298165	0.002	57.91 - 59.44	R288167	0.006	19.81 - 21.34	R288232	0.013
70.1 - 71.63	R298166	0.003	59.44 - 60.96	R288168	0.005	21.34 - 22.86	R288233	0.08
71.63 - 73.15	R298167	0.007	60.96 - 62.48	R288169	0.003	22.86 - 24.38	R288234	0.006
73.15 - 74.68	R298168	0.013	62.48 - 64.01	R288171	0.004	24.38 - 25.91	R288235	0.022
74.68 - 76.2	R298169	0.006	64.01 - 65.53	R288172	0.01	25.91 - 27.43	R288236	0.008
76.2 - 77.72	R298171	0.002	65.53 - 67.06	R288173	0.004	27.43 - 28.96	R288237	0.009
77.72 - 79.25	R298172	0.001	67.06 - 68.58	R288174	0.006	28.96 - 30.48	R288238	0.006
79.25 - 80.77	R298173	0.001	68.58 - 70.1	R288175	0.01	30.48 - 32	R288239	0.004
80.77 - 82.3	R298174	-0.001	70.1 - 71.63	R288176	0.006	32 - 33.53	R288241	0.004
82.3 - 83.82	R298175	-0.001	71.63 - 73.15	R288177	0.025	33.53 - 35.05	R288242	0.001
83.82 - 85.34	R298176	0.001	73.15 - 74.68	R288178	0.014	35.05 - 36.58	R288243	0.163
85.34 - 86.87	R298177	-0.001	74.68 - 76.2	R288179	0.006	36.58 - 38.1	R288244	0.195
86.87 - 88.39	R298178	-0.001	76.2 - 77.72	R288181	0.006	38.1 - 39.62	R288245	0.12
88.39 - 89.92	R298179	-0.001	77.72 - 79.25	R288182	0.002	39.62 - 41.15	R288246	1.155
89.92 - 91.44	R298181	-0.001	79.25 - 80.77	R288183	0.008	41.15 - 42.67	R288247	0.013
91.44 - 92.96	R298182	-0.001	80.77 - 82.3	R288184	0.002	42.67 - 44.2	R288248	0.018
92.96 - 94.49	R298183	-0.001	82.3 - 83.82	R288185	0.004	44.2 - 45.72	R288249	0.037
94.49 - 96.01	R298184	0.001	83.82 - 85.34	R288186	0.112	45.72 - 47.24	R288251	0.019
96.01 - 97.54	R298185	-0.001	85.34 - 86.87	R288187	0.015	47.24 - 48.77	R288252	0.021
97.54 - 99.06	R298186	-0.001	86.87 - 88.39	R288188	0.057	48.77 - 50.29	R288253	0.006
Hole CFR0692 OB depth (m) 1.52			88.39 - 89.92	R288189	0.004	50.29 - 51.82	R288254	0.007
			89.92 - 91.44	R288191	0.003	51.82 - 53.34	R288255	0.001
1.52 - 3.05	R292826	0.045	91.44 - 92.96	R288192	0.004	53.34 - 54.86	R288256	0.001
3.05 - 4.57	R292827	0.046	92.96 - 94.49	R288193	0.007	54.86 - 56.39	R288257	0.001
4.57 - 6.1	R292828	0.011	94.49 - 96.01	R288194	0.011	56.39 - 57.91	R288258	0.001
6.1 - 7.62	R292829	0.011	96.01 - 97.54	R288195	0.003	57.91 - 59.44	R288259	0.001
7.62 - 9.14	R292831	0.004	97.54 - 99.06	R288196	0.003	59.44 - 60.96	R288261	0.001
9.14 - 10.67	R292832	0.003	99.06 - 100.58	R288197	0.023	60.96 - 62.48	R288262	0.008
10.67 - 12.19	R292833	0.004	100.58 - 102.11	R288198	0.004	62.48 - 64.01	R288263	0.001
12.19 - 13.72	R292834	0.002	102.11 - 103.63	R288199	0.002	64.01 - 65.53	R288264	-0.001
13.72 - 15.24	R292835	0.002	103.63 - 105.16	R288201	0.019	65.53 - 67.06	R288265	0.003
15.24 - 16.76	R292836	0.001	105.16 - 106.68	R288202	0.01	67.06 - 68.58	R288266	0.007
16.76 - 18.29	R292837	0.018	106.68 - 108.2	R288203	0.003	68.58 - 70.1	R288267	0.001
18.29 - 19.81	R292838	0.015	108.2 - 109.73	R288204	0.002	70.1 - 71.63	R288268	0.008
19.81 - 21.34	R292839	0.005	109.73 - 111.25	R288205	0.003	71.63 - 73.15	R288269	0.009
21.34 - 22.86	R292841	0.004	111.25 - 112.78	R288206	0.002	73.15 - 74.68	R288271	0.022
22.86 - 24.38	R292842	0.007	112.78 - 114.3	R288207	0.001	74.68 - 76.2	R288272	0.012
24.38 - 25.91	R292843	0.006	114.3 - 115.82	R288208	0.003	76.2 - 77.72	R288273	0.009
25.91 - 27.43	R292844	0.018	115.82 - 117.35	R288209	0.001	77.72 - 79.25	R288274	0.004
27.43 - 28.96	R292845	0.471	117.35 - 118.87	R288211	0.006	79.25 - 80.77	R288275	0.012
28.96 - 30.48	R292846	0.044	118.87 - 120.4	R288212	0.002	80.77 - 82.3	R288276	0.023
30.48 - 32	R292847	0.006	120.4 - 121.92	R288213	-0.001	82.3 - 83.82	R288277	0.002
32 - 33.53	R292848	0.005	121.92 - 123.44	R288214	0.032	83.82 - 85.34	R288278	0.001
33.53 - 35.05	R292849	0.017	123.44 - 124.97	R288215	0.129	85.34 - 86.87	R288279	0.023
35.05 - 36.58	R288151	0.004	124.97 - 126.49	R288216	0.216	86.87 - 88.39	R288281	0.002
36.58 - 38.1	R288152	0.018	Hole CFR0694 OB depth (m) 6.1			88.39 - 89.92	R288282	0.005
38.1 - 39.62	R288153	0.039				89.92 - 91.44	R288283	0.004
39.62 - 41.15	R288154	0.003	1.53 - 3.05	R288218	0.022	91.44 - 92.96	R288284	0.002
41.15 - 42.67	R288155	0.001	3.05 - 4.57	R288219	0.037	92.96 - 94.49	R288285	0.001
42.67 - 44.2	R288156	0.001	4.57 - 6.1	R288221	0.007	94.49 - 96.01	R288286	0.005
44.2 - 45.72	R288157	0.232	6.1 - 7.62	R288222	0.009	96.01 - 97.54	R288287	0.011
45.72 - 47.24	R288158	0.073	7.62 - 9.14	R288223	0.005	97.54 - 99.06	R288288	0.004
47.24 - 48.77	R288159	19	9.14 - 10.67	R288224	0.018	99.06 - 100.58	R288289	0.006



Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
100.58 - 102.11	R288291	0.001	9.14 - 10.67	R288356	0.007	99.06 - 100.58	R288422	0.315
102.11 - 103.63	R288292	0.002	10.67 - 12.19	R288357	0.002	100.58 - 102.11	R288423	0.044
103.63 - 105.16	R288293	0.029	12.19 - 13.72	R288358	0.001	102.11 - 103.63	R288424	0.003
105.16 - 106.68	R288294	0.186	13.72 - 15.24	R288359	0.003	103.63 - 105.16	R288425	0.006
106.68 - 108.2	R288295	0.056	15.24 - 16.76	R288361	0.004	105.16 - 106.68	R288426	0.001
108.2 - 109.73	R288296	0.005	16.76 - 18.29	R288362	0.001	106.68 - 108.2	R288427	0.001
109.73 - 111.25	R288297	0.001	18.29 - 19.81	R288363	0.001	108.2 - 109.73	R288428	0.001
111.25 - 112.78	R288298	0.001	19.81 - 21.34	R288364	0.002	109.73 - 111.25	R288429	0.003
112.78 - 114.3	R288299	-0.001	21.34 - 22.86	R288365	0.003	111.25 - 112.78	R288431	0.002
114.3 - 115.82	R288301	-0.001	22.86 - 24.38	R288366	0.002	112.78 - 114.3	R288432	-0.001
115.82 - 117.35	R288302	0.002	24.38 - 25.91	R288367	0.002	114.3 - 115.82	R288433	0.002
117.35 - 118.87	R288303	-0.001	25.91 - 27.43	R288368	0.001	115.82 - 117.35	R288434	-0.001
118.87 - 120.4	R288304	-0.001	27.43 - 28.96	R288369	0.002	117.35 - 118.87	R288435	0.005
120.4 - 121.92	R288305	0.003	28.96 - 30.48	R288371	0.003	Hole CFR0698 Double Double OB depth (m) 7.62		
121.92 - 123.44	R288306	-0.001	30.48 - 32	R288372	0.002			
123.44 - 124.97	R288307	-0.001	32 - 33.53	R288373	0.001	0 - 1.52	R288438	0.154
124.97 - 126.49	R288308	0.04	33.53 - 35.05	R288374	0.003	1.52 - 3.05	R288439	0.027
126.49 - 128.02	R288309	0.001	35.05 - 36.58	R288375	0.002	3.05 - 4.57	R288441	0.06
128.02 - 129.54	R288311	0.001	36.58 - 38.1	R288376	0.002	4.57 - 6.1	R288442	0.016
129.54 - 131.06	R288312	0.005	38.1 - 39.62	R288377	0.004	6.1 - 7.62	R288443	0.002
131.06 - 132.59	R288313	0.004	39.62 - 41.15	R288378	0.004	7.62 - 9.14	R288444	-0.001
132.59 - 134.11	R288314	-0.001	41.15 - 42.67	R288379	0.002	9.14 - 10.67	R288445	-0.001
134.11 - 135.64	R288315	-0.001	42.67 - 44.2	R288381	0.002	10.67 - 12.19	R288446	0.003
135.64 - 137.16	R288316	-0.001	44.2 - 45.72	R288382	0.004	12.19 - 13.72	R288447	0.002
137.16 - 138.68	R288317	-0.001	45.72 - 47.24	R288383	0.001	13.72 - 15.24	R288448	0.001
138.68 - 140.21	R288318	-0.001	47.24 - 48.77	R288384	-0.001	15.24 - 16.76	R288449	0.001
140.21 - 141.73	R288319	-0.001	48.77 - 50.29	R288385	-0.001	16.76 - 18.29	R288451	0.005
141.73 - 143.26	R288321	0.001	50.29 - 51.82	R288386	-0.001	18.29 - 19.81	R288452	0.002
143.26 - 144.78	R288322	0.001	51.82 - 53.34	R288387	0.001	19.81 - 21.34	R288453	0.001
144.78 - 146.3	R288323	-0.001	53.34 - 54.86	R288388	0.007	21.34 - 22.86	R288454	0.001
146.3 - 147.83	R288324	-0.001	54.86 - 56.39	R288389	-0.001	22.86 - 24.38	R288455	0.001
147.83 - 149.35	R288325	-0.001	56.39 - 57.91	R288391	0.004	24.38 - 25.91	R288456	0.006
149.35 - 150.88	R288326	-0.001	57.91 - 59.44	R288392	0.003	25.91 - 27.43	R288457	-0.001
150.88 - 152.4	R288327	-0.001	59.44 - 60.96	R288393	0.006	27.43 - 28.96	R288458	-0.001
152.4 - 153.92	R288328	-0.001	60.96 - 62.48	R288394	0.002	28.96 - 30.48	R288459	0.001
153.92 - 155.45	R288329	-0.001	62.48 - 64.01	R288395	0.002	30.48 - 32	R288461	0.002
155.45 - 156.97	R288331	-0.001	64.01 - 65.53	R288396	0.014	32 - 33.53	R288462	-0.001
156.97 - 158.5	R288332	-0.001	65.53 - 67.06	R288397	0.008	33.53 - 35.05	R288463	0.003
158.5 - 160.02	R288333	0.001	67.06 - 68.58	R288398	0.003	35.05 - 36.58	R288464	0.01
160.02 - 161.54	R288334	-0.001	68.58 - 70.1	R288399	0.001	36.58 - 38.1	R288465	0.026
161.54 - 163.07	R288335	-0.001	70.1 - 71.63	R288401	-0.001	38.1 - 39.62	R288466	0.014
163.07 - 164.59	R288336	-0.001	71.63 - 73.15	R288402	0.001	39.62 - 41.15	R288467	0.006
164.59 - 166.12	R288337	-0.001	73.15 - 74.68	R288403	0.002	41.15 - 42.67	R288468	0.002
166.12 - 167.64	R288338	-0.001	74.68 - 76.2	R288404	-0.001	42.67 - 44.2	R288469	0.005
167.64 - 169.16	R288339	-0.001	76.2 - 77.72	R288405	-0.001	44.2 - 45.72	R288471	0.001
169.16 - 170.69	R288341	-0.001	77.72 - 79.25	R288406	0.294	45.72 - 47.24	R288472	0.001
170.69 - 172.21	R288342	-0.001	79.25 - 80.77	R288407	4.09	47.24 - 48.77	R288473	0.001
172.21 - 173.74	R288343	-0.001	80.77 - 82.3	R288408	2.07	48.77 - 50.29	R288474	-0.001
173.74 - 175.26	R288344	-0.001	82.3 - 83.82	R288409	0.017	50.29 - 51.82	R288475	0.002
175.26 - 176.78	R288345	0.001	83.82 - 85.34	R288411	0.007	51.82 - 53.34	R288476	0.002
176.78 - 178.31	R288346	0.001	85.34 - 86.87	R288412	0.007	53.34 - 54.86	R288477	-0.001
178.31 - 179.83	R288347	-0.001	86.87 - 88.39	R288413	0.026	54.86 - 56.39	R288478	-0.001
179.83 - 181.36	R288348	0.002	88.39 - 89.92	R288414	1.145	56.39 - 57.91	R288479	-0.001
Hole CFR0696 Double Double OB depth (m) 3.05			89.92 - 91.44	R288415	2.32	57.91 - 59.44	R288481	0.004
			91.44 - 92.96	R288416	0.052	59.44 - 60.96	R288482	0.016
3.05 - 4.57	R288352	0.011	92.96 - 94.49	R288417	0.007	60.96 - 62.48	R288483	0.031
4.57 - 6.1	R288353	0.008	94.49 - 96.01	R288418	0.002	62.48 - 64.01	R288484	0.012
6.1 - 7.62	R288354	0.002	96.01 - 97.54	R288419	0.002	64.01 - 65.53	R288485	0.018
7.62 - 9.14	R288355	0.011	97.54 - 99.06	R288421	0.024	65.53 - 67.06	R288486	0.04

Interval (m)				SampID	Au (ppm)	Interval (m)				SampID	Au (ppm)	Interval (m)				SampID	Au (ppm)
67.06	-	68.58	R288487		0.006	54.86	-	56.39	R288551		0.783	144.78	-	146.3	R288616		0.003
68.58	-	70.1	R288488		0.003	56.39	-	57.91	R288552		0.056	146.3	-	147.83	R288617		0.001
70.1	-	71.63	R288489		0.004	57.91	-	59.44	R288553		0.018	147.83	-	149.35	R288618		0.006
71.63	-	73.15	R288491		0.016	59.44	-	60.96	R288554		0.08	149.35	-	150.88	R288619		-0.001
73.15	-	74.68	R288492		0.009	60.96	-	62.48	R288555		0.035	150.88	-	152.4	R288621		0.003
74.68	-	76.2	R288493		0.01	62.48	-	64.01	R288556		0.013	152.4	-	153.92	R288622		0.183
76.2	-	77.72	R288494		0.035	64.01	-	65.53	R288557		0.011	153.92	-	155.45	R288623		0.017
77.72	-	79.25	R288495		-0.001	65.53	-	67.06	R288558		0.83	155.45	-	156.97	R288624		0.012
79.25	-	80.77	R288496		-0.001	67.06	-	68.58	R288559		0.012	156.97	-	158.5	R288625		0.009
80.77	-	82.3	R288497		-0.001	68.58	-	70.1	R288561		0.008	158.5	-	160.02	R288626		-0.001
82.3	-	83.82	R288498		-0.001	70.1	-	71.63	R288562		0.014	160.02	-	161.54	R288627		-0.001
83.82	-	85.34	R288499		0.004	71.63	-	73.15	R288563		0.002	161.54	-	163.07	R288628		0.001
85.34	-	86.87	R288501		-0.001	73.15	-	74.68	R288564		0.005	163.07	-	164.59	R288629		-0.001
86.87	-	88.39	R288502		-0.001	74.68	-	76.2	R288565		0.009	164.59	-	166.12	R288631		0.001
88.39	-	89.92	R288503		0.062	76.2	-	77.72	R288566		0.015	166.12	-	167.64	R288632		0.001
89.92	-	91.44	R288504		0.004	77.72	-	79.25	R288567		0.014	167.64	-	169.16	R288633		0.002
91.44	-	92.96	R288505		-0.001	79.25	-	80.77	R288568		0.005	169.16	-	170.69	R288634		-0.001
92.96	-	94.49	R288506		-0.001	80.77	-	82.3	R288569		0.004	170.69	-	172.21	R288635		-0.001
94.49	-	96.01	R288507		-0.001	82.3	-	83.82	R288571		0.003	172.21	-	173.74	R288636		-0.001
96.01	-	97.54	R288508		-0.001	83.82	-	85.34	R288572		0.008	173.74	-	175.26	R288637		-0.001
97.54	-	99.06	R288509		-0.001	85.34	-	86.87	R288573		0.007	175.26	-	176.78	R288638		-0.001
<b>Hole CFR0699</b> <b>OB depth (m) 6.1</b>						86.87	-	88.39	R288574		0.004	176.78	-	178.31	R288639		-0.001
						88.39	-	89.92	R288575		0.004	178.31	-	179.83	R288641		-0.001
						89.92	-	91.44	R288576		0.01	179.83	-	181.36	R288642		0.001
						91.44	-	92.96	R288577		0.002	181.36	-	182.88	R288643		-0.001
						92.96	-	94.49	R288578		0.004	182.88	-	184.4	R288644		0.001
						94.49	-	96.01	R288579		0.013	184.4	-	185.93	R288645		0.001
						96.01	-	97.54	R288581		0.005	185.93	-	187.45	R288646		-0.001
						97.54	-	99.06	R288582		0.004	187.45	-	188.98	R288647		0.001
						99.06	-	100.58	R288583		0.007	<b>Hole CFR0700</b> <b>OB depth (m) 1.52</b>					
						100.58	-	102.11	R288584		0.007						
102.11	-	103.63	R288585		0.008												
103.63	-	105.16	R288586		0.006												
105.16	-	106.68	R288587		0.004												
106.68	-	108.2	R288588		0.001												
108.2	-	109.73	R288589		0.007												
109.73	-	111.25	R288591		0.006												
111.25	-	112.78	R288592		0.004												
112.78	-	114.3	R288593		0.006												
114.3	-	115.82	R288594		0.002												
115.82	-	117.35	R288595		0.003												
117.35	-	118.87	R288596		0.001												
118.87	-	120.4	R288597		0.005												
120.4	-	121.92	R288598		0.003												
121.92	-	123.44	R288599		0.005												
123.44	-	124.97	R288601		0.001												
124.97	-	126.49	R288602		0.002												
126.49	-	128.02	R288603		0.007												
128.02	-	129.54	R288604		0.006												
129.54	-	131.06	R288605		0.007												
131.06	-	132.59	R288606		0.001												
132.59	-	134.11	R288607		0.001												
134.11	-	135.64	R288608		-0.001												
135.64	-	137.16	R288609		-0.001												
137.16	-	138.68	R288611		0.001												
138.68	-	140.21	R288612		0.001												
140.21	-	141.73	R288613		0.006												
141.73	-	143.26	R288614		0.001												
143.26	-	144.78	R288615		0.001												
						1.53	-	3.05	R511946		0.017						
						3.05	-	4.57	R511947		0.008						
						4.57	-	6.1	R511948		0.008						
						6.1	-	7.62	R511949		0.004						
						7.62	-	9.14	R511951		0.005						
						9.14	-	10.67	R511952		0.008						
						10.67	-	12.19	R511953		0.003						
						12.19	-	13.72	R511954		0.002						
						13.72	-	15.24	R511955		0.002						
						15.24	-	16.76	R511956		0.002						
						16.76	-	18.29	R511957		0.005						
						18.29	-	19.81	R511958		0.011						
						19.81	-	21.34	R511959		0.002						
						21.34	-	22.86	R511961		0.005						
						22.86	-	24.38	R511962		0.004						
						24.38	-	25.91	R511963		0.005						
						25.91	-	27.43	R511964		0.001						
						27.43	-	28.96	R511965		-0.001						
						28.96	-	30.48	R511966		0.002						
						30.48	-	32	R511967		0.004						
						32	-	33.53	R511968		0.001						
						33.53	-	35.05	R511969		0.011						
						35.05	-	36.58	R511971		0.031						
						36.58	-	38.1	R511972		0.004						
						38.1	-	39.62	R511973		0.009						
						39.62	-	41.15	R511974		0.007						
						41.15	-	42.67	R511975		0.002						
						42.67	-	44.2	R511976		0.003						

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
44.2 - 45.72	R511977	0.003	10.67 - 12.19	R298196	0.009	Hole CFR0702 OB depth (m) 1.52		
45.72 - 47.24	R511978	0.003	12.19 - 13.72	R298197	0.004			
47.24 - 48.77	R511979	0.001	13.72 - 15.24	R298198	-0.001	1.53 - 3.05	R288651	0.633
48.77 - 50.29	R511981	0.003	15.24 - 16.76	R298199	0.002	3.05 - 4.57	R288652	0.069
50.29 - 51.82	R511982	0.003	16.76 - 18.29	R298201	0.003	4.57 - 6.1	R288653	0.025
51.82 - 53.34	R511983	0.006	18.29 - 19.81	R298202	0.003	6.1 - 7.62	R288654	0.016
53.34 - 54.86	R511984	0.028	19.81 - 21.34	R298203	0.052	7.62 - 9.14	R288655	0.018
54.86 - 56.39	R511985	0.009	21.34 - 22.86	R298204	0.269	9.14 - 10.67	R288656	0.014
56.39 - 57.91	R511986	0.02	22.86 - 24.38	R298205	0.008	10.67 - 12.19	R288657	0.017
57.91 - 59.44	R511987	0.003	24.38 - 25.91	R298206	0.004	12.19 - 13.72	R288658	0.021
59.44 - 60.96	R511988	0.003	25.91 - 27.43	R298207	0.007	13.72 - 15.24	R288659	0.037
60.96 - 62.48	R511989	0.017	27.43 - 28.96	R298208	0.007	15.24 - 16.76	R288661	0.018
62.48 - 64.01	R511991	0.016	28.96 - 30.48	R298209	0.027	16.76 - 18.29	R288662	0.009
64.01 - 65.53	R511992	0.006	30.48 - 32	R298211	0.402	18.29 - 19.81	R288663	0.006
65.53 - 67.06	R511993	0.013	32 - 33.53	R298212	0.053	19.81 - 21.34	R288664	0.046
67.06 - 68.58	R511994	0.007	33.53 - 35.05	R298213	0.008	21.34 - 22.86	R288665	0.007
68.58 - 70.1	R511995	0.01	35.05 - 36.58	R298214	0.003	22.86 - 24.38	R288666	0.009
70.1 - 71.63	R511996	0.01	36.58 - 38.1	R298215	0.001	24.38 - 25.91	R288667	0.005
71.63 - 73.15	R511997	0.005	38.1 - 39.62	R298216	0.002	25.91 - 27.43	R288668	0.008
73.15 - 74.68	R511998	0.005	39.62 - 41.15	R298217	0.009	27.43 - 28.96	R288669	0.043
74.68 - 76.2	R511999	0.004	41.15 - 42.67	R298218	0.262	28.96 - 30.48	R288671	0.053
76.2 - 77.72	R512001	0.011	42.67 - 44.2	R298219	0.135	30.48 - 32	R288672	0.007
77.72 - 79.25	R512002	0.004	44.2 - 45.72	R298221	0.025	32 - 33.53	R288673	0.011
79.25 - 80.77	R512003	0.009	45.72 - 47.24	R298222	0.008	33.53 - 35.05	R288674	0.005
80.77 - 82.3	R512004	0.57	47.24 - 48.77	R298223	0.012	35.05 - 36.58	R288675	0.004
82.3 - 83.82	R512005	0.313	48.77 - 50.29	R298224	0.01	36.58 - 38.1	R288676	0.003
83.82 - 85.34	R512006	0.01	50.29 - 51.82	R298225	0.006	38.1 - 39.62	R288677	0.005
85.34 - 86.87	R512007	0.091	51.82 - 53.34	R298226	0.001	39.62 - 41.15	R288678	0.008
86.87 - 88.39	R512008	0.009	53.34 - 54.86	R298227	-0.001	41.15 - 42.67	R288679	0.01
88.39 - 89.92	R512009	0.532	54.86 - 56.39	R298228	0.001	42.67 - 44.2	R288681	0.01
89.92 - 91.44	R512011	0.005	56.39 - 57.91	R298229	0.004	44.2 - 45.72	R288682	0.006
91.44 - 92.96	R512012	0.004	57.91 - 59.44	R298231	0.006	45.72 - 47.24	R288683	0.004
92.96 - 94.49	R512013	0.012	59.44 - 60.96	R298232	0.002	47.24 - 48.77	R288684	0.003
94.49 - 96.01	R512014	0.009	60.96 - 62.48	R298233	0.003	48.77 - 50.29	R288685	0.002
96.01 - 97.54	R512015	0.002	62.48 - 64.01	R298234	0.013	50.29 - 51.82	R288686	0.003
97.54 - 99.06	R512016	0.001	64.01 - 65.53	R298235	0.001	51.82 - 53.34	R288687	0.001
99.06 - 100.58	R512017	0.017	65.53 - 67.06	R298236	0.004	53.34 - 54.86	R288688	0.002
100.58 - 102.11	R512018	0.034	67.06 - 68.58	R298237	0.007	54.86 - 56.39	R288689	0.002
102.11 - 103.63	R512019	0.008	68.58 - 70.1	R298238	-0.001	56.39 - 57.91	R288691	0.008
103.63 - 105.16	R512021	0.005	70.1 - 71.63	R298239	-0.001	57.91 - 59.44	R288692	0.019
105.16 - 106.68	R512022	0.006	71.63 - 73.15	R298241	-0.001	59.44 - 60.96	R288693	0.002
106.68 - 108.2	R512023	0.002	73.15 - 74.68	R298242	0.005	60.96 - 62.48	R288694	0.002
108.2 - 109.73	R512024	0.006	74.68 - 76.2	R298243	0.003	62.48 - 64.01	R288695	0.001
109.73 - 111.25	R512025	0.002	76.2 - 77.72	R298244	0.002	64.01 - 65.53	R288696	0.005
111.25 - 112.78	R512026	0.001	77.72 - 79.25	R298245	0.002	65.53 - 67.06	R288697	0.006
112.78 - 114.3	R512027	0.005	79.25 - 80.77	R298246	0.009	67.06 - 68.58	R288698	0.015
114.3 - 115.82	R512028	0.01	80.77 - 82.3	R298247	0.009	68.58 - 70.1	R288699	0.002
115.82 - 117.35	R512029	0.012	82.3 - 83.82	R298248	-0.001	70.1 - 71.63	R288701	0.006
117.35 - 118.87	R512031	0.005	83.82 - 85.34	R298249	0.004	71.63 - 73.15	R288702	0.003
118.87 - 120.4	R512032	0.405	85.34 - 86.87	R298251	-0.001	73.15 - 74.68	R288703	0.002
120.4 - 121.92	R512033	0.024	86.87 - 88.39	R298252	-0.001	74.68 - 76.2	R288704	0.013
Hole CFR0701 OB depth (m) 1.52			88.39 - 89.92	R298253	-0.001	76.2 - 77.72	R288705	0.012
			89.92 - 91.44	R298254	-0.001	77.72 - 79.25	R288706	0.009
1.53 - 3.05	R298189	0.237	91.44 - 92.96	R298255	-0.001	79.25 - 80.77	R288707	0.002
3.05 - 4.57	R298191	0.027	92.96 - 94.49	R298256	0.002	80.77 - 82.3	R288708	0.002
4.57 - 6.1	R298192	0.019	94.49 - 96.01	R298257	0.002	82.3 - 83.82	R288709	0.002
6.1 - 7.62	R298193	0.009	96.01 - 97.54	R298258	0.002	83.82 - 85.34	R288711	0.002
7.62 - 9.14	R298194	0.004	97.54 - 99.06	R298259	0.001	85.34 - 86.87	R288712	0.002
9.14 - 10.67	R298195	0.104	99.06 - 100.58	R298261	0.001	86.87 - 88.39	R288713	0.004

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
88.39 - 89.92	R288714	0.002	74.68 - 76.2	R512091	0.002	54.86 - 56.39	R298304	0.003
89.92 - 91.44	R288715	0.001	76.2 - 77.72	R512092	0.014	56.39 - 57.91	R298305	0.007
91.44 - 92.96	R288716	0.001	77.72 - 79.25	R512093	-0.001	57.91 - 59.44	R298306	0.005
92.96 - 94.49	R288717	0.001	79.25 - 80.77	R512094	-0.001	59.44 - 60.96	R298307	0.008
94.49 - 96.01	R288718	0.001	80.77 - 82.3	R512095	-0.001	60.96 - 62.48	R298308	0.006
96.01 - 97.54	R288719	0.001	82.3 - 83.82	R512096	0.002	62.48 - 64.01	R298309	0.001
97.54 - 99.06	R288721	0.001	83.82 - 85.34	R512097	0.001	64.01 - 65.53	R298311	0.006
99.06 - 100.58	R288722	0.001	85.34 - 86.87	R512098	-0.001	65.53 - 67.06	R298312	0.006
Hole CFR0703 OB depth (m) 12.19			86.87 - 88.39	R512099	0.01	67.06 - 68.58	R298313	0.005
			88.39 - 89.92	R512101	-0.001	68.58 - 70.1	R298314	0.002
			89.92 - 91.44	R512102	0.001	70.1 - 71.63	R298315	0.044
			91.44 - 92.96	R512103	0.001	71.63 - 73.15	R298316	0.02
			92.96 - 94.49	R512104	0.004	73.15 - 74.68	R298317	0.001
			94.49 - 96.01	R512105	-0.001	74.68 - 76.2	R298318	0.005
			96.01 - 97.54	R512106	0.001	76.2 - 77.72	R298319	0.006
			97.54 - 99.06	R512107	0.001	77.72 - 79.25	R298321	0.004
			99.06 - 100.58	R512108	0.002	79.25 - 80.77	R298322	0.002
			100.58 - 102.11	R512109	1.31	80.77 - 82.3	R298323	0.007
			102.11 - 103.63	R512111	0.029	82.3 - 83.82	R298324	0.001
			103.63 - 105.16	R512112	0.264	83.82 - 85.34	R298325	0.156
			105.16 - 106.68	R512113	0.199	85.34 - 86.87	R298326	0.035
			Hole CFR0704 OB depth (m) 6.1			86.87 - 88.39	R298327	0.003
						88.39 - 89.92	R298328	0.001
						89.92 - 91.44	R298329	0.001
						91.44 - 92.96	R298331	0.001
						92.96 - 94.49	R298332	0.002
						94.49 - 96.01	R298333	0.002
						96.01 - 97.54	R298334	0.002
						97.54 - 99.06	R298335	0.001
						99.06 - 100.58	R298336	0.002
						100.58 - 102.11	R298337	0.003
						102.11 - 103.63	R298338	0.001
						103.63 - 105.16	R298339	0.001
						105.16 - 106.68	R298341	0.272
						106.68 - 108.2	R298342	1.095
						108.2 - 109.73	R298343	0.009
						109.73 - 111.25	R298346	0.008
						111.25 - 112.78	R298347	0.003
						112.78 - 114.3	R298348	0.001
						114.3 - 115.82	R298349	0.022
						Hole CFR0705 OB depth (m) 7.62		
						0 - 1.52	R512116	0.018
						1.52 - 3.05	R512117	0.013
						3.05 - 4.57	R512118	0.029
						4.57 - 6.1	R512119	0.012
						6.1 - 7.62	R512121	0.01
						7.62 - 9.14	R512122	0.011
						9.14 - 10.67	R512123	0.995
						10.67 - 12.19	R512124	1.065
						12.19 - 13.72	R512125	0.035
						13.72 - 15.24	R512126	0.011
						15.24 - 16.76	R512127	0.252
						16.76 - 18.29	R512128	0.031
						18.29 - 19.81	R512129	0.314
						19.81 - 21.34	R512131	0.006
						21.34 - 22.86	R512132	0.008
						22.86 - 24.38	R512133	0.013
						24.38 - 25.91	R512134	0.006
0 - 1.52	R512036	0.02	0 - 1.52	R298264	5.25			
1.52 - 3.05	R512037	0.315	1.52 - 3.05	R298265	4.81			
3.05 - 4.57	R512038	0.26	3.05 - 4.57	R298266	0.097			
4.57 - 6.1	R512039	0.051	4.57 - 6.1	R298267	0.025			
6.1 - 7.62	R512041	0.015	6.1 - 7.62	R298268	0.034			
7.62 - 9.14	R512042	0.244	7.62 - 9.14	R298269	0.01			
9.14 - 10.67	R512043	0.011	9.14 - 10.67	R298271	0.009			
10.67 - 12.19	R512044	0.013	10.67 - 12.19	R298272	0.011			
12.19 - 13.72	R512045	0.012	12.19 - 13.72	R298273	12.7			
13.72 - 15.24	R512046	0.002	13.72 - 15.24	R298274	0.081			
15.24 - 16.76	R512047	0.015	15.24 - 16.76	R298275	0.082			
16.76 - 18.29	R512048	0.002	16.76 - 18.29	R298276	0.03			
18.29 - 19.81	R512049	0.003	18.29 - 19.81	R298277	0.005			
19.81 - 21.34	R512051	0.004	19.81 - 21.34	R298278	0.002			
21.34 - 22.86	R512052	0.005	21.34 - 22.86	R298279	0.004			
22.86 - 24.38	R512053	0.006	22.86 - 24.38	R298281	0.005			
24.38 - 25.91	R512054	0.01	24.38 - 25.91	R298282	0.003			
25.91 - 27.43	R512055	0.023	25.91 - 27.43	R298283	0.015			
27.43 - 28.96	R512056	0.012	27.43 - 28.96	R298284	0.004			
28.96 - 30.48	R512057	0.014	28.96 - 30.48	R298285	0.004			
30.48 - 32	R512058	0.033	30.48 - 32	R298286	0.007			
32 - 33.53	R512059	0.036	32 - 33.53	R298287	0.004			
33.53 - 35.05	R512061	0.005	33.53 - 35.05	R298288	0.005			
35.05 - 36.58	R512062	0.005	35.05 - 36.58	R298289	0.001			
36.58 - 38.1	R512063	0.002	36.58 - 38.1	R298291	0.006			
38.1 - 39.62	R512064	0.028	38.1 - 39.62	R298292	0.003			
39.62 - 41.15	R512065	0.01	39.62 - 41.15	R298293	0.002			
41.15 - 42.67	R512066	0.002	41.15 - 42.67	R298294	-0.001			
42.67 - 44.2	R512067	0.003	42.67 - 44.2	R298295	0.003			
44.2 - 45.72	R512068	0.002	44.2 - 45.72	R298296	0.002			
45.72 - 47.24	R512069	0.003	45.72 - 47.24	R298297	0.003			
47.24 - 48.77	R512071	0.006	47.24 - 48.77	R298298	0.001			
48.77 - 50.29	R512072	0.005	48.77 - 50.29	R298299	0.001			
50.29 - 51.82	R512073	0.011	50.29 - 51.82	R298301	0.001			
51.82 - 53.34	R512074	0.01	51.82 - 53.34	R298302	0.002			
53.34 - 54.86	R512075	0.004	53.34 - 54.86	R298303	0.002			
54.86 - 56.39	R512076	0.006						
56.39 - 57.91	R512077	0.001						
57.91 - 59.44	R512078	0.01						
59.44 - 60.96	R512079	0.019						
60.96 - 62.48	R512081	0.022						
62.48 - 64.01	R512082	0.018						
64.01 - 65.53	R512083	0.002						
65.53 - 67.06	R512084	-0.001						
67.06 - 68.58	R512085	-0.001						
68.58 - 70.1	R512086	-0.001						
70.1 - 71.63	R512087	-0.001						
71.63 - 73.15	R512088	0.005						
73.15 - 74.68	R512089	-0.001						

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
25.91 - 27.43	R512135	0.006	115.82 - 117.35	R512201	0.009	80.77 - 82.3	R288784	0.003
27.43 - 28.96	R512136	0.008	117.35 - 118.87	R512202	0.003	82.3 - 83.82	R288785	0.033
28.96 - 30.48	R512137	0.011	118.87 - 120.4	R512203	0.005	83.82 - 85.34	R288786	0.002
30.48 - 32	R512138	0.023	120.4 - 121.92	R512204	0.006	85.34 - 86.87	R288787	0.003
32 - 33.53	R512139	0.074	<b>Hole CFR0706 Double Double</b>			86.87 - 88.39	R288788	0.003
33.53 - 35.05	R512141	0.046	<b>OB depth (m) 4.57</b>			88.39 - 89.92	R288789	0.003
35.05 - 36.58	R512142	0.029	0 - 1.52	R288725	0.017	89.92 - 91.44	R288791	0.006
36.58 - 38.1	R512143	0.045	1.52 - 3.05	R288726	0.158	91.44 - 92.96	R288792	0.002
38.1 - 39.62	R512144	0.068	3.05 - 4.57	R288727	0.052	92.96 - 94.49	R288793	0.002
39.62 - 41.15	R512145	0.003	4.57 - 6.1	R288728	0.007	94.49 - 96.01	R288794	0.002
41.15 - 42.67	R512146	0.004	6.1 - 7.62	R288729	0.004	96.01 - 97.54	R288795	0.001
42.67 - 44.2	R512147	0.006	7.62 - 9.14	R288731	0.016	97.54 - 99.06	R288796	0.002
44.2 - 45.72	R512148	0.005	9.14 - 10.67	R288732	0.025	99.06 - 100.58	R288797	0.014
45.72 - 47.24	R512149	0.004	10.67 - 12.19	R288733	0.009	100.58 - 102.11	R288798	0.003
47.24 - 48.77	R512151	0.009	12.19 - 13.72	R288734	0.298	102.11 - 103.63	R288799	0.001
48.77 - 50.29	R512152	0.016	13.72 - 15.24	R288735	0.031	103.63 - 105.16	R288801	0.002
50.29 - 51.82	R512153	0.022	15.24 - 16.76	R288736	0.007	105.16 - 106.68	R288802	0.349
51.82 - 53.34	R512154	0.019	16.76 - 18.29	R288737	0.006	106.68 - 108.2	R288803	0.003
53.34 - 54.86	R512155	0.014	18.29 - 19.81	R288738	0.004	108.2 - 109.73	R288804	0.004
54.86 - 56.39	R512156	0.019	19.81 - 21.34	R288739	0.006	<b>Hole CFR0707 Double Double</b>		
56.39 - 57.91	R512157	0.007	21.34 - 22.86	R288741	0.011	<b>OB depth (m) 1.52</b>		
57.91 - 59.44	R512158	0.056	22.86 - 24.38	R288742	0.009	1.52 - 3.05	R298351	0.022
59.44 - 60.96	R512159	0.011	24.38 - 25.91	R288743	0.007	3.05 - 4.57	R298352	0.011
60.96 - 62.48	R512161	0.011	25.91 - 27.43	R288744	0.006	4.57 - 6.1	R298353	0.007
62.48 - 64.01	R512162	0.008	27.43 - 28.96	R288745	0.003	6.1 - 7.62	R298354	0.001
64.01 - 65.53	R512163	0.003	28.96 - 30.48	R288746	0.005	7.62 - 9.14	R298355	0.001
65.53 - 67.06	R512164	0.001	30.48 - 32	R288747	0.003	9.14 - 10.67	R298356	0.036
67.06 - 68.58	R512165	0.006	32 - 33.53	R288748	0.003	10.67 - 12.19	R298357	0.014
68.58 - 70.1	R512166	0.01	33.53 - 35.05	R288749	0.005	12.19 - 13.72	R298358	0.025
70.1 - 71.63	R512167	0.003	35.05 - 36.58	R288751	0.006	13.72 - 15.24	R298359	0.019
71.63 - 73.15	R512168	0.001	36.58 - 38.1	R288752	0.009	15.24 - 16.76	R298361	0.011
73.15 - 74.68	R512169	0.002	38.1 - 39.62	R288753	0.002	16.76 - 18.29	R298362	0.001
74.68 - 76.2	R512171	0.003	39.62 - 41.15	R288754	0.001	18.29 - 19.81	R298363	0.002
76.2 - 77.72	R512172	0.004	41.15 - 42.67	R288755	0.002	19.81 - 21.34	R298364	0.002
77.72 - 79.25	R512173	0.001	42.67 - 44.2	R288756	0.061	21.34 - 22.86	R298365	-0.001
79.25 - 80.77	R512174	0.002	44.2 - 45.72	R288757	0.004	22.86 - 24.38	R298366	-0.001
80.77 - 82.3	R512175	0.002	45.72 - 47.24	R288758	0.001	24.38 - 25.91	R298367	0.003
82.3 - 83.82	R512176	0.001	47.24 - 48.77	R288759	0.003	25.91 - 27.43	R298368	0.001
83.82 - 85.34	R512177	0.001	48.77 - 50.29	R288761	0.003	27.43 - 28.96	R298369	0.001
85.34 - 86.87	R512178	0.001	50.29 - 51.82	R288762	0.007	28.96 - 30.48	R298371	0.007
86.87 - 88.39	R512179	0.001	51.82 - 53.34	R288763	0.004	30.48 - 32	R298372	0.001
88.39 - 89.92	R512181	0.001	53.34 - 54.86	R288764	0.002	32 - 33.53	R298373	0.002
89.92 - 91.44	R512182	0.001	54.86 - 56.39	R288765	0.001	33.53 - 35.05	R298374	0.002
91.44 - 92.96	R512183	0.004	56.39 - 57.91	R288766	0.087	35.05 - 36.58	R298375	0.005
92.96 - 94.49	R512184	0.002	57.91 - 59.44	R288767	0.002	36.58 - 38.1	R298376	0.004
94.49 - 96.01	R512185	0.001	59.44 - 60.96	R288768	0.003	38.1 - 39.62	R298377	0.003
96.01 - 97.54	R512186	0.001	60.96 - 62.48	R288769	0.002	39.62 - 41.15	R298378	0.001
97.54 - 99.06	R512187	0.002	62.48 - 64.01	R288771	0.006	41.15 - 42.67	R298379	-0.001
99.06 - 100.58	R512188	0.003	64.01 - 65.53	R288772	0.002	42.67 - 44.2	R298381	0.001
100.58 - 102.11	R512189	0.005	65.53 - 67.06	R288773	0.002	44.2 - 45.72	R298382	0.01
102.11 - 103.63	R512191	0.383	67.06 - 68.58	R288774	0.022	45.72 - 47.24	R298383	0.02
103.63 - 105.16	R512192	0.018	68.58 - 70.1	R288775	0.002	47.24 - 48.77	R298384	0.007
105.16 - 106.68	R512193	0.004	70.1 - 71.63	R288776	0.001	48.77 - 50.29	R298385	0.005
106.68 - 108.2	R512194	0.003	71.63 - 73.15	R288777	0.017	50.29 - 51.82	R298386	0.013
108.2 - 109.73	R512195	1.95	73.15 - 74.68	R288778	0.019	51.82 - 53.34	R298387	0.265
109.73 - 111.25	R512196	0.048	74.68 - 76.2	R288779	0.004	53.34 - 54.86	R298388	4.24
111.25 - 112.78	R512197	0.035	76.2 - 77.72	R288781	0.005	54.86 - 56.39	R298389	0.19
112.78 - 114.3	R512198	0.025	77.72 - 79.25	R288782	0.006	56.39 - 57.91	R298391	0.074
114.3 - 115.82	R512199	0.013	79.25 - 80.77	R288783	0.006	57.91 - 59.44	R298392	0.022



Interval (m)    SampleID    Au (ppm)				Interval (m)    SampleID    Au (ppm)				Interval (m)    SampleID    Au (ppm)			
59.44 - 60.96	R298393	0.008		44.2 - 45.72	R288838	0.007		22.86 - 24.38	R512224	0.011	
60.96 - 62.48	R298394	0.035		45.72 - 47.24	R288839	0.004		24.38 - 25.91	R512225	0.008	
62.48 - 64.01	R298395	0.07		47.24 - 48.77	R288841	0.003		25.91 - 27.43	R512226	0.005	
64.01 - 65.53	R298396	0.59		48.77 - 50.29	R288842	0.002		27.43 - 28.96	R512227	0.009	
65.53 - 67.06	R298397	0.774		50.29 - 51.82	R288843	0.001		28.96 - 30.48	R512228	0.006	
67.06 - 68.58	R298398	0.016		51.82 - 53.34	R288844	0.002		30.48 - 32	R512229	0.014	
68.58 - 70.1	R298399	0.014		53.34 - 54.86	R288845	0.003		32 - 33.53	R512231	0.19	
70.1 - 71.63	R298401	0.059		54.86 - 56.39	R288846	0.004		33.53 - 35.05	R512232	0.156	
71.63 - 73.15	R298402	0.02		56.39 - 57.91	R288847	0.009		35.05 - 36.58	R512233	0.079	
73.15 - 74.68	R298403	0.017		57.91 - 59.44	R288848	0.004		36.58 - 38.1	R512234	0.014	
74.68 - 76.2	R298404	0.02		59.44 - 60.96	R288849	0.003		38.1 - 39.62	R512235	0.035	
76.2 - 77.72	R298405	0.017		60.96 - 62.48	R288851	0.001		39.62 - 41.15	R512236	0.256	
77.72 - 79.25	R298406	0.008		62.48 - 64.01	R288852	0.001		41.15 - 42.67	R512237	0.01	
79.25 - 80.77	R298407	0.01		64.01 - 65.53	R288853	0.001		42.67 - 44.2	R512238	0.005	
80.77 - 82.3	R298408	0.01		65.53 - 67.06	R288854	0.003		44.2 - 45.72	R512239	0.008	
82.3 - 83.82	R298409	0.007		67.06 - 68.58	R288855	0.002		45.72 - 47.24	R512241	1.62	
83.82 - 85.34	R298411	0.008		68.58 - 70.1	R288856	0.004		47.24 - 48.77	R512242	0.048	
85.34 - 86.87	R298412	0.006		70.1 - 71.63	R288857	0.003		48.77 - 50.29	R512243	0.591	
86.87 - 88.39	R298413	0.004		71.63 - 73.15	R288858	0.002		50.29 - 51.82	R512244	0.156	
88.39 - 89.92	R298414	0.006		73.15 - 74.68	R288859	0.004		51.82 - 53.34	R512245	0.244	
89.92 - 91.44	R298415	0.005		74.68 - 76.2	R288861	0.008		53.34 - 54.86	R512246	8.88	
91.44 - 92.96	R298416	0.016		76.2 - 77.72	R288862	0.002		54.86 - 56.39	R512247	2.57	
92.96 - 94.49	R298417	0.004		77.72 - 79.25	R288863	0.003		56.39 - 57.91	R512248	0.098	
94.49 - 96.01	R298418	0.004		79.25 - 80.77	R288864	0.001		57.91 - 59.44	R512249	0.062	
96.01 - 97.54	R298419	0.004		80.77 - 82.3	R288865	0.002		59.44 - 60.96	R512251	5.71	
97.54 - 99.06	R298421	0.024		82.3 - 83.82	R288866	0.001		60.96 - 62.48	R512252	0.125	
99.06 - 100.58	R298422	0.006		83.82 - 85.34	R288867	0.025		62.48 - 64.01	R512253	0.079	
100.58 - 102.11	R298423	0.004		85.34 - 86.87	R288868	0.014		64.01 - 65.53	R512254	0.03	
102.11 - 103.63	R298424	-0.001		86.87 - 88.39	R288869	0.005		65.53 - 67.06	R512255	0.038	
Hole CFR0708 OB depth (m) 1.52				88.39 - 89.92	R288871	0.002		67.06 - 68.58	R512256	0.024	
				89.92 - 91.44	R288872	0.001		68.58 - 70.1	R512257	0.037	
				91.44 - 92.96	R288873	0.001		70.1 - 71.63	R512258	1.91	
				92.96 - 94.49	R288874	0.002		71.63 - 73.15	R512259	1.765	
				94.49 - 96.01	R288875	0.001		73.15 - 74.68	R512261	0.028	
				96.01 - 97.54	R288876	0.001		74.68 - 76.2	R512262	0.089	
				97.54 - 99.06	R288877	0.002		76.2 - 77.72	R512263	0.165	
				99.06 - 100.58	R288878	0.006		77.72 - 79.25	R512264	0.005	
				100.58 - 102.11	R288879	0.003		79.25 - 80.77	R512265	0.012	
				102.11 - 103.63	R288881	1.005		80.77 - 82.3	R512266	0.009	
				103.63 - 105.16	R288882	0.064		82.3 - 83.82	R512267	0.007	
				105.16 - 106.68	R288883	0.003		83.82 - 85.34	R512268	0.014	
				106.68 - 108.2	R288884	0.002		85.34 - 86.87	R512269	0.019	
				108.2 - 109.73	R288885	0.001		86.87 - 88.39	R512271	0.015	
				Hole CFR0709 OB depth (m) 1.52				88.39 - 89.92	R512272	0.011	
								89.92 - 91.44	R512273	0.012	
								91.44 - 92.96	R512274	0.009	
								92.96 - 94.49	R512275	0.044	
								94.49 - 96.01	R512276	0.003	
								96.01 - 97.54	R512277	0.005	
								97.54 - 99.06	R512278	0.888	
								99.06 - 100.58	R512279	0.051	
								100.58 - 102.11	R512281	0.01	
								102.11 - 103.63	R512282	0.005	
								103.63 - 105.16	R512283	0.01	
								105.16 - 106.68	R512284	0.005	
								106.68 - 108.2	R512285	0.01	
								108.2 - 109.73	R512286	0.006	
				1.52 - 3.05	R512208	1.055		Hole CFR0710 OB depth (m) 7.62			
				3.05 - 4.57	R512209	0.277					
				4.57 - 6.1	R512211	0.15					
				6.1 - 7.62	R512212	0.054					
				7.62 - 9.14	R512213	0.099					
				9.14 - 10.67	R512214	0.214					
				10.67 - 12.19	R512215	0.229					
				12.19 - 13.72	R512216	0.018					
				13.72 - 15.24	R512217	0.009					
				15.24 - 16.76	R512218	0.006					
				16.76 - 18.29	R512219	0.008					
				18.29 - 19.81	R512221	0.007					
				19.81 - 21.34	R512222	0.008					
				21.34 - 22.86	R512223	0.01					



Interval (m)				SampID	Au (ppm)	Interval (m)				SampID	Au (ppm)	Interval (m)				SampID	Au (ppm)
0	-	1.52	R298427	0.003	89.92	-	91.44	R298493	0.019	57.91	-	59.44	R288931	0.299			
1.52	-	3.05	R298428	0.004	91.44	-	92.96	R298494	0.038	59.44	-	60.96	R288932	0.069			
3.05	-	4.57	R298429	0.004	92.96	-	94.49	R298495	0.027	60.96	-	62.48	R288933	0.017			
4.57	-	6.1	R298431	0.002	94.49	-	96.01	R298496	0.01	62.48	-	64.01	R288934	0.815			
6.1	-	7.62	R298432	0.003	96.01	-	97.54	R298497	0.028	64.01	-	65.53	R288935	0.013			
7.62	-	9.14	R298433	-0.001	97.54	-	99.06	R298498	1.575	65.53	-	67.06	R288936	0.011			
9.14	-	10.67	R298434	0.001	99.06	-	100.58	R298499	3.76	67.06	-	68.58	R288937	0.006			
10.67	-	12.19	R298435	-0.001	100.58	-	102.11	R298501	4.7	68.58	-	70.1	R288938	0.007			
12.19	-	13.72	R298436	-0.001	102.11	-	103.63	R298502	3.72	70.1	-	71.63	R288939	0.002			
13.72	-	15.24	R298437	-0.001	103.63	-	105.16	R298503	0.654	71.63	-	73.15	R288941	0.005			
15.24	-	16.76	R298438	0.001	105.16	-	106.68	R298504	0.111	73.15	-	74.68	R288942	0.004			
16.76	-	18.29	R298439	-0.001	106.68	-	108.2	R298505	0.078	74.68	-	76.2	R288943	0.002			
18.29	-	19.81	R298441	-0.001	108.2	-	109.73	R298506	0.044	76.2	-	77.72	R288944	0.001			
19.81	-	21.34	R298442	0.001	109.73	-	111.25	R298507	0.02	77.72	-	79.25	R288945	0.001			
21.34	-	22.86	R298443	0.001	111.25	-	112.78	R298508	0.017	79.25	-	80.77	R288946	0.006			
22.86	-	24.38	R298444	0.001	112.78	-	114.3	R298509	0.026	80.77	-	82.3	R288947	0.001			
24.38	-	25.91	R298445	-0.001	114.3	-	115.82	R298511	0.007	82.3	-	83.82	R288948	0.018			
25.91	-	27.43	R298446	0.002	115.82	-	117.35	R298512	0.005	83.82	-	85.34	R288949	0.003			
27.43	-	28.96	R298447	0.004	117.35	-	118.87	R298513	0.013	85.34	-	86.87	R288951	0.008			
28.96	-	30.48	R298448	0.001	Hole CFR0711 Double Double OB depth (m) 1.52					86.87	-	88.39	R288952	0.003			
30.48	-	32	R298449	1.07						88.39	-	89.92	R288953	0.011			
32	-	33.53	R298451	0.009	0	-	1.52	R288888	0.008	89.92	-	91.44	R288954	0.017			
33.53	-	35.05	R298452	5.39	1.52	-	3.05	R288889	0.005	91.44	-	92.96	R288955	0.015			
35.05	-	36.58	R298453	7.28	3.05	-	4.57	R288891	0.004	92.96	-	94.49	R288956	0.009			
36.58	-	38.1	R298454	1.545	4.57	-	6.1	R288892	0.005	94.49	-	96.01	R288957	0.008			
38.1	-	39.62	R298455	8.55	6.1	-	7.62	R288893	0.003	96.01	-	97.54	R288958	0.004			
39.62	-	41.15	R298456	1.22	7.62	-	9.14	R288894	0.002	97.54	-	99.06	R288959	0.01			
41.15	-	42.67	R298457	7.59	9.14	-	10.67	R288895	0.007	99.06	-	100.58	R288961	0.009			
42.67	-	44.2	R298458	0.158	10.67	-	12.19	R288896	0.003	100.58	-	102.11	R288962	0.014			
44.2	-	45.72	R298459	0.021	12.19	-	13.72	R288897	0.002	102.11	-	103.63	R288963	0.008			
45.72	-	47.24	R298461	0.006	13.72	-	15.24	R288898	0.008	103.63	-	105.16	R288964	0.016			
47.24	-	48.77	R298462	0.007	15.24	-	16.76	R288899	0.002	105.16	-	106.68	R288965	0.017			
48.77	-	50.29	R298463	0.02	16.76	-	18.29	R288901	0.002	106.68	-	108.2	R288966	0.007			
50.29	-	51.82	R298464	0.077	18.29	-	19.81	R288902	0.005	108.2	-	109.73	R288967	0.008			
51.82	-	53.34	R298465	0.027	19.81	-	21.34	R288903	0.006	109.73	-	111.25	R288968	0.011			
53.34	-	54.86	R298466	0.006	21.34	-	22.86	R288904	0.002	111.25	-	112.78	R288969	0.006			
54.86	-	56.39	R298467	0.01	22.86	-	24.38	R288905	0.002	112.78	-	114.3	R288971	0.013			
56.39	-	57.91	R298468	0.052	24.38	-	25.91	R288906	0.002	114.3	-	115.82	R288972	0.009			
57.91	-	59.44	R298469	0.005	25.91	-	27.43	R288907	0.001	115.82	-	117.35	R288973	0.003			
59.44	-	60.96	R298471	0.002	27.43	-	28.96	R288908	0.002	117.35	-	118.87	R288974	0.009			
60.96	-	62.48	R298472	0.003	28.96	-	30.48	R288909	0.002	118.87	-	120.4	R288975	0.007			
62.48	-	64.01	R298473	0.015	30.48	-	32	R288911	0.001	120.4	-	121.92	R288976	0.005			
64.01	-	65.53	R298474	0.031	32	-	33.53	R288912	0.001	121.92	-	123.44	R288977	0.007			
65.53	-	67.06	R298475	0.756	33.53	-	35.05	R288913	0.002	123.44	-	124.97	R288978	0.004			
67.06	-	68.58	R298476	2.4	35.05	-	36.58	R288914	0.004	124.97	-	126.49	R288979	0.005			
68.58	-	70.1	R298477	0.107	36.58	-	38.1	R288915	0.002	126.49	-	128.02	R288981	-0.001			
70.1	-	71.63	R298478	0.968	38.1	-	39.62	R288916	0.001	128.02	-	129.54	R288982	-0.001			
71.63	-	73.15	R298479	0.66	39.62	-	41.15	R288917	0.002	129.54	-	131.06	R288983	0.004			
73.15	-	74.68	R298481	0.352	41.15	-	42.67	R288918	0.001	131.06	-	132.59	R288984	0.003			
74.68	-	76.2	R298482	0.018	42.67	-	44.2	R288919	0.001	132.59	-	134.11	R288985	0.008			
76.2	-	77.72	R298483	0.007	44.2	-	45.72	R288921	0.003	134.11	-	135.64	R288986	0.001			
77.72	-	79.25	R298484	0.006	45.72	-	47.24	R288922	0.002	135.64	-	137.16	R288987	-0.001			
79.25	-	80.77	R298485	0.012	47.24	-	48.77	R288923	0.003	137.16	-	138.68	R288988	0.002			
80.77	-	82.3	R298486	0.006	48.77	-	50.29	R288924	0.002	138.68	-	140.21	R288989	-0.001			
82.3	-	83.82	R298487	0.019	50.29	-	51.82	R288925	0.002	140.21	-	141.73	R288991	0.004			
83.82	-	85.34	R298488	0.009	51.82	-	53.34	R288926	0.005	141.73	-	143.26	R288992	-0.001			
85.34	-	86.87	R298489	0.014	53.34	-	54.86	R288927	0.013	143.26	-	144.78	R288993	0.002			
86.87	-	88.39	R298491	0.009	54.86	-	56.39	R288928	0.046	144.78	-	146.3	R288994	0.009			
88.39	-	89.92	R298492	0.058	56.39	-	57.91	R288929	4.98	146.3	-	147.83	R288995	1.77			



Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
27.43 - 28.96	R288034	0.003	117.35 - 118.87	R288099	0.011	35.05 - 36.58	R512392	0.005
28.96 - 30.48	R288035	0.003	118.87 - 120.4	R288101	1.26	36.58 - 38.1	R512393	0.006
30.48 - 32	R288036	0.002	120.4 - 121.92	R288102	0.104	38.1 - 39.62	R512394	0.005
32 - 33.53	R288037	0.002	121.92 - 123.44	R288103	0.223	39.62 - 41.15	R512395	0.003
33.53 - 35.05	R288038	0.001	123.44 - 124.97	R288104	0.017	41.15 - 42.67	R512396	0.002
35.05 - 36.58	R288039	0.004	124.97 - 126.49	R288105	0.009	42.67 - 44.2	R512397	0.003
36.58 - 38.1	R288041	0.008	126.49 - 128.02	R288106	0.015	44.2 - 45.72	R512398	0.007
38.1 - 39.62	R288042	0.021	128.02 - 129.54	R288107	0.004	45.72 - 47.24	R512399	0.009
39.62 - 41.15	R288043	0.007	129.54 - 131.06	R288108	0.002	47.24 - 48.77	R512401	0.007
41.15 - 42.67	R288044	0.007	131.06 - 132.59	R288109	0.002	48.77 - 50.29	R512402	0.005
42.67 - 44.2	R288045	0.017	132.59 - 134.11	R288111	0.006	50.29 - 51.82	R512403	0.009
44.2 - 45.72	R288046	0.008	134.11 - 135.64	R288112	0.006	51.82 - 53.34	R512404	0.016
45.72 - 47.24	R288047	0.01	135.64 - 137.16	R288113	0.008	53.34 - 54.86	R512405	0.009
47.24 - 48.77	R288048	0.011	137.16 - 138.68	R288114	0.012	54.86 - 56.39	R512406	0.03
48.77 - 50.29	R288049	0.009	138.68 - 140.21	R288115	0.01	56.39 - 57.91	R512407	0.008
50.29 - 51.82	R288051	0.013	140.21 - 141.73	R288116	0.013	57.91 - 59.44	R512408	0.013
51.82 - 53.34	R288052	0.002	141.73 - 143.26	R288117	0.013	59.44 - 60.96	R512409	0.015
53.34 - 54.86	R288053	0.001	143.26 - 144.78	R288118	0.024	60.96 - 62.48	R512411	0.016
54.86 - 56.39	R288054	0.002	144.78 - 146.3	R288119	0.02	62.48 - 64.01	R512412	0.013
56.39 - 57.91	R288055	0.002	146.3 - 147.83	R288121	0.004	64.01 - 65.53	R512413	0.007
57.91 - 59.44	R288056	0.007	147.83 - 149.35	R288122	0.013	65.53 - 67.06	R512414	0.006
59.44 - 60.96	R288057	0.011	149.35 - 150.88	R288123	0.02	67.06 - 68.58	R512415	0.011
60.96 - 62.48	R288058	0.008	150.88 - 152.4	R288124	0.009	68.58 - 70.1	R512416	0.004
62.48 - 64.01	R288059	0.004	152.4 - 153.92	R288125	0.025	70.1 - 71.63	R512417	0.007
64.01 - 65.53	R288061	0.005	153.92 - 155.45	R288126	0.051	71.63 - 73.15	R512418	0.025
65.53 - 67.06	R288062	0.005	155.45 - 156.97	R288127	0.033	73.15 - 74.68	R512419	0.002
67.06 - 68.58	R288063	0.009	156.97 - 158.5	R288128	0.004	74.68 - 76.2	R512421	0.001
68.58 - 70.1	R288064	0.02	158.5 - 160.02	R288129	0.007	76.2 - 77.72	R512422	-0.001
70.1 - 71.63	R288065	0.006	160.02 - 161.54	R288131	0.027	77.72 - 79.25	R512423	-0.001
71.63 - 73.15	R288066	0.017	161.54 - 163.07	R288132	0.007	79.25 - 80.77	R512424	0.001
73.15 - 74.68	R288067	0.161	163.07 - 164.59	R288133	0.015	80.77 - 82.3	R512425	-0.001
74.68 - 76.2	R288068	2.77	164.59 - 166.12	R288134	0.022	82.3 - 83.82	R512426	-0.001
76.2 - 77.72	R288069	0.086	166.12 - 167.64	R288135	0.007	83.82 - 85.34	R512427	0.002
77.72 - 79.25	R288071	0.022	167.64 - 169.16	R288136	0.144	85.34 - 86.87	R512428	0.001
79.25 - 80.77	R288072	0.011	Hole CFR0715 Double Double OB depth (m) 7.62			86.87 - 88.39	R512429	0.001
80.77 - 82.3	R288073	0.006				88.39 - 89.92	R512431	0.002
82.3 - 83.82	R288074	0.006	0 - 1.52	R512366	0.028	89.92 - 91.44	R512432	0.001
83.82 - 85.34	R288075	0.002	1.52 - 3.05	R512367	0.011	91.44 - 92.96	R512433	0.001
85.34 - 86.87	R288076	0.001	3.05 - 4.57	R512368	0.033	92.96 - 94.49	R512434	0.001
86.87 - 88.39	R288077	0.007	4.57 - 6.1	R512369	0.004	94.49 - 96.01	R512435	-0.001
88.39 - 89.92	R288078	0.008	6.1 - 7.62	R512371	0.001	96.01 - 97.54	R512436	0.004
89.92 - 91.44	R288079	0.012	7.62 - 9.14	R512372	0.002	97.54 - 99.06	R512437	0.002
91.44 - 92.96	R288081	0.002	9.14 - 10.67	R512373	0.001	99.06 - 100.58	R512438	0.001
92.96 - 94.49	R288082	0.007	10.67 - 12.19	R512374	0.002	100.58 - 102.11	R512439	0.001
94.49 - 96.01	R288083	0.004	12.19 - 13.72	R512375	-0.001	102.11 - 103.63	R512441	0.001
96.01 - 97.54	R288084	0.005	13.72 - 15.24	R512376	0.004	103.63 - 105.16	R512442	0.003
97.54 - 99.06	R288085	0.003	15.24 - 16.76	R512377	0.001	105.16 - 106.68	R512443	0.459
99.06 - 100.58	R288086	0.002	16.76 - 18.29	R512378	-0.001	106.68 - 108.2	R512444	0.474
100.58 - 102.11	R288087	0.004	18.29 - 19.81	R512379	0.006	109.73 - 111.25	R512446	0.029
102.11 - 103.63	R288088	1.085	19.81 - 21.34	R512381	-0.001	111.25 - 112.78	R512447	0.02
103.63 - 105.16	R288089	0.254	21.34 - 22.86	R512382	0.001	112.78 - 114.3	R512448	0.033
105.16 - 106.68	R288091	0.013	22.86 - 24.38	R512383	-0.001	114.3 - 115.82	R512449	0.04
106.68 - 108.2	R288092	0.627	24.38 - 25.91	R512384	0.004	115.82 - 117.35	R512451	0.015
108.2 - 109.73	R288093	5.9	25.91 - 27.43	R512385	0.003	117.35 - 118.87	R512452	0.035
109.73 - 111.25	R288094	0.105	27.43 - 28.96	R512386	0.005	118.87 - 120.4	R512453	0.015
111.25 - 112.78	R288095	1.945	28.96 - 30.48	R512387	0.004	120.4 - 121.92	R512454	0.018
112.78 - 114.3	R288096	0.038	30.48 - 32	R512388	0.007	121.92 - 123.44	R512455	0.011
114.3 - 115.82	R288097	0.036	32 - 33.53	R512389	0.007	123.44 - 124.97	R512456	0.021
115.82 - 117.35	R288098	0.015	33.53 - 35.05	R512391	0.006	124.97 - 126.49	R512457	0.01

Interval (m)    SampID    Au (ppm)				Interval (m)    SampID    Au (ppm)				Interval (m)    SampID    Au (ppm)						
126.49	-	128.02	R512458	0.033	79.25	-	80.77	R298656	-0.001	169.16	-	170.69	R298722	0.008
128.02	-	129.54	R512459	0.03	80.77	-	82.3	R298657	-0.001	170.69	-	172.21	R298723	0.028
129.54	-	131.06	R512461	0.014	82.3	-	83.82	R298658	-0.001	172.21	-	173.74	R298724	0.037
131.06	-	132.59	R512462	0.021	83.82	-	85.34	R298659	-0.001	173.74	-	175.26	R298725	0.035
132.59	-	134.11	R512463	0.004	85.34	-	86.87	R298661	-0.001	175.26	-	176.78	R298726	0.005
<b>Hole    CFR0716    Double Double</b> <b>OB depth (m) 7.62</b>				86.87	-	88.39	R298662	-0.001	<b>Hole    CFR0717    Double Double</b> <b>OB depth (m) 6.1</b>					
				88.39	-	89.92	R298663	-0.001						
				89.92	-	91.44	R298664	-0.001						
				91.44	-	92.96	R298665	0.001						
				92.96	-	94.49	R298666	-0.001						
3.05	-	4.57	R298601	0.036	94.49	-	96.01	R298667	-0.001	3.05	-	4.57	R288142	0.003
4.57	-	6.1	R298602	0.01	96.01	-	97.54	R298668	-0.001	4.57	-	6.1	R288143	0.003
6.1	-	7.62	R298603	0.005	97.54	-	99.06	R298669	-0.001	6.1	-	7.62	R288144	0.002
7.62	-	9.14	R298604	0.003	99.06	-	100.58	R298671	0.001	7.62	-	9.14	R288145	0.001
9.14	-	10.67	R298605	-0.001	100.58	-	102.11	R298672	-0.001	9.14	-	10.67	R288146	0.001
10.67	-	12.19	R298606	0.004	102.11	-	103.63	R298673	0.002	10.67	-	12.19	R288147	0.003
12.19	-	13.72	R298607	0.004	103.63	-	105.16	R298674	0.01	12.19	-	13.72	R288148	0.001
13.72	-	15.24	R298608	0.003	105.16	-	106.68	R298675	0.004	13.72	-	15.24	R288149	0.003
15.24	-	16.76	R298609	0.011	106.68	-	108.2	R298676	0.001	15.24	-	16.76	R292851	0.002
16.76	-	18.29	R298611	0.006	108.2	-	109.73	R298677	0.008	16.76	-	18.29	R292852	0.002
18.29	-	19.81	R298612	0.005	109.73	-	111.25	R298678	0.542	18.29	-	19.81	R292853	0.002
19.81	-	21.34	R298613	-0.001	111.25	-	112.78	R298679	0.007	19.81	-	21.34	R292854	0.002
21.34	-	22.86	R298614	-0.001	112.78	-	114.3	R298681	0.005	21.34	-	22.86	R292855	0.003
22.86	-	24.38	R298615	-0.001	114.3	-	115.82	R298682	0.005	22.86	-	24.38	R292856	0.002
24.38	-	25.91	R298616	0.001	115.82	-	117.35	R298683	0.002	24.38	-	25.91	R292857	0.001
25.91	-	27.43	R298617	0.001	117.35	-	118.87	R298684	0.002	25.91	-	27.43	R292858	0.002
27.43	-	28.96	R298618	-0.001	118.87	-	120.4	R298685	0.02	27.43	-	28.96	R292859	0.001
28.96	-	30.48	R298619	0.001	120.4	-	121.92	R298686	0.142	28.96	-	30.48	R292861	0.001
30.48	-	32	R298621	-0.001	121.92	-	123.44	R298687	1.845	30.48	-	32	R292862	0.002
32	-	33.53	R298622	0.004	123.44	-	124.97	R298688	2.45	32	-	33.53	R292863	0.002
33.53	-	35.05	R298623	-0.001	124.97	-	126.49	R298689	3.2	33.53	-	35.05	R292864	0.002
35.05	-	36.58	R298624	-0.001	126.49	-	128.02	R298691	1.51	35.05	-	36.58	R292865	0.003
36.58	-	38.1	R298625	0.001	128.02	-	129.54	R298692	0.625	36.58	-	38.1	R292866	0.002
38.1	-	39.62	R298626	-0.001	129.54	-	131.06	R298693	0.02	38.1	-	39.62	R292867	0.002
39.62	-	41.15	R298627	0.001	131.06	-	132.59	R298694	0.403	39.62	-	41.15	R292868	0.003
41.15	-	42.67	R298628	-0.001	132.59	-	134.11	R298695	0.005	41.15	-	42.67	R292869	0.005
42.67	-	44.2	R298629	0.001	134.11	-	135.64	R298696	0.004	42.67	-	44.2	R292871	0.005
44.2	-	45.72	R298631	-0.001	135.64	-	137.16	R298697	0.011	44.2	-	45.72	R292872	0.002
45.72	-	47.24	R298632	-0.001	137.16	-	138.68	R298698	0.003	45.72	-	47.24	R292873	0.001
47.24	-	48.77	R298633	-0.001	138.68	-	140.21	R298699	0.002	47.24	-	48.77	R292874	0.001
48.77	-	50.29	R298634	-0.001	140.21	-	141.73	R298701	0.005	48.77	-	50.29	R292875	0.002
50.29	-	51.82	R298635	-0.001	141.73	-	143.26	R298702	0.002	50.29	-	51.82	R292876	0.004
51.82	-	53.34	R298636	-0.001	143.26	-	144.78	R298703	0.007	51.82	-	53.34	R292877	0.003
53.34	-	54.86	R298637	-0.001	144.78	-	146.3	R298704	0.009	53.34	-	54.86	R292878	0.008
54.86	-	56.39	R298638	-0.001	146.3	-	147.83	R298705	0.005	54.86	-	56.39	R292879	0.003
56.39	-	57.91	R298639	0.003	147.83	-	149.35	R298706	0.003	56.39	-	57.91	R292881	0.006
57.91	-	59.44	R298641	-0.001	149.35	-	150.88	R298707	0.003	57.91	-	59.44	R292882	0.005
59.44	-	60.96	R298642	-0.001	150.88	-	152.4	R298708	0.021	59.44	-	60.96	R292883	0.012
60.96	-	62.48	R298643	-0.001	152.4	-	153.92	R298709	0.041	60.96	-	62.48	R292884	0.015
62.48	-	64.01	R298644	0.001	153.92	-	155.45	R298711	0.016	62.48	-	64.01	R292885	0.006
64.01	-	65.53	R298645	0.019	155.45	-	156.97	R298712	0.013	64.01	-	65.53	R292886	0.009
65.53	-	67.06	R298646	0.053	156.97	-	158.5	R298713	0.032	65.53	-	67.06	R292887	0.044
67.06	-	68.58	R298647	0.009	158.5	-	160.02	R298714	0.031	67.06	-	68.58	R292888	0.038
68.58	-	70.1	R298648	0.008	160.02	-	161.54	R298715	0.02	68.58	-	70.1	R292889	0.007
70.1	-	71.63	R298649	-0.001	161.54	-	163.07	R298716	0.012	70.1	-	71.63	R292891	0.008
71.63	-	73.15	R298651	-0.001	163.07	-	164.59	R298717	0.008	71.63	-	73.15	R292892	0.009
73.15	-	74.68	R298652	-0.001	164.59	-	166.12	R298718	0.009	73.15	-	74.68	R292893	0.009
74.68	-	76.2	R298653	-0.001	166.12	-	167.64	R298719	0.005	74.68	-	76.2	R292894	0.008
76.2	-	77.72	R298654	-0.001	167.64	-	169.16	R298721	0.016	76.2	-	77.72	R292895	0.006
77.72	-	79.25	R298655	-0.001						77.72	-	79.25	R292896	0.003

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
79.25 - 80.77	R292897	0.002	169.16 - 170.69	R292963	0.002	54.86 - 56.39	R512506	0.009
80.77 - 82.3	R292898	0.002	170.69 - 172.21	R292964	0.003	56.39 - 57.91	R512507	0.007
82.3 - 83.82	R292899	0.007	172.21 - 173.74	R292965	0.003	57.91 - 59.44	R512508	0.004
83.82 - 85.34	R292901	0.005	173.74 - 175.26	R292966	0.001	59.44 - 60.96	R512509	0.002
85.34 - 86.87	R292902	0.003	175.26 - 176.78	R292967	0.002	60.96 - 62.48	R512511	0.004
86.87 - 88.39	R292903	0.007	176.78 - 178.31	R292968	0.001	62.48 - 64.01	R512512	0.001
88.39 - 89.92	R292904	0.002	178.31 - 179.83	R292969	0.003	64.01 - 65.53	R512513	0.015
89.92 - 91.44	R292905	0.003	179.83 - 181.36	R292971	0.005	65.53 - 67.06	R512514	0.002
91.44 - 92.96	R292906	0.003	181.36 - 182.88	R292972	0.007	67.06 - 68.58	R512515	0.003
92.96 - 94.49	R292907	0.008	182.88 - 184.4	R292973	0.26	68.58 - 70.1	R512516	0.001
94.49 - 96.01	R292908	0.02	184.4 - 185.93	R292974	0.01	70.1 - 71.63	R512517	0.004
96.01 - 97.54	R292909	0.003	185.93 - 187.45	R292975	0.008	71.63 - 73.15	R512518	0.001
97.54 - 99.06	R292911	0.002	187.45 - 188.98	R292976	0.006	73.15 - 74.68	R512519	0.004
99.06 - 100.58	R292912	0.002	188.98 - 190.5	R292977	0.009	74.68 - 76.2	R512521	0.003
100.58 - 102.11	R292913	0.002	190.5 - 192.02	R292978	0.009	76.2 - 77.72	R512522	0.004
102.11 - 103.63	R292914	0.006	192.02 - 193.55	R292979	0.004	77.72 - 79.25	R512523	0.002
103.63 - 105.16	R292915	0.005	193.55 - 195.07	R292981	0.009	79.25 - 80.77	R512524	0.001
105.16 - 106.68	R292916	0.004	195.07 - 196.6	R292982	0.009	80.77 - 82.3	R512525	0.009
106.68 - 108.2	R292917	0.005	196.6 - 198.12	R292983	0.008	82.3 - 83.82	R512526	0.011
108.2 - 109.73	R292918	0.002	198.12 - 199.64	R292984	0.011	83.82 - 85.34	R512527	0.013
109.73 - 111.25	R292919	0.005	199.64 - 201.17	R292985	0.004	85.34 - 86.87	R512528	0.033
111.25 - 112.78	R292921	0.007	<b>Hole CFR0718 Double Double</b>			86.87 - 88.39	R512529	0.024
112.78 - 114.3	R292922	0.003	<b>OB depth (m) 7.62</b>			88.39 - 89.92	R512531	0.01
114.3 - 115.82	R292923	0.002	0 - 1.52	R512466	0.034	89.92 - 91.44	R512532	0.007
115.82 - 117.35	R292924	0.003	1.52 - 3.05	R512467	0.009	91.44 - 92.96	R512533	0.005
117.35 - 118.87	R292925	0.005	3.05 - 4.57	R512468	0.004	92.96 - 94.49	R512534	0.002
118.87 - 120.4	R292926	0.005	4.57 - 6.1	R512469	0.005	94.49 - 96.01	R512535	0.005
120.4 - 121.92	R292927	0.016	6.1 - 7.62	R512471	0.003	96.01 - 97.54	R512536	0.006
121.92 - 123.44	R292928	0.002	7.62 - 9.14	R512472	0.002	97.54 - 99.06	R512537	0.013
123.44 - 124.97	R292929	0.001	9.14 - 10.67	R512473	0.003	99.06 - 100.58	R512538	0.033
124.97 - 126.49	R292931	0.838	10.67 - 12.19	R512474	0.004	100.58 - 102.11	R512539	0.017
126.49 - 128.02	R292932	0.946	12.19 - 13.72	R512475	0.01	102.11 - 103.63	R512541	0.004
128.02 - 129.54	R292933	0.803	13.72 - 15.24	R512476	0.008	103.63 - 105.16	R512542	0.003
129.54 - 131.06	R292934	0.018	15.24 - 16.76	R512477	0.012	105.16 - 106.68	R512543	0.001
131.06 - 132.59	R292935	0.052	16.76 - 18.29	R512478	0.017	106.68 - 108.2	R512544	-0.001
132.59 - 134.11	R292936	0.056	18.29 - 19.81	R512479	0.012	108.2 - 109.73	R512545	0.001
134.11 - 135.64	R292937	0.134	19.81 - 21.34	R512481	0.009	<b>Hole CFR0719 Double Double</b>		
135.64 - 137.16	R292938	0.007	21.34 - 22.86	R512482	0.007	<b>OB depth (m) 6.1</b>		
137.16 - 138.68	R292939	0.02	22.86 - 24.38	R512483	0.003	0 - 1.52	R292988	0.056
138.68 - 140.21	R292941	0.143	24.38 - 25.91	R512484	0.003	1.52 - 3.05	R292989	0.02
140.21 - 141.73	R292942	6.2	25.91 - 27.43	R512485	0.004	3.05 - 4.57	R292991	0.007
141.73 - 143.26	R292943	0.069	27.43 - 28.96	R512486	0.002	4.57 - 6.1	R292992	0.001
143.26 - 144.78	R292944	0.03	28.96 - 30.48	R512487	0.001	6.1 - 7.62	R292993	0.004
144.78 - 146.3	R292945	0.739	30.48 - 32	R512488	0.002	7.62 - 9.14	R292994	0.002
146.3 - 147.83	R292946	0.092	32 - 33.53	R512489	0.001	9.14 - 10.67	R292995	-0.001
147.83 - 149.35	R292947	0.021	33.53 - 35.05	R512491	0.004	10.67 - 12.19	R292996	0.001
149.35 - 150.88	R292948	0.006	35.05 - 36.58	R512492	0.003	12.19 - 13.72	R292997	-0.001
150.88 - 152.4	R292949	0.006	36.58 - 38.1	R512493	0.002	13.72 - 15.24	R292998	0.007
152.4 - 153.92	R292951	0.019	38.1 - 39.62	R512494	0.005	15.24 - 16.76	R292999	0.004
153.92 - 155.45	R292952	0.009	39.62 - 41.15	R512495	0.003	16.76 - 18.29	R293001	-0.001
155.45 - 156.97	R292953	0.01	41.15 - 42.67	R512496	0.003	18.29 - 19.81	R293002	0.004
156.97 - 158.5	R292954	0.012	42.67 - 44.2	R512497	0.002	19.81 - 21.34	R293003	0.002
158.5 - 160.02	R292955	0.017	44.2 - 45.72	R512498	0.003	21.34 - 22.86	R293004	0.013
160.02 - 161.54	R292956	0.012	45.72 - 47.24	R512499	0.001	22.86 - 24.38	R293005	-0.001
161.54 - 163.07	R292957	0.003	47.24 - 48.77	R512501	1.195	24.38 - 25.91	R293006	0.001
163.07 - 164.59	R292958	0.003	48.77 - 50.29	R512502	0.02	25.91 - 27.43	R293007	0.005
164.59 - 166.12	R292959	0.01	50.29 - 51.82	R512503	0.008	27.43 - 28.96	R293008	-0.001
166.12 - 167.64	R292961	0.003	51.82 - 53.34	R512504	0.008	28.96 - 30.48	R293009	-0.001
167.64 - 169.16	R292962	0.001	53.34 - 54.86	R512505	0.694	30.48 - 32	R293011	0.002



Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
32 - 33.53	R293012	0.002	121.92 - 123.44	R293077	0.002	28.96 - 30.48	R298751	0.003
33.53 - 35.05	R293013	0.002	123.44 - 124.97	R293078	0.004	30.48 - 32	R298752	0.001
35.05 - 36.58	R293014	0.002	124.97 - 126.49	R293079	0.001	32 - 33.53	R298753	0.003
36.58 - 38.1	R293015	-0.001	126.49 - 128.02	R293081	-0.001	33.53 - 35.05	R298754	0.005
38.1 - 39.62	R293016	0.01	128.02 - 129.54	R293082	-0.001	35.05 - 36.58	R298755	0.001
39.62 - 41.15	R293017	0.008	129.54 - 131.06	R293083	0.371	36.58 - 38.1	R298756	0.002
41.15 - 42.67	R293018	0.003	131.06 - 132.59	R293084	2.08	38.1 - 39.62	R298757	0.003
42.67 - 44.2	R293019	-0.001	132.59 - 134.11	R293085	0.02	39.62 - 41.15	R298758	0.002
44.2 - 45.72	R293021	-0.001	134.11 - 135.64	R293086	0.009	41.15 - 42.67	R298759	0.004
45.72 - 47.24	R293022	0.001	135.64 - 137.16	R293087	0.002	42.67 - 44.2	R298761	0.001
47.24 - 48.77	R293023	-0.001	137.16 - 138.68	R293088	0.002	44.2 - 45.72	R298762	0.002
48.77 - 50.29	R293024	0.011	138.68 - 140.21	R293089	0.001	45.72 - 47.24	R298763	0.001
50.29 - 51.82	R293025	0.014	140.21 - 141.73	R293091	0.001	47.24 - 48.77	R298764	0.002
51.82 - 53.34	R293026	0.005	141.73 - 143.26	R293092	0.002	48.77 - 50.29	R298765	0.002
53.34 - 54.86	R293027	0.001	143.26 - 144.78	R293093	0.003	50.29 - 51.82	R298766	0.001
54.86 - 56.39	R293028	-0.001	144.78 - 146.3	R293094	0.001	51.82 - 53.34	R298767	0.002
56.39 - 57.91	R293029	-0.001	146.3 - 147.83	R293095	0.001	53.34 - 54.86	R298768	0.002
57.91 - 59.44	R293031	-0.001	147.83 - 149.35	R293096	0.001	54.86 - 56.39	R298769	0.005
59.44 - 60.96	R293032	-0.001	149.35 - 150.88	R293097	-0.001	56.39 - 57.91	R298771	-0.001
60.96 - 62.48	R293033	0.004	150.88 - 152.4	R293098	-0.001	57.91 - 59.44	R298772	0.007
62.48 - 64.01	R293034	0.009	152.4 - 153.92	R293099	-0.001	59.44 - 60.96	R298773	0.005
64.01 - 65.53	R293035	0.005	153.92 - 155.45	R293101	-0.001	60.96 - 62.48	R298774	0.002
65.53 - 67.06	R293036	-0.001	155.45 - 156.97	R293102	0.011	62.48 - 64.01	R298775	0.003
67.06 - 68.58	R293037	0.001	156.97 - 158.5	R293103	-0.001	64.01 - 65.53	R298776	0.004
68.58 - 70.1	R293038	-0.001	158.5 - 160.02	R293104	0.001	65.53 - 67.06	R298777	0.022
70.1 - 71.63	R293039	-0.001	160.02 - 161.54	R293105	0.001	67.06 - 68.58	R298778	0.01
71.63 - 73.15	R293041	0.007	161.54 - 163.07	R293106	0.002	68.58 - 70.1	R298779	0.012
73.15 - 74.68	R293042	0.007	163.07 - 164.59	R293107	0.002	70.1 - 71.63	R298781	0.003
74.68 - 76.2	R293043	0.003	164.59 - 166.12	R293108	0.003	71.63 - 73.15	R298782	0.003
76.2 - 77.72	R293044	0.002	166.12 - 167.64	R293109	0.024	73.15 - 74.68	R298783	0.001
77.72 - 79.25	R293045	0.007	167.64 - 169.16	R293111	0.007	74.68 - 76.2	R298784	0.002
79.25 - 80.77	R293046	0.013	169.16 - 170.69	R293112	-0.001	76.2 - 77.72	R298785	0.001
80.77 - 82.3	R293047	0.018	170.69 - 172.21	R293113	-0.001	77.72 - 79.25	R298786	0.001
82.3 - 83.82	R293048	0.011	172.21 - 173.74	R293114	-0.001	79.25 - 80.77	R298787	0.001
83.82 - 85.34	R293049	0.009	173.74 - 175.26	R293115	0.001	80.77 - 82.3	R298788	0.002
85.34 - 86.87	R293051	0.007	175.26 - 176.78	R293116	-0.001	82.3 - 83.82	R298789	0.002
86.87 - 88.39	R293052	0.685	176.78 - 178.31	R293117	-0.001	83.82 - 85.34	R298791	0.002
88.39 - 89.92	R293053	0.002	178.31 - 179.83	R293118	-0.001	85.34 - 86.87	R298792	0.003
89.92 - 91.44	R293054	0.002				86.87 - 88.39	R298793	0.003
91.44 - 92.96	R293055	-0.001	<b>Hole CFR0720</b>	<b>Double Double</b>		88.39 - 89.92	R298794	0.001
92.96 - 94.49	R293056	0.004	<b>OB depth (m) 6.1</b>			89.92 - 91.44	R298795	0.002
94.49 - 96.01	R293057	0.02	0 - 1.52	R298729	0.008	91.44 - 92.96	R298796	0.002
96.01 - 97.54	R293058	0.048	1.52 - 3.05	R298731	0.012	92.96 - 94.49	R298797	0.004
97.54 - 99.06	R293059	3.83	3.05 - 4.57	R298732	0.009	94.49 - 96.01	R298798	0.002
99.06 - 100.58	R293061	8.06	4.57 - 6.1	R298733	0.009	96.01 - 97.54	R298799	0.002
100.58 - 102.11	R293062	0.131	6.1 - 7.62	R298734	0.003	97.54 - 99.06	R298801	0.002
102.11 - 103.63	R293063	0.041	7.62 - 9.14	R298735	0.002	99.06 - 100.58	R298802	0.002
103.63 - 105.16	R293064	0.023	9.14 - 10.67	R298736	0.002	100.58 - 102.11	R298803	0.002
105.16 - 106.68	R293065	0.009	10.67 - 12.19	R298737	0.002	102.11 - 103.63	R298804	0.002
106.68 - 108.2	R293066	0.009	12.19 - 13.72	R298738	0.006	103.63 - 105.16	R298805	0.002
108.2 - 109.73	R293067	0.019	13.72 - 15.24	R298739	0.007	105.16 - 106.68	R298806	0.004
109.73 - 111.25	R293068	0.009	15.24 - 16.76	R298741	0.01	106.68 - 108.2	R298807	0.002
111.25 - 112.78	R293069	0.02	16.76 - 18.29	R298742	0.039	108.2 - 109.73	R298808	0.002
112.78 - 114.3	R293071	0.006	18.29 - 19.81	R298743	0.003	109.73 - 111.25	R298809	0.034
114.3 - 115.82	R293072	0.004	19.81 - 21.34	R298744	0.004	111.25 - 112.78	R298811	0.003
115.82 - 117.35	R293073	0.004	21.34 - 22.86	R298745	0.003	112.78 - 114.3	R298812	0.002
117.35 - 118.87	R293074	0.002	22.86 - 24.38	R298746	0.001	114.3 - 115.82	R298813	0.152
118.87 - 120.4	R293075	0.003	24.38 - 25.91	R298747	0.002	115.82 - 117.35	R298814	0.003
120.4 - 121.92	R293076	0.001	25.91 - 27.43	R298748	0.002	117.35 - 118.87	R298815	0.002
			27.43 - 28.96	R298749	0.003			



Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
118.87 - 120.4	R298816	0.002	54.86 - 56.39	R512669	0.007	144.78 - 146.3	R512735	0.006
120.4 - 121.92	R298817	0.053	56.39 - 57.91	R512671	0.005	Hole CFR0722 Double Double OB depth (m) 4.57		
121.92 - 123.44	R298818	8.05	57.91 - 59.44	R512672	0.012			
123.44 - 124.97	R298819	2.56	59.44 - 60.96	R512673	0.002	0 - 1.52	R293122	0.001
124.97 - 126.49	R298821	0.976	60.96 - 62.48	R512674	0.001	1.52 - 3.05	R293123	-0.001
126.49 - 128.02	R298822	0.041	62.48 - 64.01	R512675	0.001	3.05 - 4.57	R293124	-0.001
128.02 - 129.54	R298823	0.008	64.01 - 65.53	R512676	0.001	4.57 - 6.1	R293125	-0.001
129.54 - 131.06	R298824	0.003	65.53 - 67.06	R512677	-0.001	6.1 - 7.62	R293126	-0.001
131.06 - 132.59	R298825	1.55	67.06 - 68.58	R512678	0.001	7.62 - 9.14	R293127	-0.001
132.59 - 134.11	R298826	0.017	68.58 - 70.1	R512679	0.002	9.14 - 10.67	R293128	-0.001
134.11 - 135.64	R298827	0.005	70.1 - 71.63	R512681	0.038	10.67 - 12.19	R293129	-0.001
135.64 - 137.16	R298828	0.013	71.63 - 73.15	R512682	0.014	12.19 - 13.72	R293131	-0.001
137.16 - 138.68	R298829	0.002	73.15 - 74.68	R512683	0.002	13.72 - 15.24	R293132	-0.001
138.68 - 140.21	R298831	0.002	74.68 - 76.2	R512684	0.001	15.24 - 16.76	R293133	-0.001
140.21 - 141.73	R298832	0.005	76.2 - 77.72	R512685	0.001	16.76 - 18.29	R293134	0.001
141.73 - 143.26	R298833	0.002	77.72 - 79.25	R512686	0.001	18.29 - 19.81	R293135	0.001
143.26 - 144.78	R298834	0.002	79.25 - 80.77	R512687	-0.001	19.81 - 21.34	R293136	-0.001
144.78 - 146.3	R298835	0.002	80.77 - 82.3	R512688	0.001	21.34 - 22.86	R293137	0.001
146.3 - 147.83	R298836	0.003	82.3 - 83.82	R512689	0.004	22.86 - 24.38	R293138	0.009
147.83 - 149.35	R298837	0.015	83.82 - 85.34	R512691	0.005	24.38 - 25.91	R293139	0.001
149.35 - 150.88	R298838	0.007	85.34 - 86.87	R512692	0.004	25.91 - 27.43	R293141	0.095
Hole CFR0721 Double Double OB depth (m) 6.1			86.87 - 88.39	R512693	0.017	27.43 - 28.96	R293142	0.018
			88.39 - 89.92	R512694	0.01	28.96 - 30.48	R293143	0.006
0 - 1.52	R512629	0.006	89.92 - 91.44	R512695	0.038	30.48 - 32	R293144	0.002
1.52 - 3.05	R512631	0.004	91.44 - 92.96	R512696	0.749	32 - 33.53	R293145	0.002
3.05 - 4.57	R512632	0.003	92.96 - 94.49	R512697	0.013	33.53 - 35.05	R293146	0.004
4.57 - 6.1	R512633	0.002	94.49 - 96.01	R512698	0.01	35.05 - 36.58	R293147	-0.001
6.1 - 7.62	R512634	0.002	96.01 - 97.54	R512699	0.003	36.58 - 38.1	R293148	0.001
7.62 - 9.14	R512635	0.001	97.54 - 99.06	R512701	0.001	38.1 - 39.62	R293149	-0.001
9.14 - 10.67	R512636	0.002	99.06 - 100.58	R512702	0.002	39.62 - 41.15	R293151	0.001
10.67 - 12.19	R512637	0.002	100.58 - 102.11	R512703	0.008	41.15 - 42.67	R293152	-0.001
12.19 - 13.72	R512638	0.003	102.11 - 103.63	R512704	0.033	42.67 - 44.2	R293153	-0.001
13.72 - 15.24	R512639	0.004	103.63 - 105.16	R512705	0.002	44.2 - 45.72	R293154	-0.001
15.24 - 16.76	R512641	0.004	105.16 - 106.68	R512706	0.009	45.72 - 47.24	R293155	-0.001
16.76 - 18.29	R512642	0.004	106.68 - 108.2	R512707	0.016	47.24 - 48.77	R293156	-0.001
18.29 - 19.81	R512643	0.005	108.2 - 109.73	R512708	0.008	48.77 - 50.29	R293157	-0.001
19.81 - 21.34	R512644	0.002	109.73 - 111.25	R512709	0.031	50.29 - 51.82	R293158	0.006
21.34 - 22.86	R512645	0.003	111.25 - 112.78	R512711	0.012	51.82 - 53.34	R293159	-0.001
22.86 - 24.38	R512646	0.002	112.78 - 114.3	R512712	0.013	53.34 - 54.86	R293161	-0.001
24.38 - 25.91	R512647	0.002	114.3 - 115.82	R512713	0.006	54.86 - 56.39	R293162	-0.001
25.91 - 27.43	R512648	0.002	115.82 - 117.35	R512714	0.003	56.39 - 57.91	R293163	-0.001
27.43 - 28.96	R512649	0.003	117.35 - 118.87	R512715	0.001	57.91 - 59.44	R293164	-0.001
28.96 - 30.48	R512651	0.01	118.87 - 120.4	R512716	0.002	59.44 - 60.96	R293165	-0.001
30.48 - 32	R512652	0.018	120.4 - 121.92	R512717	0.014	60.96 - 62.48	R293166	-0.001
32 - 33.53	R512653	0.005	121.92 - 123.44	R512718	0.039	62.48 - 64.01	R293167	-0.001
33.53 - 35.05	R512654	0.008	123.44 - 124.97	R512719	0.008	64.01 - 65.53	R293168	0.002
35.05 - 36.58	R512655	0.002	124.97 - 126.49	R512721	0.016	65.53 - 67.06	R293169	0.002
36.58 - 38.1	R512656	0.01	126.49 - 128.02	R512722	0.015	67.06 - 68.58	R293171	0.004
38.1 - 39.62	R512657	0.003	128.02 - 129.54	R512723	0.012	68.58 - 70.1	R293172	0.002
39.62 - 41.15	R512658	0.005	129.54 - 131.06	R512724	0.007	70.1 - 71.63	R293173	0.001
41.15 - 42.67	R512659	0.003	131.06 - 132.59	R512725	0.01	71.63 - 73.15	R293174	-0.001
42.67 - 44.2	R512661	0.001	132.59 - 134.11	R512726	0.005	73.15 - 74.68	R293175	-0.001
44.2 - 45.72	R512662	0.002	134.11 - 135.64	R512727	0.002	74.68 - 76.2	R293176	-0.001
45.72 - 47.24	R512663	-0.001	135.64 - 137.16	R512728	0.001	76.2 - 77.72	R293177	-0.001
47.24 - 48.77	R512664	0.001	137.16 - 138.68	R512729	0.001	77.72 - 79.25	R293178	-0.001
48.77 - 50.29	R512665	0.003	138.68 - 140.21	R512731	0.008	79.25 - 80.77	R293179	-0.001
50.29 - 51.82	R512666	-0.001	140.21 - 141.73	R512732	0.014	80.77 - 82.3	R293181	0.001
51.82 - 53.34	R512667	0.001	141.73 - 143.26	R512733	0.009	82.3 - 83.82	R293182	0.002
53.34 - 54.86	R512668	0.004	143.26 - 144.78	R512734	0.004	83.82 - 85.34	R293183	0.002

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
85.34 - 86.87	R293184	0.002	175.26 - 176.78	R293249	-0.001	64.01 - 65.53	R298886	0.033
86.87 - 88.39	R293185	0.012	176.78 - 178.31	R293251	0.001	65.53 - 67.06	R298887	0.01
88.39 - 89.92	R293186	0.008	178.31 - 179.83	R293252	0.002	67.06 - 68.58	R298888	0.004
89.92 - 91.44	R293187	-0.001	179.83 - 181.36	R293253	-0.001	68.58 - 70.1	R298889	0.016
91.44 - 92.96	R293188	0.001	181.36 - 182.88	R293254	-0.001	70.1 - 71.63	R298891	0.021
92.96 - 94.49	R293189	0.004	182.88 - 184.4	R293255	0.001	71.63 - 73.15	R298892	0.004
94.49 - 96.01	R293191	0.002	184.4 - 185.93	R293256	0.003	73.15 - 74.68	R298893	0.005
96.01 - 97.54	R293192	0.006	185.93 - 187.45	R293257	0.018	74.68 - 76.2	R298894	0.009
97.54 - 99.06	R293193	0.011	187.45 - 188.98	R293258	0.002	76.2 - 77.72	R298895	0.013
99.06 - 100.58	R293194	0.003	188.98 - 190.5	R293259	0.001	77.72 - 79.25	R298896	0.003
100.58 - 102.11	R293195	0.001	190.5 - 192.02	R293261	0.001	79.25 - 80.77	R298897	0.005
102.11 - 103.63	R293196	0.003	192.02 - 193.55	R293262	-0.001	80.77 - 82.3	R298898	0.054
103.63 - 105.16	R293197	0.004	193.55 - 195.07	R293263	-0.001	82.3 - 83.82	R298899	0.009
105.16 - 106.68	R293198	1.07	195.07 - 196.6	R293264	-0.001	83.82 - 85.34	R298901	0.001
106.68 - 108.2	R293199	4.48	196.6 - 198.12	R293265	-0.001	85.34 - 86.87	R298902	-0.001
108.2 - 109.73	R293201	1.7	198.12 - 199.64	R293266	-0.001	86.87 - 88.39	R298903	-0.001
109.73 - 111.25	R293202	1.15	199.64 - 201.17	R293267	-0.001	88.39 - 89.92	R298904	-0.001
111.25 - 112.78	R293203	0.151	<b>Hole CFR0723 Double Double</b>			89.92 - 91.44	R298905	-0.001
112.78 - 114.3	R293204	0.09				91.44 - 92.96	R298906	-0.001
114.3 - 115.82	R293205	0.077	<b>OB depth (m) 6.1</b>			92.96 - 94.49	R298907	-0.001
115.82 - 117.35	R293206	0.031	3.05 - 4.57	R298842	0.59	94.49 - 96.01	R298908	-0.001
117.35 - 118.87	R293207	0.013	4.57 - 6.1	R298843	0.089	96.01 - 97.54	R298909	-0.001
118.87 - 120.4	R293208	0.007	6.1 - 7.62	R298844	0.017	97.54 - 99.06	R298911	-0.001
120.4 - 121.92	R293209	0.003	7.62 - 9.14	R298845	0.011	99.06 - 100.58	R298912	0.002
121.92 - 123.44	R293211	0.002	9.14 - 10.67	R298846	0.005	<b>Hole CFR0724 Double Double</b>		
123.44 - 124.97	R293212	-0.001	10.67 - 12.19	R298847	0.011			
124.97 - 126.49	R293213	-0.001	12.19 - 13.72	R298848	0.006	<b>OB depth (m) 10.67</b>		
126.49 - 128.02	R293214	0.001	13.72 - 15.24	R298849	0.016	0 - 1.52	R512738	0.025
128.02 - 129.54	R293215	-0.001	15.24 - 16.76	R298851	0.011	1.52 - 3.05	R512739	0.014
129.54 - 131.06	R293216	0.006	16.76 - 18.29	R298852	0.018	3.05 - 4.57	R512741	0.004
131.06 - 132.59	R293217	-0.001	18.29 - 19.81	R298853	0.29	4.57 - 6.1	R512742	0.003
132.59 - 134.11	R293218	-0.001	19.81 - 21.34	R298854	0.04	6.1 - 7.62	R512743	0.001
134.11 - 135.64	R293219	-0.001	21.34 - 22.86	R298855	3.33	7.62 - 9.14	R512744	0.003
135.64 - 137.16	R293221	-0.001	22.86 - 24.38	R298856	9.52	9.14 - 10.67	R512745	-0.001
137.16 - 138.68	R293222	-0.001	24.38 - 25.91	R298857	0.41	10.67 - 12.19	R512746	0.013
138.68 - 140.21	R293223	0.005	25.91 - 27.43	R298858	0.163	12.19 - 13.72	R512747	0.007
140.21 - 141.73	R293224	0.009	27.43 - 28.96	R298859	0.034	13.72 - 15.24	R512748	-0.001
141.73 - 143.26	R293225	-0.001	28.96 - 30.48	R298861	0.018	15.24 - 16.76	R512749	-0.001
143.26 - 144.78	R293226	-0.001	30.48 - 32	R298862	0.016	16.76 - 18.29	R512751	0.002
144.78 - 146.3	R293227	-0.001	32 - 33.53	R298863	0.015	18.29 - 19.81	R512752	0.009
146.3 - 147.83	R293228	-0.001	33.53 - 35.05	R298864	0.048	19.81 - 21.34	R512753	0.003
147.83 - 149.35	R293229	0.001	35.05 - 36.58	R298865	0.03	21.34 - 22.86	R512754	0.003
149.35 - 150.88	R293231	0.032	36.58 - 38.1	R298866	0.014	22.86 - 24.38	R512755	0.003
150.88 - 152.4	R293232	0.001	38.1 - 39.62	R298867	0.017	24.38 - 25.91	R512756	0.002
152.4 - 153.92	R293233	-0.001	39.62 - 41.15	R298868	0.107	25.91 - 27.43	R512757	0.005
153.92 - 155.45	R293234	-0.001	41.15 - 42.67	R298869	0.311	27.43 - 28.96	R512758	0.005
155.45 - 156.97	R293235	-0.001	42.67 - 44.2	R298871	0.097	28.96 - 30.48	R512759	0.019
156.97 - 158.5	R293236	0.695	44.2 - 45.72	R298872	0.027	30.48 - 32	R512761	0.003
158.5 - 160.02	R293237	0.009	45.72 - 47.24	R298873	0.471	32 - 33.53	R512762	0.004
160.02 - 161.54	R293238	0.008	47.24 - 48.77	R298874	0.022	33.53 - 35.05	R512763	0.003
161.54 - 163.07	R293239	0.009	48.77 - 50.29	R298875	0.012	35.05 - 36.58	R512764	0.005
163.07 - 164.59	R293241	0.005	50.29 - 51.82	R298876	0.007	36.58 - 38.1	R512765	0.003
164.59 - 166.12	R293242	0.002	51.82 - 53.34	R298877	0.205	38.1 - 39.62	R512766	0.003
166.12 - 167.64	R293243	0.001	53.34 - 54.86	R298878	0.017	39.62 - 41.15	R512767	0.004
167.64 - 169.16	R293244	-0.001	54.86 - 56.39	R298879	0.022	41.15 - 42.67	R512768	0.005
169.16 - 170.69	R293245	-0.001	56.39 - 57.91	R298881	0.018	42.67 - 44.2	R512769	0.004
170.69 - 172.21	R293246	-0.001	57.91 - 59.44	R298882	0.012	44.2 - 45.72	R512771	0.009
172.21 - 173.74	R293247	-0.001	59.44 - 60.96	R298883	0.013	45.72 - 47.24	R512772	0.112
173.74 - 175.26	R293248	-0.001	60.96 - 62.48	R298884	0.012	47.24 - 48.77	R512773	0.004
			62.48 - 64.01	R298885	0.008	48.77 - 50.29	R512774	0.004

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
50.29 - 51.82	R512775	0.005	140.21 - 141.73	R512841	0.004	80.77 - 82.3	R298973	0.128
51.82 - 53.34	R512776	0.004	141.73 - 143.26	R512842	0.009	82.3 - 83.82	R298974	0.013
53.34 - 54.86	R512777	0.004	143.26 - 144.78	R512843	0.008	83.82 - 85.34	R298975	0.005
54.86 - 56.39	R512778	0.008	144.78 - 146.3	R512844	0.003	85.34 - 86.87	R298976	0.001
56.39 - 57.91	R512779	0.137	146.3 - 147.83	R512845	0.003	86.87 - 88.39	R298977	0.001
57.91 - 59.44	R512781	0.003	<b>Hole CFR0725 Double Double</b>			88.39 - 89.92	R298978	-0.001
59.44 - 60.96	R512782	0.002	<b>OB depth (m) 1.52</b>			89.92 - 91.44	R298979	-0.001
60.96 - 62.48	R512783	0.003	1.52 - 3.05	R298915	0.031	<b>Hole CFR0726 Double Double</b>		
62.48 - 64.01	R512784	0.003	3.05 - 4.57	R298916	0.005	<b>OB depth (m) 6.1</b>		
64.01 - 65.53	R512785	0.021	4.57 - 6.1	R298917	0.006	0 - 1.52	R293271	0.008
65.53 - 67.06	R512786	0.026	6.1 - 7.62	R298918	0.002	1.52 - 3.05	R293272	0.015
67.06 - 68.58	R512787	0.04	7.62 - 9.14	R298919	0.029	3.05 - 4.57	R293273	0.029
68.58 - 70.1	R512788	0.818	9.14 - 10.67	R298921	0.007	4.57 - 6.1	R293274	0.023
70.1 - 71.63	R512789	3.57	10.67 - 12.19	R298922	0.001	6.1 - 7.62	R293275	0.007
71.63 - 73.15	R512791	0.998	12.19 - 13.72	R298923	0.004	7.62 - 9.14	R293276	0.002
73.15 - 74.68	R512792	0.059	13.72 - 15.24	R298924	0.001	9.14 - 10.67	R293277	0.002
74.68 - 76.2	R512793	0.021	15.24 - 16.76	R298925	0.006	10.67 - 12.19	R293278	0.001
76.2 - 77.72	R512794	0.326	16.76 - 18.29	R298926	0.008	12.19 - 13.72	R293279	0.001
77.72 - 79.25	R512795	0.117	18.29 - 19.81	R298927	0.001	13.72 - 15.24	R293281	0.014
79.25 - 80.77	R512796	4.04	19.81 - 21.34	R298928	0.001	15.24 - 16.76	R293282	0.001
80.77 - 82.3	R512797	0.727	21.34 - 22.86	R298929	0.001	16.76 - 18.29	R293283	0.002
82.3 - 83.82	R512798	0.164	22.86 - 24.38	R298931	0.001	18.29 - 19.81	R293284	0.001
83.82 - 85.34	R512799	0.013	24.38 - 25.91	R298932	0.005	19.81 - 21.34	R293285	-0.001
85.34 - 86.87	R512801	0.011	25.91 - 27.43	R298933	0.002	21.34 - 22.86	R293286	-0.001
86.87 - 88.39	R512802	0.013	27.43 - 28.96	R298934	0.002	22.86 - 24.38	R293287	-0.001
88.39 - 89.92	R512803	0.007	28.96 - 30.48	R298935	-0.001	24.38 - 25.91	R293288	0.003
89.92 - 91.44	R512804	0.004	30.48 - 32	R298936	-0.001	25.91 - 27.43	R293289	0.003
91.44 - 92.96	R512805	0.009	32 - 33.53	R298937	-0.001	27.43 - 28.96	R293291	0.005
92.96 - 94.49	R512806	0.009	33.53 - 35.05	R298938	-0.001	28.96 - 30.48	R293292	0.003
94.49 - 96.01	R512807	0.004	35.05 - 36.58	R298939	-0.001	30.48 - 32	R293293	0.002
96.01 - 97.54	R512808	0.005	36.58 - 38.1	R298941	-0.001	32 - 33.53	R293294	0.001
97.54 - 99.06	R512809	0.007	38.1 - 39.62	R298942	0.004	33.53 - 35.05	R293295	0.007
99.06 - 100.58	R512811	0.029	39.62 - 41.15	R298943	0.046	35.05 - 36.58	R293296	-0.001
100.58 - 102.11	R512812	0.016	41.15 - 42.67	R298944	0.013	36.58 - 38.1	R293297	0.001
102.11 - 103.63	R512813	0.005	42.67 - 44.2	R298945	0.013	38.1 - 39.62	R293298	0.002
103.63 - 105.16	R512814	0.003	44.2 - 45.72	R298946	0.021	39.62 - 41.15	R293299	0.009
105.16 - 106.68	R512815	0.003	45.72 - 47.24	R298947	0.004	41.15 - 42.67	R293301	0.002
106.68 - 108.2	R512816	0.013	47.24 - 48.77	R298948	-0.001	42.67 - 44.2	R293302	0.002
108.2 - 109.73	R512817	0.006	48.77 - 50.29	R298949	-0.001	44.2 - 45.72	R293303	-0.001
109.73 - 111.25	R512818	0.009	50.29 - 51.82	R298951	0.001	45.72 - 47.24	R293304	0.002
111.25 - 112.78	R512819	0.001	51.82 - 53.34	R298952	-0.001	47.24 - 48.77	R293305	0.002
112.78 - 114.3	R512821	0.001	53.34 - 54.86	R298953	-0.001	48.77 - 50.29	R293306	0.001
114.3 - 115.82	R512822	0.002	54.86 - 56.39	R298954	-0.001	50.29 - 51.82	R293307	0.002
115.82 - 117.35	R512823	0.002	56.39 - 57.91	R298955	0.016	51.82 - 53.34	R293308	-0.001
117.35 - 118.87	R512824	0.002	57.91 - 59.44	R298956	-0.001	53.34 - 54.86	R293309	0.002
118.87 - 120.4	R512825	0.003	59.44 - 60.96	R298957	-0.001	54.86 - 56.39	R293311	0.002
120.4 - 121.92	R512826	0.003	60.96 - 62.48	R298958	-0.001	56.39 - 57.91	R293312	0.003
121.92 - 123.44	R512827	0.003	62.48 - 64.01	R298959	-0.001	57.91 - 59.44	R293313	0.002
123.44 - 124.97	R512828	0.004	64.01 - 65.53	R298961	-0.001	59.44 - 60.96	R293314	0.003
124.97 - 126.49	R512829	0.005	65.53 - 67.06	R298962	-0.001	60.96 - 62.48	R293315	0.002
126.49 - 128.02	R512831	0.007	67.06 - 68.58	R298963	-0.001	62.48 - 64.01	R293316	0.002
128.02 - 129.54	R512832	0.005	68.58 - 70.1	R298964	-0.001	64.01 - 65.53	R293317	0.001
129.54 - 131.06	R512833	0.004	70.1 - 71.63	R298965	-0.001	65.53 - 67.06	R293318	0.004
131.06 - 132.59	R512834	0.006	71.63 - 73.15	R298966	-0.001	67.06 - 68.58	R293319	0.001
132.59 - 134.11	R512835	0.008	73.15 - 74.68	R298967	0.001	68.58 - 70.1	R293321	0.003
134.11 - 135.64	R512836	0.016	74.68 - 76.2	R298968	0.001	70.1 - 71.63	R293322	0.002
135.64 - 137.16	R512837	0.005	76.2 - 77.72	R298969	-0.001	71.63 - 73.15	R293323	0.003
137.16 - 138.68	R512838	0.007	77.72 - 79.25	R298971	-0.001	73.15 - 74.68	R293324	23.8
138.68 - 140.21	R512839	0.004	79.25 - 80.77	R298972	-0.001	74.68 - 76.2	R293325	20.5

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
76.2 - 77.72	R293326	0.364	166.12 - 167.64	R293392	0.024	67.06 - 68.58	R512897	0.002
77.72 - 79.25	R293327	2.65	167.64 - 169.16	R293393	0.047	68.58 - 70.1	R512898	0.004
79.25 - 80.77	R293328	3.37	169.16 - 170.69	R293394	0.048	70.1 - 71.63	R512899	0.005
80.77 - 82.3	R293329	1.645	170.69 - 172.21	R293395	0.024	71.63 - 73.15	R512901	0.007
82.3 - 83.82	R293331	0.127	172.21 - 173.74	R293396	0.099	73.15 - 74.68	R512902	0.008
83.82 - 85.34	R293332	0.031	173.74 - 175.26	R293397	0.061	74.68 - 76.2	R512903	0.012
85.34 - 86.87	R293333	0.024	175.26 - 176.78	R293398	0.059	76.2 - 77.72	R512904	0.007
86.87 - 88.39	R293334	0.017	176.78 - 178.31	R293399	0.538	77.72 - 79.25	R512905	0.012
88.39 - 89.92	R293335	0.031	178.31 - 179.83	R293401	0.111	79.25 - 80.77	R512906	0.005
89.92 - 91.44	R293336	0.019	179.83 - 181.36	R293402	0.032	80.77 - 82.3	R512907	0.01
91.44 - 92.96	R293337	0.012	181.36 - 182.88	R293403	0.014	82.3 - 83.82	R512908	0.009
92.96 - 94.49	R293338	0.012	182.88 - 184.4	R293404	0.012	83.82 - 85.34	R512909	0.006
94.49 - 96.01	R293339	0.014	184.4 - 185.93	R293405	0.008	85.34 - 86.87	R512911	0.005
96.01 - 97.54	R293341	0.025				86.87 - 88.39	R512912	0.002
97.54 - 99.06	R293342	0.012	<b>Hole CFR0728</b>	<b>Double Double</b>		88.39 - 89.92	R512913	0.002
99.06 - 100.58	R293343	0.011	<b>OB depth (m) 7.62</b>			89.92 - 91.44	R512914	0.002
100.58 - 102.11	R293344	0.03	0 - 1.52	R512848	0.025	91.44 - 92.96	R512915	0.002
102.11 - 103.63	R293345	0.008	1.52 - 3.05	R512849	0.002	92.96 - 94.49	R512916	0.002
103.63 - 105.16	R293346	0.005	3.05 - 4.57	R512851	0.004	94.49 - 96.01	R512917	0.008
105.16 - 106.68	R293347	0.006	4.57 - 6.1	R512852	0.002	96.01 - 97.54	R512918	0.005
106.68 - 108.2	R293348	0.004	6.1 - 7.62	R512853	0.002	97.54 - 99.06	R512919	0.012
108.2 - 109.73	R293349	0.005	7.62 - 9.14	R512854	0.003	99.06 - 100.58	R512921	0.011
109.73 - 111.25	R293351	0.007	9.14 - 10.67	R512855	0.004	100.58 - 102.11	R512922	0.005
111.25 - 112.78	R293352	0.011	10.67 - 12.19	R512856	0.003	102.11 - 103.63	R512923	0.005
112.78 - 114.3	R293353	0.01	12.19 - 13.72	R512857	0.002	103.63 - 105.16	R512924	0.004
114.3 - 115.82	R293354	0.03	13.72 - 15.24	R512858	0.001	105.16 - 106.68	R512925	0.002
115.82 - 117.35	R293355	0.047	15.24 - 16.76	R512859	0.001	106.68 - 108.2	R512926	0.005
117.35 - 118.87	R293356	0.007	16.76 - 18.29	R512861	0.002	108.2 - 109.73	R512927	0.007
118.87 - 120.4	R293357	0.006	18.29 - 19.81	R512862	0.003	109.73 - 111.25	R512928	0.007
120.4 - 121.92	R293358	0.005	19.81 - 21.34	R512863	0.004	111.25 - 112.78	R512929	0.027
121.92 - 123.44	R293359	0.006	21.34 - 22.86	R512864	0.004	112.78 - 114.3	R512931	0.004
123.44 - 124.97	R293361	0.006	22.86 - 24.38	R512865	0.004	114.3 - 115.82	R512932	0.002
124.97 - 126.49	R293362	0.005	24.38 - 25.91	R512866	0.005	115.82 - 117.35	R512933	0.003
126.49 - 128.02	R293363	0.006	25.91 - 27.43	R512867	0.003	117.35 - 118.87	R512934	0.002
128.02 - 129.54	R293364	0.006	27.43 - 28.96	R512868	0.007	118.87 - 120.4	R512935	0.002
129.54 - 131.06	R293365	0.006	28.96 - 30.48	R512869	0.003	120.4 - 121.92	R512936	0.002
131.06 - 132.59	R293366	0.113	30.48 - 32	R512871	0.006	121.92 - 123.44	R512937	0.027
132.59 - 134.11	R293367	0.084	32 - 33.53	R512872	0.005	123.44 - 124.97	R512938	0.002
134.11 - 135.64	R293368	0.041	33.53 - 35.05	R512873	0.007	124.97 - 126.49	R512939	0.006
135.64 - 137.16	R293369	0.081	35.05 - 36.58	R512874	0.004	126.49 - 128.02	R512941	2.07
137.16 - 138.68	R293371	0.078	36.58 - 38.1	R512875	0.003	128.02 - 129.54	R512942	0.048
138.68 - 140.21	R293372	0.033	38.1 - 39.62	R512876	0.012	129.54 - 131.06	R512943	0.048
140.21 - 141.73	R293373	0.2	39.62 - 41.15	R512877	0.009	131.06 - 132.59	R512944	0.029
141.73 - 143.26	R293374	0.118	41.15 - 42.67	R512878	0.015	132.59 - 134.11	R512945	0.033
143.26 - 144.78	R293375	0.048	42.67 - 44.2	R512879	0.22	134.11 - 135.64	R512946	0.026
144.78 - 146.3	R293376	0.15	44.2 - 45.72	R512881	0.005	135.64 - 137.16	R512947	0.034
146.3 - 147.83	R293377	0.101	45.72 - 47.24	R512882	0.004	137.16 - 138.68	R512948	0.026
147.83 - 149.35	R293378	0.121	47.24 - 48.77	R512883	0.003	138.68 - 140.21	R512949	0.005
149.35 - 150.88	R293379	0.201	48.77 - 50.29	R512884	0.004	140.21 - 141.73	R512951	0.005
150.88 - 152.4	R293381	0.028	50.29 - 51.82	R512885	0.009	141.73 - 143.26	R512952	0.001
152.4 - 153.92	R293382	0.159	51.82 - 53.34	R512886	0.007	143.26 - 144.78	R512953	0.002
153.92 - 155.45	R293383	0.046	53.34 - 54.86	R512887	0.003	144.78 - 146.3	R512954	-0.001
155.45 - 156.97	R293384	0.012	54.86 - 56.39	R512888	0.002	146.3 - 147.83	R512955	0.048
156.97 - 158.5	R293385	0.024	56.39 - 57.91	R512889	0.002	147.83 - 149.35	R512956	0.3
158.5 - 160.02	R293386	0.041	57.91 - 59.44	R512891	0.003	149.35 - 150.88	R512957	0.015
160.02 - 161.54	R293387	0.081	59.44 - 60.96	R512892	0.003			
161.54 - 163.07	R293388	0.07	60.96 - 62.48	R512893	0.003	<b>Hole CFR0730</b>	<b>Double Double</b>	
163.07 - 164.59	R293389	0.012	62.48 - 64.01	R512894	0.007	<b>OB depth (m) 4.57</b>		
164.59 - 166.12	R293391	0.013	64.01 - 65.53	R512895	0.002	0 - 1.52	R293408	0.016
			65.53 - 67.06	R512896	0.002	1.52 - 3.05	R293409	0.006





Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
71.63 - 73.15	R510012	0.004	161.54 - 163.07	R510077	0.003	79.25 - 80.77	R293615	0.002
73.15 - 74.68	R510013	0.002	163.07 - 164.59	R510078	0.002	80.77 - 82.3	R293616	0.007
74.68 - 76.2	R510014	0.006	164.59 - 166.12	R510079	0.009	82.3 - 83.82	R293617	0.002
76.2 - 77.72	R510015	0.004	166.12 - 167.64	R510081	0.002	83.82 - 85.34	R293618	0.002
77.72 - 79.25	R510016	0.003	167.64 - 169.16	R510082	0.006	85.34 - 86.87	R293619	0.007
79.25 - 80.77	R510017	-0.001	<b>Hole CFR0732 Double Double</b>			86.87 - 88.39	R293621	0.061
80.77 - 82.3	R510018	0.006				88.39 - 89.92	R293622	0.003
82.3 - 83.82	R510019	0.005	<b>OB depth (m) 3.05</b>			89.92 - 91.44	R293623	0.002
83.82 - 85.34	R510021	0.033	0 - 1.52	R293557	0.034	91.44 - 92.96	R293624	-0.001
85.34 - 86.87	R510022	0.003	1.52 - 3.05	R293558	0.003	92.96 - 94.49	R293625	0.002
86.87 - 88.39	R510023	0.008	3.05 - 4.57	R293559	0.003	94.49 - 96.01	R293626	0.002
88.39 - 89.92	R510024	0.003	4.57 - 6.1	R293561	0.001	96.01 - 97.54	R293627	0.001
89.92 - 91.44	R510025	0.004	6.1 - 7.62	R293562	0.001	97.54 - 99.06	R293628	0.003
91.44 - 92.96	R510026	0.004	7.62 - 9.14	R293563	0.002	99.06 - 100.58	R293629	-0.001
92.96 - 94.49	R510027	0.004	9.14 - 10.67	R293564	0.004	100.58 - 102.11	R293631	0.001
94.49 - 96.01	R510028	0.006	10.67 - 12.19	R293565	0.002	102.11 - 103.63	R293632	0.001
96.01 - 97.54	R510029	0.006	12.19 - 13.72	R293566	-0.001	103.63 - 105.16	R293633	0.001
97.54 - 99.06	R510031	0.004	13.72 - 15.24	R293567	-0.001	105.16 - 106.68	R293634	0.002
99.06 - 100.58	R510032	0.006	15.24 - 16.76	R293568	-0.001	106.68 - 108.2	R293635	0.005
100.58 - 102.11	R510033	0.005	16.76 - 18.29	R293569	-0.001	108.2 - 109.73	R293636	-0.001
102.11 - 103.63	R510034	0.001	18.29 - 19.81	R293571	-0.001	109.73 - 111.25	R293637	-0.001
103.63 - 105.16	R510035	0.001	19.81 - 21.34	R293572	-0.001	111.25 - 112.78	R293638	-0.001
105.16 - 106.68	R510036	0.016	21.34 - 22.86	R293573	-0.001	112.78 - 114.3	R293639	0.001
106.68 - 108.2	R510037	0.084	22.86 - 24.38	R293574	0.005	114.3 - 115.82	R293641	-0.001
108.2 - 109.73	R510038	0.001	24.38 - 25.91	R293575	0.001	115.82 - 117.35	R293642	-0.001
109.73 - 111.25	R510039	-0.001	25.91 - 27.43	R293576	-0.001	117.35 - 118.87	R293643	-0.001
111.25 - 112.78	R510041	-0.001	27.43 - 28.96	R293577	0.002	118.87 - 120.4	R293644	-0.001
112.78 - 114.3	R510042	0.005	28.96 - 30.48	R293578	-0.001	120.4 - 121.92	R293645	0.001
114.3 - 115.82	R510043	0.02	30.48 - 32	R293579	0.001	121.92 - 123.44	R293646	0.001
115.82 - 117.35	R510044	0.004	32 - 33.53	R293581	0.003	123.44 - 124.97	R293647	0.004
117.35 - 118.87	R510045	0.016	33.53 - 35.05	R293582	0.002	124.97 - 126.49	R293648	0.003
118.87 - 120.4	R510046	0.002	35.05 - 36.58	R293583	0.001	126.49 - 128.02	R293649	0.002
120.4 - 121.92	R510047	0.006	36.58 - 38.1	R293584	-0.001	128.02 - 129.54	R293651	0.001
121.92 - 123.44	R510048	0.002	38.1 - 39.62	R293585	-0.001	129.54 - 131.06	R293652	-0.001
123.44 - 124.97	R510049	0.002	39.62 - 41.15	R293586	0.001	131.06 - 132.59	R293653	0.003
124.97 - 126.49	R510051	0.398	41.15 - 42.67	R293587	-0.001	132.59 - 134.11	R293654	-0.001
126.49 - 128.02	R510052	-0.001	42.67 - 44.2	R293588	-0.001	134.11 - 135.64	R293655	-0.001
128.02 - 129.54	R510053	0.014	44.2 - 45.72	R293589	-0.001	135.64 - 137.16	R293656	-0.001
129.54 - 131.06	R510054	0.015	45.72 - 47.24	R293591	0.004	137.16 - 138.68	R293657	-0.001
131.06 - 132.59	R510055	0.009	47.24 - 48.77	R293592	-0.001	138.68 - 140.21	R293658	0.002
132.59 - 134.11	R510056	-0.001	48.77 - 50.29	R293593	-0.001	140.21 - 141.73	R293659	0.002
134.11 - 135.64	R510057	0.003	50.29 - 51.82	R293594	-0.001	141.73 - 143.26	R293661	-0.001
135.64 - 137.16	R510058	-0.001	51.82 - 53.34	R293595	-0.001	143.26 - 144.78	R293662	-0.001
137.16 - 138.68	R510059	0.001	53.34 - 54.86	R293596	-0.001	144.78 - 146.3	R293663	-0.001
138.68 - 140.21	R510061	-0.001	54.86 - 56.39	R293597	-0.001	146.3 - 147.83	R293664	-0.001
140.21 - 141.73	R510062	0.007	56.39 - 57.91	R293598	-0.001	147.83 - 149.35	R293665	-0.001
141.73 - 143.26	R510063	0.032	57.91 - 59.44	R293599	-0.001	<b>Hole CFR0734 Double Double</b>		
143.26 - 144.78	R510064	0.006	59.44 - 60.96	R293601	-0.001			
144.78 - 146.3	R510065	0.004	60.96 - 62.48	R293602	-0.001	<b>OB depth (m) 4.57</b>		
146.3 - 147.83	R510066	0.001	62.48 - 64.01	R293603	0.005	0 - 1.52	R510085	0.006
147.83 - 149.35	R510067	0.013	64.01 - 65.53	R293604	0.001	1.52 - 3.05	R510086	0.001
149.35 - 150.88	R510068	0.014	65.53 - 67.06	R293605	-0.001	3.05 - 4.57	R510087	0.004
150.88 - 152.4	R510069	0.015	67.06 - 68.58	R293606	-0.001	4.57 - 6.1	R510088	0.001
152.4 - 153.92	R510071	0.004	68.58 - 70.1	R293607	0.003	6.1 - 7.62	R510089	0.002
153.92 - 155.45	R510072	0.004	70.1 - 71.63	R293608	0.001	7.62 - 9.14	R510091	0.001
155.45 - 156.97	R510073	0.002	71.63 - 73.15	R293609	-0.001	9.14 - 10.67	R510092	-0.001
156.97 - 158.5	R510074	0.004	73.15 - 74.68	R293611	0.003	10.67 - 12.19	R510093	-0.001
158.5 - 160.02	R510075	0.013	74.68 - 76.2	R293612	0.003	12.19 - 13.72	R510094	-0.001
160.02 - 161.54	R510076	-0.001	76.2 - 77.72	R293613	0.021	13.72 - 15.24	R510095	-0.001
			77.72 - 79.25	R293614	0.001	15.24 - 16.76	R510096	0.007



Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
16.76 - 18.29	R510097	-0.001	106.68 - 108.2	R510163	0.004	57.91 - 59.44	R293711	-0.001
18.29 - 19.81	R510098	0.002	108.2 - 109.73	R510164	0.002	59.44 - 60.96	R293712	0.001
19.81 - 21.34	R510099	0.003	109.73 - 111.25	R510165	0.001	60.96 - 62.48	R293713	0.001
21.34 - 22.86	R510101	0.004	111.25 - 112.78	R510166	0.003	62.48 - 64.01	R293714	-0.001
22.86 - 24.38	R510102	0.002	112.78 - 114.3	R510167	0.004	64.01 - 65.53	R293715	-0.001
24.38 - 25.91	R510103	0.001	114.3 - 115.82	R510168	0.005	65.53 - 67.06	R293716	0.003
25.91 - 27.43	R510104	-0.001	115.82 - 117.35	R510169	0.032	67.06 - 68.58	R293717	0.001
27.43 - 28.96	R510105	-0.001	117.35 - 118.87	R510171	0.018	68.58 - 70.1	R293718	0.001
28.96 - 30.48	R510106	-0.001	118.87 - 120.4	R510172	0.002	70.1 - 71.63	R293719	-0.001
30.48 - 32	R510107	0.005	120.4 - 121.92	R510173	0.001	71.63 - 73.15	R293721	-0.001
32 - 33.53	R510108	0.001	121.92 - 123.44	R510174	0.001	73.15 - 74.68	R293722	0.001
33.53 - 35.05	R510109	0.001	123.44 - 124.97	R510175	0.1	74.68 - 76.2	R293723	-0.001
35.05 - 36.58	R510111	-0.001	124.97 - 126.49	R510176	0.005	76.2 - 77.72	R293724	-0.001
36.58 - 38.1	R510112	0.001	126.49 - 128.02	R510177	0.005	77.72 - 79.25	R293725	-0.001
38.1 - 39.62	R510113	-0.001	128.02 - 129.54	R510178	0.002	79.25 - 80.77	R293726	-0.001
39.62 - 41.15	R510114	0.001	129.54 - 131.06	R510179	0.001	80.77 - 82.3	R293727	-0.001
41.15 - 42.67	R510115	0.001	131.06 - 132.59	R510181	0.001	82.3 - 83.82	R293728	0.086
42.67 - 44.2	R510116	0.001	132.59 - 134.11	R510182	-0.001	83.82 - 85.34	R293729	0.003
44.2 - 45.72	R510117	0.001	134.11 - 135.64	R510183	-0.001	85.34 - 86.87	R293731	0.005
45.72 - 47.24	R510118	0.002	<b>Hole CFR0735 Double Double</b>			86.87 - 88.39	R293732	0.013
47.24 - 48.77	R510119	0.001	<b>OB depth (m) 6.1</b>			88.39 - 89.92	R293733	0.007
48.77 - 50.29	R510121	0.002	0 - 1.52	R293668	0.099	89.92 - 91.44	R293734	0.001
50.29 - 51.82	R510122	0.005	1.52 - 3.05	R293669	0.085	91.44 - 92.96	R293735	0.004
51.82 - 53.34	R510123	0.001	3.05 - 4.57	R293671	0.023	92.96 - 94.49	R293736	0.001
53.34 - 54.86	R510124	0.001	4.57 - 6.1	R293672	0.008	94.49 - 96.01	R293737	-0.001
54.86 - 56.39	R510125	-0.001	6.1 - 7.62	R293673	0.002	96.01 - 97.54	R293738	-0.001
56.39 - 57.91	R510126	0.003	7.62 - 9.14	R293674	0.002	97.54 - 99.06	R293739	-0.001
57.91 - 59.44	R510127	0.021	9.14 - 10.67	R293675	0.006	99.06 - 100.58	R293741	-0.001
59.44 - 60.96	R510128	0.001	10.67 - 12.19	R293676	0.013	100.58 - 102.11	R293742	0.002
60.96 - 62.48	R510129	0.001	12.19 - 13.72	R293677	0.022	102.11 - 103.63	R293743	0.001
62.48 - 64.01	R510131	0.002	13.72 - 15.24	R293678	0.013	103.63 - 105.16	R293744	-0.001
64.01 - 65.53	R510132	0.001	15.24 - 16.76	R293679	0.001	105.16 - 106.68	R293745	-0.001
65.53 - 67.06	R510133	0.002	16.76 - 18.29	R293681	0.003	106.68 - 108.2	R293746	-0.001
67.06 - 68.58	R510134	0.001	18.29 - 19.81	R293682	0.001	108.2 - 109.73	R293747	0.015
68.58 - 70.1	R510135	0.003	19.81 - 21.34	R293683	0.001	109.73 - 111.25	R293748	-0.001
70.1 - 71.63	R510136	-0.001	21.34 - 22.86	R293684	0.003	111.25 - 112.78	R293749	-0.001
71.63 - 73.15	R510137	0.001	22.86 - 24.38	R293685	0.001	112.78 - 114.3	R293751	-0.001
73.15 - 74.68	R510138	-0.001	24.38 - 25.91	R293686	0.001	114.3 - 115.82	R293752	-0.001
74.68 - 76.2	R510139	-0.001	25.91 - 27.43	R293687	0.001	115.82 - 117.35	R293753	0.001
76.2 - 77.72	R510141	0.002	27.43 - 28.96	R293688	-0.001	117.35 - 118.87	R293754	1.685
77.72 - 79.25	R510142	0.011	28.96 - 30.48	R293689	0.004	118.87 - 120.4	R293755	1.275
79.25 - 80.77	R510143	0.034	30.48 - 32	R293691	0.005	120.4 - 121.92	R293756	0.562
80.77 - 82.3	R510144	0.008	32 - 33.53	R293692	0.002	121.92 - 123.44	R293757	0.25
82.3 - 83.82	R510145	0.009	33.53 - 35.05	R293693	0.005	123.44 - 124.97	R293758	0.003
83.82 - 85.34	R510146	-0.001	35.05 - 36.58	R293694	-0.001	124.97 - 126.49	R293759	0.002
85.34 - 86.87	R510147	-0.001	36.58 - 38.1	R293695	-0.001	126.49 - 128.02	R293761	0.001
86.87 - 88.39	R510148	-0.001	38.1 - 39.62	R293696	-0.001	128.02 - 129.54	R293762	-0.001
88.39 - 89.92	R510149	-0.001	39.62 - 41.15	R293697	0.001	129.54 - 131.06	R293763	0.007
89.92 - 91.44	R510151	-0.001	41.15 - 42.67	R293698	0.002	131.06 - 132.59	R293764	0.001
91.44 - 92.96	R510152	-0.001	42.67 - 44.2	R293699	0.002	132.59 - 134.11	R293765	0.003
92.96 - 94.49	R510153	-0.001	44.2 - 45.72	R293701	0.001	134.11 - 135.64	R293766	0.02
94.49 - 96.01	R510154	-0.001	45.72 - 47.24	R293702	-0.001	135.64 - 137.16	R293767	0.344
96.01 - 97.54	R510155	-0.001	47.24 - 48.77	R293703	0.001	137.16 - 138.68	R293768	0.052
97.54 - 99.06	R510156	-0.001	48.77 - 50.29	R293704	-0.001	138.68 - 140.21	R293769	0.001
99.06 - 100.58	R510157	-0.001	50.29 - 51.82	R293705	-0.001	140.21 - 141.73	R293771	-0.001
100.58 - 102.11	R510158	-0.001	51.82 - 53.34	R293706	-0.001	141.73 - 143.26	R293772	0.007
102.11 - 103.63	R510159	-0.001	53.34 - 54.86	R293707	-0.001	143.26 - 144.78	R293773	0.013
103.63 - 105.16	R510161	0.002	54.86 - 56.39	R293708	-0.001	144.78 - 146.3	R293774	0.002
105.16 - 106.68	R510162	0.003	56.39 - 57.91	R293709	-0.001	146.3 - 147.83	R293775	0.001

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
147.83 - 149.35	R293776	0.009						
149.35 - 150.88	R293777	0.018						
150.88 - 152.4	R293778	0.007						
152.4 - 153.92	R293779	0.006						
153.92 - 155.45	R293781	0.002						
155.45 - 156.97	R293782	0.005						
156.97 - 158.5	R293783	0.013						
158.5 - 160.02	R293784	0.017						
160.02 - 161.54	R293785	0.019						
161.54 - 163.07	R293786	0.009						
163.07 - 164.59	R293787	0.013						
164.59 - 166.12	R293788	0.017						
166.12 - 167.64	R293789	0.004						
167.64 - 169.16	R293791	0.007						
169.16 - 170.69	R293792	0.007						
170.69 - 172.21	R293793	0.004						
172.21 - 173.74	R293794	0.002						