

2014 Drill assay results - Latte

Interval (m)	SampleID	Au (ppm)	Interval (m)	SampleID	Au (ppm)	Interval (m)	SampleID	Au (ppm)
Hole CFD0374 Latte			68 - 69	Q039806	0.001	123 - 124	Q039868	0.001
OB depth (m) 20			69 - 70	Q039807	0.003	124 - 125	Q039869	0.003
10 - 11	Q039747	-0.001	70 - 71	Q039808	0.001	125 - 126	Q039871	0.002
11 - 14	Q039748	-0.001	71 - 72	Q039809	0.023	126 - 127	Q039872	0.001
14 - 17	Q039749	0.001	72 - 73	Q039811	0.061	127 - 128	Q039873	0.001
17 - 20	Q039751	0.004	73 - 74	Q039812	0.004	128 - 129	Q039874	0.001
20 - 21	Q039752	0.011	74 - 75	Q039813	0.038	129 - 130	Q039875	0.001
21 - 22	Q039753	0.448	75 - 76	Q039814	0.018	130 - 131	Q039876	0.001
22 - 23	Q039754	0.026	76 - 77	Q039815	0.028	131 - 132	Q039877	-0.001
23 - 24	Q039755	0.003	77 - 78	Q039816	0.003	132 - 133	Q039878	0.001
24 - 25	Q039756	0.001	78 - 79	Q039817	0.009	133 - 134	Q039879	0.001
25 - 26	Q039757	0.001	79 - 80	Q039818	0.005	134 - 135	Q039881	0.001
26 - 27	Q039758	0.002	80 - 81	Q039819	0.001	135 - 136	Q039882	0.001
27 - 28	Q039759	0.003	81 - 82	Q039821	-0.001	136 - 137	Q039883	0.001
28 - 29	Q039761	0.005	82 - 83	Q039822	0.001	137 - 138	Q039884	0.001
29 - 30	Q039762	0.004	83 - 84	Q039823	-0.001	138 - 139	Q039885	0.001
30 - 31	Q039763	0.001	84 - 85	Q039824	-0.001	139 - 140	Q039886	0.001
31 - 32	Q039764	0.001	85 - 86	Q039825	0.013	140 - 141	Q039887	0.002
32 - 33	Q039765	-0.001	86 - 87	Q039826	-0.001	141 - 142	Q039888	0.002
33 - 34	Q039766	0.001	87 - 88	Q039827	-0.001	142 - 143	Q039889	0.001
34 - 35	Q039767	-0.001	88 - 89	Q039828	0.001	143 - 144	Q039891	0.002
35 - 36	Q039768	-0.001	89 - 90	Q039829	-0.001	144 - 145	Q039892	0.001
36 - 37	Q039769	-0.001	90 - 91	Q039831	-0.001	145 - 146	Q039893	0.002
37 - 38	Q039771	0.001	91 - 92	Q039832	-0.001	146 - 147	Q039894	0.001
38 - 39	Q039772	-0.001	92 - 93	Q039833	0.011	147 - 148	Q039895	0.002
39 - 40	Q039773	0.003	93 - 94	Q039834	-0.001	148 - 149	Q039896	0.001
40 - 41	Q039774	-0.001	94 - 95	Q039835	-0.001	149 - 150	Q039897	0.001
41 - 42	Q039775	-0.001	95 - 96	Q039836	-0.001	150 - 151	Q039898	0.001
42 - 43	Q039776	0.002	96 - 97	Q039837	0.001	151 - 152	Q039899	0.003
43 - 44	Q039777	0.002	97 - 98	Q039838	0.001	152 - 153	Q039901	0.002
44 - 45	Q039778	0.014	98 - 99	Q039839	0.001	153 - 154	Q039902	0.002
45 - 46	Q039779	4	99 - 100	Q039841	0.001	154 - 155	Q039904	0.001
46 - 47	Q039781	0.078	100 - 101	Q039843	0.002	155 - 156	Q039905	0.002
47 - 48	Q039782	0.011	101 - 102	Q039844	0.001	156 - 157	Q039906	0.001
48 - 49	Q039783	0.002	102 - 103	Q039845	0.001	157 - 158	Q039907	0.001
49 - 50	Q039784	0.002	103 - 104	Q039846	0.001	158 - 159	Q039908	0.002
50 - 51	Q039785	0.001	104 - 105	Q039847	0.001	159 - 160	Q039909	0.003
51 - 52	Q039786	0.001	105 - 106	Q039848	0.001	160 - 161	Q039911	0.001
52 - 53	Q039787	0.003	106 - 107	Q039849	0.001	161 - 162	Q039912	0.159
53 - 54	Q039788	0.001	107 - 108	Q039851	0.002	162 - 163	Q039913	0.001
54 - 55	Q039789	0.325	108 - 109	Q039852	0.001	163 - 164	Q039914	0.001
55 - 56	Q039791	0.049	109 - 110	Q039853	0.003	164 - 165	Q039915	0.001
56 - 57	Q039792	0.713	110 - 111	Q039854	0.001	165 - 166	Q039916	0.001
57 - 58	Q039793	3.95	111 - 112	Q039855	1.405	166 - 167	Q039917	0.016
58 - 59	Q039795	0.024	112 - 113	Q039856	0.645	167 - 168	Q039918	0.001
59 - 60	Q039796	0.018	113 - 114	Q039857	0.006	168 - 169	Q039919	0.001
60 - 61	Q039797	0.006	114 - 115	Q039858	0.006	169 - 170	Q039921	0.004
61 - 62	Q039798	0.002	115 - 116	Q039859	0.002	170 - 171	Q039922	0.002
62 - 63	Q039799	0.001	116 - 117	Q039861	0.002	171 - 172	Q039923	0.001
63 - 64	Q039801	0.001	117 - 118	Q039862	0.002	172 - 173	Q039924	0.001
64 - 65	Q039802	0.001	118 - 119	Q039863	0.006	Hole CFD0384 Latte North		
65 - 66	Q039803	0.003	119 - 120	Q039864	0.001	OB depth (m) 3.5		
66 - 67	Q039804	0.003	120 - 121	Q039865	0.002	3 - 4	R270001	0.734
67 - 68	Q039805	0.002	121 - 122	Q039866	0.002	4 - 5	R270002	0.016
			122 - 123	Q039867	0.001			

Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)
5	-	6	R270003	0.016	64	-	65	R270069	-0.001	86	-	87	R270135	-0.001
6	-	7	R270004	0.003	65	-	66	R270071	0.002	87	-	88	R270136	-0.001
7	-	8	R270005	0.001	66	-	67	R270072	0.007	88	-	89	R270137	-0.001
8	-	9	R270006	0.001	67	-	68	R270073	-0.001	89	-	90	R270138	-0.001
9	-	10	R270007	0.002	68	-	69	R270074	-0.001	90	-	91	R270139	-0.001
10	-	11	R270008	0.001	69	-	70	R270075	0.001	91	-	92	R270141	-0.001
11	-	12	R270009	0.002	70	-	71	R270076	-0.001	92	-	93	R270142	-0.001
12	-	13	R270011	0.001	71	-	72	R270077	-0.001	93	-	94	R270143	-0.001
13	-	14	R270012	0.001	72	-	73	R270078	-0.001	94	-	95	R270144	-0.001
14	-	15	R270013	0.002	73	-	74	R270079	0.001	95	-	96	R270145	-0.001
15	-	16	R270014	0.001	74	-	75	R270081	0.002	96	-	97	R270146	-0.001
16	-	17	R270015	0.001	75	-	76	R270082	-0.001	97	-	98	R270147	0.006
17	-	18	R270016	0.002	76	-	77	R270083	0.001	98	-	99	R270148	0.021
18	-	19	R270017	0.001	77	-	78	R270084	-0.001	99	-	100	R270149	-0.001
19	-	20	R270018	0.001	78	-	79	R270085	-0.001	100	-	101	R270151	0.001
20	-	21	R270019	0.001	79	-	80	R270086	-0.001	101	-	102	R270152	-0.001
21	-	22	R270021	0.001	80	-	81	R270087	-0.001	102	-	103	R270153	-0.001
22	-	23	R270022	0.003	81	-	82	R270088	-0.001	103	-	104	R270154	-0.001
23	-	24	R270023	0.002	82	-	83	R270089	-0.001	104	-	105	R270155	0.001
24	-	25	R270024	0.001	83	-	84	R270091	0.001	105	-	106	R270156	0.026
25	-	26	R270025	-0.001	100	-	101	R270092	-0.001	106	-	107	R270157	0.4
26	-	27	R270026	0.001	101	-	102	R270093	0.003	107	-	108	R270158	0.456
27	-	28	R270027	0.002	102	-	103	R270095	0.003	108	-	109	R270159	0.278
28	-	29	R270028	0.002	103	-	104	R270096	-0.001	109	-	110	R270161	0.002
29	-	30	R270029	0.001	104	-	105	R270097	0.603	110	-	111	R270162	0.001
30	-	31	R270031	0.002	105	-	106	R270098	0.025	111	-	112	R270163	0.002
31	-	32	R270032	0.001	106	-	107	R270099	-0.001	112	-	113	R270164	-0.001
32	-	33	R270033	0.001	107	-	108	R270101	-0.001	113	-	114	R270165	-0.001
33	-	34	R270034	0.004	108	-	109	R270102	-0.001	114	-	115	R270166	-0.001
34	-	35	R270035	0.007	109	-	110	R270103	-0.001	115	-	116	R270167	-0.001
35	-	36	R270036	0.251	Hole CFD0386 OB depth (m) 4				Hole CFD0388 OB depth (m) 3					
36	-	37	R270037	0.051										
37	-	38	R270038	0.002	59	-	60	R270104	-0.001	3	-	4	R270168	0.046
38	-	39	R270039	0.002	60	-	61	R270105	-0.001	4	-	5	R270169	0.004
39	-	40	R270041	0.001	61	-	62	R270106	-0.001	5	-	6	R270171	0.003
40	-	41	R270042	0.001	62	-	63	R270107	-0.001	6	-	7	R270172	0.034
41	-	42	R270043	0.002	63	-	64	R270108	-0.001	7	-	8	R270173	0.002
42	-	43	R270044	0.025	64	-	65	R270109	0.002	8	-	9	R270174	0.001
43	-	44	R270045	0.017	65	-	66	R270111	0.24	9	-	10	R270175	0.009
44	-	45	R270046	0.851	66	-	67	R270112	0.004	10	-	11	R270176	0.005
45	-	46	R270047	0.012	67	-	68	R270113	0.002	11	-	12	R270177	0.001
46	-	47	R270048	0.01	68	-	69	R270114	-0.001	12	-	13	R270178	0.002
47	-	48	R270049	0.95	69	-	70	R270115	-0.001	13	-	14	R270179	0.001
48	-	49	R270051	3	70	-	71	R270116	-0.001	92	-	93	R270181	-0.001
49	-	50	R270052	0.383	71	-	72	R270117	-0.001	93	-	94	R270182	0.001
50	-	51	R270054	0.012	72	-	73	R270118	-0.001	94	-	95	R270183	0.001
51	-	52	R270055	0.007	73	-	74	R270119	-0.001	95	-	96	R270184	-0.001
52	-	53	R270056	0.009	74	-	75	R270121	-0.001	96	-	97	R270185	-0.001
53	-	54	R270057	0.022	75	-	76	R270122	-0.001	97	-	98	R270186	8.73
54	-	55	R270058	1.175	76	-	77	R270123	-0.001	98	-	99	R270187	0.016
55	-	56	R270059	0.751	77	-	78	R270124	0.002	99	-	100	R270188	0.015
56	-	57	R270061	0.022	78	-	79	R270125	0.004	100	-	101	R270189	0.002
57	-	58	R270062	0.045	79	-	80	R270126	-0.001	101	-	102	R270191	0.001
58	-	59	R270063	0.006	80	-	81	R270127	-0.001	102	-	103	R270193	-0.001
59	-	60	R270064	0.003	81	-	82	R270128	-0.001	103	-	104	R270194	0.006
60	-	61	R270065	0.017	82	-	83	R270129	0.004	104	-	105	R270195	5.74
61	-	62	R270066	0.001	83	-	84	R270131	0.06	105	-	106	R270196	65.5
62	-	63	R270067	0.003	84	-	85	R270133	0.002	106	-	107	R270197	0.939
63	-	64	R270068	0.002	85	-	86	R270134	-0.001	107	-	108	R270198	0.146

Interval (m)				SampID	Au (ppm)	Interval (m)				SampID	Au (ppm)	Interval (m)				SampID	Au (ppm)
108	-	109		R270199	0.005	55	-	56		R270264	-0.001	114	-	115		R270331	0.004
109	-	110		R270201	0.018	56	-	57		R270265	-0.001	115	-	116		R270332	-0.001
110	-	111		R270202	0.001	57	-	58		R270266	-0.001	116	-	117		R270333	0.005
111	-	112		R270203	0.009	58	-	59		R270267	-0.001	117	-	118		R270334	-0.001
112	-	113		R270204	0.001	59	-	60		R270268	0.002	118	-	119		R270335	-0.001
Hole CFD0390 OB depth (m) 3						60	-	61		R270269	0.005	119	-	120		R270336	0.002
						61	-	62		R270271	0.001	120	-	121		R270337	-0.001
3	-	4		R270205	0.016	62	-	63		R270272	0.019	121	-	122		R270339	0.002
4	-	5		R270206	0.004	63	-	64		R270273	0.008	122	-	123		R270341	0.002
5	-	6		R270207	0.001	64	-	65		R270274	0.042	123	-	124		R270342	0.019
6	-	7		R270208	0.001	65	-	66		R270275	0.021	124	-	125		R270343	0.004
7	-	8		R270209	0.024	66	-	67		R270276	4.79	125	-	126		R270344	0.001
8	-	9		R270211	0.005	67	-	68		R270277	0.038	126	-	127		R270345	-0.001
9	-	10		R270212	0.005	68	-	69		R270278	0.023	127	-	128		R270346	-0.001
10	-	11		R270213	0.065	69	-	70		R270279	0.021	128	-	129		R270347	-0.001
11	-	12		R270214	0.004	70	-	71		R270281	0.575	129	-	130		R270348	0.002
12	-	13		R270215	0.005	71	-	72		R270282	3.24	130	-	131		R270349	-0.001
13	-	14		R270216	0.018	72	-	73		R270283	0.548	131	-	132		R270351	0.001
14	-	15		R270217	0.159	73	-	74		R270284	0.007	132	-	133		R270352	-0.001
15	-	16		R270218	0.571	74	-	75		R270285	0.003	133	-	134		R270353	-0.001
16	-	17		R270219	0.215	75	-	76		R270286	0.001	134	-	135		R270354	-0.001
17	-	18		R270221	1.165	76	-	77		R270288	0.006	135	-	136		R270355	-0.001
18	-	19		R270222	8.74	77	-	78		R270289	-0.001	136	-	137		R270356	-0.001
19	-	20		R270223	0.786	78	-	79		R270291	-0.001	137	-	138		R270357	0.001
20	-	21		R270224	1.835	79	-	80		R270292	-0.001	138	-	139		R270358	0.005
21	-	22		R270225	2.59	80	-	81		R270293	0.001	139	-	140		R270359	0.003
22	-	23		R270226	1.005	81	-	82		R270294	-0.001	140	-	141		R270361	0.005
23	-	24		R270227	0.467	82	-	83		R270295	0.066	141	-	142		R270362	0.007
24	-	25		R270228	1.625	83	-	84		R270296	0.001	142	-	143		R270363	0.002
25	-	26		R270229	0.339	84	-	85		R270297	0.008	143	-	144		R270364	0.003
26	-	27		R270231	2.95	85	-	86		R270298	0.006	144	-	145		R270365	0.127
27	-	28		R270232	1.19	86	-	87		R270299	-0.001	145	-	146		R270366	0.021
28	-	29		R270233	0.074	87	-	88		R270301	0.001	146	-	147		R270367	0.024
29	-	30		R270234	0.24	88	-	89		R270302	-0.001	147	-	148		R270368	0.041
30	-	31		R270235	0.002	89	-	90		R270303	-0.001	148	-	149		R270369	0.045
31	-	32		R270236	3.5	90	-	91		R270304	-0.001	149	-	150		R270371	0.22
32	-	33		R270237	0.123	91	-	92		R270305	0.001	150	-	151		R270372	0.04
33	-	34		R270238	0.009	92	-	93		R270306	-0.001	151	-	152		R270373	0.162
34	-	35		R270239	0.001	93	-	94		R270307	-0.001	152	-	153		R270374	0.093
35	-	36		R270241	-0.001	94	-	95		R270308	0.004	153	-	154		R270375	0.053
36	-	37		R270242	-0.001	95	-	96		R270309	-0.001	154	-	155		R270376	0.039
37	-	38		R270243	0.002	96	-	97		R270311	0.004	155	-	156		R270377	0.037
38	-	39		R270244	-0.001	97	-	98		R270312	0.005	156	-	157		R270378	0.063
39	-	40		R270245	-0.001	98	-	99		R270313	0.002	157	-	158		R270379	0.054
40	-	41		R270246	-0.001	99	-	100		R270314	-0.001	158	-	159		R270381	0.033
41	-	42		R270247	-0.001	100	-	101		R270315	0.001	159	-	160		R270382	-0.001
42	-	43		R270248	-0.001	101	-	102		R270316	0.021	160	-	161		R270383	0.001
43	-	44		R270249	-0.001	102	-	103		R270317	-0.001	161	-	162		R270384	-0.001
44	-	45		R270251	0.001	103	-	104		R270318	-0.001	162	-	163		R270385	-0.001
45	-	46		R270252	-0.001	104	-	105		R270319	-0.001	163	-	164		R270387	-0.001
46	-	47		R270253	0.001	105	-	106		R270321	0.02	Hole CFD0392 OB depth (m) 6					
47	-	48		R270255	-0.001	106	-	107		R270322	0.018						
48	-	49		R270256	0.053	107	-	108		R270323	1.205	5	-	6		R270388	0.001
49	-	50		R270257	0.007	108	-	109		R270324	0.012	6	-	7		R270389	0.001
50	-	51		R270258	0.008	109	-	110		R270325	0.01	7	-	8		R270391	0.002
51	-	52		R270259	0.003	110	-	111		R270326	0.014	8	-	9		R270392	0.002
52	-	53		R270261	0.002	111	-	112		R270327	1.05	9	-	10		R270393	0.003
53	-	54		R270262	0.001	112	-	113		R270328	0.001	10	-	11		R270394	0.003
54	-	55		R270263	0.002	113	-	114		R270329	0.001	11	-	12		R270395	0.003

Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)
12	-	13	R270396	0.001	71	-	72	R270463	0.002	130	-	131	R270529	0.007
13	-	14	R270397	0.001	72	-	73	R270464	0.004	131	-	132	R270531	0.008
14	-	15	R270398	0.001	73	-	74	R270465	-0.001	132	-	133	R270532	0.016
15	-	16	R270399	0.002	74	-	75	R270466	-0.001	133	-	134	R270533	0.013
16	-	17	R270401	0.01	75	-	76	R270467	-0.001	134	-	135	R270534	0.015
17	-	18	R270402	0.003	76	-	77	R270468	-0.001	135	-	136	R270535	0.008
18	-	19	R270403	0.004	77	-	78	R270469	-0.001	136	-	137	R270536	0.01
19	-	20	R270404	0.003	78	-	79	R270471	-0.001	137	-	138	R270537	0.009
20	-	21	R270405	0.001	79	-	80	R270472	-0.001	138	-	139	R270538	0.011
21	-	22	R270406	0.002	80	-	81	R270473	-0.001	139	-	140	R270539	0.008
22	-	23	R270407	0.002	81	-	82	R270474	0.108	140	-	141	R270541	0.01
23	-	24	R270408	0.121	82	-	83	R270475	0.002	141	-	142	R270542	0.028
24	-	25	R270409	0.576	83	-	84	R270476	0.002	142	-	143	R270543	0.035
25	-	26	R270411	0.016	84	-	85	R270477	0.025	143	-	144	R270544	0.006
26	-	27	R270412	0.018	85	-	86	R270478	0.125	144	-	145	R270545	0.006
27	-	28	R270413	0.017	86	-	87	R270479	0.019	145	-	146	R270546	0.006
28	-	29	R270414	0.008	87	-	88	R270481	0.002	146	-	147	R270547	0.002
29	-	30	R270415	2.44	88	-	89	R270482	0.002	147	-	148	R270548	0.002
30	-	31	R270416	4.12	89	-	90	R270483	0.004	148	-	149	R270549	0.002
31	-	32	R270417	0.032	90	-	91	R270484	-0.001	149	-	150	R270551	0.002
32	-	33	R270418	0.016	91	-	92	R270485	0.001	150	-	151	R270552	0.002
33	-	34	R270419	0.011	92	-	93	R270486	0.004	151	-	152	R270554	0.001
34	-	35	R270421	0.025	93	-	94	R270487	16.1	152	-	153	R270555	0.002
35	-	36	R270422	0.016	94	-	95	R270488	22.2	153	-	154	R270556	0.001
36	-	37	R270423	0.477	95	-	96	R270489	0.137	154	-	155	R270557	0.002
37	-	38	R270424	0.175	96	-	97	R270491	0.022	Hole CFD0407 OB depth (m) 8				
38	-	39	R270425	0.044	97	-	98	R270492	0.005					
39	-	40	R270426	0.379	98	-	99	R270493	0.003	7	-	8	Q033562	0.002
40	-	41	R270427	0.032	99	-	100	R270494	0.005	8	-	9	Q033563	0.002
41	-	42	R270428	0.026	100	-	101	R270496	0.004	9	-	10	Q033564	0.002
42	-	43	R270429	0.078	101	-	102	R270497	0.002	10	-	11	Q033565	0.004
43	-	44	R270431	0.081	102	-	103	R270498	0.005	11	-	12	Q033566	0.003
44	-	45	R270432	0.056	103	-	104	R270499	0.011	12	-	13	Q033567	0.002
45	-	46	R270433	0.235	104	-	105	R270501	0.007	13	-	14	Q033568	0.002
46	-	47	R270434	0.003	105	-	106	R270502	0.008	14	-	15	Q033569	0.002
47	-	48	R270435	0.005	106	-	107	R270503	0.114	15	-	16	Q033571	0.001
48	-	49	R270436	0.002	107	-	108	R270504	1.1	16	-	17	Q033572	0.002
49	-	50	R270437	0.003	108	-	109	R270505	17.1	17	-	18	Q033573	0.001
50	-	51	R270439	0.001	109	-	110	R270506	0.155	18	-	19	Q033574	0.001
51	-	52	R270441	0.029	110	-	111	R270507	0.024	19	-	20	Q033575	0.002
52	-	53	R270442	0.004	111	-	112	R270508	0.014	20	-	21	Q033576	0.002
53	-	54	R270443	-0.001	112	-	113	R270509	0.019	21	-	22	Q033577	0.002
54	-	55	R270444	-0.001	113	-	114	R270511	0.009	22	-	23	Q033578	0.003
55	-	56	R270445	0.26	114	-	115	R270512	0.007	23	-	24	Q033579	0.001
56	-	57	R270446	-0.001	115	-	116	R270513	0.01	24	-	25	Q033581	0.001
57	-	58	R270447	-0.001	116	-	117	R270514	0.02	25	-	26	Q033582	0.002
58	-	59	R270448	-0.001	117	-	118	R270515	0.002	26	-	27	Q033583	0.003
59	-	60	R270449	1.525	118	-	119	R270516	0.026	27	-	28	Q033584	0.003
60	-	61	R270451	0.352	119	-	120	R270517	0.01	28	-	29	Q033585	0.002
61	-	62	R270452	0.004	120	-	121	R270518	0.004	29	-	30	Q033586	0.002
62	-	63	R270453	0.001	121	-	122	R270519	0.004	30	-	31	Q033587	0.002
63	-	64	R270454	-0.001	122	-	123	R270521	0.007	31	-	32	Q033588	0.004
64	-	65	R270455	0.009	123	-	124	R270522	0.009	32	-	33	Q033589	0.001
65	-	66	R270456	-0.001	124	-	125	R270523	0.01	33	-	34	Q033591	0.002
66	-	67	R270457	-0.001	125	-	126	R270524	0.02	34	-	35	Q033592	0.006
67	-	68	R270458	1.625	126	-	127	R270525	0.012	35	-	36	Q033593	0.006
68	-	69	R270459	0.035	127	-	128	R270526	0.021	36	-	37	Q033594	0.003
69	-	70	R270461	0.001	128	-	129	R270527	0.007	37	-	38	Q033595	0.001
70	-	71	R270462	0.001	129	-	130	R270528	0.007	38	-	39	Q033596	0.007

Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)	Interval (m)			SampleID	Au (ppm)
39	-	40	Q033597	0.002	98	-	99	Q033664	0.403	39	-	40	Q033729	0.844
40	-	41	Q033598	0.02	99	-	100	Q033665	3.24	40	-	41	Q033731	1.995
41	-	42	Q033599	0.013	100	-	101	Q033666	6.58	41	-	42	Q033732	0.464
42	-	43	Q033601	0.003	101	-	102	Q033667	6.81	42	-	43	Q033733	1.685
43	-	44	Q033602	0.244	102	-	103	Q033669	11	43	-	44	Q033734	0.216
44	-	45	Q033603	0.002	103	-	104	Q033671	1.425	44	-	45	Q033735	1.89
45	-	46	Q033604	0.003	104	-	105	Q033672	1.6	45	-	46	Q033736	1.865
46	-	47	Q033605	0.001	105	-	106	Q033673	1.295	46	-	47	Q033737	1.145
47	-	48	Q033606	0.002	106	-	107	Q033674	3.02	47	-	48	Q033738	0.136
48	-	49	Q033607	0.001	107	-	108	Q033675	1.49	48	-	49	Q033739	0.188
49	-	50	Q033608	0.002	108	-	109	Q033676	2.01	49	-	50	Q033741	0.237
50	-	51	Q033609	0.003	109	-	110	Q033677	0.96	50	-	51	Q033742	0.979
51	-	52	Q033611	0.002	110	-	112	Q033678	4.22	51	-	53	Q033743	4.28
52	-	53	Q033612	0.001	112	-	113	Q033681	2.41	53	-	54	Q033744	4.04
53	-	54	Q033614	0.001	113	-	114	Q033682	4.05	54	-	55	Q033746	3.4
54	-	55	Q033615	0.001	114	-	115	Q033683	1.785	55	-	56	Q033747	3.19
55	-	56	Q033616	0.003	115	-	116	Q033684	4.17	56	-	57	Q033748	2.36
56	-	57	Q033617	0.232	116	-	117	Q033685	1.67	57	-	58	Q033749	0.795
57	-	58	Q033618	0.002	117	-	118	Q033686	9.89	58	-	59	Q033751	0.401
58	-	59	Q033619	0.003	118	-	119	Q033687	1.635	59	-	60	Q033752	11.05
59	-	60	Q033621	0.006	119	-	120	Q033688	2.76	60	-	61	Q033753	1.14
60	-	61	Q033622	0.001	120	-	121	Q033689	0.68	61	-	62	Q033754	0.211
61	-	62	Q033623	0.01	121	-	122	Q033691	0.7	62	-	63	Q033755	0.055
62	-	63	Q033624	0.064	Hole CFD0411 Latte OB depth (m) 5.8					63	-	64	Q033756	0.007
63	-	64	Q033625	0.01						64	-	65	Q033757	0.008
64	-	65	Q033626	0.297	5	-	6	Q033692	0.031	65	-	66	Q033758	0.004
65	-	66	Q033627	0.003	6	-	7	Q033693	0.009	66	-	67	Q033759	0.435
66	-	67	Q033628	0.001	7	-	8	Q033694	0.005	67	-	68	Q033761	0.004
67	-	68	Q033629	0.002	8	-	9	Q033695	0.004	68	-	69	Q033762	0.007
68	-	69	Q033631	0.001	9	-	10	Q033696	0.011	69	-	70	Q033763	0.006
69	-	70	Q033632	0.495	10	-	11	Q033697	0.014	70	-	71	Q033764	0.004
70	-	71	Q033633	3.05	11	-	12	Q033698	0.004	71	-	72	Q033765	0.002
71	-	72	Q033634	0.012	12	-	13	Q033699	0.011	72	-	73	Q033766	0.002
72	-	73	Q033635	0.009	13	-	14	Q033701	0.016	73	-	74	Q033767	0.002
73	-	74	Q033636	0.002	14	-	15	Q033702	0.007	74	-	75	Q033768	0.006
74	-	75	Q033637	0.001	15	-	16	Q033703	0.024	75	-	76	Q033769	0.027
75	-	76	Q033638	0.001	16	-	17	Q033704	0.053	76	-	77	Q033771	0.002
76	-	77	Q033639	0.001	17	-	18	Q033705	0.025	77	-	78	Q033772	0.004
77	-	78	Q033641	0.003	18	-	19	Q033706	0.018	78	-	79	Q033773	0.004
78	-	79	Q033642	0.002	19	-	20	Q033707	0.029	79	-	80	Q033774	0.019
79	-	80	Q033643	0.002	20	-	21	Q033708	0.016	80	-	81	Q033775	0.003
80	-	81	Q033644	0.001	21	-	22	Q033709	2.38	81	-	82	Q033776	0.002
81	-	82	Q033645	0.001	22	-	23	Q033711	0.126	82	-	83	Q033777	0.003
82	-	83	Q033646	0.004	23	-	24	Q033712	0.026	83	-	84	Q033778	0.002
83	-	84	Q033647	0.001	24	-	25	Q033713	0.003	84	-	85	Q033779	0.002
84	-	85	Q033648	0.006	25	-	26	Q033714	0.097	85	-	86	Q033781	0.002
85	-	86	Q033649	0.431	26	-	27	Q033715	0.025	86	-	87	Q033782	0.015
86	-	87	Q033651	3.91	27	-	28	Q033716	0.002	87	-	88	Q033783	0.003
87	-	88	Q033652	0.612	28	-	29	Q033717	0.381	88	-	89	Q033784	0.006
88	-	89	Q033653	5.52	29	-	30	Q033718	7.18	89	-	90	Q033785	1.31
89	-	90	Q033654	0.636	30	-	31	Q033719	1.685	90	-	91	Q033786	0.014
90	-	91	Q033655	1.245	31	-	32	Q033721	0.612	91	-	92	Q033787	0.012
91	-	92	Q033656	0.862	32	-	33	Q033722	0.423	92	-	93	Q033788	0.027
92	-	93	Q033657	1.015	33	-	34	Q033723	0.037	93	-	94	Q033789	0.016
93	-	94	Q033658	0.698	34	-	35	Q033724	5.24	94	-	95	Q033791	0.008
94	-	95	Q033659	4.46	35	-	36	Q033725	2.17	95	-	96	Q033792	0.013
95	-	96	Q033661	0.037	36	-	37	Q033726	1.975	96	-	97	Q033793	0.015
96	-	97	Q033662	9.61	37	-	38	Q033727	1.93	97	-	98	Q033794	0.016
97	-	98	Q033663	1.335	38	-	39	Q033728	0.856	98	-	99	Q033795	0.003

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
99 - 100	Q033796	0.007	158 - 159	Q033864	0.005	45 - 46	Q034154	0.002
100 - 101	Q033798	0.004	159 - 160	Q033865	0.003	46 - 47	Q034155	0.001
101 - 102	Q033799	0.004	160 - 161	Q033866	0.004	47 - 48	Q034156	0.003
102 - 103	Q033801	0.002	161 - 162	Q033867	0.004	48 - 49	Q034157	0.005
103 - 104	Q033802	0.005	162 - 163	Q033868	0.006	49 - 50	Q034158	0.002
104 - 105	Q033803	0.055	163 - 164	Q033869	0.629	50 - 51	Q034159	0.002
105 - 106	Q033804	0.003	164 - 165	Q033871	0.005	51 - 52	Q034161	0.002
106 - 107	Q033805	0.001	165 - 166	Q033872	0.003	52 - 53	Q034162	0.002
107 - 108	Q033806	0.002	166 - 167	Q033873	0.003	53 - 54	Q034163	0.003
108 - 109	Q033807	0.044	167 - 168	Q033874	0.111	54 - 55	Q034164	0.002
109 - 110	Q033808	0.014	168 - 169	Q033875	0.002	55 - 56	Q034165	0.001
110 - 111	Q033809	0.011	169 - 170	Q033876	0.001	56 - 57	Q034166	0.002
111 - 112	Q033811	0.048	170 - 171	Q033877	0.001	57 - 58	Q034167	0.002
112 - 113	Q033812	0.076	171 - 172	Q033878	0.001	58 - 59	Q034168	0.001
113 - 114	Q033813	1.25	172 - 173	Q033879	0.001	59 - 60	Q034169	0.002
114 - 115	Q033814	3.32	173 - 174	Q033881	0.001	60 - 61	Q034171	0.004
115 - 116	Q033815	8.9	174 - 175	Q033882	0.001	61 - 62	Q034172	0.002
116 - 117	Q033816	6.02	175 - 176	Q033883	0.001	62 - 63	Q034173	0.001
117 - 118	Q033817	0.341	176 - 177	Q033884	0.001	63 - 64	Q034174	0.001
118 - 119	Q033818	0.014				64 - 65	Q034175	-0.001
119 - 120	Q033819	0.244	Hole CFD0432 Latte			65 - 66	Q034176	0.001
120 - 121	Q033821	0.919	OB depth (m) 6.75			66 - 67	Q034177	0.001
121 - 122	Q033822	0.003	6.75 - 8	Q034111	0.002	67 - 68	Q034178	0.002
122 - 123	Q033823	0.14	8 - 9	Q034112	0.001	68 - 69	Q034179	0.002
123 - 124	Q033824	0.003	9 - 10	Q034113	-0.001	69 - 70	Q034181	0.001
124 - 125	Q033825	0.002	10 - 11	Q034114	-0.001	70 - 71	Q034182	0.022
125 - 126	Q033826	0.143	11 - 12	Q034115	-0.001	71 - 72	Q034183	0.002
126 - 127	Q033827	0.021	12 - 13	Q034116	-0.001	72 - 73	Q034184	0.001
127 - 128	Q033828	0.145	13 - 14	Q034117	-0.001	73 - 74	Q034185	0.001
128 - 129	Q033829	0.113	14 - 15	Q034118	0.001	74 - 75	Q034186	0.001
129 - 130	Q033831	0.015	15 - 16	Q034119	-0.001	75 - 76	Q034187	0.002
130 - 131	Q033832	1.46	16 - 17	Q034121	0.002	76 - 77	Q034188	0.001
131 - 132	Q033833	4.04	17 - 18	Q034122	-0.001	77 - 78	Q034189	0.002
132 - 133	Q033834	4.74	18 - 19	Q034123	-0.001	78 - 79	Q034191	0.006
133 - 134	Q033835	5.44	19 - 20	Q034124	-0.001	79 - 80	Q034192	0.002
134 - 135	Q033836	4.63	20 - 21	Q034125	0.001	80 - 81	Q034193	0.001
135 - 136	Q033837	3.58	21 - 22	Q034126	-0.001	81 - 82	Q034194	0.004
136 - 137	Q033838	3.92	22 - 23	Q034127	-0.001	82 - 83	Q034195	0.006
137 - 138	Q033839	0.637	23 - 24	Q034128	-0.001	83 - 84	Q034196	1.41
138 - 139	Q033841	0.862	24 - 25	Q034129	0.001	84 - 85	Q034197	0.401
139 - 140	Q033842	6.32	25 - 26	Q034131	-0.001	85 - 86	Q034198	1.305
140 - 141	Q033843	0.645	26 - 27	Q034132	-0.001	86 - 87	Q034199	0.003
141 - 142	Q033844	0.227	27 - 28	Q034133	-0.001	87 - 88	Q034001	0.015
142 - 143	Q033845	12.15	28 - 29	Q034134	-0.001	88 - 89	Q034002	0.002
143 - 144	Q033846	4.97	29 - 30	Q034136	-0.001	89 - 90	Q034003	0.019
144 - 145	Q033847	7.69	30 - 31	Q034137	-0.001	90 - 91	Q034004	0.017
145 - 146	Q033848	3.15	31 - 32	Q034138	-0.001	91 - 92	Q034005	0.001
146 - 147	Q033849	1.835	32 - 33	Q034139	-0.001	92 - 93	Q034006	0.003
147 - 148	Q033851	4.24	33 - 34	Q034141	0.003	93 - 94	Q034007	0.023
148 - 149	Q033852	6.22	34 - 35	Q034142	0.014	94 - 95	Q034008	0.002
149 - 150	Q033853	0.109	35 - 36	Q034143	0.049	95 - 96	Q034009	0.001
150 - 151	Q033855	1.08	36 - 37	Q034144	0.008	96 - 97	Q034011	0.003
151 - 152	Q033856	2.26	37 - 38	Q034145	0.003	97 - 98	Q034012	0.001
152 - 153	Q033857	1.065	38 - 39	Q034146	0.001	98 - 99	Q034013	-0.001
153 - 154	Q033858	1.05	39 - 40	Q034147	0.002	99 - 100	Q034015	0.001
154 - 155	Q033859	7.49	40 - 41	Q034148	-0.001	100 - 101	Q034016	0.002
155 - 156	Q033861	7.29	41 - 42	Q034149	0.003	101 - 102	Q034017	0.001
156 - 157	Q033862	0.786	42 - 43	Q034151	0.002	102 - 103	Q034018	-0.001
157 - 158	Q033863	0.017	43 - 44	Q034152	0.002			
			44 - 45	Q034153	0.001			

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
Hole CFD0442 Latte OB depth (m) 3.55			61 - 62	Q034235	0.001	120 - 121	Q034302	0.001
4 - 5	Q034019	0.002	62 - 63	Q034236	0.001	121 - 122	Q034303	0.001
5 - 6	Q034021	0.001	63 - 64	Q034237	0.001	122 - 123	Q034304	0.001
6 - 7	Q034022	0.001	64 - 65	Q034238	-0.001	123 - 124	Q034305	0.001
7 - 8	Q034023	0.002	65 - 66	Q034239	0.001	124 - 125	Q034306	0.001
8 - 9	Q034024	0.003	66 - 67	Q034241	0.001	125 - 126	Q034307	0.001
9 - 10	Q034025	0.001	67 - 68	Q034242	0.001	126 - 127	Q034308	0.002
10 - 11	Q034026	0.001	68 - 69	Q034243	0.001	127 - 128	Q034309	0.006
11 - 12	Q034028	0.002	69 - 70	Q034244	0.002	128 - 129	Q034311	0.007
12 - 13	Q034029	0.001	70 - 71	Q034245	0.666	129 - 130	Q034312	0.003
13 - 14	Q034031	0.001	71 - 72	Q034246	0.17	130 - 131	Q034313	0.002
14 - 15	Q034032	0.002	72 - 73	Q034247	0.009	131 - 132	Q034314	0.001
15 - 16	Q034033	0.002	73 - 74	Q034248	0.008	132 - 133	Q034315	0.001
16 - 17	Q034034	0.007	74 - 75	Q034249	0.006	133 - 134	Q034316	0.001
17 - 18	Q034035	0.002	75 - 76	Q034251	0.018	134 - 135	Q034317	0.021
18 - 19	Q034036	0.001	76 - 77	Q034252	0.011	135 - 136	Q034318	0.016
19 - 20	Q034037	0.002	77 - 78	Q034253	0.013	136 - 137	Q034319	0.028
20 - 21	Q034038	0.003	78 - 79	Q034254	0.011	137 - 138	Q034321	0.001
21 - 22	Q034039	0.003	79 - 80	Q034255	0.004	138 - 139	Q034322	0.004
22 - 23	Q034041	0.002	80 - 81	Q034256	0.002	139 - 140	Q034323	0.007
23 - 24	Q034042	0.001	81 - 82	Q034257	0.005	140 - 141	Q034324	0.013
24 - 25	Q034043	0.001	82 - 83	Q034258	0.015	141 - 142	Q034326	0.035
25 - 26	Q034044	0.002	83 - 84	Q034259	0.004	142 - 143	Q034327	0.003
26 - 27	Q034045	0.001	84 - 85	Q034261	0.005	143 - 144	Q034328	0.015
27 - 28	Q034046	0.003	85 - 86	Q034262	0.005	144 - 145	Q034329	0.005
28 - 29	Q034047	0.001	86 - 87	Q034263	0.007	145 - 146	Q034331	0.005
29 - 30	Q034048	0.001	87 - 88	Q034264	0.001	146 - 147	Q034332	0.003
30 - 31	Q034049	-0.001	88 - 89	Q034265	0.001	147 - 148	Q034333	0.01
31 - 32	Q034201	0.001	89 - 90	Q034266	0.001	148 - 149	Q034334	0.1
32 - 33	Q034202	0.001	90 - 91	Q034267	0.001	149 - 150	Q034335	0.066
33 - 34	Q034203	0.001	91 - 92	Q034268	0.001	150 - 151	Q034336	0.123
34 - 35	Q034204	0.001	92 - 93	Q034269	0.009	151 - 152	Q034337	0.02
35 - 36	Q034205	0.001	93 - 94	Q034271	0.001	Hole CFR0619 Latte OB depth (m) 12.19		
36 - 37	Q034206	0.002	94 - 95	Q034272	0.024	3.05 - 4.57	R294001	0.015
37 - 38	Q034207	0.002	95 - 96	Q034273	0.101	4.57 - 12.19	R294002	0.01
38 - 39	Q034208	0.002	96 - 97	Q034274	0.035	12.19 - 13.72	R294003	0.01
39 - 40	Q034209	0.002	97 - 98	Q034275	0.004	13.72 - 15.24	R294004	0.015
40 - 41	Q034211	0.004	98 - 99	Q034276	0.001	15.24 - 16.76	R294005	0.005
41 - 42	Q034212	0.003	99 - 100	Q034277	-0.001	16.76 - 18.29	R294006	0.005
42 - 43	Q034213	0.002	100 - 101	Q034279	0.001	18.29 - 19.81	R294007	0.002
43 - 44	Q034214	0.001	101 - 102	Q034281	-0.001	19.81 - 21.34	R294008	0.004
44 - 45	Q034215	0.001	102 - 103	Q034282	0.001	21.34 - 22.86	R294009	0.009
45 - 46	Q034216	0.005	103 - 104	Q034283	0.001	Hole CFR0620 Latte OB depth (m) 3.05		
46 - 47	Q034217	0.004	104 - 105	Q034284	0.001	3.05 - 4.57	R294011	0.01
47 - 48	Q034218	0.001	105 - 106	Q034285	0.001	4.57 - 6.1	R294012	0.014
48 - 49	Q034219	0.003	106 - 107	Q034286	0.001	6.1 - 7.62	R294013	0.003
49 - 50	Q034221	0.003	107 - 108	Q034287	0.001	7.62 - 9.14	R294014	0.003
50 - 51	Q034222	0.002	108 - 109	Q034288	0.001	9.14 - 10.67	R294015	0.001
51 - 52	Q034223	0.003	109 - 110	Q034289	0.002	10.67 - 12.19	R294016	0.002
52 - 53	Q034224	0.007	110 - 111	Q034291	0.002	12.19 - 13.72	R294017	0.001
53 - 54	Q034225	0.012	111 - 112	Q034292	0.001	13.72 - 15.24	R294018	0.002
54 - 55	Q034226	0.002	112 - 113	Q034293	0.001	15.24 - 16.76	R294019	0.002
55 - 56	Q034227	0.004	113 - 114	Q034294	0.001	16.76 - 18.29	R294021	0.001
56 - 57	Q034228	0.002	114 - 115	Q034295	0.001	18.29 - 19.81	R294022	0.031
57 - 58	Q034229	0.003	115 - 116	Q034296	-0.001	19.81 - 21.34	R294023	0.049
58 - 59	Q034231	0.002	116 - 117	Q034297	0.001	21.34 - 22.86	R294024	0.064
59 - 60	Q034232	0.001	117 - 118	Q034298	0.001			
60 - 61	Q034234	0.002	118 - 119	Q034299	0.001			
			119 - 120	Q034301	0.001			

Interval (m) SampID Au (ppm)				Interval (m) SampID Au (ppm)				Interval (m) SampID Au (ppm)								
71.63	-	73.15	R294422	0.001	Hole CFR0633 Latte OB depth (m) 4.57			89.92	-	91.44	R294551	0.002				
73.15	-	74.68	R294423	0.002				91.44	-	92.96	R294552	-0.001				
74.68	-	76.2	R294424	0.001				92.96	-	94.49	R294553	-0.001				
76.2	-	77.72	R294425	0.002		3.05	-	4.57	R294487	0.01	94.49	-	96.01	R294554	-0.001	
77.72	-	79.25	R294426	0.002		4.57	-	6.1	R294488	0.002	96.01	-	97.54	R294555	-0.001	
79.25	-	80.77	R294427	0.001		6.1	-	7.62	R294489	0.003	97.54	-	99.06	R294556	-0.001	
80.77	-	82.3	R294428	0.001		7.62	-	9.14	R294491	0.002	99.06	-	100.58	R294557	-0.001	
						9.14	-	10.67	R294492	0.001	100.58	-	102.11	R294558	0.001	
Hole CFR0631 Latte OB depth (m) 4.57					10.67	-	12.19	R294493	-0.001	102.11	-	103.63	R294559	-0.001		
					12.19	-	13.72	R294494	-0.001							
	3.05	-	4.57	R294432	0.138	13.72	-	15.24	R294495	0.001	Hole CFR0635 Latte OB depth (m) 4.57					
	4.57	-	6.1	R294433	0.065	15.24	-	16.76	R294496	0.003						
	6.1	-	7.62	R294434	0.289	16.76	-	18.29	R294497	-0.001		3.05	-	4.57	R294563	0.007
	7.62	-	9.14	R294435	0.009	18.29	-	19.81	R294498	-0.001		4.57	-	6.1	R294564	0.005
	9.14	-	10.67	R294436	0.008	19.81	-	21.34	R294499	-0.001		6.1	-	7.62	R294565	0.003
	10.67	-	12.19	R294437	0.353	21.34	-	22.86	R294501	-0.001		7.62	-	9.14	R294566	0.002
12.19	-	13.72	R294438	1.945	22.86	-	24.38	R294502	-0.001	9.14		-	10.67	R294567	0.001	
13.72	-	15.24	R294439	4.58	24.38	-	25.91	R294503	-0.001	10.67		-	12.19	R294568	0.002	
15.24	-	16.76	R294441	2.54	25.91	-	27.43	R294504	-0.001	12.19	-	13.72	R294569	0.018		
16.76	-	18.29	R294442	0.81	27.43	-	28.96	R294505	-0.001	13.72	-	15.24	R294571	0.074		
18.29	-	19.81	R294443	1.865	28.96	-	30.48	R294506	0.005	15.24	-	16.76	R294572	0.003		
19.81	-	21.34	R294444	0.77	30.48	-	32	R294507	-0.001	16.76	-	18.29	R294573	0.002		
21.34	-	22.86	R294445	1.525	32	-	33.53	R294508	2.39	18.29	-	19.81	R294574	0.002		
22.86	-	24.38	R294446	1.12	33.53	-	35.05	R294509	0.046	19.81	-	21.34	R294575	0.012		
24.38	-	25.91	R294447	1.355	35.05	-	36.58	R294511	0.007	21.34	-	22.86	R294576	0.002		
25.91	-	27.43	R294448	2.43	36.58	-	38.1	R294512	0.061	22.86	-	24.38	R294577	0.002		
27.43	-	28.96	R294449	0.11	38.1	-	39.62	R294513	0.001	24.38	-	25.91	R294578	0.006		
28.96	-	30.48	R294451	0.05	39.62	-	41.15	R294514	-0.001	25.91	-	27.43	R294579	0.001		
30.48	-	32	R294452	3.09	41.15	-	42.67	R294515	-0.001	27.43	-	28.96	R294581	0.003		
32	-	33.53	R294453	0.777	42.67	-	44.2	R294516	-0.001	28.96	-	30.48	R294582	0.048		
33.53	-	35.05	R294454	1.285	44.2	-	45.72	R294517	0.001	30.48	-	32	R294583	0.002		
35.05	-	36.58	R294455	0.025	45.72	-	47.24	R294518	-0.001	32	-	33.53	R294584	0.003		
36.58	-	38.1	R294456	0.01	47.24	-	48.77	R294519	-0.001	33.53	-	35.05	R294585	0.006		
38.1	-	39.62	R294457	0.007	48.77	-	50.29	R294521	-0.001	35.05	-	36.58	R294586	0.155		
39.62	-	41.15	R294458	0.004	50.29	-	51.82	R294522	-0.001	36.58	-	38.1	R294587	0.005		
41.15	-	42.67	R294459	0.004	51.82	-	53.34	R294523	-0.001	38.1	-	39.62	R294588	0.009		
42.67	-	44.2	R294461	0.002	53.34	-	54.86	R294524	-0.001	39.62	-	41.15	R294589	0.002		
44.2	-	45.72	R294462	0.003	54.86	-	56.39	R294525	-0.001	41.15	-	42.67	R294591	0.003		
45.72	-	47.24	R294463	0.002	56.39	-	57.91	R294526	-0.001	42.67	-	44.2	R294592	0.01		
47.24	-	48.77	R294464	0.001	57.91	-	59.44	R294527	-0.001	44.2	-	45.72	R294593	0.003		
48.77	-	50.29	R294465	0.004	59.44	-	60.96	R294528	-0.001	45.72	-	47.24	R294594	0.017		
50.29	-	51.82	R294466	0.003	60.96	-	62.48	R294529	-0.001	47.24	-	48.77	R294595	0.001		
51.82	-	53.34	R294467	0.002	62.48	-	64.01	R294531	0.002	48.77	-	50.29	R294596	0.003		
53.34	-	54.86	R294468	0.001	64.01	-	65.53	R294532	-0.001	50.29	-	51.82	R294597	0.003		
54.86	-	56.39	R294469	0.001	65.53	-	67.06	R294533	-0.001	51.82	-	53.34	R294598	0.002		
56.39	-	57.91	R294471	0.001	67.06	-	68.58	R294534	0.001	53.34	-	54.86	R294599	0.001		
57.91	-	59.44	R294472	0.002	68.58	-	70.1	R294535	0.002	54.86	-	56.39	R294601	0.001		
59.44	-	60.96	R294473	0.001	70.1	-	71.63	R294536	0.011	56.39	-	57.91	R294602	0.001		
60.96	-	62.48	R294474	0.001	71.63	-	73.15	R294537	0.025	57.91	-	59.44	R294603	0.001		
62.48	-	64.01	R294475	0.002	73.15	-	74.68	R294538	0.005	59.44	-	60.96	R294604	0.01		
64.01	-	65.53	R294476	-0.001	74.68	-	76.2	R294539	0.115	60.96	-	62.48	R294605	0.003		
65.53	-	67.06	R294477	0.001	76.2	-	77.72	R294541	0.048	62.48	-	64.01	R294606	0.001		
67.06	-	68.58	R294478	0.014	77.72	-	79.25	R294542	0.002	64.01	-	65.53	R294607	0.004		
68.58	-	70.1	R294479	0.004	79.25	-	80.77	R294543	0.018	65.53	-	67.06	R294608	0.002		
70.1	-	71.63	R294481	0.004	80.77	-	82.3	R294544	0.001	67.06	-	68.58	R294609	0.001		
71.63	-	73.15	R294482	-0.001	82.3	-	83.82	R294545	0.002	68.58	-	70.1	R294611	0.02		
73.15	-	74.68	R294483	0.001	83.82	-	85.34	R294546	0.001	70.1	-	71.63	R294612	0.001		
74.68	-	76.2	R294484	-0.001	85.34	-	86.87	R294547	0.015	71.63	-	73.15	R294613	0.001		
					86.87	-	88.39	R294548	0.003	73.15	-	74.68	R294614	0.001		
					88.39	-	89.92	R294549	0.002	74.68	-	76.2	R294615	0.001		

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
76.2 - 77.72	R294616	0.001	62.48 - 64.01	R294682	0.001	48.77 - 50.29	R294747	0.016
77.72 - 79.25	R294617	0.001	64.01 - 65.53	R294683	-0.001	50.29 - 51.82	R294748	0.042
79.25 - 80.77	R294618	0.001	65.53 - 67.06	R294684	-0.001	51.82 - 53.34	R294749	0.134
80.77 - 82.3	R294619	0.001	67.06 - 68.58	R294685	-0.001	53.34 - 54.86	R294751	0.008
82.3 - 83.82	R294621	0.002	68.58 - 70.1	R294686	0.002	54.86 - 56.39	R294752	0.045
83.82 - 85.34	R294622	0.001	70.1 - 71.63	R294687	0.001	56.39 - 57.91	R294753	0.011
85.34 - 86.87	R294623	0.001	71.63 - 73.15	R294688	0.002	57.91 - 59.44	R294754	0.004
86.87 - 88.39	R294624	0.001	73.15 - 74.68	R294689	-0.001	59.44 - 60.96	R294755	0.47
88.39 - 89.92	R294625	0.001	74.68 - 76.2	R294691	0.001	60.96 - 62.48	R294756	0.026
89.92 - 91.44	R294626	0.001	76.2 - 77.72	R294692	0.001	62.48 - 64.01	R294757	0.005
91.44 - 92.96	R294627	0.001	77.72 - 79.25	R294693	-0.001	64.01 - 65.53	R294758	0.006
92.96 - 94.49	R294628	0.001	79.25 - 80.77	R294694	-0.001	65.53 - 67.06	R294759	0.008
94.49 - 96.01	R294629	0.001	80.77 - 82.3	R294695	0.001	67.06 - 68.58	R294761	0.005
96.01 - 97.54	R294631	0.002	82.3 - 83.82	R294696	0.001	68.58 - 70.1	R294762	0.007
97.54 - 99.06	R294632	0.001	83.82 - 85.34	R294697	0.001	70.1 - 71.63	R294763	0.05
99.06 - 100.58	R294633	0.001	85.34 - 86.87	R294698	-0.001	71.63 - 73.15	R294764	0.007
100.58 - 102.11	R294634	0.001	86.87 - 88.39	R294699	0.001	73.15 - 74.68	R294765	0.127
102.11 - 103.63	R294635	0.001	88.39 - 89.92	R294701	0.001	74.68 - 76.2	R294766	0.013
Hole CFR0637 Latte			89.92 - 91.44	R294702	-0.001	76.2 - 77.72	R294767	0.007
OB depth (m) 4.57			91.44 - 92.96	R294703	-0.001	77.72 - 79.25	R294768	0.004
3.05 - 4.57	R294638	0.001	92.96 - 94.49	R294704	0.001	79.25 - 80.77	R294769	0.003
4.57 - 6.1	R294639	0.002	94.49 - 96.01	R294705	0.001	80.77 - 82.3	R294771	0.003
6.1 - 7.62	R294641	0.006	96.01 - 97.54	R294706	0.001	82.3 - 83.82	R294772	0.003
7.62 - 9.14	R294642	0.042	97.54 - 99.06	R294707	0.001	83.82 - 85.34	R294773	0.002
9.14 - 10.67	R294643	0.055	99.06 - 100.58	R294708	0.001	85.34 - 86.87	R294774	0.001
10.67 - 12.19	R294644	0.002	100.58 - 102.11	R294709	0.001	86.87 - 88.39	R294775	0.002
12.19 - 13.72	R294645	0.015	102.11 - 103.63	R294711	0.001	88.39 - 89.92	R294776	0.462
13.72 - 15.24	R294646	1.13	Hole CFR0639 Latte			89.92 - 91.44	R294777	0.002
15.24 - 16.76	R294647	0.065	OB depth (m) 4.57			91.44 - 92.96	R294778	0.014
16.76 - 18.29	R294648	0.006	3.05 - 4.57	R294714	0.007	92.96 - 94.49	R294779	0.001
18.29 - 19.81	R294649	0.229	4.57 - 6.1	R294715	0.005	94.49 - 96.01	R294781	0.005
19.81 - 21.34	R294651	0.011	6.1 - 7.62	R294716	0.001	96.01 - 97.54	R294782	0.001
21.34 - 22.86	R294652	0.086	7.62 - 9.14	R294717	0.002	97.54 - 99.06	R294783	0.002
22.86 - 24.38	R294653	0.005	9.14 - 10.67	R294718	0.002	99.06 - 100.58	R294784	0.001
24.38 - 25.91	R294654	0.003	10.67 - 12.19	R294719	0.004	100.58 - 102.11	R294785	0.001
25.91 - 27.43	R294655	0.003	12.19 - 13.72	R294721	0.003	102.11 - 103.63	R294786	0.002
27.43 - 28.96	R294656	0.013	13.72 - 15.24	R294722	0.002	Hole CFR0640 Latte		
28.96 - 30.48	R294657	0.074	15.24 - 16.76	R294723	0.012	OB depth (m) 6.1		
30.48 - 32	R294658	0.013	16.76 - 18.29	R294724	0.003	4.57 - 6.1	R294791	0.016
32 - 33.53	R294659	0.002	18.29 - 19.81	R294725	0.001	6.1 - 7.62	R294792	0.084
33.53 - 35.05	R294661	0.001	19.81 - 21.34	R294726	0.002	7.62 - 9.14	R294793	0.009
35.05 - 36.58	R294662	0.001	21.34 - 22.86	R294727	0.002	9.14 - 10.67	R294794	0.005
36.58 - 38.1	R294663	0.001	22.86 - 24.38	R294728	0.001	10.67 - 12.19	R294795	0.003
38.1 - 39.62	R294664	0.002	24.38 - 25.91	R294729	0.002	12.19 - 13.72	R294796	0.006
39.62 - 41.15	R294665	0.001	25.91 - 27.43	R294731	0.001	13.72 - 15.24	R294797	0.024
41.15 - 42.67	R294666	0.001	27.43 - 28.96	R294732	0.019	15.24 - 16.76	R294798	0.019
42.67 - 44.2	R294667	0.002	28.96 - 30.48	R294733	0.004	16.76 - 18.29	R294799	0.002
44.2 - 45.72	R294668	0.004	30.48 - 32	R294734	0.023	18.29 - 19.81	R294801	0.002
45.72 - 47.24	R294669	0.001	32 - 33.53	R294735	0.007	19.81 - 21.34	R294802	0.002
47.24 - 48.77	R294671	0.002	33.53 - 35.05	R294736	0.03	21.34 - 22.86	R294803	0.003
48.77 - 50.29	R294672	0.002	35.05 - 36.58	R294737	0.006	22.86 - 24.38	R294804	0.002
50.29 - 51.82	R294673	0.001	36.58 - 38.1	R294738	0.001	24.38 - 25.91	R294805	0.145
51.82 - 53.34	R294674	0.001	38.1 - 39.62	R294739	0.001	25.91 - 27.43	R294806	0.003
53.34 - 54.86	R294675	0.002	39.62 - 41.15	R294741	0.001	27.43 - 28.96	R294807	0.002
54.86 - 56.39	R294676	0.003	41.15 - 42.67	R294742	0.001	28.96 - 30.48	R294808	0.003
56.39 - 57.91	R294677	0.003	42.67 - 44.2	R294743	0.01	30.48 - 32	R294809	0.003
57.91 - 59.44	R294678	0.001	44.2 - 45.72	R294744	2.36	32 - 33.53	R294811	0.002
59.44 - 60.96	R294679	0.003	45.72 - 47.24	R294745	1.675	33.53 - 35.05	R294812	0.003
60.96 - 62.48	R294681	0.001	47.24 - 48.77	R294746	0.023	35.05 - 36.58	R294813	0.018

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
36.58 - 38.1	R294814	0.002	126.49 - 128.02	R294879	0.002	62.48 - 64.01	R294942	0.003
38.1 - 39.62	R294815	0.001	128.02 - 129.54	R294881	0.002	64.01 - 65.53	R294943	0.001
39.62 - 41.15	R294816	0.001	129.54 - 131.06	R294882	0.002	65.53 - 67.06	R294944	-0.001
41.15 - 42.67	R294817	0.002	131.06 - 132.59	R294883	0.002	67.06 - 68.58	R294945	-0.001
42.67 - 44.2	R294818	0.08	132.59 - 134.11	R294884	-0.001	68.58 - 70.1	R294946	-0.001
44.2 - 45.72	R294819	0.003	134.11 - 135.64	R294885	-0.001	70.1 - 71.63	R294947	-0.001
45.72 - 47.24	R294821	0.002	135.64 - 137.16	R294886	-0.001	71.63 - 73.15	R294948	-0.001
47.24 - 48.77	R294822	0.002	137.16 - 138.68	R294887	-0.001	73.15 - 74.68	R294949	-0.001
48.77 - 50.29	R294823	0.001	138.68 - 140.21	R294888	-0.001	74.68 - 76.2	R294951	0.001
50.29 - 51.82	R294824	0.001	140.21 - 141.73	R294889	-0.001	76.2 - 77.72	R294952	0.005
51.82 - 53.34	R294825	0.002	141.73 - 143.26	R294891	-0.001	77.72 - 79.25	R294953	0.001
53.34 - 54.86	R294826	0.005	143.26 - 144.78	R294892	-0.001	79.25 - 80.77	R294954	0.001
54.86 - 56.39	R294827	0.026	144.78 - 146.3	R294893	-0.001	80.77 - 82.3	R294955	-0.001
56.39 - 57.91	R294828	0.001	146.3 - 147.83	R294894	-0.001	82.3 - 83.82	R294956	-0.001
57.91 - 59.44	R294829	0.03	147.83 - 149.35	R294895	-0.001	83.82 - 85.34	R294957	0.001
59.44 - 60.96	R294831	0.002	149.35 - 150.88	R294896	-0.001	85.34 - 86.87	R294958	0.002
60.96 - 62.48	R294832	0.001	150.88 - 152.4	R294897	-0.001	86.87 - 88.39	R294959	-0.001
62.48 - 64.01	R294833	0.001	Hole CFR0643 Latte			88.39 - 89.92	R294961	-0.001
64.01 - 65.53	R294834	0.001	OB depth (m) 4.57			89.92 - 91.44	R294962	-0.001
65.53 - 67.06	R294835	0.001	4.57 - 6.1	R294901	0.011	91.44 - 92.96	R294963	-0.001
67.06 - 68.58	R294836	0.002	6.1 - 7.62	R294902	0.025	92.96 - 94.49	R294964	-0.001
68.58 - 70.1	R294837	0.003	7.62 - 9.14	R294903	0.005	94.49 - 96.01	R294965	-0.001
70.1 - 71.63	R294838	0.003	9.14 - 10.67	R294904	0.006	96.01 - 97.54	R294966	-0.001
71.63 - 73.15	R294839	0.001	10.67 - 12.19	R294905	0.006	97.54 - 99.06	R294967	-0.001
73.15 - 74.68	R294841	0.012	12.19 - 13.72	R294906	0.006	99.06 - 100.58	R294968	-0.001
74.68 - 76.2	R294842	0.002	13.72 - 15.24	R294907	0.009	100.58 - 102.11	R294969	-0.001
76.2 - 77.72	R294843	0.002	15.24 - 16.76	R294908	0.008	102.11 - 103.63	R294971	0.001
77.72 - 79.25	R294844	0.002	16.76 - 18.29	R294909	0.013	Hole CFR0647 Latte		
79.25 - 80.77	R294845	0.001	18.29 - 19.81	R294911	0.015	OB depth (m) 4.57		
80.77 - 82.3	R294846	0.002	19.81 - 21.34	R294912	0.006	4.57 - 6.1	R294972	0.003
82.3 - 83.82	R294847	0.004	21.34 - 22.86	R294913	0.004	6.1 - 7.62	R294973	0.002
83.82 - 85.34	R294848	0.002	22.86 - 24.38	R294914	0.002	7.62 - 9.14	R294974	0.005
85.34 - 86.87	R294849	0.001	24.38 - 25.91	R294915	0.008	9.14 - 10.67	R294975	0.003
86.87 - 88.39	R294851	0.002	25.91 - 27.43	R294916	0.008	10.67 - 12.19	R294976	0.012
88.39 - 89.92	R294852	0.17	27.43 - 28.96	R294917	0.005	12.19 - 13.72	R294977	0.006
89.92 - 91.44	R294853	0.255	28.96 - 30.48	R294918	0.006	13.72 - 15.24	R294978	0.003
91.44 - 92.96	R294854	0.005	30.48 - 32	R294919	0.007	15.24 - 16.76	R294979	0.003
92.96 - 94.49	R294855	0.046	32 - 33.53	R294921	0.007	16.76 - 18.29	R294981	0.002
94.49 - 96.01	R294856	0.012	33.53 - 35.05	R294922	0.007	18.29 - 19.81	R294982	0.003
96.01 - 97.54	R294857	0.002	35.05 - 36.58	R294923	0.007	19.81 - 21.34	R294983	0.002
97.54 - 99.06	R294858	0.002	36.58 - 38.1	R294924	0.008	21.34 - 22.86	R294984	0.002
99.06 - 100.58	R294859	0.003	38.1 - 39.62	R294925	0.006	22.86 - 24.38	R294985	0.001
100.58 - 102.11	R294861	0.001	39.62 - 41.15	R294926	0.01	24.38 - 25.91	R294986	0.002
102.11 - 103.63	R294862	0.001	41.15 - 42.67	R294927	0.005	25.91 - 27.43	R294987	0.001
103.63 - 105.16	R294863	0.134	42.67 - 44.2	R294928	0.005	27.43 - 28.96	R294988	0.001
105.16 - 106.68	R294864	8.59	44.2 - 45.72	R294929	0.005	28.96 - 30.48	R294989	0.002
106.68 - 108.2	R294865	0.543	45.72 - 47.24	R294931	0.021	30.48 - 32	R294991	0.003
108.2 - 109.73	R294866	0.142	47.24 - 48.77	R294932	0.024	32 - 33.53	R294992	0.002
109.73 - 111.25	R294867	0.178	48.77 - 50.29	R294933	0.018	33.53 - 35.05	R294993	0.002
111.25 - 112.78	R294868	0.111	Hole CFR0644 Latte			35.05 - 36.58	R294994	0.004
112.78 - 114.3	R294869	0.006	OB depth (m) 45.72			36.58 - 38.1	R294995	0.002
114.3 - 115.82	R294871	0.17	51.82 - 53.34	R294934	0.001	38.1 - 39.62	R294996	0.003
115.82 - 117.35	R294872	0.006	53.34 - 54.86	R294935	0.002	39.62 - 41.15	R294997	0.011
117.35 - 118.87	R294873	0.003	54.86 - 56.39	R294936	0.002	41.15 - 42.67	R294998	0.005
118.87 - 120.4	R294874	0.002	56.39 - 57.91	R294937	-0.001	42.67 - 44.2	R294999	0.003
120.4 - 121.92	R294875	0.339	57.91 - 59.44	R294938	-0.001	44.2 - 45.72	R296001	0.002
121.92 - 123.44	R294876	0.004	59.44 - 60.96	R294939	-0.001	45.72 - 47.24	R296002	0.529
123.44 - 124.97	R294877	0.003	60.96 - 62.48	R294941	0.083	47.24 - 48.77	R296003	0.03
124.97 - 126.49	R294878	0.002				48.77 - 50.29	R296004	0.077

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
50.29 - 51.82	R296005	0.032	140.21 - 141.73	R296071	0.021	68.58 - 70.1	R296134	0.003
51.82 - 53.34	R296006	0.037	141.73 - 143.26	R296072	0.062	70.1 - 71.63	R296135	0.004
53.34 - 54.86	R296007	0.002	143.26 - 144.78	R296073	0.028	71.63 - 73.15	R296136	0.015
54.86 - 56.39	R296008	0.001	144.78 - 146.3	R296074	0.008	73.15 - 74.68	R296137	0.014
56.39 - 57.91	R296009	0.001	146.3 - 147.83	R296075	0.027	74.68 - 76.2	R296138	0.005
57.91 - 59.44	R296011	0.003	147.83 - 149.35	R296076	0.003	76.2 - 77.72	R296139	0.004
59.44 - 60.96	R296012	0.002	149.35 - 150.88	R296077	0.01	77.72 - 79.25	R296141	0.003
60.96 - 62.48	R296013	0.002	150.88 - 152.4	R296078	0.006	79.25 - 80.77	R296142	0.003
62.48 - 64.01	R296014	0.002	152.4 - 153.92	R296079	0.013	80.77 - 82.3	R296143	0.004
64.01 - 65.53	R296015	0.04	153.92 - 155.45	R296081	0.007	82.3 - 83.82	R296144	0.009
65.53 - 67.06	R296016	0.002	155.45 - 156.97	R296082	0.005	83.82 - 85.34	R296145	0.005
67.06 - 68.58	R296017	0.036	156.97 - 158.5	R296083	0.005	85.34 - 86.87	R296146	0.009
68.58 - 70.1	R296018	0.115	158.5 - 160.02	R296084	0.005	86.87 - 88.39	R296147	3.03
70.1 - 71.63	R296019	0.009	160.02 - 161.54	R296085	0.004	88.39 - 89.92	R296148	9.16
71.63 - 73.15	R296021	0.001	161.54 - 163.07	R296086	0.002	89.92 - 91.44	R296149	0.054
73.15 - 74.68	R296022	0.002	163.07 - 164.59	R296087	0.004	91.44 - 92.96	R296151	0.037
74.68 - 76.2	R296023	1.295	164.59 - 166.12	R296088	0.002	92.96 - 94.49	R296152	0.065
76.2 - 77.72	R296024	9.27	Hole CFR0649 Latte OB depth (m) 10.67			94.49 - 96.01	R296153	1.17
77.72 - 79.25	R296025	10.5				96.01 - 97.54	R296154	1.57
79.25 - 80.77	R296026	4.79	7.62 - 9.14	R296089	0.003	97.54 - 99.06	R296155	0.041
80.77 - 82.3	R296027	0.252	9.14 - 10.67	R296091	0.002	99.06 - 100.58	R296156	0.007
82.3 - 83.82	R296028	0.402	10.67 - 12.19	R296092	0.001	100.58 - 102.11	R296157	0.004
83.82 - 85.34	R296029	0.008	12.19 - 13.72	R296093	0.003	102.11 - 103.63	R296158	0.016
85.34 - 86.87	R296031	0.005	13.72 - 15.24	R296094	0.001	103.63 - 105.16	R296159	0.006
86.87 - 88.39	R296032	0.007	15.24 - 16.76	R296095	0.001	105.16 - 106.68	R296161	0.002
88.39 - 89.92	R296033	0.003	16.76 - 18.29	R296096	0.001	106.68 - 108.2	R296162	0.003
89.92 - 91.44	R296034	0.003	18.29 - 19.81	R296097	0.002	108.2 - 109.73	R296163	0.003
91.44 - 92.96	R296035	0.005	19.81 - 21.34	R296098	-0.001	109.73 - 111.25	R296164	0.097
92.96 - 94.49	R296036	0.027	21.34 - 22.86	R296099	-0.001	111.25 - 112.78	R296165	1.475
94.49 - 96.01	R296037	0.011	22.86 - 24.38	R296101	0.002	112.78 - 114.3	R296166	2.19
96.01 - 97.54	R296038	0.004	24.38 - 25.91	R296102	-0.001	114.3 - 115.82	R296167	5.87
97.54 - 99.06	R296039	0.004	25.91 - 27.43	R296103	0.003	115.82 - 117.35	R296168	1.485
99.06 - 100.58	R296041	0.015	27.43 - 28.96	R296104	-0.001	117.35 - 118.87	R296169	1.6
100.58 - 102.11	R296042	0.003	28.96 - 30.48	R296105	0.001	118.87 - 120.4	R296171	2.25
102.11 - 103.63	R296043	0.002	30.48 - 32	R296106	-0.001	120.4 - 121.92	R296172	0.024
103.63 - 105.16	R296044	0.002	32 - 33.53	R296107	-0.001	121.92 - 123.44	R296173	1.87
105.16 - 106.68	R296045	0.003	33.53 - 35.05	R296108	-0.001	123.44 - 124.97	R296174	0.026
106.68 - 108.2	R296046	0.002	35.05 - 36.58	R296109	-0.001	124.97 - 126.49	R296175	0.047
108.2 - 109.73	R296047	0.002	36.58 - 38.1	R296111	-0.001	126.49 - 128.02	R296176	0.39
109.73 - 111.25	R296048	0.093	38.1 - 39.62	R296112	0.002	128.02 - 129.54	R296177	0.139
111.25 - 112.78	R296049	0.164	39.62 - 41.15	R296113	0.002	129.54 - 131.06	R296178	0.108
112.78 - 114.3	R296051	0.004	41.15 - 42.67	R296114	0.011	131.06 - 132.59	R296179	0.02
114.3 - 115.82	R296052	0.003	42.67 - 44.2	R296115	0.001	132.59 - 134.11	R296181	10.8
115.82 - 117.35	R296053	0.331	44.2 - 45.72	R296116	-0.001	134.11 - 135.64	R296182	5.58
117.35 - 118.87	R296054	1.91	45.72 - 47.24	R296117	0.009	135.64 - 137.16	R296183	0.331
118.87 - 120.4	R296055	0.076	47.24 - 48.77	R296118	-0.001	137.16 - 138.68	R296184	0.114
120.4 - 121.92	R296056	0.45	48.77 - 50.29	R296119	0.002	138.68 - 140.21	R296185	0.201
121.92 - 123.44	R296057	2.09	50.29 - 51.82	R296121	0.002	140.21 - 141.73	R296186	1.005
123.44 - 124.97	R296058	0.018	51.82 - 53.34	R296122	0.003	141.73 - 143.26	R296187	13.05
124.97 - 126.49	R296059	0.373	53.34 - 54.86	R296123	0.002	143.26 - 144.78	R296188	0.358
126.49 - 128.02	R296061	1.11	54.86 - 56.39	R296124	0.002	144.78 - 146.3	R296189	0.081
128.02 - 129.54	R296062	1.9	56.39 - 57.91	R296125	0.002	146.3 - 147.83	R296191	0.036
129.54 - 131.06	R296063	7.65	57.91 - 59.44	R296126	0.002	147.83 - 149.35	R296192	0.023
131.06 - 132.59	R296064	18.55	59.44 - 60.96	R296127	0.002	149.35 - 150.88	R296193	0.007
132.59 - 134.11	R296065	19.2	60.96 - 62.48	R296128	0.002	150.88 - 152.4	R296194	0.007
134.11 - 135.64	R296066	0.493	62.48 - 64.01	R296129	0.002	152.4 - 153.92	R296195	0.022
135.64 - 137.16	R296067	0.065	64.01 - 65.53	R296131	0.002	153.92 - 155.45	R296196	0.005
137.16 - 138.68	R296068	0.024	65.53 - 67.06	R296132	0.002	155.45 - 156.97	R296197	0.016
138.68 - 140.21	R296069	0.033	67.06 - 68.58	R296133	0.003	156.97 - 158.5	R296198	0.004

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
158.5 - 160.02	R296199	0.003	70.1 - 71.63	R296263	0.006	160.02 - 161.54	R296328	0.202
160.02 - 161.54	R296201	0.004	71.63 - 73.15	R296264	0.001	161.54 - 163.07	R296329	0.013
161.54 - 163.07	R296202	0.012	73.15 - 74.68	R296265	0.002	163.07 - 164.59	R296331	0.03
163.07 - 164.59	R296203	0.005	74.68 - 76.2	R296266	0.011	164.59 - 166.12	R296332	0.011
164.59 - 166.12	R296204	0.286	76.2 - 77.72	R296267	0.003	166.12 - 167.64	R296333	0.006
166.12 - 167.64	R296205	0.415	77.72 - 79.25	R296268	0.019	167.64 - 169.16	R296334	0.008
167.64 - 169.16	R296206	0.824	79.25 - 80.77	R296269	0.033	169.16 - 170.69	R296335	0.008
169.16 - 170.69	R296207	1.6	80.77 - 82.3	R296271	6.65	170.69 - 172.21	R296336	0.008
170.69 - 172.21	R296208	0.276	82.3 - 83.82	R296272	0.609	172.21 - 173.74	R296337	0.013
172.21 - 173.74	R296209	0.878	83.82 - 85.34	R296273	0.064	173.74 - 175.26	R296338	0.005
173.74 - 175.26	R296211	3	85.34 - 86.87	R296274	2.21	175.26 - 176.78	R296339	0.01
175.26 - 176.78	R296212	0.028	86.87 - 88.39	R296275	0.028	176.78 - 178.31	R296341	6.57
Hole CFR0651 Latte OB depth (m) 3.05			88.39 - 89.92	R296276	0.039	178.31 - 179.83	R296342	13.55
			89.92 - 91.44	R296277	0.384	179.83 - 181.36	R296343	13.9
1.52 - 3.05	R296213	0.006	91.44 - 92.96	R296278	0.004	181.36 - 182.88	R296344	1.585
3.05 - 4.57	R296214	0.002	92.96 - 94.49	R296279	0.003	182.88 - 184.4	R296345	0.962
4.57 - 6.1	R296215	0.002	94.49 - 96.01	R296281	0.151	184.4 - 185.93	R296346	1.17
6.1 - 7.62	R296216	0.003	96.01 - 97.54	R296282	3.01	185.93 - 187.45	R296347	0.131
7.62 - 9.14	R296217	0.004	97.54 - 99.06	R296283	0.727	187.45 - 188.98	R296348	0.106
9.14 - 10.67	R296218	0.006	99.06 - 100.58	R296284	1.74	Hole CFR0658 Latte OB depth (m) 3.05		
10.67 - 12.19	R296219	0.003	100.58 - 102.11	R296285	2.97			
12.19 - 13.72	R296221	0.005	102.11 - 103.63	R296286	20.4	3.05 - 4.57	R291751	0.344
13.72 - 15.24	R296222	0.008	103.63 - 105.16	R296287	16.25	4.57 - 6.1	R291752	0.061
15.24 - 16.76	R296223	0.002	105.16 - 106.68	R296288	5.05	6.1 - 7.62	R291753	0.074
16.76 - 18.29	R296224	0.002	106.68 - 108.2	R296289	1.1	7.62 - 9.14	R291754	0.014
18.29 - 19.81	R296225	0.002	108.2 - 109.73	R296291	0.338	9.14 - 10.67	R291755	0.014
19.81 - 21.34	R296226	0.002	109.73 - 111.25	R296292	0.132	10.67 - 12.19	R291756	0.033
21.34 - 22.86	R296227	0.002	111.25 - 112.78	R296293	1.91	12.19 - 13.72	R291757	0.109
22.86 - 24.38	R296228	0.002	112.78 - 114.3	R296294	1.945	13.72 - 15.24	R291758	0.019
24.38 - 25.91	R296229	0.003	114.3 - 115.82	R296295	0.225	15.24 - 16.76	R291759	0.02
25.91 - 27.43	R296231	0.009	115.82 - 117.35	R296296	3.5	16.76 - 18.29	R291761	0.027
27.43 - 28.96	R296232	0.008	117.35 - 118.87	R296297	0.58	18.29 - 19.81	R291762	0.019
28.96 - 30.48	R296233	0.009	118.87 - 120.4	R296298	0.458	19.81 - 21.34	R291763	0.003
30.48 - 32	R296234	0.006	120.4 - 121.92	R296299	0.111	21.34 - 22.86	R291764	0.002
32 - 33.53	R296235	0.003	121.92 - 123.44	R296301	0.016	22.86 - 24.38	R291765	0.002
33.53 - 35.05	R296236	0.003	123.44 - 124.97	R296302	0.042	24.38 - 25.91	R291766	0.004
35.05 - 36.58	R296237	0.007	124.97 - 126.49	R296303	0.019	25.91 - 27.43	R291767	0.006
36.58 - 38.1	R296238	0.004	126.49 - 128.02	R296304	0.657	27.43 - 28.96	R291768	0.003
38.1 - 39.62	R296239	0.016	128.02 - 129.54	R296305	0.033	28.96 - 30.48	R291769	0.003
39.62 - 41.15	R296241	0.004	129.54 - 131.06	R296306	0.005	30.48 - 32	R291771	0.003
41.15 - 42.67	R296242	0.002	131.06 - 132.59	R296307	0.12	32 - 33.53	R291772	0.004
42.67 - 44.2	R296243	0.003	132.59 - 134.11	R296308	0.015	33.53 - 35.05	R291773	0.006
44.2 - 45.72	R296244	0.003	134.11 - 135.64	R296309	0.003	35.05 - 36.58	R291774	0.018
45.72 - 47.24	R296245	0.002	135.64 - 137.16	R296311	0.099	36.58 - 38.1	R291775	0.006
47.24 - 48.77	R296246	0.001	137.16 - 138.68	R296312	0.046	38.1 - 39.62	R291776	0.011
48.77 - 50.29	R296247	0.002	138.68 - 140.21	R296313	0.095	39.62 - 41.15	R291777	0.01
50.29 - 51.82	R296248	0.001	140.21 - 141.73	R296314	0.019	41.15 - 42.67	R291778	0.022
51.82 - 53.34	R296249	-0.001	141.73 - 143.26	R296315	0.005	42.67 - 44.2	R291779	0.013
53.34 - 54.86	R296251	0.003	143.26 - 144.78	R296316	0.001	44.2 - 45.72	R291781	0.004
54.86 - 56.39	R296252	0.003	144.78 - 146.3	R296317	0.03	45.72 - 47.24	R291782	0.002
56.39 - 57.91	R296253	0.001	146.3 - 147.83	R296318	0.274	47.24 - 48.77	R291783	0.014
57.91 - 59.44	R296254	0.001	147.83 - 149.35	R296319	0.391	48.77 - 50.29	R291784	0.019
59.44 - 60.96	R296255	-0.001	149.35 - 150.88	R296321	0.017	50.29 - 51.82	R291785	0.02
60.96 - 62.48	R296256	0.002	150.88 - 152.4	R296322	0.676	51.82 - 53.34	R291786	0.011
62.48 - 64.01	R296257	-0.001	152.4 - 153.92	R296323	0.251	53.34 - 54.86	R291787	0.006
64.01 - 65.53	R296258	0.035	153.92 - 155.45	R296324	0.279	54.86 - 56.39	R291788	0.004
65.53 - 67.06	R296259	0.117	155.45 - 156.97	R296325	0.152	56.39 - 57.91	R291789	0.058
67.06 - 68.58	R296261	0.005	156.97 - 158.5	R296326	1.275	57.91 - 59.44	R291791	0.013
68.58 - 70.1	R296262	0.014	158.5 - 160.02	R296327	0.427	59.44 - 60.96	R291792	0.015

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
60.96 - 62.48	R291793	0.019	70.1 - 71.63	R291856	0.075	65.53 - 67.06	R291924	0.003
62.48 - 64.01	R291794	0.015	71.63 - 73.15	R291857	0.139	67.06 - 68.58	R291925	0.003
64.01 - 65.53	R291795	0.057	73.15 - 74.68	R291858	0.455	68.58 - 70.1	R291926	0.003
65.53 - 67.06	R291796	0.02	74.68 - 76.2	R291859	0.014	70.1 - 71.63	R291927	0.003
67.06 - 68.58	R291797	0.138	76.2 - 77.72	R291861	0.021	71.63 - 73.15	R291928	0.002
68.58 - 70.1	R291798	0.191	77.72 - 79.25	R291862	0.003	73.15 - 74.68	R291929	0.002
70.1 - 71.63	R291799	0.159	79.25 - 80.77	R291863	0.001	74.68 - 76.2	R291931	0.004
71.63 - 73.15	R291801	0.048	80.77 - 82.3	R291864	0.007	76.2 - 77.72	R291932	0.002
73.15 - 74.68	R291802	0.04	82.3 - 83.82	R291865	0.006	77.72 - 79.25	R291933	0.005
74.68 - 76.2	R291803	0.052	83.82 - 85.34	R291866	0.002	79.25 - 80.77	R291934	0.002
76.2 - 77.72	R291804	0.027	85.34 - 86.87	R291867	0.001	80.77 - 82.3	R291935	0.002
77.72 - 79.25	R291805	0.006	86.87 - 88.39	R291868	-0.001	82.3 - 83.82	R291936	0.003
79.25 - 80.77	R291806	0.025	88.39 - 89.92	R291869	0.001	83.82 - 85.34	R291937	0.002
80.77 - 82.3	R291807	0.009	89.92 - 91.44	R291871	-0.001	85.34 - 86.87	R291938	0.003
Hole CFR0659 Latte			91.44 - 92.96	R291872	0.004	86.87 - 88.39	R291939	0.001
OB depth (m) 4.57			92.96 - 94.49	R291873	0.007	88.39 - 89.92	R291941	0.001
4.57 - 6.1	R291808	0.022	94.49 - 96.01	R291874	0.002	89.92 - 91.44	R291942	0.002
6.1 - 7.62	R291809	0.001	96.01 - 97.54	R291875	0.001	91.44 - 92.96	R291943	0.002
7.62 - 9.14	R291811	0.001	97.54 - 99.06	R291876	0.005	92.96 - 94.49	R291944	0.001
9.14 - 10.67	R291812	-0.001	99.06 - 100.58	R291877	-0.001	94.49 - 96.01	R291945	0.002
10.67 - 12.19	R291813	0.079	100.58 - 102.11	R291878	-0.001	96.01 - 97.54	R291946	0.003
12.19 - 13.72	R291814	0.078	102.11 - 103.63	R291879	-0.001	97.54 - 99.06	R291947	0.002
13.72 - 15.24	R291815	0.047	Hole CFR0662 Latte			99.06 - 100.58	R291948	0.001
15.24 - 16.76	R291816	0.01	OB depth (m) 16.76			100.58 - 102.11	R291949	0.003
16.76 - 18.29	R291817	0.003	6.1 - 7.62	R291885	0.003	102.11 - 103.63	R291951	0.008
18.29 - 19.81	R291818	0.002	7.62 - 12.19	R291886	0.001	103.63 - 105.16	R291952	0.002
19.81 - 21.34	R291819	0.002	12.19 - 16.76	R291887	0.002	105.16 - 106.68	R291953	0.002
21.34 - 22.86	R291821	0.002	16.76 - 18.29	R291888	0.001	106.68 - 108.2	R291954	0.002
22.86 - 24.38	R291822	0.058	18.29 - 19.81	R291889	0.002	108.2 - 109.73	R291955	0.001
24.38 - 25.91	R291823	0.003	19.81 - 21.34	R291891	0.004	109.73 - 111.25	R291956	0.018
25.91 - 27.43	R291824	0.009	21.34 - 22.86	R291892	0.003	111.25 - 112.78	R291957	0.004
27.43 - 28.96	R291825	0.058	22.86 - 24.38	R291893	0.003	112.78 - 114.3	R291958	0.007
28.96 - 30.48	R291826	0.002	24.38 - 25.91	R291894	0.002	114.3 - 115.82	R291959	0.06
30.48 - 32	R291827	0.001	25.91 - 27.43	R291895	0.002	115.82 - 117.35	R291961	0.019
32 - 33.53	R291828	0.001	27.43 - 28.96	R291896	0.003	117.35 - 118.87	R291962	0.107
33.53 - 35.05	R291829	0.004	28.96 - 30.48	R291897	0.002	118.87 - 120.4	R291963	0.178
35.05 - 36.58	R291831	2.86	30.48 - 32	R291898	0.003	120.4 - 121.92	R291964	0.019
36.58 - 38.1	R291832	3.03	32 - 33.53	R291899	0.002	Hole CFR0664 Latte		
38.1 - 39.62	R291833	0.038	33.53 - 35.05	R291901	0.005	OB depth (m) 12.19		
39.62 - 41.15	R291834	0.019	35.05 - 36.58	R291902	0.006	12.19 - 13.72	R291967	0.004
41.15 - 42.67	R291835	0.022	36.58 - 38.1	R291903	0.01	13.72 - 15.24	R291968	0.003
42.67 - 44.2	R291836	0.019	38.1 - 39.62	R291904	0.008	15.24 - 16.76	R291969	0.004
44.2 - 45.72	R291837	0.015	39.62 - 41.15	R291905	0.041	16.76 - 18.29	R291971	0.002
45.72 - 47.24	R291838	0.01	41.15 - 42.67	R291906	0.033	18.29 - 19.81	R291972	0.002
47.24 - 48.77	R291839	0.135	42.67 - 44.2	R291907	0.02	19.81 - 21.34	R291973	0.001
48.77 - 50.29	R291841	1.29	44.2 - 45.72	R291908	0.39	21.34 - 22.86	R291974	0.001
50.29 - 51.82	R291842	30.4	45.72 - 47.24	R291909	0.285	22.86 - 24.38	R291975	0.001
51.82 - 53.34	R291843	5.47	47.24 - 48.77	R291911	0.022	24.38 - 25.91	R291976	0.006
53.34 - 54.86	R291844	1.535	48.77 - 50.29	R291912	0.008	25.91 - 27.43	R291977	0.002
54.86 - 56.39	R291845	1.11	50.29 - 51.82	R291913	0.005	27.43 - 28.96	R291978	0.001
56.39 - 57.91	R291846	2.71	51.82 - 53.34	R291914	0.003	28.96 - 30.48	R291979	0.001
57.91 - 59.44	R291847	0.103	53.34 - 54.86	R291915	0.003	30.48 - 32	R291981	0.001
59.44 - 60.96	R291848	0.059	54.86 - 56.39	R291916	0.002	32 - 33.53	R291982	0.001
60.96 - 62.48	R291849	0.269	56.39 - 57.91	R291917	0.002	33.53 - 35.05	R291983	0.001
62.48 - 64.01	R291851	1.455	57.91 - 59.44	R291918	0.053	35.05 - 36.58	R291984	0.003
64.01 - 65.53	R291852	1.17	59.44 - 60.96	R291919	0.003	36.58 - 38.1	R291985	0.001
65.53 - 67.06	R291853	0.277	60.96 - 62.48	R291921	0.02	38.1 - 39.62	R291986	0.001
67.06 - 68.58	R291854	1.23	62.48 - 64.01	R291922	0.051	39.62 - 41.15	R291987	0.002
68.58 - 70.1	R291855	0.334	64.01 - 65.53	R291923	0.004	41.15 - 42.67	R291988	0.001

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
42.67 - 44.2	R291989	0.002	13.72 - 15.24	R292056	-0.001	103.63 - 105.16	R292122	0.001
44.2 - 45.72	R291991	0.002	15.24 - 16.76	R292057	0.002	105.16 - 106.68	R292123	0.002
45.72 - 47.24	R291992	0.001	16.76 - 18.29	R292058	0.001	106.68 - 108.2	R292124	0.001
47.24 - 48.77	R291993	0.002	18.29 - 19.81	R292059	0.006	108.2 - 109.73	R292125	0.002
48.77 - 50.29	R291994	0.002	19.81 - 21.34	R292061	0.002	109.73 - 111.25	R292126	0.002
50.29 - 51.82	R291995	0.001	21.34 - 22.86	R292062	-0.001	111.25 - 112.78	R292127	0.009
51.82 - 53.34	R291996	0.001	22.86 - 24.38	R292063	-0.001	112.78 - 114.3	R292128	0.002
53.34 - 54.86	R291997	0.001	24.38 - 25.91	R292064	-0.001	114.3 - 115.82	R292129	0.001
54.86 - 56.39	R291998	0.001	25.91 - 27.43	R292065	0.001	115.82 - 117.35	R292131	0.002
56.39 - 57.91	R291999	0.002	27.43 - 28.96	R292066	-0.001	117.35 - 118.87	R292132	0.002
57.91 - 59.44	R292001	0.001	28.96 - 30.48	R292067	0.001	118.87 - 120.4	R292133	0.001
59.44 - 60.96	R292002	0.001	30.48 - 32	R292068	0.001	120.4 - 121.92	R292134	0.001
60.96 - 62.48	R292003	0.001	32 - 33.53	R292069	0.001	Hole CFR0669 Latte OB depth (m) 4.57		
62.48 - 64.01	R292004	-0.001	33.53 - 35.05	R292071	0.002			
64.01 - 65.53	R292005	0.001	35.05 - 36.58	R292072	0.002	4.57 - 6.1	R292137	0.003
65.53 - 67.06	R292006	0.04	36.58 - 38.1	R292073	0.001	6.1 - 7.62	R292138	0.026
67.06 - 68.58	R292007	0.099	38.1 - 39.62	R292074	0.002	7.62 - 9.14	R292139	0.007
68.58 - 70.1	R292008	0.005	39.62 - 41.15	R292075	0.002	9.14 - 10.67	R292141	0.005
70.1 - 71.63	R292009	0.001	41.15 - 42.67	R292076	0.001	10.67 - 12.19	R292142	0.003
71.63 - 73.15	R292011	0.002	42.67 - 44.2	R292077	0.001	12.19 - 13.72	R292143	0.003
73.15 - 74.68	R292012	0.001	44.2 - 45.72	R292078	0.003	13.72 - 15.24	R292144	0.003
74.68 - 76.2	R292013	0.001	45.72 - 47.24	R292079	0.002	15.24 - 16.76	R292145	0.002
76.2 - 77.72	R292014	0.001	47.24 - 48.77	R292081	0.002	16.76 - 18.29	R292146	0.003
77.72 - 79.25	R292015	0.189	48.77 - 50.29	R292082	0.002	18.29 - 19.81	R292147	0.011
79.25 - 80.77	R292016	0.164	50.29 - 51.82	R292083	0.002	19.81 - 21.34	R292148	0.003
80.77 - 82.3	R292017	2.24	51.82 - 53.34	R292084	0.004	21.34 - 22.86	R292149	0.002
82.3 - 83.82	R292018	1.175	53.34 - 54.86	R292085	0.002	22.86 - 24.38	R292151	0.002
83.82 - 85.34	R292019	2.21	54.86 - 56.39	R292086	0.001	24.38 - 25.91	R292152	0.005
85.34 - 86.87	R292021	0.148	56.39 - 57.91	R292087	0.001	25.91 - 27.43	R292153	0.004
86.87 - 88.39	R292022	0.036	57.91 - 59.44	R292088	0.002	27.43 - 28.96	R292154	0.003
88.39 - 89.92	R292023	0.041	59.44 - 60.96	R292089	0.004	28.96 - 30.48	R292155	0.005
89.92 - 91.44	R292024	0.007	60.96 - 62.48	R292091	0.002	30.48 - 32	R292156	0.001
91.44 - 92.96	R292025	0.002	62.48 - 64.01	R292092	0.002	32 - 33.53	R292157	0.001
92.96 - 94.49	R292026	0.002	64.01 - 65.53	R292093	0.002	33.53 - 35.05	R292158	0.001
94.49 - 96.01	R292027	0.003	65.53 - 67.06	R292094	0.001	35.05 - 36.58	R292159	0.001
96.01 - 97.54	R292028	0.002	67.06 - 68.58	R292095	0.014	36.58 - 38.1	R292161	0.001
97.54 - 99.06	R292029	0.002	68.58 - 70.1	R292096	0.134	38.1 - 39.62	R292162	0.001
99.06 - 100.58	R292031	0.003	70.1 - 71.63	R292097	0.062	39.62 - 41.15	R292163	0.001
100.58 - 102.11	R292032	0.001	71.63 - 73.15	R292098	0.003	41.15 - 42.67	R292164	0.045
102.11 - 103.63	R292033	0.001	73.15 - 74.68	R292099	0.002	42.67 - 44.2	R292165	0.77
103.63 - 105.16	R292034	-0.001	74.68 - 76.2	R292101	0.05	44.2 - 45.72	R292166	0.615
105.16 - 106.68	R292035	0.002	76.2 - 77.72	R292102	0.105	45.72 - 47.24	R292167	0.547
106.68 - 108.2	R292036	0.006	77.72 - 79.25	R292103	0.61	47.24 - 48.77	R292168	0.03
108.2 - 109.73	R292037	0.049	79.25 - 80.77	R292104	1.245	48.77 - 50.29	R292169	0.005
109.73 - 111.25	R292038	0.001	80.77 - 82.3	R292105	0.537	50.29 - 51.82	R292171	0.017
111.25 - 112.78	R292039	-0.001	82.3 - 83.82	R292106	2.19	51.82 - 53.34	R292172	0.002
112.78 - 114.3	R292041	0.001	83.82 - 85.34	R292107	0.016	53.34 - 54.86	R292173	0.002
114.3 - 115.82	R292042	-0.001	85.34 - 86.87	R292108	0.006	54.86 - 56.39	R292174	0.903
115.82 - 117.35	R292043	-0.001	86.87 - 88.39	R292109	0.002	56.39 - 57.91	R292175	2.62
117.35 - 118.87	R292044	-0.001	88.39 - 89.92	R292111	0.006	57.91 - 59.44	R292176	2.69
118.87 - 120.4	R292045	0.001	89.92 - 91.44	R292112	0.002	59.44 - 60.96	R292177	1.54
120.4 - 121.92	R292046	-0.001	91.44 - 92.96	R292113	0.098	60.96 - 62.48	R292178	1.34
Hole CFR0667 Latte OB depth (m) 4.57			92.96 - 94.49	R292114	0.011	62.48 - 64.01	R292179	1.105
			94.49 - 96.01	R292115	0.002	64.01 - 65.53	R292181	0.906
4.57 - 6.1	R292049	0.004	96.01 - 97.54	R292116	0.002	65.53 - 67.06	R292182	0.429
6.1 - 7.62	R292051	0.002	97.54 - 99.06	R292117	0.001	67.06 - 68.58	R292183	0.103
7.62 - 10.67	R292052	0.004	99.06 - 100.58	R292118	0.001	68.58 - 70.1	R292184	1.805
10.67 - 12.19	R292054	0.002	100.58 - 102.11	R292119	0.001	70.1 - 71.63	R292185	1.615
12.19 - 13.72	R292055	-0.001	102.11 - 103.63	R292121	0.002	71.63 - 73.15	R292186	1.075

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
38.1 - 39.62	R511159	0.002	128.02 - 129.54	R511225	0.001	56.39 - 57.91	R511291	0.006
39.62 - 41.15	R511161	0.001	129.54 - 131.06	R511226	0.001	57.91 - 59.44	R511292	0.002
41.15 - 42.67	R511162	0.001	131.06 - 132.59	R511227	0.002	59.44 - 60.96	R511293	0.003
42.67 - 44.2	R511163	0.001	132.59 - 134.11	R511228	0.001	60.96 - 62.48	R511294	0.002
44.2 - 45.72	R511164	0.001	134.11 - 135.64	R511229	0.872	62.48 - 64.01	R511295	0.003
45.72 - 47.24	R511165	0.001	135.64 - 137.16	R511231	0.313	64.01 - 65.53	R511296	0.002
47.24 - 48.77	R511166	0.001	137.16 - 138.68	R511232	0.034	65.53 - 67.06	R511297	0.001
48.77 - 50.29	R511167	0.001	138.68 - 140.21	R511233	0.002	67.06 - 68.58	R511298	-0.001
50.29 - 51.82	R511168	0.001	140.21 - 141.73	R511234	0.002	68.58 - 70.1	R511299	-0.001
51.82 - 53.34	R511169	0.001	141.73 - 143.26	R511235	0.001	70.1 - 71.63	R511301	0.002
53.34 - 54.86	R511171	0.002	143.26 - 144.78	R511236	0.001	71.63 - 73.15	R511302	-0.001
54.86 - 56.39	R511172	0.009	144.78 - 146.3	R511237	0.001	73.15 - 74.68	R511303	0.656
56.39 - 57.91	R511173	0.043	146.3 - 147.83	R511238	0.001	74.68 - 76.2	R511304	0.149
57.91 - 59.44	R511174	0.002	147.83 - 149.35	R511239	0.001	76.2 - 77.72	R511305	0.044
59.44 - 60.96	R511175	0.001	149.35 - 150.88	R511241	0.002	77.72 - 79.25	R511306	0.001
60.96 - 62.48	R511176	0.002	150.88 - 152.4	R511242	0.018	79.25 - 80.77	R511307	-0.001
62.48 - 64.01	R511177	0.001	152.4 - 153.92	R511243	0.031	80.77 - 82.3	R511308	1.245
64.01 - 65.53	R511178	0.001	153.92 - 155.45	R511244	0.008	82.3 - 83.82	R511309	2.46
65.53 - 67.06	R511179	0.001	155.45 - 156.97	R511245	0.051	83.82 - 85.34	R511311	0.019
67.06 - 68.58	R511181	0.002	156.97 - 158.5	R511246	0.048	85.34 - 86.87	R511312	0.01
68.58 - 70.1	R511182	0.004	158.5 - 160.02	R511247	0.002	86.87 - 88.39	R511313	0.001
70.1 - 71.63	R511183	0.008	Hole CFR0682 Latte North OB depth (m) 1.52			88.39 - 89.92	R511314	0.002
71.63 - 73.15	R511184	0.001				89.92 - 91.44	R511315	-0.001
73.15 - 74.68	R511185	0.001	1.53 - 3.05	R511251	0.003	91.44 - 92.96	R511316	0.005
74.68 - 76.2	R511186	0.002	3.05 - 4.57	R511252	0.008	92.96 - 94.49	R511317	0.286
76.2 - 77.72	R511187	0.002	4.57 - 6.1	R511253	0.003	94.49 - 96.01	R511318	0.003
77.72 - 79.25	R511188	0.001	6.1 - 7.62	R511254	0.003	96.01 - 97.54	R511319	0.008
79.25 - 80.77	R511189	0.001	7.62 - 9.14	R511255	0.004	97.54 - 99.06	R511321	0.001
80.77 - 82.3	R511191	0.749	9.14 - 10.67	R511256	0.001	99.06 - 100.58	R511322	0.001
82.3 - 83.82	R511192	4.49	10.67 - 12.19	R511257	0.003	100.58 - 102.11	R511323	0.003
83.82 - 85.34	R511193	0.435	12.19 - 13.72	R511258	0.006	102.11 - 103.63	R511324	-0.001
85.34 - 86.87	R511194	8.54	13.72 - 15.24	R511259	0.022	103.63 - 105.16	R511325	-0.001
86.87 - 88.39	R511195	0.239	15.24 - 16.76	R511261	0.003	105.16 - 106.68	R511326	-0.001
88.39 - 89.92	R511196	0.007	16.76 - 18.29	R511262	0.001	106.68 - 108.2	R511327	-0.001
89.92 - 91.44	R511197	0.028	18.29 - 19.81	R511263	0.002	108.2 - 109.73	R511328	-0.001
91.44 - 92.96	R511198	0.006	19.81 - 21.34	R511264	-0.001	109.73 - 111.25	R511329	-0.001
92.96 - 94.49	R511199	0.002	21.34 - 22.86	R511265	-0.001	111.25 - 112.78	R511331	0.001
94.49 - 96.01	R511201	0.002	22.86 - 24.38	R511266	-0.001	112.78 - 114.3	R511332	-0.001
96.01 - 97.54	R511202	0.005	24.38 - 25.91	R511267	-0.001	114.3 - 115.82	R511333	-0.001
97.54 - 99.06	R511203	0.125	25.91 - 27.43	R511268	0.002	115.82 - 117.35	R511334	0.001
99.06 - 100.58	R511204	0.032	27.43 - 28.96	R511269	-0.001	117.35 - 118.87	R511335	-0.001
100.58 - 102.11	R511205	0.002	28.96 - 30.48	R511271	-0.001	118.87 - 120.4	R511336	-0.001
102.11 - 103.63	R511206	0.002	30.48 - 32	R511272	-0.001	120.4 - 121.92	R511337	0.007
103.63 - 105.16	R511207	0.005	32 - 33.53	R511273	0.005	121.92 - 123.44	R511338	0.019
105.16 - 106.68	R511208	0.001	33.53 - 35.05	R511274	0.977	123.44 - 124.97	R511339	-0.001
106.68 - 108.2	R511209	0.001	35.05 - 36.58	R511275	6.21	124.97 - 126.49	R511341	0.002
108.2 - 109.73	R511211	0.002	36.58 - 38.1	R511276	1.63	126.49 - 128.02	R511342	0.002
109.73 - 111.25	R511212	0.001	38.1 - 39.62	R511277	4.46	128.02 - 129.54	R511343	-0.001
111.25 - 112.78	R511213	0.001	39.62 - 41.15	R511278	0.073	129.54 - 131.06	R511344	-0.001
112.78 - 114.3	R511214	0.002	41.15 - 42.67	R511279	0.044	131.06 - 132.59	R511345	-0.001
114.3 - 115.82	R511215	0.001	42.67 - 44.2	R511281	0.042	132.59 - 134.11	R511346	-0.001
115.82 - 117.35	R511216	0.001	44.2 - 45.72	R511282	0.027	134.11 - 135.64	R511347	-0.001
117.35 - 118.87	R511217	0.005	45.72 - 47.24	R511283	0.029	135.64 - 137.16	R511348	-0.001
118.87 - 120.4	R511218	0.002	47.24 - 48.77	R511284	0.004	137.16 - 138.68	R511349	-0.001
120.4 - 121.92	R511219	0.001	48.77 - 50.29	R511285	0.008	138.68 - 140.21	R511351	-0.001
121.92 - 123.44	R511221	0.001	50.29 - 51.82	R511286	0.009	Hole CFR0683 Latte North OB depth (m) 9.14		
123.44 - 124.97	R511222	0.001	51.82 - 53.34	R511287	0.009			
124.97 - 126.49	R511223	0.002	53.34 - 54.86	R511288	0.006	0 - 1.52	R511354	0.008
126.49 - 128.02	R511224	0.001	54.86 - 56.39	R511289	0.004	1.52 - 3.05	R511355	0.004

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
3.05 - 4.57	R511356	0.021	92.96 - 94.49	R511422	0.004	18.29 - 19.81	R511487	0.003
4.57 - 6.1	R511357	0.01	94.49 - 96.01	R511423	0.001	19.81 - 21.34	R511488	0.002
6.1 - 7.62	R511358	0.006	96.01 - 97.54	R511424	0.002	21.34 - 22.86	R511489	0.001
7.62 - 9.14	R511359	0.003	97.54 - 99.06	R511425	0.003	22.86 - 24.38	R511491	0.002
9.14 - 10.67	R511361	0.004	99.06 - 100.58	R511426	0.002	24.38 - 25.91	R511492	0.002
10.67 - 12.19	R511362	0.007	100.58 - 102.11	R511427	0.001	25.91 - 27.43	R511493	0.004
12.19 - 13.72	R511363	0.004	102.11 - 103.63	R511428	0.002	27.43 - 28.96	R511494	0.081
13.72 - 15.24	R511364	0.007	103.63 - 105.16	R511429	0.001	28.96 - 30.48	R511495	0.006
15.24 - 16.76	R511365	0.006	105.16 - 106.68	R511431	0.002	30.48 - 32	R511496	0.002
16.76 - 18.29	R511366	0.004	106.68 - 108.2	R511432	0.002	32 - 33.53	R511497	-0.001
18.29 - 19.81	R511367	0.009	108.2 - 109.73	R511433	0.002	33.53 - 35.05	R511498	0.286
19.81 - 21.34	R511368	0.007	109.73 - 111.25	R511434	0.002	35.05 - 36.58	R511499	0.021
21.34 - 22.86	R511369	0.004	111.25 - 112.78	R511435	0.002	36.58 - 38.1	R511501	0.007
22.86 - 24.38	R511371	0.004	112.78 - 114.3	R511436	0.001	38.1 - 39.62	R511502	0.002
24.38 - 25.91	R511372	0.003	114.3 - 115.82	R511437	0.001	39.62 - 41.15	R511503	0.003
25.91 - 27.43	R511373	0.005	115.82 - 117.35	R511438	0.002	41.15 - 42.67	R511504	0.101
27.43 - 28.96	R511374	0.006	117.35 - 118.87	R511439	0.001	42.67 - 44.2	R511505	0.03
28.96 - 30.48	R511375	0.01	118.87 - 120.4	R511441	0.001	44.2 - 45.72	R511506	0.02
30.48 - 32	R511376	0.003	120.4 - 121.92	R511442	0.002	45.72 - 47.24	R511507	0.114
32 - 33.53	R511377	0.002	121.92 - 123.44	R511443	0.001	47.24 - 48.77	R511508	0.284
33.53 - 35.05	R511378	0.003	123.44 - 124.97	R511444	0.001	48.77 - 50.29	R511509	0.057
35.05 - 36.58	R511379	0.002	124.97 - 126.49	R511445	0.001	50.29 - 51.82	R511511	0.013
36.58 - 38.1	R511381	0.003	126.49 - 128.02	R511446	0.002	51.82 - 53.34	R511512	0.001
38.1 - 39.62	R511382	0.002	128.02 - 129.54	R511447	0.004	53.34 - 54.86	R511513	0.002
39.62 - 41.15	R511383	0.004	129.54 - 131.06	R511448	0.018	54.86 - 56.39	R511514	0.033
41.15 - 42.67	R511384	0.003	131.06 - 132.59	R511449	0.003	56.39 - 57.91	R511515	0.032
42.67 - 44.2	R511385	0.005	132.59 - 134.11	R511451	0.001	57.91 - 59.44	R511516	0.007
44.2 - 45.72	R511386	0.093	134.11 - 135.64	R511452	0.002	59.44 - 60.96	R511517	0.202
45.72 - 47.24	R511387	0.004	135.64 - 137.16	R511453	0.002	60.96 - 62.48	R511518	0.404
47.24 - 48.77	R511388	0.007	137.16 - 138.68	R511454	0.001	62.48 - 64.01	R511519	0.128
48.77 - 50.29	R511389	3.25	138.68 - 140.21	R511455	0.001	64.01 - 65.53	R511521	0.166
50.29 - 51.82	R511391	0.022	140.21 - 141.73	R511456	0.001	65.53 - 67.06	R511522	0.15
51.82 - 53.34	R511392	0.011	141.73 - 143.26	R511457	0.202	67.06 - 68.58	R511523	0.005
53.34 - 54.86	R511393	0.003	143.26 - 144.78	R511458	0.079	68.58 - 70.1	R511524	0.006
54.86 - 56.39	R511394	0.004	144.78 - 146.3	R511459	0.003	70.1 - 71.63	R511525	0.001
56.39 - 57.91	R511395	0.003	146.3 - 147.83	R511461	0.002	71.63 - 73.15	R511526	0.002
57.91 - 59.44	R511396	0.002	147.83 - 149.35	R511462	0.001	73.15 - 74.68	R511527	0.001
59.44 - 60.96	R511397	0.009	149.35 - 150.88	R511463	0.001	74.68 - 76.2	R511528	0.002
60.96 - 62.48	R511398	0.035	150.88 - 152.4	R511464	0.024	76.2 - 77.72	R511529	0.001
62.48 - 64.01	R511399	0.002	152.4 - 153.92	R511465	0.001	77.72 - 79.25	R511531	0.002
64.01 - 65.53	R511401	0.01	153.92 - 155.45	R511466	0.001	79.25 - 80.77	R511532	0.002
65.53 - 67.06	R511402	0.003	155.45 - 156.97	R511467	0.002	80.77 - 82.3	R511533	0.001
67.06 - 68.58	R511403	0.003	156.97 - 158.5	R511468	5.49	82.3 - 83.82	R511534	0.002
68.58 - 70.1	R511404	2.94	158.5 - 160.02	R511469	0.096	83.82 - 85.34	R511535	0.001
70.1 - 71.63	R511405	0.061	160.02 - 161.54	R511471	0.05	85.34 - 86.87	R511536	0.001
71.63 - 73.15	R511406	13.3				86.87 - 88.39	R511537	0.001
73.15 - 74.68	R511407	22	Hole CFR0686 Latte North			88.39 - 89.92	R511538	0.001
74.68 - 76.2	R511408	0.368	OB depth (m) 6.1			89.92 - 91.44	R511539	0.001
76.2 - 77.72	R511409	0.066	0 - 1.52	R511474	0.033	91.44 - 92.96	R511541	0.137
77.72 - 79.25	R511411	0.02	1.52 - 3.05	R511475	0.017	92.96 - 94.49	R511542	0.001
79.25 - 80.77	R511412	0.006	3.05 - 4.57	R511476	0.019	94.49 - 96.01	R511543	0.001
80.77 - 82.3	R511413	0.007	4.57 - 6.1	R511477	0.005	96.01 - 97.54	R511544	0.001
82.3 - 83.82	R511414	0.003	6.1 - 7.62	R511478	0.236	97.54 - 99.06	R511545	-0.001
83.82 - 85.34	R511415	0.006	7.62 - 9.14	R511479	0.026	99.06 - 100.58	R511546	0.001
85.34 - 86.87	R511416	0.003	9.14 - 10.67	R511481	0.168	100.58 - 102.11	R511547	-0.001
86.87 - 88.39	R511417	0.003	10.67 - 12.19	R511482	0.007	102.11 - 103.63	R511548	0.001
88.39 - 89.92	R511418	0.003	12.19 - 13.72	R511483	0.355	103.63 - 105.16	R511549	0.001
89.92 - 91.44	R511419	0.002	13.72 - 15.24	R511484	0.009	105.16 - 106.68	R511551	0.001
91.44 - 92.96	R511421	0.002	15.24 - 16.76	R511485	0.008	106.68 - 108.2	R511552	0.002
			16.76 - 18.29	R511486	0.004			

Interval (m) SampID Au (ppm)				Interval (m) SampID Au (ppm)				Interval (m) SampID Au (ppm)										
108.2	-	109.73	R511553	0.001	77.72	-	79.25	R511618	0.029	88.39	-	89.92	R511684	0.009				
109.73	-	111.25	R511554	0.001	Hole CFRO690 Latte OB depth (m) 3.05	-	79.25	R511618	0.029	89.92	-	91.44	R511685	0.007				
111.25	-	112.78	R511555	-0.001						91.44	-	92.96	R511686	0.011				
112.78	-	114.3	R511556	0.002						92.96	-	94.49	R511687	0.005				
114.3	-	115.82	R511557	0.001						94.49	-	96.01	R511688	0.028				
115.82	-	117.35	R511558	0.001						96.01	-	97.54	R511689	0.003				
117.35	-	118.87	R511559	-0.001						97.54	-	99.06	R511691	0.003				
				7.62						-	9.14	R511625	0.026	99.06	-	100.58	R511692	0.002
				9.14						-	10.67	R511626	0.042	100.58	-	102.11	R511693	0.005
				10.67						-	12.19	R511627	0.007	102.11	-	103.63	R511694	0.003
				12.19						-	13.72	R511628	0.003	103.63	-	105.16	R511695	0.005
				13.72	-	15.24	R511629	0.002	105.16	-	106.68	R511696	0.008					
				15.24	-	16.76	R511631	0.001	106.68	-	108.2	R511697	0.006					
				16.76	-	18.29	R511632	0.005	108.2	-	109.73	R511698	0.006					
				18.29	-	19.81	R511633	0.006										
				19.81	-	21.34	R511634	0.006										
				21.34	-	22.86	R511635	0.034										
				22.86	-	24.38	R511636	0.096										
				24.38	-	25.91	R511637	0.02										
				25.91	-	27.43	R511638	0.015										
				27.43	-	28.96	R511639	0.011										
				28.96	-	30.48	R511641	1.135										
				30.48	-	32	R511642	1.54										
				32	-	33.53	R511643	1.78										
				33.53	-	35.05	R511644	0.039										
				35.05	-	36.58	R511645	0.027										
				36.58	-	38.1	R511646	0.007										
				38.1	-	39.62	R511647	0.005										
				39.62	-	41.15	R511648	0.003										
				41.15	-	42.67	R511649	0.007										
				42.67	-	44.2	R511651	0.003										
				44.2	-	45.72	R511652	0.001										
				45.72	-	47.24	R511653	0.002										
				47.24	-	48.77	R511654	0.001										
				48.77	-	50.29	R511655	0.001										
				50.29	-	51.82	R511656	0.015										
				51.82	-	53.34	R511657	0.011										
				53.34	-	54.86	R511658	0.006										
				54.86	-	56.39	R511659	0.003										
				56.39	-	57.91	R511661	0.001										
				57.91	-	59.44	R511662	0.002										
				59.44	-	60.96	R511663	-0.001										
				60.96	-	62.48	R511664	0.003										
				62.48	-	64.01	R511665	0.003										
				64.01	-	65.53	R511666	-0.001										
				65.53	-	67.06	R511667	-0.001										
				67.06	-	68.58	R511668	0.001										
				68.58	-	70.1	R511669	-0.001										
				70.1	-	71.63	R511671	0.002										
				71.63	-	73.15	R511672	-0.001										
				73.15	-	74.68	R511673	-0.001										
				74.68	-	76.2	R511674	-0.001										
				76.2	-	77.72	R511675	-0.001										
				77.72	-	79.25	R511676	-0.001										
				79.25	-	80.77	R511677	-0.001										
				80.77	-	82.3	R511678	0.021										
				82.3	-	83.82	R511679	8.85										
				83.82	-	85.34	R511681	0.375										
				85.34	-	86.87	R511682	0.049										
				86.87	-	88.39	R511683	0.01										
Hole CFRO688 Latte OB depth (m) 1.52				1.53	-	3.05	R511563	16.15										
				3.05	-	4.57	R511564	3.64										
				4.57	-	6.1	R511565	0.936										
				6.1	-	7.62	R511566	3.73										
				7.62	-	9.14	R511567	1.875										
				9.14	-	10.67	R511568	0.157										
				10.67	-	12.19	R511569	0.168										
				12.19	-	13.72	R511571	0.06										
				13.72	-	15.24	R511572	0.04										
				15.24	-	16.76	R511573	0.045										
				16.76	-	18.29	R511574	0.032										
				18.29	-	19.81	R511575	0.037										
				19.81	-	21.34	R511576	0.022										
				21.34	-	22.86	R511577	0.025										
				22.86	-	24.38	R511578	0.027										
				24.38	-	25.91	R511579	0.049										
				25.91	-	27.43	R511581	0.026										
				27.43	-	28.96	R511582	0.012										
				28.96	-	30.48	R511583	0.014										
				30.48	-	32	R511584	0.019										
				32	-	33.53	R511585	0.049										
				33.53	-	35.05	R511586	0.028										
				35.05	-	36.58	R511587	0.015										
				36.58	-	38.1	R511588	0.062										
				38.1	-	39.62	R511589	0.992										
				39.62	-	41.15	R511591	0.069										
				41.15	-	42.67	R511592	0.013										
				42.67	-	44.2	R511593	0.017										
				44.2	-	45.72	R511594	0.022										
				45.72	-	47.24	R511595	0.01										
				47.24	-	48.77	R511596	1.525										
				48.77	-	50.29	R511597	3.67										
				50.29	-	51.82	R511598	6.97										
				51.82	-	53.34	R511599	2.9										
				53.34	-	54.86	R511601	0.736										
				54.86	-	56.39	R511602	0.127										
				56.39	-	57.91	R511603	0.045										
				57.91	-	59.44	R511604	0.065										
				59.44	-	60.96	R511605	0.009										
				60.96	-	62.48	R511606	0.007										
				62.48	-	64.01	R511607	0.005										
				64.01	-	65.53	R511608	0.021										
				65.53	-	67.06	R511609	0.989										
				67.06	-	68.58	R511611	0.259										
				68.58	-	70.1	R511612	0.029										
				70.1	-	71.63	R511613	0.01										
				71.63	-	73.15	R511614	0.007										
				73.15	-	74.68	R511615	0.013										
				74.68	-	76.2	R511616	0.027										
				76.2	-	77.72	R511617	0.015										

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
65.53 - 67.06	R511749	0.004	73.15 - 74.68	R511815	0.003	73.15 - 74.68	R511881	0.5
67.06 - 68.58	R511751	0.006	74.68 - 76.2	R511816	0.005	74.68 - 76.2	R511882	0.403
68.58 - 70.1	R511752	0.008	76.2 - 77.72	R511817	0.008	76.2 - 77.72	R511883	0.014
70.1 - 71.63	R511753	0.007	77.72 - 79.25	R511818	0.003	77.72 - 79.25	R511884	0.021
71.63 - 73.15	R511754	0.021	79.25 - 80.77	R511819	0.002	79.25 - 80.77	R511885	0.013
73.15 - 74.68	R511755	0.01	80.77 - 82.3	R511821	0.002	80.77 - 82.3	R511886	0.037
74.68 - 76.2	R511756	0.006	82.3 - 83.82	R511822	0.005	82.3 - 83.82	R511887	2.38
76.2 - 77.72	R511757	0.005	83.82 - 85.34	R511823	0.011	83.82 - 85.34	R511888	0.13
77.72 - 79.25	R511758	0.078	85.34 - 86.87	R511824	0.003	85.34 - 86.87	R511889	0.399
			86.87 - 88.39	R511825	0.002	86.87 - 88.39	R511891	0.005
			88.39 - 89.92	R511826	-0.001	88.39 - 89.92	R511892	0.319
Hole CFR0695 Latte						89.92 - 91.44	R511893	2.46
OB depth (m) 4.57			Hole CFR0697 Latte			91.44 - 92.96	R511894	0.405
0 - 1.52	R511762	0.714	OB depth (m) 3.05			92.96 - 94.49	R511895	0.066
1.52 - 3.05	R511763	1.13	3.05 - 4.57	R511829	0.257	94.49 - 96.01	R511896	0.87
3.05 - 4.57	R511764	0.667	4.57 - 6.1	R511831	0.034	96.01 - 97.54	R511897	1.11
4.57 - 6.1	R511765	0.796	6.1 - 7.62	R511832	0.022	97.54 - 99.06	R511898	0.604
6.1 - 7.62	R511766	0.755	7.62 - 9.14	R511833	0.021	99.06 - 100.58	R511899	0.645
7.62 - 9.14	R511767	0.535	9.14 - 10.67	R511834	0.024	100.58 - 102.11	R511901	2.61
9.14 - 10.67	R511768	1.405	10.67 - 12.19	R511835	0.014	102.11 - 103.63	R511902	1.815
10.67 - 12.19	R511769	0.802	12.19 - 13.72	R511836	0.007	103.63 - 105.16	R511903	0.04
12.19 - 13.72	R511771	0.429	13.72 - 15.24	R511837	0.005	105.16 - 106.68	R511904	0.018
13.72 - 15.24	R511772	0.393	15.24 - 16.76	R511838	0.004	106.68 - 108.2	R511905	0.005
15.24 - 16.76	R511773	1.145	16.76 - 18.29	R511839	0.004	108.2 - 109.73	R511906	0.007
16.76 - 18.29	R511774	1.36	18.29 - 19.81	R511841	0.003	109.73 - 111.25	R511907	0.002
18.29 - 19.81	R511775	0.106	19.81 - 21.34	R511842	0.008	111.25 - 112.78	R511908	6.14
19.81 - 21.34	R511776	2.15	21.34 - 22.86	R511843	0.003	112.78 - 114.3	R511909	12.15
21.34 - 22.86	R511777	1.54	22.86 - 24.38	R511844	0.002	114.3 - 115.82	R511911	0.878
22.86 - 24.38	R511778	0.94	24.38 - 25.91	R511845	0.001	115.82 - 117.35	R511912	4.76
24.38 - 25.91	R511779	0.644	25.91 - 27.43	R511846	-0.001	117.35 - 118.87	R511913	7.72
25.91 - 27.43	R511781	2.75	27.43 - 28.96	R511847	0.001	118.87 - 120.4	R511914	0.394
27.43 - 28.96	R511782	0.096	28.96 - 30.48	R511848	0.001	120.4 - 121.92	R511915	0.038
28.96 - 30.48	R511783	0.028	30.48 - 32	R511849	0.006	121.92 - 123.44	R511916	0.018
30.48 - 32	R511784	0.013	32 - 33.53	R511851	0.001	123.44 - 124.97	R511917	1.555
32 - 33.53	R511785	0.068	33.53 - 35.05	R511852	-0.001	124.97 - 126.49	R511918	0.05
33.53 - 35.05	R511786	0.012	35.05 - 36.58	R511853	0.001	126.49 - 128.02	R511919	0.02
35.05 - 36.58	R511787	0.103	36.58 - 38.1	R511854	0.006	128.02 - 129.54	R511921	0.011
36.58 - 38.1	R511788	0.011	38.1 - 39.62	R511855	0.005	129.54 - 131.06	R511922	0.014
38.1 - 39.62	R511789	0.014	39.62 - 41.15	R511856	-0.001	131.06 - 132.59	R511923	0.006
39.62 - 41.15	R511791	0.016	41.15 - 42.67	R511857	0.006	132.59 - 134.11	R511924	0.004
41.15 - 42.67	R511792	0.013	42.67 - 44.2	R511858	0.067	134.11 - 135.64	R511925	0.006
42.67 - 44.2	R511793	0.014	44.2 - 45.72	R511859	0.813	135.64 - 137.16	R511926	0.004
44.2 - 45.72	R511794	0.027	45.72 - 47.24	R511861	1.325	137.16 - 138.68	R511927	0.003
45.72 - 47.24	R511795	0.017	47.24 - 48.77	R511862	0.33	138.68 - 140.21	R511928	0.004
47.24 - 48.77	R511796	0.008	48.77 - 50.29	R511863	0.092	140.21 - 141.73	R511929	0.002
48.77 - 50.29	R511797	0.014	50.29 - 51.82	R511864	0.487	141.73 - 143.26	R511931	0.143
50.29 - 51.82	R511798	0.009	51.82 - 53.34	R511865	0.16	143.26 - 144.78	R511932	0.001
51.82 - 53.34	R511799	0.011	53.34 - 54.86	R511866	0.309	144.78 - 146.3	R511933	0.108
53.34 - 54.86	R511801	0.009	54.86 - 56.39	R511867	0.118	146.3 - 147.83	R511934	0.001
54.86 - 56.39	R511802	0.007	56.39 - 57.91	R511868	3.21	147.83 - 149.35	R511935	0.002
56.39 - 57.91	R511803	1.355	57.91 - 59.44	R511869	1.565	149.35 - 150.88	R511936	0.001
57.91 - 59.44	R511804	0.02	59.44 - 60.96	R511871	0.021	150.88 - 152.4	R511937	0.048
59.44 - 60.96	R511805	0.01	60.96 - 62.48	R511872	0.012	152.4 - 153.92	R511938	0.002
60.96 - 62.48	R511806	0.007	62.48 - 64.01	R511873	0.141	153.92 - 155.45	R511939	0.001
62.48 - 64.01	R511807	0.005	64.01 - 65.53	R511874	2.7	155.45 - 156.97	R511941	0.01
64.01 - 65.53	R511808	0.006	65.53 - 67.06	R511875	1.395	156.97 - 158.5	R511942	-0.001
65.53 - 67.06	R511809	0.005	67.06 - 68.58	R511876	0.044	158.5 - 160.02	R511943	0.002
67.06 - 68.58	R511811	0.005	68.58 - 70.1	R511877	0.014			
68.58 - 70.1	R511812	0.005	70.1 - 71.63	R511878	0.073			
70.1 - 71.63	R511813	0.006	71.63 - 73.15	R511879	2.14			
71.63 - 73.15	R511814	0.005				Hole CFR0736 Latte		
						OB depth (m) 6.1		

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
129.54 - 131.06	R510385	0.446	70.1 - 71.63	R510448	0.003	16.76 - 18.29	R510514	0.008
131.06 - 132.59	R510386	0.109	71.63 - 73.15	R510449	0.004	18.29 - 19.81	R510515	0.003
132.59 - 134.11	R510387	0.029	73.15 - 74.68	R510451	0.002	19.81 - 21.34	R510516	0.114
134.11 - 135.64	R510388	0.011	74.68 - 76.2	R510452	0.003	21.34 - 22.86	R510517	0.006
135.64 - 137.16	R510389	0.024	76.2 - 77.72	R510453	0.003	22.86 - 24.38	R510518	0.533
137.16 - 138.68	R510391	0.007	77.72 - 79.25	R510454	0.003	24.38 - 25.91	R510519	0.113
138.68 - 140.21	R510392	0.005	79.25 - 80.77	R510455	0.002	25.91 - 27.43	R510521	0.016
140.21 - 141.73	R510393	0.004	80.77 - 82.3	R510456	0.001	27.43 - 28.96	R510522	0.008
141.73 - 143.26	R510394	0.004	82.3 - 83.82	R510457	0.002	28.96 - 30.48	R510523	0.012
143.26 - 144.78	R510395	0.012	83.82 - 85.34	R510458	-0.001	30.48 - 32	R510524	0.01
144.78 - 146.3	R510396	0.004	85.34 - 86.87	R510459	0.002	32 - 33.53	R510525	0.025
Hole CFR0741 Latte			86.87 - 88.39	R510461	0.001	33.53 - 35.05	R510526	0.053
OB depth (m) 12.19			88.39 - 89.92	R510462	0.002	35.05 - 36.58	R510527	0.038
0 - 1.52	R510397	0.107	89.92 - 91.44	R510463	0.002	36.58 - 38.1	R510528	0.037
1.52 - 3.05	R510398	0.026	91.44 - 92.96	R510464	0.001	38.1 - 39.62	R510529	0.369
3.05 - 4.57	R510399	0.232	92.96 - 94.49	R510465	0.001	39.62 - 41.15	R510531	0.058
4.57 - 6.1	R510401	0.022	94.49 - 96.01	R510466	0.002	41.15 - 42.67	R510532	0.038
6.1 - 7.62	R510402	0.028	96.01 - 97.54	R510467	0.002	42.67 - 44.2	R510533	0.022
7.62 - 9.14	R510403	0.021	97.54 - 99.06	R510468	0.001	44.2 - 45.72	R510534	0.25
9.14 - 10.67	R510404	0.018	99.06 - 100.58	R510469	0.001	45.72 - 47.24	R510535	0.005
10.67 - 12.19	R510405	0.035	100.58 - 102.11	R510471	0.004	47.24 - 48.77	R510536	0.085
12.19 - 13.72	R510406	0.009	102.11 - 103.63	R510472	0.002	48.77 - 50.29	R510537	3.63
13.72 - 15.24	R510407	0.529	103.63 - 105.16	R510473	0.001	50.29 - 51.82	R510538	1.97
15.24 - 16.76	R510408	0.007	105.16 - 106.68	R510474	0.002	51.82 - 53.34	R510539	2.14
16.76 - 18.29	R510409	0.008	106.68 - 108.2	R510475	0.002	53.34 - 54.86	R510541	0.174
18.29 - 19.81	R510411	0.004	108.2 - 109.73	R510476	0.002	54.86 - 56.39	R510542	0.371
19.81 - 21.34	R510412	0.002	109.73 - 111.25	R510477	0.003	56.39 - 57.91	R510543	0.029
21.34 - 22.86	R510413	0.003	111.25 - 112.78	R510478	0.001	57.91 - 59.44	R510544	0.026
22.86 - 24.38	R510414	0.004	112.78 - 114.3	R510479	0.002	59.44 - 60.96	R510545	0.025
24.38 - 25.91	R510415	0.015	114.3 - 115.82	R510481	0.001	60.96 - 62.48	R510546	0.008
25.91 - 27.43	R510416	0.021	115.82 - 117.35	R510482	0.002	62.48 - 64.01	R510547	0.015
27.43 - 28.96	R510417	0.007	117.35 - 118.87	R510483	0.001	64.01 - 65.53	R510548	0.009
28.96 - 30.48	R510418	0.003	118.87 - 120.4	R510484	0.001	65.53 - 67.06	R510549	0.012
30.48 - 32	R510419	0.007	120.4 - 121.92	R510485	0.003	67.06 - 68.58	R510551	0.028
32 - 33.53	R510421	0.021	121.92 - 123.44	R510486	0.005	68.58 - 70.1	R510552	0.035
33.53 - 35.05	R510422	0.191	123.44 - 124.97	R510487	0.007	70.1 - 71.63	R510553	0.029
35.05 - 36.58	R510423	0.318	124.97 - 126.49	R510488	0.004	71.63 - 73.15	R510554	0.015
36.58 - 38.1	R510424	0.173	126.49 - 128.02	R510489	0.002	Hole CFR0748 Latte		
38.1 - 39.62	R510425	1.23	128.02 - 129.54	R510491	0.002	OB depth (m) 10.67		
39.62 - 41.15	R510426	0.036	129.54 - 131.06	R510492	0.002	0 - 1.52	R510557	0.022
41.15 - 42.67	R510427	0.028	131.06 - 132.59	R510493	0.003	1.52 - 3.05	R510558	0.095
42.67 - 44.2	R510428	0.025	132.59 - 134.11	R510494	0.003	3.05 - 4.57	R510559	0.021
44.2 - 45.72	R510429	0.019	134.11 - 135.64	R510495	0.001	4.57 - 6.1	R510561	0.043
45.72 - 47.24	R510431	0.018	135.64 - 137.16	R510496	0.001	6.1 - 7.62	R510562	0.058
47.24 - 48.77	R510432	0.027	137.16 - 138.68	R510497	0.002	7.62 - 9.14	R510563	0.021
48.77 - 50.29	R510433	0.107	138.68 - 140.21	R510498	0.001	9.14 - 10.67	R510564	0.022
50.29 - 51.82	R510434	0.133	Hole CFR0745 Latte			10.67 - 12.19	R510565	0.039
51.82 - 53.34	R510435	0.034	OB depth (m) 7.62			12.19 - 13.72	R510566	0.036
53.34 - 54.86	R510436	0.009	0 - 1.52	R510502	0.023	13.72 - 15.24	R510567	0.04
54.86 - 56.39	R510437	0.199	1.52 - 3.05	R510503	0.014	15.24 - 16.76	R510568	0.026
56.39 - 57.91	R510438	0.01	3.05 - 4.57	R510504	0.076	16.76 - 18.29	R510569	0.002
57.91 - 59.44	R510439	0.05	4.57 - 6.1	R510505	0.034	18.29 - 19.81	R510571	0.38
59.44 - 60.96	R510441	1.21	6.1 - 7.62	R510506	0.013	19.81 - 21.34	R510572	0.578
60.96 - 62.48	R510442	0.454	7.62 - 9.14	R510507	0.012	21.34 - 22.86	R510573	0.234
62.48 - 64.01	R510443	0.935	9.14 - 10.67	R510508	0.016	22.86 - 24.38	R510574	0.026
64.01 - 65.53	R510444	1.25	10.67 - 12.19	R510509	0.024	24.38 - 25.91	R510575	0.02
65.53 - 67.06	R510445	0.016	12.19 - 13.72	R510511	0.027	25.91 - 27.43	R510576	0.006
67.06 - 68.58	R510446	0.007	13.72 - 15.24	R510512	0.03	27.43 - 28.96	R510577	0.052
68.58 - 70.1	R510447	0.006	15.24 - 16.76	R510513	0.033	28.96 - 30.48	R510578	0.023

Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)	Interval (m)	SampID	Au (ppm)
30.48	- 32	R510579			0.06			
32	- 33.53	R510581			0.048			
33.53	- 35.05	R510582			0.113			
35.05	- 36.58	R510583			0.103			
36.58	- 38.1	R510584			0.233			
38.1	- 39.62	R510585			1.6			
39.62	- 41.15	R510586			0.314			
41.15	- 42.67	R510587			0.028			
42.67	- 44.2	R510588			0.973			
44.2	- 45.72	R510589			0.018			
45.72	- 47.24	R510591			0.025			
47.24	- 48.77	R510592			0.544			
48.77	- 50.29	R510593			1.27			
50.29	- 51.82	R510594			3.42			
51.82	- 53.34	R510595			2.38			
53.34	- 54.86	R510596			0.271			
54.86	- 56.39	R510597			0.055			
56.39	- 57.91	R510598			0.127			
57.91	- 59.44	R510599			0.03			
59.44	- 60.96	R510601			0.022			
60.96	- 62.48	R510602			0.004			
62.48	- 64.01	R510603			0.02			
64.01	- 65.53	R510604			0.014			
65.53	- 67.06	R510605			0.029			
67.06	- 68.58	R510606			0.032			
68.58	- 70.1	R510607			0.015			
70.1	- 71.63	R510608			0.025			
71.63	- 73.15	R510609			0.012			
73.15	- 74.68	R510611			0.182			
74.68	- 76.2	R510612			0.415			
76.2	- 77.72	R510613			0.289			
77.72	- 79.25	R510614			0.984			
79.25	- 80.77	R510615			1.125			
80.77	- 82.3	R510616			2.71			
82.3	- 83.82	R510617			1.265			
83.82	- 85.34	R510618			0.089			
85.34	- 86.87	R510619			0.808			
86.87	- 88.39	R510621			0.048			
88.39	- 89.92	R510622			0.048			
89.92	- 91.44	R510623			0.01			
91.44	- 92.96	R510624			0.004			
92.96	- 94.49	R510625			0.009			
94.49	- 96.01	R510626			0.008			
96.01	- 97.54	R510627			0.006			
97.54	- 99.06	R510628			0.001			
99.06	- 100.58	R510629			0.003			
100.58	- 102.11	R510631			0.004			
102.11	- 103.63	R510632			0.027			
103.63	- 105.16	R510633			0.008			
105.16	- 106.68	R510634			0.005			
106.68	- 108.2	R510635			0.002			
108.2	- 109.73	R510636			0.002			
109.73	- 111.25	R510637			0.018			