



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 1
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2014
Account: KAMGOL

CERTIFICATE TB14129758

Project: HEMLO DISTRICT

This report is for 39 Rock samples submitted to our lab in Thunder Bay, ON, Canada on 27-AUG-2014.

The following have access to data associated with this certificate:

TOM BOKENFOHR
JAMES SCOTT

ERIC BUITENHUIS
TIM SMITH

JOHN FLOREK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
C-IR07	Total Carbon (Leco)	LECO
ME-MS61	48 element four acid ICP-MS	

To: KAMINAK GOLD CORPORATION
ATTN: TIM SMITH
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2014
Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
S00838		0.53	0.06	7.29	<0.2	500	0.81	0.05	6.67	0.13	31.4	46.3	11	0.74	9.3	8.63
S00839		0.86	0.06	8.68	0.4	90	0.89	0.12	6.49	0.08	36.9	15.7	56	0.15	10.9	4.66
S00840		0.49	0.13	6.14	1.8	190	1.79	0.15	0.43	<0.02	1.85	1.0	10	4.45	7.2	0.73
S00841		0.51	0.05	8.29	0.6	260	0.87	0.10	4.22	0.06	38.3	15.6	52	1.46	15.5	3.79
S00842		0.69	0.12	8.57	1.3	450	0.95	0.07	1.24	0.08	46.5	10.3	86	1.16	15.1	1.25
S00843		0.25	0.02	7.47	0.5	130	1.02	0.25	5.07	0.11	46.0	15.8	133	0.66	14.0	3.15
S00844		0.39	0.07	8.06	0.6	250	0.75	0.13	2.82	0.07	26.5	13.4	59	1.62	19.9	3.13
S00845		0.89	0.07	8.76	0.2	430	0.68	0.22	2.61	0.06	22.6	14.2	51	1.04	22.7	3.30
S00846		0.48	0.16	7.63	0.5	250	0.79	0.67	3.45	0.09	26.2	12.4	43	0.92	12.8	2.97
S00847		1.02	0.08	8.07	1.0	590	0.82	0.13	1.48	0.05	27.9	6.4	20	2.73	14.0	1.86
S00848		0.65	0.02	7.93	1.0	620	0.90	0.08	1.69	0.04	17.70	4.7	14	2.72	8.2	1.74
S00849		0.70	0.09	7.27	0.6	610	0.72	0.11	1.82	0.09	42.2	6.2	13	0.78	10.3	1.94
S00850		0.52	0.06	8.25	0.4	460	0.68	0.14	2.05	0.04	27.3	11.7	51	3.67	15.3	3.93
S00851		0.68	0.06	5.72	<0.2	140	1.64	0.25	8.21	0.19	33.5	48.8	532	2.73	18.4	7.39
S00852		0.71	0.06	8.23	0.5	650	1.57	0.13	2.01	0.07	41.7	4.4	17	2.93	17.4	2.17
S00853		0.71	0.04	8.36	0.6	1150	1.44	0.15	3.83	0.10	108.0	18.1	23	4.64	12.5	4.83
S00854		0.80	0.09	7.64	0.8	340	0.93	0.06	6.44	0.18	41.6	45.0	85	2.68	122.5	10.60
S00855		1.16	0.69	6.61	1.1	340	0.66	1.01	3.48	2.44	44.3	29.6	37	3.35	177.5	6.19
S00856		0.73	0.03	8.19	9.7	810	0.94	0.04	2.81	0.10	7.53	2.2	30	1.23	5.0	1.00
S00857		0.56	0.05	8.04	<0.2	320	0.68	0.14	4.42	0.09	30.5	23.6	190	1.85	19.9	3.94
S00858		0.70	0.02	8.43	0.7	430	0.77	0.15	2.22	0.03	21.1	6.0	19	1.78	9.4	2.09
S00859		0.50	0.04	8.26	<0.2	250	0.60	0.06	3.60	0.05	25.5	15.4	67	1.06	6.8	3.28
S00860		0.48	0.07	7.82	<0.2	490	0.83	0.07	4.36	0.10	47.8	20.4	124	1.40	13.1	4.10
S00861		0.84	0.16	2.03	0.6	120	0.28	0.01	0.70	0.03	1.55	3.3	21	0.44	73.2	0.78
S00862		0.76	0.04	7.42	0.4	490	0.86	0.10	3.41	0.07	45.6	17.2	107	1.92	19.1	3.39
S00863		0.69	0.05	7.71	1.0	260	0.86	0.17	5.16	0.14	67.1	19.3	204	0.81	24.2	3.66
S00864		0.65	0.04	7.53	0.3	330	0.81	0.21	3.17	0.09	50.7	16.9	109	1.17	19.8	3.27
S00865		0.86	0.05	8.21	0.5	350	0.79	0.07	2.79	0.10	69.9	19.0	115	0.49	3.5	4.05
S00866		0.52	0.08	7.42	0.7	340	0.84	0.19	3.53	0.11	41.4	21.2	126	2.37	18.7	3.99
S00867		0.61	0.02	7.61	0.2	450	0.67	0.08	3.59	0.07	46.5	17.4	102	0.48	13.7	3.85
S00868		1.20	0.02	7.46	0.5	730	0.91	0.19	3.66	0.10	62.6	15.4	107	0.45	24.0	3.49
S00869		0.84	0.05	7.55	0.2	530	1.00	0.08	3.57	0.08	41.7	14.7	59	1.86	19.7	3.26
S00870		1.10	0.08	8.55	0.2	360	0.90	0.24	2.12	0.08	17.20	11.6	367	4.02	29.6	5.12
S00871		1.16	0.10	8.19	1.2	520	0.88	0.13	3.30	0.09	18.45	20.0	194	7.28	44.0	5.62
S00872		0.84	0.15	7.84	1.0	610	0.58	0.10	3.67	0.19	9.46	20.9	172	1.02	63.8	5.04
S00873		0.84	0.02	8.60	0.4	160	0.30	0.01	6.86	0.09	6.91	48.9	313	0.52	45.7	5.86
S00874		1.07	0.03	7.67	0.8	80	0.31	0.01	8.31	0.06	6.75	48.6	253	0.45	108.0	8.13
S00875		0.65	0.21	7.24	0.6	340	0.11	0.03	7.67	0.13	3.97	47.1	374	1.38	54.9	10.70
S00876		1.13	0.10	5.49	0.3	10	0.07	0.02	6.88	1.42	2.82	19.0	206	0.10	113.0	4.48



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2014
Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
S00838		19.35	0.12	1.9	0.088	1.42	9.0	23.2	5.89	1290	0.15	2.14	4.2	18.4	330
S00839		30.7	0.09	1.2	0.042	0.30	16.2	4.9	1.60	667	1.73	3.00	3.1	31.5	760
S00840		19.10	<0.05	1.2	<0.005	4.10	0.7	1.6	0.05	77	0.36	2.59	1.1	2.5	50
S00841		26.2	0.09	1.8	0.042	0.67	16.4	9.4	1.50	655	0.48	4.60	3.5	29.8	890
S00842		24.5	0.09	2.8	0.036	1.68	19.2	20.6	0.18	204	0.78	4.39	2.9	28.7	540
S00843		23.1	0.09	1.4	0.026	0.29	22.8	3.2	1.52	548	0.40	3.71	3.1	68.3	680
S00844		21.6	0.08	1.0	0.034	0.89	10.7	11.8	1.07	535	0.42	4.04	2.3	36.4	570
S00845		24.1	0.08	0.7	0.035	0.92	9.8	13.5	1.11	600	0.39	4.79	2.7	29.7	590
S00846		24.0	0.08	0.8	0.035	0.71	11.9	8.2	0.97	424	0.76	4.09	2.5	24.6	600
S00847		23.3	0.06	2.5	0.021	1.08	10.3	21.3	0.68	248	0.61	4.35	2.1	10.7	460
S00848		22.0	0.05	2.1	0.013	1.62	6.3	17.4	0.46	234	0.37	3.88	2.1	6.6	370
S00849		21.3	0.09	1.1	0.019	2.15	19.0	8.2	0.44	340	0.30	3.44	2.4	6.7	510
S00850		21.8	0.10	2.9	0.031	1.65	9.7	33.0	1.11	551	0.83	3.06	3.7	23.2	730
S00851		15.80	0.14	2.4	0.068	0.71	11.0	10.8	6.92	1400	4.67	1.13	3.7	172.0	2080
S00852		26.9	0.07	4.7	0.034	0.87	15.2	19.2	0.60	254	0.33	4.36	4.8	6.4	1010
S00853		23.6	0.20	3.7	0.055	2.15	47.8	18.6	1.76	751	0.24	3.46	6.1	14.6	2010
S00854		21.6	0.17	4.1	0.094	0.81	19.3	10.5	3.17	1720	0.61	2.19	7.0	45.9	850
S00855		19.30	0.13	1.9	0.170	1.21	20.6	18.8	0.79	744	3.23	0.59	3.6	97.1	320
S00856		27.3	<0.05	2.9	0.060	1.59	3.3	7.0	0.22	242	0.90	3.22	2.7	9.1	460
S00857		21.4	0.11	1.0	0.038	0.87	13.0	17.5	2.01	741	0.39	3.19	2.5	90.5	590
S00858		24.0	0.05	0.9	0.020	0.97	8.6	15.7	0.44	259	0.26	4.45	1.6	10.4	390
S00859		27.2	0.10	0.9	0.035	0.92	10.4	15.7	1.27	488	0.31	3.86	2.2	43.5	740
S00860		22.2	0.14	1.7	0.036	1.07	21.6	9.2	2.43	658	0.76	3.30	4.6	83.6	830
S00861		3.50	<0.05	0.1	<0.005	0.14	0.7	1.9	0.08	90	0.30	1.02	0.2	6.2	1060
S00862		21.4	0.12	2.2	0.027	0.93	19.3	15.1	1.76	568	0.57	3.32	4.4	65.1	760
S00863		21.7	0.14	1.1	0.043	0.49	30.7	6.6	1.98	714	0.49	3.15	4.6	92.8	1030
S00864		21.6	0.14	1.6	0.036	0.89	22.7	12.8	1.72	615	0.41	3.33	3.4	79.8	850
S00865		21.2	0.12	2.4	0.034	0.98	31.7	12.2	2.40	630	0.43	4.46	3.9	78.2	940
S00866		20.3	0.08	2.4	0.038	0.72	16.4	11.3	1.53	860	0.85	3.26	3.9	72.7	1020
S00867		20.3	0.12	1.8	0.037	0.94	20.8	8.3	2.06	542	0.43	3.93	3.3	67.4	770
S00868		21.3	0.12	2.0	0.035	0.98	28.8	7.7	1.50	531	0.53	3.64	4.1	59.7	890
S00869		22.2	0.18	1.3	0.036	1.13	16.2	16.4	1.54	586	0.26	3.27	2.7	44.2	840
S00870		22.5	0.08	3.7	0.061	1.85	8.1	36.8	1.33	953	0.92	1.93	5.6	42.6	510
S00871		26.8	0.09	1.9	0.052	2.13	8.2	52.0	2.77	1080	4.73	1.66	5.3	58.5	1260
S00872		19.05	0.11	1.7	0.052	1.02	4.4	18.8	1.77	1130	0.63	3.03	2.5	45.8	450
S00873		20.2	0.05	0.6	0.065	0.24	2.4	11.0	3.92	1400	0.18	3.24	2.0	140.0	470
S00874		17.90	0.05	0.6	0.064	0.28	2.4	5.8	2.90	2140	0.26	1.30	1.9	139.0	450
S00875		14.05	0.08	0.6	0.050	0.96	1.2	29.2	5.92	2240	0.16	0.94	1.2	117.0	170
S00876		12.20	<0.05	0.3	0.027	0.04	1.1	5.9	1.61	1070	0.68	0.14	0.6	51.8	90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2014
Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
S00838		41.8	<0.002	0.04	0.25	57.0	1	1.5	444	0.22	<0.05	0.6	0.801	0.26	0.3	409
S00839		3.5	0.002	0.02	0.27	11.5	1	1.0	959	0.18	<0.05	2.0	0.363	0.03	0.6	113
S00840		139.5	<0.002	<0.01	0.23	0.4	<1	0.6	266	0.07	<0.05	5.7	0.020	0.80	0.9	4
S00841		10.0	<0.002	0.02	0.26	11.6	1	1.0	631	0.19	<0.05	2.2	0.344	0.11	0.5	107
S00842		49.2	0.002	0.02	0.12	16.8	1	0.9	461	0.19	<0.05	2.9	0.458	0.20	0.7	130
S00843		5.9	<0.002	0.01	0.26	9.8	1	0.9	1250	0.19	<0.05	3.7	0.253	0.04	0.9	82
S00844		19.4	<0.002	0.03	0.15	10.1	1	0.9	901	0.12	<0.05	1.5	0.347	0.14	0.3	86
S00845		28.8	<0.002	0.05	0.17	12.3	1	0.8	570	0.14	<0.05	1.2	0.381	0.15	0.3	98
S00846		16.5	<0.002	0.04	0.41	8.4	1	1.0	850	0.12	<0.05	1.2	0.343	0.11	0.3	82
S00847		25.2	<0.002	0.01	0.30	5.4	<1	0.7	806	0.13	<0.05	3.4	0.200	0.24	0.8	44
S00848		39.8	<0.002	<0.01	0.11	3.4	<1	0.6	507	0.12	<0.05	2.7	0.173	0.21	0.6	31
S00849		44.1	<0.002	<0.01	1.10	4.7	1	0.7	494	0.15	<0.05	2.8	0.222	0.18	0.6	44
S00850		58.3	<0.002	0.05	0.07	12.8	1	0.7	536	0.25	0.05	3.1	0.391	0.37	0.8	100
S00851		30.8	<0.002	<0.01	0.11	38.9	1	1.5	428	0.21	<0.05	5.8	0.564	0.14	2.4	268
S00852		34.3	<0.002	0.03	0.11	3.3	1	1.3	1040	0.26	<0.05	4.1	0.308	0.21	0.9	50
S00853		60.5	<0.002	0.03	0.10	9.9	1	1.3	1360	0.36	<0.05	6.0	0.494	0.45	1.6	117
S00854		36.5	0.002	0.04	0.14	40.2	2	1.4	213	0.48	<0.05	4.2	0.883	0.22	1.0	346
S00855		52.6	0.004	3.12	0.43	17.7	3	2.1	375	0.33	0.37	3.9	0.227	1.06	1.1	76
S00856		37.7	<0.002	0.02	0.52	3.8	1	1.1	513	0.25	<0.05	3.2	0.200	0.55	0.6	82
S00857		15.8	<0.002	0.01	0.13	18.0	1	0.7	956	0.15	<0.05	1.5	0.353	0.18	0.4	122
S00858		22.2	<0.002	0.01	0.10	4.1	1	0.5	861	0.09	<0.05	1.2	0.194	0.16	0.3	36
S00859		15.9	<0.002	0.01	0.08	10.6	1	0.7	751	0.11	<0.05	1.2	0.313	0.14	0.3	86
S00860		29.7	<0.002	<0.01	0.09	11.7	1	0.8	747	0.28	<0.05	3.1	0.451	0.14	0.8	94
S00861		4.7	<0.002	0.02	0.05	0.4	<1	<0.2	199.0	<0.05	<0.05	<0.2	0.019	0.03	0.1	4
S00862		29.2	<0.002	0.02	0.09	10.2	<1	0.7	689	0.27	<0.05	3.2	0.414	0.16	0.7	80
S00863		15.5	<0.002	<0.01	0.09	14.9	1	0.8	829	0.27	<0.05	3.9	0.519	0.06	0.9	110
S00864		29.1	<0.002	0.02	0.07	10.7	<1	0.6	707	0.22	<0.05	3.2	0.341	0.13	0.7	85
S00865		29.6	<0.002	<0.01	0.06	11.7	<1	0.6	569	0.24	<0.05	4.7	0.401	0.15	0.9	101
S00866		24.9	<0.002	0.08	0.08	11.3	<1	0.6	586	0.25	<0.05	3.5	0.399	0.12	0.8	96
S00867		22.0	<0.002	0.01	0.07	10.8	<1	0.7	614	0.22	<0.05	3.6	0.370	0.12	0.8	94
S00868		15.4	<0.002	0.01	0.09	10.7	1	0.8	790	0.25	<0.05	4.2	0.385	0.10	1.0	91
S00869		30.0	<0.002	0.01	0.09	9.8	1	0.6	1025	0.15	<0.05	2.1	0.308	0.19	0.5	83
S00870		65.5	<0.002	0.09	<0.05	21.3	1	1.2	317	0.41	0.07	2.6	0.429	0.43	0.7	139
S00871		59.1	0.002	0.08	0.05	20.6	1	0.8	439	0.30	0.08	1.3	0.467	0.64	0.4	167
S00872		37.2	<0.002	0.34	0.05	22.8	1	0.4	270	0.17	0.05	0.8	0.491	0.31	0.3	163
S00873		10.6	0.002	0.05	0.09	46.9	1	0.6	177.5	0.13	<0.05	0.2	0.923	0.03	0.1	346
S00874		11.8	<0.002	0.18	0.06	44.0	1	0.5	142.5	0.12	<0.05	0.2	0.833	0.09	<0.1	311
S00875		48.3	<0.002	<0.01	0.11	49.3	<1	0.4	63.6	0.08	0.05	<0.2	0.356	0.18	<0.1	246
S00876		1.4	0.004	0.02	0.08	23.9	1	0.2	569	<0.05	<0.05	<0.2	0.175	<0.02	<0.1	125



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2014
 Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-AA23 Au ppm 0.005	C-IR07 C % 0.01
S00838		0.1	24.9	110	54.2	<0.005	0.05
S00839		0.6	10.0	98	40.5	<0.005	0.04
S00840		0.1	0.5	9	17.2	<0.005	0.03
S00841		0.5	9.9	87	61.6	<0.005	0.04
S00842		0.9	9.4	57	99.9	<0.005	0.09
S00843		0.2	7.5	58	46.6	<0.005	0.36
S00844		0.3	7.2	69	32.9	<0.005	0.05
S00845		0.2	7.5	66	24.2	<0.005	0.05
S00846		0.3	6.6	71	25.7	<0.005	0.08
S00847		0.2	4.2	67	96.6	<0.005	0.02
S00848		0.2	3.0	57	85.5	<0.005	0.06
S00849		0.2	5.2	28	43.3	<0.005	0.08
S00850		0.4	6.1	74	105.5	<0.005	0.02
S00851		0.4	15.3	119	79.9	<0.005	0.04
S00852		0.4	4.3	85	169.0	<0.005	0.11
S00853		0.1	15.2	116	131.5	<0.005	0.02
S00854		0.3	34.1	147	144.0	<0.005	0.05
S00855		0.2	13.4	1540	70.7	0.006	2.38
S00856		0.3	3.1	66	100.5	<0.005	0.67
S00857		0.3	10.1	78	33.5	<0.005	0.02
S00858		0.2	3.6	51	33.2	<0.005	0.08
S00859		0.1	6.9	80	28.0	<0.005	0.01
S00860		0.2	10.9	85	61.5	<0.005	0.10
S00861		0.1	0.5	4	2.9	<0.005	0.06
S00862		0.2	9.6	64	81.1	<0.005	0.04
S00863		0.2	12.2	66	38.3	<0.005	0.04
S00864		0.4	8.8	62	64.7	<0.005	0.07
S00865		0.2	10.5	86	93.9	<0.005	0.10
S00866		0.2	10.6	88	85.2	<0.005	0.18
S00867		0.3	8.8	68	68.8	<0.005	0.06
S00868		0.5	10.1	63	71.2	<0.005	0.05
S00869		0.2	8.4	81	46.0	<0.005	0.08
S00870		0.9	11.7	82	139.5	<0.005	0.24
S00871		0.4	13.2	124	71.0	<0.005	0.09
S00872		0.4	9.7	105	60.2	<0.005	0.08
S00873		0.2	18.3	89	9.1	<0.005	0.05
S00874		0.1	19.8	83	10.1	<0.005	0.24
S00875		0.1	14.8	87	10.5	<0.005	0.06
S00876		0.3	7.5	193	9.0	<0.005	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2014
Account: KAMGOL

Project: HEMLO DISTRICT

CERTIFICATE OF ANALYSIS TB14129758

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.
CRU-31 CRU-QC LOG-22 PUL-32m
PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA23 C-IR07 ME-MS61