



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 1
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 23-DEC-2014
Account: KAMGOL

CERTIFICATE WH14190494

Project: Coffee

P.O. No.: KGC-14-1439

This report is for 81 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 9-DEC-2014.

The following have access to data associated with this certificate:

TOM BOKENFOHR
TIM SMITH

ERIC BUITENHUIS

JAMES SCOTT

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: KAMINAK GOLD CORPORATION
ATTN: TIM SMITH
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 23-DEC-2014
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | 10 |
| R511946 | | <0.2 | 1.46 | 49 | <10 | 150 | 0.5 | 2 | 0.61 | <0.5 | 11 | 41 | 7 | 2.45 | 10 |
| R511947 | | <0.2 | 1.24 | 23 | <10 | 170 | 0.5 | 4 | 0.56 | <0.5 | 9 | 31 | 8 | 2.54 | 10 |
| R511948 | | <0.2 | 1.87 | 29 | <10 | 280 | 1.1 | <2 | 2.99 | <0.5 | 17 | 30 | 7 | 4.58 | 10 |
| R511949 | | <0.2 | 1.18 | 14 | <10 | 80 | <0.5 | 2 | 1.70 | <0.5 | 8 | 34 | 5 | 2.37 | 10 |
| R511951 | | <0.2 | 1.96 | 21 | <10 | 200 | 0.7 | <2 | 4.23 | <0.5 | 9 | 25 | 11 | 3.09 | 10 |
| R511952 | | <0.2 | 0.80 | 37 | <10 | 120 | 0.6 | 2 | 0.59 | <0.5 | 4 | 10 | 3 | 1.63 | <10 |
| R511953 | | <0.2 | 0.57 | 29 | <10 | 130 | 0.6 | <2 | 0.99 | <0.5 | 3 | 6 | 3 | 1.29 | <10 |
| R511954 | | <0.2 | 1.17 | 5 | <10 | 70 | <0.5 | <2 | 0.85 | <0.5 | 5 | 11 | 3 | 1.91 | 10 |
| R511955 | | <0.2 | 0.98 | 10 | <10 | 60 | 0.5 | 2 | 1.06 | <0.5 | 5 | 12 | 3 | 1.67 | <10 |
| R511956 | | <0.2 | 0.97 | 39 | <10 | 120 | 0.9 | <2 | 0.78 | <0.5 | 4 | 16 | 2 | 1.71 | <10 |
| R511957 | | <0.2 | 1.03 | 16 | <10 | 110 | <0.5 | <2 | 0.71 | <0.5 | 6 | 18 | 3 | 1.56 | <10 |
| R511958 | | <0.2 | 1.62 | 29 | <10 | 330 | 0.9 | <2 | 0.66 | <0.5 | 10 | 18 | 5 | 2.46 | 10 |
| R511959 | | <0.2 | 1.59 | 11 | <10 | 310 | 0.5 | 2 | 1.64 | <0.5 | 10 | 34 | 6 | 2.42 | 10 |
| R511961 | | <0.2 | 0.90 | 129 | <10 | 120 | 1.1 | <2 | 1.43 | <0.5 | 7 | 35 | 3 | 2.36 | <10 |
| R511962 | | <0.2 | 1.15 | 139 | <10 | 140 | 1.2 | <2 | 1.42 | <0.5 | 11 | 30 | 7 | 2.69 | <10 |
| R511963 | | <0.2 | 0.82 | 35 | <10 | 90 | 0.6 | 2 | 0.77 | <0.5 | 5 | 14 | 4 | 1.82 | <10 |
| R511964 | | <0.2 | 1.88 | 18 | <10 | 440 | 0.9 | 2 | 3.13 | <0.5 | 17 | 93 | 7 | 3.29 | 10 |
| R511965 | | <0.2 | 2.46 | 3 | <10 | 410 | 0.9 | 3 | 4.10 | <0.5 | 22 | 185 | 6 | 3.75 | 10 |
| R511966 | | <0.2 | 1.20 | 20 | <10 | 340 | 0.5 | <2 | 2.27 | <0.5 | 9 | 34 | 4 | 2.29 | <10 |
| R511967 | | <0.2 | 2.75 | 24 | <10 | 550 | 0.7 | <2 | 2.89 | <0.5 | 22 | 119 | 6 | 3.93 | 10 |
| R511968 | | <0.2 | 2.65 | 3 | <10 | 540 | 0.6 | <2 | 3.48 | <0.5 | 20 | 163 | 10 | 3.43 | 10 |
| R511969 | | <0.2 | 2.65 | 111 | <10 | 570 | 1.7 | 2 | 3.32 | <0.5 | 21 | 155 | 6 | 4.75 | 10 |
| R511971 | | <0.2 | 1.61 | 362 | <10 | 200 | 1.3 | <2 | 4.36 | <0.5 | 17 | 156 | 8 | 3.57 | 10 |
| R511972 | | <0.2 | 1.67 | 35 | <10 | 180 | 0.6 | <2 | 2.09 | <0.5 | 13 | 125 | 6 | 2.64 | <10 |
| R511973 | | <0.2 | 2.09 | 31 | <10 | 360 | 1.3 | <2 | 5.17 | <0.5 | 16 | 148 | 6 | 3.68 | 10 |
| R511974 | | <0.2 | 2.15 | 38 | <10 | 230 | 0.8 | <2 | 2.86 | <0.5 | 15 | 133 | 7 | 3.30 | 10 |
| R511975 | | <0.2 | 2.50 | 29 | <10 | 290 | 1.6 | <2 | 5.10 | <0.5 | 18 | 195 | 6 | 4.09 | 10 |
| R511976 | | <0.2 | 0.94 | 41 | <10 | 110 | 0.7 | <2 | 1.84 | <0.5 | 6 | 29 | 3 | 1.92 | <10 |
| R511977 | | <0.2 | 2.31 | 17 | <10 | 350 | 0.6 | <2 | 2.93 | <0.5 | 15 | 87 | 7 | 3.29 | 10 |
| R511978 | | <0.2 | 2.10 | 15 | <10 | 180 | 0.6 | <2 | 2.34 | <0.5 | 20 | 147 | 14 | 3.09 | 10 |
| R511979 | | <0.2 | 2.28 | 6 | <10 | 360 | 0.6 | <2 | 2.72 | <0.5 | 19 | 101 | 16 | 3.40 | 10 |
| R511981 | | <0.2 | 1.76 | 11 | <10 | 190 | 0.9 | 2 | 4.68 | <0.5 | 13 | 59 | 9 | 2.80 | 10 |
| R511982 | | <0.2 | 2.18 | 11 | <10 | 330 | 0.8 | <2 | 3.64 | <0.5 | 17 | 116 | 11 | 3.14 | 10 |
| R511983 | | <0.2 | 2.48 | 48 | <10 | 230 | 0.9 | <2 | 1.36 | <0.5 | 21 | 143 | 12 | 3.13 | 10 |
| R511984 | | <0.2 | 2.28 | 92 | <10 | 240 | 1.2 | 2 | 0.99 | <0.5 | 23 | 126 | 9 | 3.78 | 10 |
| R511985 | | <0.2 | 1.19 | 380 | <10 | 130 | 1.3 | <2 | 3.71 | <0.5 | 11 | 43 | 7 | 3.80 | <10 |
| R511986 | | <0.2 | 1.14 | 155 | <10 | 270 | 1.2 | 2 | 6.09 | <0.5 | 20 | 64 | 10 | 3.95 | <10 |
| R511987 | | <0.2 | 2.09 | 283 | <10 | 120 | 1.9 | <2 | 5.74 | <0.5 | 20 | 157 | 15 | 4.25 | 10 |
| R511988 | | <0.2 | 1.13 | 18 | <10 | 260 | 0.5 | <2 | 4.50 | <0.5 | 10 | 171 | 16 | 1.99 | <10 |
| R511989 | | <0.2 | 1.03 | 26 | <10 | 60 | <0.5 | <2 | 3.32 | <0.5 | 10 | 157 | 10 | 1.67 | <10 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 23-DEC-2014
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 K % | ME-ICP41 La ppm | ME-ICP41 Mg % | ME-ICP41 Mn ppm | ME-ICP41 Mo ppm | ME-ICP41 Na % | ME-ICP41 Ni ppm | ME-ICP41 P ppm | ME-ICP41 Pb ppm | ME-ICP41 S % | ME-ICP41 Sb ppm | ME-ICP41 Sc ppm | ME-ICP41 Sr ppm | ME-ICP41 Th ppm | ME-ICP41 Ti % |
|--------------------|-----------------------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 |
| R511946 | | 0.28 | 20 | 0.95 | 466 | <1 | 0.05 | 29 | 400 | 4 | 0.01 | <2 | 3 | 30 | <20 | 0.11 |
| R511947 | | 0.29 | 30 | 0.81 | 479 | 1 | 0.06 | 21 | 330 | 3 | 0.01 | <2 | 2 | 34 | 20 | 0.11 |
| R511948 | | 0.54 | 30 | 1.37 | 1175 | 2 | 0.04 | 34 | 470 | 5 | 0.01 | <2 | 4 | 112 | <20 | 0.06 |
| R511949 | | 0.25 | 30 | 0.86 | 463 | 1 | 0.04 | 24 | 320 | 2 | <0.01 | <2 | 3 | 23 | 20 | 0.02 |
| R511951 | | 0.94 | 30 | 1.67 | 925 | 1 | 0.05 | 17 | 330 | 8 | 0.01 | <2 | 3 | 63 | 20 | 0.08 |
| R511952 | | 0.33 | 50 | 0.26 | 338 | <1 | 0.04 | 7 | 360 | 4 | 0.01 | <2 | 1 | 10 | 20 | 0.01 |
| R511953 | | 0.23 | 40 | 0.12 | 287 | 1 | 0.05 | 4 | 280 | 5 | 0.02 | <2 | 1 | 15 | 30 | <0.01 |
| R511954 | | 0.28 | 40 | 0.71 | 312 | 1 | 0.06 | 7 | 450 | 6 | 0.02 | <2 | 2 | 24 | 20 | 0.05 |
| R511955 | | 0.21 | 30 | 0.58 | 317 | 1 | 0.06 | 7 | 350 | 5 | 0.02 | <2 | 2 | 20 | 20 | 0.01 |
| R511956 | | 0.25 | 40 | 0.34 | 330 | 1 | 0.04 | 7 | 300 | 5 | 0.02 | <2 | 2 | 17 | 30 | 0.01 |
| R511957 | | 0.34 | 30 | 0.63 | 330 | 1 | 0.05 | 8 | 300 | 4 | 0.01 | <2 | 2 | 23 | 20 | 0.04 |
| R511958 | | 0.78 | 40 | 0.94 | 494 | 1 | 0.06 | 7 | 640 | 20 | 0.02 | 2 | 5 | 21 | 20 | 0.06 |
| R511959 | | 0.86 | 30 | 1.11 | 439 | 1 | 0.06 | 15 | 510 | 5 | 0.02 | <2 | 4 | 45 | 20 | 0.11 |
| R511961 | | 0.18 | 30 | 0.11 | 496 | 1 | <0.01 | 23 | 470 | 15 | 0.01 | 4 | 5 | 14 | 20 | <0.01 |
| R511962 | | 0.17 | 40 | 0.32 | 531 | 1 | 0.02 | 15 | 530 | 12 | 0.01 | 4 | 7 | 21 | 20 | 0.01 |
| R511963 | | 0.33 | 30 | 0.32 | 324 | 1 | 0.07 | 7 | 340 | 9 | 0.02 | <2 | 3 | 18 | 20 | 0.02 |
| R511964 | | 0.96 | 20 | 1.56 | 622 | 1 | 0.06 | 33 | 600 | 6 | 0.12 | <2 | 6 | 56 | <20 | 0.14 |
| R511965 | | 1.07 | 10 | 2.40 | 659 | 1 | 0.06 | 54 | 610 | 7 | 0.14 | <2 | 7 | 110 | <20 | 0.20 |
| R511966 | | 0.64 | 40 | 0.78 | 396 | 2 | 0.06 | 11 | 440 | 6 | 0.02 | <2 | 5 | 56 | 30 | 0.06 |
| R511967 | | 1.49 | 20 | 2.25 | 721 | 1 | 0.06 | 37 | 640 | 7 | 0.02 | <2 | 6 | 70 | <20 | 0.22 |
| R511968 | | 1.23 | 10 | 2.34 | 568 | 1 | 0.05 | 42 | 790 | 3 | 0.06 | <2 | 5 | 84 | <20 | 0.30 |
| R511969 | | 1.19 | 30 | 1.90 | 761 | <1 | 0.04 | 51 | 780 | 6 | 0.02 | <2 | 10 | 70 | <20 | 0.13 |
| R511971 | | 0.44 | 30 | 0.76 | 676 | 1 | 0.02 | 64 | 670 | 36 | 0.02 | 5 | 9 | 64 | <20 | 0.07 |
| R511972 | | 0.89 | 20 | 1.39 | 553 | 1 | 0.06 | 38 | 560 | 5 | 0.02 | <2 | 4 | 64 | <20 | 0.17 |
| R511973 | | 1.04 | 20 | 1.92 | 778 | 2 | 0.03 | 61 | 740 | 23 | 0.02 | 2 | 10 | 122 | <20 | 0.13 |
| R511974 | | 0.85 | 30 | 1.89 | 625 | 1 | 0.06 | 64 | 520 | 29 | 0.02 | 3 | 7 | 69 | 20 | 0.09 |
| R511975 | | 1.18 | 30 | 2.11 | 822 | 1 | 0.04 | 108 | 660 | 8 | 0.02 | 2 | 12 | 86 | <20 | 0.07 |
| R511976 | | 0.37 | 30 | 0.36 | 366 | 2 | 0.06 | 14 | 260 | 7 | 0.02 | 2 | 3 | 24 | 30 | 0.02 |
| R511977 | | 1.09 | 10 | 1.87 | 682 | 1 | 0.05 | 39 | 910 | 7 | 0.02 | <2 | 6 | 80 | <20 | 0.24 |
| R511978 | | 0.73 | 10 | 1.78 | 548 | 1 | 0.05 | 84 | 770 | 8 | 0.01 | <2 | 6 | 77 | <20 | 0.26 |
| R511979 | | 0.91 | 10 | 1.71 | 641 | 1 | 0.05 | 59 | 790 | 23 | 0.03 | 3 | 5 | 82 | <20 | 0.25 |
| R511981 | | 0.38 | 10 | 0.89 | 577 | 1 | 0.03 | 46 | 670 | 9 | 0.21 | 2 | 5 | 137 | <20 | 0.18 |
| R511982 | | 0.69 | 10 | 1.57 | 591 | 1 | 0.04 | 52 | 670 | 4 | 0.05 | 2 | 5 | 90 | <20 | 0.20 |
| R511983 | | 0.96 | 10 | 1.99 | 572 | <1 | 0.03 | 63 | 640 | 7 | 0.01 | 4 | 4 | 69 | <20 | 0.25 |
| R511984 | | 0.80 | 10 | 1.77 | 564 | <1 | 0.05 | 50 | 710 | 21 | 0.01 | 6 | 7 | 55 | <20 | 0.18 |
| R511985 | | 0.20 | 30 | 0.27 | 613 | 1 | 0.01 | 23 | 460 | 33 | 0.02 | 8 | 7 | 39 | 20 | 0.01 |
| R511986 | | 0.13 | 30 | 0.16 | 681 | 2 | <0.01 | 44 | 820 | 33 | 0.03 | 5 | 16 | 42 | <20 | 0.01 |
| R511987 | | 0.39 | 30 | 0.72 | 560 | 1 | 0.01 | 61 | 850 | 15 | 0.02 | 11 | 17 | 44 | <20 | 0.03 |
| R511988 | | 0.25 | 10 | 0.82 | 749 | 1 | 0.03 | 31 | 400 | 8 | 0.02 | 4 | 6 | 128 | <20 | 0.17 |
| R511989 | | 0.26 | 10 | 0.80 | 573 | 1 | 0.02 | 33 | 400 | 51 | 0.02 | 4 | 4 | 206 | <20 | 0.15 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-DEC-2014
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ti ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| R511946 | | <10 | <10 | 29 | <10 | 32 |
| R511947 | | <10 | <10 | 21 | <10 | 24 |
| R511948 | | <10 | <10 | 25 | <10 | 40 |
| R511949 | | <10 | <10 | 18 | <10 | 26 |
| R511951 | | <10 | <10 | 19 | <10 | 49 |
| R511952 | | <10 | <10 | 8 | <10 | 24 |
| R511953 | | <10 | <10 | 6 | <10 | 19 |
| R511954 | | <10 | <10 | 15 | <10 | 29 |
| R511955 | | <10 | <10 | 13 | <10 | 23 |
| R511956 | | <10 | <10 | 11 | <10 | 17 |
| R511957 | | <10 | <10 | 16 | <10 | 22 |
| R511958 | | <10 | <10 | 32 | <10 | 34 |
| R511959 | | <10 | <10 | 43 | <10 | 34 |
| R511961 | | <10 | <10 | 24 | <10 | 31 |
| R511962 | | <10 | <10 | 38 | <10 | 47 |
| R511963 | | <10 | <10 | 17 | <10 | 24 |
| R511964 | | <10 | <10 | 56 | <10 | 47 |
| R511965 | | <10 | <10 | 68 | <10 | 53 |
| R511966 | | <10 | <10 | 37 | <10 | 31 |
| R511967 | | <10 | <10 | 59 | <10 | 57 |
| R511968 | | <10 | <10 | 59 | <10 | 55 |
| R511969 | | <10 | <10 | 68 | <10 | 54 |
| R511971 | | <10 | <10 | 50 | <10 | 55 |
| R511972 | | <10 | <10 | 46 | <10 | 37 |
| R511973 | | <10 | <10 | 72 | <10 | 59 |
| R511974 | | <10 | <10 | 57 | <10 | 83 |
| R511975 | | <10 | <10 | 79 | <10 | 49 |
| R511976 | | <10 | <10 | 19 | <10 | 21 |
| R511977 | | <10 | <10 | 60 | <10 | 58 |
| R511978 | | <10 | <10 | 61 | <10 | 44 |
| R511979 | | <10 | <10 | 62 | <10 | 54 |
| R511981 | | <10 | <10 | 36 | <10 | 28 |
| R511982 | | <10 | <10 | 48 | <10 | 40 |
| R511983 | | <10 | <10 | 48 | <10 | 54 |
| R511984 | | <10 | <10 | 55 | <10 | 71 |
| R511985 | | <10 | <10 | 36 | <10 | 43 |
| R511986 | | <10 | <10 | 89 | <10 | 69 |
| R511987 | | <10 | <10 | 88 | <10 | 57 |
| R511988 | | <10 | <10 | 42 | <10 | 22 |
| R511989 | | <10 | <10 | 35 | <10 | 22 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 23-DEC-2014
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga | Hg |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | 10 | 1 |
| R511991 | | <0.2 | 1.66 | 43 | <10 | 170 | <0.5 | <2 | 2.87 | <0.5 | 21 | 201 | 5 | 2.47 | <10 | <1 |
| R511992 | | <0.2 | 1.99 | 15 | <10 | 290 | <0.5 | <2 | 2.36 | <0.5 | 15 | 129 | 17 | 2.60 | 10 | <1 |
| R511993 | | <0.2 | 2.43 | 33 | <10 | 380 | 0.6 | <2 | 1.62 | <0.5 | 17 | 99 | 15 | 3.53 | 10 | <1 |
| R511994 | | <0.2 | 1.61 | 16 | <10 | 250 | <0.5 | <2 | 3.22 | <0.5 | 14 | 147 | 7 | 2.19 | 10 | <1 |
| R511995 | | <0.2 | 1.70 | 21 | <10 | 440 | 0.5 | <2 | 1.25 | <0.5 | 10 | 67 | 4 | 2.13 | <10 | <1 |
| R511996 | | <0.2 | 2.27 | 24 | <10 | 430 | 0.7 | <2 | 2.10 | <0.5 | 17 | 142 | 8 | 2.93 | 10 | <1 |
| R511997 | | <0.2 | 2.49 | 39 | <10 | 780 | 0.8 | <2 | 3.83 | <0.5 | 18 | 125 | 7 | 3.11 | 10 | <1 |
| R511998 | | <0.2 | 2.30 | 65 | <10 | 360 | 1.1 | <2 | 6.67 | <0.5 | 22 | 328 | 10 | 3.00 | 10 | <1 |
| R511999 | | <0.2 | 2.52 | 46 | <10 | 420 | 0.8 | <2 | 2.71 | <0.5 | 18 | 177 | 10 | 3.30 | 10 | <1 |
| R512001 | | <0.2 | 2.18 | 48 | <10 | 480 | 0.7 | <2 | 2.17 | <0.5 | 15 | 165 | 7 | 3.07 | 10 | <1 |
| R512002 | | <0.2 | 1.84 | 14 | <10 | 580 | 0.6 | <2 | 3.11 | 0.5 | 13 | 159 | 18 | 2.70 | 10 | <1 |
| R512003 | | <0.2 | 1.55 | 48 | <10 | 380 | 0.7 | <2 | 2.41 | <0.5 | 14 | 145 | 6 | 2.56 | 10 | <1 |
| R512004 | | <0.2 | 2.64 | 1440 | 10 | 180 | 2.3 | <2 | 2.25 | <0.5 | 23 | 191 | 6 | 4.55 | 10 | 1 |
| R512005 | | <0.2 | 1.54 | 2080 | <10 | 240 | 2.0 | <2 | 2.10 | <0.5 | 24 | 126 | 10 | 4.01 | <10 | 1 |
| R512006 | | <0.2 | 2.03 | 34 | <10 | 660 | 0.6 | <2 | 3.99 | <0.5 | 17 | 184 | 5 | 2.84 | 10 | <1 |
| R512007 | | <0.2 | 1.77 | 836 | <10 | 450 | 1.2 | <2 | 3.12 | <0.5 | 16 | 76 | 10 | 3.18 | <10 | <1 |
| R512008 | | <0.2 | 2.32 | 22 | <10 | 360 | 0.9 | <2 | 4.23 | <0.5 | 22 | 183 | 15 | 3.39 | 10 | <1 |
| R512009 | | <0.2 | 1.45 | 2990 | <10 | 110 | 1.3 | 2 | 6.72 | <0.5 | 28 | 147 | 10 | 4.38 | <10 | <1 |
| R512011 | | <0.2 | 2.21 | 58 | <10 | 240 | 1.3 | <2 | 6.11 | <0.5 | 22 | 180 | 11 | 3.65 | 10 | <1 |
| R512012 | | <0.2 | 1.63 | 19 | <10 | 260 | 0.7 | <2 | 3.72 | <0.5 | 24 | 163 | 13 | 2.88 | <10 | <1 |
| R512013 | | <0.2 | 1.61 | 35 | <10 | 430 | 0.7 | <2 | 3.72 | <0.5 | 19 | 129 | 11 | 2.64 | <10 | <1 |
| R512014 | | <0.2 | 2.31 | 27 | <10 | 340 | 0.6 | <2 | 3.84 | <0.5 | 21 | 121 | 15 | 3.24 | 10 | <1 |
| R512015 | | <0.2 | 2.39 | 9 | <10 | 510 | 0.5 | <2 | 2.76 | <0.5 | 19 | 95 | 10 | 3.14 | 10 | <1 |
| R512016 | | <0.2 | 2.36 | 7 | <10 | 590 | 0.5 | <2 | 2.16 | <0.5 | 21 | 134 | 11 | 2.99 | 10 | <1 |
| R512017 | | <0.2 | 2.38 | 22 | <10 | 270 | 0.7 | <2 | 2.48 | <0.5 | 22 | 139 | 18 | 3.29 | 10 | <1 |
| R512018 | | <0.2 | 2.16 | 38 | <10 | 350 | 0.5 | <2 | 1.99 | <0.5 | 25 | 137 | 22 | 3.22 | 10 | <1 |
| R512019 | | <0.2 | 2.23 | 19 | <10 | 380 | 0.5 | <2 | 3.11 | <0.5 | 25 | 115 | 20 | 3.24 | 10 | <1 |
| R512021 | | <0.2 | 2.25 | 25 | <10 | 310 | 0.8 | <2 | 3.58 | <0.5 | 20 | 132 | 17 | 3.17 | 10 | <1 |
| R512022 | | <0.2 | 1.29 | 31 | <10 | 100 | 0.9 | 2 | 1.33 | <0.5 | 11 | 59 | 6 | 2.29 | <10 | <1 |
| R512023 | | <0.2 | 0.40 | 29 | <10 | 70 | 0.5 | <2 | 1.02 | <0.5 | 2 | 14 | 4 | 0.89 | <10 | <1 |
| R512024 | | <0.2 | 1.06 | 21 | <10 | 120 | 0.6 | <2 | 1.00 | <0.5 | 8 | 38 | 5 | 1.62 | <10 | <1 |
| R512025 | | <0.2 | 2.18 | 4 | <10 | 690 | 0.6 | <2 | 1.83 | <0.5 | 19 | 138 | 9 | 3.04 | 10 | <1 |
| R512026 | | <0.2 | 2.11 | 3 | <10 | 430 | 0.5 | <2 | 1.78 | <0.5 | 18 | 119 | 6 | 2.95 | 10 | 1 |
| R512027 | | <0.2 | 2.80 | 26 | <10 | 530 | 1.2 | <2 | 3.73 | <0.5 | 26 | 187 | 10 | 3.93 | 10 | <1 |
| R512028 | | <0.2 | 3.14 | 35 | <10 | 630 | 1.2 | <2 | 2.57 | <0.5 | 27 | 186 | 22 | 5.15 | 10 | <1 |
| R512029 | | <0.2 | 1.42 | 37 | <10 | 190 | 0.7 | <2 | 1.33 | <0.5 | 10 | 81 | 13 | 2.55 | <10 | <1 |
| R512031 | | <0.2 | 1.90 | 15 | <10 | 540 | 0.7 | <2 | 3.14 | <0.5 | 18 | 101 | 21 | 3.58 | 10 | <1 |
| R512032 | | <0.2 | 1.42 | 691 | <10 | 210 | 0.9 | <2 | 3.52 | <0.5 | 16 | 61 | 18 | 3.10 | <10 | 1 |
| R512033 | | <0.2 | 2.48 | 35 | <10 | 290 | 0.8 | 3 | 2.64 | <0.5 | 21 | 152 | 18 | 3.39 | 10 | <1 |
| R512034 | | <0.2 | 2.53 | 77 | <10 | 450 | 0.9 | <2 | 2.51 | <0.5 | 19 | 108 | 16 | 3.54 | 10 | <1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 23-DEC-2014
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 K % | ME-ICP41 La ppm | ME-ICP41 Mg % | ME-ICP41 Mn ppm | ME-ICP41 Mo ppm | ME-ICP41 Na % | ME-ICP41 Ni ppm | ME-ICP41 P ppm | ME-ICP41 Pb ppm | ME-ICP41 S % | ME-ICP41 Sb ppm | ME-ICP41 Sc ppm | ME-ICP41 Sr ppm | ME-ICP41 Th ppm | ME-ICP41 Ti % |
|--------------------|-----------------------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 |
| R511991 | | 0.63 | 10 | 1.48 | 914 | 1 | 0.05 | 52 | 540 | 7 | 0.02 | 3 | 5 | 93 | <20 | 0.22 |
| R511992 | | 0.99 | 10 | 1.61 | 574 | 1 | 0.04 | 41 | 720 | 5 | 0.02 | 2 | 4 | 95 | <20 | 0.25 |
| R511993 | | 1.24 | 10 | 2.21 | 873 | <1 | 0.08 | 36 | 1030 | 23 | 0.01 | <2 | 5 | 133 | <20 | 0.29 |
| R511994 | | 0.68 | 10 | 1.59 | 562 | <1 | 0.06 | 43 | 490 | 9 | 0.01 | <2 | 4 | 164 | <20 | 0.23 |
| R511995 | | 0.93 | 20 | 1.34 | 574 | <1 | 0.05 | 27 | 480 | 18 | 0.01 | <2 | 2 | 48 | <20 | 0.11 |
| R511996 | | 1.23 | 10 | 2.40 | 722 | <1 | 0.05 | 62 | 660 | 27 | 0.02 | <2 | 4 | 64 | <20 | 0.22 |
| R511997 | | 1.15 | 10 | 2.22 | 1090 | <1 | 0.04 | 49 | 560 | 7 | 0.02 | <2 | 6 | 87 | <20 | 0.19 |
| R511998 | | 1.15 | 10 | 2.44 | 1345 | <1 | 0.03 | 55 | 560 | 11 | 0.01 | <2 | 7 | 163 | <20 | 0.19 |
| R511999 | | 1.21 | 10 | 2.47 | 779 | <1 | 0.05 | 53 | 640 | 11 | 0.01 | <2 | 6 | 68 | <20 | 0.20 |
| R512001 | | 1.04 | 20 | 2.03 | 891 | <1 | 0.04 | 36 | 510 | 49 | 0.01 | <2 | 6 | 45 | <20 | 0.12 |
| R512002 | | 0.85 | 20 | 1.92 | 679 | <1 | 0.10 | 63 | 610 | 80 | 0.07 | <2 | 6 | 61 | <20 | 0.14 |
| R512003 | | 0.49 | 10 | 1.47 | 672 | <1 | 0.08 | 53 | 610 | 30 | 0.01 | <2 | 5 | 64 | <20 | 0.18 |
| R512004 | | 0.56 | 20 | 1.08 | 884 | <1 | 0.05 | 98 | 720 | 30 | 0.01 | 14 | 13 | 62 | <20 | 0.04 |
| R512005 | | 0.41 | 20 | 0.89 | 861 | 2 | 0.05 | 89 | 680 | 44 | 0.02 | 9 | 9 | 59 | <20 | 0.03 |
| R512006 | | 0.80 | 10 | 2.02 | 760 | 1 | 0.09 | 68 | 600 | 30 | 0.09 | <2 | 6 | 78 | <20 | 0.16 |
| R512007 | | 0.80 | 30 | 0.84 | 712 | <1 | 0.03 | 41 | 670 | 30 | 0.01 | 2 | 6 | 44 | 20 | 0.06 |
| R512008 | | 1.01 | 10 | 2.02 | 819 | <1 | 0.05 | 71 | 680 | 14 | 0.06 | <2 | 8 | 71 | <20 | 0.18 |
| R512009 | | 0.49 | 20 | 2.19 | 967 | 1 | 0.01 | 97 | 440 | 16 | 0.03 | <2 | 13 | 203 | <20 | 0.01 |
| R512011 | | 0.93 | 10 | 1.89 | 1135 | <1 | 0.03 | 89 | 580 | 6 | 0.17 | 5 | 9 | 94 | <20 | 0.11 |
| R512012 | | 0.82 | 10 | 2.00 | 641 | 1 | 0.06 | 86 | 470 | 4 | 0.30 | 2 | 5 | 104 | <20 | 0.18 |
| R512013 | | 0.70 | 10 | 1.49 | 686 | 3 | 0.05 | 49 | 670 | 8 | 0.09 | 3 | 5 | 213 | <20 | 0.19 |
| R512014 | | 1.24 | 10 | 2.09 | 746 | <1 | 0.07 | 42 | 950 | 3 | 0.03 | <2 | 5 | 134 | <20 | 0.29 |
| R512015 | | 1.38 | 10 | 2.42 | 605 | <1 | 0.06 | 26 | 680 | 3 | 0.12 | <2 | 4 | 90 | <20 | 0.35 |
| R512016 | | 1.37 | 10 | 2.43 | 509 | 1 | 0.07 | 44 | 590 | 4 | 0.04 | <2 | 4 | 79 | <20 | 0.34 |
| R512017 | | 1.05 | 10 | 2.42 | 610 | <1 | 0.06 | 46 | 650 | 27 | 0.03 | <2 | 6 | 96 | <20 | 0.23 |
| R512018 | | 0.96 | 10 | 2.28 | 661 | 1 | 0.08 | 46 | 710 | 42 | 0.02 | <2 | 5 | 59 | <20 | 0.26 |
| R512019 | | 1.15 | 10 | 2.33 | 783 | 1 | 0.08 | 52 | 790 | 40 | 0.06 | <2 | 4 | 68 | <20 | 0.25 |
| R512021 | | 0.97 | 20 | 2.14 | 658 | 1 | 0.05 | 62 | 860 | 42 | 0.07 | <2 | 5 | 99 | <20 | 0.22 |
| R512022 | | 0.86 | 30 | 1.08 | 391 | 1 | 0.05 | 29 | 300 | 6 | 0.01 | <2 | 2 | 29 | 30 | 0.09 |
| R512023 | | 0.26 | 20 | 0.12 | 190 | 2 | 0.07 | 3 | 40 | 7 | 0.01 | <2 | <1 | 11 | 30 | <0.01 |
| R512024 | | 0.70 | 10 | 0.81 | 289 | 1 | 0.06 | 8 | 220 | 17 | 0.01 | <2 | 2 | 35 | 30 | 0.06 |
| R512025 | | 1.17 | 10 | 2.14 | 460 | 2 | 0.09 | 36 | 750 | 8 | 0.12 | <2 | 4 | 88 | <20 | 0.30 |
| R512026 | | 1.04 | 10 | 2.24 | 444 | 1 | 0.08 | 29 | 710 | 16 | 0.21 | <2 | 4 | 68 | <20 | 0.27 |
| R512027 | | 1.84 | 10 | 3.04 | 886 | <1 | 0.05 | 100 | 790 | 4 | 0.02 | <2 | 5 | 186 | <20 | 0.27 |
| R512028 | | 1.76 | 20 | 3.00 | 765 | 1 | 0.05 | 52 | 1030 | 12 | 0.04 | 2 | 10 | 87 | <20 | 0.19 |
| R512029 | | 0.82 | 30 | 1.23 | 402 | 1 | 0.06 | 26 | 470 | 3 | 0.01 | <2 | 4 | 34 | 30 | 0.08 |
| R512031 | | 1.08 | 20 | 2.01 | 514 | 1 | 0.07 | 42 | 540 | 3 | 0.48 | 3 | 5 | 89 | <20 | 0.17 |
| R512032 | | 0.62 | 20 | 1.55 | 590 | 1 | 0.05 | 29 | 510 | 5 | 0.33 | 4 | 8 | 63 | <20 | 0.05 |
| R512033 | | 0.98 | 10 | 2.51 | 650 | 2 | 0.06 | 48 | 660 | 33 | 0.02 | <2 | 6 | 88 | <20 | 0.21 |
| R512034 | | 1.39 | 20 | 2.13 | 632 | 2 | 0.06 | 47 | 730 | 5 | 0.02 | <2 | 6 | 54 | <20 | 0.19 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-DEC-2014
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ti ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| R511991 | | <10 | <10 | 47 | <10 | 36 |
| R511992 | | <10 | <10 | 50 | <10 | 41 |
| R511993 | | <10 | <10 | 75 | <10 | 61 |
| R511994 | | <10 | <10 | 51 | <10 | 32 |
| R511995 | | <10 | <10 | 26 | <10 | 49 |
| R511996 | | <10 | <10 | 53 | <10 | 66 |
| R511997 | | <10 | <10 | 57 | <10 | 58 |
| R511998 | | <10 | <10 | 75 | <10 | 65 |
| R511999 | | <10 | <10 | 59 | <10 | 70 |
| R512001 | | <10 | <10 | 48 | <10 | 76 |
| R512002 | | <10 | <10 | 53 | <10 | 147 |
| R512003 | | <10 | <10 | 44 | <10 | 73 |
| R512004 | | <10 | 10 | 70 | <10 | 95 |
| R512005 | | <10 | 10 | 43 | <10 | 97 |
| R512006 | | <10 | <10 | 53 | <10 | 92 |
| R512007 | | <10 | <10 | 39 | <10 | 85 |
| R512008 | | <10 | <10 | 58 | <10 | 58 |
| R512009 | | <10 | 10 | 60 | <10 | 52 |
| R512011 | | <10 | <10 | 57 | <10 | 56 |
| R512012 | | <10 | <10 | 42 | <10 | 43 |
| R512013 | | <10 | <10 | 52 | <10 | 40 |
| R512014 | | <10 | <10 | 62 | <10 | 42 |
| R512015 | | <10 | <10 | 56 | <10 | 37 |
| R512016 | | <10 | <10 | 57 | <10 | 50 |
| R512017 | | <10 | <10 | 69 | <10 | 80 |
| R512018 | | <10 | <10 | 59 | <10 | 88 |
| R512019 | | <10 | <10 | 50 | <10 | 89 |
| R512021 | | <10 | <10 | 55 | <10 | 96 |
| R512022 | | <10 | <10 | 23 | <10 | 26 |
| R512023 | | <10 | <10 | 1 | <10 | 7 |
| R512024 | | <10 | <10 | 24 | <10 | 22 |
| R512025 | | <10 | <10 | 54 | <10 | 46 |
| R512026 | | <10 | <10 | 53 | <10 | 41 |
| R512027 | | <10 | <10 | 70 | <10 | 63 |
| R512028 | | <10 | <10 | 105 | <10 | 92 |
| R512029 | | <10 | <10 | 35 | <10 | 28 |
| R512031 | | <10 | <10 | 45 | <10 | 35 |
| R512032 | | <10 | <10 | 40 | <10 | 30 |
| R512033 | | <10 | <10 | 71 | <10 | 90 |
| R512034 | | <10 | <10 | 63 | <10 | 49 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 4 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-DEC-2014
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ag ppm 0.2 | ME-ICP41 Al % 0.01 | ME-ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME-ICP41 Ba ppm 10 | ME-ICP41 Be ppm 0.5 | ME-ICP41 Bi ppm 2 | ME-ICP41 Ca % 0.01 | ME-ICP41 Cd ppm 0.5 | ME-ICP41 Co ppm 1 | ME-ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|
| R512035 | | <0.2 | 1.91 | 289 | <10 | 100 | 2.0 | 2 | 8.1 | <0.5 | 19 | 148 | 14 | 4.24 | <10 | <1 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 4 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-DEC-2014
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 K % | ME-ICP41 La ppm | ME-ICP41 Mg % | ME-ICP41 Mn ppm | ME-ICP41 Mo ppm | ME-ICP41 Na % | ME-ICP41 Ni ppm | ME-ICP41 P ppm | ME-ICP41 Pb ppm | ME-ICP41 S % | ME-ICP41 Sb ppm | ME-ICP41 Sc ppm | ME-ICP41 Sr ppm | ME-ICP41 Th ppm | ME-ICP41 Ti % |
|--------------------|-----------------------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| R512035 | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 |
| | | 0.31 | 30 | 0.67 | 632 | 2 | 0.01 | 59 | 880 | 14 | 0.01 | 11 | 16 | 59 | <20 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 4 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 23-DEC-2014
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|
| | | Tl | U | V | W | Zn |
| | | ppm | ppm | ppm | ppm | ppm |
| | | 10 | 10 | 1 | 10 | 2 |
| R512035 | | <10 | <10 | 82 | <10 | 59 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-DEC-2014
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH14190494

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-ICP41