

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Kaminak Gold Corporation**
1020 - 800 West Pender Street
Vancouver BC V6C 2V6 CANADA

Submitted By: Tim Smith
Receiving Lab: Canada-Whitehorse
Received: July 07, 2014
Report Date: July 15, 2014
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000045.1

CLIENT JOB INFORMATION

Project: Coffee
Shipment ID:
P.O. Number KGC-14-1061
Number of Samples: 24

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kaminak Gold Corporation
1020 - 800 West Pender Street
Vancouver BC V6C 2V6
CANADA

CC: Tom Bokenfohr
James Scott

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	24	Dry at 60C			WHI
SS80	24	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	24	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI14000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
1278597	Soil	0.4	18.0	3.6	76	<0.1	37.3	21.8	540	4.03	3.3	0.4	<0.5	5.5	36	<0.1	<0.1	<0.1	67	0.74	0.135
1278594	Soil	0.5	21.4	3.6	78	<0.1	37.0	27.7	649	4.63	3.9	0.7	<0.5	5.4	48	<0.1	0.2	<0.1	74	0.75	0.143
1278596	Soil	0.8	15.3	29.9	108	<0.1	19.3	21.4	690	4.69	3.5	0.3	<0.5	2.4	27	0.4	0.1	<0.1	88	0.45	0.161
1278598	Soil	0.5	18.7	6.7	91	<0.1	20.7	22.3	602	4.62	2.6	0.3	0.9	4.9	34	<0.1	<0.1	<0.1	67	0.53	0.091
1278586	Soil	0.9	38.4	26.0	70	0.2	60.3	20.4	657	3.79	7.3	1.8	<0.5	12.1	78	0.3	0.4	0.3	54	3.18	0.096
1278587	Soil	0.7	18.3	12.6	74	<0.1	29.7	19.5	458	4.44	4.7	0.7	<0.5	12.0	37	<0.1	0.2	<0.1	73	0.57	0.071
1278578	Soil	0.9	17.2	13.3	55	<0.1	17.5	10.0	331	2.14	4.7	2.5	<0.5	17.7	26	0.2	0.5	0.2	46	0.38	0.048
1278577	Soil	1.2	12.4	15.5	53	<0.1	14.8	10.1	383	2.33	5.8	1.4	<0.5	13.3	19	0.1	0.4	0.2	52	0.23	0.043
1278582	Soil	0.9	12.4	15.6	44	<0.1	16.0	7.6	244	2.42	6.5	0.6	0.9	10.8	22	<0.1	0.3	0.3	43	0.25	0.026
1278584	Soil	0.7	36.6	11.7	65	<0.1	57.1	19.8	607	3.44	18.1	1.4	<0.5	6.3	78	0.2	0.6	0.2	60	1.86	0.105
1278585	Soil	0.6	25.8	12.8	58	0.1	42.8	16.4	569	3.44	7.6	1.1	<0.5	9.1	65	0.1	0.5	0.2	59	1.17	0.070
1278583	Soil	0.7	37.2	17.9	58	0.2	36.5	16.2	721	3.28	9.1	1.3	3.0	5.9	71	0.1	0.7	0.4	55	1.68	0.069
1278588	Soil	0.3	17.9	11.6	76	<0.1	91.4	25.0	614	4.55	3.0	0.7	<0.5	11.3	40	<0.1	0.1	<0.1	65	0.71	0.097
1278580	Soil	2.6	18.5	12.8	46	0.2	13.6	16.5	1429	2.35	5.6	2.9	1.1	6.4	26	0.2	0.4	0.2	56	0.35	0.088
1278579	Soil	1.1	17.5	14.1	58	0.1	18.4	13.6	956	2.33	5.7	2.6	2.1	15.2	28	0.2	0.4	0.2	49	0.37	0.054
1278581	Soil	0.9	18.1	9.8	50	0.1	16.7	6.9	179	2.10	6.1	1.7	1.8	3.7	26	0.2	0.3	0.2	43	0.31	0.065
1394429	Soil	0.9	23.3	11.0	62	<0.1	20.9	8.2	305	2.35	5.6	2.8	<0.5	19.3	27	0.2	0.5	0.3	42	0.40	0.056
1394431	Soil	0.8	19.9	12.6	53	0.1	18.0	8.4	284	2.33	5.3	2.9	<0.5	15.1	26	0.1	0.4	0.3	46	0.33	0.047
1394427	Soil	1.0	53.1	18.4	77	0.2	59.2	20.0	1032	3.85	17.6	1.4	3.9	7.1	75	0.1	1.6	0.4	61	2.19	0.070
1394428	Soil	1.6	11.3	13.4	37	<0.1	9.5	4.4	207	1.63	3.6	0.9	2.3	23.3	15	<0.1	0.3	0.6	23	0.21	0.022
1394434	Soil	0.6	16.5	12.9	41	<0.1	13.0	6.3	173	1.83	5.2	1.3	3.3	18.3	18	<0.1	0.4	0.2	29	0.24	0.044
1394433	Soil	0.8	21.4	11.4	57	0.1	21.0	10.0	284	2.50	7.0	2.4	2.0	10.9	31	0.2	0.5	0.2	55	0.42	0.055
1394430	Soil	0.7	21.4	11.3	57	0.1	18.1	8.1	292	2.24	4.4	3.0	2.3	18.2	26	0.2	0.4	0.3	43	0.34	0.044
1394426	Soil	1.3	27.7	16.1	82	<0.1	50.5	16.5	759	4.11	4.3	1.1	0.7	11.0	42	0.1	0.3	0.2	56	0.80	0.072

CERTIFICATE OF ANALYSIS

WHI14000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1278597	Soil	18	124	2.28	449	0.210	<1	2.69	0.007	1.21	0.1	<0.01	2.3	0.5	<0.05	7	<0.5
1278594	Soil	34	79	2.47	381	0.226	<1	3.33	0.009	0.57	0.1	<0.01	3.4	0.3	<0.05	8	0.7
1278596	Soil	10	45	1.92	427	0.200	<1	2.67	0.008	0.96	0.1	<0.01	2.7	0.4	<0.05	9	<0.5
1278598	Soil	14	35	2.26	253	0.239	<1	2.95	0.006	1.20	0.2	<0.01	1.3	0.5	<0.05	9	<0.5
1278586	Soil	61	103	0.58	215	0.034	2	1.13	0.007	0.26	0.3	0.03	9.5	0.2	<0.05	4	0.8
1278587	Soil	27	82	1.57	220	0.168	1	2.57	0.009	0.52	0.2	0.01	4.5	0.3	<0.05	8	<0.5
1278578	Soil	37	31	0.49	179	0.093	2	1.54	0.018	0.06	0.2	0.04	4.1	0.1	<0.05	5	0.7
1278577	Soil	21	29	0.44	131	0.074	2	1.66	0.010	0.07	0.2	0.03	3.2	<0.1	<0.05	5	<0.5
1278582	Soil	10	26	0.43	144	0.065	<1	1.61	0.008	0.06	0.2	0.02	3.1	<0.1	<0.05	5	<0.5
1278584	Soil	33	81	0.91	236	0.073	3	1.47	0.010	0.20	0.3	0.04	8.2	0.2	<0.05	5	0.8
1278585	Soil	43	67	0.56	226	0.050	2	1.35	0.016	0.10	0.3	0.05	8.2	<0.1	<0.05	5	1.0
1278583	Soil	30	62	0.63	343	0.055	3	1.50	0.019	0.11	0.3	0.05	6.6	<0.1	<0.05	5	0.7
1278588	Soil	33	231	2.63	298	0.171	<1	3.09	0.007	0.89	0.1	0.01	6.6	0.5	<0.05	10	<0.5
1278580	Soil	28	24	0.36	186	0.051	2	1.34	0.017	0.04	0.2	0.06	3.8	<0.1	<0.05	5	0.7
1278579	Soil	29	31	0.50	230	0.075	2	1.71	0.016	0.05	0.2	0.04	4.6	0.1	<0.05	6	0.6
1278581	Soil	21	27	0.41	188	0.057	2	1.45	0.012	0.04	0.2	0.05	3.2	<0.1	<0.05	5	<0.5
1394429	Soil	38	34	0.56	218	0.099	<1	1.64	0.019	0.06	0.3	0.03	5.0	0.1	<0.05	5	0.6
1394431	Soil	33	31	0.50	215	0.078	1	1.88	0.011	0.05	0.2	0.04	4.6	0.1	<0.05	6	<0.5
1394427	Soil	35	67	0.59	343	0.029	2	1.64	0.014	0.07	0.6	0.05	8.9	<0.1	<0.05	6	0.7
1394428	Soil	20	17	0.29	100	0.048	1	0.94	0.006	0.04	0.2	0.01	2.6	<0.1	<0.05	3	<0.5
1394434	Soil	26	23	0.35	125	0.058	<1	1.23	0.007	0.06	0.3	0.02	3.4	0.1	<0.05	4	<0.5
1394433	Soil	26	33	0.52	213	0.076	1	1.71	0.016	0.05	0.2	0.06	4.9	0.1	<0.05	6	0.7
1394430	Soil	37	31	0.51	204	0.086	1	1.73	0.014	0.05	0.2	0.05	4.8	0.1	<0.05	5	0.5
1394426	Soil	33	71	1.21	183	0.091	<1	2.12	0.006	0.45	0.4	0.02	6.9	0.2	<0.05	8	0.6

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Kaminak Gold Corporation**
1020 - 800 West Pender Street
Vancouver BC V6C 2V6 CANADA

Project: Coffee
Report Date: July 15, 2014

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI14000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1278581	Soil	0.9	18.1	9.8	50	0.1	16.7	6.9	179	2.10	6.1	1.7	1.8	3.7	26	0.2	0.3	0.2	43	0.31	0.065
REP 1278581	QC	0.8	17.6	9.0	48	0.1	15.1	6.4	184	2.10	5.9	1.6	1.4	3.6	26	0.1	0.3	0.2	40	0.32	0.063
Reference Materials																					
STD DS10	Standard	14.0	152.7	143.7	368	2.0	77.6	14.0	868	2.80	48.2	2.7	77.2	7.8	70	2.9	10.3	13.6	33	1.04	0.088
STD OXC109	Standard	1.4	36.6	11.4	45	<0.1	75.3	20.7	420	2.98	<0.5	0.6	212.8	1.6	144	0.1	<0.1	<0.1	43	0.70	0.119
STD DS10 Expected		14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073
STD OXC109 Expected													201								
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Kaminak Gold Corporation**
1020 - 800 West Pender Street
Vancouver BC V6C 2V6 CANADA

Project: Coffee
Report Date: July 15, 2014

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI14000045.1

	Method Analyte Unit MDL	AQ201																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1278581	Soil	21	27	0.41	188	0.057	2	1.45	0.012	0.04	0.2	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2	
REP 1278581	QC	20	26	0.39	175	0.056	<1	1.39	0.011	0.04	0.2	0.04	3.3	<0.1	<0.05	5	<0.5	<0.2	
Reference Materials																			
STD DS10	Standard	17	57	0.76	336	0.079	7	1.05	0.063	0.34	3.6	0.32	3.3	5.1	0.26	4	2.6	5.0	
STD OXC109	Standard	13	61	1.53	65	0.376	2	1.61	0.687	0.41	0.2	<0.01	1.3	<0.1	<0.05	6	<0.5	<0.2	
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OXC109 Expected																			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	