

<b>Hole No.:</b> DNE-066	<b>Depth:</b> 84.20 m	<b>Horizontal Length:</b> 0.00 m	<b>Project:</b> 1710
<b>Location Data:</b>			
<b>Property:</b>	Selwyn Project	<b>Claim Name:</b>	NOD 37
<b>Mining District:</b>	Selwyn Basin	<b>Grant Number:</b>	YB49401
<b>Province/Territory:</b>	Yukon		
<b>UTM Co-Ordinates &amp; Altitude of Drill Hole Collar:</b>			
<b>UTM Easting:</b>	478685.76 m	<b>True Azimuth:</b>	210.0 °
<b>UTM Northing:</b>	6933531.78 m	<b>Hole Angle:</b>	-80.0 °
<b>Elevation (m):</b>	1144.27 m	<b>NTS Name:</b>	No Title
		<b>UTM Datum:</b>	NAD 83
		<b>UTM Grid Zone:</b>	9
		<b>NTS Number:</b>	105I11
<b>Grid Co-Ordinates of Drill Hole Collar:</b>			
<b>Grid Easting (m):</b>	0.00 m	<b>Grid Name:</b>	HP06
<b>Grid Northing (m):</b>	0.00 m	<b>Grid Type:</b>	100m
<b>Grid Azimuth:</b>	270.0 °		
<b>Dimond Drilling Contract:</b>			
<b>Drilled By:</b>	NL-01	<b>Date Drilling Start:</b>	25-Mar-14
		<b>Date Finish:</b>	31-Mar-14
<b>Diamond Drill Core:</b>			
<b>Logged By:</b>	E. Hou	<b>Date Logging Start:</b>	01-Apr-14
		<b>Date Finish:</b>	01-Apr-14
<b>Legend for Core Logging Codes:</b> PAX			
<b>Core Size:</b>	NQ3	<b>Cemented:</b>	No
<b>Casing Depth:</b>	18.30 m	<b>Casing Pulled:</b>	Yes
<b>Water Depth:</b>	0.00 m	<b>Overburden Depth:</b>	22.80 m
<b>Level:</b>		<b>Section:</b>	
		<b>Drift:</b>	

# Selwyn Project

## Diamond Drill Log

### Survey Data for Hole

# DNE-066

**Hole Comments:**

Wed, Mar 26 --- NS: Lined up drill yesterday, 35ft of casing, reached 12m total depth.

Fri, Mar 28 --- DS: Aligned drill into DNE-844 hole at 11am, following DNE-066 becoming stuck during the previous night shift. (DNE-066 will be on hold until this hole is completed). NS: currently in very difficult faulted ground, slow drilling.

Tue, Apr 01 --- DS: Shut DNE-068 down @ 204m, realigned back to DNE-066 to try and connect to core barrel at 86m. NS: Could not connect back to DNE-066, realigned to new hole DNE-074, following discussion with JDB. Currently at 44m, back in faulted ground.

<i>Depth</i>	<i>Dip</i>	<i>Azimuth</i>
0.00	-80.0	210.0
50.00	-77.5	209.0

# Selwyn Project Diamond Drill Log

Hole Number:  
**DNE-066**

**Selwyn Chihong Mining Ltd.**  
#2701- 1055 West Georgia  
Vancouver, British Columbia  
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
0.00	18.30	OVBR									
18.30	54.00	BSSM									
« 46.40- 54.00 FLT with gg 40%, bx 40% and brco 20% »BSSM – Backside Siliceous Mudstone											
Devonian Siliceous Mudstone – Upper Chert Formation											
Greyish black laminated chert and siliceous mudstone. Randomly-oriented to bedding-parallel bioturbation is common in the bottom of the unit. « lm chrt 75.00-95.00% », « btrb 0.10-2.00cm », 											