

Hole No.: DNE-078	Depth: 47.00 m	Horizontal Length: 0.00 m	Project: 1710
Location Data:			
Property:	Selwyn Project	Claim Name:	NOD 39
Mining District:	Selwyn Basin	Grant Number:	YB49403
Province/Territory:	Yukon		
UTM Co-Ordinates & Altitude of Drill Hole Collar:			
UTM Easting:	479133.73 m	True Azimuth:	205.0 °
UTM Northing:	6933287.79 m	Hole Angle:	-80.0 °
Elevation (m):	1156.13 m	NTS Name:	No Title
		UTM Datum:	NAD 83
		UTM Grid Zone:	9
		NTS Number:	105I11
Grid Co-Ordinates of Drill Hole Collar:			
Grid Easting (m):	0.00 m	Grid Name:	HP06
Grid Northing (m):	0.00 m	Grid Type:	100m
Grid Azimuth:	265.0 °		
Dimond Drilling Contract:			
Drilled By:	CYR-02	Date Drilling Start:	06-Apr-14
		Date Finish:	07-Apr-14
Diamond Drill Core:			
Logged By:	C.MacKay-Stotesbury	Date Logging Start:	09-Apr-14
		Date Finish:	09-Apr-14
Legend for Core Logging Codes: PAX			
Core Size:	NQ3	Cemented:	No
Casing Depth:	33.50 m	Casing Pulled:	Yes
Water Depth:	0.00 m	Overburden Depth:	33.50 m
Level:			
Section:		Drift:	

Selwyn Project

Diamond Drill Log

Survey Data for Hole

DNE-078

Hole Comments:

Mon, Apr 07

DS: Shut hole DNE-071 at 206m, moved to target DNE-814, DNE-078.

NS: Reached 40m. Drillers helper injured back during nightshift, will be flown out first thing.

Tue, Apr 08

DS: very slow drilling on DNE-078 all day, reached 43m. @4pm core barrel snapped between locking and adaptor coupling, threads ruined. Inner tube is protruding out top of core barrel. Tried to reconnect, however could only reach 9m above the core barrel due to collapsed hole. Relocated drill ~12ft east of current location, realigned and started again (DNE-079), same Azi and dip.

NS: Casing to 30m.

<i>Depth</i>	<i>Dip</i>	<i>Azimuth</i>
0.00	-80.0	205.0
38.00	-80.2	210.2



Hole Number:
DNE-078

Selwyn Chihong Mining Ltd.
#2701- 1055 West Georgia
Vancouver, British Columbia
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
0.00	33.50	OVBR									
Loose sedimentary											
33.50	47.00	BSSM									
BSSM – Backside Siliceous Mudstone											
Devonian Siliceous Mudstone – Upper Chert Formation											
Greyish black laminated chert and siliceous mudstone. Randomly-oriented to bedding-parallel bioturbation is common in the bottom of the unit. « lm chrt 75.00-95.00% », « btrb 0.10-2.00cm »,											
‹ @ 34.70 S0 defined by fine pyrite pseudo-bed 34° ›											
47.00	47.00	EOH									