

<b>Hole No.:</b> DNE-082	<b>Depth:</b> 252.00 m	<b>Horizontal Length:</b> 0.00 m	<b>Project:</b> 1710
<b>Location Data:</b>			
<b>Property:</b>	Selwyn Project	<b>Claim Name:</b>	NOD 35
<b>Mining District:</b>	Selwyn Basin	<b>Grant Number:</b>	YB49399
<b>Province/Territory:</b>	Yukon		
<b>UTM Co-Ordinates &amp; Altitude of Drill Hole Collar:</b>			
<b>UTM Easting:</b>	478348.06 m	<b>True Azimuth:</b>	220.0 °
<b>UTM Northing:</b>	6933827.19 m	<b>Hole Angle:</b>	-80.0 °
<b>Elevation (m):</b>	1134.05 m	<b>NTS Name:</b>	No Title
		<b>UTM Datum:</b>	NAD 83
		<b>UTM Grid Zone:</b>	9
		<b>NTS Number:</b>	105I11
<b>Grid Co-Ordinates of Drill Hole Collar:</b>			
<b>Grid Easting (m):</b>	0.00 m	<b>Grid Name:</b>	HP06
<b>Grid Northing (m):</b>	0.00 m	<b>Grid Type:</b>	100m
<b>Grid Azimuth:</b>	280.0 °		
<b>Dimond Drilling Contract:</b>			
<b>Drilled By:</b>	NL-01	<b>Date Drilling Start:</b>	11-Apr-14
		<b>Date Finish:</b>	15-Apr-14
<b>Diamond Drill Core:</b>			
<b>Logged By:</b>	H.Grimson	<b>Date Logging Start:</b>	15-Apr-14
		<b>Date Finish:</b>	15-Apr-14
<b>Legend for Core Logging Codes:</b> PAX			
<b>Core Size:</b>	NQ3	<b>Cemented:</b>	No
<b>Casing Depth:</b>	21.50 m	<b>Casing Pulled:</b>	Yes
<b>Water Depth:</b>	0.00 m	<b>Overburden Depth:</b>	21.50 m
<b>Level:</b>		<b>Section:</b>	
		<b>Drift:</b>	

# Selwyn Project

## Diamond Drill Log

### Survey Data for Hole

## DNE-082

**Hole Comments:**

Sat, Apr 12 --- DS: Moved from DNE-081 in the morning, moved the water pump also. NS: Drilling casing.

=====

Sun, Apr 13 --- DS: Water lines froze during shift change. Up and running by 10am. Problems getting through the overburden. NS: tricone & casing down to 21m. End of shift at 43m in BSSM (?).

=====

Mon, Apr 14 ---DS: Good drilling, ~49m in BSSM. NS: No issues drilling, 36.5m drilled, still in BSSM.

=====

Tue, Apr 15 --- DS: No problems, ~67.5m in what was initially interpreted as BSSM. NS: No problems, drilled ~54m. Shut hole done immediately after NS, in CLST. EOH @ 252.

<i>Depth</i>	<i>Dip</i>	<i>Azimuth</i>
0.00	-80.0	220.0
27.00	-79.0	221.7
50.00	-77.4	213.9
105.00	-72.8	203.6
150.00	-73.0	204.0
250.00	-71.3	203.7

# Selwyn Project

## Diamond Drill Log

Hole Number:  
**DNE-082**

**Selwyn Chihong Mining Ltd.**  
#2701- 1055 West Georgia  
Vancouver, British Columbia  
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
0.00	21.50	OVBR									
21.50	141.00	BSSM									
<i>BSSM – Backside Siliceous Mudstone</i>  <i>Devonian Siliceous Mudstone – Upper Chert Formation</i>  <i>Greyish black laminated chert and siliceous mudstone. Randomly-oriented to bedding-parallel bioturbation is common in the bottom of the unit. « lm chrt 75.00-95.00% », « btrb 0.10-2.00cm »,</i>  <i>&lt; @ 25.40 S0 46° &gt;</i>  <i>&lt; @ 39.10 S0 54° &gt;</i>  <i>&lt; @ 52.00 S0 52° &gt;</i>  <i>&lt; @ 62.00 S0 60° &gt;</i>  <i>&lt; @ 74.00 S0 34° &gt;</i>  <i>&lt; @ 107.00 S0 56° &gt;</i>  <i>&lt; @ 111.50 S0 55° &gt;</i>  <i>« 120.00- 127.00 FLT: Broken zone with core loss 60% intact core, 25% brco, 15% bx »</i>  <i>&lt; @ 126.50 10cm-wide unit with strong, coarse grained lamination, strong fetid odor with HCl, mineralized? &gt;</i>  <i>&lt; @ 137.00 S0 69° &gt;</i>											
141.00	154.60	FLT									
25% intact core, 15% brco, 20% bx, 40% gg											
154.60	203.00	CCMS									

# Selwyn Project Diamond Drill Log

Hole Number:  
**DNE-082**

**Selwyn Chihong Mining Ltd.**  
#2701- 1055 West Georgia  
Vancouver, British Columbia  
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
		<p>CCMS – Calcareous Mudstone</p> <p>Massive, calcareous, carbonaceous, dark grey mudstone. Most of the member is massive, but rare poorly defined bedding and pyrite-calcite micro-concretions are present. Most diagnostic structures are feathery calcite beds (=thin calcite-cemented concretions, many of them contain pyrite cores) and calcite pseudo-beds (= fibrous calcite vein parallel to bedding).</p> <p>« lm ca 5.00-10.00mm », « nodules py -3.00% 2.00-20.00mm »,</p> <p>‹ @ 155.00 S0 70° ›</p> <p>‹ @ 172.20 S0 55° ›</p> <p>‹ @ 185.00 S0 71° ›</p> <p>‹ @ 192.80 S0 81° ›</p>									
<b>203.00</b>	<b>208.30</b>	<b>FLT</b>									
25% Intact core, 10% brco, 15% bx, 50% gg											
<b>208.30</b>	<b>252.00</b>	<b>CLST</b>									
		<p>CLST – Cambrian Limestone</p> <p>Consists of 2 units. The first unit, Wavy Banded Limestone Formation, is divided into two informal members, based on the amount of argillaceous material in some beds. Both members display well-banded limestone. The upper member consists of intercalated light grey siliceous micrite and grey to tan laminated calcareous mudstone beds, displaying a chain-link structure. It appears wavy because of variable bedding thickness. Bedding is in general thinner than the bedding in the lower member, with micrite beds ranging from 1 to 5 cm thick, and showing rapid lateral variation. The lower member consists of intercalated microspar and micrite, and shows even bedding.</p> <p>The second unit, Massive Limestone Formation, consists of massive grey, micritic siliceous limestone. « lt gra , lm microspar 5.00-40.00cm », « lm micrite 1.00-5.00cm », « gra to lt bro , calcareous mdst 5.00-30.00mm »,</p>									



Hole Number:  
**DNE-082**

**Selwyn Chihong Mining Ltd.**  
#2701- 1055 West Georgia  
Vancouver, British Columbia  
Canada, V6E 0B6

[illegible]