

Hole No.: DNE-094	Depth: 131.00 m	Horizontal Length: 0.00 m	Project: 1710
Location Data:			
Property:	Selwyn Project	Claim Name:	NOD 43
Mining District:	Selwyn Basin	Grant Number:	YB49407
Province/Territory:	Yukon		
UTM Co-Ordinates & Altitude of Drill Hole Collar:			
UTM Easting:	479577.72 m	True Azimuth:	57.0 °
UTM Northing:	6932820.94 m	Hole Angle:	-55.0 °
Elevation (m):	1159.20 m	NTS Name:	No Title
		UTM Datum:	NAD 83
		UTM Grid Zone:	9
		NTS Number:	105I11
Grid Co-Ordinates of Drill Hole Collar:			
Grid Easting (m):	0.00 m	Grid Name:	HP 06
Grid Northing (m):	0.00 m	Grid Type:	100m
Grid Azimuth:	117.0 °		
Dimond Drilling Contract:			
Drilled By:	CYR-01	Date Drilling Start:	25-Apr-14
		Date Finish:	27-Apr-14
Diamond Drill Core:			
Logged By:	H.Grimson	Date Logging Start:	29-Apr-14
		Date Finish:	29-Apr-14
Legend for Core Logging Codes: PAX			
Core Size:	NQ3	Cemented:	No
Casing Depth:	8.00 m	Casing Pulled:	Yes
Water Depth:	0.00 m	Overburden Depth:	8.00 m
Level:		Section:	
		Drift:	

Selwyn Project

Diamond Drill Log

Survey Data for Hole

DNE-094

Hole Comments:

Sat, Apr 26 --- DS: [DNE-092] No major issues, drilled down to toal depth of 160m (EOH). Shut down at ~3:30PM in CCMS. Pulling rods and packing up to move. NS: Lined up ~8PM. Cased 9m, drilled to depth of 14m (communicated), although have not observed any core yet. Lithology unknown.

Sun, Apr 27 --- DS: No major issues, drilled 60m down to total depth of 69.1m. NS: No major issues, had to pull rods and change bit, 18m down to total depth of 87m. Currently in CCMS.

Mon, Apr 28 ---DS: Shut down DNE-094, EOH at 131m, CCMS. No ACTM intersected, faulted out. Moved to DNE-802, DNE-096.

<i>Depth</i>	<i>Dip</i>	<i>Azimuth</i>
0.00	-55.0	57.0
23.00	-53.2	58.0
50.00	-52.7	57.5
101.00	-50.4	61.6
131.00	-49.5	55.6

Selwyn Project Diamond Drill Log

Hole Number:
DNE-094

Selwyn Chihong Mining Ltd.
#2701- 1055 West Georgia
Vancouver, British Columbia
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
0.00	8.00	OVBR									
8.00	66.60	FLMD									
FLMD – Flaggy Mudstone Formation											
Dark grey mudstone in the upper portions of the unit grading into light grey mudstone to siltstone. Contains abundant wispy bioturbation which ranges from randomly-oriented at the top of the unit to bedding-parallel throughout the majority of the unit. Darker upper section has a strong fetid odour along broken surfaces. « btrb 0.10-2.00cm », « cg xtl crns ca 1.00-5.00% 5.00-150.00cm », « crns py 1.00-5.00% 0.10-0.50mm »,											
‹ @ 33.5 S0 Alligned bioturbations 55° ›											
‹ @ 45.00 S0 Broken calcite lineation 48° ›											
‹ @ 52.00 S0 Laminations 55° ›											
66.60	72.50	FLT									
5% int, 10% brco, 5% bx, 80% gg											
72.50	131.00	CCMS									
CCMS – Calcareous Mudstone											
Massive, calcareous, carbonaceous, dark grey mudstone. Most of the member is massive, but rare poorly defined bedding and pyrite-calcite micro-concretions are present. Most diagnostic structures are feathery calcite beds (=thin calcite-cemented concretions, many of them contain pyrite cores) and calcite pseudo-beds (= fibrous calcite vein parallel to bedding).											
« lm ca 5.00-10.00mm », « nodules py -3.00% 2.00-20.00mm »,											
Carbonaceous mudstone, dominantly homogenous with local parts resembling USSM or BSSM.											
« 77.00- 80.00 10% int, 10% brco, 20% bx, 60% gg »											
‹ @ 96.00 S0 defined by calcite laminations but not selly = 64° ›											



Hole Number:
DNE-094

Selwyn Chihong Mining Ltd.
#2701- 1055 West Georgia
Vancouver, British Columbia
Canada, V6E 0B6

[illegible]