

<b>Hole No.:</b> DNE-096	<b>Depth:</b> 110.00 m	<b>Horizontal Length:</b> 0.00 m	<b>Project:</b> 1710
<b>Location Data:</b>			
<b>Property:</b>	Selwyn Project	<b>Claim Name:</b>	NOD 43
<b>Mining District:</b>	Selwyn Basin	<b>Grant Number:</b>	YB49407
<b>Province/Territory:</b>	Yukon		
<b>UTM Co-Ordinates &amp; Altitude of Drill Hole Collar:</b>			
<b>UTM Easting:</b>	479884.72 m	<b>True Azimuth:</b>	30.0 °
<b>UTM Northing:</b>	6932553.33 m	<b>Hole Angle:</b>	-75.0 °
<b>Elevation (m):</b>	1180.84 m	<b>NTS Name:</b>	No Title
		<b>UTM Datum:</b>	NAD 83
		<b>UTM Grid Zone:</b>	9
		<b>NTS Number:</b>	105I11
<b>Grid Co-Ordinates of Drill Hole Collar:</b>			
<b>Grid Easting (m):</b>	0.00 m	<b>Grid Name:</b>	HP 06
<b>Grid Northing (m):</b>	0.00 m	<b>Grid Type:</b>	100m
<b>Grid Azimuth:</b>	90.0 °		
<b>Dimond Drilling Contract:</b>			
<b>Drilled By:</b>	CYR-01	<b>Date Drilling Start:</b>	27-Apr-14
		<b>Date Finish:</b>	29-Apr-14
<b>Diamond Drill Core:</b>			
<b>Logged By:</b>	C.MacKay-Stotesbury	<b>Date Logging Start:</b>	02-May-14
		<b>Date Finish:</b>	02-May-14
<b>Legend for Core Logging Codes:</b> PAX			
<b>Core Size:</b>	NQ3	<b>Cemented:</b>	No
<b>Casing Depth:</b>	21.10 m	<b>Casing Pulled:</b>	Yes
<b>Water Depth:</b>	0.00 m	<b>Overburden Depth:</b>	21.10 m
<b>Level:</b>		<b>Section:</b>	
		<b>Drift:</b>	

# Selwyn Project

## Diamond Drill Log

### Survey Data for Hole

# DNE-096

**Hole Comments:**

Mon, Apr 28 ---DS: Shut down DNE-094, EOH at 131m, CCMS. No ACTM intersected, faulted out. Moved to DNE-802, DNE-096. NS: 21m casing.

=====

Tue, Apr 29 --- DS: No major issues, possibly drilled directly into CCMS. NS: Appear to have reached Cambrian Limestone at 98.1m. Hole shut down first thing in morning, @~108.4m. Moving to pad DNE-803.

<i>Depth</i>	<i>Dip</i>	<i>Azimuth</i>
0.00	-75.0	30.0
32.00	-74.5	29.5
50.00	-74.6	30.2
101.00	-74.8	32.1

# Selwyn Project Diamond Drill Log

Hole Number:  
**DNE-096**

**Selwyn Chihong Mining Ltd.**  
#2701- 1055 West Georgia  
Vancouver, British Columbia  
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
0.00	21.10	OVBR									
21.10	41.00	CCMS									
CCMS – Calcareous Mudstone											
Massive, calcareous, carbonaceous, dark grey mudstone. Most of the member is massive, but rare poorly defined bedding and pyrite-calcite micro-concretions are present. Most diagnostic structures are feathery calcite beds (=thin calcite-cemented concretions, many of them contain pyrite cores) and calcite pseudo-beds (= fibrous calcite vein parallel to bedding).											
« lm ca 5.00-10.00mm », « nodules py -3.00% 2.00-20.00mm »,											
Entire interval is interpreted as PSMS.											
‹ @ 27.80 S0 defined by pseudo-bedding delineated by contrasting carbon abundance 60° ›											
‹ @ 36.40 S0 defined by pseudo-bedding 40° ›											
41.00	98.60	TRAN									
TRAN – Transition Formation											
Consists of laminated tan mudstone and minor intercalated light grey limestone.											
« lm mdst 1.00-10.00mm »,											
‹ @ 49.60 S0 defined by pseudo-bedding 65° ›											
‹ @ 95.80 S0 defined by pseudo-bedding 47° ›											
98.60	110.00	CLST									
CLST – Cambrian Limestone											
Consists of 2 units. The first unit, Wavy Banded Limestone Formation, is divided into two informal members, based on the amount of argillaceous material in some beds. Both members display well-banded limestone. The upper member consists of intercalated light grey siliceous micrite and grey to tan laminated calcareous mudstone beds, displaying a chain-link structure. It appears wavy											



Hole Number:  
**DNE-096**

**Selwyn Chihong Mining Ltd.**  
#2701- 1055 West Georgia  
Vancouver, British Columbia  
Canada, V6E 0B6

[illegible]