

Hole No.: DNE-097	Depth: 173.00 m	Horizontal Length: 0.00 m	Project: 1710
Location Data:			
Property:	Selwyn Project	Claim Name:	NOD 43
Mining District:	Selwyn Basin	Grant Number:	YB49407
Province/Territory:	Yukon		
UTM Co-Ordinates & Altitude of Drill Hole Collar:			
UTM Easting:	479759.43 m	True Azimuth:	12.0 °
UTM Northing:	6932620.52 m	Hole Angle:	-85.0 °
Elevation (m):	1179.71 m	NTS Name:	No Title
		UTM Datum:	NAD 83
		UTM Grid Zone:	9
		NTS Number:	105I11
Grid Co-Ordinates of Drill Hole Collar:			
Grid Easting (m):	0.00 m	Grid Name:	HP 06
Grid Northing (m):	0.00 m	Grid Type:	100m
Grid Azimuth:	72.0 °		
Dimond Drilling Contract:			
Drilled By:	CYR-01	Date Drilling Start:	30-Apr-14
		Date Finish:	03-May-14
Diamond Drill Core:			
Logged By:	H.Grimson	Date Logging Start:	02-May-14
		Date Finish:	04-May-14
Legend for Core Logging Codes: PAX			
Core Size:	NQ3	Cemented:	No
Casing Depth:	5.30 m	Casing Pulled:	Yes
Water Depth:	0.00 m	Overburden Depth:	5.30 m
Level:		Section:	
		Drift:	

Selwyn Project

Diamond Drill Log

Survey Data for Hole

DNE-097

Hole Comments:

Wed, Apr 30 ---DS: Moved to pad DNE-803 to drill DNE-097. NS: No drilling, on standby due to crew change from CYR02.

=====
Thu, May 01 ---DS: Crew shut down CYR02 rig, moved to CYR01 on DNE-803 (DNE-097). NS: No major issues, currently at 34.5m depth, USMS.

=====
Fri, May 02 --- DS: Faulted ground, slow drilling. NS: Reached 116.5m in FLMD.

=====
Sat, May 03 --- DS: Very faulted slow drilling, continued in FLMD up to 136m then hit major fault, and possibly into TRAN. To be certain asked them to keep drilling to 173m NS: reached 173 in TRAN. No ACTM.

<i>Depth</i>	<i>Dip</i>	<i>Azimuth</i>
0.00	-85.0	12.0
20.00	-86.8	16.7
53.00	-88.2	9.0
107.00	-89.0	212.2
152.00	-88.5	198.5
173.00	-88.3	186.5

Selwyn Project Diamond Drill Log

Hole Number:
DNE-097

Selwyn Chihong Mining Ltd.
#2701- 1055 West Georgia
Vancouver, British Columbia
Canada, V6E 0B6

From (m)	To (m)	Rocktype & Description	Sample ID	From (m)	To (m)	Width (m)	Pb (%)	Zn (%)	Ag (ppm)	Cd (ppm)	Pb% / Zn%
0.00	5.30	OVBR									
5.30	51.20	BSSM									
<i>BSSM – Backside Siliceous Mudstone</i>											
<i>Devonian Siliceous Mudstone – Upper Chert Formation</i>											
<i>Greyish black laminated chert and siliceous mudstone. Randomly-oriented to bedding-parallel bioturbation is common in the bottom of the unit. « lm chrt 75.00-95.00% », « btrb 0.10-2.00cm »,</i>											
<i>Alternates between carbonaceous mudstone and pale-grey bioturbated "Flaggy mudstone" every ~3boxes</i>											
<i>« @ 13.00 Aligned bioturbations 20° »</i>											
<i>« @ 27.00 S0 Banding 26° »</i>											
<i>« @ 40.00 S0 Aligned bioturbations 27° »</i>											
<i>« @ 47.00 S0 40° »</i>											
51.20	136.80	FLMD									
<i>« 103.50- 112.40 FLT 20% int, 30% brco and 35% bx and 15% gg, S0 = 20°»FLMD – Flaggy Mudstone Formation</i>											
<i>Dark grey mudstone in the upper portions of the unit grading into light grey mudstone to siltstone. Contains abundant wispy bioturbation which ranges from randomly-oriented at the top of the unit to bedding-parallel throughout the majority of the unit. Darker upper section has a strong fetid odour along broken surfaces. « btrb 0.10-2.00cm », « cg xtl crns ca 1.00-5.00% 5.00-150.00cm », « crns py 1.00-5.00% 0.10-0.50mm »,</i>											
<i>« @ 79.00 S0 Aligned bioturbations 12° »</i>											



Hole Number:
DNE-097

Selwyn Chihong Mining Ltd.
#2701- 1055 West Georgia
Vancouver, British Columbia
Canada, V6E 0B6

Printed on: 2015/03/13