

**CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(778) 327-4750**

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT NO: 1710

AGAT WORK ORDER: 14Y835936

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: May 15, 2014

PAGES (INCLUDING COVER): 15

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: May 05, 2014

DATE RECEIVED: May 05, 2014

DATE REPORTED: May 15, 2014

SAMPLE TYPE: Drill Core

Analyte: Specific Gravity
Unit: g/cm3
RDL: 0.01

Sample ID (AGAT ID)	
E6615701 (5334777)	2.75
E6615702 (5334778)	2.78
E6615703 (5334779)	2.84
E6615704 (5334780)	2.84
E6615705 (5334781)	2.82
E6615706 (5334782)	2.93
E6615707 (5334783)	2.80
E6615708 (5334784)	2.79
E6615709 (5334785)	2.73
E6615710 (5334786)	2.81
E6615711 (5334787)	2.81
E6615712 (5334788)	2.69
E6615713 (5334789)	2.72
E6615714 (5334790)	2.79
E6615715 (5334791)	2.83
E6615716 (5334792)	3.05
E6615717 (5334793)	2.97
E6615718 (5334794)	2.95
E6615719 (5334795)	2.84
E6615720 (5334796)	2.81
E6615721 (5334797)	2.93
E6615722 (5334798)	2.81
E6615723 (5334799)	2.79
E6615724 (5334800)	2.74
E6615725 (5334801)	2.86
E6615726 (5334802)	2.76
E6615727 (5334803)	2.71
E6615728 (5334804)	2.71
E6615729 (5334805)	2.87
E6615730 (5334806)	3.12
E6615731 (5334807)	2.73
E6615732 (5334808)	2.75

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: May 05, 2014

DATE RECEIVED: May 05, 2014

DATE REPORTED: May 15, 2014

SAMPLE TYPE: Drill Core

	Analyte:	Specific Gravity
	Unit:	g/cm3
	RDL:	0.01
Sample ID (AGAT ID)		
E6615733 (5334809)		2.72
E6615734 (5334810)		2.74
E6615735 (5334811)		2.75
E6615736 (5334812)		2.83
E6615737 (5334813)		2.84
E6615738 (5334814)		2.84
E6615739 (5334815)		2.97
E6615740 (5334816)		2.87
E6615741 (5334817)		2.82
E6615742 (5334818)		2.82
E6615743 (5334819)		2.82

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014			DATE RECEIVED: May 05, 2014					DATE REPORTED: May 15, 2014				SAMPLE TYPE: Drill Core			
	Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample ID (AGAT ID)	RDL:	0.01	2.5	0.25	5	5	2.5	5	0.05	2.5	5	2.5	2.5	2.5	0.05
E6615701 (5334777)		2.28	<2.5	1.38	11	412	<2.5	<5	10.6	8.6	20	4.1	73.2	55.7	1.26
E6615702 (5334778)		2.17	<2.5	0.93	11	365	<2.5	7	8.30	3.4	17	<2.5	58.4	41.1	1.13
E6615703 (5334779)		1.61	<2.5	0.99	47	294	<2.5	5	1.23	106	12	3.1	90.7	58.7	3.64
E6615704 (5334780)		1.50	<2.5	0.97	55	284	<2.5	<5	1.18	111	13	3.3	84.4	56.3	3.50
E6615705 (5334781)		0.77	<2.5	1.63	55	510	<2.5	<5	1.75	121	10	6.1	66.4	62.5	3.26
E6615706 (5334782)		0.42	<2.5	1.60	71	381	<2.5	<5	1.65	121	10	7.0	51.5	59.6	3.13
E6615707 (5334783)		1.95	<2.5	<0.25	<5	105	<2.5	<5	28.0	19.7	7	<2.5	17.6	8.2	0.47
E6615708 (5334784)		2.11	<2.5	<0.25	<5	111	<2.5	<5	27.8	18.7	6	<2.5	14.8	7.4	0.45
E6615709 (5334785)		0.66	<2.5	0.52	14	125	<2.5	<5	3.44	30.7	7	<2.5	38.3	24.6	0.90
E6615710 (5334786)		0.34	<2.5	0.43	10	89	<2.5	<5	1.29	57.3	7	<2.5	90.6	32.5	1.00
E6615711 (5334787)		0.37	<2.5	0.42	17	91	<2.5	<5	1.29	60.6	8	<2.5	104	33.0	0.98
E6615712 (5334788)		0.91	<2.5	1.38	49	253	<2.5	<5	1.16	<2.5	7	5.3	38.6	42.5	1.84
E6615713 (5334789)		0.99	<2.5	1.33	36	245	<2.5	<5	1.04	17.3	7	6.8	42.9	40.8	2.16
E6615714 (5334790)		1.62	<2.5	<0.25	<5	95	<2.5	<5	31.9	<2.5	13	<2.5	9.2	4.6	0.53
E6615715 (5334791)		1.20	<2.5	<0.25	<5	95	<2.5	<5	32.6	<2.5	13	<2.5	11.1	6.4	0.54
E6615716 (5334792)		1.25	<2.5	0.98	32	132	<2.5	6	3.88	212	10	5.0	31.5	38.1	2.50
E6615717 (5334793)		1.71	<2.5	0.60	58	116	<2.5	6	12.7	168	16	4.0	35.7	30.6	3.60
E6615718 (5334794)		1.73	<2.5	0.60	51	118	<2.5	12	13.1	159	15	3.9	34.1	30.9	3.57
E6615719 (5334795)		1.07	<2.5	0.88	32	157	<2.5	6	5.07	91.2	7	2.8	53.3	40.5	2.54
E6615720 (5334796)		0.30	<2.5	<0.25	<5	6	<2.5	<5	36.3	<2.5	<5	<2.5	4.3	<2.5	<0.05
E6615721 (5334797)		0.68	<2.5	0.63	33	117	<2.5	<5	6.28	64.7	11	3.8	59.0	40.9	1.86
E6615722 (5334798)		1.02	<2.5	0.90	42	159	<2.5	<5	5.18	96.4	9	3.4	56.8	39.1	2.61
E6615723 (5334799)		0.88	<2.5	0.64	19	120	<2.5	<5	6.42	66.0	9	<2.5	66.2	41.5	1.89
E6615724 (5334800)		1.46	<2.5	1.24	36	408	<2.5	<5	13.8	10.2	17	3.9	37.0	37.6	1.02
E6615725 (5334801)		1.65	<2.5	0.55	<5	127	<2.5	<5	28.1	<2.5	12	<2.5	20.9	24.5	1.83
E6615726 (5334802)		2.19	<2.5	0.30	<5	101	<2.5	<5	27.6	<2.5	10	<2.5	10.5	13.0	0.36
E6615727 (5334803)		1.05	<2.5	1.20	33	279	<2.5	<5	5.32	<2.5	6	4.0	68.3	58.7	1.24
E6615728 (5334804)		1.44	<2.5	1.21	41	279	<2.5	<5	5.38	2.5	8	3.9	66.1	60.6	1.22
E6615729 (5334805)		1.54	<2.5	0.94	44	543	<2.5	6	14.5	15.1	34	3.5	70.3	109	0.84
E6615730 (5334806)		0.04	69.2	3.45	49	846	<2.5	14	1.29	193	19	9.2	14.7	6280	4.56
E6615731 (5334807)		1.16	<2.5	0.95	28	570	<2.5	<5	14.5	14.0	34	4.3	66.8	111	0.84

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014			DATE RECEIVED: May 05, 2014				DATE REPORTED: May 15, 2014				SAMPLE TYPE: Drill Core				
	Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample ID (AGAT ID)	RDL:	0.01	2.5	0.25	5	5	2.5	5	0.05	2.5	5	2.5	2.5	2.5	0.05
E6615732 (5334808)		1.69	<2.5	0.28	14	160	<2.5	<5	25.8	4.8	<5	<2.5	21.5	41.6	0.48
E6615733 (5334809)		1.82	<2.5	1.33	14	819	<2.5	<5	8.18	27.5	21	3.3	124	116	0.84
E6615734 (5334810)		1.83	<2.5	1.31	16	839	<2.5	<5	8.13	27.7	23	3.2	128	115	0.82
E6615735 (5334811)		2.15	<2.5	2.90	10	1290	2.8	<5	7.99	<2.5	41	3.2	209	170	2.41
E6615736 (5334812)		1.81	<2.5	2.43	<5	227	<2.5	<5	22.8	<2.5	19	4.1	38.5	16.2	1.70
E6615737 (5334813)		2.36	<2.5	2.36	<5	223	<2.5	<5	22.7	<2.5	18	4.4	36.8	13.8	1.63
E6615738 (5334814)		1.33	<2.5	3.33	<5	532	2.9	<5	18.6	<2.5	30	7.2	51.0	23.5	1.85
E6615739 (5334815)		0.81	<2.5	4.02	<5	590	3.1	<5	17.2	<2.5	35	6.6	68.0	28.9	2.92
E6615740 (5334816)		1.07	<2.5	3.94	7	588	3.0	<5	17.0	<2.5	28	6.1	66.3	29.0	2.90
E6615741 (5334817)		1.03	<2.5	4.82	<5	766	3.5	<5	12.3	<2.5	37	7.0	75.5	33.6	2.99
E6615742 (5334818)		0.04	20.5	4.10	<5	546	<2.5	7	4.76	186	19	<2.5	19.3	4550	2.70
E6615743 (5334819)		0.30	<2.5	<0.25	<5	19	<2.5	<5	37.0	<2.5	<5	<2.5	4.9	<2.5	<0.05

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014		DATE RECEIVED: May 05, 2014					DATE REPORTED: May 15, 2014					SAMPLE TYPE: Drill Core			
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
RDL:		25	5	0.05	10	5	0.05	5	2.5	0.05	2.5	50	5	50	0.025
E6615701 (5334777)		<25	<5	0.79	20	11	0.19	290	17.7	<0.05	73.4	7810	138	<50	1.51
E6615702 (5334778)		<25	<5	0.52	16	14	0.17	200	11.6	<0.05	58.1	7430	100	<50	1.30
E6615703 (5334779)		<25	<5	0.54	12	11	0.11	63	19.3	<0.05	72.7	4230	3260	<50	5.65
E6615704 (5334780)		<25	<5	0.52	12	11	0.11	75	20.6	<0.05	76.2	4280	3460	<50	5.57
E6615705 (5334781)		<25	<5	0.96	13	7	0.14	117	57.0	<0.05	132	611	3870	<50	5.56
E6615706 (5334782)		<25	<5	0.92	13	7	0.14	121	57.2	<0.05	128	665	3780	<50	5.38
E6615707 (5334783)		<25	<5	0.09	11	<5	0.15	905	3.5	<0.05	16.7	312	2130	<50	1.08
E6615708 (5334784)		<25	<5	0.09	10	<5	0.15	947	3.0	<0.05	16.1	428	2230	<50	1.07
E6615709 (5334785)		<25	<5	0.26	<10	6	0.07	69	15.2	<0.05	36.2	359	2970	<50	1.51
E6615710 (5334786)		<25	<5	0.21	<10	7	0.06	59	15.3	<0.05	35.8	325	5770	<50	1.90
E6615711 (5334787)		<25	<5	0.21	<10	7	0.06	50	16.0	<0.05	37.8	341	5910	<50	1.86
E6615712 (5334788)		<25	<5	0.71	11	8	0.16	36	50.4	<0.05	125	364	1830	<50	1.97
E6615713 (5334789)		<25	<5	0.71	<10	8	0.16	44	51.9	<0.05	109	424	1490	<50	2.54
E6615714 (5334790)		<25	<5	0.10	22	<5	0.15	650	<2.5	<0.05	13.3	358	690	<50	0.685
E6615715 (5334791)		<25	<5	0.10	23	<5	0.15	661	<2.5	<0.05	13.6	376	747	<50	0.697
E6615716 (5334792)		<25	<5	0.50	<10	6	0.16	156	14.3	<0.05	73.7	743	16300	<50	6.82
E6615717 (5334793)		<25	<5	0.31	16	5	0.12	326	20.0	<0.05	53.0	614	11300	<50	7.44
E6615718 (5334794)		<25	<5	0.30	14	5	0.12	314	17.4	<0.05	49.8	605	11200	<50	7.44
E6615719 (5334795)		<25	<5	0.47	<10	7	0.12	149	17.5	<0.05	70.7	490	6830	<50	4.75
E6615720 (5334796)		<25	<5	<0.05	<10	<5	1.99	10	<2.5	<0.05	<2.5	<50	79	<50	0.323
E6615721 (5334797)		<25	<5	0.32	<10	5	0.09	159	19.9	<0.05	62.6	435	4980	<50	3.23
E6615722 (5334798)		<25	<5	0.48	<10	7	0.12	163	20.8	<0.05	76.0	574	7050	<50	4.86
E6615723 (5334799)		<25	<5	0.33	10	6	0.09	158	18.8	<0.05	62.3	462	5040	<50	3.31
E6615724 (5334800)		<25	<5	0.68	18	5	0.18	276	33.1	<0.05	88.5	793	705	<50	1.36
E6615725 (5334801)		<25	<5	0.30	20	<5	0.13	443	10.2	<0.05	47.7	323	207	<50	2.11
E6615726 (5334802)		<25	<5	0.16	20	<5	0.10	450	4.5	<0.05	26.6	208	74	<50	0.477
E6615727 (5334803)		<25	<5	0.65	12	6	0.15	105	31.4	<0.05	94.9	319	247	<50	1.32
E6615728 (5334804)		<25	<5	0.66	12	7	0.15	99	29.5	<0.05	89.0	346	237	<50	1.31
E6615729 (5334805)		<25	<5	0.53	35	7	0.16	390	50.6	<0.05	95.7	8320	158	<50	1.11
E6615730 (5334806)		<25	10	1.22	<10	11	0.24	944	6.0	2.08	7.9	178	>50000	<50	5.25
E6615731 (5334807)		<25	<5	0.53	35	7	0.16	384	49.3	<0.05	93.2	8150	165	<50	1.09
E6615732 (5334808)		<25	<5	0.15	12	<5	0.15	817	12.5	<0.05	36.3	1500	75	<50	0.701

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014		DATE RECEIVED: May 05, 2014				DATE REPORTED: May 15, 2014				SAMPLE TYPE: Drill Core					
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
RDL:		25	5	0.05	10	5	0.05	5	2.5	0.05	2.5	50	5	50	0.025
Sample ID (AGAT ID)															
E6615733 (5334809)		<25	<5	0.73	33	10	0.21	125	53.2	<0.05	161	9050	59	<50	1.06
E6615734 (5334810)		<25	<5	0.73	33	10	0.21	130	52.9	<0.05	168	9050	63	<50	1.04
E6615735 (5334811)		<25	<5	1.78	43	19	0.45	95	14.9	<0.05	198	>10000	83	93	2.59
E6615736 (5334812)		<25	<5	1.37	14	18	0.52	528	<2.5	<0.05	26.1	428	81	80	1.86
E6615737 (5334813)		<25	<5	1.36	13	19	0.51	502	<2.5	<0.05	24.4	421	80	80	1.81
E6615738 (5334814)		<25	13	2.23	19	30	0.81	358	12.5	<0.05	69.3	375	93	121	1.88
E6615739 (5334815)		<25	<5	2.78	21	38	1.04	344	6.2	<0.05	67.5	511	106	144	2.96
E6615740 (5334816)		<25	<5	2.74	18	37	1.03	355	5.7	<0.05	67.1	470	105	140	2.92
E6615741 (5334817)		<25	<5	3.39	22	45	1.25	268	<2.5	<0.05	69.8	647	109	173	2.90
E6615742 (5334818)		<25	<5	1.17	10	9	0.32	4790	<2.5	1.58	<2.5	178	13700	<50	2.95
E6615743 (5334819)		<25	<5	<0.05	<10	<5	1.46	8	<2.5	<0.05	<2.5	<50	79	<50	0.318

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014		DATE RECEIVED: May 05, 2014					DATE REPORTED: May 15, 2014					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample ID (AGAT ID)	RDL:	5	5	50	25	5	50	50	25	0.05	25	25	2.5	5	5
E6615701 (5334777)		9	<5	<50	<25	108	<50	<50	<25	<0.05	<25	<25	590	6	25
E6615702 (5334778)		<5	<5	<50	<25	75	<50	<50	<25	<0.05	<25	<25	516	<5	21
E6615703 (5334779)		22	<5	<50	<25	23	<50	<50	<25	<0.05	<25	<25	538	<5	13
E6615704 (5334780)		22	<5	<50	<25	21	<50	<50	<25	<0.05	<25	<25	560	<5	13
E6615705 (5334781)		15	<5	<50	<25	21	<50	<50	<25	0.05	<25	<25	922	<5	9
E6615706 (5334782)		17	<5	<50	<25	18	<50	<50	<25	<0.05	<25	<25	920	<5	9
E6615707 (5334783)		6	<5	<50	<25	183	<50	<50	<25	<0.05	<25	<25	131	<5	10
E6615708 (5334784)		<5	<5	<50	<25	182	<50	<50	<25	<0.05	<25	<25	131	<5	10
E6615709 (5334785)		5	<5	<50	<25	36	<50	<50	<25	<0.05	<25	<25	180	<5	7
E6615710 (5334786)		7	<5	<50	<25	17	<50	<50	<25	<0.05	<25	26	165	<5	6
E6615711 (5334787)		10	<5	<50	<25	19	<50	<50	<25	<0.05	<25	29	171	<5	6
E6615712 (5334788)		6	<5	<50	<25	17	<50	<50	<25	<0.05	<25	39	807	<5	7
E6615713 (5334789)		9	<5	<50	<25	15	<50	<50	<25	<0.05	<25	<25	703	<5	7
E6615714 (5334790)		8	<5	<50	<25	229	<50	<50	<25	<0.05	<25	<25	132	<5	14
E6615715 (5334791)		10	<5	<50	<25	216	<50	<50	<25	<0.05	<25	<25	138	<5	15
E6615716 (5334792)		15	<5	<50	<25	39	<50	<50	<25	<0.05	<25	<25	376	7	8
E6615717 (5334793)		21	<5	<50	<25	110	<50	<50	<25	<0.05	<25	<25	285	7	11
E6615718 (5334794)		16	<5	<50	<25	112	<50	<50	<25	<0.05	<25	<25	271	8	9
E6615719 (5334795)		17	<5	<50	<25	55	<50	<50	<25	<0.05	<25	<25	396	9	7
E6615720 (5334796)		<5	<5	<50	<25	4760	<50	<50	<25	<0.05	<25	<25	<2.5	5	<5
E6615721 (5334797)		19	<5	<50	<25	57	<50	<50	<25	<0.05	<25	<25	352	<5	7
E6615722 (5334798)		17	<5	<50	<25	58	<50	<50	<25	<0.05	<25	<25	419	6	8
E6615723 (5334799)		23	<5	<50	<25	61	<50	<50	<25	<0.05	<25	<25	358	<5	7
E6615724 (5334800)		8	<5	<50	<25	112	<50	<50	<25	0.06	<25	<25	612	6	13
E6615725 (5334801)		8	<5	<50	<25	220	<50	<50	<25	<0.05	<25	<25	387	<5	14
E6615726 (5334802)		6	<5	<50	<25	229	<50	<50	<25	<0.05	<25	<25	261	<5	13
E6615727 (5334803)		9	<5	<50	<25	70	<50	<50	<25	<0.05	<25	<25	736	<5	7
E6615728 (5334804)		9	<5	<50	<25	71	<50	<50	<25	0.05	<25	<25	712	<5	6
E6615729 (5334805)		12	<5	<50	<25	147	<50	<50	<25	<0.05	<25	<25	799	<5	47
E6615730 (5334806)		332	<5	<50	<25	147	<50	<50	<25	0.11	49	<25	14.6	8	9
E6615731 (5334807)		12	<5	<50	<25	150	<50	<50	<25	<0.05	<25	<25	789	<5	46
E6615732 (5334808)		<5	<5	<50	<25	221	<50	<50	<25	<0.05	<25	<25	282	6	18

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014		DATE RECEIVED: May 05, 2014					DATE REPORTED: May 15, 2014					SAMPLE TYPE: Drill Core			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	5	5	50	25	5	50	50	25	0.05	25	25	2.5	5	5	
Sample ID (AGAT ID)															
E6615733 (5334809)	7	<5	<50	<25	117	<50	<50	<25	0.05	<25	<25	1500	<5	38	
E6615734 (5334810)	5	<5	<50	<25	111	<50	<50	<25	0.06	<25	<25	1450	<5	36	
E6615735 (5334811)	12	6	<50	<25	129	<50	<50	<25	0.12	<25	<25	1120	7	61	
E6615736 (5334812)	9	5	<50	<25	233	<50	<50	<25	0.12	<25	<25	96.4	6	13	
E6615737 (5334813)	6	5	<50	<25	207	<50	<50	<25	0.12	<25	<25	92.8	<5	13	
E6615738 (5334814)	14	6	<50	<25	210	<50	<50	<25	0.18	<25	<25	109	<5	15	
E6615739 (5334815)	5	8	<50	<25	215	<50	<50	<25	0.22	<25	<25	123	6	18	
E6615740 (5334816)	10	8	<50	<25	200	<50	<50	<25	0.22	<25	<25	121	<5	17	
E6615741 (5334817)	12	9	<50	<25	153	<50	<50	<25	0.26	<25	<25	137	7	16	
E6615742 (5334818)	<5	<5	<50	<25	190	<50	<50	<25	0.09	<25	<25	19.2	<5	10	
E6615743 (5334819)	<5	<5	<50	<25	4910	<50	<50	<25	<0.05	<25	<25	<2.5	6	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014		DATE RECEIVED: May 05, 2014		DATE REPORTED: May 15, 2014		SAMPLE TYPE: Drill Core
Sample ID (AGAT ID)	Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion	
	Unit:	ppm	ppm	%	%	
	RDL:	2.5	25	0.005	0.005	
E6615701 (5334777)		2110	<25			
E6615702 (5334778)		831	<25			
E6615703 (5334779)		34600	<25			
E6615704 (5334780)		34100	<25			
E6615705 (5334781)		44400	26			
E6615706 (5334782)		42100	<25			
E6615707 (5334783)		7090	<25			
E6615708 (5334784)		6980	<25			
E6615709 (5334785)		12000	<25			
E6615710 (5334786)		18900	<25			
E6615711 (5334787)		18900	<25			
E6615712 (5334788)		401	<25			
E6615713 (5334789)		5600	<25			
E6615714 (5334790)		673	<25			
E6615715 (5334791)		633	<25			
E6615716 (5334792)		>50000	<25		8.44	
E6615717 (5334793)		>50000	<25		6.66	
E6615718 (5334794)		>50000	<25		6.69	
E6615719 (5334795)		41100	<25			
E6615720 (5334796)		14.3	<25			
E6615721 (5334797)		25100	<25			
E6615722 (5334798)		41700	<25			
E6615723 (5334799)		25400	<25			
E6615724 (5334800)		3430	27			
E6615725 (5334801)		112	<25			
E6615726 (5334802)		30.3	<25			
E6615727 (5334803)		543	34			
E6615728 (5334804)		517	<25			
E6615729 (5334805)		2570	30			
E6615730 (5334806)		>50000	<25	5.89	6.65	
E6615731 (5334807)		2400	28			
E6615732 (5334808)		646	<25			

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

DATE SAMPLED: May 05, 2014		DATE RECEIVED: May 05, 2014		DATE REPORTED: May 15, 2014		SAMPLE TYPE: Drill Core
Sample ID (AGAT ID)	Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion	
	Unit:	ppm	ppm	%	%	
	RDL:	2.5	25	0.005	0.005	
E6615733 (5334809)		3090	30			
E6615734 (5334810)		2970	31			
E6615735 (5334811)		220	49			
E6615736 (5334812)		11.8	40			
E6615737 (5334813)		17.6	36			
E6615738 (5334814)		14.1	53			
E6615739 (5334815)		8.2	62			
E6615740 (5334816)		20.3	63			
E6615741 (5334817)		19.9	69			
E6615742 (5334818)		27500	<25			
E6615743 (5334819)		6.7	<25			

Comments: RDL - Reported Detection Limit

5334777-5334819 As, Sb values may be low due to digestion losses.

Certified By:

Ron Cardinal



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

Parameter	REPLICATE #1				REPLICATE #2				REPLICATE #3							
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD				
Ag	5334777	< 2.5	< 2.5	0.0%	5334795	< 2.5	< 2.5	0.0%	5334816	< 2.5	< 2.5	0.0%				
Al	5334777	1.38	1.37	0.7%	5334795	0.877	0.886	1.0%	5334816	3.94	3.84	2.6%				
As	5334777	11	13	16.7%	5334795	32	37	14.5%	5334816	7	11					
Ba	5334777	412	410	0.5%	5334795	157	158	0.6%	5334816	588	561	4.7%				
Be	5334777	< 2.5	< 2.5	0.0%	5334795	< 2.5	< 2.5	0.0%	5334816	2.96	2.90	2.0%				
Bi	5334777	< 5	< 5	0.0%	5334795	6	5	18.2%	5334816	< 5	< 5	0.0%				
Ca	5334777	10.6	10.4	1.9%	5334795	5.07	4.95	2.4%	5334816	17.0	16.3	4.2%				
Cd	5334777	8.6	9.2	6.7%	5334795	91.2	93.0	2.0%	5334816	< 2.5	< 2.5	0.0%				
Ce	5334777	20	20	0.0%	5334795	7	10		5334816	28	33	16.4%				
Co	5334777	4.08	3.31	20.8%	5334795	2.8	4.0		5334816	6.1	6.4	4.8%				
Cr	5334777	73.2	75.1	2.6%	5334795	53.3	54.7	2.6%	5334816	66.3	64.5	2.8%				
Cu	5334777	55.7	54.5	2.2%	5334795	40.5	39.9	1.5%	5334816	29.0	27.7	4.6%				
Fe	5334777	1.26	1.24	1.6%	5334795	2.54	2.58	1.6%	5334816	2.90	2.84	2.1%				
Ga	5334777	< 25	< 25	0.0%	5334795	< 25	< 25	0.0%	5334816	< 25	< 25	0.0%				
In	5334777	< 5	< 5	0.0%	5334795	< 5	< 5	0.0%	5334816	< 5	< 5	0.0%				
K	5334777	0.79	0.79	0.0%	5334795	0.466	0.455	2.4%	5334816	2.74	2.65	3.3%				
La	5334777	20	19	5.1%	5334795	< 10	< 10	0.0%	5334816	18	21	15.4%				
Li	5334777	11	11	0.0%	5334795	7	7	0.0%	5334816	37	35	5.6%				
Mg	5334777	0.19	0.19	0.0%	5334795	0.12	0.12	0.0%	5334816	1.03	1.01	2.0%				
Mn	5334777	290	289	0.3%	5334795	149	154	3.3%	5334816	355	352	0.8%				
Mo	5334777	17.7	17.4	1.7%	5334795	17.5	18.1	3.4%	5334816	5.7	6.0	5.1%				
Na	5334777	< 0.05	< 0.05	0.0%	5334795	< 0.05	< 0.05	0.0%	5334816	< 0.05	< 0.05	0.0%				
Ni	5334777	73.4	72.9	0.7%	5334795	70.7	73.1	3.3%	5334816	67.1	65.7	2.1%				
P	5334777	7810	7780	0.4%	5334795	490	501	2.2%	5334816	470	425	10.1%				
Pb	5334777	138	138	0.0%	5334795	6830	6920	1.3%	5334816	105	105	0.0%				
Rb	5334777	< 50	< 50	0.0%	5334795	< 50	< 50	0.0%	5334816	140	137	2.2%				
S	5334777	1.51	1.49	1.3%	5334795	4.75	4.76	0.2%	5334816	2.92	2.87	1.7%				
Sb	5334777	9	< 5		5334795	17	18	5.7%	5334816	10	14					
Sc	5334777	< 5	< 5	0.0%	5334795	< 5	< 5	0.0%	5334816	8	8	0.0%				
Se	5334777	< 50	< 50	0.0%	5334795	< 50	< 50	0.0%	5334816	< 50	< 50	0.0%				
Sn	5334777	< 25	< 25	0.0%	5334795	< 25	< 25	0.0%	5334816	< 25	< 25	0.0%				



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sr	5334777	108	103	4.7%	5334795	55	56	1.8%	5334816	200	201	0.5%				
Ta	5334777	< 50	< 50	0.0%	5334795	< 50	< 50	0.0%	5334816	< 50	< 50	0.0%				
Te	5334777	< 50	< 50	0.0%	5334795	< 50	< 50	0.0%	5334816	< 50	< 50	0.0%				
Th	5334777	< 25	< 25	0.0%	5334795	< 25	< 25	0.0%	5334816	< 25	< 25	0.0%				
Ti	5334777	< 0.05	< 0.05	0.0%	5334795	< 0.05	< 0.05	0.0%	5334816	0.22	0.22	0.0%				
Tl	5334777	< 25	< 25	0.0%	5334795	< 25	< 25	0.0%	5334816	< 25	< 25	0.0%				
U	5334777	< 25	< 25	0.0%	5334795	< 25	< 25	0.0%	5334816	< 25	< 25	0.0%				
V	5334777	590	576	2.4%	5334795	396	401	1.3%	5334816	121	118	2.5%				
W	5334777	6	< 5		5334795	9	< 5		5334816	< 5	< 5	0.0%				
Y	5334777	25	24	4.1%	5334795	7	8	13.3%	5334816	17	17	0.0%				
Zn	5334777	2110	2160	2.3%	5334795	41100	39600	3.7%	5334816	20.3	11.1					
Zr	5334777	< 25	< 25	0.0%	5334795	< 25	< 25	0.0%	5334816	63	59	6.6%				



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 14Y835936

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

	CRM #1				CRM #2 (CDN-ME-1206)				CRM #3 (CDN-ME-1101)							
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Specific Gravity	2.65	2.66	100%	95% - 110%												

(201-270) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish

	CRM #1 (CDN-ME-1101)				CRM #2 (CDN-ME-1206)				CRM #3 (CDN-ME-1101)							
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Ag	68.2	68.1	100%	90% - 110%	274	262	95%	90% - 110%	68.2	69	101%	90% - 110%				
Cu	6630	6817	103%	90% - 110%	7900	7643	97%	90% - 110%	6630	6772	102%	90% - 110%				
Pb	4590	4769	104%	90% - 110%	8010	7706	96%	90% - 110%	4590	4610	100%	90% - 110%				
Zn	15600	15590	100%	90% - 110%	23800	23200	97%	90% - 110%	15600	15460	99%	90% - 110%				

Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD
AGAT WORK ORDER: 14Y835936
PROJECT NO: 1710
ATTENTION TO: JELLE DE BRUYCKERE

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES