

**CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(604) 620-6188**

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT NO: 1710

AGAT WORK ORDER: 14Y846419

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Jun 16, 2014

PAGES (INCLUDING COVER): 11

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Jun 02, 2014

DATE RECEIVED: Jun 02, 2014

DATE REPORTED: Jun 16, 2014

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Specific Gravity
	Unit:	g/cm3
	RDL:	0.01
E6616101 (5426221)		2.94
E6616102 (5426222)		3.01
E6616103 (5426223)		3.12
E6616104 (5426224)		3.02
E6616105 (5426225)		2.82
E6616106 (5426226)		2.75
E6616107 (5426228)		2.70
E6616108 (5426229)		2.74
E6616109 (5426230)		3.07
E6616110 (5426231)		2.73
E6616111 (5426232)		2.77
E6616112 (5426233)		2.99
E6616113 (5426234)		3.00
E6616114 (5426235)		2.91
E6616115 (5426236)		2.89
E6616116 (5426237)		2.89
E6616117 (5426238)		2.87
E6616118 (5426239)		2.75
E6616119 (5426240)		2.66
E6616120 (5426241)		2.73
E6616121 (5426242)		2.74
E6616122 (5426243)		2.64
E6616123 (5426244)		2.64
E6616124 (5426245)		2.65
E6616125 (5426246)		2.72
E6616126 (5426247)		2.79
E6616127 (5426248)		2.77
E6616128 (5426249)		2.76
E6616129 (5426250)		2.86
E6616130 (5426251)		3.00

Comments: RDL - Reported Detection Limit

Certified By: _____



Certificate of Analysis

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Jun 02, 2014

DATE RECEIVED: Jun 02, 2014

DATE REPORTED: Jun 16, 2014

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
E6616101 (5426221)	1.97	<0.00025	0.54	<0.0005	0.0231	<0.00025	<0.0005	10.7	0.0168	0.0005	<0.00025	0.00746	0.00633	2.83
E6616102 (5426222)	0.91	<0.00025	<0.25	<0.0005	0.0077	<0.00025	<0.0005	16.5	0.0500	0.0005	<0.00025	0.00207	0.00238	0.59
E6616103 (5426223)	1.13	0.00038	0.65	0.0012	0.0145	<0.00025	<0.0005	1.35	0.0670	0.0008	<0.00025	0.00269	0.00453	1.76
E6616104 (5426224)	1.76	<0.00025	<0.25	0.0010	0.0080	<0.00025	<0.0005	16.7	0.0496	0.0005	<0.00025	0.00253	0.0108	0.61
E6616105 (5426225)	1.50	<0.00025	0.61	<0.0005	0.0148	<0.00025	<0.0005	9.01	0.00980	0.0012	0.00034	0.00472	0.00396	1.99
E6616106 (5426226)	1.58	<0.00025	0.88	0.0010	0.0235	<0.00025	<0.0005	2.58	0.00293	0.0008	0.00035	0.00741	0.00399	0.88
E6616107 (5426228)	1.00	<0.00025	0.88	<0.0005	0.0231	<0.00025	0.0006	2.55	0.00292	0.0009	0.00038	0.00829	0.00383	0.87
E6616108 (5426229)	1.10	<0.00025	0.61	<0.0005	0.0219	<0.00025	<0.0005	25.4	<0.00025	0.0012	<0.00025	0.00194	0.00245	1.31
E6616109 (5426230)	1.18	0.00027	0.63	<0.0005	0.0187	<0.00025	<0.0005	3.95	0.0262	0.0011	0.00053	0.00243	0.00734	5.73
E6616110 (5426231)	1.16	<0.00025	<0.25	<0.0005	0.0069	<0.00025	<0.0005	31.3	0.00080	0.0008	<0.00025	0.00165	0.00084	0.54
E6616111 (5426232)	1.14	<0.00025	<0.25	<0.0005	0.0072	<0.00025	<0.0005	30.8	0.00076	0.0008	<0.00025	0.00157	0.00090	0.56
E6616112 (5426233)	1.23	<0.00025	0.62	<0.0005	0.0116	<0.00025	<0.0005	14.0	0.0223	0.0014	0.00040	0.00370	0.00319	3.02
E6616113 (5426234)	1.87	<0.00025	0.62	<0.0005	0.0118	<0.00025	<0.0005	13.8	0.0229	0.0013	0.00035	0.00379	0.00335	3.05
E6616114 (5426235)	2.15	<0.00025	0.44	<0.0005	0.0139	<0.00025	<0.0005	19.6	0.0158	0.0017	0.00030	0.00192	0.00277	3.20
E6616115 (5426236)	1.29	<0.00025	0.79	<0.0005	0.0145	<0.00025	0.0005	3.70	0.0170	0.0008	0.00032	0.00299	0.00409	2.55
E6616116 (5426237)	0.93	<0.00025	0.57	<0.0005	0.0136	<0.00025	0.0005	13.3	0.0148	0.0012	<0.00025	0.00541	0.00499	2.37
E6616117 (5426238)	1.35	<0.00025	0.58	<0.0005	0.0139	<0.00025	0.0006	13.6	0.0152	0.0011	0.00027	0.00437	0.00522	2.39
E6616118 (5426239)	2.14	<0.00025	0.43	<0.0005	0.0162	<0.00025	<0.0005	29.2	<0.00025	0.0011	<0.00025	0.00141	0.00230	0.83
E6616119 (5426240)	2.08	<0.00025	0.86	<0.0005	0.0158	<0.00025	<0.0005	8.66	0.00055	0.0015	0.00034	0.00701	0.00898	0.82
E6616120 (5426241)	0.38	<0.00025	<0.25	<0.0005	0.0025	<0.00025	<0.0005	35.3	<0.00025	<0.0005	<0.00025	0.00055	0.00026	<0.05
E6616121 (5426242)	1.86	<0.00025	0.56	<0.0005	0.0125	<0.00025	<0.0005	18.6	0.00038	0.0010	<0.00025	0.00249	0.00476	0.81
E6616122 (5426243)	1.90	<0.00025	0.89	<0.0005	0.0164	<0.00025	<0.0005	9.06	0.00055	0.0013	0.00043	0.00724	0.00947	0.88
E6616123 (5426244)	2.32	<0.00025	1.02	<0.0005	0.0107	<0.00025	<0.0005	8.23	0.00319	0.0015	0.00037	0.0109	0.0115	0.73
E6616124 (5426245)	1.12	<0.00025	1.04	<0.0005	0.0108	<0.00025	<0.0005	8.30	0.00317	0.0014	0.00032	0.0101	0.0115	0.74
E6616125 (5426246)	0.95	0.00026	2.09	<0.0005	0.0287	<0.00025	<0.0005	7.28	<0.00025	0.0047	0.00041	0.0232	0.0233	3.91
E6616126 (5426247)	1.30	<0.00025	2.71	<0.0005	0.0313	<0.00025	<0.0005	19.9	<0.00025	0.0016	0.00052	0.00437	0.00269	1.94
E6616127 (5426248)	1.03	<0.00025	2.19	<0.0005	0.0238	<0.00025	<0.0005	28.3	<0.00025	0.0024	0.00041	0.00320	0.00163	1.46
E6616128 (5426249)	2.06	<0.00025	4.10	0.0005	0.0650	0.00035	<0.0005	15.6	<0.00025	0.0021	0.00066	0.00679	0.00348	2.55
E6616129 (5426250)	2.13	<0.00025	4.17	0.0006	0.0674	0.00034	<0.0005	16.1	<0.00025	0.0024	0.00058	0.00677	0.00422	2.64
E6616130 (5426251)	0.04	0.00714	3.37	<0.0005	0.0978	<0.00025	<0.0005	1.34	0.0188	0.0022	0.00079	0.00146	0.653	4.63

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Jun 02, 2014		DATE RECEIVED: Jun 02, 2014					DATE REPORTED: Jun 16, 2014					SAMPLE TYPE: Drill Core			
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:		0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
E6616101 (5426221)		<0.0025	<0.0005	0.28	<0.0010	<0.0005	0.11	0.0331	0.00100	<0.05	0.00471	0.106	3.16	<0.0050	6.81
E6616102 (5426222)		<0.0025	<0.0005	0.08	<0.0010	0.0006	0.07	0.0489	<0.00025	<0.05	0.00176	0.0075	3.38	<0.0050	6.88
E6616103 (5426223)		<0.0025	<0.0005	0.32	<0.0010	<0.0005	0.07	0.0063	0.00133	<0.05	0.00460	0.0410	>5	<0.0050	9.44
E6616104 (5426224)		<0.0025	<0.0005	0.08	<0.0010	<0.0005	0.07	0.0496	<0.00025	<0.05	0.00230	0.0138	3.37	<0.0050	7.34
E6616105 (5426225)		<0.0025	<0.0005	0.30	0.0011	0.0006	0.08	0.0191	0.00133	<0.05	0.00486	0.0666	1.40	<0.0050	4.43
E6616106 (5426226)		<0.0025	<0.0005	0.45	<0.0010	<0.0005	0.10	0.0072	0.00317	<0.05	0.00766	0.0420	0.251	<0.0050	1.48
E6616107 (5426228)		<0.0025	<0.0005	0.45	<0.0010	<0.0005	0.10	0.0066	0.00280	<0.05	0.00766	0.0450	0.252	<0.0050	1.54
E6616108 (5426229)		<0.0025	<0.0005	0.38	0.0018	<0.0005	0.18	0.121	0.00232	<0.05	0.00518	0.0233	0.0139	<0.0050	1.84
E6616109 (5426230)		<0.0025	<0.0005	0.32	<0.0010	<0.0005	0.07	0.0238	0.00284	<0.05	0.00613	0.0641	2.14	<0.0050	>10
E6616110 (5426231)		<0.0025	<0.0005	0.09	0.0012	<0.0005	0.14	0.0629	<0.00025	<0.05	0.00072	0.0515	0.115	<0.0050	0.933
E6616111 (5426232)		<0.0025	<0.0005	0.09	0.0012	<0.0005	0.15	0.0646	<0.00025	<0.05	0.00083	0.0450	0.120	<0.0050	0.984
E6616112 (5426233)		<0.0025	<0.0005	0.32	0.0014	0.0005	0.13	0.0351	0.00093	<0.05	0.00404	0.0678	2.37	<0.0050	8.18
E6616113 (5426234)		<0.0025	<0.0005	0.32	0.0012	0.0005	0.14	0.0351	0.00081	<0.05	0.00402	0.0730	2.44	<0.0050	8.19
E6616114 (5426235)		<0.0025	<0.0005	0.21	0.0016	<0.0005	0.10	0.0438	0.00137	<0.05	0.00436	0.0478	1.50	<0.0050	7.68
E6616115 (5426236)		<0.0025	<0.0005	0.38	<0.0010	<0.0005	0.09	0.0154	0.00137	<0.05	0.00610	0.0664	1.22	<0.0050	7.01
E6616116 (5426237)		<0.0025	<0.0005	0.28	0.0013	<0.0005	0.10	0.0306	0.00104	<0.05	0.00443	0.0473	1.06	<0.0050	6.12
E6616117 (5426238)		<0.0025	<0.0005	0.29	0.0013	<0.0005	0.09	0.0310	0.00111	<0.05	0.00460	0.0445	1.08	<0.0050	6.28
E6616118 (5426239)		<0.0025	<0.0005	0.22	0.0017	<0.0005	0.13	0.0489	0.00044	<0.05	0.00314	0.0280	0.0109	<0.0050	1.13
E6616119 (5426240)		<0.0025	<0.0005	0.45	0.0018	<0.0005	0.13	0.0238	0.00355	<0.05	0.00936	0.249	0.0097	<0.0050	1.01
E6616120 (5426241)		<0.0025	<0.0005	<0.05	<0.0010	<0.0005	1.95	0.0043	<0.00025	<0.05	<0.00025	0.0081	0.0009	<0.0050	0.286
E6616121 (5426242)		<0.0025	<0.0005	0.30	0.0015	<0.0005	0.23	0.0579	0.00149	<0.05	0.00529	0.176	0.0060	<0.0050	1.05
E6616122 (5426243)		<0.0025	<0.0005	0.46	0.0017	<0.0005	0.14	0.0248	0.00357	<0.05	0.0102	0.254	0.0101	<0.0050	1.09
E6616123 (5426244)		<0.0025	<0.0005	0.55	0.0025	0.0006	0.16	0.0157	0.00410	<0.05	0.0141	0.606	0.0026	<0.0050	1.02
E6616124 (5426245)		<0.0025	<0.0005	0.55	0.0025	0.0006	0.17	0.0157	0.00433	<0.05	0.0142	0.595	0.0026	<0.0050	1.02
E6616125 (5426246)		<0.0025	<0.0005	1.21	0.0050	0.0010	0.27	0.0055	0.00104	<0.05	0.0236	2.98	0.0102	0.0064	4.85
E6616126 (5426247)		<0.0025	<0.0005	1.65	0.0012	0.0017	0.45	0.0480	<0.00025	<0.05	0.00314	0.0583	0.0043	0.0080	2.40
E6616127 (5426248)		<0.0025	<0.0005	1.21	0.0015	0.0017	0.42	0.0653	<0.00025	<0.05	0.00172	0.0530	0.0029	0.0057	1.84
E6616128 (5426249)		<0.0025	<0.0005	2.91	0.0013	0.0037	0.87	0.0344	0.00076	<0.05	0.00714	0.0515	0.0053	0.0149	2.89
E6616129 (5426250)		<0.0025	<0.0005	2.95	0.0014	0.0037	0.91	0.0355	0.00079	<0.05	0.00700	0.0509	0.0058	0.0143	3.00
E6616130 (5426251)		<0.0025	0.0015	1.24	<0.0010	0.0012	0.25	0.0967	0.00032	2.08	0.00090	0.0242	>5	<0.0050	5.33

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Jun 02, 2014

DATE RECEIVED: Jun 02, 2014

DATE REPORTED: Jun 16, 2014

SAMPLE TYPE: Drill Core

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E6616101 (5426221)	0.0017	<0.0005	<0.0050	<0.0025	0.0108	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0344	<0.0005	0.0007
E6616102 (5426222)	0.0005	<0.0005	<0.0050	<0.0025	0.0118	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0174	0.0005	0.0008
E6616103 (5426223)	0.0019	<0.0005	<0.0050	<0.0025	0.0015	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0383	<0.0005	0.0006
E6616104 (5426224)	0.0012	<0.0005	<0.0050	<0.0025	0.0122	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0171	0.0005	0.0008
E6616105 (5426225)	0.0010	<0.0005	<0.0050	<0.0025	0.0089	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0315	<0.0005	0.0011
E6616106 (5426226)	<0.0005	<0.0005	<0.0050	<0.0025	0.0034	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0487	<0.0005	0.0007
E6616107 (5426228)	<0.0005	<0.0005	<0.0050	<0.0025	0.0029	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0488	<0.0005	0.0007
E6616108 (5426229)	<0.0005	<0.0005	<0.0050	<0.0025	0.0195	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0306	<0.0005	0.0021
E6616109 (5426230)	0.0022	<0.0005	<0.0050	<0.0025	0.0034	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0181	<0.0005	0.0009
E6616110 (5426231)	<0.0005	<0.0005	<0.0050	<0.0025	0.0175	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00805	<0.0005	0.0010
E6616111 (5426232)	<0.0005	<0.0005	<0.0050	<0.0025	0.0178	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00783	<0.0005	0.0010
E6616112 (5426233)	0.0015	<0.0005	<0.0050	<0.0025	0.0104	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0194	<0.0005	0.0010
E6616113 (5426234)	0.0015	<0.0005	<0.0050	<0.0025	0.0106	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0212	<0.0005	0.0012
E6616114 (5426235)	0.0020	<0.0005	<0.0050	<0.0025	0.0167	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0264	0.0005	0.0010
E6616115 (5426236)	0.0022	<0.0005	<0.0050	<0.0025	0.0038	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0349	<0.0005	0.0007
E6616116 (5426237)	0.0020	<0.0005	<0.0050	<0.0025	0.0107	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0295	<0.0005	0.0008
E6616117 (5426238)	0.0021	<0.0005	<0.0050	<0.0025	0.0113	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0302	<0.0005	0.0009
E6616118 (5426239)	0.0007	<0.0005	<0.0050	<0.0025	0.0209	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0278	<0.0005	0.0014
E6616119 (5426240)	<0.0005	<0.0005	<0.0050	<0.0025	0.0083	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0703	<0.0005	0.0019
E6616120 (5426241)	<0.0005	<0.0005	<0.0050	<0.0025	0.417	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E6616121 (5426242)	<0.0005	<0.0005	<0.0050	<0.0025	0.0152	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0362	<0.0005	0.0014
E6616122 (5426243)	0.0007	<0.0005	<0.0050	<0.0025	0.0085	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0701	<0.0005	0.0019
E6616123 (5426244)	0.0005	<0.0005	<0.0050	<0.0025	0.0098	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.121	<0.0005	0.0027
E6616124 (5426245)	0.0006	<0.0005	<0.0050	<0.0025	0.0106	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.124	<0.0005	0.0025
E6616125 (5426246)	0.0010	0.0005	<0.0050	<0.0025	0.0111	<0.0050	<0.0050	<0.0025	0.10	<0.0025	<0.0025	0.113	<0.0005	0.0077
E6616126 (5426247)	0.0016	0.0006	<0.0050	<0.0025	0.0182	<0.0050	<0.0050	<0.0025	0.15	<0.0025	<0.0025	0.0137	<0.0005	0.0010
E6616127 (5426248)	<0.0005	<0.0005	<0.0050	<0.0025	0.0219	<0.0050	<0.0050	<0.0025	0.11	<0.0025	<0.0025	0.00265	<0.0005	0.0016
E6616128 (5426249)	0.0010	0.0008	<0.0050	<0.0025	0.0189	<0.0050	<0.0050	<0.0025	0.20	<0.0025	<0.0025	0.0126	<0.0005	0.0015
E6616129 (5426250)	0.0007	0.0009	<0.0050	<0.0025	0.0195	<0.0050	<0.0050	<0.0025	0.21	<0.0025	<0.0025	0.0125	<0.0005	0.0015
E6616130 (5426251)	0.0328	<0.0005	<0.0050	<0.0025	0.0147	<0.0050	<0.0050	<0.0025	0.11	0.0041	<0.0025	0.00127	<0.0005	0.0010

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Jun 02, 2014

DATE RECEIVED: Jun 02, 2014

DATE REPORTED: Jun 16, 2014

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Zn	Zr	Zn Fusion	Pb-Fusion
	Unit:	%	%	%	%
	RDL:	0.00025	0.0025	0.005	0.005
E6616101 (5426221)		>5	<0.0025	6.00	
E6616102 (5426222)		>5	<0.0025	13.3	
E6616103 (5426223)		>5	<0.0025	14.5	6.45
E6616104 (5426224)		>5	<0.0025	12.9	
E6616105 (5426225)		3.37	<0.0025		
E6616106 (5426226)		1.19	<0.0025		
E6616107 (5426228)		1.17	<0.0025		
E6616108 (5426229)		0.0135	<0.0025		
E6616109 (5426230)		>5	<0.0025	9.26	
E6616110 (5426231)		0.288	<0.0025		
E6616111 (5426232)		0.298	<0.0025		
E6616112 (5426233)		>5	<0.0025	8.55	
E6616113 (5426234)		>5	<0.0025	8.30	
E6616114 (5426235)		>5	<0.0025	6.25	
E6616115 (5426236)		>5	<0.0025	7.94	
E6616116 (5426237)		>5	<0.0025	6.29	
E6616117 (5426238)		>5	<0.0025	6.27	
E6616118 (5426239)		0.0321	<0.0025		
E6616119 (5426240)		0.0692	<0.0025		
E6616120 (5426241)		0.00180	<0.0025		
E6616121 (5426242)		0.0650	<0.0025		
E6616122 (5426243)		0.0755	0.0028		
E6616123 (5426244)		0.318	0.0027		
E6616124 (5426245)		0.319	0.0029		
E6616125 (5426246)		0.0152	0.0044		
E6616126 (5426247)		0.00308	0.0043		
E6616127 (5426248)		0.00292	0.0034		
E6616128 (5426249)		0.00254	0.0059		
E6616129 (5426250)		0.00363	0.0062		
E6616130 (5426251)		>5	<0.0025	6.65	5.77

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Jun 02, 2014

DATE RECEIVED: Jun 02, 2014

DATE REPORTED: Jun 16, 2014

SAMPLE TYPE: Drill Core

Comments: RDL - Reported Detection Limit

5426221-5426251 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Specific Gravity	5426221	2.90	2.99	3.1%												

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

Parameter	REPLICATE #1				REPLICATE #2				REPLICATE #3							
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD				
Ag	5426221	< 0.00025	< 0.00025	0.0%	5426241	< 0.00025	< 0.00025	0.0%	5426246	0.00026	0.00024	8.0%				
Al	5426221	0.54	0.54	0.0%	5426241	< 0.25	< 0.25	0.0%	5426246	2.09	2.12	1.4%				
As	5426221	< 0.0005	< 0.0005	0.0%	5426241	< 0.0005	< 0.0005	0.0%	5426246	< 0.0005	< 0.0005	0.0%				
Ba	5426221	0.0231	0.0251	8.3%	5426241	0.00250	0.00211	16.9%	5426246	0.0287	0.0289	0.7%				
Be	5426221	< 0.00025	< 0.00025	0.0%	5426241	< 0.00025	< 0.00025	0.0%	5426246	< 0.00025	< 0.00025	0.0%				
Bi	5426221	< 0.0005	< 0.0005	0.0%	5426241	< 0.0005	< 0.0005	0.0%	5426246	< 0.0005	< 0.0005	0.0%				
Ca	5426221	10.7	10.8	0.9%	5426241	35.3	34.7	1.7%	5426246	7.28	7.20	1.1%				
Cd	5426221	0.0168	0.0173	2.9%	5426241	< 0.00025	< 0.00025	0.0%	5426246	< 0.00025	< 0.00025	0.0%				
Ce	5426221	0.00052	0.00068	26.7%	5426241	< 0.0005	< 0.0005	0.0%	5426246	0.00472	0.00475	0.6%				
Co	5426221	< 0.00025	< 0.00025	0.0%	5426241	< 0.00025	< 0.00025	0.0%	5426246	0.00041	0.00039	5.0%				
Cr	5426221	0.00746	0.00703	5.9%	5426241	0.00055	0.00067	19.7%	5426246	0.0232	0.0229	1.3%				
Cu	5426221	0.00633	0.00640	1.1%	5426241	0.00026	0.00044		5426246	0.0233	0.0229	1.7%				
Fe	5426221	2.83	2.86	1.1%	5426241	< 0.05	< 0.05	0.0%	5426246	3.91	3.96	1.3%				
Ga	5426221	< 0.0025	< 0.0025	0.0%	5426241	< 0.0025	< 0.0025	0.0%	5426246	< 0.0025	< 0.0025	0.0%				
In	5426221	< 0.0005	< 0.0005	0.0%	5426241	< 0.0005	< 0.0005	0.0%	5426246	< 0.0005	< 0.0005	0.0%				
K	5426221	0.28	0.28	0.0%	5426241	< 0.05	< 0.05	0.0%	5426246	1.21	1.19	1.7%				
La	5426221	< 0.0010	< 0.0010	0.0%	5426241	< 0.0010	< 0.0010	0.0%	5426246	0.00498	0.00494	0.8%				
Li	5426221	< 0.0005	0.0009		5426241	< 0.0005	< 0.0005	0.0%	5426246	0.0010	0.0010	0.0%				
Mg	5426221	0.113	0.115	1.8%	5426241	1.95	1.94	0.5%	5426246	0.273	0.279	2.2%				
Mn	5426221	0.0331	0.0316	4.6%	5426241	0.00433	0.00585	29.9%	5426246	0.00546	0.00494	10.0%				
Mo	5426221	0.00100	0.00092	8.3%	5426241	< 0.00025	< 0.00025	0.0%	5426246	0.00104	0.00114	9.2%				
Na	5426221	< 0.05	< 0.05	0.0%	5426241	< 0.05	< 0.05	0.0%	5426246	< 0.05	< 0.05	0.0%				
Ni	5426221	0.00471	0.00484	2.7%	5426241	< 0.00025	< 0.00025	0.0%	5426246	0.0236	0.0238	0.8%				
P	5426221	0.106	0.111	4.6%	5426241	0.0081	< 0.0050		5426246	2.98	2.99	0.3%				
Pb	5426221	3.16	3.24	2.5%	5426241	0.00094	0.00101	7.2%	5426246	0.0102	0.0100	2.0%				
Rb	5426221	< 0.0050	< 0.0050	0.0%	5426241	< 0.0050	< 0.0050	0.0%	5426246	0.00640	0.00613	4.3%				
S	5426221	6.81	6.93	1.7%	5426241	0.286	0.305	6.4%	5426246	4.85	5.14	5.8%				



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sb	5426221	0.0017	0.0020	16.2%	5426241	< 0.0005	< 0.0005	0.0%	5426246	0.0010	0.0012	18.2%				
Sc	5426221	< 0.0005	< 0.0005	0.0%	5426241	< 0.0005	< 0.0005	0.0%	5426246	0.0005	0.0005	0.0%				
Se	5426221	< 0.0050	< 0.0050	0.0%	5426241	< 0.0050	< 0.0050	0.0%	5426246	< 0.0050	< 0.0050	0.0%				
Sn	5426221	< 0.0025	< 0.0025	0.0%	5426241	< 0.0025	< 0.0025	0.0%	5426246	< 0.0025	< 0.0025	0.0%				
Sr	5426221	0.0108	0.0111	2.7%	5426241	0.417	0.416	0.2%	5426246	0.0111	0.0118	6.1%				
Ta	5426221	< 0.0050	< 0.0050	0.0%	5426241	< 0.0050	< 0.0050	0.0%	5426246	< 0.0050	< 0.0050	0.0%				
Te	5426221	< 0.0050	< 0.0050	0.0%	5426241	< 0.0050	< 0.0050	0.0%	5426246	< 0.0050	< 0.0050	0.0%				
Th	5426221	< 0.0025	< 0.0025	0.0%	5426241	< 0.0025	< 0.0025	0.0%	5426246	< 0.0025	< 0.0025	0.0%				
Ti	5426221	< 0.05	< 0.05	0.0%	5426241	< 0.05	< 0.05	0.0%	5426246	0.10	0.09	10.5%				
Tl	5426221	< 0.0025	< 0.0025	0.0%	5426241	< 0.0025	< 0.0025	0.0%	5426246	< 0.0025	< 0.0025	0.0%				
U	5426221	< 0.0025	< 0.0025	0.0%	5426241	< 0.0025	< 0.0025	0.0%	5426246	< 0.0025	< 0.0025	0.0%				
V	5426221	0.0344	0.0355	3.1%	5426241	< 0.00025	< 0.00025	0.0%	5426246	0.113	0.109	3.6%				
W	5426221	< 0.0005	0.0007		5426241	< 0.0005	< 0.0005	0.0%	5426246	< 0.0005	< 0.0005	0.0%				
Y	5426221	0.00072	0.00079	9.3%	5426241	< 0.0005	< 0.0005	0.0%	5426246	0.00765	0.00740	3.3%				
Zn	5426221	> 5	> 5	0.0%	5426241	0.00180	0.00265		5426246	0.0152	0.0126	18.7%				
Zr	5426221	< 0.0025	< 0.0025	0.0%	5426241	< 0.0025	< 0.0025	0.0%	5426246	0.00442	0.00404	9.0%				



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 14Y846419

PROJECT NO: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

Parameter	CRM #1				CRM #2 (CDN-ME-1206)											
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Specific Gravity	2.65	2.65	100%	95% - 110%												

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

Parameter	CRM #1 (CDN-ME-1101)				CRM #2 (CDN-ME-1206)											
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Cu	0.663	0.685	103%	90% - 110%	0.790	0.776	98%	90% - 110%								
Pb	0.459	0.442	96%	90% - 110%	0.801	0.78	97%	90% - 110%								
Zn	1.56	1.57	101%	90% - 110%	2.38	2.29	96%	90% - 110%								

Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD
AGAT WORK ORDER: 14Y846419
PROJECT NO: 1710
ATTENTION TO: JELLE DE BRUYCKERE

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES